



B

SDDL SID ALIAS MAPPING



Chapter 5 introduced the Security Descriptor Definition Language (SDDL) format for expressing a security descriptor as a string and gave some examples of the two-character aliases that Windows supports for well-known SDDL SIDs. While Microsoft documents the SDDL format for SIDs, it provides no single resource listing all the short SID alias strings. The only available resource is the *sddl.h* header in the Windows SDK. This header defines the Windows APIs a programmer can use to manipulate SDDL format strings and provides a list of short SID alias strings.

Table B-1 contains the short aliases along with the names and full SIDs that they represent. The table was extracted from the header provided with the SDK for Windows 11 (OS build 22H2), which should be the canonical list at the time of writing. Note that some SID aliases work only if you're connected to a domain network. You can identify these by the *<DOMAIN>* placeholder in the SID name, which you should re-

place with the name of the domain the system is connected to. Also replace the *<DOMAIN>* placeholder in the SDDL SID string with the unique domain SID.

Table B-1: Supported Mappings of SDDL SID Aliases to SIDs

SID alias	Name	SDDL SID
AA	<i>BUILTIN\Access Control Assistance Operators</i>	S-1-5-32-579
AC	<i>APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES</i>	S-1-15-2-1
AN	<i>NT AUTHORITY\ANONYMOUS LOGON</i>	S-1-5-7
AO	<i>BUILTIN\Account Operators</i>	S-1-5-32-548
AP	<i><DOMAIN>\Protected Users</i>	S-1-5-21- <DOMAIN>-525
AS	<i>Authentication authority asserted identity</i>	S-1-18-1
AU	<i>NT AUTHORITY\Authenticated Users</i>	S-1-5-11
BA	<i>BUILTIN\Administrators</i>	S-1-5-32-544
BG	<i>BUILTIN\Guests</i>	S-1-5-32-546
BO	<i>BUILTIN\Backup Operators</i>	S-1-5-32-551
BU	<i>BUILTIN\Users</i>	S-1-5-32-545

SID alias	Name	SDDL SID
CA	<DOMAIN>\Cert Publishers	S-1-5-21- <DOMAIN>-517
CD	BUILTIN\Certificate Service DCOM Access	S-1-5-32-574
CG	CREATOR GROUP	S-1-3-1
CN	<DOMAIN>\Cloneable Domain Controllers	S-1-5-21- <DOMAIN>-522
CO	CREATOR OWNER	S-1-3-0
CY	BUILTIN\Cryptographic Operators	S-1-5-32-569
DA	<DOMAIN>\Domain Admins	S-1-5-21- <DOMAIN>-512
DC	<DOMAIN>\Domain Computers	S-1-5-21- <DOMAIN>-515
DD	<DOMAIN>\Domain Controllers	S-1-5-21- <DOMAIN>-516
DG	<DOMAIN>\Domain Guests	S-1-5-21- <DOMAIN>-514
DU	<DOMAIN>\Domain Users	S-1-5-21- <DOMAIN>-513

SID alias	Name	SDDL SID
EA	<DOMAIN>\Enterprise Admins	S-1-5-21- <DOMAIN>-519
ED	NT AUTHORITY\ENTERPRISE DOMAIN CONTROLLERS	S-1-5-9
EK	<DOMAIN>\Enterprise Key Admins	S-1-5-21- <DOMAIN>-527
ER	BUILTIN\Event Log Readers	S-1-5-32-573
ES	BUILTIN\RDS Endpoint Servers	S-1-5-32-576
HA	BUILTIN\Hyper-V Administrators	S-1-5-32-578
HI	Mandatory Label\High Mandatory Level	S-1-16-12288
IS	BUILTIN\IIS_IUSRS	S-1-5-32-568
IU	NT AUTHORITY\INTERACTIVE	S-1-5-4
KA	<DOMAIN>\Key Admins	S-1-5-21- <DOMAIN>-526
LA	<DOMAIN>\Administrator	S-1-5-21- <DOMAIN>-500
LG	<DOMAIN>\Guest	S-1-5-21- <DOMAIN>-501

SID alias	Name	SDDL SID
LS	<i>NT AUTHORITY\LOCAL SERVICE</i>	S-1-5-19
LU	<i>BUILTIN\Performance Log Users</i>	S-1-5-32-559
LW	<i>Mandatory Label\Low Mandatory Level</i>	S-1-16-4096
ME	<i>Mandatory Label\Medium Mandatory Level</i>	S-1-16-8192
MP	<i>Mandatory Label\Medium Plus Mandatory Level</i>	S-1-16-8448
MS	<i>BUILTIN\RDS Management Servers</i>	S-1-5-32-577
MU	<i>BUILTIN\Performance Monitor Users</i>	S-1-5-32-558
NO	<i>BUILTIN\Network Configuration Operators</i>	S-1-5-32-556
NS	<i>NT AUTHORITY\NETWORK SERVICE</i>	S-1-5-20
NU	<i>NT AUTHORITY\NETWORK</i>	S-1-5-2
OW	<i>OWNER RIGHTS</i>	S-1-3-4
PA	<i><DOMAIN>\Group Policy Creator Owners</i>	S-1-5-21- <DOMAIN>-520
PO	<i>BUILTIN\Print Operators</i>	S-1-5-32-550
PS	<i>NT AUTHORITY\SELF</i>	S-1-5-10

SID alias	Name	SDDL SID
PU	<i>BUILTIN\Power Users</i>	S-1-5-32-547
RA	<i>BUILTIN\RDS Remote Access Servers</i>	S-1-5-32-575
RC	<i>NT AUTHORITY\RESTRICTED</i>	S-1-5-12
RD	<i>BUILTIN\Remote Desktop Users</i>	S-1-5-32-555
RE	<i>BUILTIN\Replicator</i>	S-1-5-32-552
RM	<i>BUILTIN\Remote Management Users</i>	S-1-5-32-580
RO	<i><DOMAIN>\Enterprise Read-only Domain Controllers</i>	S-1-5-21- <DOMAIN>-498
RS	<i><DOMAIN>\RAS and IAS Servers</i>	S-1-5-21- <DOMAIN>-553
RU	<i>BUILTIN\Pre-Windows 2000 Compatible Access</i>	S-1-5-32-554
SA	<i><DOMAIN>\Schema Admins</i>	S-1-5-21- <DOMAIN>-518
SI	<i>Mandatory Label\System Mandatory Level</i>	S-1-16-16384
SO	<i>BUILTIN\Server Operators</i>	S-1-5-32-549
SS	<i>Service asserted identity</i>	S-1-18-2

SID alias	Name	SDDL SID
SU	<i>NT AUTHORITY\SERVICE</i>	S-1-5-6
SY	<i>NT AUTHORITY\SYSTEM</i>	S-1-5-18
UD	<i>NT AUTHORITY\USER MODE DRIVERS</i>	S-1-5-84-0-0-0-0-0
WD	<i>Everyone</i>	S-1-1-0
WR	<i>NT AUTHORITY\WRITE RESTRICTED</i>	S-1-5-33