Use Case Documents

Use Case Identifier	UC-1
Use Case Name	Join Waitlist
Use Case Description	A staff member/customer needs to add a new customer to the waitlist. The customer provides their information such as name, party size, contact information, and a time. The system records the reservation, generates a timestamp for the entry, and places the reservation into the queue based on its time.
Actors	Staff (Host), Customer
Preconditions	● Customer is not already on the waitlist ● A customer requested to be added to the waitlist. ● The waitlist system is operational and accessible. ● A staff member is logged into the system.
Normal Flow	1.0 Join Waitlist 1. Customer calls/walk-in/use web-app to queue for a table 2. The Actors choose the option to add a reservation to the waitlist. 3. The system asks for information like name, party, and contact. 4. The Actors enter the customer's information and optional notes. 5. The Actors save the entry. 6. The system stores the customer information and records the timestamp of when they were added to the waitlist. 7. The system places the customer in the correct position on the waitlist. 8. The system displays the updated queue with the new reservation.
Postconditions	Success ● The customer is successfully added to the waitlist and is displayed correctly in the queue. ● Customer information is stored in the system's database under each reservation. Failure ● Customer information is not stored in the system. ● The existing queue does not change.
Trigger	Customer wants to be added to a waitlist for a table
Alternative Flows	● In step 4, only required fields like the customer's name and contact information must be included. ● In step 4, customers can choose whether they want to dine when available or at a later time.
Use Case Notes	● This use case can be tied together with notify users because when it is their turn on the waitlist they are notified. ● If a customer tries to make a duplicate reservation, the system will inform the customer of an already existing reservation and will not create a duplicate ○ The system checks this based on the provided phone number. ● The system should automatically timestamp the entry to ensure fairness

	in the queue.

Use Case Identifier	UC-2
Use Case Name	Leave Waitlist
Use Case Description	Allows customers to remove their party from the waitlist by themselves or a staff member.
Actors	Staff (Host), Customer
Preconditions	● The customer must already have a reservation on the waitlist. ● The waitlist system is operational. ● A staff member is logged into the system.
Normal Flow	1.0 Leave Waitlist 1. Actor logins into waitlist web-app 2. Actor choses “Leave Waitlist” 3. System ask for confirmation 4. The system removes the party from the waitlist 5. The system updates the queue and estimated wait times.
Postconditions	Success ● The customer is removed off the waitlist. ● The system records the removal. ● The queue is up-to-date with the waitlist Failure ● The customer is still on the waitlist ● No removal is recorded. ● The queue stays the same as before.
Trigger	A customer wants to leave the waitlist and the staff does that for them.
Alternative Flows	● A1-> Customer asks staff to remove them, staff will remove them from the waitlist system.
Use Case Notes	● Whenever a customer removes their position in the waitlist, the queue is recalculated for other customer reservations.

Use Case Identifier	UC-3
Use Case Name	Edit Waitlist Entry

Use Case Description	A staff member needs to update the waitlist, such as updating a particular customer's reservation information. The staff may edit the customer's phone number, ETA time, party size, and the notes to include special information about the customer. The system will save the changes and updates what is displayed on the staff's devices.
Actors	Staff (Host), Customer
Preconditions	● The customer must already have a reservation on the waitlist. ● The waitlist system is operational. ● A staff member is logged into the system.
Normal Flow	1.0 Edit Waitlist 1. The Actors find the customer's reservation entry. 2. The Actors select the edit option. 3. The customer gives new information to include in their reservation. 4. The system displays the current reservation information for the customer. 5. The Actors update a particular field in the reservation. 6. The Actors save the changes. 7. The system validates the updated information and stores the changes. 8. The system updates the displayed reservation entry.
Postconditions	Success ● The customer's reservation information is updated. ● The revised details appear on the device. Failure ● The original reservation entry does not change. ● Invalid or incomplete changes are not saved.
Trigger	The Actors wants to update information about a particular customer on the waitlist.
Alternative Flows	● In step 5, the host can update one field or many fields on the reservation. ● In step 7, some fields such as 'name' and 'phone number' are required, so if they are missing, the system displays an error message and wants the staff to correct the mistake. ● In step 8, changing the reservation time/date will affect the reservation's queue position, so the system will re-position the reservation in the correct slot.
Use Case Notes	● Editing an entry should not delete the original record. ● The system has to calculate how changing ETA or reservation type will affect the queue order.

Use Case Identifier	UC-4
Use Case Name	Notify Customer

Use Case Description	The system will notify the customer when their position in the waitlist has arrived, and that their table is ready. The staff selects the reservation and sends a notification to the customer. The system logs the notification and updates the party's status.
Actors	Staff (Host), Customer
Preconditions	● The customer has a reservation on the waitlist. ● The table is ready for the party. ● The waitlist system is operational. ● A staff member is logged into the system.
Normal Flow	1.0 Notify Customer 1. A table becomes ready for new customers. 2. The Actors select the customer who is first in the queue. 3. The Actors are automatically notified. 4. The system sends a notification to the customer. 5. The system records the notification timestamp. 6. The system updates the reservation's status from not ready to ready for a customer.
Postconditions	Success ● The Actors receive a notification ● Notification messages are also recorded in the system. ● The customer's status is changed to 'notified' Failure ● The customer did not receive a notification. ● The system failed to send a message and update the status of the customer in the waitlist.
Trigger	A table becomes available and the customer status changes
Alternative Flows	● In step 4, if the system experiences an error and the notification cannot be delivered, then the staff would have to call the customer's phone. ● In step 6, if the customer does not respond within 10 minutes, the staff would update the reservation status as 'no-show'.
Use Case Notes	● Notification includes text message, app notification, or email. ● The system should automatically send a notification based on the status of the customer.

Use Case Identifier	UC-5
Use Case Name	Seat Party

Use Case Description	The host seats a party once their table is ready, they must select the reservation in the waitlist and change their status to “seated”.
Actors	Staff (Hosts)
Preconditions	● The customer has a reservation on the waitlist. ● The waitlist system is operational. ● A staff member is logged into the system. ● Table is available for the party
Normal Flow	1.0 Seat Party 1. The system displays the customer reservations on the waitlist to the staff 2. The staff finds a particular reservation and selects the status option to “Seat Party”. 3. The system updates to “Seated” 4. The system removes party from active waitlist 5. The system updates the waitlist order and displays the updated queue to staff.
Postconditions	Success ● Party’s status is updated to “Seated” ● Party is removed from active waitlist ● Queue is updated for staff and other customers Failure ● The customer status fails to update ● The system sends an error message.
Trigger	Table becomes available and staff picks the next party from the queue to be seated.
Alternative Flows	- A1: Party not present -If the party is not present within 10 mins, they lose their spot and the table will be given to the next customer in line.
Use Case Notes	● Customers should only receive a notification when their status is updated to ready ● When the system fails to update the status, it should display an error message.

Use Case Diagram