

Task 2 – Coding with AI

Contents

Intro – auto-coding with AI

Different kinds of coding and recoding

A workflow for causal coding with and without AI



INTRO – AUTO-CODING WITH AI

CHAPTER CONTENTS.

📅 15 Oct 2025

Causal coding is fascinating but can take a lot of time. Using AI to help you is pretty easy, but there are still quite a few things to think about, as we will explain in this chapter.

PAGES IN THIS CHAPTER

📄 **A workflow for causal coding with and without AI**

📄 **Different kinds of coding and recoding**

A workflow for causal coding with and without AI

Contents

Summary

About causal mapping

The eight steps

Step 1: Collect

How this fits the wider field

Step 2: Gather data

Step 3: Prepare and revise the codebook

Recoding

Step 4: Code the claims

Holistic or claim by claim

Chunk size and sampling

Model

Always ask for quotes

Labels

Custom columns

Context and named entities

Iterations

Step 5: Check links and iterate

Steps 6 to 8: querying the model

Your links are a queryable knowledge graph

What you can ask

Step 6: From claims to bundles

Step 7: From bundles to pathways

Step 8: Judge value, contribution and the final judgement

Holistic final judgement

Related

Summary

You have a stack of documents or interviews and you want to answer research or evaluation questions rigorously. This is one workflow for getting there: eight steps, from planning through coding to a final judgement. The steps are almost the same whether you code by hand or with AI. This steps presented in this paper match the way we work in the Causal Map app, but the principles should make sense however coding is done. There is a strong focus here on AI-supported coding at scale, as the scale of AI coding requires some additional procedures and checks, but a manual coder follows approximately the same path and can just skip those sections.

Most subscribers to our App have coded manually, and coding manually is great. But although there's a lot of documentation, we never really did a step-by-step guide to how to do manual coding.

At Causal Map we've also been using AI for causal coding systematically now for nearly four years in a set of really interesting studies, mostly for clients, and often at considerable scale. Plenty of subscribers have been asking to use AI themselves. We've been reluctant frankly because we've been making it up as we go along and there are a *lot* of different things to think about. But now we've introduced One-Click Coding and it's time that we spilled out something of what we have learned on AI coding for the benefit of others.

So that is two overlapping reasons for this working paper. It is written so that a manual coder can read straight past the AI-only parts (the AI decisions table, and the model, chunk and iteration parts of Step 4) and still have a complete workflow.

The steps can be divided into three Tasks. **Collect** (Steps 1 to 2): decide what questions you want to answer and gather data that can answer them. **Code** (Steps 3 to 5): turn the text into a checked table of many causal claims, each with a quote and a source. **Query** (Steps 6 to 8): weigh that evidence and use it to answer the questions. The pattern is one or more cheap, wide coding passes to capture the evidence, then steadily narrower judgement, so a thousand raw claims might end as a few dozen well-vouched links and a few strong findings.

The companion piece, [Quality assurance at each step](#), goes through the same steps and asks how to keep each one rigorous. For step-by-step app instructions in the Causal Map itself, see [AI coding](#).

About causal mapping

Causal mapping analyses what people say in interviews, focus groups or reports when you want to know what they think causes what. You read the material and code each causal claim ("the rains ruined the harvest", "the training raised her confidence") as a link from one factor to another. Combine the links from many sources and you have a causal map: a network of what people believe drives what. For a fuller introduction see [this](#) and [this](#).

It is like systems mapping, but instead of modelling how the world works we first record what people claim about it, and only later, if at all, ask what is really going on.

We code in the **minimalist** style: a link records only that "a source says X influenced Y", with a quote. No polarity, no strength, no fitted curves, no counterfactual the speaker never gave. The case for that is in [Minimalist coding for causal mapping](#).

The eight steps

1. Collect: [Overall planning: questions, methods](#)
2. Collect: [Gather data](#)
3. Code: [Prepare and revise the codebook](#)
4. Code: [Code the claims](#)
5. Code: [Check links and iterate](#)
6. Query: [From claims to bundles](#)

7. Query: [From bundles to pathways](#)
8. Query: [Judge value, contribution and the final judgement](#)

The steps are not a strict sequence. Sometimes you will iterate. You will revisit the early ones as results come in, and only the last is strictly required; most projects use a handful.

Step 1: Collect

Start from the question. Before anything else, write down what you want to be able to say at the end, and to whom. Everything downstream, the data you gather, the labels you allow, the columns you add, the queries you run, follows from that.

Be realistic about what causal mapping can and should answer. It is good at: which factors matter most, what influences or follows from a given factor, how different groups see things, how well the evidence supports a pathway or a theory of change, and the overall structure of the system. It will not give you effect sizes, and on its own it does not prove that X causes Y; that judgement stays with you (see [Quality assurance at each step of the causal coding workflow](#)). So pick questions the method can serve, and only as many as the evaluation needs. The menu of question types is in [the questions chapter](#).

It helps to sketch, before you code, the map or table that would answer your question: which factors, which comparison, which pathway. That sketch is your target.

Treat the question as a first draft. Causal mapping is partly exploratory, so expect to sharpen it once early coding shows you what the sources actually talk about.

How this fits the wider field

Causal mapping is rarely the whole evaluation. It is an evidence broker: it gathers and organises causal claims so that established approaches can make the judgement. It belongs in the causal pathways family of methods, alongside contribution analysis (Mayne 2012), process tracing (Befani & Stedman-Bryce 2017; Collier 2011), Outcome Harvesting (Wilson-Grau 2018; Britt et al. 2025), realist evaluation (Pawson & Tilley 1997), QuIP (Copestake et al. 2019) and Most Significant Change (Davies & Dart 2005). Most real evaluations combine several, what Apgar and Aston call bricolage: you pick the methods to fit the question (Apgar & Aston 2025; Apgar 2024). The nine steps here map onto the four stages they describe for a causal pathways evaluation: design and questions (Steps 1 to 2), methods and data (Step 2), causal analysis (Steps 3 to 7) and assessing the strength of evidence (Steps 6 to 8).

Step 2: Gather data

The question decides the data. Work out which sources you need, from whom, and covering what, so the comparisons you care about are possible later. If you will want to compare women and men, or staff and clients, or early and late, those groups have to be in the data and recorded in the source metadata, which Step 5 and the query steps lean on.

Narrative material works best: ask people what changed and why, and you get causal claims to code. QuIP-style "stories of change" are gathered in exactly this way (Copestake et al. 2019).

Gathering data is a subject all of its own and we only touch it here; this focus of this paper is coding and analysis.

Step 3: Prepare and revise the codebook

This step is the same whether you or an AI does the coding: you decide how tightly the labels are fixed in advance, and you organise and revise them as the work goes on. With AI the choice is an instruction; by hand it is your own discipline, but the trade-offs are identical.

You can start from nothing (free coding), from a fixed codebook such as a theory of change, or somewhere between, and you will often revise it more than once.

How free should it be? Four common choices (read "the model" as "you or the model"):

- **Forced:** only your labels; anything else is dropped.
- **Mostly fixed:** your labels, but let the model add new ones, flagged (for example [new]) for review.
- **Hierarchical compromise:** fix the top level, let the model fill in the detail (see [Hierarchical coding](#)).
- **Free:** the model invents everything.

Recoding

Recoding is how you revise the codebook after a first run, which is why it belongs here. Whether you coded by hand or with AI, free coding leaves you with many overlapping labels, and consolidating them is the same job either way (see [Different kinds of coding and recoding](#)):

- **Hard recode:** rewrite the codebook and code again. Most work, best results.
- **Links or factors recode:** clean up label by label. By hand, edit in the Links or Factors table, use search and replace, or use Bulk Edit; with AI, use AI Answers.
- **Soft recode:** cluster or magnetise labels into a smaller set.

For organising a large codebook, deciding on a labels-plus-tags system, and bulk rewriting, the recoding paper [Different kinds of coding and recoding](#) is the detail; the same tools serve manual and AI coding.

Step 4: Code the claims

By hand, coding means reading the text, highlighting each causal claim, and recording it as a link from one factor to another with its quote and source. The decisions that follow (labels, hierarchy, when to add a column) apply just as much to manual coding; the rest of this step is the AI mechanics for doing the same thing at scale. For a hands-on first manual project see [Manually code your first project](#).

With AI, coding means writing an instruction, much like a chatbot prompt, that you paste into the app. It tells the app the context and what labels and columns you want. You do not need to add the text itself; the app does that.

In a hurry, or coding just one short text? Press **One-click**: the app codes with all defaults (holistic, no codebook), chunks long texts for you, and tidies overlapping labels. Often that is enough. The rest of this step is for when you want control.

The golden rule: test your instruction on a small, varied sample, work out exactly why the output is wrong or thin, change it, and run again, until you are happy. Then scale up.

Holistic or claim by claim

Holistic coding asks the model for one connected diagram per chunk. You get a cleaner, joined-up story, best for a single short text, but the model has more freedom over what to include. (Oddly, asking for a diagram yields better-connected networks than asking for a list of links; under the hood we ask for a diagram and convert it.) Claim-by-claim coding asks for every link separately. You get fuller coverage, better for many texts, but the links join up less and you rely on recoding to rejoin chains: if the text says A to B to C to D and the model codes A to B and C to D with slightly different middles, a later recode has to spot that they match.

Dimension	Holistic	Claim-by-claim
Main aim	One connected network	Every link in the text
AI freedom	More: it picks the story	Less: it just finds links
Connectedness	Higher	Lower; needs recoding to rejoin chains
Best for	One short text	Many texts, or exhaustive coverage
Recall	Often secondary	Usually as important as precision
Repeated claims	May miss them	More likely to catch them
Quotes	One per link	One per link

Holistic versus claim-by-claim coding

Chunk size and sampling

The more text you give the model at once, the thinner its coding: one page can yield as many links as five. For better recall use smaller chunks, and do not leave the model to decide what counts as important. On a big corpus, sample first: with 1000 pages, code 100, review, code another 300, and if it holds up finish the rest. Make the sample random, or stratified by the groups you care about, so you do not tune to one untypical slice (see [selecting random samples](#)).

Model

Bigger or newer is not always better. Gemini Flash is the default and often enough. More capable models with larger context windows should do better on bigger chunks, though we have not tested that formally.

Always ask for quotes

Insist on a verbatim quote for every link. Without it you cannot show your working, and the result is not something you could defend as evidence. The app does not enforce this, so put it in your instruction.

Labels

Decide how labels should read: close to the text (in vivo) or more abstract ("talk like a social scientist"). For client-readable, recode-friendly labels a semi-quantitative house style helps, such as "more income" or "lack of resources" (see [this](#)). Two devices earn their keep:

- **Tags:** bracketed text on a label, such as **patients** (before surgery), to build labels from parts.
- **Hierarchical labels** with a separator, which let you zoom out later (see [Hierarchical coding](#)).

For coding opposites and sentiment, see [!Opposites and sentiment in AI coding](#).

Custom columns

Besides the fixed columns (cause, effect, source, quote), you can ask for custom columns: any attribute you can code consistently across links, such as sentiment. (Tags describe factors; columns describe links.) Each extra column costs you some precision or recall, so keep them off the main pass and add them in a later iteration if they matter. Quality columns for checking links, such as conviction and strength, come in Step 5. More on columns: [Adding and using custom columns for your links](#).

When you free-code without a codebook, a sentiment column is worth adding: the app groups labels by meaning, and "less X" lands right next to "more X", so a sentiment column keeps them apart.

Context and named entities

Give the model enough background to know the job: the project, the audience, and the names, abbreviations and preferred phrasings specific to your work, so it settles on one consistent label where the text uses several. Keep it short; more than a page of context can start to cost you recall (see [You have to tell the AI what game we are playing right now](#)).

Iterations


You can run extra passes over the same text (separated by `====`; the app handles this). Use them to check accuracy, mop up missed links, or add a column. Each pass roughly multiplies time and cost, and a better first instruction usually beats a second pass. A follow-up might say:

Check for mistakes and correct them.
Delete links with too little evidence, or where you assumed a cause or effect.

Only the final pass feeds the app.

Step 5: Check links and iterate

However careful the coding, some links will be wrong, so check and enrich them before you analyse. You will often see bundles: several links between the same cause and effect, from different sources or different parts of one source (see [Bundle of Links — definition](#)).



Start by tagging. A free tag such as `#doubtful` or `#surprising` records a misgiving you can filter on later.

Then add columns if they help:

- **Conviction:** how sure the source sounds (weak, neutral, strong). Most claims are unmarked, so most are neutral. This records how confident the source is; it does not measure the strength of the link.
- **Strength:** whether the source explicitly calls the influence strong or weak. Again, usually neutral.

Do not read these as scores like 1, 2, 3: neutral means "not mentioned", not "medium". That most people never mention strength does not mean they think it is medium; often the idea simply does not apply (on why we resist coding strength, see [Our approach is minimalist — we do not code the strength of a link](#)).

You can also score sources rather than links, for example reliability or role. Because every link has a source, those scores reach every link for filtering.

Steps 6 to 8: querying the model

Your links are a queryable knowledge graph

Your coded, checked links are not a static report; they are a model you can query, over and over, to answer different questions (see [Causal mapping produces models you can query to answer questions](#)). The links table is a **knowledge graph**: a network of factors joined by one kind of relation, "influences". Because the relation is always causal, a lot of evaluation questions can be answered almost out of the box, which is what a general-purpose knowledge graph cannot do (see [Causal maps are knowledge graphs, but with wings](#)).

The way you query it is with **filters**, and the key idea is that a **filter is a question** and **filters chain**. Each filter takes the links table and narrows or rewrites it; stack several and you build up the answer to a sophisticated question, where order usually matters (see [Combining questions](#)). It helps to picture the analysis as a pipeline, the links table passed through one transform after another:

```
Links |> filter to women only |> trace paths from training to income |> zoom to top level |> bundle |> show map
```

The same dataset yields very different maps with no contradiction, because each map is just the result of a different chain of filters. The minimalist coding paper develops this pipeline view in full (see [Minimalist coding for causal mapping](#)).

What you can ask

Many questions answer themselves the moment coding is done, straight off the links. Some examples, each with its own page in [the questions chapter](#):


- Which factors and links are mentioned [most often](#) or by the [most sources](#)?
- What are the main [outcomes](#) and main [drivers](#)?
- What [leads to](#) or [follows from](#) a factor you care about?
- How do [groups differ](#), and are there [hidden subgroups](#)?
- What is [surprising or emerging](#)?
- What is the [overall structure](#) of the system, and are there [feedback loops](#)?

The three steps that follow are for the harder questions that need defensible answers, where you weigh the evidence rather than just count it. Here is where each kind lands.

Question	Where
Top factors, drivers and outcomes; what influences or follows from X; group differences; surprises; network structure	straight off the links, from Step 5
How robust is the evidence that X influences Y?	Step 6
Pathways from X to Y, indirect ones included, without the transitivity trap	Step 7
; rival explanations;	Step 8
A ; does the whole thing hold together?	Steps 7 and 8


Step 6: From claims to bundles

A bundle is the set of claims that all say the same X influences Y, from different sources or different parts of one source. Whatever else you do, weighing each bundle as a whole is part of quality assurance: how many sources, how convincing, do they agree or pull apart? Always look at your bundles this way before you build on them. This step has its own paper: [Assessing quality or robustness of evidence for a causal link based on a bundle of coterminous causal claims](#), and see also [here](#).



Once coding and cleaning are done, decide which bundles you will take seriously: the ones that survive your filters, perhaps after zooming to a higher level or restricting to certain sources. There might be five or a hundred. This is the evidence the rest of your analysis rests on.

You can stop there, having weighed the bundles by eye. Or you can record that judgement formally. Causal Map has a newer, optional feature that collapses a bundle into a single **assessed link** between the two factors, carrying your quality scores and, by default, the bundle's citation and source counts. The underlying claims are not deleted: a switch shows either the assessed links or the unassessed bundles, never both at once. Thin bundles can yield no assessed link, or one marked "Passed? = Fail".



Creating an assessed link from a bundle, bundle by bundle, in the Causal Map app


You can do this by hand, or let the AI take a first pass against your rubric and review it. The app will not create assessed links until you have written that rubric down, on purpose. The rubric can be a yes/no, a 1-to-5 scale like the one in Jewlya Lynn's seafood retrospective (Lynn 2025), or several dimensions such as confidence and triangulation.

Either way, formal or by eye, the move is the same: from a mass of raw claims to a smaller set you are willing to vouch for. A project might go from 1000 raw claims to 30 bundles to 25 assessed links, a much cleaner basis for argument.

Step 7: From bundles to pathways

This step is about queries to answer more specific and sophisticated questions and is potentially also a move to causal inference.


Now you can ask about pathways, often indirect, from an intervention to an outcome.




Even with every link well grounded you are not done, because conclusions usually run across a web of indirect links, from B1 and B2 to C via E, F and G. Two tools help.

Path tracing keeps only the links on some route between your chosen start and end factors, within a set number of steps (see [Path tracing and source tracing](#)).

But "A influenced B" and "B influenced C" does not give you "A influenced C": the contexts may not overlap. This is [The transitivity trap](#), the biggest pitfall of any causal diagram, and the heart of the companion [QA paper](#). **Source tracing** is the safe move: it keeps only sources whose own account runs all the way from A to C, so every link belongs to at least one complete story and you can review the evidence source by source.




Setting up source tracing from Increased Knowledge to Food Consumption Quantity, and reading the narratives.




The matching map, here showing source IDs and counts for easy checking.

If you have assessed your bundles, you can trace on the assessed links (clean counts, no quotes) or the raw ones (quotes, busier map); often you will want both.


Step 8: Judge value, contribution and the final judgement



Judging how much something mattered, and weighing it against rival explanations, is central to evaluation and well covered elsewhere, not least by John Mayne (2019); QuIP has much to say on value (see Powell (2019)). The discipline is to compare your influence against the alternatives on the same map, not in isolation. For counting and comparing influences with path and source tracing, see [Counting and comparing influences](#). For example, tracing the single-source narratives from two drivers to two outcomes:



and counting the sources with a complete narrative between them:



Holistic final judgement

Finally, draw the conclusion. You have checked the claims, assessed the bundles, traced the pathways and weighed the alternatives; now look at all the evidence at once and decide. Behind a single map there may still be hundreds of quotes. Does the claim hold up? Do all the links really belong to the same context?

The AI vignette feature helps: it drafts a commentary on a view, drawing on the underlying paths, links, quotes and source data, and can answer set questions, for example "is each link part of one coherent story from intervention to outcome?".

Vignettes

Model:

Gemini 2.5 Pro

AI processing uses the project's AI Processing Region (Project → Edit project).

☒ Enable checking (second AI pass)

< > 📄 🗑️

generic-source-tracing - 25/04/26, 18:36

▼

Whole-map prompt:

What causes what (cause → effect) along with the quote where it was mentioned.

Don't describe the map as such, only its contents. Use the existing cause/effect labels where possible.

Each individual link in this map is supposed to be part of a complete story from "Increased Knowledge" all the way to "Food consumption quantity" as told by a single source.

Your main task is to report how much is this the case: do the quotes for each source really represent such a coherent story? Provide just a few key quotes (and cite the source ids of the quotes) which best

✍️ Write Whole-map Vignette

Vignette generated

Based on the data, the quotes provided by individual sources largely represent coherent causal stories explaining the journey from connecting multiple steps of a causal chain within their testimony.

Knowledge leading to Production and Consumption

A primary narrative described by several sources is that increased knowledge, gained from an organization, led to improved farm logically. For example, one participant explained how lessons improved their output, and then linked that output directly to what

In comparison to last year where things were very difficult because I had challenges in earning money, I worked for some farm the lessons from Organisation 1 I now produce a lot and I have a good income from my products. I now produce and sell and grow well.
— MNX-6

This same source then connected this increased production to their household's consumption.

In contrast to last year we barely ate, our meals were salt and water, we only had a meal or two and we never varied our meal: am eating more as I produce more and I sell more as well. thing like: Bread fish, rice , potato, cassava, spaghetti, and tea. Yes c store food, I chaff the goods and place into bags which we keep at home until this season come again, I barely sell goods as as well because I buy other kinds of seeds for my garden. The reason for the change (increased food consumption) is in the va
— MNX-6

Another source also provided a clear, two-part story, first linking knowledge to production and then production to consumption.

An automated vignette tasked with checking whether the evidence for each pathway is coherent.

A common use is a source-by-source commentary on the pathways from an intervention to an outcome, judging how coherent each account is. The AI does only what a patient reader could do with the same quotes, so treat its draft as a starting point and edit it.

Then close the loop: does the evidence answer the question you set in Step 1?

Related

- [Quality assurance at each step of the causal coding workflow](#): the QA companion to this workflow
 - [Minimalist coding for causal mapping](#): the coding stance behind it
 - [Individual questions — introduction](#): the full menu of questions you can ask
- [AI coding](#): app docs for the AI Coding panel
 - [AI answers panel](#): app docs for AI Answers
 - [Assessing quality or robustness of evidence for a causal link based on a bundle of coterminal causal claims](#): detail on the bundle step

- [Just add rigour Three do's and don'ts](#): do's and don'ts for AI text analysis
- [Manually code your first project](#): a hands-on first project

References

- Apgar (2024). *A PARTICIPATORY APPROACH TO EXPLORING CAUSAL PATHWAYS Experience from the CLARISSA Programme July 2024*. https://www.causalpathways.org/_files/ugd/5a867c_7c84e6119d1245059c17fd4cb65d3422.pdf?utm_campaign=e55496ed-f18a-4cd0-a785-8da9f92ca069&utm_source=so&utm_medium=mail&cid=3922b538-ab12-430e-b31a-927bc02905ab.
- Apgar, & Aston (2025). *How Do We Define and Support Quality and Rigor in Causal Pathways Evaluation?*.
- Befani, & Stedman-Bryce (2017). *Process Tracing and Bayesian Updating for Impact Evaluation*. <http://dx.doi.org/10.1177/1356389016654584>.
- Britt, Powell, & Cabral (2025). *Strengthening Outcome Harvesting with AI-assisted Causal Mapping*. https://5a867cea-2d96-4383-acf1-7bc3d406cdeb.usrfiles.com/ugd/5a867c_ad000813c80747baa85c7bd5ffafo442.pdf.
- Collier (2011). *Understanding Process Tracing*. <https://doi.org/10.1017/S1049096511001429>.
- Copestake, Morsink, & Remnant (2019). *Attributing Development Impact: The Qualitative Impact Protocol Case Book*. March 21, Online.
- Davies, & Dart (2005). *The Most Significant Change Technique, A Guide to Its Use*.
- Lynn (2025). *HU Seafood Retrospective*. <https://www.policysolve.com/resources/retrospective>.
- Mayne (2012). *Making Causal Claims*.
- Mayne (2019). *Assessing the Relative Importance of Causal Factors*.
- Pawson, & Tilley (1997). *Realistic Evaluation*. Sage Publications Limited.
- Powell (2019). *Theories of Change: Making Value Explicit*.
- Wilson-Grau (2018). *Outcome Harvesting: Principles, Steps, and Evaluation Applications*. IAP.



DIFFERENT KINDS OF CODING AND RECODING

Assuming you're not coded with a fixed codebook, and assuming you're coding multiple sources or you've got texts which are longer than your selected chunk size, so you are breaking them up into multiple chunks, then you can expect to end up with very many labels, many of which overlap in meaning.

You can address this either with

- soft recoding or magnetic relabelling
- hard recoding: once we've done a fair amount of coding, or all the coding, we then group those labels either pre-clustering them using embeddings or and or applying an AI and or putting a human in the loop to get a list of labels for hard coding, or rather a system because you might have a smaller set of labels and additional tags or columns.

We haven't done the research to find out whether having say 10 labels and three tags is more or less efficient than the corresponding set of 60 labels.

And of course there's also the newer possibility of using the AI in the AI Answers feature to take an existing large set of coded labels and then recode them into a more compact set. This has also been discussed here [Different kinds of coding and recoding](#)

So you've basically got a lot of decisions to take as you work your way through the coding pathway. And it all depends on lots of different things like how long your text is, how many different documents you have. Oh, I didn't mention that in Causal Map we never, we do break down long source texts into smaller chunks but we never combine smaller source texts into larger chunks, so each source is always coded on its own. So if you don't have a fixed codebook then you'll always get many labels with overlapping meanings.

	Hard coding	Hard recoding	Links recoding	Factors recoding	Soft recoding
Accuracy	Highest	...	...	...	Lowest
Speed	Slowest	...	...	...	Fastest

	Hard coding	Hard recoding	Links recoding	Factors recoding	Soft recoding
Manual	Just code manually	Make a copy of your file, delete links and start again	Edit manually in Links table or Map, - or use search/replace in Links table	Edit manually in Factors table or Map, - or use search/replace in Factors table - or Bulk Edit	-
AI	Just code with AI, with/without a codebook	As above, or just put the switch "skip coded sources" to off	AI Answers / Links. Writes into whichever Label Set is active in the toolbar.	AI Answers / Factors. Writes into whichever Label Set is active in the toolbar.	Apply magnetic labels in Soft Recode filter

What's the point of Links and Factors recoding? What's the difference?

- Soft recoding is only as good as the underlying embedding space, and it is never perfect.
- Hard recoding can take a long time, is expensive, and does not encourage experimentation
- With Links/Factors recoding, you can:
 - Recode just the currently filtered sources/links (or all links)
 - Recode into whichever Label Set is active. Pick **default** in the Label Set widget (toolbar, below the Sources bar) to write to the permanent cause/effect labels; create a named set such as **experiment1** and the AI writes to **cause_experiment1** / **effect_experiment1** instead. Flip between sets in the same widget to view either.
 - There is also another option Answers which is not about recoding; it is simply a way to send your links and/or factors data to an AI and getting a text answer.

But the main point is that rather than just hoping the magnetisation will work the way you want it to, you can do smart recoding as if you had an assistant to work through each label. For example you can say "Relabel everything which expresses a decrease or lack of something with a ~" or "Look at all these labels and tag each with **[Food]** or **`[Health]**"

.

- You can even bring other columns into play, for example citation count, source count etc.
- Links recoding is significantly more powerful because you can also include the actual Quote as well as both Cause and Effect. This means the AI can make its decision with a lot more context. So this is almost like recoding from scratch, but the original coding has already identified causal claims and all we have to do is relabel the labels with the same complete information about the claim.
- Be careful: it's tempting to say things like "Find 3-8 top-level factor labels which cover the meaning of all these labels and recode them with the new top-level labels", but remember the "Rows per call"

slider: with a large set of links and lots of quotes you will probably have to break up your work into multiple chunks, and each call may come up with different labels. In this case you could use the Answers mode (or the Cluster part of Soft Recode filter) first to develop some labels.