



! LINKS VIGNETTES

📅 9 Apr 2025

Three different ways of asking the AI about the links in a map and getting a text response

Area	Whole-map Vignette	Links Subtab Answer Mode	Global AI Answers, Scope = Links
Entry point	Vignettes → Write Whole-map Vignette	AI Answers → Links → Answer	AI Answers → Global → search scope Links
Main code path	<code>buildWholeMapPayload()</code> → <code>generateVignette()</code>	<code>submitLinkByLinkQuery()</code> a answer branch → <code>answerFromRows()</code>	<code>createLinkContextChunks()</code> → optional <code>findRelevantLinkContexts()</code> → <code>generateAnswerFromLinks()</code>
Source rows	<code>window.graphManager.currentLinks</code>	Fresh filtered links from <code>getFreshFilteredLinksForAnswers()</code>	Fresh filtered links from <code>getFreshFilteredLinksForAnswers()</code>
All links or selection	Aggregates all current map links, but quote evidence is capped/sampled	Sends all filtered links	<code><=500</code> links: creates all contexts, then sends up to max-chunks slider; <code>>500</code> : semantically selects relevant contexts
User-selectable columns	No	Yes, checkbox payload columns	No payload column chooser
Default columns	Cause/effect aggregates, counts, avg sentiment, sampled quotes	<code>cause</code> , <code>effect</code> , <code>source_id</code> , <code>selected_text</code>	Cause/effect labels, source id, link id, selected quote plus surrounding source context
Custom/source columns	Only shallow <code>source_custom_preview</code> inside <code>typicalSources</code>	Can include link custom columns, source custom fields, source title/filename/content	Includes source metadata from <code>projectManager.sources[].metadata</code> in source headers
Source text	No full source text	Optional <code>source_content</code> , truncated to 4000 chars per link	Yes: quote plus ~3 sentences before/after, extracted from source content

Area	Whole-map Vignette	Links Subtab Answer Mode	Global AI Answers, Scope = Links
Quote/context	Uses <code>selected_text</code> as <code>quote</code> ; sampled in <code>bundleEvidence</code>	Uses <code>selected_text</code> only if selected/default	Uses selected quote plus surrounding context where source text is available
Payload format	JSON payload wrapped by <code>PromptSanitizer.wrapPromptWithContext()</code>	Plain text <code>Rows:</code> block	Plain text grouped by source with bracket citations like <code>[SOURCE-1]</code>
Prompt style	Narrative vignette instructions, quote requirement	Generic “answer using only these link rows”	Causal-analysis prompt: exact factor labels in backticks, cite bracket IDs, discuss coverage/limitations
Confirmation modal	Yes: links, sources represented, prompt chars/tokens/cost	Yes: filtered links, prompt chars/tokens/cost	Yes: contexts/chunks, prompt chars/tokens/cost
AI transport	<code>aiManager.generateText()</code>	<code>aiManager.generateTextViaCloudFunction()</code>	<code>aiManager.generateText()</code>
Backend endpoint	Supabase Edge Function <code>vertex-ai / dashscope-ai</code>	GCP Cloud Function <code>process_chunk</code>	Supabase Edge Function <code>vertex-ai / dashscope-ai</code>
Timeout behavior	No synthetic client timeout around Supabase invoke	540s client abort timeout	No synthetic client timeout around Supabase invoke
Retry behavior	Up to 3 retries; limited retry for network/504	Up to 3 retries with backoff for timeout/rate/network	Same as <code>generateText()</code> : up to 3 retries; limited retry for network/504
Thinking settings	Vignette thinking budget / Gemini 3 thinking level	Effectively 0 from this answer path	Uses <code>this.settings.thinkingBudget</code> ; no thinking level
Checker pass	Optional vignette checker	No checker	Optional AI Answers checker
Bookmark footer	Yes, <code>Vignette (whole): ...</code>	No	Yes, <code>AI Answers: ...</code> , with model/scope/chunk/similarity details
Output target	Vignette result panel	Links subtab alert	Global answer card
Writes data	No	No	No