

Coding packages

📅 13 Jul 2026

Coding packages

Start with minimalist causal mapping

Causal mapping is a way of analysing what people say about causes. Wherever someone claims that one thing influences another, we code that claim as a link: a cause, an effect, a quote and a source ID. That is the whole basic move (see [minimalist coding](#)).

Our [minimalist](#) approach codes only bare cause-to-effect links and leaves most detail off the link. Like [despite coding](#), what follows is a small extension we add reluctantly, because it captures something people say often enough, and clearly enough, that throwing it away feels wasteful. As with despite links, the extension is just another marker on ordinary rows in the links table: nothing about the core coding move changes.


The puzzle: causes that are claimed to work together

Sometimes a source does not present two influences as independent. They present them as a team:

"You need both oxygen and a spark to make fire."

Minimalist coding gives us two links:

- Oxygen -> Fire
- Spark -> Fire



Each link on its own is fine. But together they have quietly dropped the speaker's central point: that neither influence works alone. Oxygen without a spark gives you nothing; a spark without oxygen gives you nothing. The claim was about a *combination*, and two separate rows in a links table cannot say so.

This is the problem of causal packages or conjunctions, familiar from realist evaluation, from INUS conditions in the philosophy of causation (n.d.), and from everyday talk. It is one of the recognisable ways that pure minimalist coding runs out (see the discussion in [the minimalist paper](#)).

Why the obvious options both fail

- **Code the two links separately** and the conjunctive structure is lost without trace. Worse, each link now reads as

an independent claim of influence, which is subtly more than the speaker said.

- **Code one combined factor** such as *Oxygen and a spark -> Fire*, and the label is no longer parsable: it cannot be related to other claims about oxygen, or sparks, on their own. Clustering, recoding and label search all degrade.

We want to keep the individual factors as individual factors, and still record that on this occasion they were claimed to work as a team.

The convention: a shared package code

We give the links that belong together a shared, otherwise meaningless code, plus a name for *how* they belong together. Concretely, each link in a links table can carry two extra pieces of metadata:

- **package**: an arbitrary unique code (say *pk_x7f2*) shared by all the links in one package and by nothing else in the dataset.
- **package_type**: the named connective, most commonly **AND** or **OR**, and sometimes **DESPITE** (below). The vocabulary is open: these three cover most of what we meet, but a coder can write anything.

So the fire claim is coded:

- Oxygen -> Fire (package: *pk_x7f2*, type: **AND**)
- Spark -> Fire (package: *pk_x7f2*, type: **AND**)

The two links are still ordinary links: they appear in maps, they carry quotes, they can be filtered and counted like any others. The package code is the only thing tying them together, and the type says what the tie means.




AND packages

The commonest case: a claimed conjunction. Each factor is presented as needed; the effect follows from the combination. "The training only worked because the community already trusted the facilitators" can be coded as two links into the outcome sharing an **AND** package.

OR packages

The source presents alternatives: "people left because of the drought, or because there was no work"; "either the pension or the remittances would have kept them afloat".



OR is less well defined than **AND**, and it is fair to ask whether it needs a package at all. In several coding traditions, alternative sufficient causes are exactly the case where no extra structure is wanted: if either influence would have done the job on its own, the two links really are independent claims, and coding them separately loses nothing. On that view an **OR** package is redundant by definition.

We keep it anyway, for a weaker reason: the package records that the speaker *mentioned the influences together as alternatives*. That is itself information about the claim. "Either would have done it", "sometimes one, sometimes the other", "one or other of these was always the reason": these are not the same as two separate unqualified claims of influence, and a coder reading one link later may want to know that the speaker was hedging between alternatives rather than asserting each outright. The **OR** package carries that, and nothing more. As with the rest of the convention, we do not pin down which flavour of "or" was meant (exclusive or inclusive, alternation over occasions, uncertainty between explanations); if that matters for an analysis, the quote is on each link.

In practice we treat **OR** packaging as really optional. People do not often speak or write in true either-would-have-done alternatives, so the case arises rarely, and when it does, coding two plain links is usually an adequate record. Use an **OR** package only when the togetherness of the alternatives seems worth keeping.

DESPITE packages


Despite links record an influence that was present and relevant but failed. Often the narrative names both the failed influence and the influence that overcame it:

"The fan failed to cool him down because the sun was too strong."

Coding:

- Fan -despite-> Feeling cooler (the failed helping influence)
- Strong sun -> Feeling hot (the influence that prevailed)

These two links tell one story, and a package records that: both get the same package code with type **DESPITE**. The package says "these belong to a single episode of one influence overcoming another", which neither link says alone.



The semantics: weak by design

A package is a *claim of joint working*, nothing more. Reading a package of links {L1, L2, ...} with type T from source S:

Source S presents the influences coded in L1, L2, ... as working together in the manner named by T to affect the outcome(s) they point to.

We go no further, on purpose. In particular we do not commit to:

- **Truth tables or INUS structure.** An **AND** package does not assert that the factors are individually necessary and jointly sufficient. It asserts that the speaker presented them as a combination.
- **Interaction effects or functional form.** No claim about how the combined influence scales.
- **Completeness.** The package contains the co-causes the speaker mentioned, not all the co-causes there are.

This mirrors the minimalist stance for ordinary links: we record the surface shape of the claim, with provenance, and defer stronger modelling to the analyst. The deductions that ordinary links license still hold for each link in a package (the factors happened, the source claimed influence), with the caveat for **AND** packages that the influence claimed for each factor is influence *as part of the combination*, so a single link from an **AND** package quoted on its own slightly overstates what the speaker said. Keeping the package code on the row is what lets a careful analyst notice this.

What can we do with packages?

Because the package structure is explicit in the links table, we can:

- **Filter** to show only links that are in any package (where **package** is not empty), to review all the conjunctive coding in a project at once.
- **Show a single package** (where **package** equals a given code) to see one claimed combination in isolation, with its quotes.
- **Filter by type**, for example all **DESPITE** packages, to see every episode where one influence was claimed to overcome another.
- **Count** packages separately from ordinary links, so conjunctive claims are not silently inflated into independent evidence.
- **Visualise** packaged links distinctly if wanted, though the default map view simply shows the ordinary links.

How this is coded in the Causal Map app

The **Causal Map app** stores **package** and **package_type** as standard columns on every link.

- **While coding:** when a statement gives several causes for one effect, enter the FROM factors as usual, switch on the

package toggle, and pick or type the package type (**AND**, **OR** and **DESPITE** are offered). The app mints the shared package code itself; you never type or track codes by hand.

- **After coding:** select several rows in the links table and package them (a fresh shared code) or unpackage them (clear their codes) in one action.
- **For analysis:** the Everything Filter can select on **package** and **package_type** like any other link field: show only packaged links, only one package, or only one type.

Hard cases (brief notes)

- **Don't package the merely co-mentioned.** Two causes in one sentence are not automatically a package. Package only when the speaker presents the combination itself as doing the work ("both... and...", "only because... together with...", "either... or...").
- **Packages versus bundles.** A *bundle* is our name for co-terminal links (same cause, same effect) collapsed for display; it is a display-time aggregation. A package is a coded

claim tying *different* links together. The two are unrelated mechanisms.

- **One link, one package.** In this convention a link carries at most one package code. Truly nested combinations ("A and either B or C") are rare in ordinary talk; when they matter, handle them in the write-up.
- **Counting.** Whether an **AND** package of three links counts as one piece of evidence or three depends on the question being asked; the package code is what makes either count possible.

A more formal picture

In the grammar of [A formalisation of causal mapping](#), a package adds one rule on top of the atomic coding rule COD-ATOM: a set of links sharing a package code is read with the joint-working semantics above (call it COD-PACK), parameterised by the type. The factual deductions of INF-FACT still apply per link. No new inference rules are licensed by default: in particular, we do not license inferring the effect from the presence of all **AND** members, because packages record claims about combinations, not verified mechanisms.