



!AVAILABLE STYLES

📅 9 Dec 2025

This is just an internal note to remind us what styles are available in the Garden.

Page layout (YAML)

- `layout: showcase` or `layout: fullscreen` — `body` gets `layout-fullscreen` (sidebars and breadcrumb hidden by default; fullscreen nav; wide content). Independent of short URL (`((...))` in the filename).
- **HTML typography:** visible `--` in prose is normalized to an em dash `—`. Fences for callouts (`--` on its own line before/after `{.panel}` etc.) are stripped before that pass; keep closers on their own line after blocks like images.

Multi-column (Obsidian)

The `--- start-multi-column / --- end-column --- / --- end-multi-column` syntax becomes a Bootstrap `row` with `col-md-*` columns (classes depend on `largest column:` in `column-settings`). Callout blocks below work **inside** each column.

Text displayed in column 1.

Text displayed in column 2.

Captions for tables and images

An italicised paragraph on the line immediately after a table or image is promoted to a caption:

- after a `<table>` it becomes a `<caption>` element inside the table (`caption-side: bottom`)
- after a standalone image it wraps the image in `<figure>` with a `<figcaption>` underneath
- after a `.cm-figure-span` image (the full-width wrapper) the wrapper is upgraded to `<figure class="cm-figure-span">` so the full-width treatment carries through

```
| H | H |
| - | - |
| c | c |
```

Comparison between holistic and claim-by-claim coding styles

![alt text](../img/screenshot-strengthening-oh-with-causal-mapping.png)

Figure 1: what the image shows.

The italicised line must be the only content of its paragraph (just **text**, nothing else). If you need bold or other inline formatting inside the caption, nest it inside the italics.

Full-width on paper pages: **.span-cols**

Paper pages (YAML **tags:** **paper** or **type:** **article**) flow body content into two columns. Wide tables squeezed into one column are unreadable. Add an HTML comment marker on a blank line above the table to break it out and span the full page width in HTML and PDF:

```
<div class="span-cols" markdown="1">

| Dimension | Holistic | Claim-by-claim |
| ----- | ----- | ----- |
| ...      | ...      | ...      |

</div>
```

The comment is invisible in Obsidian's reading view, so the table still renders natively; the build picks up the marker and wraps the table in `<div class="span-cols" markdown="1">...</div>`.

Images use a shortcut: add `{.span-cols}` to an image and the build wraps it in `.cm-figure-span`, which gets the same treatment.

For any other block (figure, mermaid diagram, code, custom HTML), use the explicit wrapper:

```
<div class="span-cols" markdown="1">

...your block here...

</div>
```

The `markdown="1"` attribute is required by python-markdown's `md_in_html` so inner markdown still parses. The build auto-injects it on `.span-cols` divs if you forget, but it has no effect in Obsidian's reading view, so the inner markdown won't render there. Use the `<!--span-cols-->` marker if you want Obsidian compatibility.

Heading styles

- **.rounded** - Rounded box with light background and left border
- **.rounded-left** - Left border with subtle gradient background
- **.banner** - Full-width banner with white text on colored background
- **{.hero}** - Hero heading (light teal band, sans font). Use: `# Heading {.hero}`

Hero and h1–h3 use modern sans font (HTML and PDF).

Examples:

Heading 1 rounded

Some normal text

Heading 2 rounded

Some normal text

Heading 2 rounded-left

Some normal text

Heading 2 banner

Some normal text

Heading 3 rounded

Some normal text

Heading 3 rounded-left

Some normal text

Heading 3 banner

Some normal text

Causal Mapping: the evaluator's engine room

Marshalling causal evidence at scale for Contribution Analysis and beyond.

Box styles

Use -- `{.type-modifiers}` syntax. Closing line must be -- alone on its own line — keep it separate from preceding raw HTML (`<img>`) or the fence is not recognised. Use `<mark>label</mark>` for highlighted lead

labels (e.g. `<mark>CM Win:</mark>`).

In generated HTML, blocks become `<div class="callout callout-TYPE ...">...</div>` (e.g. `callout-panel`, `callout-step`, `callout-tip`, `callout-info`, ...).

Showcase callouts:

- `--{.panel}` ... -- - Card/panel (intro blocks)
- `--{.step}` ... -- - Step card (numbered process sections). Use headings (`### Title`) or list-style (`1`), `1.`, `a.`, `b.`, etc.); each gets a numbered circle.
- `--{.card}` ... -- - Generic card (bordered, subtle shadow)
- `--{.stat}` ... -- - Stat/KPI block (big number + label, centred)
- `--{.testimonial}` ... -- - Quote block (italic body, attribution in last para)
- `--{.cta}` ... -- - Call-to-action (centred, prominent border)
- `--{.alert}` ... -- - Alert/warning (yellow accent)

Basic callouts: `info`, `warning`, `tip`, `note`

Modifiers: `narrow`, `right`, `center`, `heavy`, `left-border`, `rounded`, `inverted`

Obsidian callout syntax (also works)

You can also write callouts in Obsidian's native syntax, which the build tool converts to `-- { .type }` blocks. This is useful because they render natively in Obsidian as well.

```
> [!tip] Optional title
> - bullet
> - bullet
```

becomes a `.tip` callout with **Optional title** as a bold lead and the bullets as body. Drop the title line if you don't want one.

Foldable variants. Append `+` or `-` to the type to render the callout as a `<details>/<summary>` pair:

- `> [!tip]+ Title` opens by default; the title becomes the summary, the body is collapsible.
- `> [!tip]- Title` starts closed; click the summary to expand.

The title becomes the clickable summary (defaults to the type name if absent). In PDF output, foldable callouts always render fully expanded.

Plain blockquotes (`> ...` without `[!type]`) are left as blockquotes, except on `paper` pages (where they become `.note` callouts) and `case_study` pages (where they become `.tip` callouts).

Type aliases. The four native types pass straight through: `note`, `info`, `tip`, `warning`, plus `alert`. Other Obsidian types are mapped to the closest match:

- *tip*: success, done, check, important, hint
- *info*: summary, abstract, tldr, todo, question, help, faq, example
- *warning*: caution, attention
- *alert* (red): failure, fail, missing, danger, error, bug
- *note*: quote, cite

Anything not listed falls back to `.note`. Modifiers (`narrow`, `right`, etc.) are only available via the `--{.type-mod}` syntax, not via Obsidian callouts.

Examples:

Three rules that always apply

- First rule
- Second rule
- Third rule

Watch out

This will render with a yellow border.

No title, just an info block.

Foldable, open by default

This block can be collapsed by the reader. The title becomes the summary.

Foldable, closed by default

Showcase callout examples

A heading in a panel

Panel content

Panel content

A heading in a panel-inverted

Panel content

Panel content

A heading in a card-inverted

card content

card content

- Bullet 1
- Bullet 2

1

Set out the Attribution Problem

Define the evaluation questions. **CM Win:** Clear causal pathways.

1

Set out the Attribution Problem

Define the evaluation questions.

2

Develop the Theory

CM Win: Clear causal pathways.

3

Code the map

1

Set out the Attribution Problem

Define the evaluation questions.

2

Develop the Theory

CM Win: Clear causal pathways.

3

Code the map

blah

card-heavy

Define the evaluation questions.

card

Define the evaluation questions.

40%

Define the evaluation questions.

testimonial

Define the evaluation questions.

cta

Define the evaluation questions.

alert

Define the evaluation questions.

This is an info callout with a blue border.

Can include multiple paragraphs.

This is a warning callout with a yellow border.

- Can include lists
- Bullet points work

This is a tip callout with a green border.

This is a note callout with a gray border.

Right-aligned narrow callout with heavy border.

Centered tip with left border only.

Strong inverted warning callout.

item 1

item 2

Rounded box style (no left border).

Centered rounded info box.

Full-width warning with heavy border.

Right-aligned tip callout.

Inverted info callout with colored background.

This is a simple bordered box for highlighting content.

Can include lists and other markdown.

All styles work in both HTML and PDF outputs.