

Articles

CONTENTS

[Intro](#)

[A workflow for collecting and understanding stories at scale – Summary \(eval2025\)](#)

[AI-assisted causal mapping – Summary \(validation\)](#)

[Causal mapping for evaluators – Summary \(eval2024\)](#)

[Causal mapping teams globally – since 2020](#)

[KLAR Outcome Harvesting AI pilot \(DEZIM\) – Summary \(book chapter draft\)](#)

[Qualitative causal mapping in evaluations \(health\) – Summary \(book chapter\)](#)

[ToC and causal maps in Ghana – Summary \(book chapter\)](#)

Intro

23 Dec 2025

Some brief one-page bullet-point summaries of some of our key published papers. Enjoy.

It's all Work in Progress!

A workflow for collecting and understanding stories at scale – Summary (eval2025)

23 Dec 2025

(Powell et al. 2025)

Source: *Evaluation* 31(3), 394–411 (2025).

- **What problem this paper solves**
- Evaluations often start with a ToC and then collect evidence for each link (e.g. Contribution Analysis), but in many real settings the ToC is uncertain, contested, or incomplete.
- The paper proposes collecting evidence about **structure/theory** (what influences what) and **contribution** simultaneously, using a scalable workflow that stays open-ended.
- **Core idea: “AI-assisted causal mapping pipeline”**
- Treat causal mapping as **causal QDA**: each coded unit is an ordered pair (**influence** → **consequence**) with provenance, rather than a theme tag.
- Use AI as a **low-level assistant** for interviewing + exhaustive extraction, leaving high-level judgement (prompt design, clustering choices, interpretation) with the evaluator.
- **Pipeline (end-to-end)**
- **Step 1 — AI interviewer**: a single LLM “AI interviewer” conducts semi-structured, adaptive chat interviews at scale.
- **Step 2 — Autocoding causal claims**: an LLM is instructed (radical zero-shot) to list *each* causal link/chain and to ignore hypotheticals.
- **Step 2c — Clustering labels**: embed factor labels and cluster them; then label clusters and optionally do a second “deductive” assignment step to ensure cluster cohesion.
- **Step 3 — Analysis via maps/queries**: produce overview maps, trace evidence for (direct/indirect) contributions, compare subgroups/timepoints.
- **Demonstration study (proof-of-concept)**
- Respondents: online workers recruited via Amazon MTurk; topic: “problems facing the USA” (chosen to elicit causal narratives without a specific intervention).
- Data collection repeated across **three timepoints**; data pooled.
- This is an analogue demonstration; not intended to generalise substantively about “the USA”.

- **Key results (reported metrics)**
- **AI interviewing acceptability (proxy):** 78.5% of interviewees did not ask for changes to the AI’s end-of-interview summary; 4.29% asked for changes; 15.3% had no summary (drop-off).
- **Autocoding effort/cost:** ~5 hours to write/test coding instructions; ~\$20 API cost (in the reported experiment set-up).
- **Autocoding recall/precision:**
 - Ground-truth link count (authors’ assessment): 1154 links.
 - AI-identified links: 1024 ($\approx 89\%$) before precision screening.
 - Precision scoring (0–2 on four criteria: correct endpoints; true causal claim; not hypothetical; correct direction): 65% perfect; 72% dropped only one point.
- **Overview-map “coding coverage”**
 - An 11-factor overview map (plus filters) covered $\sim 42\%$ of raw coded claims while remaining readable.
 - Coarse clustering can collapse opposites/valence (e.g. “military strengthening” and “military weakening” both under “International conflict”).
- **Interpretation claims**
 - The approach is good for sketching “**causal landscapes**” and triaging hypotheses; it is not reliable enough for high-stakes single-link adjudication without human checking.
 - Many outputs depend on **non-automated clustering decisions** (number of clusters, labelling intervention), analogous to researcher degrees of freedom in variable construction.
- **Caveats / ethics**
 - Not suitable for **sensitive data** when using third-party LLM APIs; risks of bias and hegemonic worldviews are highlighted.
 - Differential response/selection into AI interviewing may not be random.
 - Causal mapping shows **strength of evidence**, not **effect size**; forcing magnitudes/polarity is risky.

References

Powell, Cabral, & Mishan (2025). *A Workflow for Collecting and Understanding Stories at Scale, Supported by Artificial Intelligence*. SAGE PublicationsSage UK: London, England.
<https://doi.org/10.1177/13563890251328640>.

AI-assisted causal mapping – Summary (validation)

23 Dec 2025

(Powell & Cabral 2025)

- **Goal / research question**
- Test whether an **untrained LLM** can **identify and label causal claims** in qualitative interview “stories” well enough to be useful, compared with **human expert coding** (a criterion study).
- Focus is on **validity/usefulness of causal-claim extraction**, not causal inference.
- **Core framing: causal mapping vs systems modelling**
- In systems mapping, an edge $(X \rightarrow Y)$ is often read as “ (X) causally influences (Y) ”.
- In causal mapping (as used here), an edge means **there is evidence that (X) influences (Y) / a stakeholder claims (X) influences (Y)** .
- Output is therefore a **repository of evidence with provenance**, not a predictive system model.
- **“Naive” (minimalist) causal coding definition**
- Deliberately avoids philosophical detail; codes **undifferentiated causal influence** only.
- Does **not** encode effect size/strength; does **not** do causal inference; does **not** encode polarity as a separate field (left implicit in labels like “employment” vs “unemployment”).
- Coding decision reduced to: **where is a causal claim, and what influences what?**
- **Data and criterion reference**
- Corpus from a **QuIP** evaluation (2019) of an “Agriculture and Nutrition Programme”.
- Dataset previously hand-coded by expert analysts (used as a **criterion study**).
- Validation subset: **3 sources, 163 statements, ~15 A4 pages**.
- **Extraction procedure (AI as low-level assistant)**
- Implemented via the **Causal Map** web app using **GPT-4.0**.
- Temperature set to **0** for reproducibility.
- AI instructed to produce an **exhaustive, transparent** list of claims with **verbatim quotes**; synthesis is done later by causal mapping algorithms.
- Exclusions: **ignore hypotheticals/wishes**.

- Output per claim: statement ID + quote + influence factor + consequence factor.
 - **Two validation variants**
 - **Variant 1 — open coding (“radical zero-shot”)**
 - No codebook; includes an “orientation” so the AI understands the research context.
 - Uses a multi-pass prompting process (initial extraction + revision passes).
 - **Variant 2 — codebook-assisted (“closed-ish”)**
 - Adds a partial codebook (most-used top-level labels from the human coding).
 - Uses hierarchical labels **general concept**; **specific concept**.
 - **Validation metrics and headline results**
 - **Precision** (human-rated, four criteria): correct endpoints; correct causal claim; not hypothetical; correct direction.
 - Variant 1: 180 links; perfect composite score (8/8) for **84%** of links.
 - Variant 2: 172 links; perfect composite score (8/8) for **87%** of links.
 - **Recall (proxy)**: compared link counts vs the human-coded set (acknowledging no true ground truth because granularity is underdetermined).
 - **Utility check (overview-map similarity)**
 - Detailed maps differ (expected in qualitative coding).
 - When zoomed out to top-level labels and filtered to the most frequent nodes/links, AI and human overview maps are **broadly similar**.
 - **Scope limits / risks**
 - Small sample; single (relatively “easy”) dataset; informal rating process.
 - Label choice/consistency remains a major source of variation; batching can introduce inconsistency across prompts.
 - Suitable for mapping “how people think” and building auditable evidence sets; not suitable for high-stakes adjudication of specific links without checking.
-

References

Powell, & Cabral (2025). *AI-assisted Causal Mapping: A Validation Study*. Routledge.
<https://www.tandfonline.com/doi/abs/10.1080/13645579.2025.2591157>.

Causal mapping for evaluators – Summary (eval2024)

23 Dec 2025

(Powell et al. 2024)

Source: (DOI: [10.1177/13563890231196601](https://doi.org/10.1177/13563890231196601))

- **History / lineage (why this isn't "new", just under-used in evaluation):** Causal mapping (diagramming "what causes what" using directed links between factors) has been used since the **1970s** across disciplines (e.g. Axelrod-style **document coding** of causal assertions; management/OR traditions emphasising maps for **decision support**; comparative methods like Laukkanen's work on **standardising factor vocabularies** and combining maps). The evaluation literature has relatively sparse, inconsistent "causal mapping" usage; this paper synthesises the wider literature and re-specifies it for evaluators.
- **How we pitch it to evaluators (the niche):** treat causal mapping as a **discrete evaluation task**: (i) systematically **assemble causal evidence from narrative sources** into an explicit link database with provenance, then (ii) separately use that assembled evidence to make evaluative judgements about "what is really happening". This is positioned as a way to work with large bodies of **messy, heterogeneous** qualitative causal data (different boundaries, contexts, specificity, and ambiguity) without forcing early convergence on a single prior ToC.
- **How causal mapping differs from adjacent approaches:**
 - **Primary object is evidence-with-provenance:** causal mapping is explicitly about *who/what source said what link*, not a modeller's best estimate of system structure.
 - **Epistemic first, ontic later:** unlike approaches mainly aimed at simulation/prediction (e.g. SD/BBNs/CLDs/FCMs as typically used), causal mapping foregrounds **organising claims/evidence**; inference about reality is a later step.
 - **Lightweight causal typing:** it usually does not require consistent weights/functional forms/necessity-sufficiency labels; it can incorporate them when elicited, but warns about spurious precision.
- **How causal-mapping approaches differ among themselves (key axes):**
 - **Mode of construction:** coding **documents** vs coding **interviews** vs **group** map-building (consensus/problem-structuring) vs hybrids.

- **Elicitation openness: closed** (pre-specified factor lists) vs **open** (respondent-generated factors), with chaining variants (forward/back).
- **Single-source vs multi-source & context handling:** idiographic maps vs aggregated multi-source maps; whether and how you track **case/context metadata** to avoid invalid transitive inferences.
- **Coding philosophy:** “factors as variables” vs “factors as **changes**” (e.g. QuIP-style); whether polarity/opposites are represented as separate factors/links or handled differently; extent of factor-name **standardisation/merging/nesting**.
- **Problem / motivation:** Evaluators need to represent (a) what causally influences what **in the world**, and (b) what different stakeholders **claim/believe** causally influences what. Causal mapping—defined as the **collection, coding, and visualisation of interconnected causal claims** with explicit **provenance**—is widely used outside evaluation, but under-specified in evaluation practice/literature.
- **Core argument (the “Janus” dilemma + resolution):**
 - **Janus dilemma:** Causal mapping faces two directions—maps can be read as **models of beliefs** or as **models of causal reality**; in practice these get blurred unless source information and analysis steps are explicit.
 - **Resolution:** Treat causal maps primarily as **repositories of causal evidence** (epistemic objects), not as direct models of either beliefs or reality. Maps then support structured questions like: *Is there evidence X influences Z? Directly/indirectly? How much evidence? How many sources? How reliable?* The *evaluation* step that judges “what is really happening” is distinct and subsequent.
- **What causal maps encode (and don’t):**
 - **Epistemic content:** Map elements are claims/perceptions/evidence, not facts.
 - **Causal semantics are usually coarse:** ordinary language claims typically encode **partial influences**, not total/necessary/sufficient causation; coding a link need not assert evidence quality (though you may later weight/filter by quality).
 - **Multiple sources + contexts:** maps may be single-source or multi-source; inference across sources requires care about **which case/context** each link refers to.
 - **Boundaries are often messy:** system boundaries are frequently loose/implicit; mapping can proceed, but ambiguity must be managed rather than hidden.
- **Causal mapping in evaluation = 3 tasks (workflow):**
 - **Task 1 — Gather narrative causal material:** interviews, open-ended survey questions, document/literature review, archives/secondary text, or consensus processes (e.g., Delphi, participatory systems mapping). Elicitation may use **back-chaining** (“what influenced X?”)

and **forward-chaining** (“what followed/could follow?”). Question framing affects factor semantics (e.g., QuIP tends to elicit **changes** like “reduced hunger” rather than variables).

- **Task 2 — Code causal claims (“causal QDA”)**: unlike standard thematic QDA (codes = concepts), causal QDA codes **links**: each highlighted quote yields an **influence factor** → **consequence factor** pair; factors mainly exist as endpoints of links. Labelling can be **exploratory/inductive** (curate a common vocabulary across sources) or **confirmatory** (codebook from a ToC/prior work), with sequencing cautions to reduce framing/bias. Manual coding is costly; partial automation via NLP/ML is possible but not the focus.
- **Task 3 — Answer evaluation questions using the link database**: global maps become “hairballs”, so analysis should generate **selective maps** aligned to questions (e.g., consequences of an intervention; causes of a valued outcome). Techniques include bundling **co-terminal links** (thickness/count), producing frequency-based overview maps (caution: rare-but-important links), rolling-up hierarchical factor taxonomies (with caveats), and limited quantitative summaries (warning: sensitive to coding granularity).
- **Limits / risks:**
 - **Inference depends on source credibility**: stronger conclusions require explicit, context-specific **rules of inference** (e.g., independent mentions threshold + theoretical plausibility + bias-mitigation steps).
 - **Effect strength/type is hard to capture**: respondents rarely provide consistent magnitudes/necessity/sufficiency/certainty; forcing weights risks **spurious precision**.
 - **Transitivity is both payoff and trap**: inferring $(C \rightarrow E)$ from $(C \rightarrow D)$ and $(D \rightarrow E)$ is powerful for indirect effects, but can be invalid when links come from **non-overlapping contexts**; valid inference requires attention to the **intersection of contexts**.
- **Concrete analytic contributions highlighted:**
 - Treat diagrams as an **index into the underlying corpus**: tool support should allow tracing from any link/factor back to transcript excerpts + source metadata.
 - Quantify robustness of evidence-based “arguments” along paths using **maximum flow** / **minimum cut** on the causal-claim network (how many claims would need removal to eliminate all paths between (C) and (E)), plus **source thread count** (how many distinct sources each provide a complete path).
- **Conclusion / evaluator-facing payoff:**
 - Helps evaluators (i) assemble narrative evidence about intervention and contextual influences (direct/indirect, intended/unintended), (ii) search/summarise/select quotations systematically, (iii) increase transparency/peer-reviewability of qualitative causal reasoning, (iv) communicate complexity with readable graphics.

- Key discipline is a **two-step separation**: first assemble and organise causal evidence; then judge what is actually happening—avoiding premature constraint of data collection to fit a prior ToC that stakeholders may not share.
-

References

Powell, Copestake, & Remnant (2024). *Causal Mapping for Evaluators*.
<https://doi.org/10.1177/13563890231196601>.

Causal mapping teams globally – since 2020

20 Feb 2026

Causal mapping teams globally (last 15 years: 2011-2026)

Inclusion rule used here: records from 2011 onward that are clearly causal-mapping work (or close adjacent approaches used to build causal maps), starting from [zotero-bib](#) and then filtering out obvious noise.

Date of most recent publication	Team members	Location / institution	Papers (title, year, citekey)	What they call the approach	Key methods / fit to categorisation / AI use	Primary evidence source mode	Multi-source handling style	Maturity / status	Tooling stack
2026	Vanessa Hammond; Joseph Lea (plus collaborators)	City of Casey, Melbourne (Australia) context; institution not explicit in record	<i>Where to Start? Participatory Systems Mapping for Place-Based Service Integration in the City of Casey</i> (2026) Hammond et al. (2026)	Participatory Systems Mapping (PSM)	Group co-production of causal loop maps; strong fit with group map-building and complexity-aware analysis ; uses network metrics + Action Scales; no direct AI in method	Group workshops	Aggregated group map with facilitated consensus	Preprint	Workshop facilitation + network analysis
2025	Steve Powell; Gabriele Caldas Cabral; Fiona Remnant; James Copestake; Heather Britt; Rebekah Avar; co-authors	Causal Map / Causal Pathways ecosystem; some records do not specify formal affiliations	<i>AI-assisted Causal Mapping: A Validation Study</i> (2025) Powell & Caldas Cabral (2025) ; <i>Qualitative Causal Mapping in Evaluations</i> (2025) Remnant et al. (2025) ;	Causal mapping; AI-assisted causal mapping; causal QDA; QuIP evidence synthesis	Strong fit with document/interview coding, open elicitation, provenance-explicit multi-source synthesis ; explicit separation of evidence assembly vs	Narrative interviews, documents, mixed	Explicit provenance and source-thread logic; map-as-evidence-repository approach	Peer-reviewed + chapter + guidance + report + preprint	Causal Map software + LLM-assisted coding/extraction

Date of most recent publication	Team members	Location / institution	Papers (title, year, citekey)	What they call the approach	Key methods / fit to categorisation / AI use	Primary evidence source mode	Multi-source handling style	Maturity / status	Tooling stack
			<i>Strengthening Outcome Harvesting with AI-assisted Causal Mapping</i> (2025) Britt et al. (2025); <i>Causal Mapping for Evaluators</i> (2024) Powell et al. (2024); <i>An M&E Time Machine</i> (2024) Powell et al. (2024); <i>Does Our Theory Match Your Theory?</i> (2023) Powell et al. (2023); <i>Measuring the Women's Economic Empowerment... testing QuIP</i> (2022)		evaluative judgement; substantial AI support for low-level coding/extraction				

Date of most recent publication	Team members	Location / institution	Papers (title, year, citekey)	What they call the approach	Key methods / fit to categorisation / AI use	Primary evidence source mode	Multi-source handling style	Maturity / status	Tooling stack
			Avard et al. (2022); <i>Chapter 1 Overview Guide to Causal Mapping</i> (2022) Powell et al. (2022); <i>Guide to Causal Mapping</i> (2021) Powell & Ltd. (2021); <i>From Narrative Text to Causal Maps</i> (2021) Remnant (2021)						
2025	Jordan White; Pete Barbrook-Johnson	Institute for New Economic Thinking (University of Oxford); CECAN / University of Surrey	<i>Guidance on Using Large Language Models to Extract Cause-and-Effect Pairs from Texts for Systems Mapping</i> (2025) White & Barbrook-	Systems mapping with LLM extraction	Fit with document coding + semi-automation ; uses LLM prompts to extract cause-effect pairs then build preliminary maps for later	Documents/text corpora	Aggregated extraction over multiple texts; human validation step	Report/guidance	GPT-based extraction + external mapping tools (e.g., PRSM)

Date of most recent publication	Team members	Location / institution	Papers (title, year, citekey)	What they call the approach	Key methods / fit to categorisation / AI use	Primary evidence source mode	Multi-source handling style	Maturity / status	Tooling stack
			Johnson (n.d.)		human refinement				
2024	Fran Ackermann; Colin Eden; James Alexander; Eunice Maytorena-Sanchez	Project studies / management lineage; institutions not explicit in these records	<i>Overlooked and Underused?</i> (2024) Ackermann & Maytorena-Sanchez (2024) ; <i>Researching Complex Projects</i> (2016) Ackermann & Alexander (2016) ; <i>Using Causal Mapping to Support Information Systems Development</i> (2011) Ackermann & Eden (2011)	Causal mapping for projects and IS development	Fit with individual/group elicitation , document-supported mapping , and idiographic systemic analysis ; strong continuity from 2011 to 2024; AI not central	Interviews, workshops, documents	Comparative and synthetic use across sources	Peer-reviewed articles	Decision Explorer / Group Explorer + manual coding
2023	Rory Hooper; Nihit Goyal; Kornelis Blok; Lisa Scholten	Institution not explicit in record (policy evidence synthesis context)	<i>A Semi-Automated Approach to Policy-Relevant Evidence Synthesis</i> (2023)	Semi-automated causal mapping for policy evidence synthesis	Hybrid NLP + causal mapping + graph analytics; fit with document coding	Policy/research documents	Aggregated multi-document synthesis	Preprint	NLP pipeline + graph analytics + causal-map post-processing

Date of most recent publication	Team members	Location / institution	Papers (title, year, citekey)	What they call the approach	Key methods / fit to categorisation / AI use	Primary evidence source mode	Multi-source handling style	Maturity / status	Tooling stack
			Hooper (2023)		and multi-source synthesis ; AI used directly for extraction pipeline				
2025	Philippe Giabbaneli; Tyler Gandee; Ameeta Agrawal; Niyousha Hosseinichimeh	Applied ontology / systems mapping	<i>Benchmarking and Assessing Transformations Between Text and Causal Maps via Large Language Models</i> (2025) Giabbaneli et al. (2025)	Text-to-map and map-to-text for causal maps	Benchmarking and evaluation datasets for LLM transformation between prose and causal maps; AI core method	Documents and causal-map corpora	Multi-dataset benchmark aggregation	Peer-reviewed article	LLMs + benchmark notebooks / metrics
2025	Melissa Valdivia Cabrera; Michael Johnstone; Joshua Hayward; Kristy Bolton; Douglas Creighton	Community health systems modelling	<i>Integration of Large-Scale Community-Developed Causal Loop Diagrams ... NLP Approach</i> (2025) Valdivia Cabrera et al. (2025); foundational merge	NLP-assisted CLD factor merging	Semantic similarity / NLP used to merge community-generated CLD factors at scale; strong fit with multi-source map integration	Participatory CLDs + associated text labels	Aggregated map integration across communities	Peer-reviewed articles	NLP semantic matching + network analysis/ DEMATEL

Date of most recent publication	Team members	Location / institution	Papers (title, year, citekey)	What they call the approach	Key methods / fit to categorisation / AI use	Primary evidence source mode	Multi-source handling style	Maturity / status	Tooling stack
			workflow in Hayward et al. (2020)						
2024	Raquel Buzogany ; Birgit Kopainsky; Paulo Goncalves	System Dynamics Review / policy narrative analysis	<i>Developing Theoretically Grounded Causal Maps to Examine and Improve Policy Narratives</i> (2024) Buzogany et al. (2024)	Theoretically grounded causal maps / CLDs	Grounded-theory coding from qualitative corpora into CLDs; fit with document coding and policy narrative synthesis	Policy and academic texts	Aggregated cross-domain causal synthesis	Peer-reviewed article	Qualitative coding + CLD modelling
2024	Mohammad S. Jalali; Ali Akhavan	System Dynamics Review	<i>Integrating AI Language Models in Qualitative Research</i> (2024) Jalali & Akhavan (2024)	AI-assisted replication of interview analysis	ChatGPT-assisted replication of interview-to-CLD analysis; AI used as augmentative analyst	Interview transcripts	Replication against prior coded analyses	Peer-reviewed article	ChatGPT-assisted qualitative coding
2023	Charlotte Matthews ; Will Airey; Fiona Remnant; Aurelie Charles	University of Bath / local SDG evaluation context	<i>The Dynamics of the UN Voluntary Local Review Using Causal Mapping.</i> .. (2023) Matthews	Causal mapping for SDG VLR analysis	Cross-SDG causal mapping to identify leverage points and stakeholders in local	VLR documents + stakeholder evidence	Within-goal and across-goal map synthesis	Applied report	Causal Map workflow + policy analysis

Date of most recent publication	Team members	Location / institution	Papers (title, year, citekey)	What they call the approach	Key methods / fit to categorisation / AI use	Primary evidence source mode	Multi-source handling style	Maturity / status	Tooling stack
			et al. (2023)		policy; fit with document + stakeholder synthesis				
2022	Pete Barbrook-Johnson; Alexandra Penn; Helen Wilkinson ; Dione Hills (overlapping collaborators)	UK policy/evaluation systems-mapping community (institutions not always explicit in these records)	<i>Participatory Systems Mapping for Complex Energy Policy Evaluation</i> (2021) <i>Barbrook-Johnson & Penn (2021); Building a System-Based Theory of Change Using Participatory Systems Mapping</i> (2021) <i>Wilkinson et al. (2021); Participatory Systems Mapping</i> (2022) <i>Barbrook-Johnson & Penn</i>	Participatory systems mapping; system-based ToC	Strong fit with group map-building, open elicitation, and translation from cyclic systems maps to evaluable ToC submaps ; AI generally not central in core 2021-2022 method papers	Group workshops (plus some supporting docs)	Consensus-built maps with subgroup/submap analysis	Peer-reviewed + handbook chapters + practice case	Workshop facilitation + network/submap analysis

Date of most recent publication	Team members	Location / institution	Papers (title, year, citekey)	What they call the approach	Key methods / fit to categorisation / AI use	Primary evidence source mode	Multi-source handling style	Maturity / status	Tooling stack
			(2022); <i>Running Systems Mapping Workshops</i> (2022) Barbrook-Johnson & Penn (2022); <i>Participatory Systems Mapping in Action</i> (2020) Mapping & Incentive (2020)						
2022	Jie Yang; Soyeon Caren Han; Josiah Poon	AI-NLP causality extraction community	<i>A Survey on Extraction of Causal Relations from Natural Language Text</i> (2022) Yang et al. (2022)	Causal relation extraction from text	Survey of knowledge-based, ML, and deep-learning pipelines for extracting cause-effect links; strong document coding / text-to-causal-link relevance	Text corpora	Cross-dataset method synthesis	Peer-reviewed article	NLP extraction pipelines
2020	Luke Craven (method lineage)	Systems/evaluation research	<i>System Effects: A Hybrid Methodology for</i>	System Effects (hybrid SSM + FCM +	Fit with participant-derived maps +	Interviews/workshops + synthesis	Aggregated comparative map structures	Peer-reviewed + applied report	FCM + graph-theoretic analysis

Date of most recent publication	Team members	Location / institution	Papers (title, year, citekey)	What they call the approach	Key methods / fit to categorisation / AI use	Primary evidence source mode	Multi-source handling style	Maturity / status	Tooling stack
			<i>Exploring the Determinants of Food In/Security</i> (2017) Craven (2017) ; <i>Improving the Health, Wellbeing ...</i> (2020) Craven (2020)	graph analysis)	aggregate structural analysis across cases; no direct AI core component				
2020	Steven E. Wallis (plus prior collaborators in IPA lineage)	Institution not explicit in record	<i>Integrative Propositional Analysis for Developing Capacity..</i> (2020) Wallis (2020)	Integrative Propositional Analysis (IPA)	Causal propositions mapped and scored structurally (breadth/systemicity); fits analysis-heavy map evaluation rather than pure elicitation ; AI not central	Strategic documents/propositions	Integrated conceptual synthesis	Peer-reviewed article	Manual proposition extraction + structural metrics
2020	Sasha Strelnikoff; Aruna Jammalamadaka; Dana Warmbsley	Institution not explicit in record	<i>Causal Maps for Multi-Document Summarization</i> (2020)	Causal maps for multi-document summarization	Fully unsupervised NLP pipeline for cause-effect extraction and	Multi-document corpora	Aggregated large-scale document synthesis	Peer-reviewed conference paper	DeepCx + embeddings + mixture model + graph pruning

Date of most recent publication	Team members	Location / institution	Papers (title, year, citekey)	What they call the approach	Key methods / fit to categorisation / AI use	Primary evidence source mode	Multi-source handling style	Maturity / status	Tooling stack
			Strelnikoff et al. (2020)		clustering ; fits document coding at scale with explicit AI/NLP core				
2018	Igor Pyrko; Viktor Dorfler	Management/organization research context	<i>Using Causal Mapping in the Analysis of Semi-structured Interviews</i> (2018) Pyrko & Dorfler (2018)	Eden/Ackermann-style causal mapping for interview analysis	Strong fit with interview coding, map merging across respondents , and feedback-chain analysis ; AI not central	Semi-structured interviews	Merged intersubjective maps from individual interview maps	Conference proceedings paper	Manual coding + map-merging analysis
2018	Ricardo Wilson-Grau; Heather Britt	Outcome Harvesting practice community	<i>Outcome Harvesting Principles in Practice</i> (2018) Wilson-Grau (2018); <i>Outcome Harvesting</i> (2012) Wilson-Grau & Britt (2012)	Outcome Harvesting (adjacent causal-claim approach)	Adjacent method for harvesting causal contribution claims from narrative evidence; fits multi-source evidence assembly ; typically no AI core	Narrative outcomes /interviews/documents	Multi-source claim harvesting	Guidance /practice documents	Manual harvesting/coding

Date of most recent publication	Team members	Location / institution	Papers (title, year, citekey)	What they call the approach	Key methods / fit to categorisation / AI use	Primary evidence source mode	Multi-source handling style	Maturity / status	Tooling stack
2017	Gerard Hodgkinson; Kristian Sund; Robert Galavan	Managerial and organizational cognition community	<i>Chapter 1: Exploring Methods in Managerial and Organizational Cognition</i> (2017) Hodgkinson et al. (2017)	Causal/cognitive mapping methods in MOC	Methodological synthesis of causal mapping in management cognition; mainly interview/document elicitation + map analysis tradition; AI not central	Interviews/documents (methodological review)	Comparative methodological synthesis	Book chapter	Method framework synthesis
2016	Mauri Laukkanen; Mingde Wang; Päivi Eriksson	Comparative causal mapping lineage (management/organization)	<i>Comparative Causal Mapping: The CMAP3 Method</i> (2016) Laukkanen & Wang (2016) ; <i>New Designs and Software for Cognitive Causal Mapping</i> (2013) Laukkanen & Eriksson (2013) ; <i>Comparative</i>	Comparative Causal Mapping (CCM), CMAP3	Core comparative/aggregate/mapping methodology , including standardized concept pools and software-supported cross-case comparison; AI not central	Interviews/documents (structured to low-structured variants)	Comparative aggregation across multiple respondents/cases	Book + peer-reviewed articles	CMAP3 + manual standardization

Date of most recent publication	Team members	Location / institution	Papers (title, year, citekey)	What they call the approach	Key methods / fit to categorisation / AI use	Primary evidence source mode	Multi-source handling style	Maturity / status	Tooling stack
			<i>tive Causal Mapping and CMAP3 Software in Qualitative Studies</i> (2012) Laukkanen (2012)						
2014	Michal Sedlacko; Andre Martinuzzi; Inge Ropke; Nuno Videira; Paula Antunes	Sustainability / ecological economics context	<i>Participatory Systems Mapping for Sustainable Consumption</i> (2014) Sedlacko et al. (2014)	Participatory systems mapping	Early strong participatory systems-mapping method paper; fits group map-building and systemic insight generation; AI not central	Participatory workshops	Group-built causal map synthesis	Peer-reviewed article	Workshop methods + map analysis

Notes on team boundaries

- Teams are grouped by overlapping authors and clear method lineage; single-paper rows are kept where overlap is weak or absent.
- Duplicates were collapsed where records represent the same output (for example [Powell & Caldas Cabral \(2025\)](#) vs [Powell & Cabral \(2025\)](#)).
- Obvious noisy keyword matches (items tagged [causal mapping](#) but not materially about causal-mapping methods) were excluded.

From your supplied list: explicitly not in this table (and why)

- **Pre-2011 foundational classics** (kept out only due to 15-year scope): e.g., Axelrod 1976, Eden 1988/1992, Eden/Ackermann/Cropper 1992, Narayanan/Armstrong 2004, Clarkson/Hodgkinson 2005.
 - **Outside causal-mapping core despite causal relevance:** e.g., Pearl 2000, Forrester 1971, Tolman 1948, Wright 1921 (important background, but not causal-mapping method teams).
 - **General AI/qualitative-method papers with weak direct mapping focus:** retained only when explicitly tied to causal-map/CLD production or transformation.
-

References

Ackermann, & Eden (2011). *Using Causal Mapping to Support Information Systems Development*.

Ackermann, & Alexander (2016). *Researching Complex Projects: Using Causal Mapping to Take a Systems Perspective*. <https://linkinghub.elsevier.com/retrieve/pii/S0263786316300072>.

Ackermann, & Maytorena-Sanchez (2024). *Overlooked and Underused? The Benefits and Challenges of Using Causal Mapping for Project Studies*. <https://doi.org/10.1016/j.plas.2024.100161>.

Avard, Mukuru, & Liesner (2022). *Measuring the Women's Economic Empowerment Generated by Impact Investing; Testing the QuIP Method on an Investment in Uganda's Cotton Sector*. Taylor & Francis.

Barbrook-Johnson, & Penn (2021). *Participatory Systems Mapping for Complex Energy Policy Evaluation*. <http://dx.doi.org/10.1177/1356389020976153>.

Barbrook-Johnson, & Penn (2022). *Participatory Systems Mapping*. In *Systems Mapping: How to Build and Use Causal Models of Systems*. https://doi.org/10.1007/978-3-031-01919-7_5.

Barbrook-Johnson, & Penn (2022). *Running Systems Mapping Workshops*. In *Systems Mapping: How to Build and Use Causal Models of Systems*. https://doi.org/10.1007/978-3-031-01919-7_10.

Britt, Powell, & Cabral (2025). *Strengthening Outcome Harvesting with AI-assisted Causal Mapping*. <https://5a867cea-2d96-4383-acf1->

7bc3d406cdeb.usrfiles.com/ugd/5a867c_ad000813c80747baa85c7bd5ffafo442.pdf.

Buzogany, Kopainsky, & Gonçalves (2024). *Developing Theoretically Grounded Causal Maps to Examine and Improve Policy Narratives about Global Challenges*.

<https://doi.org/10.1002/sdr.1788>.

Craven (2017). *System Effects: A Hybrid Methodology for Exploring the Determinants of Food In/Security*. <https://www.tandfonline.com/doi/full/10.1080/24694452.2017.1309965>.

Craven (2020). *Improving the Health, Wellbeing , and Chronic Disease Management of the Arabic Speaking Community Data - Through the Culture Well Project , Asthma Australia*.

Giabbanelli, Gandee, Agrawal, & Hosseinichimeh (2025). *Benchmarking and Assessing Transformations Between Text and Causal Maps via Large Language Models*. SAGE Publications. <https://doi.org/10.1177/15705838241304102>.

Hammond, Lea, & Hammond (2026). *Where to Start? Participatory Systems Mapping for Place-Based Service Integration in the City of Casey*.

<https://doi.org/10.20944/preprints202601.2371.v1>.

Hayward, Morton, Johnstone, Creighton, & Allender (2020). *Tools and Analytic Techniques to Synthesise Community Knowledge in CBPR Using Computer-Mediated Participatory System Modelling*. <https://www.nature.com/articles/s41746-020-0230-x>.

Hodgkinson, Sund, & Galavan (2017). *Chapter 1: Exploring Methods in Managerial and Organizational Cognition: Advances, Controversies, and Contributions*. In *New Horizons in Managerial and Organizational Cognition*. <https://doi.org/10.1108/S2397-52102017002>.

Hooper (2023). *A Semi-Automated Approach to Policy-Relevant Evidence Synthesis: Combining Natural Language Processing, Causal Mapping, and Graph Analytics for Public Policy*.

<https://doi.org/10.21203/rs.3.rs-3285731/v1>.

Jalali, & Akhavan (2024). *Integrating AI Language Models in Qualitative Research: Replicating Interview Data Analysis with ChatGPT*. <https://doi.org/10.1002/sdr.1772>.

Laukkanen (2012). *Comparative Causal Mapping and CMAP3 Software in Qualitative Studies*. <https://doi.org/10.17169/fqs-13.2.1846>.

Laukkanen, & Eriksson (2013). *New Designs and Software for Cognitive Causal Mapping*. <https://www.emerald.com/insight/content/doi/10.1108/QROM-08-2011-1003/full/html>.

Laukkanen, & Wang (2016). *Comparative Causal Mapping: The CMAP3 Method*. Routledge.

Mapping, & Incentive (2020). *Participatory Systems Mapping in Action —Supporting the Evaluation of the Renewable Heat Incentive*.

Matthews, Airey, Remnant, & Charles (2023). *The Dynamics of the UN Voluntary Local Review Using Causal Mapping within and across the Sustainable Development Goals: A Case Study of Bath and North East Somerset*.

Powell, & Ltd. (2021). *Guide to Causal Mapping*. <https://info.causalmap.app/>.

Powell, Remnant, Copestake, Mishan, Arvard, & Goddard (2022). *Chapter 1 Overview | Guide to Causal Mapping*. <https://causalmap.app>.

Powell, Larquemin, Copestake, Remnant, & Avard (2023). *Does Our Theory Match Your Theory? Theories of Change and Causal Maps in Ghana*. In *Strategic Thinking, Design and the Theory of Change. A Framework for Designing Impactful and Transformational Social Interventions*.

Powell, Cabral, & Mishan (2024). *An M\&E Time Machine: Using AI to Measure Changes in a System across a Time Period on Features Which Only Emerge during It..*
<https://doi.org/10.31124/advance.171535113.38566027/v1>.

Powell, Copestake, & Remnant (2024). *Causal Mapping for Evaluators*.
<https://doi.org/10.1177/13563890231196601>.

Powell, & Cabral (2025). *AI-assisted Causal Mapping: A Validation Study*. Routledge.
<https://www.tandfonline.com/doi/abs/10.1080/13645579.2025.2591157>.

Powell, & Caldas Cabral (2025). *AI-assisted Causal Mapping: A Validation Study*. Routledge.
<https://doi.org/10.1080/13645579.2025.2591157>.

Pyrko, & Dorfler (2018). *Using Causal Mapping in the Analysis of Semi-structured Interviews*.
<https://doi.org/10.5465/AMBPP.2018.14348abstract>.

Remnant (2021). *From Narrative Text to Causal Maps- QuIP Analysis and Visualisation 24 Oct 2021*.

Remnant, Copestake, Powell, & Channon (2025). *Qualitative Causal Mapping in Evaluations*. In *Handbook of Health Services Evaluation: Theories, Methods and Innovative Practices*.
https://doi.org/10.1007/978-3-031-87869-5_12.

Sedlacko, Martinuzzi, Røpke, Videira, & Antunes (2014). *Participatory Systems Mapping for Sustainable Consumption: Discussion of a Method Promoting Systemic Insights*. Elsevier.

Strelnikoff, Jammalamadaka, & Warmesley (2020). *Causal Maps for Multi-Document Summarization*. <https://doi.org/10.1109/BigData50022.2020.9377731>.

Valdivia Cabrera, Johnstone, Hayward, Bolton, & Creighton (2025). *Integration of Large-Scale Community-Developed Causal Loop Diagrams: A Natural Language Processing Approach to Merging Factors Based on Semantic Similarity*. <https://doi.org/10.1186/s12889-025-22142-3>.

Wallis (2020). *Integrative Propositional Analysis for Developing Capacity in an Academic Research Institution by Improving Strategic Planning*. <https://doi.org/10.1002/sres.2599>.

White, & Barbrook-Johnson (n.d.). *Guidance on Using Large Language Models to Extract Cause-and-Effect Pairs from Texts for Systems Mapping* Jordan White¹ and Pete Barbrook-Johnson^{1,2} ¹ Institute for New Economic Thinking, University of Oxford ² Centre for the Evaluation of Complexity Across the Nexus, University of Surrey.

Wilkinson, Hills, Penn, & Barbrook-Johnson (2021). *Building a System-Based Theory of Change Using Participatory Systems Mapping*. SAGE Publications Ltd.
<https://doi.org/10.1177/1356389020980493>.

Wilson-Grau, & Britt (2012). *Outcome Harvesting*.

Wilson-Grau (2018). *Outcome Harvesting: Principles, Steps, and Evaluation Applications*. IAP.

Yang, Han, & Poon (2022). *A Survey on Extraction of Causal Relations from Natural Language Text*. <https://doi.org/10.1007/s10115-022-01665-w>.

KLAR Outcome Harvesting AI pilot (DEZIM) – Summary (book chapter draft)

23 Dec 2025

Source: draft chapter in [content/000 Articles/020 !! dezim klar book chapter \(DRAFT\).md](#).

- **Purpose**
 - Pilot an AI interviewer (“Harvest Assistant”) for Outcome Harvesting (OH) in the KLAR! programme, focusing on scalability, inclusion, and democratic evaluation value.
- **Key method move**
 - AI-led interviewing + AI post-hoc transcript analysis to draft a structured OH outcome table.
 - Strong emphasis on **traceability**: verbatim short citations + page references; explicit missing-information prompts.
 - Human validation checks accuracy and de-duplicates overlapping outcomes across sources (triangulation).
- **Results highlights (as reported)**
 - 39 invited; 19 responded; 38 outcome statements; 6 met SMART criteria; others retained as leads.
 - Real-time outcome summaries enable respondent validation and transparency.
- **Operational insights**
 - Prompt simplicity improves adherence; model choice matters; version prompts/models for comparability.
 - Scaling shifts bottlenecks to analysis unless the end-to-end workflow is designed.
- **Risks / responsible scaling**
 - GDPR/legal basis, consent, third-party naming pathways; document data flow and model/prompt versions; data sovereignty (EU-hosted inference where possible); attention to equity/digital divides.

Qualitative causal mapping in evaluations (health) – Summary (book chapter)

23 Dec 2025

(Remnant et al. 2025)

Source: book chapter draft in [content/000 Articles/020 !! health book chapter.md](#).

- **Purpose**
 - Position QuIP + causal mapping as a credible, cost-effective way to elicit and analyse perceived drivers/barriers in complex interventions (including health services evaluations).
- **Data collection stance**
 - QuIP focuses on *changes* that matter to respondents, and the perceived causes of those changes.
 - Goal-free / blindfolded questioning is used to reduce pro-project bias; unprompted mention is treated as important evidence.
 - Not designed to estimate effect sizes; complements (rather than replaces) quantitative inference and other theory-based approaches.
- **Coding stance (“natively causal”)**
 - Coding is not thematic tags that are linked later; coding is **pairs/chains of cause→effect factors** (“causal nuggets”).
 - Coding is parsimonious: only causal claims are coded; non-causal descriptive text is not.
 - Inductive label harmonisation across sources is expected; analyst should manage positionality and avoid over-fitting to prior ToC.
- **Use**
 - Compare empirical causal maps against ToCs; compare groups (e.g. men/women; staff cadres) and pathways.
 - Keep a traceable link from visual summaries back to underlying quotes for verification/peer review.
- **Relationship to realist ideas**
 - Affinity to mechanism/context thinking (multiple pathways), but with broader open capture rather than only a few “hotspots”.

References

Remnant, Copestake, Powell, & Channon (2025). *Qualitative Causal Mapping in Evaluations*. In *Handbook of Health Services Evaluation: Theories, Methods and Innovative Practices*.
https://doi.org/10.1007/978-3-031-87869-5_12.

ToC and causal maps in Ghana – Summary (book chapter)

23 Dec 2025

(Powell et al. 2023)

Source: book chapter draft in [content/000 Articles/020 !! toc book chapter.md](#).

- **Purpose**
- Show how QuIP-style causal mapping can compare an official programme ToC (“their theory”) with empirically coded beneficiary narratives (“our theory”), as a disciplined way to revise ToCs and “middle-level theory”.
- **Minimal definition (what a causal map is)**
- A causal map is nodes + directed links, where a link means (at minimum) *someone believes C influenced E*.
- Links need not encode necessity/sufficiency, nor quantified strength/polarity (though those are sometimes added in other approaches).
- **QuIP as causal mapping**
- Goal-free / (partially) blindfolded elicitation of stories of change reduces confirmation bias.
- “Causal back-chaining” elicits causes, causes-of-causes, etc.
- Coding is inductive and multi-source; maps are then filtered/queried to answer evaluation questions.
- **How analysis is actually done**
- Global maps are too large; use filters (e.g. theme/keyword searches, distance steps, frequency thresholds).
- **Hierarchical coding / zooming out:** encode subfactors in factor labels so detailed factors can be rolled up into higher-level factors for readable summary maps.
- Evidence strength is often shown with counts on links (mentions / sources).
- **Interpretation pitfalls (explicitly listed)**
- **Beliefs about causation are not facts about causation:** evaluator judgement remains separate.
- **Absence of a mentioned link is not evidence of absence** (random-walk conversations; negative cases).

- **Transitivity trap / context overlap:** stitching $A \rightarrow B$ (source 1) and $B \rightarrow C$ (source 2) does not justify $A \rightarrow C$ unless contexts overlap.
 - Aggregation/generalisation is non-trivial; counts support confidence but don't convert to "truth percentages".
-

References

Powell, Larquemin, Copestake, Remnant, & Avarð (2023). *Does Our Theory Match Your Theory? Theories of Change and Causal Maps in Ghana*. In *Strategic Thinking, Design and the Theory of Change. A Framework for Designing Impactful and Transformational Social Interventions*.