# 🌻 Causal mapping produces models you can query to answer questions

Chapter contents.

20 Sep 2025

> The fundamental output of causal mapping is a database of causal links. If there are not too many links, this database can be visualised "as-is" in the form of a causal map or network. But usually there are too many links for this to be very useful, so we apply filters.

By applying filters and other algorithms, a causal map can be queried in different ways to answer different questions, for example to simplify it, to trace specific causal paths, to identify significantly different sub-maps for different groups of sources, etc.

As explained on the Causal Mapping website:

"*A global causal map resulting from a research project can contain a large number of links and causal factors. By applying filters and other algorithms, a causal map can be queried in different ways to answer different questions, for example to simplify it, to trace specific causal paths, to identify significantly different sub-maps for different groups of sources, etc.*"

The figure below shows a map from the application Causal Map, showing coded causal statements for a project that provided farmers with agricultural training and advice in order to increase crop


© Causal Map Ltd 2026 · causalmap.app · CC BY-NC 4.0

yields. The map has been filtered to show only outcomes downstream of the influence factor ‘Agricultural training and advice’. Numbers shown indicate how many times the links were mentioned across all interviews.




Source: BDSR, 2021, p 4

PAGES IN THIS CHAPTER

### Outputs of QDA

The logic of QDA: you’ve done your analysis, now what?

### The fundamental property of causal maps is transitivity

How does causal inference work in a causal *network*?

### Epistemic logic does not help us with reasoning about causal maps


© Causal Map Ltd 2026 · causalmap.app · CC BY-NC 4.0

(An example of kind-of qualitative causal logic, with a focus on groups: @castellaniCasebasedSystemsMapping])

## We can reason about causal maps using a logic of evidence

Evaluators can break the Janus dilemma and make the best use of causal maps in evaluation by considering causal maps not primarily as models of either beliefs or facts but as repositories of causal evidence. We can use more-or-less explicit rules of deduction, not to make inferences about beliefs, nor directly about the world, but to organise evidence: to ask and answer questions such as:

## Causal maps are knowledge graphs, but with wings

*Image from Wikipedia by Jayarathina - Own work, CC BY-SA 4.0.*

## The product of (causal) qualitative coding can be a model you can query

## The transitivity trap

[[882 Granularity, generalisability and chunking are coding problems for causal mapping too]] [[Source clustering]]


© Causal Map Ltd 2026 · causalmap.app · CC BY-NC 4.0