	Zr_ICP	Zr_ICP												
	-0.25	Sr_ICP												
1.0 0.5 0.0 -0.5 -1.0	0.33	0.23	Rb_ICP											
	0.03	-0.04	0.12	Zn_ICP										
	-0.23	0.29	0.02	0.56	Cu_ICP									
	0.2	0.1	-0.13	0.32	0.42	Ni_ICP								
	-0.09	0.11	-0.03	0.61	0.6	0.61	Co_ICP							
	-0.11	0.02	0.06	0.53	0.5	0.35	0.67	Fe_ICP						
	0.21	0.55	0.57	0	0.05	0.23	0.13	0.12	Mn_ICP					
	0.39	0.2	0.15	0.04	-0.02	0.64	0.21	0.09	0.59	Ti_ICP				
	0.02	0.77	0.22	-0.09	0.05	0.34	0.11	-0.01	0.78	0.58	Ca_ICP			
	0.44	0.05	0.9	0.14	-0.07	0.02		0.07	0.52	0.33	0.18	K_ICP		
9	-0.09 -0.11 0.21 0.39	0.11 0.02 0.55 0.2	-0.03 0.06 0.57 0.15	0.61 0.53 0 0.04 -0.09	0.6 0.5 0.05 -0.02	0.61 0.35 0.23 0.64	0.67 0.13 0.21	0.12	0.59	0.58		K_ICP		