
C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.0 (False Positive) (SBS5 0.948)
counts proportion
0.03
0.02
0.01
0.01
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.3 (False Positive) (SBS2 0.892)
counts proportion
0.72
0.54
0.36
0.18
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.8 (False Positive) (SBS7b 0.81)
counts proportion
0.38
0.29
0.19
0.10
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.10 (False Positive) (SBS5 0.921)
counts proportion
0.02
0.02
0.01
0.01
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.15 (False Positive) (SBS7b 0.651)
counts proportion
0.40
0.30
0.20
0.10
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.19 (False Positive) (SBS4 0.811)
counts proportion
0.19
0.14
0.09
0.05
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.20 (False Positive) (SBS1 0.238)
counts proportion
0.66
0.50
0.33
0.17
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.21 (False Positive) (SBS7b 0.433)
counts proportion
0.54
0.40
0.27
0.13
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.23 (False Positive) (SBS28 0.742)
counts proportion
0.20
0.15
0.10
0.05
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.26 (False Positive) (SBS1 0.458)
counts proportion
0.54
0.40
0.27
0.13
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.27 (False Positive) (SBS4 0.642)
counts proportion
0.17
0.13
0.09
0.04
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.28 (False Positive) (SBS44 0.513)
counts proportion
0.25
0.19
0.13
0.06
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.30 (False Positive) (SBS18 0.718)
counts proportion
0.27
0.20
0.13
0.07
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.31 (False Positive) (SBS4 0.753)
counts proportion
0.14
0.10
0.07
0.03
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.32 (False Positive) (SBS5 0.313)
counts proportion
0.40
0.30
0.20
0.10
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.33 (False Positive) (SBS12 0.645)
counts proportion
0.19
0.14
0.09
0.05
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.34 (False Positive) (SBS29 0.717)
counts proportion
0.15
0.11
0.08
0.04
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.35 (False Positive) (SBS41 0.611)
counts proportion
0.17
0.13
0.08
0.04
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.145879−hdp.38 (False Positive) (SBS13 0.685)
counts proportion
0.37
0.28
0.19
0.09
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.0 (False Positive) (SBS40 0.931)
counts proportion
0.02
0.02
0.01
0.01
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.3 (False Positive) (SBS2 0.892)
counts proportion
0.74
0.55
0.37
0.18
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.9 (False Positive) (SBS7b 0.778)
counts proportion
0.42
0.32
0.21
0.11
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.10 (False Positive) (SBS7b 0.788)
counts proportion
0.29
0.22
0.14
0.07
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.12 (False Positive) (SBS40 0.928)
counts proportion
0.02
0.01
0.01
0.00
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.17 (False Positive) (SBS7b 0.278)
counts proportion
0.61
0.46
0.31
0.15
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.18 (False Positive) (SBS5 0.916)
counts proportion
0.08
0.06
0.04
0.02
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.21 (False Positive) (SBS4 0.806)
counts proportion
0.19
0.14
0.09
0.05
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.23 (False Positive) (SBS7b 0.351)
counts proportion
0.36
0.27
0.18
0.09
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.24 (False Positive) (SBS7b 0.365)
counts proportion
0.58
0.43
0.29
0.14
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.25 (False Positive) (SBS5 0.781)
counts proportion
0.12
0.09
0.06
0.03
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.27 (False Positive) (SBS28 0.862)
counts proportion
0.26
0.20
0.13
0.07
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.29 (False Positive) (SBS4 0.624)
counts proportion
0.19
0.15
0.10
0.05
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.30 (False Positive) (SBS4 0.744)
counts proportion
0.12
0.09
0.06
0.03
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.31 (False Positive) (SBS4 0.834)
counts proportion
0.09
0.07
0.05
0.02
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.33 (False Positive) (SBS1 0.419)
counts proportion
0.56
0.42
0.28
0.14
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.34 (False Positive) (SBS4 0.762)
counts proportion
0.10
0.08
0.05
0.03
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.35 (False Positive) (SBS29 0.688)
counts proportion
0.16
0.12
0.08
0.04
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.36 (False Positive) (SBS41 0.643)
counts proportion
0.16
0.12
0.08
0.04
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.38 (False Positive) (SBS12 0.653)
counts proportion
0.18
0.14
0.09
0.05
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.39 (False Positive) (SBS13 0.681)
counts proportion
0.36
0.27
0.18
0.09
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.43 (False Positive) (SBS35 0.468)
counts proportion
0.19
0.14
0.10
0.05
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.200437−hdp.44 (False Positive) (SBS3 0.805)
counts proportion
0.05
0.03
0.02
0.01
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.310111−hdp.0 (False Positive) (SBS5 0.931)
counts proportion
0.02
0.02
0.01
0.01
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.310111−hdp.3 (False Positive) (SBS2 0.892)
counts proportion
0.72
0.54
0.36
0.18
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.310111−hdp.9 (False Positive) (SBS7b 0.733)
counts proportion
0.46
0.35
0.23
0.12
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.310111−hdp.14 (False Positive) (SBS7b 0.668)
counts proportion
0.38
0.28
0.19
0.09
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.310111−hdp.18 (False Positive) (SBS7b 0.286)
counts proportion
0.61
0.46
0.30
0.15
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.310111−hdp.19 (False Positive) (SBS4 0.779)
counts proportion
0.20
0.15
0.10
0.05
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.310111−hdp.21 (False Positive) (SBS17b 0.849)
counts proportion
0.24
0.18
0.12
0.06
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.310111−hdp.22 (False Positive) (SBS7b 0.383)
counts proportion
0.58
0.43
0.29
0.14
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.310111−hdp.23 (False Positive) (SBS5 0.329)
counts proportion
0.38
0.28
0.19
0.09
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.310111−hdp.24 (False Positive) (SBS5 0.766)
counts proportion
0.13
0.10
0.06
0.03
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.310111−hdp.27 (False Positive) (SBS1 0.474)
counts proportion
0.53
0.40
0.26
0.13
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.310111−hdp.28 (False Positive) (SBS4 0.664)
counts proportion
0.17
0.13
0.09
0.04
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.310111−hdp.30 (False Positive) (SBS29 0.691)
counts proportion
0.16
0.12
0.08
0.04
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.310111−hdp.31 (False Positive) (SBS41 0.621)
counts proportion
0.17
0.12
0.08
0.04
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.0 (False Positive) (SBS40 0.927)
counts proportion
0.04
0.03
0.02
0.01
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.3 (False Positive) (SBS2 0.897)
counts proportion
0.63
0.47
0.31
0.16
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.9 (False Positive) (SBS7b 0.775)
counts proportion
0.44
0.33
0.22
0.11
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.12 (False Positive) (SBS5 0.928)
counts proportion
0.04
0.03
0.02
0.01
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.15 (False Positive) (SBS7b 0.71)
counts proportion
0.35
0.26
0.18
0.09
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.19 (False Positive) (SBS7b 0.261)
counts proportion
0.64
0.48
0.32
0.16
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.20 (False Positive) (SBS4 0.786)
counts proportion
0.21
0.16
0.10
0.05
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.22 (False Positive) (SBS7b 0.398)
counts proportion
0.57
0.43
0.29
0.14
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.23 (False Positive) (SBS5 0.773)
counts proportion
0.14
0.10
0.07
0.03
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.24 (False Positive) (SBS5 0.811)
counts proportion
0.09
0.07
0.05
0.02
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.27 (False Positive) (SBS4 0.632)
counts proportion
0.19
0.14
0.09
0.05
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.28 (False Positive) (SBS17b 0.403)
counts proportion
0.40
0.30
0.20
0.10
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.30 (False Positive) (SBS28 0.894)
counts proportion
0.29
0.21
0.14
0.07
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.31 (False Positive) (SBS1 0.417)
counts proportion
0.56
0.42
0.28
0.14
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.32 (False Positive) (SBS41 0.68)
counts proportion
0.15
0.11
0.08
0.04
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.33 (False Positive) (SBS4 0.652)
counts proportion
0.25
0.18
0.12
0.06
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.34 (False Positive) (SBS5 0.551)
counts proportion
0.20
0.15
0.10
0.05
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.35 (False Positive) (SBS29 0.71)
counts proportion
0.15
0.11
0.07
0.04
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.37 (False Positive) (SBS13 0.684)
counts proportion
0.38
0.28
0.19
0.09
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.528401−hdp.39 (False Positive) (SBS40 0.843)
counts proportion
0.04
0.03
0.02
0.01
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.0 (False Positive) (SBS40 0.929)
counts proportion
0.02
0.02
0.01
0.01
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.5 (False Positive) (SBS2 0.883)
counts proportion
0.77
0.58
0.39
0.19
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.12 (False Positive) (SBS7b 0.802)
counts proportion
0.30
0.22
0.15
0.07
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.18 (False Positive) (SBS7b 0.29)
counts proportion
0.60
0.45
0.30
0.15
0.00
preceded by 5'
followed by 3'


C>A C>G C>T T>A T>C T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.19 (False Positive) (SBS7b 0.436)
counts proportion
0.53 0.39 0.26 0.13 0.00
preceded by 5'
followed by 3'


C>A C>G C>T T>A T>C T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.21 (False Positive) (SBS5 0.78)
counts proportion
0.12 0.09 0.06 0.03 0.00
preceded by 5'
followed by 3'


C>A C>G C>T T>A T>C T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.22 (False Positive) (SBS4 0.715)
counts proportion
0.25 0.19 0.13 0.06 0.00
preceded by 5'
followed by 3'


C>A C>G C>T T>A T>C T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.23 (False Positive) (SBS28 0.77)
counts proportion
0.21 0.16 0.11 0.05 0.00
preceded by 5'
followed by 3'


C>A C>G C>T T>A T>C T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.25 (False Positive) (SBS44 0.509)
counts proportion
0.27 0.20 0.13 0.07 0.00
preceded by 5'
followed by 3'


C>A C>G C>T T>A T>C T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.26 (False Positive) (SBS5 0.322)
counts proportion
0.39 0.29 0.19 0.10 0.00
preceded by 5'
followed by 3'


C>A C>G C>T T>A T>C T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.27 (False Positive) (SBS1 0.423)
counts proportion
0.55 0.41 0.28 0.14 0.00
preceded by 5'
followed by 3'


C>A C>G C>T T>A T>C T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.28 (False Positive) (SBS18 0.688)
counts proportion
0.29 0.22 0.14 0.07 0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.29 (False Positive) (SBS4 0.775)
counts proportion
0.11
0.08
0.05
0.03
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.31 (False Positive) (SBS17a 0.906)
counts proportion
0.46
0.34
0.23
0.11
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.33 (False Positive) (SBS41 0.604)
counts proportion
0.18
0.13
0.09
0.04
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.34 (False Positive) (SBS13 0.689)
counts proportion
0.35
0.27
0.18
0.09
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.36 (False Positive) (SBS17a 0.509)
counts proportion
0.16
0.12
0.08
0.04
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set1/raw_results/NR_hdp_gb_20.results/Realistic//seed.1076753−hdp.38 (False Positive) (SBS3 0.837)
counts proportion
0.04
0.03
0.02
0.01
0.00
preceded by 5'
followed by 3'