
C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.145879−hdp.8 (False Positive) (SBS7b 0.74)
counts proportion
0.47
0.35
0.23
0.12
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.145879−hdp.10 (False Positive) (SBS36 0.534)
counts proportion
0.42
0.32
0.21
0.11
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.145879−hdp.11 (False Positive) (SBS6 0.473)
counts proportion
0.43
0.32
0.22
0.11
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.145879−hdp.12 (False Positive) (SBS36 0.751)
counts proportion
0.38
0.29
0.19
0.10
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.145879−hdp.16 (False Positive) (SBS44 0.585)
counts proportion
0.25
0.19
0.13
0.06
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.145879−hdp.21 (False Positive) (SBS1 0.235)
counts proportion
0.69
0.52
0.35
0.17
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.145879−hdp.24 (False Positive) (SBS44 0.783)
counts proportion
0.19
0.14
0.10
0.05
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.145879−hdp.27 (False Positive) (SBS5 0.797)
counts proportion
0.15
0.11
0.08
0.04
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.145879−hdp.30 (False Positive) (SBS37 0.472)
counts proportion
0.31
0.23
0.15
0.08
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.145879−hdp.33 (False Positive) (SBS44 0.348)
counts proportion
0.55
0.41
0.27
0.14
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.145879−hdp.34 (False Positive) (SBS7a 0.796)
counts proportion
0.75
0.56
0.38
0.19
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.145879−hdp.38 (False Positive) (SBS17a 0.44)
counts proportion
0.31
0.23
0.16
0.08
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.200437−hdp.5 (False Positive) (SBS7a 0.822)
counts proportion
0.61
0.46
0.31
0.15
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.200437−hdp.7 (False Positive) (SBS7b 0.639)
counts proportion
0.54
0.40
0.27
0.13
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.200437−hdp.10 (False Positive) (SBS1 0.232)
counts proportion
0.65
0.49
0.33
0.16
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.200437−hdp.11 (False Positive) (SBS36 0.77)
counts proportion
0.35
0.26
0.18
0.09
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.200437−hdp.17 (False Positive) (SBS44 0.605)
counts proportion
0.25
0.19
0.13
0.06
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.200437−hdp.27 (False Positive) (SBS44 0.352)
counts proportion
0.55
0.41
0.28
0.14
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.200437−hdp.29 (False Positive) (SBS6 0.488)
counts proportion
0.41
0.31
0.21
0.10
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.310111−hdp.6 (False Positive) (SBS17a 0.447)
counts proportion
0.31
0.23
0.16
0.08
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.310111−hdp.9 (False Positive) (SBS7b 0.684)
counts proportion
0.51
0.38
0.26
0.13
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.310111−hdp.11 (False Positive) (SBS6 0.476)
counts proportion
0.40
0.30
0.20
0.10
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.310111−hdp.12 (False Positive) (SBS1 0.232)
counts proportion
0.69
0.52
0.35
0.17
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.310111−hdp.13 (False Positive) (SBS7b 0.501)
counts proportion
0.57
0.43
0.29
0.14
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.310111−hdp.23 (False Positive) (SBS44 0.584)
counts proportion
0.28
0.21
0.14
0.07
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.310111−hdp.26 (False Positive) (SBS5 0.802)
counts proportion
0.15
0.12
0.08
0.04
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.310111−hdp.27 (False Positive) (SBS44 0.775)
counts proportion
0.19
0.14
0.09
0.05
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.310111−hdp.29 (False Positive) (SBS36 0.548)
counts proportion
0.41
0.31
0.20
0.10
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.310111−hdp.30 (False Positive) (SBS44 0.345)
counts proportion
0.57
0.43
0.29
0.14
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.310111−hdp.35 (False Positive) (SBS7a 0.832)
counts proportion
0.58
0.44
0.29
0.15
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.310111−hdp.38 (False Positive) (SBS37 0.46)
counts proportion
0.30
0.23
0.15
0.08
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.528401−hdp.7 (False Positive) (SBS1 0.234)
counts proportion
0.65
0.49
0.32
0.16
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.528401−hdp.8 (False Positive) (SBS17a 0.441)
counts proportion
0.31
0.24
0.16
0.08
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.528401−hdp.10 (False Positive) (SBS7a 0.835)
counts proportion
0.64
0.48
0.32
0.16
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.528401−hdp.11 (False Positive) (SBS44 0.344)
counts proportion
0.58
0.43
0.29
0.14
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.528401−hdp.18 (False Positive) (SBS7b 0.636)
counts proportion
0.60
0.45
0.30
0.15
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.528401−hdp.20 (False Positive) (SBS44 0.599)
counts proportion
0.26
0.20
0.13
0.07
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.528401−hdp.31 (False Positive) (SBS5 0.755)
counts proportion
0.17
0.13
0.09
0.04
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.528401−hdp.32 (False Positive) (SBS37 0.484)
counts proportion
0.27
0.20
0.13
0.07
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.528401−hdp.35 (False Positive) (SBS36 0.573)
counts proportion
0.38
0.29
0.19
0.10
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.1076753−hdp.9 (False Positive) (SBS6 0.474)
counts proportion
0.43
0.32
0.21
0.11
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.1076753−hdp.10 (False Positive) (SBS7a 0.827)
counts proportion
0.58
0.44
0.29
0.15
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.1076753−hdp.12 (False Positive) (SBS44 0.346)
counts proportion
0.57
0.43
0.28
0.14
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.1076753−hdp.16 (False Positive) (SBS28 0.583)
counts proportion
0.35
0.26
0.17
0.09
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.1076753−hdp.18 (False Positive) (SBS7b 0.621)
counts proportion
0.58
0.43
0.29
0.14
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.1076753−hdp.23 (False Positive) (SBS44 0.595)
counts proportion
0.27
0.20
0.14
0.07
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.1076753−hdp.27 (False Positive) (SBS1 0.23)
counts proportion
0.72
0.54
0.36
0.18
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.1076753−hdp.28 (False Positive) (SBS5 0.779)
counts proportion
0.16
0.12
0.08
0.04
0.00
preceded by 5'
followed by 3'


C>A
C>G
C>T
T>A
T>C
T>G
SBS_set2/raw_results/mSigHdp.results/Realistic//seed.1076753−hdp.33 (False Positive) (SBS36 0.545)
counts proportion
0.41
0.31
0.20
0.10
0.00
preceded by 5'
followed by 3'