Learnbay

SQL Cheat Sheet



Your go-to guide for mastering SQL queries

www.learnbay.co

Coloumn Type

Purpose	Data Type	Example
Integers	int(M)	int(5)
Floating-point (real) numbers	float(M,D)	float(12,3)
Double-precision floating-point	double(M,D)	double(20,3)
Dates and times	timestamp(M)	timestamp(8)
Fixed-length strings		
Variable-length strings	varchar(M)	varchar(20)
A large amount of text	blob	blob
Values chosen from a list	enum('value1',value2',...)	enum('apples','oranges','bananas')

Create Table

```
CREATE TABLE table (
column1 type [[NOT] NULL]
[AUTO_INCREMENT],
column2 type [[NOT] NULL]
[AUTO_INCREMENT],
...
other options,
PRIMARY KEY (column(s)) );
```

Date Functions

DATEADD (datepart, number , date)

DATEDIFF (datepart , start , end)

DATENAME (datepart, date)

DATEPART (datepart, date)

DAY (date)

GETDATE()

GETUTCDATE()

MONTH(date)

YEAR(date)

Date Parts

Year	yy, yyyy
Quarter	qq, q
Day	dd, d
Day of Year	dy, y
Month	mm, m
Week	wk, ww
Hour	hh
Minute	mi, n
Second	ss, s
Milisecond	ms

Insert/Select

```
INSERT INTO *table (column1,column2,...)
SELECT statement;*
```

(See below)

Mathematical Functions

Count rows per group	COUNT(column | *)
Average value of group	AVG(column)
Minumum value of group	MIN(column)
Maximum value of group	MAX(column)
Sum values in a group	SUM(column)
Absolute value	abs(number)
Rounding numbers	round(nuber)
Largest integer not greater	floor(number)
Smallest integer not smaller	ceiling(number)
Square root	sqrt(number)
nth power	pow(base,exponent)
random number n, 0<n < 1	rand()
sin (similar cos, etc.)	sin(number)

String Functions

What	How
Compare strings	strcmp(string1,string2)
Convert to lower case	lower(string)
Convert to upper case	upper(string)
Left-trim whitespace (similar right)	ltrim(string)
Substring of string	substring(string,index1,index2)
Encrypt password	password(string)
Encode string	encode(string,key)
Decode string	decode(string,key)
Get date	curdate()
Get time	curtime()

Insert Data

```
INSERT INTO table VALUES
(list of values);
INSERT INTO table SET
column1=value1,
column2=value2,
...
columnk=valuek;
INSERT INTO table (column1,column2,...)
VALUES (value1,value2...);
```

Gruoping Functions

AVG	MAX
BINARY_CHECKSUM	MIN
CHECKSUM	SUM
CHECKSUM_AVG	STDEV
COUNT	STDEVP
COUNT_BIG	VAR
GROUPING	VARP

Type Conversion

```
CAST (expressions AS datatype)
CONVERT (datatype , expression)
```

Ranking Functions

RANK	NTILE
DENSE_RANK	ROW_NUMBER

Create a Trigger

```
CREATE TRIGGER name
ON
table
FOR
DELETE, INSERT, UPDATE
AS
-- Comments
SELECT * FROM table
GO
```

Table Functios

ALTER	DROP
CREATE	TRUNCATE

Create a View

```
CREATE VIEW name
AS
-- Comments
SELECT FROM table*
GO
```

Delete data

```
DELETE FROM table
[WHERE condition(s)];
```

Insert column

```
ALTER TABLE table ADD COLUMN
column type options;
```

Updating Data

```
UPDATE table SET
column1=value1,
column2=value2,
...
columnk=valuek
[WHERE condition(s)];
```

Create a Stored Procedure

```
CREATE PROCEDURE name
@variable AS datatype = value
AS
-- Comments
SELECT FROM table*
GO
```

Create an Index

```
CREATE UNIQUE INDEX name
ON
table (columns)
```

Delete Column

```
ALTER TABLE table
DROP COLUMN column
```

Delete table (Careful!)

```
DROP TABLE [IF EXISTS] table;
```

Learnbay

Upskill with Learnbay

Take your skills to the next level!

Program For **Working Professional**

VISIT: **www.learnbay.co**

EXPLORE OUR COURSES





Get Certification from :

IBM | IIT Guwahati | WOOLF UNIVERSITY | Microsoft