Hello world

$$k_{n+1} = n^2 + k_n^2 - k_{n-1} (1)$$

Khan Academy Question 2 Simplify the following for h

$$S = 2\pi r(r+h) \tag{2}$$

$$S/2\pi r = r + h \tag{3}$$

$$h = (S/2\pi r) - r \tag{4}$$

$$S = 250; r = 4; h = (S/2\pi r) - r; h = 5.94718394325$$
 (5)

Does the following have an x-intercept?

$$f(x) = x(x+4) \tag{6}$$

What is the rough y-intercept of

$$[-3..3]f(x) = (x+3)(1-x) = > 2.8$$

The y-intercept is the value at f(0) The x-intercept is the value where f(x) = 0 Periodic is a repeating or looping graph An even graph has f(x) = f(-x) or will look the same reflected over the y-axis An odd graph has -f(x) = f(-x) or will look mirrored over the x axis

What is the approximate maximum value of the formula:

$$max(-x^2 + 6x - 1) = 8 (7)$$

1 New section

Solve for h

$$A = 1/2(b+c)h \tag{8}$$

$$A/(1/2(b+c)) = h (9)$$

$$2A/(b+c) = h (10)$$

To store a variable and solve, use "st" and "=".

For example: I want to solve

$$E/c^2$$

I type it exactly, then type my value for E, type stE, type my value for c, and type stc

2 New section

What is the height of a trapezoid with one base equal to 20 m, the other base equal to 7m, and an area of 135m? It is 10m.

Solve

$$m = E/(c^2)$$

for

$$c = 300,000,000 m/s \\$$

and

$$E=1.8e14J$$

$$m = 2e - 3$$

3 New section

The Area of a trapezoid is

$$A = (1/2)(b+c)h$$

solve for b

$$A/(1/2)(h) = b + c$$
$$(A/(1/2)h) - c = b$$
$$b = 2A/h - c$$

When

$$A = 80ft^{2}$$

$$h = 10ft$$

$$c = 5ft$$

$$b = 11$$

4 New section

Kinetic Energy object in motion

$$K = 1/2mv^2$$

solve for velocity v

$$m = 800$$

$$K = 100000$$

$$sqrt(2K/m)$$

$$sqrt(2100000/800) = 15.8113883008$$

5 New section

Net income formula is

$$NI = (SP - VC)(V) - FC$$

solve for V where

$$NI = 5000$$

$$SP = 40$$

$$VC = 15$$

$$FC = 1000$$

$$NI + FC = (SP - VC)V$$

$$V = (NI + FC)/(SP - VC)$$

$$V = (NI + FC)/(SP - VC)$$

$$= 240$$

6 New section

What is the y-intercept or $\mathbf{x}(0)$ of

$$-(x-1)(x+3)$$

it should be

3

7 New section

What is the limit as x approaches 0?

$$\lim_{x \to 0} \frac{\cos 2x - \cos 3x}{x^2}$$

Appears to be 2.5