	Quiz for "Variables, Values & Type"  Total points 33/36 ?	
	This quiz will reinforce the concepts you are learning. By taking this quiz, you will become a stror programmer.	nger
	Section score 33/36	
<b>✓</b>	The smallest standalone element of a program that expresses some action to be carried out. *	1/1
	statement	<b>~</b>
	expression	
<b>✓</b>	A combination of one or more explicit values, constants, variables, operators, and functions that the programming language interprets and computes to produce another value. *	1/1
	statement	
	expression	<b>✓</b>
<b>/</b>	Which are "parentheses" or "parens" *	
	<b>(</b> )	<b>✓</b>
	○ {}	

<b>/</b>	Which are "curly braces" or "curlies" or "braces" *	1/1
	O ()	
	{}	<b>✓</b>
	O []	
<b>~</b>	Which are "brackets" *	1/1
	O ()	
	○ {}	
	[]	<b>✓</b>
<b>✓</b>	The "scope" of a variable is where you can access the variable eg, write to it or read the value from it. *	, 1/1
	true	<b>✓</b>
	false	
	Feedback	
	https://en.wikipedia.org/wiki/Scope_(computer_science)	
<b>✓</b>	A "primitive" data TYPE is one that is built into the language AND/OR just a basic data type which is built into the language *	1/1
	true	<b>✓</b>
	false	

✓ In Go, an "int" is a primitive data TYPE *	1/1
• true	/
false	
Feedback	
The "int" TYPE is built into the Go programming language. It is also a basic TYPE (not a composite TYPE).	
✓ In Go, a "string" is a primitive data TYPE *	1/1
• true	/
false	
Feedback	
The "string" TYPE is built into the Go programming language.	
✓ A "composite" data TYPE allows you to compose together values of other data TYPES *	1/1
• true	/
false	
Feedback	
In computer science, a composite data type or compound data type is any data type which can be constructed in a program using the programming language's primitive data types and other composite types. It is sometimes called a structure or aggregate data type, although the latter term may also refer to arrays, lists, etc. The act of constructing a composite type is known as composition	

Ŀ

<b>✓</b>	no \	en a variable is declared in Go using the "var" keyword, and /ALUE is ASSIGNED to that variable, then the compiler igns a default value to the variable. This is known as the o value" *	1/1
	•	true	<b>✓</b>
	0	false	
<b>✓</b>	prog	words are words that a reserved for use by the Go gramming language; they have to be used in a certain way a certain purpose. *	1/1
	•	True	<b>✓</b>
	0	False	
<b>/</b>	Key	words are sometimes called "reserved words." *	1/1
	•	True	<b>✓</b>
	$\bigcirc$	False	
<b>/</b>	You	can't use a keyword for anything other than its purpose. *	1/1
	•	True	<b>✓</b>
	0	False	
<b>~</b>	In "2	2 + 2" the "+" is the OPERATOR *	1/1
	•	True	<b>~</b>
	$\circ$	False	

✓ In "2 + 2" the "2"s are OPERANDS *	1/1
True	<b>~</b>
False	
For finding documentation, what is the difference between documentation found at <u>golang.org</u> and <u>godoc.org</u> ?	
Golang.org is for mainly std lib / built in documentation. godoc.org contain documentation for all go packages.	S
Feedback	
Golang.org is the official website of the go programming language. Golang.org only documentation for the standard library. Godoc.org has documentation for the standalibrary and third-party packages. The content of the documentation of the standard library is the same on both golang.org and godoc.org, though the content is formatted differently.	ard
✓ "package" is a keyword *	1/1
• true	<b>\</b>
○ false	
✓ "var" is a keyword *	1/1
true	<b>~</b>
○ false	
✓ The entry point for all programs is in func main() which need to be inside package main *	ds 1/1
true	<b>~</b>
false	

<b>✓</b>	The "short declaration operator" can be used anywhere in a program, including at both the package level and at the blockers. Ievel. *		1/1
	$\bigcirc$	true	
	•	false	<b>✓</b>
×		at are the three words used to describe good package nes in the "effective go" document? *	0/1
	<b>✓</b>	descriptive	×
	<b>/</b>	short	<b>✓</b>
	<b>/</b>	concise	<b>✓</b>
		evocative	
	Сс	prrect answer	
	<b>~</b>	short	
	<b>~</b>	concise	
	<b>~</b>	evocative	
	Fe	edback	
		e answer is "package name should be good: short, concise, evocative.". You can find s answer here: <a href="https://golang.org/doc/effective_go.html#package-names">https://golang.org/doc/effective_go.html#package-names</a>	

×	What is the name of the website where you can write (most) Go code online and have it run online? *	···/1
	https://play.golang.org/	
	Correct answer	
	golang playground	
	Feedback	
	The "golang playground" allows you to write Go code and run Go code online. You can find it here: <a href="https://play.golang.org/">https://play.golang.org/</a>	
<b>✓</b>	A great place to ask questions is the "golang bridge forum" at <a href="https://forum.golangbridge.org/">https://forum.golangbridge.org/</a> *	1/1
	true	<b>~</b>
	○ false	
	Feedback	
	The "golang bridge forum" at <a href="https://forum.golangbridge.org/">https://forum.golangbridge.org/</a> is a great place to ask questions.	

<b>\</b>	"Println()" function from the "fmt" package. *	1/1
	true	<b>✓</b>
	○ false	
	Feedback	
	When you see something like "fmt.Println()" this is calling the "Println()" function from "fmt" package.	the
<b>✓</b>	An "identifier" is the name assigned to a variable or a function or a constant. *	1/1
	true	<b>✓</b>
	○ false	
	Feedback	
	An "identifier" is the name assigned to a variable or a function or a constant.	
<b>✓</b>	To call a func, variable, or constant from a package, use the "package-dot-identifier" syntax. For example, like this, "fmt.Println()" *	1/1
	True	~
	○ False	

## What is "idiomatic Go code"?

code written in the go language

## **Feedback**

When you write "idiomatic Go code" you are writing Go code which conforms to best practices for writing Go code.

- ✓ Which character allows you to "throw away returns" or "send 1/1 returns into the void"? Said another way, which character allows you to tell the compiler that you are not going to use a value returned by a function? \*

  - This is a trick question

## Feedback

The blank identifier is represented by the underscore character \_. It serves as an anonymous placeholder instead of a regular (non-blank) identifier and has special meaning in declarations, as an operand, and in assignments. https://golang.org/ref/spec#Blank\_identifier

<b>✓</b>	In Go, you cannot have a variable which you do not use. *	1/1
	True	<b>✓</b>
	○ False	
	Feedback	
	It is an error to import a package or to declare a variable without using it. Unused imports bloat the program and slow compilation, while a variable that is initialized not used is at least a wasted computation and perhaps indicative of a larger bug. V program is under active development, however, unused imports and variables ofter and it can be annoying to delete them just to have the compilation proceed, only to them be needed again later. The blank identifier provides a workaround. <a href="https://golang.org/doc/effective_go.html#blank_unused">https://golang.org/doc/effective_go.html#blank_unused</a>	Vhen a n arise
<b>✓</b>	When you see that a func has a parameter of this type "interface{}" this is called a "variadic parameter" and it me that the func can take as many values of that type as you we to pass in. *	
	• true	<b>~</b>
	○ false	
	Feedback	
	We will learn more about "variadic parameters" throughout the course! <a href="https://golang.org/ref/spec#Passing_arguments_toparameters">https://golang.org/ref/spec#Passing_arguments_toparameters</a>	

×	Every value in Go is also of type "empty interface" which is expressed like this: "interface{}" *	0/1
	O true	
	false	×
	Correct answer	
	true	
	Feedback	
	We will learn more about interfaces, and the empty interface, throughout this course! <a href="https://golang.org/doc/effective_go.html#interfaces_and_types">https://golang.org/doc/effective_go.html#interfaces_and_types</a>	
<b>✓</b>	A statement is an instruction that commands the computer to perform a specified action. Usually statements take up a line a program. *	
	True	<b>✓</b>
	○ False	
<b>~</b>	An expression is a combination of one or more explicit values constants, variables, operators, and functions that the programming language interprets and computes to produce another value. For example, 2+3 is an expression which evaluates to 5. *	<b>3,</b> 1/1
	True	<b>✓</b>
	○ False	

	✓ If I wanted to print to a string and then assign that value to a variable, I could use the "func Sprintf()" from the "fmt" package.	1/1 e.
	• true	<b>~</b>
	○ false	
	✓ In Go, you can create your own TYPE *	1/1
	• true	<b>✓</b>
	false	
	✓ We don't say "casting" in Go, we say "conversion" *	1/1
	• true	<b>✓</b>
	false	
	✓ There is a language which we use to talk about the language.	<b>*</b> 1/1
	• true	<b>~</b>
	false	
	✓ When you create our own TYPE in Go, that TYPE will have an "underlying TYPE". *	1/1
	• true	<b>~</b>
	○ false	
	Feedback	
	https://golang.org/ref/spec#Types	
!		

This content is neither created nor endorsed by Google. - <u>Terms of Service</u>

Google Forms