

II. TECHNICAL III. REPORTS

Title: How to install Xsens drivers for Simulink

Report Number: 190528

Author: Stefano Dalla Gasperina

Author's Email: | stefano.dallagasperina@polimi.it

Date: 2019.05

Brief Description This guide explains how to build Xsens MTw

Awinda Simulink blocks (SDK: 4.3.0, Ubuntu

18.04, MTw Awinda Station)

Revision: 1.0

I. INTRODUCTION

This guide walks you through the procedure of installing and building Xsens drivers for MATLAB/Simulink in Linux environment

The procedure explained in this report is for the following versions: **Ubuntu 18.04** and **Xsens MTSDK 4.3.0**. Most of the report was written with the information found on the internet. You can find the links to some of these online pages in the references section.

The guide can be divided in different phases:

- 1. Downloading and unpacking
- 2. Installing Xsens MTSDK 4.3.0

https://www.xsens.com/mt-software-suite-mtw-awinda/

- 3. Compiling Xsens block from source
- 4. Building Simulink model and testing

Let us start by installing some dependencies. It is possible that this list is not as exhaustive as it should be. If at any point during this process you encounter an error a particular program cannot be find, more than likely you just need to apt-get it.

(NOTE USE THE WORD FILE IF YOU FACE PROBLEMS IN COPY PASTING COMMANDS LONGER THAN ONE LINE. YOU MAY NEED TO REPLACE THE APASTRPHS)

sudo apt-get install build-essential liblapack-dev libboost-all-dev libusb-1.0-0-dev

In Ubuntu 18.04 you may find some problems with liblapack.so.3gf dependencies.

To install this package, you may be required to visit $\underline{\text{https://pkgs.org/download/liblapack.so.3gf}} \text{ or to run:}$

According to gcc and g++ compilers, if you use Ubuntu from 14.10., you need to downgrade your gcc and/or g++ compiler version to 4.8. To compile the Xsens examples please install the missing compilers and update compiler options so as to use g++ and gcc 4.8 with higher priority.

First erased the current update-alternatives setup for gcc and g++:

sudo update-alternatives --remove-all gcc
sudo update-alternatives --remove-all g++

It seems that both gcc-4.8 and g++-4.8 can be installed by default. However, we can explicitly install the following packages:

sudo apt-get install gcc-4.8 g++-4.8

Commented [SG1]: Not working

Symbolic links cc and c++ are installed by default. We will install symbol links for gcc and g++, then link cc and c++ to gcc and g++ respectively. (Note that the 10, 20 and 30 options are the priorities for each alternative.)

Please replace x.x with you current gcc/g++ compiler version

```
sudo update-alternatives --install /usr/bin/gcc gcc /usr/bin/gcc-x.x 10
sudo update-alternatives --install /usr/bin/gcc gcc /usr/bin/gcc-4.8 20
sudo update-alternatives --install /usr/bin/g++ g++ /usr/bin/g++-x.x 10
sudo update-alternatives --install /usr/bin/g++ g++ /usr/bin/g++-4.8 20
```

The last step is configuring the default commands for gcc, g++. It's easy to switch between 4.8 and x.x interactively:

```
sudo update-alternatives --config gcc
sudo update-alternatives --config g++
```

II. DOWNLOADING AND UNPACKING

From a workspace folder of your choice download the following package, unpack it and run the following commands to install Xsens MT Software Development Kit (MTSDK).

https://www.xsens.com/download/MT/4.3/MT Software Suite Linux 4.3.tar.gz

This guide has been tested only with version 4.3, however it would work in beta version also with MTSDK 4.6.0

https://www.xsens.com/software-downloads?hsCtaTracking=29a46ff7-74cc-45c8-9eb6-019d4718e5a1%7Ceec53702-e1d1-4be0-a0c4-5c1504d888e2

```
cd MT_Software_Suite_Linux_4.3
sudo chmod +x mtsdk_linux_4.3.sh
sudo ./mtsdk_linux_4.3.sh
```

When asked, type the following directory for installation:

/usr/local/lib/xsens
Run example to check if installation was successful:
Copy Xsens-rules to folder /etc/udev/rules.d (Xsens rules can be found in the shared folder)

make src_cpp

To build the example enter the /examples/mtsdk directory and run:

To build the example enter the /examples/mtsdk directory and run:

This will result in a single executable named "example" in

```
cd /examples/mtsdk/src_cpp
sudo ./example
```

Page | 3

Commented [SG2]: Broken Link, Updated to 4.6.0



To use libusb, run make with the HAVE_LIBUSB=1

Move installed files to correct folders (TODO in a more fashion way)

cd /usr/local/lib/xsens/include
sudo cp * -r /usr/local/include

cd /usr/local/lib/xsens/lib
sudo cp * /usr/local/lib

If shared library is not found, try adding /usr/local/lib to matlab path:

Matlab Mainpage -> Set Path -> Add Folder -> /usr/local/lib

III. REFERENCES