

QM SLIDE TEMPLATE 2026

[!] CLI .

(Organization) ,
Claude Desktop PowerPoint Add-in .
Claude Code CLI .

: Quad Miners

****: Quad Miners
****: ()
****: v3.1.1
: 2026-04-26 (v3.1.1 — skills/qmslide/)

Quad Miners PowerPoint
Claude Code CLI .

OS		
Windows 10 / 11		PowerShell 5.1
macOS 12 Monterey		Homebrew
Ubuntu 20.04 / 22.04 / 24.04		apt
Linux (Debian)		apt

- Quad Miners (#00D8FF / #2F6BFF / #7A5CFF / #111827)
- Noto Sans CJK KR
- 26
- // // // 8
- 12
- [shared/references/brand-core.md](#) (Single Source of Truth)
- v3.0.0: Harness Engineering
- v3.1.0: ZIP (qmslide/ → skills/ , Claude Code)

- v3.1.1: SKILL.md 12 + references (skills/qmslide/ → skills/)
- Compressed DSL — SKILL.md 1 48%
- Output Schema Binding — [output-schema.md](#) ,
- Guard Clause First —
- Lazy Reference Pattern — brand-core.md / output-schema.md

(v3.1.1)

. OS .

OS	
Windows	C:\Users\<>\.claude\skills\ (shared/, qmslide-deck/)
macOS	~/.claude/skills/ (shared/, qmslide-deck/)
Linux	~/.claude/skills/ (shared/, qmslide-deck/)

```
<>/
shared/          <- (,,)
  assets/
    fonts/       <- NotoSansCJKkr.otf 9
    logos/       <- 26 + //
  references/    <- brand-core.md, output-schema.md, commands.md 7
  scripts/      <- check.py, sample.py, autoupdate.py
  VERSION
qmslide-deck/
  SKILL.md       <- /qmslide-deck
qmslide-slide/
  SKILL.md       <- /qmslide-slide
qmslide-build/
  SKILL.md       <- /qmslide-build
qmslide-template/
  SKILL.md       <- /qmslide-template
qmslide-check/
  SKILL.md       <- /qmslide-check
qmslide-sample/
  SKILL.md       <- /qmslide-sample
qmslide-update/
  SKILL.md       <- /qmslide-update
qmslide-version/
  SKILL.md       <- /qmslide-version
qmslide-font/
  SKILL.md       <- /qmslide-font
qmslide-logo/
  SKILL.md       <- /qmslide-logo
qmslide-color/
  SKILL.md       <- /qmslide-color
qmslide-qa/
  SKILL.md       <- /qmslide-qa
```

— Windows

Step 1. Node.js (Windows)

```
[!] Node.js .
: PowerShell node --version .
```

```
# (Skip)
node --version
```

: <https://nodejs.org LTS> .

Step 2. Claude Code CLI (Windows)

```
[!] Claude Code CLI .  
: claude --version .
```

```
# ( Skip)  
claude --version  
  
#  
# npm install -g @anthropic-ai/claude-code
```

Step 3. .skill (Windows)

```
[!] .
```

Releases

[quad-miners-pptx-skill-v3.skill](#) .

Step 4. (Windows)

```
[!] .claude\skills .  
: ls "$env:USERPROFILE\.claude\skills" .
```

```
# ( Skip)  
ls "$env:USERPROFILE\.claude\skills" 2>$null  
  
#  
# mkdir "$env:USERPROFILE\.claude\skills" -Force
```

Step 5. (Windows)

```
[!] , .  
: ls "$env:USERPROFILE\.claude\skills\qmslide-check" .
```

```
# ( Skip)
ls "$env:USERPROFILE\claudio\skills\qmslide-check" 2>$null

# -- -----
# 1) .skill .zip
Copy-Item "$env:USERPROFILE\Downloads\quad-miners-pptx-skill-v3.skill" `
"$env:USERPROFILE\claudio\skills\quad-miners-pptx-skill-v3.zip"

# 2) skills/
# [!] shared/, qmslide-deck/ skills/
Expand-Archive "$env:USERPROFILE\claudio\skills\quad-miners-pptx-skill-v3.zip" `
"$env:USERPROFILE\claudio\skills" -Force

# 3) zip
Remove-Item "$env:USERPROFILE\claudio\skills\quad-miners-pptx-skill-v3.zip"
# -----
```

:

```
ls "$env:USERPROFILE\claudio\skills"
# skills/ :
# shared qmslide-deck qmslide-slide qmslide-build ...
```

Step 6. Python (Windows)

```
[!] python-pptx, Pillow .
: pip show python-pptx .
```

```
# ( Skip)
pip show python-pptx
pip show Pillow

#
# pip install python-pptx Pillow requests
```

Step 7. (Windows)

```
[!] Noto Sans CJK KR .
: PowerPoint "Noto Sans CJK KR" .
```

```
# A — ( )  
# cd C:\Users\Admin\Downloads\qm-skill-upload\QM_SLIDE_TEMPLATE_2026  
# python scripts\install_fonts.py
```

B — ():

1. **C:\Users\Admin\claude\skills\shared\assets\fonts**
2. **.otf** -> -> " (Install for all users)"
3. PowerPoint

Step 8. Claude Code CLI (Windows)

```
#  
cd C:\Users\Admin\Downloads\qm-skill-upload\QM_SLIDE_TEMPLATE_2026  
  
# Claude Code  
claude  
  
# Claude Code ( )  
/qmslide-check
```

```
[!] /qmslide-check [OK] .  
python scripts\check.py --fix .
```

Step 9. (Windows)

```
/qmslide-sample
```

qm_sample.pptx .

PowerPoint .

```
[OK] Quad Miners  
[OK] : QM + + + "Confidential"  
[OK] :  
[OK] : Noto Sans CJK KR ( )  
[OK] : #2F6BFF, #111827
```

— macOS

Step 1. Homebrew (macOS)

```
[!] Homebrew .  
: brew --version .
```

```
# ( Skip)  
brew --version  
  
#  
# /bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/HEAD/install.sh)"
```

Step 2. Node.js (macOS)

```
[!] Node.js .  
: node --version .
```

```
# ( Skip)  
node --version  
  
# Homebrew  
# brew install node
```

Step 3. Claude Code CLI (macOS)

```
[!] Claude Code CLI .  
: claude --version .
```

```
# ( Skip)  
claude --version  
  
#  
# npm install -g @anthropic-ai/claude-code
```

Step 4. Python (macOS)

```
[!] python-pptx, Pillow .  
: pip3 show python-pptx .
```

```
# Python (3.8 )
python3 --version

# ( Skip)
pip3 show python-pptx

#
# pip3 install python-pptx Pillow requests
```

Step 5. .skill (macOS)

```
[!] .
```

Releases

[quad-miners-pptx-skill-v3.skill](#) .

:

```
#
# curl -L -o ~/Downloads/quad-miners-pptx-skill-v3.skill \
# https://github.com/stfelix/QM_SLIDE_TEMPLATE_2026/releases/download/v3.1.1/quad-miners-pptx-skill-v3.skill
```

Step 6. (macOS)

```
[!] .
```

```
: ls ~/.claude/skills/qmslide-check .
```



```
# ( Skip)
ls ~/.claude/skills/qmslide-check 2>/dev/null

# -- -----
# 1)
mkdir -p ~/.claude/skills

# 1) .skill .zip
cp ~/Downloads/quad-miners-pptx-skill-v3.skill \
  ~/Downloads/quad-miners-pptx-skill-v3.zip

# 2) skills/
# [!] shared/, qmslide-deck/ skills/
unzip ~/Downloads/quad-miners-pptx-skill-v3.zip \
  -d ~/.claude/skills/

# 3) zip
rm ~/Downloads/quad-miners-pptx-skill-v3.zip
# -----
```

Step 7. (macOS)

```
[!] Noto Sans CJK KR .
: fc-list | grep "Noto Sans CJK KR" .
```

```
# ( Skip)
fc-list | grep "Noto Sans CJK KR"

# A — ( )
# cd ~/Downloads/QM_SLIDE_TEMPLATE_2026
# python3 scripts/install_fonts.py

# B — Homebrew
# brew install --cask font-noto-sans-cjk-kr
```

C — :

1. [~/.claude/skills/shared/assets/fonts/](#)
2. [.otf](#) (Font Book)
3. LibreOffice PowerPoint

Step 8. Claude Code CLI (macOS)

```
# ( )  
cd ~/Downloads/QM_SLIDE_TEMPLATE_2026  
  
# Claude Code  
claude  
  
# Claude Code ( )  
/qmslide-check
```

```
[!] /qmslide-check [OK] .  
python3 scripts/check.py --fix .
```

Step 9. (macOS)

```
/qmslide-sample
```

[qm_sample.pptx](#) .

LibreOffice Impress PowerPoint .

```
[OK] Quad Miners  
[OK] : QM + + + "Confidential"  
[OK] :  
[OK] : Noto Sans CJK KR ( )  
[OK] : #2F6BFF, #111827
```

— Linux (Ubuntu / Debian)

Step 1. (Linux)

```
[!] apt update .
```

```
# Skip  
sudo apt update && sudo apt upgrade -y
```

Step 2. Node.js (Linux)

```
[!] Node.js 18 .  
: node --version v18 .
```

```
# (v18 Skip)  
node --version  
  
# NodeSource  
# curl -fsSL https://deb.nodesource.com/setup_20.x | sudo -E bash -  
# sudo apt install -y nodejs
```

Step 3. Claude Code CLI (Linux)

```
[!] Claude Code CLI .  
: claude --version .
```

```
# ( Skip)  
claude --version  
  
#  
# npm install -g @anthropic-ai/claude-code
```

Step 4. Python (Linux)

```
[!] python-pptx, Pillow .  
: pip3 show python-pptx .
```

```
# Python (3.8 )  
python3 --version  
  
# pip3  
# sudo apt install -y python3-pip  
  
# ( Skip)  
pip3 show python-pptx  
  
#  
# pip3 install python-pptx Pillow requests
```

Step 5. .skill (Linux)

```
[!] .
```

```
#  
# curl -L -o ~/Downloads/quad-miners-pptx-skill-v3.skill \  
# https://github.com/stfelix/QM_SLIDE_TEMPLATE_2026/releases/download/v3.1.1/quad-miners-pptx-skill-v3.skill  
  
#  
# mkdir -p ~/Downloads
```

Step 6. (Linux)

```
[!] .
```

```
: ls ~/.claude/skills/qmslide-check .
```

```
# ( Skip)  
ls ~/.claude/skills/qmslide-check 2>/dev/null  
  
# -- -----  
# 1)  
mkdir -p ~/.claude/skills  
  
# 2) .skill .zip  
cp ~/Downloads/quad-miners-pptx-skill-v3.skill \  
  ~/Downloads/quad-miners-pptx-skill-v3.zip  
  
# 3) skills/  
# [!] shared/, qmslide-deck/ skills/  
unzip ~/Downloads/quad-miners-pptx-skill-v3.zip \  
  -d ~/.claude/skills/  
  
# 4) zip  
rm ~/Downloads/quad-miners-pptx-skill-v3.zip  
# -----
```

Step 7. (Linux)

```
[!] Noto Sans CJK KR .
```

```
: fc-list | grep "Noto Sans CJK KR" .
```

```
# ( Skip)
fc-list | grep "Noto Sans CJK KR"

# A — apt (Ubuntu/Debian)
# sudo apt install -y fonts-noto-cjk

# B — ( )
# cd ~/Downloads/QM_SLIDE_TEMPLATE_2026
# python3 scripts/install_fonts.py

# C —
# cp ~/.claude/skills/shared/assets/fonts/*.otf ~/.fonts/
# fc-cache -fv
```

Step 8. Claude Code CLI (Linux)

```
# ( )
cd ~/Downloads/QM_SLIDE_TEMPLATE_2026

# Claude Code
claude

# Claude Code ( )
/qmslide-check
```

```
[!] /qmslide-check [OK] .
python3 scripts/check.py --fix .
```

Step 9. (Linux)

```
/qmslide-sample
```

qm_sample.pptx .

LibreOffice Impress .

```
# LibreOffice
# sudo apt install -y libreoffice

#
libreoffice --impress qm_sample.pptx
```

```
[OK] Quad Miners
[OK] : QM + + + "Confidential"
[OK] :
[OK] : Noto Sans CJK KR ( )
[OK] : #2F6BFF, #111827
```

```
** : /qm (Alias), **.
(/qmslide-deck.)
<!-- deprecated: /qm alias, use /qmslide-deck instead -->
```

/qmslide-deck	— ~
/qmslide-slide	— 1
/qmslide-build	—
/qmslide-template	—

/qmslide-check	— 9 ()
/qmslide-sample	— 6
/qmslide-update	— GitHub
/qmslide-version	—

/qmslide-font	— , ,
/qmslide-logo	— 26
/qmslide-color	—
/qmslide-qa	— .pptx

Claude Code CLI

```
/qmslide-deck Network Blackbox 2026

/qmslide-slide compare NDR vs Network Blackbox

/qmslide-build title+toc(5)+section+content(3)+compare+closing NDR

/qmslide-sample

/qmslide-qa output.pptx
```

```
"Quad Miners  NDR  "
"Network Blackbox  10 "
```

Python CLI ()

```
#
python3 scripts/check.py

# (qm_sample.pptx)
python3 scripts/sample.py

#
python3 scripts/autoupdate.py --check-only
```

Windows **python3 python** .

Cyan	#00D8FF	accent,
Blue	#2F6BFF	CTA, ,
Purple	#7A5CFF	
Dark	#111827	,
White	#FFFFFF	

•: **Noto Sans CJK KR** ()

- : 12pt
- ****: Black / Bold / Medium / Regular / DemiLight / Light / Thin
- ****: 16:9 (33.87cm × 19.05cm)
- EMU: 12,192,000 × 6,858,000
- ****: (#FFFFFF)

TYPE 1	(title)	
TYPE 2	(toc)	2 × N
TYPE 3	(section)	
TYPE 4	2 (split)	+
TYPE 5	(data-viz)	3
TYPE 6	(image-layout)	1/2/3-Up
TYPE 7		/
TYPE 8	(closing)	Thank You + QR

"Unknown command"

Claude Code CLI [/qmslide-deck](#) :

1. :

```
# macOS / Linux
ls ~/.claude/skills
# shared, qmslide-deck, qmslide-slide

# Windows (PowerShell)
# ls "$env:USERPROFILE\.claude\skills"
```

2. Claude Code ():

```
# Claude Code
claude
```

()

Noto Sans CJK KR .

OS Step 7 .

```
# macOS / Linux —  
python3 scripts/install_fonts.py  
  
# Linux — apt  
# sudo apt install -y fonts-noto-cjk  
  
# Windows —  
# .claude\skills\shared\assets\fonts\ .otf ->
```

```
python3 scripts/check.py --fix  
# Windows: python scripts\check.py --fix
```

Python , , .

(Claude Code)

```
/qmslide-update
```

(GitHub)

```
[!] v1.x, v2.x, v3.0.0, v3.1.0 v3.1.1 , .  
quad-miners-pptx-skill/ .
```

```
# macOS / Linux  
# 1) ( Skip)  
# mv ~/.claude/skills/quad-miners-pptx-skill\  
# ~/.claude/skills/quad-miners-pptx-skill.bak  
  
# 2) Releases .skill Step 6
```

```
# Windows  
# 1) ( Skip)  
# Rename-Item "$env:USERPROFILE\.claude\skills\quad-miners-pptx-skill" `  
# "quad-miners-pptx-skill.bak"  
  
# 2) Releases .skill Step 5
```

GitHub

```
# 1)
git status

# 2)
git add -A

# 3)
git commit -m "feat: v3.0.0 — Harness Engineering (DSL + Output Schema Binding + Guard Clause)

:
- : skill_rebuilt -> qmslide
- (12)
- -> (Claude Code )
: /qmslide_deck -> /qmslide-deck
- /qm alias ( )
- shared/ assets/scripts/references
- README.md (Windows/macOS/Linux , Skip )
- PDF "

# 4)
git push origin main
```

.skill GitHub -> (Releases) -> (New release)

v3.1.1 .

Quad Miners .

, ,

.