Booksource SSO Guide

How to setup SSO in ShipExec

1. Go to ShipExec Management Studio
2. Select the company Booksource
3. Select the type of SSO needed. For Booksource, **SAML 2.0** should be selected



4. After **SAML 2** is selected, there is an option to download and load metadata for the service provider. Click on the Thin Client tab and download the metadata file as this will provide an XML file with all the detailed information required to establish the connection



5. Configure your Internal SSO software then upload the metadata for Thin Client

6. In ShipExec Management Studio, on the Thin Client tab for SSO upload the file with the metadata from Booksource's provider



7. Once the metadata has been uploaded into ShipExec please verify the dta provided.
    a. **Entity Id** - field is Booksource provided and refers to the systems ID
    b. **Single SignOn Service Url** - customer provided info for the sign on URL
    c. **Single Logout Service Url** - customer provided info for the logout URL
    d. **Certificate file** - Booksource provided certificate file
    e. **Email Attribute Name** - Booksource provided - this is the user attribute name which is tied to the user's logon email address. This field is case sensitive and MUST match the attribute name that is coming over the SAML response
    f. **Relay State** - only used if provided, this field is not required and refers to the emails relay state
    g. **Management Studio Redirect URI** - this is ShipExec provided. It's an auto generated field which provides the redirect URL to be used by Booksource
8. Once the fields have been verified press the save button
    a. NOTE: To save you must have both tabs filled out
    b. If one of the products should not have SSO, please fill in dummy values so you can save (the username/password login will still work)
9. Get the certificate that is used for SSL on the site and copy the thumbprint



10. Open the web.config for Thin Client
11. In appSettings
    i. Change the value of **SAMLCertificateThumbprint** to the the thumbprint from above
    ii. If it is a machine certificate, **SAMLCertificateStoreLocation** should have the value “Machine”, if not it should be blank

```
<appSettings>
    <add key="webpages:Version" value="3.0.0.0" />
    <add key="webpages:Enabled" value="false" />
    <add key="ClientValidationEnabled" value="true" />
    <add key="UnobtrusiveJavaScriptEnabled" value="true" />
    <add key="version" value="2.2.22005.1" />
    <add key="owin:appStartup" value="ShipExecThinClient.Startup" />
    <add key="SAMLCertificateThumbprint" value="89a3fa4ac2b3d18e4fb53bcd8a001ddab2ce99ee" />
    <add key="SAMLCertificateStoreLocation" value="Machine" />
    <add key="AvailableLocales" value="en-US,es-MX,de-DE" />
    <add key="AppNotificationHubUrl" value="http://127.0.0.1:8088/" />
</appSettings>
```

12. Run **mmc.exe** in the console and select to “**Add/Remove Snap-in…**” and select **Certificates** and click Add >



13. Navigate to the certificate being used for the website SSL (should be the same certificate as above)



14. Right click the certificate and click "**All Tasks**" -> **Manage Private Keys**



15. Add the app pools to the users to allow access - they should be in the format of "**IIS AppPool\<AppPoolName>**" - for instance:
    a. IIS AppPool\ShipExecThingClientAppPool
    b. IIS AppPool\ShipExecManagementStudioAppPool



16. To turn off SSO, go into ShipExec Management Studio and select **None** from the SSO Protocol dropdown

DEV Connection Info

Field	Value
Entity Id	https://sts.windows.net/630c9c53-ea36-4e70-b80a-0fd7e3132881/
Single SignOn Service URL	https://login.microsoftonline.com/630c9c53-ea36-4e70-b80a-0fd7e3132881/saml2
Single Logout Service URL	https://login.microsoftonline.com/630c9c53-ea36-4e70-b80a-0fd7e3132881/saml2
Certificate File	Provided by Booksource

Email Attribute Name	http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name
Relay State	Not used by Booksource
Management Studio Redirect URI	(Provided by ShipExec) https://bkshipdev22-1.booksource.com/ShipExecThinClient/SAML/BKSRC/