

TFPT Unconventional Test Results

Unconventional Suite: Search/Audit/Conjecture tooling for TFPT.

This PDF contains the results of the **Unconventional Suite**, which consists of 7 modules. These modules are **not** publication-grade physics derivations, but rather tools to accelerate closing ToE gaps (GA search, enumeration, metamorphic tests).

Content: Each module is grouped by its theoretical question and provides search/audit/design tools for specific TFPT aspects. The results serve exploration and finding solution paths, not final verification.

Difference from other variants: In contrast to the Conventional Suite (Engineering/Physics), this suite focuses on experimental search procedures and design tools, not on deterministic verification.

Generated: 2026-01-28 07:22:34

Output directory: `tfpt-suite/out/unconventional`

Module Overview

Group	Module	Title	Checks	Status
A. Matching & Threshold Robustness	ux_matching_metamorphic_audit	Unconventional: matching metamorphic audit (invertibility + stability)	2/2	OK
A. Matching & Threshold Robustness	ux_threshold_graph_audit	Unconventional: threshold graph audit (segments + matching bookkeeping)	10/10	OK
B. $k \rightarrow I$ Bridge Feasibility	ux_cosmo_history_sampler	Unconventional: cosmology history sampler ($k \rightarrow I$ feasibility + robustness)	9/9	OK
C. Flavor Convention Search	ux_flavor_holdout_search	Unconventional: flavor holdout search (discrete CKM phase-map conventions)	3/3	OK
D. Gravity Gauge-Fixing	ux_gravity_gaugefix_ga	Unconventional: gravitation gauge-fixing GA (toy nonminimal \rightarrow Laplace-type)	4/4	OK
E. Omegab-APS Bridge	ux_omega_b_aps_bridge	Unconventional: Omega_b coefficient bridge via APS seam term ($\Delta\Gamma$)	5/5	OK
F. Torsion Regime Design	ux_torsion_regime_designer	Unconventional: torsion regime designer (spin-polarized medium + bound saturation targets)	2/2	OK

A. Matching & Threshold Robustness

Question: Are the matching primitives and threshold transitions correctly implemented?

1. Unconventional: matching metamorphic audit (invertibility + stability)

Module ID: `ux_matching_metamorphic_audit` | **Output:**

`tfpt-suite/out/unconventional/ux_matching_metamorphic_audit`

Objective

Purpose: This module implements **metamorphic / property-style audits** for the low-level matching primitives in:

- `tfpt_suite/matching.py`

It is an **engineering hardening layer**: it does *not* add physics content, but it reduces the risk of silent regressions and makes the *scheme/threshold bookkeeping* reviewer-proof.

Why this matters for *ToE closure*: In `tfpt-suite/progress.md`, a key publication-grade gap is **renormalization + threshold matching**:

- finite matching pieces at thresholds (beyond *identity at $\mu=M$*)
- uncertainty propagation across thresholds/policies
- stable, explicit APIs (`match_gauge`, `match_yukawa`, `match_quartic`)

Before adding more physics, we want strong evidence that the matching plumbing behaves as intended.

This module addresses that by verifying **metamorphic invariants** such as:

- **Invertibility (approx/exact)**:
- *alphas* quark threshold: `down(up(alpha3)) ~ alpha3` (series-truncation-level)
- gauge matching with finite *deltaalpha*: `down(up(g_i, deltaalpha)) = g_i` (should be exact up to float rounding)
- **Stability**:
- matching never produces negative *alpha* for the sampled *deltaalpha* range

Methodology

What the module computes: - A deterministic set of random samples (seeded by `SuiteConfig.seed`)

- For each property, it computes:
- max absolute error
- max relative error
- the worst-case sample (inputs + outputs)
- The module returns explicit `checks[]` that fail if errors exceed conservative tolerances.

Checks

Check	Severity	Detail
<code>alpha3_threshold_up_down_near_identity</code>	PASS	<code>max_rel_err=2.211e-16 (tol=1.0e-05); max_abs_err=5.551e-17; samples=500</code>
<code>match_gauge_finite_delta_up_down_identity</code>	PASS	<code>max_rel_err=3.075e-16 (tol=1.0e-12); max_abs_err=4.441e-16; samples=400</code>

Results (report.txt)

Unconventional: matching metamorphic audit

Goal:

- Harden the matching layer by verifying metamorphic properties (invertibility/stability).
- This is a math/engineering audit; it does not add new physics content.

Samples: `alpha3=500, gauge=400`

Results:

- `alpha3 threshold: max_abs_err=5.551115e-17, max_rel_err=2.210860e-16`

- gauge finite matching: max_abs_err=4.440892e-16, max_rel_err=3.075434e-16

Worst cases:

```
- alpha3: _WorstCase(label='alpha3_threshold_up_then_down', inputs={'alpha3': 0.271628125627}, outputs={'alpha3_up': 0.271318953139, 'alpha3_back': 0.271628125627}, abs_error=5.55111512313e-17, rel_error=2.04364518965e-16)
- gauge: _WorstCase(label='match_gauge_finite_delta_up_then_down', inputs={'gY': 0.230732794729, 'g2': 0.439191452894, 'g3': 1.44398857327, 'dalphaY': -7.68382382367e-06, 'dalpha2': 6.41402901711e-06, 'dalpha3': 8.68898652304e-06}, outputs={'gY_up': 0.230523458211, 'g2_up': 0.439283204051, 'g3_up': 1.44402638091, 'gY_back': 0.230732794729, 'g2_back': 0.439191452894, 'g3_back': 1.44398857327}, abs_error=4.4408920985e-16, rel_error=3.07543437718e-16)
```

Checks:


```
- alpha3_threshold_up_down_near_identity: PASS (max_rel_err=2.211e-16 (tol=1.0e-05); max_abs_err=5.551e-17; samples=500)
- match_gauge_finite_delta_up_down_identity: PASS (max_rel_err=3.075e-16 (tol=1.0e-12); max_abs_err=4.441e-16; samples=400)
```

Notes:

```
- `match_alpha3_quark_threshold_2loop` is a truncated series: exact invertibility is not expected.
- `match_gauge` with `finite_delta_alpha` is explicit by construction: up+down should invert within float rounding.
```

Plots

matching_metamorphic_errors.png



2. Unconventional: threshold graph audit (segments + matching bookkeeping)

Module ID: ux_threshold_graph_audit | **Output:**

tfpt-suite/out/unconventional/ux_threshold_graph_audit

Objective

Purpose: This module addresses `tfpt-suite/unconventional/tasks.md` (Section B) deliverable:

- **declarative threshold graph**: which theory/model is active in which (μ) -interval, and what matching actions happen at boundaries.

The main suite's 2-loop runner already implements this declaratively via:

```
- `tfpt_suite/rge_pyrate_2loop.py`
- `threshold_rules` (what happens at each threshold)
- `segments` (piecewise integration with explicit segment metadata)
```

This unconventional module extracts that into a standalone, inspectable artifact and compares:

```
- matching disabled (segments labeled continuous_by_assumption?)
- matching enabled (explicit `match_gauge/match_yukawa/match_quartic` outcomes recorded; 1-loop is identity at  $\mu=\text{threshold}$ )
```

Methodology

Inputs: - Threshold table: `tfpt-suite/tfpt_suite/data/rge_thresholds_v25.json`
 - SM boundary at (m_t) : derived deterministically from `tfpt-suite/tfpt_suite/data/sm_inputs_mz.json` via
 `tfpt_suite/pyrate_boundary_runner.py` (PyR@TE-driven MZ->mt, RG-authority compliant)

- PyR@TE beta sources from `tfpt-suite/tfpt_suite/data/pyrate_pythonoutputs.json`

Additionally (Gate-2 matching audit):

- below-MZ heavy-quark thresholds `mc_GeV`, `mb_GeV` from `sm_inputs_mz.json`, used to verify finite 2-loop (α_s) decoupling when `apply_alpha3_matching=True`.

What it computes: - **Nodes**: thresholds (sorted), e.g. MSigma, MG8, MNR1..3

- **Edges**: segments $([\mu_{\text{start}}, \mu_{\text{end}}])$ with:

- active model (`sm_tfpt_2loop_v25` or `e8_sigma_yN_2loop`)

- active patches (e.g. `delta_b3_g8`, `gravity_alpha3` if enabled)

- threshold transition at segment start (if any)

- matching record (enabled/disabled)

- **Threshold status** (matching ON): `finite_pieces_implemented` vs `identity_matching`, based on recorded `match_gauge`/`match_yukawa`/`match_quartic` outcomes.

Checks

Check	Severity	Detail
threshold_table_loaded	PASS	nodes=[('MSigma', 1000.0), ('MG8', 18000000000.0), ('MPhi', 88600000000.0), ('MNR1', 10000000000000.0), ('MNR2', 30000000000000.0), ('MNR3', 80000000000000.0)]
segments_ordered_matching_off	PASS	segments=6
segments_ordered_matching_on	PASS	segments=6
segment_count_matches_expected	PASS	expected=6 from thresholds_in_range=['MSigma', 'MG8', 'MNR1', 'MNR2', 'MNR3']; got=6
matching_off_marks_blocked_thresholds	PASS	publication_grade={'threshold_matching_ok': False, 'blocked_thresholds': ['MSigma', 'MG8', 'MNR1', 'MNR2', 'MNR3'], 'note': "Publication-grade threshold bookkeeping requires matching_active=True at..."}
matching_on_is_publication_grade_bookkeeping	PASS	publication_grade={'threshold_matching_ok': True, 'blocked_thresholds': [], 'note': "Publication-grade threshold bookkeeping requires matching_active=True at each threshold boundary; if matching is..."}
thresholds_marked_publication_grade	PASS	threshold_statuses=[{'threshold_id': 'MSigma', 'status': 'identity_matching', 'component_status': {'gauge': 'matched_1loop_log_only_identity', 'yukawa': 'matched_1loop_log_only_identity', 'quartic'...
matching_on_no_blocked_thresholds	PASS	blocked_thresholds=[]
threshold_starts_have_explicit_matching_records_when_enabled	PASS	threshold_segments=5, matching_active_true=5
below_mz_alpha3_matching_changes_alpha_s	PASS	alpha_s(mc) off=0.346914414, on=0.347983505, delta=+1.069e-03

Results (report.txt)

Unconventional: threshold graph audit

Purpose:

- Provide an explicit, inspectable segment/threshold graph for the 2-loop RGE runner.
- Compare matching disabled vs enabled bookkeeping (identity-at-threshold at 1-loop, but explicit).

Threshold table: tfpt-suite/tfpt_suite/data/rge_thresholds_v25.json

mt boundary: mt=172.76 GeV (from sm_boundary_conditions_at_mt, route_2loop)

mu_uv: 1e+16 GeV

Threshold nodes (sorted):

- MSigma: 1000 GeV
- MG8: 1.8e+10 GeV
- MPhi: 8.86e+10 GeV
- MNR1: 1e+14 GeV
- MNR2: 3e+14 GeV
- MNR3: 8e+14 GeV

Edges (matching OFF):

- [172.76 -> 1000] model=sm_tfpt_2loop_v25 patches=[] thr_at_start=None matching_active=None
- [1000 -> 1.8e+10] model=e8_sigma_yN_2loop patches=[] thr_at_start=MSigma matching_active=False
- [1.8e+10 -> 1e+14] model=e8_sigma_yN_2loop patches=['delta_b3_g8'] thr_at_start=MG8 matching_active=False
- [1e+14 -> 3e+14] model=e8_sigma_yN_2loop patches=['delta_b3_g8'] thr_at_start=MNR1 matching_active=False
- [3e+14 -> 8e+14] model=e8_sigma_yN_2loop patches=['delta_b3_g8'] thr_at_start=MNR2 matching_active=False

```

- [8e+14 -> 1e+16] model=e8_sigma_yN_2loop patches=['delta_b3_g8'] thr_at_start=MNR3 matching_active=False


Edges (matching ON):
- [172.76 -> 1000] model=sm_tfpt_2loop_v25 patches=[] thr_at_start=None matching_active=None
- [1000 -> 1.8e+10] model=e8_sigma_yN_2loop patches=[] thr_at_start=MSigma matching_active=True
- [1.8e+10 -> 1e+14] model=e8_sigma_yN_2loop patches=['delta_b3_g8'] thr_at_start=MG8 matching_active=True

... (truncated, see report.txt for full output) ...

```

Plots

threshold_graph.png



B. k→I Bridge Feasibility

Question: Can the bounce reach CMB multipoles under plausible priors?

3. Unconventional: cosmology history sampler (k→I feasibility + robustness)

Module ID: `ux_cosmo_history_sampler` | **Output:**

`tfpt-suite/out/unconventional/ux_cosmo_history_sampler`

Objective

Purpose: This module explores the **k→I bridge feasibility** by sampling explicit expansion-history parameters and computing the resulting bounce multipole location.

It is intentionally **not a ?fit?**. The search space is defined by explicit priors (ranges), and the output is a **robustness statement**:

- under these declared priors, does the bounce feature land in the CMB I window?
- if not, what I range is robustly implied (small-scale prediction)?

Why this matters for ?ToE closure?: `tfpt-suite/progress.md` flags the k→I bridge as a key open closure item:

- ``k_calibration`` quantifies the missing overall scaling
- what is still missing is a **publication-grade expansion history policy/module** that deterministically yields $\langle a_0/a_{\mathrm{transition}} \rangle$
- the project must decide whether TFPT predicts **CMB-visible** bounce features or **small-scale-only** features

This module is the ?unconventional? complement to ``k_calibration``:

- ``k_calibration`` is deterministic for a fixed policy input
- this module probes **policy sensitivity** and feasibility under explicit priors

Methodology

What the module computes: Inputs (aligned with the main suite):

- bounce scale $\langle k_{\mathrm{bounce}} \rangle^{(s,t)}$:
- prefers `tfpt-suite/out/bounce_perturbations/results.json` if present
- otherwise uses the fallback values in `tfpt_suite/data/k_calibration.json`
- cosmology snapshot (flat LambdaCDM) from `tfpt_suite/data/k_calibration.json`
- scale-factor mapping in `tfpt_suite/cosmo_scale_map.py`:
- entropy mapping after reheating
- optional reheating expansion `exp(N_reheat)`
- inflation expansion `exp(N_inflation_from_transition)`

For each scenario (set of priors), it samples:

- ``N_inflation_from_transition``
- ``N_reheat``
- ``T_reheat_GeV`` (log-uniform prior)

Additionally, the module includes a **policy-driven scenario** (``policy_v106_threshold_driven``) that reduces free knobs:

- $\langle N_{\mathrm{pivot}} \rangle$ is derived from `global_reference_minimal.json` via the Starobinsky relation $\langle N_{\mathrm{simeq}} 2/(1-n_s) \rangle$
- $\langle N_{\mathrm{reh}} \rangle$ is derived from $\langle T_{\mathrm{reh}} \rangle$ via the v1.06 reheating $\langle \rho \rangle$ -scaling model (`cosmo_reheating_policy_v106.json`), including the declared $\langle \Delta N \rangle$ floor filter

and computes:

- $\langle a_0/a_{\mathrm{transition}} \rangle$

- $\ell_{\text{bounce}}^{s,t}$
- fraction of samples with ℓ_{bounce} in a diagnostic CMB window? (default: $[2, 2500]$)
- best candidates closest to target ℓ values (in log-space)

Checks

Check	Severity	Detail
bounce_source_resolved	PASS	bounce_source=live: /Users/stefanhamann/Projekte/wolfram_latex_attachments/tfpt-suite/out/bounce_perturbations/results.json; k_bounce_s_raw=2103.5507357951246; k_bounce_t_raw=7.80803964429
chi_star_computed	PASS	chi_star(z*=1090.0)=13867.328 Mpc (flat LambdaCDM)
naive_ell_is_huge_as_expected	PASS	ell_naive scalar=1.396e+59, tensor=5.180e+56
policy_v106_threshold_driven_has_any_scalar_in_cmb_window	PASS	fraction=0.03977 (41/1031) in lin[2.0,2500.0]
policy_v106_threshold_driven_has_any_tensor_in_cmb_window	PASS	fraction=1 (1031/1031) in lin[2.0,2500.0]
plausible_has_any_scalar_in_cmb_window	PASS	fraction=0.08925 (357/4000) in lin[2.0,2500.0]
plausible_has_any_tensor_in_cmb_window	PASS	fraction=0.1345 (538/4000) in lin[2.0,2500.0]
extended_has_any_scalar_in_cmb_window	PASS	fraction=0.06583 (395/6000) in lin[2.0,2500.0]
extended_has_any_tensor_in_cmb_window	PASS	fraction=0.05783 (347/6000) in lin[2.0,2500.0]

Results (report.txt)

Unconventional: cosmology history sampler (k->l feasibility)

Purpose:

- Explore whether the bounce k-scale can plausibly map into CMB multipoles once an explicit $a_0/a_{\text{transition}}$ model is declared.
- This does *not* derive the expansion history; it quantifies feasibility under explicit priors.

Inputs:

- k_calibration config: tfpt-suite/tfpt_suite/data/k_calibration.json
- bounce_diagnostics: live: tfpt-suite/out/bounce_perturbations/results.json
- k_bounce_s_raw=2103.55, k_bounce_t_raw=7.80804
- $M = 3.060\text{e}+13$ GeV (from TFPT M/Mpl and Mpl(reduced)=2.435e+18 GeV)
- $\chi_* = 13867.328$ Mpc (flat LambdaCDM; $H_0=67.36$, $\Omega_{\text{gam}}=0.3153$, $\Omega_{\text{gar}}=9.2\text{e}-05$, $z^*=1090.0$)

Naive projection (no absolute normalization):

- $l_{\text{bounce}_s}(\text{naive}) \sim 1.396\text{e}+59$
- $l_{\text{bounce}_t}(\text{naive}) \sim 5.180\text{e}+56$

CMB window used for diagnostics: lin[2.0,2500.0]

Scenario: policy_v106_threshold_driven

- note: Threshold/policy-driven: N_{pivot} from n_s ; N_{reheat} derived from T_{reheat} via ρ scaling (v1.06 DeltaN model).
- priors: $N_{\text{inflin}}(56.98005698005695, 56.98005698005695)$, $N_{\text{rehin}}(0.0, 0.0)$, $\log_{10}(\text{Treh/GeV})$ in $(-3.0, 15.0)$
- kept_samples: 1031
- scalar in CMB window: 41/1031
- tensor in CMB window: 1031/1031
- log10 1 quantiles (scalar): {'0.05': 3.42509124635, '0.5': 4.52979782008, '0.95': 5.63185076972}
- log10 1 quantiles (tensor): {'0.05': 0.994680264804, '0.5': 2.09938683854, '0.95': 3.20143978818}


Scenario: plausible

- note: Conservative ranges around standard inflation+reheating expectations.


... (truncated, see report.txt for full output) ...

Plots

cosmo_history_sampler_cmb_fraction.png



cosmo_history_sampler_log10ell.png



C. Flavor Convention Search

Question: Which discrete flavor conventions perform best (with holdout)?

4. Unconventional: flavor holdout search (discrete CKM phase-map conventions)

Module ID: `ux_flavor_holdout_search` | **Output:**

`tfpt-suite/out/unconventional/ux_flavor_holdout_search`

Objective

Purpose: This module implements the *holdout principle* from `tfpt-suite/unconventional/tasks.md` (Section C):

> search only over *discrete* convention choices, evaluate with a *holdout split*, and report both.

It is a safeguard against *silent convention shopping* in the flavor sector:

- if you allow yourself to try many discrete phase conventions, you can accidentally overfit the CKM table *for free*.
- the holdout protocol forces you to keep some observables unseen during ranking.

Methodology

What it searches: A finite discrete grid of convention choices:

- `delta_source` in `{delta_star, tau_mu}`
- `s13_mode` in `{A_lam3_over_3, A_lam3_times_1_minus_delta}`
- `delta_mode` in `{pi_times_delta, pi_times_1_minus_delta, 2pi_times_delta, koide_pi_over_12}`

No continuous parameters are tuned.

Holdout split: - *Fit keys* (7): `Vud, Vus, Vcd, Vcs, Vcb, Vts, Vtb`

- *Holdout keys* (2): `Vub, Vtd`

Rationale: the smallest entries are most sensitive and easiest to *convention-fix*.

Scale policy: Reference is labeled at `(M_Z)` in:

- `tfpt-suite/tfpt_suite/data/ckm_reference.json`

The module therefore runs:

- `mt -> (M_Z)` (short down-run) using `tfpt_suite/rge_pyrate_2loop.py`

This keeps the comparison at least *scale-aware* (still diagnostic; the reference is a low-energy fit snapshot, not a running \overline{MS} parameter).

Checks

Check	Severity	Detail
<code>evaluated_all_candidates</code>	PASS	<code>candidates=16, rows=16</code>
<code>best_candidate_has_finite_chi2</code>	PASS	<code>best_chi2_fit=2.475, chi2_holdout=185.887, total=188.362</code>
<code>pmns_holdout_evaluated</code>	PASS	<code>pmns_candidates=6 (from 6 permutation scan; best_chi2_fit=3.159 chi2_holdout=13.257)</code>

Results (report.txt)

Unconventional: flavor holdout search (discrete CKM conventions)

Holdout protocol:

- fit keys: `['Vud', 'Vus', 'Vcd', 'Vcs', 'Vcb', 'Vts', 'Vtb']`
- holdout keys: `['Vub', 'Vtd']`

Reference: `tfpt-suite/tfpt_suite/data/ckm_reference.json` ($\mu_{ref}=91.1876$ GeV)

Boundary: mt=172.76 GeV; delta_M=0.607909; delta_star=0.608862

Top candidates (sorted by chi2_fit, then complexity, then chi2_holdout):

```
- {'delta_source': 'delta_star', 's13_mode': 'A_lam3_times_1_minus_delta', 'delta_mode': 'koide_pi_over_12',
  'complexity': 6} chi2_fit=2.475 chi2_holdout=185.887 chi2_total=188.362 unitarity_dev=8.882e-16
- {'delta_source': 'tau_mu', 's13_mode': 'A_lam3_times_1_minus_delta', 'delta_mode': 'koide_pi_over_12',
  'complexity': 7} chi2_fit=2.475 chi2_holdout=186.888 chi2_total=189.363 unitarity_dev=4.441e-16
- {'delta_source': 'delta_star', 's13_mode': 'A_lam3_over_3', 'delta_mode': 'koide_pi_over_12', 'complexity':
  5} chi2_fit=2.479 chi2_holdout=168.105 chi2_total=170.584 unitarity_dev=1.000e-15
- {'delta_source': 'tau_mu', 's13_mode': 'A_lam3_over_3', 'delta_mode': 'koide_pi_over_12', 'complexity':
  6} chi2_fit=2.479 chi2_holdout=168.105 chi2_total=170.585 unitarity_dev=1.998e-15
- {'delta_source': 'delta_star', 's13_mode': 'A_lam3_times_1_minus_delta', 'delta_mode': 'pi_times_1_minus_delta',
  'complexity': 4} chi2_fit=2.727 chi2_holdout=2.378 chi2_total=5.106 unitarity_dev=8.882e-16
- {'delta_source': 'tau_mu', 's13_mode': 'A_lam3_times_1_minus_delta', 'delta_mode': 'pi_times_1_minus_delta',
  'complexity': 5} chi2_fit=2.729 chi2_holdout=2.399 chi2_total=5.129 unitarity_dev=7.434e-16
- {'delta_source': 'delta_star', 's13_mode': 'A_lam3_over_3', 'delta_mode': 'pi_times_1_minus_delta',
  'complexity': 3} chi2_fit=2.822 chi2_holdout=47.518 chi2_total=50.340 unitarity_dev=8.882e-16
- {'delta_source': 'tau_mu', 's13_mode': 'A_lam3_over_3', 'delta_mode': 'pi_times_1_minus_delta', 'complexity':
  4} chi2_fit=2.825 chi2_holdout=47.644 chi2_total=50.469 unitarity_dev=8.882e-16
```

Best candidate details (per-entry contributions):

```
- candidate: {'delta_source': 'delta_star', 's13_mode': 'A_lam3_times_1_minus_delta', 'delta_mode': 'koide_pi_over_12', 'complexity': 6}
- contrib_fit_top: [{'key': 'Vus', 'pred': 0.224457808373, 'mean': 0.22501, 'sigma': 0.00068, 'chi2': 0.659419536004}, {'key': 'Vcd', 'pred': 0.974476919441, 'mean': 0.97435, 'sigma': 0.00016, 'chi2': 0.629240023616}, {'key': 'Vcs', 'pred': 0.973601238184, 'mean': 0.97349, 'sigma': 0.00016, 'chi2': 0.483356779316}, {'key': 'Vcd', 'pred': 0.224407690306, 'mean': 0.22487, 'sigma': 0.00068, 'chi2': 0.462219405545}, {'key': 'Vts', 'pred': 0.0414646990516, 'mean': 0.04111, 'sigma': 0.00077, 'chi2': 0.212196689473}]
- contrib_holdout: [{'key': 'Vtd', 'pred': 0.00599349710197, 'mean': 0.00858, 'sigma': 0.00019, 'chi2': 185.31848314504813}, {'key': 'Vub', 'pred': 0.00366411470972, 'mean': 0.003732, 'sigma': 9e-05, 'chi2': 0.56893983169}]
```

PMNS holdout (new; avoids silent deltaCP convention shopping):

```
- reference: tfpt-suite/tfpt_suite/data/pmns_reference.json
- fit keys: sin2_theta12, sin2_theta13, sin2_theta23; holdout key: delta_cp_deg
- status: OK
- best PMNS candidate: {'perm': [0, 1, 2], 'ordering': 'normal', 'complexity': 0, 'angles_deg': {'delta_cp_deg': 90.00000000000001, 'theta12_deg': 34.3225259039, 'theta13_deg': 8.74369300841, 'theta23_deg': 42.46122629316272}, 'chi2_fit': 3.15900082137935, 'chi2_holdout': 13.2570677186, 'chi2_total': 16.41606853998547, 'contrib_fit': [{'key': 'sin2_theta12', 'pred': 0.317927709894, 'mean': 0.307, 'sigma': 0.012, 'chi2': 0.82926974673}, {'key': 'sin2_theta13', 'pred': 0.0231084351589, 'mean': 0.02224, 'sigma': 0.0019, 'chi2': 2.32126692884}, {'key': 'sin2_theta23', 'pred': 0.455748015056, 'mean': 0.454, 'sigma': 0.019, 'chi2': 0.008464145801}], 'contrib_holdout': [{'key': 'delta_cp_deg', 'pred': 90.00000000000031, 'mean': 232.0, 'sigma': 39.0, 'chi2': 13.2570677186}]
```

Checks:


```
- evaluated_all_candidates: PASS (candidates=16, rows=16)
- best_candidate_has_finite_chi2: PASS (best chi2_fit=2.475, chi2_holdout=185.887, total=188.362)
- pmns_holdout_evaluated: PASS (pmns_candidates=6 (from 6 permutation scan; best chi2_fit=3.159 chi2_holdout=13.257))
```

Notes:

- This module is diagnostic. It does not claim an operator-level topology->phase derivation.
- It enforces a holdout split to reduce the risk of 'convention shopping' that overfits the full CKM table.
- PMNS holdout is implemented as a best-effort scan over the discrete PMNS permutation conventions emitted by pmns_full_pipeline

Plots

flavor_holdout.png



D. Gravity Gauge-Fixing

Question: Which gauge-fixing choice minimizes non-minimal operator structure?

5. Unconventional: gravitation gauge-fixing GA (toy nonminimal -> Laplace-type)

Module ID: ux_gravity_gaugefix_ga | **Output:**

tfpt-suite/out/unconventional/ux_gravity_gaugefix_ga

Objective

Purpose: This module implements the **GA search scaffold** described in `tfpt-suite/unconventional/tasks.md` (Section A).

It searches (in a **toy operator family**) for gauge-fixing choices that make the quadratic operator **Laplace-type** (minimal), i.e. remove nonminimal $\nabla_\mu \nabla_\nu$ structure.

What it is (and is not): - **It is**: a deterministic genetic-algorithm harness over a small discrete+continuous genome that minimizes a **structural nonminimality measure**.

- **It is not**: the publication-grade BRST derivation of the torsion-sector quadratic operator from the microscopic action. That remains the real ToE gap.

Methodology

Toy model used: We model a vector-type quadratic operator as:

$$\Delta_{\mu\nu} = -g_{\mu\nu} \Box + c_{\mathrm{nonmin}} \nabla_\mu \nabla_\nu + E g_{\mu\nu}.$$

The module uses a toy parameterization:

$$c_{\mathrm{nonmin}} = 1 - \gamma/\xi,$$

with:

- $\xi > 0$: gauge parameter
- γ : discrete normalization choice of the gauge-fixing functional

Laplace-type is achieved when $c_{\mathrm{nonmin}}=0$, i.e. $\xi=\gamma$.

This is the minimal place where a GA is useful: as soon as you have a real operator family with many discrete choices, you want a deterministic search layer that optimizes **structure** (not experimental fit).

Outputs: The module reports:

- best genome (family, γ , ξ)
- best nonminimal coefficient c_{nonmin}
- a small top-10 snapshot of the final GA population
- ?docking context? info about `effective_action_r2_operator_spec.json` (for narrative continuity)

Checks

Check	Severity	Detail
ga_found_laplace_type_candidate	PASS	best $ c_{\mathrm{nonmin}} =0.000e+00$ with genome=GaugeFixingGenome(family='lorenz', gamma=1.0, xi=1.0)
ga_best_close_to_analytic_optimum	PASS	analytic optimum in chosen family: $\xi=\gamma=1.0$ gives $c_{\mathrm{nonmin}}=0.000e+00$

Check	Severity	Detail
discrete_closed_form_optimum_is_laplace_type	PASS	best discrete candidate=GaugeFixingGenome(family='lorenz', gamma=1.0, xi=1.0) with c_nonmin=0.0
effective_action_r2_operator_spec_present	PASS	path=/Users/stefanhamann/Projekte/wolfram_latex_attachments/tfpt-suite/tfpt_suite/data/effective_action_r2_operator_spec.json

Results (report.txt)

Unconventional: gravitation gauge-fixing GA (toy model)

Goal:

- Demonstrate the **search scaffold** for finding a gauge-fixing choice that yields a Laplace-type (minimal) operator.
- This is NOT the missing BRST-grade derivation from the microscopic torsionful action.

Toy operator:

- $\Delta_{\{\mu\nu\}} = -g_{\{\mu\nu\}} [] + c_{\text{nonmin}} \nabla_{\mu} \nabla_{\nu} + E g_{\{\mu\nu\}}$
- $c_{\text{nonmin}} = 1 - \gamma/xi$ (γ is a discrete normalization choice; xi is the gauge parameter)
- Laplace-type when $c_{\text{nonmin}} = 0$ ($\Rightarrow xi = \gamma$).

GA result:

- best genome: family=lorenz, gamma=1.0, xi=1.0
- best nonminimal coefficient: $c_{\text{nonmin}}=0.000000000000e+00$

Analytic comparison (same family):

- $xi* = \gamma = 1.0 \Rightarrow c_{\text{nonmin}}(xi*) = 0.000000000000e+00$

Best discrete closed-form option (over families * gamma):

- Candidate(genome=GaugeFixingGenome(family='lorenz', gamma=1.0, xi=1.0), nonminimal_coeff=0.0, score=0.0)

OperatorSpec docking context (effective_action_r2):

- file: tfpt-suite/tfpt_suite/data/effective_action_r2_operator_spec.json
- note: OperatorSpec for effective_action_r2 on a 4D constant-curvature background. This file is generated deterministically from the canonical microscopic action spec (tfpt_suite/data/microscopic_action_tfpt_v25.json) using the K4 closure equation for the minimal Laplace-type torsion+ghost block operator.
- blocks in spec: 4


Top-10 GA population snapshot:

- {'family': 'lorenz', 'gamma': 1.0, 'xi': 1.0, 'c_nonmin': 0.0, 'score': 0.0}
- {'family': 'weighted', 'gamma': 0.5, 'xi': 0.5, 'c_nonmin': 0.0, 'score': 0.0}
- {'family': 'weighted', 'gamma': 1.0, 'xi': 1.0, 'c_nonmin': 0.0, 'score': 0.0}

... (truncated, see report.txt for full output) ...

Plots

gravity_gaugefix_ga.png



E. Omegab-APS Bridge

Question: Can the APS seam term explain the Omegab coefficient?

6. Unconventional: Omega_b coefficient bridge via APS seam term (DeltaGamma)

Module ID: ux_omega_b_aps_bridge | **Output:** tfpt-suite/out/unconventional/ux_omega_b_aps_bridge

Objective

Purpose: The main suite currently contains an explicitly **conditional** Omega_b identity module:

- `tfpt_suite/modules/omega_b_conjecture_scan.py`

There, the coefficient $(4\pi-1)$ is justified via a **sector-counting assumptions block**.

This unconventional module provides a more **docked?** candidate bridge:

> express $(4\pi-1)$ as a function of an already-computed **topological seam quantity** in the suite.

Concretely it uses the APS seam toy model:

- `tfpt_suite/modules/aps_eta_gluing.py`

and its seam term:

$$\Delta_\Gamma := 2\pi \cdot \mathrm{SF}(U_\Gamma)$$

For the minimal nontrivial class $(m=1)$, the suite computes $(\mathrm{SF}=1)$ and hence $(\Delta_\Gamma=2\pi)$.

Then the coefficient becomes:

$$K_{\{\mathrm{candidate}\}} := 2\Delta_\Gamma - 1 = 4\pi - 1.$$

Why this matters for **ToE closure?**: In `tfpt-suite/progress.md`, Omega_b is flagged as:

- implemented as a conditional identity
- still missing an **operator/anomaly-level derivation** (inflow / index / eta-gluing logic)

This module does **not** claim to finish that derivation. What it does provide is a concrete docking point:

- Omega_b coefficient \leftrightarrow APS seam term (Δ_Γ)

That makes it much clearer what a future anomaly/inflow calculation would have to reproduce.

Methodology

What the module computes: - Recomputes the APS seam spectral flow for $(m=1)$ (periodic spin) using the same toy model as `aps_eta_gluing`.

- Forms $(K_{\{\mathrm{candidate}\}} = 2\Delta_\Gamma - 1)$.

- Computes:

- $(\Omega_b^{\{\mathrm{pred}\}} = K_{\{\mathrm{candidate}\}} \beta_{\{\mathrm{rad}\}})$

- Planck-derived reference Omega_b and the implied coefficient $(K := \Omega_b / \beta_{\{\mathrm{rad}\}})$

- a diagnostic z-score (agreement indicator, not a proof)

- Emits an explicit assumptions list; the key bridge step remains **conditional**.

Checks

Check	Severity	Detail
aps_spectral_flow_m1	PASS	m=1 periodic: numeric_sf=1, winding=1
delta_gamma_equals_2pi	PASS	DeltaGamma=2pi*SF with SF=1 => DeltaGamma=6.28318530718
K_candidate_equals_4pi_minus_1	PASS	K_candidate=2DeltaGamma-1=11.5663706144 (vs 4pi-1)
omega_b_pred_positive	PASS	Omega_b_pred=0.0489406626655
omega_b_pred_close_to_planck_ref_diagnostic	PASS	Omega_b_ref=0.0493016923285 +/- 8.568114e-04; z=0.421364201619

Results (report.txt)

Unconventional: Omega_b bridge via APS seam term

Idea:

- Replace a raw (4pi-1) insertion by a quantity already computed in-suite: the APS seam term DeltaGamma.
- This remains conditional until an operator/anomaly-level derivation connects Omega_b to DeltaGamma.

APS seam toy-model (periodic spin):

- epsilon = 0.001
- m = 1 => SF(U_Gamma) = 1 (analytic=1), winding(det U_Gamma) = 1
- DeltaGamma := 2pi*SF = 6.28318530718

Bridge conjecture (conditional):

- K_candidate := 2*DeltaGamma - 1 = 11.5663706144
- beta_rad = varphi0/(4pi) = 0.0042312895114
- Omega_b_pred := K_candidate*beta_rad = 0.0489406626655

Reference (Planck 2018 base-LambdaCDM; derived Omega_b):

- Omega_b h^2 = 0.02237 +/- 0.00015
- H0 = 67.36 +/- 0.54 km/s/Mpc => h=0.6736 +/- 0.0054
- Omega_b_ref = Omega_b h^2 / h^2 = 0.0493016923285 +/- 8.568114e-04
- implied K = Omega_b_ref / beta_rad = 11.6516944056 +/- 0.20249416287
- |K_candidate - implied K| = 0.0853237912703 (diagnostic)

Assumptions (explicit):

- aps_seam_term_toy_model: Use the 1D Dirac-family toy model of the seam operator (Appendix seam) where DeltaGamma := 2pi*SF(U_Gamma) for U_Gamma(theta)=exp(i m theta). [implemented (see aps_eta_gluing)]
- minimal_nontrivial_class_m_eq_1: Use the minimal nontrivial winding class m=1 (so SF=1 in the toy model). [checked in aps_eta_gluing (minimal m with SF>0 is 1)]
- omega_b_coeff_equals_2_delta_gamma_minus_1: Bridge postulate: the baryon coefficient K := Omega_b/beta_rad equals (2*DeltaGamma - 1) in the same normalization. [conditional / to be replaced by an operator/anomaly-level derivation]

Checks:


- aps_spectral_flow_m1: PASS (m=1 periodic: numeric_sf=1, winding=1)
- delta_gamma_equals_2pi: PASS (DeltaGamma=2pi*SF with SF=1 => DeltaGamma=6.28318530718)
- K_candidate_equals_4pi_minus_1: PASS (K_candidate=2DeltaGamma-1=11.5663706144 (vs 4pi-1))
- omega_b_pred_positive: PASS (Omega_b_pred=0.0489406626655)
- omega_b_pred_close_to_planck_ref_diagnostic: PASS (Omega_b_ref=0.0493016923285 +/- 8.568114e-04; z=0.421364201619)

Notes:

- This module is intentionally conservative: it does not claim an operator-level Omega_b derivation.
- It provides a concrete *docking point*: Omega_b coefficient <-> DeltaGamma (APS seam), which can be upgraded to an anomaly/inf w computation later.

Plots

omega_b_aps_bridge.png



F. Torsion Regime Design

Question: Which physical regimes could make TFPT torsion falsifiable?

7. Unconventional: torsion regime designer (spin-polarized medium + bound saturation targets)

Module ID: ux_torsion_regime_designer | **Output:**

tfpt-suite/out/unconventional/ux_torsion_regime_designer

Objective

Purpose: `tfpt-suite/progress.md` flags torsion falsifiability as a ToE closure gap:

- the suite has a vetted bounds ingestion (`torsion_bounds_mapping`)
- but the ?today torsion? prediction is still a **toy regime**
- what's missing is a **nontrivial, computable present-day regime** (spin-polarized matter / magnetars / plasma)

This module is an **unconventional design tool** to propose such regimes in a way that is:

- explicit about assumptions
- directly comparable to vetted bounds
- compatible with the existing `torsion_bounds_mapping` regime evaluation

Methodology

Toy model used (explicit, not derived): The module uses a minimal spin-medium proxy:

$$\begin{aligned} &|S_{\mu}| \sim c_{\text{spin}} \frac{\rho_{\text{spin}}}{M_{\text{eff}}^2}, \\ &\rho_{\text{spin}} \equiv (\text{polarization}) \cdot (\text{spin}_{\text{per particle}}) \cdot n \end{aligned}$$

where:

- n is a number density (converted to GeV^3)
- M_{eff} is either:
- `Mpl_reduced` (very conservative), or
- `TFPT_M` (uses the TFPT Starobinsky scale M)
- c_{spin} is a dimensionless factor (not derived here)

The key design output is:

$$c_{\text{spin,max}} := \frac{|S_{\mu}|_{\text{bound}}}{|S_{\mu}|_{\text{pred}}(c_{\text{spin}}=1)},$$

so you can see **how much suppression** is required to stay within bounds for a given physical scenario.

Outputs: - tightest vetted component-wise bound (from `torsion_bounds_vetted.json`)

- a few ?anchor scenarios? (lab matter, nuclear matter)
- random scenario exploration to find interesting candidates
- a simple **observable proxy** per scenario: $(\Delta \nu \approx 2|b| \cdot \text{GeV}) \rightarrow \text{Hz}$ with $(|b| \approx (3/4)|S|)$ (design-phase; not a full experiment model)
- **ready-to-copy JSON regime proposals** compatible with `tfpt_suite/data/torsion_regimes.json`

Checks

Check	Severity	Detail
vetted_bounds_loaded	PASS	bounds=4; tighttest=A_X:2.100e-31 GeV
proposals_generated	PASS	proposals=2 (compatible with torsion_regimes.json schema)

Results (report.txt)

Unconventional: torsion regime designer

Purpose:

- Provide concrete, nontrivial candidate regimes for present-day torsion falsifiability.
- Make explicit what suppression/normalization factor c_{spin} would be required to saturate vetted bounds.

Bounds file: tfpt-suite/tfpt_suite/data/torsion_bounds_vetted.json

Tightest component-wise bound: A_X (component=X) $\leq 2.100\text{e-}31$ GeV

Toy model used (explicit; not derived here):

- $|S_{\mu}| \sim c_{\text{spin}} * (\text{polarization} * \text{spin_per_particle} * n) / M_{\text{eff}}^2$
- observable proxy: $\Delta\text{tanu} \sim 2|b| * (\text{GeV} \rightarrow \text{Hz})$, with $|b| \sim (3/4)|S|$ and $\text{GeV} \rightarrow \text{Hz} = 2.418\text{e}+23$
- coupling_kind=Mpl_reduced uses $M_{\text{eff}} = M_{\text{pl}}(\text{reduced})$
- coupling_kind=TFPT_M uses $M_{\text{eff}} = \text{TFPT } M \text{ scale (from effective_action_r2 / constants)}$

Named anchor scenarios ($c_{\text{spin}}=1$):

- {'label': 'laboratory_electron_gas', 'coupling_kind': 'Mpl_reduced', 'n_value': 1e+23, 'n_unit': 'cm^-3', 'polarization': 0.5, 'spin_per_particle': 0.5, 'S_mu_pred_cspin_1_GeV': 3.2396753580225e-56, 'delta_nu_Hz_cspin_1': 1.17502502449e-32, 'c_spin_max_to_saturate_tightest_bound': 6.48213097896e+24}
- {'label': 'nuclear_matter_core', 'coupling_kind': 'TFPT_M', 'n_value': 0.16, 'n_unit': 'fm^-3', 'polarization': 0.5, 'spin_per_particle': 0.5, 'S_mu_pred_cspin_1_GeV': 3.28322384301e-31, 'delta_nu_Hz_cspin_1': 1.19081998972e-07, 'c_spin_max_to_saturate_tightest_bound': 0.639615238075}
- {'label': 'extreme_dense_spin_fluid', 'coupling_kind': 'TFPT_M', 'n_value': 1.0, 'n_unit': 'fm^-3', 'polarization': 1.0, 'spin_per_particle': 0.5, 'S_mu_pred_cspin_1_GeV': 4.10402980376e-30, 'delta_nu_Hz_cspin_1': 1.48852498715e-06, 'c_spin_max_to_saturate_tightest_bound': 0.051169219046}

Proposed regime JSON entries (copy into tfpt_suite/data/torsion_regimes.json if desired):


```
{
  "c_spin": 1.0,
  "compare_to_bounds": true,
  "coupling_scale": {
    "kind": "Mpl_reduced"
  },
  "id": "spin_medium_candidate_1",
  "label": "Spin-polarized medium candidate 1 (Mpl_reduced)",
  "model": "spin_polarized_medium",

```

... (truncated, see report.txt for full output) ...

Plots

torsion_regime_designer.png



Appendix: JSON Data

Complete results.json per module for machine processing.

ux_cosmo_history_sampler

```
{
  "checks": [
    {
      "check_id": "bounce_source_resolved",
      "detail": "bounce_source=live: tfpt-suite/out/bounce_perturbations/results.json; k_bounce_s_raw=2103.5507357951246; t_raw=7.80803964429",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "chi_star_computed",
      "detail": "chi_star(z*=1090.0)=13867.328 Mpc (flat \u039bCDM)",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "naive_ell_is_huge_as_expected",
      "detail": "ell_naive scalar=1.396e+59, tensor=5.180e+56",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "policy_v106_threshold_driven_has_any_scalar_in_cmb_window",
      "detail": "fraction=0.03977 (41/1031) in \u2113\u2208[2.0,2500.0]",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "policy_v106_threshold_driven_has_any_tensor_in_cmb_window",
      "detail": "fraction=1 (1031/1031) in \u2113\u2208[2.0,2500.0]",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "plausible_has_any_scalar_in_cmb_window",
      "detail": "fraction=0.08925 (357/4000) in \u2113\u2208[2.0,2500.0]",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "plausible_has_any_tensor_in_cmb_window",
      "detail": "fraction=0.1345 (538/4000) in \u2113\u2208[2.0,2500.0]",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "extended_has_any_scalar_in_cmb_window",
      "detail": "fraction=0.06583 (395/6000) in \u2113\u2208[2.0,2500.0]",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "extended_has_any_tensor_in_cmb_window",
      "detail": "fraction=0.05783 (347/6000) in \u2113\u2208[2.0,2500.0]",
      "passed": true,
      "severity": null
    }
  ],
  "module_id": "ux_cosmo_history_sampler",
  "plot": {
    "cosmo_history_sampler_cmb_fraction_png": "tfpt-suite/out/unconventional/ux_cosmo_history_sampler/cosmo_history_sampler_cmb_fraction.png",
    "cosmo_history_sampler_log10ell_png": "tfpt-suite/out/unconventional/ux_cosmo_history_sampler/cosmo_history_sampler_log10ell.png"
  },
  "results": {
    "bounce": {
      "k_bounce_s_raw": 2103.5507357951246,
      "k_bounce_t_raw": 7.80803964429
    },
    "bounce_source": "live: tfpt-suite/out/bounce_perturbations/results.json",
    "config_file": "tfpt-suite/tfpt_suite/data/k_calibration.json",
    "constants": {
      "GeV_to_Mpc_inv": 1.56373830646e+38,
      "M_GeV": 30595633972661.273,
      "M_over_Mpl": "1.256494e-05",
      "Omega_m": 0.3,
      "Omega_b": 0.046,
      "Omega_cdm": 0.654,
      "Omega_k": 0,
      "sigma_8": 0.8,
      "w_0": -1,
      "w_a": 0
    }
  }
}
```

```

    "Mpl_reduced_GeV": 2.435e+18
  },
  "cosmology": {
    "H0_km_s_Mpc": 67.36,
    "Omega_m": 0.3153,
    "Omega_r": 9.2e-05,
    "chi_star_Mpc": 13867.328294431452,
    "z_star": 1090.0
  },
  "diagnostics": {
    "cmb_window": {
      "max": 2500.0,
      "min": 2.0
    },
    "ell_targets": [
      2.0,
      30.0,
      700.0
    ],
    "transition": "horizon_exit_of_pivot"
  },
  "naive": {
    "ell_bounce_s": 1.39562686302e+59,
    "ell_bounce_t": 5.18034088253e+56
  },
  "plot": {
    "cosmo_history_sampler_cmb_fraction_png": "tfpt-suite/out/unconventional/ux_cosmo_history_sampler/cosmo_history_sampler_cmb_fraction.png",
    "cosmo_history_sampler_log10ell_png": "tfpt-suite/out/unconventional/ux_cosmo_history_sampler/cosmo_history_sampler_log10ell.png"
  },
  "scenarios": [
    {
      "best_candidates": [
        {
          "abs_log10_error": 2.98052727538,
          "ell_bounce": 1912.3054864807511,
          "params": {
            "N_inflation_from_transition": 56.98005698005695,
            "N_reheat": 23.9817264907,
            "T_reheat_GeV": 37766536.22667426,
            "a0_over_a_transition": 7.29813762962e+55
          },
          "sector": "scalar",
          "target_ell": 2.0
        },
        {
          "abs_log10_error": 1.80443601632,
          "ell_bounce": 1912.3054864807511,
          "params": {
            "N_inflation_from_transition": 56.98005698005695,
            "N_reheat": 23.9817264907,
            "T_reheat_GeV": 37766536.22667426,
            "a0_over_a_transition": 7.29813762962e+55
          },
          "sector": "scalar",
          "target_ell": 30.0
        },
        {
          "abs_log10_error": 0.43645923103,
          "ell_bounce": 1912.3054864807511,
          "params": {
            "N_inflation_from_transition": 56.98005698005695,
            "N_reheat": 23.9817264907,
            "T_reheat_GeV": 37766536.22667426,
            "a0_over_a_transition": 7.29813762962e+55
          },
          "sector": "scalar",
          "target_ell": 700.0
        },
        {
          "abs_log10_error": 0.550116293837,
          "ell_bounce": 7.09816825255,
          "params": {
            "N_inflation_from_transition": 56.98005698005695,
            "N_reheat": 23.9817264907,
            "T_reheat_GeV": 37766536.22667426,
            "a0_over_a_transition": 7.29813762962e+55
          },
          "sector": "tensor",
          "target_ell": 2.0
        },
        {
          "abs_log10_error": 7.039923e-04,
          "ell_bounce": 29.9514093249,

```

```

        "params": {
            "N_inflation_from_transition": 56.98005698005695,
            "N_reheat": 18.2227680058,
            "T_reheat_GeV": 2837396794.566826,
            "a0_over_a_transition": 1.72958167889e+55
        },
        "sector": "tensor",
        "target_ell": 30.0
    },
    {
        "abs_log10_error": 2.143916e-04,
        "ell_bounce": 700.3456437042189,
        "params": {
            "N_inflation_from_transition": 56.98005698005695,
            "N_reheat": 5.61477756372,
            "T_reheat_GeV": 36274846338949.73,
            "a0_over_a_transition": 7.39683459032e+53
        },
        "sector": "tensor",
        "target_ell": 700.0
    }
],
"cmb_window": {
    "max": 2500.0,
    "min": 2.0
},
"counts": {
    "scalar_in_cmb": 41,
    "scalar_total": 1031,
    "tensor_in_cmb": 1031,
    "tensor_total": 1031
},
"ell_minmax": {
    "scalar": {
        "max": 569207.9391249071,
        "min": 1912.3054864807511
    },
    "tensor": {
        "max": 2112.807682223431,
        "min": 7.09816825255
    }
},
"kept_samples": 1031,
"log10_ell_quantiles": {
    "scalar": {
        "0.05": 3.42509124635,
        "0.5": 4.52979782008,
        "0.95": 5.63185076972
    },
    "tensor": {
        "0.05": 0.994680264804,
        "0.5": 2.09938683854,
        "0.95": 3.20143978818
    }
},
"scenario": {
    "N_inflation_range": [
        56.98005698005695,
        56.98005698005695
    ],
    "N_reheat_range": [
        0.0,
        0.0
    ],
    "id": "policy_v106_threshold_driven",
    "log10_T_reheat_GeV_range": [
        -3.0,
        15.0
    ],
    "note": "Threshold/policy-driven: N_pivot from n_s; N_reheat derived from T_reheat via \u03c1 scaling (v1.06 \u0394N m
el).",
    "samples": 2500
}
},
{
    "best_candidates": [
        {
            "abs_log10_error": 0.0146106638135,
            "ell_bounce": 2.06842919715,
            "params": {
                "N_inflation_from_transition": 64.04258635567614,
                "N_reheat": 10.4492581093,
                "T_reheat_GeV": 22536297918772.934,
                "a0_over_a_transition": 6.74727887686e+58
            }
        }
    ]
}

```

```

    "sector": "scalar",
    "target_ell": 2.0
  },
  {
    "abs_log10_error": 0.00173671340794,
    "ell_bounce": 29.88027164012384,
    "params": {
      "N_inflation_from_transition": 68.05071987860083,
      "N_reheat": 13.2781369895,
      "T_reheat_GeV": 1674410481.4848073,
      "a0_over_a_transition": 4.67073017217e+57
    },
    "sector": "scalar",
    "target_ell": 30.0
  },
  {
    "abs_log10_error": 0.0032412180685,
    "ell_bounce": 694.7952199791922,
    "params": {
      "N_inflation_from_transition": 64.64650100059349,
      "N_reheat": 1.3960439107,
      "T_reheat_GeV": 313437233043942.56,
      "a0_over_a_transition": 2.00868806073e+56
    },
    "sector": "scalar",
    "target_ell": 700.0
  },
  {
    "abs_log10_error": 0.00563645621526,
    "ell_bounce": 1.97421087294,
    "params": {
      "N_inflation_from_transition": 60.3014523741,
      "N_reheat": 11.2006315743,
      "T_reheat_GeV": 1742429471781.9526,
      "a0_over_a_transition": 2.62400585143e+56
    },
    "sector": "tensor",
    "target_ell": 2.0
  },
  {
    "abs_log10_error": 0.00254861677852,
    "ell_bounce": 30.17656979504113,
    "params": {
      "N_inflation_from_transition": 66.2082683599951,
      "N_reheat": 12.6309728643,
      "T_reheat_GeV": 74197958.87807138,
      "a0_over_a_transition": 1.71667652013e+55
    },
    "sector": "tensor",
    "target_ell": 30.0
  },
  {
    "abs_log10_error": 8.952451e-04,
    "ell_bounce": 698.5585216309616,
    "params": {
      "N_inflation_from_transition": 61.8594750463,
      "N_reheat": 2.38776483312,
      "T_reheat_GeV": 6967623880575.59,
      "a0_over_a_transition": 7.41575791021e+53
    },
    "sector": "tensor",
    "target_ell": 700.0
  }
],
"cmb_window": {
  "max": 2500.0,
  "min": 2.0
},
"counts": {
  "scalar_in_cmb": 357,
  "scalar_total": 4000,
  "tensor_in_cmb": 538,
  "tensor_total": 4000
},
"ell_minmax": {
  "scalar": {
    "max": 3.24208702228e+25,
    "min": 2.92868575023e-05
  },
  "tensor": {
    "max": 1.20341019446e+23,
    "min": 1.08708071806e-07
  }
},
"kept_samples": 4000,

```

```

"log10_ell_quantiles": {
  "scalar": {
    "0.05": 0.689852920927,
    "0.5": 10.1753044921,
    "0.95": 19.7871304711
  },
  "tensor": {
    "0.05": -1.74055806062,
    "0.5": 7.7448935106,
    "0.95": 17.3567194895
  }
},
"scenario": {
  "N_inflation_range": [
    50.0,
    70.0
  ],
  "N_reheat_range": [
    0.0,
    15.0
  ],
  "id": "plausible",
  "log10_T_reheat_GeV_range": [
    -2.0,
    15.0
  ],
  "note": "Conservative ranges around standard inflation+reheating expectations.",
  "samples": 4000
}
},
{
  "best_candidates": [
    {
      "abs_log10_error": 8.327106e-04,
      "ell_bounce": 1.99616889985,
      "params": {
        "N_inflation_from_transition": 64.40474644771383,
        "N_reheat": 11.2816365214,
        "T_reheat_GeV": 7072036099024.191,
        "a0_over_a_transition": 6.99152693503737e+58
      },
      "sector": "scalar",
      "target_ell": 2.0
    },
    {
      "abs_log10_error": 8.834547e-04,
      "ell_bounce": 29.9390351393,
      "params": {
        "N_inflation_from_transition": 63.4548117602624,
        "N_reheat": 24.2570821247,
        "T_reheat_GeV": 2824170.5570849394,
        "a0_over_a_transition": 4.66156259388e+57
      },
      "sector": "scalar",
      "target_ell": 30.0
    },
    {
      "abs_log10_error": 0.00189312411105,
      "ell_bounce": 703.0580157745603,
      "params": {
        "N_inflation_from_transition": 77.60983232611537,
        "N_reheat": 4.48356040429,
        "T_reheat_GeV": 33130012.895092145,
        "a0_over_a_transition": 1.98508065011e+56
      },
      "sector": "scalar",
      "target_ell": 700.0
    },
    {
      "abs_log10_error": 0.00781160260096,
      "ell_bounce": 2.03629923575,
      "params": {
        "N_inflation_from_transition": 76.25020199905472,
        "N_reheat": 2.45721809355,
        "T_reheat_GeV": 1254496406.7651157,
        "a0_over_a_transition": 2.54399785237e+56
      },
      "sector": "tensor",
      "target_ell": 2.0
    },
    {
      "abs_log10_error": 8.302428e-04,
      "ell_bounce": 30.05740599660897,
      "params": {
        "N_inflation_from_transition": 68.17779295385552,

```

```

        "N_reheat": 0.20378227625,
        "T_reheat_GeV": 2593086279254.968,
        "a0_over_a_transition": 1.72348235344e+55
    },
    "sector": "tensor",
    "target_ell": 30.0
},
{
    "abs_log10_error": 1.182558e-04,
    "ell_bounce": 699.8094200394986,
    "params": {
        "N_inflation_from_transition": 62.89567137050008,
        "N_reheat": 1.32585715352,
        "T_reheat_GeV": 7136314963189.277,
        "a0_over_a_transition": 7.40250235877e+53
    },
    "sector": "tensor",
    "target_ell": 700.0
}
],
"cmb_window": {
    "max": 2500.0,
    "min": 2.0
},
"counts": {
    "scalar_in_cmb": 395,
    "scalar_total": 6000,
    "tensor_in_cmb": 347,
    "tensor_total": 6000
},
"ell_minmax": {
    "scalar": {
        "max": 2.04065924243e+24,
        "min": 2.08799384152e-46
    },
    "tensor": {
        "max": 7.5745966067e+21,
        "min": 7.7502949723e-49
    }
},
"kept_samples": 6000,
"log10_ell_quantiles": {
    "scalar": {
        "0.05": -32.54269826564835,
        "0.5": -10.606254335,
        "0.95": 11.0965086628
    },
    "tensor": {
        "0.05": -34.97310924719155,
        "0.5": -13.0366653166,
        "0.95": 8.66609768122
    }
},
"scenario": {
    "N_inflation_range": [
        50.0,
        140.0
    ],
    "N_reheat_range": [
        0.0,
        40.0
    ],
    "id": "extended",
    "log10_T_reheat_GeV_range": [
        -2.0,
        15.0
    ],
    "note": "Extended ranges to test whether CMB visibility requires extreme expansion budgets.",
    "samples": 6000
}
}
]
},
"schema_version": 1,
"spec": {
    "assumptions": [],
    "determinism": "Deterministic given config seed + precision.",
    "formulas": [
        "a0/a_transition = (a0/a_reh) * exp(N_reheat) * exp(N_inflation_from_transition)",
        "a0/a_reh from entropy conservation (instantaneous reheating)",
        "\u2113 \u2248 k(Mpc^{-1}) \u00b7 \u03c7^{-1} = k_hat * M_GeV * (GeV\u2192Mpc^{-1}) / (a0/a_transition)"
    ],
    "gaps": [],
    "inputs": [
        "bounce diagnostics: prefer tfpt-suite/out/bounce_perturbations/results.json; else fallback in tfpt_suite/data/k_calibration"
    ]
}

```



```
.json",
  "cosmology assumptions: tfpt_suite/data/k_calibration.json (H0, \u03a9_m, \u03a9_r, z_*)",
  "explicit scale-factor mapping model: tfpt_suite/cosmo_scale_map.py"
],
"maturity": null,
"module_id": "ux_cosmo_history_sampler",
"name": "Unconventional: cosmology history sampler (k\u2192\u2113 feasibility + robustness)",
"objective": [],
"outputs": [
  "distribution of \u2113_bounce under explicit priors over (N_inflation, N_reheat, T_reheat)",
  "fraction of samples that land in CMB-like \u2113 windows (diagnostic)",
  "best candidates (closest to target \u2113 in log-space)"
],
"question": null,
"references": [],
"validation": [
  "report whether plausible priors allow \u2113_bounce to sit in the CMB window without hidden tuning"
],
"what_was_done": []
},
"warnings": []
}
```

ux_flavor_holdout_search

```
{
  "checks": [
    {
      "check_id": "evaluated_all_candidates",
      "detail": "candidates=16, rows=16",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "best_candidate_has_finite_chi2",
      "detail": "best chi2_fit=2.475, chi2_holdout=185.887, total=188.362",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "pmns_holdout_evaluated",
      "detail": "pmns_candidates=6 (from 6 permutation scan; best chi2_fit=3.159 chi2_holdout=13.257)",
      "passed": true,
      "severity": null
    }
  ],
  "module_id": "ux_flavor_holdout_search",
  "plot": {
    "flavor_holdout_png": "tfpt-suite/out/unconventional/ux_flavor_holdout_search/flavor_holdout.png"
  },
  "results": {
    "deltas": {
      "delta_M": 0.607909036634,
      "delta_star": 0.608861992029
    },
    "plot": {
      "flavor_holdout_png": "tfpt-suite/out/unconventional/ux_flavor_holdout_search/flavor_holdout.png"
    },
    "pmns_holdout": {
      "reference": {
        "file": "tfpt-suite/tfpt_suite/data/pmns_reference.json",
        "fit_keys": [
          "sin2_theta12",
          "sin2_theta13",
          "sin2_theta23"
        ],
        "holdout_keys": [
          "delta_cp_deg"
        ]
      },
      "rows": [
        {
          "angles_deg": {
            "delta_cp_deg": 90.00000000000031,
            "theta12_deg": 34.3225259039,
            "theta13_deg": 8.74369300841,
            "theta23_deg": 42.46122629316272
          },
          "chi2_fit": 3.15900082137935,
          "chi2_holdout": 13.2570677186,
          "chi2_total": 16.41606853998547,
          "complexity": 0,
          "contrib_fit": [
            {

```

```

        "chi2": 0.82926974673,
        "key": "sin2_theta12",
        "mean": 0.307,
        "pred": 0.317927709894,
        "sigma": 0.012
    },
    {
        "chi2": 2.32126692884,
        "key": "sin2_theta13",
        "mean": 0.02224,
        "pred": 0.0231084351589,
        "sigma": 0.00057
    },
    {
        "chi2": 0.00846414580671,
        "key": "sin2_theta23",
        "mean": 0.454,
        "pred": 0.455748015056,
        "sigma": 0.019
    }
],
"contrib_holdout": [
    {
        "chi2": 13.2570677186,
        "key": "delta_cp_deg",
        "mean": 232.0,
        "pred": 90.00000000000031,
        "sigma": 39.0
    }
],
"ordering": "normal",
"perm": [
    0,
    1,
    2
]
},
{
    "angles_deg": {
        "delta_cp_deg": 269.99999999999999,
        "theta12_deg": 55.67747409607629,
        "theta13_deg": 8.74369300841,
        "theta23_deg": 42.46122629316272
    },
    "chi2_fit": 979.2687783336771,
    "chi2_holdout": 0.949375410914,
    "chi2_total": 980.218153744591,
    "complexity": 1,
    "contrib_fit": [
        {
            "chi2": 976.9390472590281,
            "key": "sin2_theta12",
            "mean": 0.307,
            "pred": 0.682072290106,
            "sigma": 0.012
        },
        {
            "chi2": 2.32126692884,
            "key": "sin2_theta13",
            "mean": 0.02224,
            "pred": 0.0231084351589,
            "sigma": 0.00057
        },
        {
            "chi2": 0.00846414580671,
            "key": "sin2_theta23",
            "mean": 0.454,
            "pred": 0.455748015056,
            "sigma": 0.019
        }
    ],
    "contrib_holdout": [
        {
            "chi2": 0.949375410914,
            "key": "delta_cp_deg",
            "mean": 232.0,
            "pred": 269.99999999999999,
            "sigma": 39.0
        }
    ],
    "ordering": "normal",
    "perm": [
        1,
        0,
        2
    ]
}

```

```

    ]
  },
  {
    "angles_deg": {
      "delta_cp_deg": 271.04533655975695,
      "theta12_deg": 10.5492793034,
      "theta13_deg": 33.86913155494883,
      "theta23_deg": 47.48452713251159
    },
    "chi2_fit": 175173.1711809178,
    "chi2_holdout": 0.00565193663406,
    "chi2_total": 175173.17683285443,
    "complexity": 1,
    "contrib_fit": [
      {
        "chi2": 519.3890207353076,
        "key": "sin2_theta12",
        "mean": 0.307,
        "pred": 0.0335187045045,
        "sigma": 0.012
      },
      {
        "chi2": 174652.3997262295,
        "key": "sin2_theta13",
        "mean": 0.02222,
        "pred": 0.310580898025,
        "sigma": 0.00069
      },
      {
        "chi2": 1.38243395301,
        "key": "sin2_theta23",
        "mean": 0.568,
        "pred": 0.54330884018,
        "sigma": 0.021
      }
    ],
    "contrib_holdout": [
      {
        "chi2": 0.00565193663406,
        "key": "delta_cp_deg",
        "mean": 273.0,
        "pred": 271.04533655975695,
        "sigma": 26.0
      }
    ],
    "ordering": "inverted",
    "perm": [
      0,
      2,
      1
    ]
  }
],
{
  "angles_deg": {
    "delta_cp_deg": 91.04533655975732,
    "theta12_deg": 79.45072069663273,
    "theta13_deg": 33.86913155494883,
    "theta23_deg": 47.48452713251159
  },
  "chi2_fit": 177674.0292373241,
  "chi2_holdout": 48.9755910468,
  "chi2_total": 177723.00482837093,
  "complexity": 2,
  "contrib_fit": [
    {
      "chi2": 3020.2470771416192,
      "key": "sin2_theta12",
      "mean": 0.307,
      "pred": 0.966481295495,
      "sigma": 0.012
    },
    {
      "chi2": 174652.3997262295,
      "key": "sin2_theta13",
      "mean": 0.02222,
      "pred": 0.310580898025,
      "sigma": 0.00069
    },
    {
      "chi2": 1.38243395301,
      "key": "sin2_theta23",
      "mean": 0.568,
      "pred": 0.54330884018,
      "sigma": 0.021
    }
  ]
}

```

```

],
"contrib_holdout": [
  {
    "chi2": 48.9755910468,
    "key": "delta_cp_deg",
    "mean": 273.0,
    "pred": 91.04533655975732,
    "sigma": 26.0
  }
],
"ordering": "inverted",
"perm": [
  2,
  0,
  1
]
},
{
  "angles_deg": {
    "delta_cp_deg": 87.84106428792757,
    "theta12_deg": 15.2574406365,
    "theta13_deg": 54.71397861065461,
    "theta23_deg": 47.29839564078061
  },
  "chi2_fit": 871750.710004112,
  "chi2_holdout": 50.7157270326,
  "chi2_total": 871801.4257311446,
  "complexity": 2,
  "contrib_fit": [
    {
      "chi2": 392.5307147253648,
      "key": "sin2_theta12",
      "mean": 0.307,
      "pred": 0.0692513450712,
      "sigma": 0.012
    },
    {
      "chi2": 871356.4105858344,
      "key": "sin2_theta13",
      "mean": 0.02222,
      "pred": 0.666310666816,
      "sigma": 0.00069
    },
    {
      "chi2": 1.76870355222,
      "key": "sin2_theta23",
      "mean": 0.568,
      "pred": 0.540071550947,
      "sigma": 0.021
    }
  ],
  "contrib_holdout": [
    {
      "chi2": 50.7157270326,
      "key": "delta_cp_deg",
      "mean": 273.0,
      "pred": 87.84106428792757,
      "sigma": 26.0
    }
  ],
  "ordering": "inverted",
  "perm": [
    1,
    2,
    0
  ]
},
{
  "angles_deg": {
    "delta_cp_deg": 267.84106428792745,
    "theta12_deg": 74.74255936349607,
    "theta13_deg": 54.71397861065461,
    "theta23_deg": 47.29839564078061
  },
  "chi2_fit": 874060.0014041469,
  "chi2_holdout": 0.0393707362149,
  "chi2_total": 874060.0407748831,
  "complexity": 3,
  "contrib_fit": [
    {
      "chi2": 2701.822114760318,
      "key": "sin2_theta12",
      "mean": 0.307,
      "pred": 0.930748654929,
      "sigma": 0.012
    }
  ]
}

```

```

    },
    {
      "chi2": 871356.4105858344,
      "key": "sin2_theta13",
      "mean": 0.02222,
      "pred": 0.666310666816,
      "sigma": 0.00069
    },
    {
      "chi2": 1.76870355222,
      "key": "sin2_theta23",
      "mean": 0.568,
      "pred": 0.540071550947,
      "sigma": 0.021
    }
  ],
  "contrib_holdout": [
    {
      "chi2": 0.0393707362149,
      "key": "delta_cp_deg",
      "mean": 273.0,
      "pred": 267.84106428792745,
      "sigma": 26.0
    }
  ],
  "ordering": "inverted",
  "perm": [
    2,
    1,
    0
  ]
},
"top": [
  {
    "angles_deg": {
      "delta_cp_deg": 90.00000000000031,
      "theta12_deg": 34.3225259039,
      "theta13_deg": 8.74369300841,
      "theta23_deg": 42.46122629316272
    },
    "chi2_fit": 3.15900082137935,
    "chi2_holdout": 13.2570677186,
    "chi2_total": 16.41606853998547,
    "complexity": 0,
    "contrib_fit": [
      {
        "chi2": 0.82926974673,
        "key": "sin2_theta12",
        "mean": 0.307,
        "pred": 0.317927709894,
        "sigma": 0.012
      },
      {
        "chi2": 2.32126692884,
        "key": "sin2_theta13",
        "mean": 0.02224,
        "pred": 0.0231084351589,
        "sigma": 0.00057
      },
      {
        "chi2": 0.00846414580671,
        "key": "sin2_theta23",
        "mean": 0.454,
        "pred": 0.455748015056,
        "sigma": 0.019
      }
    ]
  },
  "contrib_holdout": [
    {
      "chi2": 13.2570677186,
      "key": "delta_cp_deg",
      "mean": 232.0,
      "pred": 90.00000000000031,
      "sigma": 39.0
    }
  ],
  "ordering": "normal",
  "perm": [
    0,
    1,
    2
  ]
},
{

```

```

"angles_deg": {
  "delta_cp_deg": 269.99999999999999,
  "theta12_deg": 55.67747409607629,
  "theta13_deg": 8.74369300841,
  "theta23_deg": 42.46122629316272
},
"chi2_fit": 979.2687783336771,
"chi2_holdout": 0.949375410914,
"chi2_total": 980.218153744591,
"complexity": 1,
"contrib_fit": [
  {
    "chi2": 976.9390472590281,
    "key": "sin2_theta12",
    "mean": 0.307,
    "pred": 0.682072290106,
    "sigma": 0.012
  },
  {
    "chi2": 2.32126692884,
    "key": "sin2_theta13",
    "mean": 0.02224,
    "pred": 0.0231084351589,
    "sigma": 0.00057
  },
  {
    "chi2": 0.00846414580671,
    "key": "sin2_theta23",
    "mean": 0.454,
    "pred": 0.455748015056,
    "sigma": 0.019
  }
],
"contrib_holdout": [
  {
    "chi2": 0.949375410914,
    "key": "delta_cp_deg",
    "mean": 232.0,
    "pred": 269.99999999999999,
    "sigma": 39.0
  }
],
"ordering": "normal",
"perm": [
  1,
  0,
  2
]
},
{
  "angles_deg": {
    "delta_cp_deg": 271.04533655975695,
    "theta12_deg": 10.5492793034,
    "theta13_deg": 33.86913155494883,
    "theta23_deg": 47.48452713251159
  },
  "chi2_fit": 175173.1711809178,
  "chi2_holdout": 0.00565193663406,
  "chi2_total": 175173.17683285443,
  "complexity": 1,
  "contrib_fit": [
    {
      "chi2": 519.3890207353076,
      "key": "sin2_theta12",
      "mean": 0.307,
      "pred": 0.0335187045045,
      "sigma": 0.012
    },
    {
      "chi2": 174652.3997262295,
      "key": "sin2_theta13",
      "mean": 0.02222,
      "pred": 0.310580898025,
      "sigma": 0.00069
    },
    {
      "chi2": 1.38243395301,
      "key": "sin2_theta23",
      "mean": 0.568,
      "pred": 0.54330884018,
      "sigma": 0.021
    }
  ],
  "contrib_holdout": [
    {

```

```

        "chi2": 0.00565193663406,
        "key": "delta_cp_deg",
        "mean": 273.0,
        "pred": 271.04533655975695,
        "sigma": 26.0
    }
],
"ordering": "inverted",
"perm": [
    0,
    2,
    1
]
},
{
    "angles_deg": {
        "delta_cp_deg": 91.04533655975732,
        "theta12_deg": 79.45072069663273,
        "theta13_deg": 33.86913155494883,
        "theta23_deg": 47.48452713251159
    },
    "chi2_fit": 177674.0292373241,
    "chi2_holdout": 48.9755910468,
    "chi2_total": 177723.00482837093,
    "complexity": 2,
    "contrib_fit": [
        {
            "chi2": 3020.2470771416192,
            "key": "sin2_theta12",
            "mean": 0.307,
            "pred": 0.966481295495,
            "sigma": 0.012
        },
        {
            "chi2": 174652.3997262295,
            "key": "sin2_theta13",
            "mean": 0.02222,
            "pred": 0.310580898025,
            "sigma": 0.00069
        },
        {
            "chi2": 1.38243395301,
            "key": "sin2_theta23",
            "mean": 0.568,
            "pred": 0.54330884018,
            "sigma": 0.021
        }
    ],
    "contrib_holdout": [
        {
            "chi2": 48.9755910468,
            "key": "delta_cp_deg",
            "mean": 273.0,
            "pred": 91.04533655975732,
            "sigma": 26.0
        }
    ],
    "ordering": "inverted",
    "perm": [
        2,
        0,
        1
    ]
},
{
    "angles_deg": {
        "delta_cp_deg": 87.84106428792757,
        "theta12_deg": 15.2574406365,
        "theta13_deg": 54.71397861065461,
        "theta23_deg": 47.29839564078061
    },
    "chi2_fit": 871750.710004112,
    "chi2_holdout": 50.7157270326,
    "chi2_total": 871801.4257311446,
    "complexity": 2,
    "contrib_fit": [
        {
            "chi2": 392.5307147253648,
            "key": "sin2_theta12",
            "mean": 0.307,
            "pred": 0.0692513450712,
            "sigma": 0.012
        },
        {
            "chi2": 871356.4105858344,

```

```

        "key": "sin2_theta13",
        "mean": 0.02222,
        "pred": 0.666310666816,
        "sigma": 0.00069
    },
    {
        "chi2": 1.76870355222,
        "key": "sin2_theta23",
        "mean": 0.568,
        "pred": 0.540071550947,
        "sigma": 0.021
    }
],
"contrib_holdout": [
    {
        "chi2": 50.7157270326,
        "key": "delta_cp_deg",
        "mean": 273.0,
        "pred": 87.84106428792757,
        "sigma": 26.0
    }
],
"ordering": "inverted",
"perm": [
    1,
    2,
    0
]
},
{
    "angles_deg": {
        "delta_cp_deg": 267.84106428792745,
        "theta12_deg": 74.74255936349607,
        "theta13_deg": 54.71397861065461,
        "theta23_deg": 47.29839564078061
    },
    "chi2_fit": 874060.0014041469,
    "chi2_holdout": 0.0393707362149,
    "chi2_total": 874060.0407748831,
    "complexity": 3,
    "contrib_fit": [
        {
            "chi2": 2701.822114760318,
            "key": "sin2_theta12",
            "mean": 0.307,
            "pred": 0.930748654929,
            "sigma": 0.012
        },
        {
            "chi2": 871356.4105858344,
            "key": "sin2_theta13",
            "mean": 0.02222,
            "pred": 0.666310666816,
            "sigma": 0.00069
        },
        {
            "chi2": 1.76870355222,
            "key": "sin2_theta23",
            "mean": 0.568,
            "pred": 0.540071550947,
            "sigma": 0.021
        }
    ],
    "contrib_holdout": [
        {
            "chi2": 0.0393707362149,
            "key": "delta_cp_deg",
            "mean": 273.0,
            "pred": 267.84106428792745,
            "sigma": 26.0
        }
    ],
    "ordering": "inverted",
    "perm": [
        2,
        1,
        0
    ]
}
],
},
"reference": {
    "file": "tfpt-suite/tfpt_suite/data/ckm_reference.json",
    "fit_keys": [
        "Vud",

```



```

    "Vus",
    "Vcd",
    "Vcs",
    "Vcb",
    "Vts",
    "Vtb"
  ],
  "holdout_keys": [
    "Vub",
    "Vtd"
  ],
  "mu_ref_GeV": 91.1876
},
"scan": {
  "candidates": [
    {
      "complexity": 3,
      "delta_mode": "pi_times_delta",
      "delta_source": "delta_star",
      "s13_mode": "A_lam3_over_3"
    },
    {
      "complexity": 3,
      "delta_mode": "pi_times_1_minus_delta",
      "delta_source": "delta_star",
      "s13_mode": "A_lam3_over_3"
    },
    {
      "complexity": 4,
      "delta_mode": "2pi_times_delta",
      "delta_source": "delta_star",
      "s13_mode": "A_lam3_over_3"
    },
    {
      "complexity": 5,
      "delta_mode": "koide_pi_over_12",
      "delta_source": "delta_star",
      "s13_mode": "A_lam3_over_3"
    },
    {
      "complexity": 4,
      "delta_mode": "pi_times_delta",
      "delta_source": "delta_star",
      "s13_mode": "A_lam3_times_1_minus_delta"
    },
    {
      "complexity": 4,
      "delta_mode": "pi_times_1_minus_delta",
      "delta_source": "delta_star",
      "s13_mode": "A_lam3_times_1_minus_delta"
    },
    {
      "complexity": 5,
      "delta_mode": "2pi_times_delta",
      "delta_source": "delta_star",
      "s13_mode": "A_lam3_times_1_minus_delta"
    },
    {
      "complexity": 6,
      "delta_mode": "koide_pi_over_12",
      "delta_source": "delta_star",
      "s13_mode": "A_lam3_times_1_minus_delta"
    },
    {
      "complexity": 4,
      "delta_mode": "pi_times_delta",
      "delta_source": "tau_mu",
      "s13_mode": "A_lam3_over_3"
    },
    {
      "complexity": 4,
      "delta_mode": "pi_times_1_minus_delta",
      "delta_source": "tau_mu",
      "s13_mode": "A_lam3_over_3"
    },
    {
      "complexity": 5,
      "delta_mode": "2pi_times_delta",
      "delta_source": "tau_mu",
      "s13_mode": "A_lam3_over_3"
    },
    {
      "complexity": 6,
      "delta_mode": "koide_pi_over_12",
      "delta_source": "tau_mu",

```

```

    "s13_mode": "A_lam3_over_3"
  },
  {
    "complexity": 5,
    "delta_mode": "pi_times_delta",
    "delta_source": "tau_mu",
    "s13_mode": "A_lam3_times_1_minus_delta"
  },
  {
    "complexity": 5,
    "delta_mode": "pi_times_1_minus_delta",
    "delta_source": "tau_mu",
    "s13_mode": "A_lam3_times_1_minus_delta"
  },
  {
    "complexity": 6,
    "delta_mode": "2pi_times_delta",
    "delta_source": "tau_mu",
    "s13_mode": "A_lam3_times_1_minus_delta"
  },
  {
    "complexity": 7,
    "delta_mode": "koide_pi_over_12",
    "delta_source": "tau_mu",
    "s13_mode": "A_lam3_times_1_minus_delta"
  }
],
"rows": [
  {
    "J_mt": 8.75351651866198e-06,
    "J_ref": 8.64968682553e-06,
    "candidate": {
      "complexity": 6,
      "delta_mode": "koide_pi_over_12",
      "delta_source": "delta_star",
      "s13_mode": "A_lam3_times_1_minus_delta"
    },
    "chi2_fit": 2.47465843398738,
    "chi2_holdout": 185.88742297673767,
    "chi2_total": 188.36208141072504,
    "ckm_mt_abs": {
      "Vcb": 0.0419849467387,
      "Vcd": 0.224407725545,
      "Vcs": 0.973590487301,
      "Vtb": 0.999111443742,
      "Vtd": 0.0060294076396,
      "Vts": 0.0417129383655,
      "Vub": 0.00368608612447,
      "Vud": 0.974476689798,
      "Vus": 0.224458445619
    },
    "ckm_ref_abs": {
      "Vcb": 0.0417350876163,
      "Vcd": 0.224407690306,
      "Vcs": 0.973601238184,
      "Vtb": 0.999121992914,
      "Vtd": 0.00599349710197,
      "Vts": 0.0414646990516,
      "Vub": 0.00366411470972,
      "Vud": 0.974476919441,
      "Vus": 0.224457808373
    },
    "contrib_fit_top": [
      {
        "chi2": 0.659419536004,
        "key": "Vus",
        "mean": 0.22501,
        "pred": 0.224457808373,
        "sigma": 0.00068
      },
      {
        "chi2": 0.629240023616,
        "key": "Vud",
        "mean": 0.97435,
        "pred": 0.974476919441,
        "sigma": 0.00016
      },
      {
        "chi2": 0.483356779316,
        "key": "Vcs",
        "mean": 0.97349,
        "pred": 0.973601238184,
        "sigma": 0.00016
      }
    ]
  }
]

```

```

    "chi2": 0.462219405545,
    "key": "Vcd",
    "mean": 0.22487,
    "pred": 0.224407690306,
    "sigma": 0.00068
  },
  {
    "chi2": 0.212196689473,
    "key": "Vts",
    "mean": 0.04111,
    "pred": 0.0414646990516,
    "sigma": 0.00077
  }
],
"contrib_holdout": [
  {
    "chi2": 185.31848314504813,
    "key": "Vtd",
    "mean": 0.00858,
    "pred": 0.00599349710197,
    "sigma": 0.00019
  },
  {
    "chi2": 0.56893983169,
    "key": "Vub",
    "mean": 0.003732,
    "pred": 0.00366411470972,
    "sigma": 9e-05
  }
],
"delta_M": 0.607909036634,
"delta_star": 0.608861992029,
"delta_used": 0.608861992029,
"unitarity_dev_ref": 8.88178419701e-16
},
{
  "J_mt": 8.77484270816e-06,
  "J_ref": 8.67075928648e-06,
  "candidate": {
    "complexity": 7,
    "delta_mode": "koide_pi_over_12",
    "delta_source": "tau_mu",
    "s13_mode": "A_lam3_times_1_minus_delta"
  },
  "chi2_fit": 2.47506334909,
  "chi2_holdout": 186.8882685716757,
  "chi2_total": 189.3633319207652,
  "ckm_mt_abs": {
    "Vcb": 0.0419849453471,
    "Vcd": 0.224408080475,
    "Vcs": 0.973590405551,
    "Vtb": 0.999111410627,
    "Vtd": 0.0060214122964,
    "Vts": 0.0417148864108,
    "Vub": 0.00369506677986,
    "Vud": 0.9744766575,
    "Vus": 0.22445843818
  },
  "ckm_ref_abs": {
    "Vcb": 0.0417350835838,
    "Vcd": 0.224408040013,
    "Vcs": 0.973601157752,
    "Vtb": 0.999121960307,
    "Vtd": 0.00598554937448,
    "Vts": 0.0414666327522,
    "Vub": 0.0036730411613,
    "Vud": 0.974476887759,
    "Vus": 0.224457800026
  },
  "contrib_fit_top": [
    {
      "chi2": 0.659439471234,
      "key": "Vus",
      "mean": 0.22501,
      "pred": 0.224457800026,
      "sigma": 0.00068
    },
    {
      "chi2": 0.628925912094,
      "key": "Vud",
      "mean": 0.97435,
      "pred": 0.974476887759,
      "sigma": 0.00016
    }
  ],
  {

```

```

    "chi2": 0.48265803905,
    "key": "Vcs",
    "mean": 0.97349,
    "pred": 0.973601157752,
    "sigma": 0.00016
  },
  {
    "chi2": 0.461520392677,
    "key": "Vcd",
    "mean": 0.22487,
    "pred": 0.224408040013,
    "sigma": 0.00068
  },
  {
    "chi2": 0.214516646845,
    "key": "Vts",
    "mean": 0.04111,
    "pred": 0.0414666327522,
    "sigma": 0.00077
  }
],
"contrib_holdout": [
  {
    "chi2": 186.45911490987586,
    "key": "Vtd",
    "mean": 0.00858,
    "pred": 0.00598554937448,
    "sigma": 0.00019
  },
  {
    "chi2": 0.4291536618,
    "key": "Vub",
    "mean": 0.003732,
    "pred": 0.0036730411613,
    "sigma": 9e-05
  }
],
"delta_M": 0.607909036634,
"delta_star": 0.608861992029,
"delta_used": 0.607909036634,
"unitarity_dev_ref": 4.44089209850063e-16
},
{
  "J_mt": 7.45989812395e-06,
  "J_ref": 7.3714128799e-06,
  "candidate": {
    "complexity": 5,
    "delta_mode": "koide_pi_over_12",
    "delta_source": "delta_star",
    "sl3_mode": "A_lam3_over_3"
  },
  "chi2_fit": 2.47911242142,
  "chi2_holdout": 168.10522472179576,
  "chi2_total": 170.58433714321654,
  "ckm_mt_abs": {
    "Vcb": 0.0419850248159,
    "Vcd": 0.224386196146,
    "Vcs": 0.973595446102,
    "Vtb": 0.999113301737,
    "Vtd": 0.00651798713915,
    "Vts": 0.041594784959,
    "Vub": 0.00314133464349,
    "Vud": 0.974478501981,
    "Vus": 0.224458863033
  },
  "ckm_ref_abs": {
    "Vcb": 0.0417351650112,
    "Vcd": 0.22438616832,
    "Vcs": 0.97360619527,
    "Vtb": 0.999123828841,
    "Vtd": 0.00647916691203,
    "Vts": 0.0413472494741,
    "Vub": 0.00312260218892,
    "Vud": 0.974478767271,
    "Vus": 0.224457972665
  },
  "contrib_fit_top": [
    {
      "chi2": 0.659027202806,
      "key": "Vus",
      "mean": 0.22501,
      "pred": 0.224457972665,
      "sigma": 0.00068
    }
  ],
  {

```

```

        "chi2": 0.64769570977,
        "key": "Vud",
        "mean": 0.97435,
        "pred": 0.974478767271,
        "sigma": 0.00016
    },
    {
        "chi2": 0.527396123456,
        "key": "Vcs",
        "mean": 0.97349,
        "pred": 0.97360619527,
        "sigma": 0.00016
    },
    {
        "chi2": 0.506256691896,
        "key": "Vcd",
        "mean": 0.22487,
        "pred": 0.22438616832,
        "sigma": 0.00068
    },
    {
        "chi2": 0.094935592759,
        "key": "Vts",
        "mean": 0.04111,
        "pred": 0.0413472494741,
        "sigma": 0.00077
    }
],
"contrib_holdout": [
    {
        "chi2": 122.25760840730828,
        "key": "Vtd",
        "mean": 0.00858,
        "pred": 0.00647916691203,
        "sigma": 0.00019
    },
    {
        "chi2": 45.8476163145,
        "key": "Vub",
        "mean": 0.003732,
        "pred": 0.00312260218892,
        "sigma": 9e-05
    }
],
"delta_M": 0.607909036634,
"delta_star": 0.608861992029,
"delta_used": 0.608861992029,
"unitarity_dev_ref": 1.00043853482e-15
},
{
    "J_mt": 7.45989812395e-06,
    "J_ref": 7.37141222948e-06,
    "candidate": {
        "complexity": 6,
        "delta_mode": "koide_pi_over_12",
        "delta_source": "tau_mu",
        "sl3_mode": "A_lam3_over_3"
    },
    "chi2_fit": 2.47915866598,
    "chi2_holdout": 168.10534582836328,
    "chi2_total": 170.58450449434665,
    "ckm_mt_abs": {
        "Vcb": 0.0419850248159,
        "Vcd": 0.224386196146,
        "Vcs": 0.973595446102,
        "Vtb": 0.999113301737,
        "Vtd": 0.00651798713916,
        "Vts": 0.041594784959,
        "Vub": 0.00314133464349,
        "Vud": 0.974478501981,
        "Vus": 0.224458863033
    },
    "ckm_ref_abs": {
        "Vcb": 0.0417351623675,
        "Vcd": 0.224386163203,
        "Vcs": 0.973606196563,
        "Vtb": 0.999123828954,
        "Vtd": 0.00647916691196,
        "Vts": 0.0413472467448,
        "Vub": 0.00312260138412,
        "Vud": 0.97447876845,
        "Vus": 0.22445796756
    },
    "contrib_fit_top": [
        {

```

```

      "chi2": 0.659039390777,
      "key": "Vus",
      "mean": 0.22501,
      "pred": 0.22445796756,
      "sigma": 0.00068
    },
    {
      "chi2": 0.647707563864,
      "key": "Vud",
      "mean": 0.97435,
      "pred": 0.97447876845,
      "sigma": 0.00016
    },
    {
      "chi2": 0.527407858544,
      "key": "Vcs",
      "mean": 0.97349,
      "pred": 0.973606196563,
      "sigma": 0.00016
    },
    {
      "chi2": 0.506267401064,
      "key": "Vcd",
      "mean": 0.22487,
      "pred": 0.224386163203,
      "sigma": 0.00068
    },
    {
      "chi2": 0.094933408517,
      "key": "Vts",
      "mean": 0.04111,
      "pred": 0.0413472467448,
      "sigma": 0.00077
    }
  ],
  "contrib_holdout": [
    {
      "chi2": 122.25760841601507,
      "key": "Vtd",
      "mean": 0.00858,
      "pred": 0.00647916691196,
      "sigma": 0.00019
    },
    {
      "chi2": 45.84773741234822,
      "key": "Vub",
      "mean": 0.003732,
      "pred": 0.00312260138412,
      "sigma": 9e-05
    }
  ],
  "delta_M": 0.607909036634,
  "delta_star": 0.608861992029,
  "delta_used": 0.607909036634,
  "unitarity_dev_ref": 1.99840144433e-15
},
{
  "J_mt": 3.1862274907e-05,
  "J_ref": 3.14843571005e-05,
  "candidate": {
    "complexity": 4,
    "delta_mode": "pi_times_1_minus_delta",
    "delta_source": "delta_star",
    "sl3_mode": "A_lam3_times_1_minus_delta"
  },
  "chi2_fit": 2.72733324839,
  "chi2_holdout": 2.37820415529,
  "chi2_total": 5.10553740368344,
  "ckm_mt_abs": {
    "Vcb": 0.0419849467387,
    "Vcd": 0.224312671938,
    "Vcs": 0.973612391794,
    "Vtb": 0.999111443742,
    "Vtd": 0.00888854591775,
    "Vts": 0.0411985040388,
    "Vub": 0.00368608612447,
    "Vud": 0.974476689798,
    "Vus": 0.224458445619
  },
  "ckm_ref_abs": {
    "Vcb": 0.0417350907209,
    "Vcd": 0.224312690318,
    "Vcs": 0.973623129945,
    "Vtb": 0.999121992654,
    "Vtd": 0.00883560890963,

```

```

    "Vts": 0.0409533369752,
    "Vub": 0.00366415020497,
    "Vud": 0.974477166986,
    "Vus": 0.224456733082
  },
  "contrib_fit_top": [
    {
      "chi2": 0.692327436225,
      "key": "Vcs",
      "mean": 0.97349,
      "pred": 0.973623129945,
      "sigma": 0.00016
    },
    {
      "chi2": 0.671700003036,
      "key": "Vcd",
      "mean": 0.22487,
      "pred": 0.224312690318,
      "sigma": 0.00068
    },
    {
      "chi2": 0.661990230257,
      "key": "Vus",
      "mean": 0.22501,
      "pred": 0.224456733082,
      "sigma": 0.00068
    },
    {
      "chi2": 0.631696967668,
      "key": "Vud",
      "mean": 0.97435,
      "pred": 0.974477166986,
      "sigma": 0.00016
    },
    {
      "chi2": 0.0413953505326,
      "key": "Vts",
      "mean": 0.04111,
      "pred": 0.0409533369752,
      "sigma": 0.00077
    }
  ],
  "contrib_holdout": [
    {
      "chi2": 1.80985913244,
      "key": "Vtd",
      "mean": 0.00858,
      "pred": 0.00883560890963,
      "sigma": 0.00019
    },
    {
      "chi2": 0.568345022852,
      "key": "Vub",
      "mean": 0.003732,
      "pred": 0.00366415020497,
      "sigma": 9e-05
    }
  ],
  "delta_M": 0.607909036634,
  "delta_star": 0.608861992029,
  "delta_used": 0.608861992029,
  "unitarity_dev_ref": 8.88178419703e-16
},
{
  "J_mt": 3.1973797987e-05,
  "J_ref": 3.15945547206e-05,
  "candidate": {
    "complexity": 5,
    "delta_mode": "pi_times_1_minus_delta",
    "delta_source": "tau_mu",
    "sl3_mode": "A_lam3_times_1_minus_delta"
  },
  "chi2_fit": 2.72918490764,
  "chi2_holdout": 2.3993206571,
  "chi2_total": 5.12850556474,
  "ckm_mt_abs": {
    "Vcb": 0.0419849453471,
    "Vcd": 0.224312368865,
    "Vcs": 0.97361246168,
    "Vtb": 0.999111410627,
    "Vtd": 0.00889972823271,
    "Vts": 0.0411968929859,
    "Vub": 0.00369506677986,
    "Vud": 0.9744766575,
    "Vus": 0.224458438179
  }
}

```

```

},
"ckm_ref_abs": {
  "Vcb": 0.0417350867553,
  "Vcd": 0.224312382351,
  "Vcs": 0.973623201068,
  "Vtb": 0.999121960041,
  "Vtd": 0.00884672463813,
  "Vts": 0.0409517328907,
  "Vub": 0.00367307733379,
  "Vud": 0.974477137026,
  "Vus": 0.224456717244
},
"contrib_fit_top": [
  {
    "chi2": 0.693067361392,
    "key": "Vcs",
    "mean": 0.97349,
    "pred": 0.973623201068,
    "sigma": 0.00016
  },
  {
    "chi2": 0.672442565285,
    "key": "Vcd",
    "mean": 0.22487,
    "pred": 0.224312382351,
    "sigma": 0.00068
  },
  {
    "chi2": 0.662028132385,
    "key": "Vus",
    "mean": 0.22501,
    "pred": 0.224456717244,
    "sigma": 0.00068
  },
  {
    "chi2": 0.631399354306,
    "key": "Vud",
    "mean": 0.97435,
    "pred": 0.974477137026,
    "sigma": 0.00016
  },
  {
    "chi2": 0.0422473905869,
    "key": "Vts",
    "mean": 0.04111,
    "pred": 0.0409517328907,
    "sigma": 0.00077
  }
],
"contrib_holdout": [
  {
    "chi2": 1.97069342338,
    "key": "Vtd",
    "mean": 0.00858,
    "pred": 0.00884672463813,
    "sigma": 0.00019
  },
  {
    "chi2": 0.428627233718,
    "key": "Vub",
    "mean": 0.003732,
    "pred": 0.00367307733379,
    "sigma": 9e-05
  }
],
"delta_M": 0.607909036634,
"delta_star": 0.608861992029,
"delta_used": 0.607909036634,
"unitarity_dev_ref": 7.43360581994e-16
},
{
  "J_mt": 2.71535815689e-05,
  "J_ref": 2.68315122439e-05,
  "candidate": {
    "complexity": 3,
    "delta_mode": "pi_times_1_minus_delta",
    "delta_source": "delta_star",
    "sl3_mode": "A_lam3_over_3"
  },
  "chi2_fit": 2.82210898489,
  "chi2_holdout": 47.51763659810416,
  "chi2_total": 50.3397455829968,
  "ckm_mt_abs": {
    "Vcb": 0.0419850248159,
    "Vcd": 0.224305184882,

```



```

    "Vcs": 0.973614113356,
    "Vtb": 0.999113301737,
    "Vtd": 0.00887880692043,
    "Vts": 0.0411555230777,
    "Vub": 0.00314133464349,
    "Vud": 0.974478501981,
    "Vus": 0.224458863033
  },
  "ckm_ref_abs": {
    "Vcb": 0.041735167657,
    "Vcd": 0.224305202746,
    "Vcs": 0.973624851676,
    "Vtb": 0.999123828619,
    "Vtd": 0.00882592790591,
    "Vts": 0.0409106108738,
    "Vub": 0.00312263768437,
    "Vud": 0.974478978233,
    "Vus": 0.224457056285
  },
  "contrib_fit_top": [
    {
      "chi2": 0.710350571572,
      "key": "Vcs",
      "mean": 0.97349,
      "pred": 0.973624851676,
      "sigma": 0.00016
    },
    {
      "chi2": 0.689870109537,
      "key": "Vcd",
      "mean": 0.22487,
      "pred": 0.224305202746,
      "sigma": 0.00068
    },
    {
      "chi2": 0.661217024766,
      "key": "Vus",
      "mean": 0.22501,
      "pred": 0.224457056285,
      "sigma": 0.00068
    },
    {
      "chi2": 0.6498197097,
      "key": "Vud",
      "mean": 0.97435,
      "pred": 0.974478978233,
      "sigma": 0.00016
    },
    {
      "chi2": 0.0670535058911,
      "key": "Vts",
      "mean": 0.04111,
      "pred": 0.0409106108738,
      "sigma": 0.00077
    }
  ],
  "contrib_holdout": [
    {
      "chi2": 45.8422755204,
      "key": "Vub",
      "mean": 0.003732,
      "pred": 0.00312263768437,
      "sigma": 9e-05
    },
    {
      "chi2": 1.67536107766,
      "key": "Vtd",
      "mean": 0.00858,
      "pred": 0.00882592790591,
      "sigma": 0.00019
    }
  ],
  "delta_M": 0.607909036634,
  "delta_star": 0.608861992029,
  "delta_used": 0.608861992029,
  "unitarity_dev_ref": 8.881784197e-16
},
{
  "J_mt": 2.71823989958e-05,
  "J_ref": 2.68599855497e-05,
  "candidate": {
    "complexity": 4,
    "delta_mode": "pi_times_1_minus_delta",
    "delta_source": "tau_mu",
    "s13_mode": "A_lam3_over_3"
  }
}

```

```

},
"chi2_fit": 2.82527590794,
"chi2_holdout": 47.64395650647081,
"chi2_total": 50.46923241440659,
"ckm_mt_abs": {
  "Vcb": 0.0419850248159,
  "Vcd": 0.224304822267,
  "Vcs": 0.973614196897,
  "Vtb": 0.999113301737,
  "Vtd": 0.00888796292684,
  "Vts": 0.041153546714,
  "Vub": 0.00314133464349,
  "Vud": 0.974478501981,
  "Vus": 0.224458863033
},
"ckm_ref_abs": {
  "Vcb": 0.0417351650638,
  "Vcd": 0.224304835182,
  "Vcs": 0.973624936467,
  "Vtb": 0.999123828728,
  "Vtd": 0.00883502939188,
  "Vts": 0.0409086436326,
  "Vub": 0.0031226375568,
  "Vud": 0.97447898036308,
  "Vus": 0.224457047038
},
"contrib_fit_top": [
  {
    "chi2": 0.711244148542,
    "key": "Vcs",
    "mean": 0.97349,
    "pred": 0.973624936467,
    "sigma": 0.00016
  },
  {
    "chi2": 0.690768319895,
    "key": "Vcd",
    "mean": 0.22487,
    "pred": 0.224304835182,
    "sigma": 0.00068
  },
  {
    "chi2": 0.661239138594,
    "key": "Vus",
    "mean": 0.22501,
    "pred": 0.224457047038,
    "sigma": 0.00068
  },
  {
    "chi2": 0.649841174228,
    "key": "Vud",
    "mean": 0.97435,
    "pred": 0.97447898036308,
    "sigma": 0.00016
  },
  {
    "chi2": 0.0683831787699,
    "key": "Vts",
    "mean": 0.04111,
    "pred": 0.0409086436326,
    "sigma": 0.00077
  }
],
"contrib_holdout": [
  {
    "chi2": 45.8422947136,
    "key": "Vub",
    "mean": 0.003732,
    "pred": 0.0031226375568,
    "sigma": 9e-05
  },
  {
    "chi2": 1.80166179284,
    "key": "Vtd",
    "mean": 0.00858,
    "pred": 0.00883502939188,
    "sigma": 0.00019
  }
],
"delta_M": 0.607909036634,
"delta_star": 0.608861992029,
"delta_used": 0.607909036634,
"unitarity_dev_ref": 8.881784197e-16
},
{

```

```

"J_mt": 2.71823989958e-05,
"J_ref": 2.68599978563e-05,
"candidate": {
  "complexity": 4,
  "delta_mode": "pi_times_delta",
  "delta_source": "tau_mu",
  "s13_mode": "A_lam3_over_3"
},
"chi2_fit": 3.95911401858,
"chi2_holdout": 178.41152068864142,
"chi2_total": 182.37063470722202,
"ckm_mt_abs": {
  "Vcb": 0.0419850248159,
  "Vcd": 0.22421934077,
  "Vcs": 0.973633886487,
  "Vtb": 0.999113301737,
  "Vtd": 0.0108321928488,
  "Vts": 0.0406850573333,
  "Vub": 0.00314133464349,
  "Vud": 0.974478501981,
  "Vus": 0.224458863033
},
"ckm_ref_abs": {
  "Vcb": 0.0417351678952,
  "Vcd": 0.2242194018,
  "Vcs": 0.97364461464,
  "Vtb": 0.999123828491,
  "Vtd": 0.0107676826473,
  "Vts": 0.0404429518232,
  "Vub": 0.00312267554084,
  "Vud": 0.974479202891,
  "Vus": 0.224456080405
},
"contrib_fit_top": [
  {
    "chi2": 0.933815892865,
    "key": "Vcs",
    "mean": 0.97349,
    "pred": 0.97364461464,
    "sigma": 0.00016
  },
  {
    "chi2": 0.915393637065,
    "key": "Vcd",
    "mean": 0.22487,
    "pred": 0.2242194018,
    "sigma": 0.00068
  },
  {
    "chi2": 0.750469337374,
    "key": "Vts",
    "mean": 0.04111,
    "pred": 0.0404429518232,
    "sigma": 0.00077
  },
  {
    "chi2": 0.663553023528,
    "key": "Vus",
    "mean": 0.22501,
    "pred": 0.224456080405,
    "sigma": 0.00068
  },
  {
    "chi2": 0.65208543009,
    "key": "Vud",
    "mean": 0.97435,
    "pred": 0.974479202891,
    "sigma": 0.00016
  }
],
"contrib_holdout": [
  {
    "chi2": 132.57494087034058,
    "key": "Vtd",
    "mean": 0.00858,
    "pred": 0.0107676826473,
    "sigma": 0.00019
  },
  {
    "chi2": 45.83657981830082,
    "key": "Vub",
    "mean": 0.003732,
    "pred": 0.00312267554084,
    "sigma": 9e-05
  }
]

```

```

    ],
    "delta_M": 0.607909036634,
    "delta_star": 0.608861992029,
    "delta_used": 0.607909036634,
    "unitarity_dev_ref": 6.66133814776e-16
  },
  {
    "J_mt": 2.71535815689e-05,
    "J_ref": 2.68315246408e-05,
    "candidate": {
      "complexity": 3,
      "delta_mode": "pi_times_delta",
      "delta_source": "delta_star",
      "s13_mode": "A_lam3_over_3"
    },
    "chi2_fit": 3.96557827302,
    "chi2_holdout": 179.3174167446666,
    "chi2_total": 183.282995017684,
    "ckm_mt_abs": {
      "Vcb": 0.0419850248159,
      "Vcd": 0.224218978016,
      "Vcs": 0.973633970026,
      "Vtb": 0.999113301737,
      "Vtd": 0.0108396990074,
      "Vts": 0.0406830581146,
      "Vub": 0.00314133464349,
      "Vud": 0.974478501981,
      "Vus": 0.224458863032
    },
    "ckm_ref_abs": {
      "Vcb": 0.0417351704715,
      "Vcd": 0.22421904444,
      "Vcs": 0.973644696825,
      "Vtb": 0.999123828384,
      "Vtd": 0.0107751441126,
      "Vts": 0.0404409671688,
      "Vub": 0.00312267544177,
      "Vud": 0.974479202641,
      "Vus": 0.224456081491
    },
    "contrib_fit_top": [
      {
        "chi2": 0.934808896376,
        "key": "Vcs",
        "mean": 0.97349,
        "pred": 0.973644696825,
        "sigma": 0.00016
      },
      {
        "chi2": 0.916399525539,
        "key": "Vcd",
        "mean": 0.22487,
        "pred": 0.22421904444,
        "sigma": 0.00068
      },
      {
        "chi2": 0.754941691977,
        "key": "Vts",
        "mean": 0.04111,
        "pred": 0.0404409671688,
        "sigma": 0.00077
      },
      {
        "chi2": 0.663550419853,
        "key": "Vus",
        "mean": 0.22501,
        "pred": 0.224456081491,
        "sigma": 0.00068
      },
      {
        "chi2": 0.65208290662254,
        "key": "Vud",
        "mean": 0.97435,
        "pred": 0.974479202641,
        "sigma": 0.00016
      }
    ],
    "contrib_holdout": [
      {
        "chi2": 133.4808220202522,
        "key": "Vtd",
        "mean": 0.00858,
        "pred": 0.0107751441126,
        "sigma": 0.00019
      }
    ],
  },

```

```

    {
      "chi2": 45.8365947244,
      "key": "Vub",
      "mean": 0.003732,
      "pred": 0.00312267544177,
      "sigma": 9e-05
    }
  ],
  "delta_M": 0.607909036634,
  "delta_star": 0.608861992029,
  "delta_used": 0.608861992029,
  "unitarity_dev_ref": 5.55111512313e-16
},
{
  "J_mt": 3.1973797987e-05,
  "J_ref": 3.15945717481e-05,
  "candidate": {
    "complexity": 5,
    "delta_mode": "pi_times_delta",
    "delta_source": "tau_mu",
    "sl3_mode": "A_lam3_times_1_minus_delta"
  },
  "chi2_fit": 4.05899978942247,
  "chi2_holdout": 173.9429926914698,
  "chi2_total": 178.00199248089228,
  "ckm_mt_abs": {
    "Vcb": 0.0419849453471,
    "Vcd": 0.224211819303,
    "Vcs": 0.973635622011,
    "Vtb": 0.999111410627,
    "Vtd": 0.0111491736584,
    "Vts": 0.0406458494934,
    "Vub": 0.00369506677986,
    "Vud": 0.97447665749951,
    "Vus": 0.22445843818
  },
  "ckm_ref_abs": {
    "Vcb": 0.0417350900858,
    "Vcd": 0.224211889383,
    "Vcs": 0.97364634797,
    "Vtb": 0.999121959762,
    "Vtd": 0.0110827761658,
    "Vts": 0.0404039799161,
    "Vub": 0.00367311531769,
    "Vud": 0.974477398779,
    "Vus": 0.224455580221
  },
  "contrib_fit_top": [
    {
      "chi2": 0.954870610943,
      "key": "Vcs",
      "mean": 0.97349,
      "pred": 0.97364634797,
      "sigma": 0.00016
    },
    {
      "chi2": 0.93665567496,
      "key": "Vcd",
      "mean": 0.22487,
      "pred": 0.224211889383,
      "sigma": 0.00068
    },
    {
      "chi2": 0.840722480744,
      "key": "Vts",
      "mean": 0.04111,
      "pred": 0.0404039799161,
      "sigma": 0.00077
    },
    {
      "chi2": 0.664751928776,
      "key": "Vus",
      "mean": 0.22501,
      "pred": 0.224455580221,
      "sigma": 0.00068
    },
    {
      "chi2": 0.634001913067,
      "key": "Vud",
      "mean": 0.97435,
      "pred": 0.974477398779,
      "sigma": 0.00016
    }
  ],
  "contrib_holdout": [

```

```

    {
      "chi2": 173.51491790007407,
      "key": "Vtd",
      "mean": 0.00858,
      "pred": 0.0110827761658,
      "sigma": 0.00019
    },
    {
      "chi2": 0.428074791396,
      "key": "Vub",
      "mean": 0.003732,
      "pred": 0.00367311531769,
      "sigma": 9e-05
    }
  ],
  "delta_M": 0.607909036634,
  "delta_star": 0.608861992029,
  "delta_used": 0.607909036634,
  "unitarity_dev_ref": 4.44089209850248e-16
},
{
  "J_mt": 3.18622749071e-05,
  "J_ref": 3.14843741698e-05,
  "candidate": {
    "complexity": 4,
    "delta_mode": "pi_times_delta",
    "delta_source": "delta_star",
    "sl3_mode": "A_lam3_times_l_minus_delta"
  },
  "chi2_fit": 4.06526105901,
  "chi2_holdout": 174.53557769950268,
  "chi2_total": 178.6008387585127,
  "ckm_mt_abs": {
    "Vcb": 0.0419849467387,
    "Vcd": 0.224211515599,
    "Vcs": 0.973635691889,
    "Vtb": 0.999111443742,
    "Vtd": 0.0111524577351,
    "Vts": 0.0406441345096,
    "Vub": 0.00368608612447,
    "Vud": 0.974476689798,
    "Vus": 0.224458445619
  },
  "ckm_ref_abs": {
    "Vcb": 0.0417350940234,
    "Vcd": 0.224211590958,
    "Vcs": 0.973646416522,
    "Vtb": 0.999121992378,
    "Vtd": 0.0110860406877,
    "Vts": 0.040402277763,
    "Vub": 0.00366418796224,
    "Vud": 0.974477430309,
    "Vus": 0.224455589248
  },
  "contrib_fit_top": [
    {
      "chi2": 0.955708143406,
      "key": "Vcs",
      "mean": 0.97349,
      "pred": 0.973646416522,
      "sigma": 0.00016
    },
    {
      "chi2": 0.937505333809,
      "key": "Vcd",
      "mean": 0.22487,
      "pred": 0.224211590958,
      "sigma": 0.00068
    },
    {
      "chi2": 0.844781185235,
      "key": "Vts",
      "mean": 0.04111,
      "pred": 0.040402277763,
      "sigma": 0.00077
    },
    {
      "chi2": 0.664730280803,
      "key": "Vus",
      "mean": 0.22501,
      "pred": 0.224455589248,
      "sigma": 0.00068
    },
    {
      "chi2": 0.634315768888,

```

```

    "key": "Vud",
    "mean": 0.97435,
    "pred": 0.974477430309,
    "sigma": 0.00016
  }
],
"contrib_holdout": [
  {
    "chi2": 173.96786504946937,
    "key": "Vtd",
    "mean": 0.00858,
    "pred": 0.0110860406877,
    "sigma": 0.00019
  },
  {
    "chi2": 0.567712650033,
    "key": "Vub",
    "mean": 0.003732,
    "pred": 0.00366418796224,
    "sigma": 9e-05
  }
],
"delta_M": 0.607909036634,
"delta_star": 0.608861992029,
"delta_used": 0.608861992029,
"unitarity_dev_ref": 6.66133814778e-16
},
{
  "J_mt": -1.82131000511e-05,
  "J_ref": -1.79970877718e-05,
  "candidate": {
    "complexity": 4,
    "delta_mode": "2pi_times_delta",
    "delta_source": "delta_star",
    "s13_mode": "A_lam3_over_3"
  },
  "chi2_fit": 5.16285706675,
  "chi2_holdout": 347.6044990986585,
  "chi2_total": 352.7673561654065,
  "ckm_mt_abs": {
    "Vcb": 0.0419850248159,
    "Vcd": 0.224162450569,
    "Vcs": 0.973646986051,
    "Vtb": 0.999113301737,
    "Vtd": 0.0119517752721,
    "Vts": 0.0403703524876,
    "Vub": 0.00314133464349,
    "Vud": 0.974478501981,
    "Vus": 0.224458863033
  },
  "ckm_ref_abs": {
    "Vcb": 0.0417351723164,
    "Vcd": 0.224162548802,
    "Vcs": 0.973657705308,
    "Vtb": 0.999123828229,
    "Vtd": 0.0118805993046,
    "Vts": 0.0401301286433,
    "Vub": 0.00312270019187,
    "Vud": 0.974479349743,
    "Vus": 0.224455442502
  },
  "contrib_fit_top": [
    {
      "chi2": 1.61940947151,
      "key": "Vts",
      "mean": 0.04111,
      "pred": 0.0401301286433,
      "sigma": 0.00077
    },
    {
      "chi2": 1.098635564,
      "key": "Vcs",
      "mean": 0.97349,
      "pred": 0.973657705308,
      "sigma": 0.00016
    },
    {
      "chi2": 1.08236850646,
      "key": "Vcd",
      "mean": 0.22487,
      "pred": 0.224162548802,
      "sigma": 0.00068
    },
    {
      "chi2": 0.665082219909,

```

```

    "key": "Vus",
    "mean": 0.22501,
    "pred": 0.224455442502,
    "sigma": 0.00068
  },
  {
    "chi2": 0.653568589956,
    "key": "Vud",
    "mean": 0.97435,
    "pred": 0.974479349743,
    "sigma": 0.00016
  }
],
"contrib_holdout": [
  {
    "chi2": 301.7716279643186,
    "key": "Vtd",
    "mean": 0.00858,
    "pred": 0.0118805993046,
    "sigma": 0.00019
  },
  {
    "chi2": 45.83287113433987,
    "key": "Vub",
    "mean": 0.003732,
    "pred": 0.00312270019187,
    "sigma": 9e-05
  }
],
"delta_M": 0.607909036634,
"delta_star": 0.608861992029,
"delta_used": 0.608861992029,
"unitarity_dev_ref": 2.22044604926e-16
},
{
  "J_mt": -1.80790164361e-05,
  "J_ref": -1.78645928963e-05,
  "candidate": {
    "complexity": 5,
    "delta_mode": "2pi_times_delta",
    "delta_source": "tau_mu",
    "sl3_mode": "A_lam3_over_3"
  },
  "chi2_fit": 5.17475094242,
  "chi2_holdout": 349.2584632987219,
  "chi2_total": 354.43321424114197,
  "ckm_mt_abs": {
    "Vcb": 0.0419850248159,
    "Vcd": 0.224161965863,
    "Vcs": 0.973647097644,
    "Vtb": 0.999113301737,
    "Vtd": 0.0119608627387,
    "Vts": 0.0403676610008,
    "Vub": 0.00314133464349,
    "Vud": 0.974478501981,
    "Vus": 0.224458863032
  },
  "ckm_ref_abs": {
    "Vcb": 0.0417351697949,
    "Vcd": 0.224162059154,
    "Vcs": 0.973657818147,
    "Vtb": 0.999123828332,
    "Vtd": 0.0118896326706,
    "Vts": 0.0401274506352,
    "Vub": 0.00312270102723,
    "Vud": 0.974479352203,
    "Vus": 0.224455431807
  },
  "contrib_fit_top": [
    {
      "chi2": 1.62827332494,
      "key": "Vts",
      "mean": 0.04111,
      "pred": 0.0401274506352,
      "sigma": 0.00077
    },
    {
      "chi2": 1.10011446551,
      "key": "Vcs",
      "mean": 0.97349,
      "pred": 0.973657818147,
      "sigma": 0.00016
    },
    {
      "chi2": 1.08386730351,

```



```

    "key": "Vcd",
    "mean": 0.22487,
    "pred": 0.224162059154,
    "sigma": 0.00068
  },
  {
    "chi2": 0.665107873873,
    "key": "Vus",
    "mean": 0.22501,
    "pred": 0.224455431807,
    "sigma": 0.00068
  },
  {
    "chi2": 0.653593457715,
    "key": "Vud",
    "mean": 0.97435,
    "pred": 0.974479352203,
    "sigma": 0.00016
  }
],
"contrib_holdout": [
  {
    "chi2": 303.42571783942594,
    "key": "Vtd",
    "mean": 0.00858,
    "pred": 0.0118896326706,
    "sigma": 0.00019
  },
  {
    "chi2": 45.83274545929595,
    "key": "Vub",
    "mean": 0.003732,
    "pred": 0.00312270102723,
    "sigma": 9e-05
  }
],
"delta_M": 0.607909036634,
"delta_star": 0.608861992029,
"delta_used": 0.607909036634,
"unitarity_dev_ref": 7.77156117238e-16
},
{
  "J_mt": -2.13714275321e-05,
  "J_ref": -2.11179604111e-05,
  "candidate": {
    "complexity": 5,
    "delta_mode": "2pi_times_delta",
    "delta_source": "delta_star",
    "sl3_mode": "A_lam3_times_l_minus_delta"
  },
  "chi2_fit": 5.56001906949,
  "chi2_holdout": 392.2982061711419,
  "chi2_total": 397.8582252406365,
  "ckm_mt_abs": {
    "Vcb": 0.0419849467387,
    "Vcd": 0.224145181841,
    "Vcs": 0.973650965031,
    "Vtb": 0.999111443742,
    "Vtd": 0.0124144471592,
    "Vts": 0.0402765997236,
    "Vub": 0.00368608612447,
    "Vud": 0.974476689798,
    "Vus": 0.224458445619
  },
  "ckm_ref_abs": {
    "Vcb": 0.0417350961883,
    "Vcd": 0.224145294519,
    "Vcs": 0.973661680817,
    "Vtb": 0.999121992197,
    "Vtd": 0.0123405166897,
    "Vts": 0.0400369374013,
    "Vub": 0.00366421271229,
    "Vud": 0.97447760292,
    "Vus": 0.22445483945
  },
  "contrib_fit_top": [
    {
      "chi2": 1.94208692987,
      "key": "Vts",
      "mean": 0.04111,
      "pred": 0.0400369374013,
      "sigma": 0.00077
    },
    {
      "chi2": 1.15133995588,

```

```

    "key": "Vcs",
    "mean": 0.97349,
    "pred": 0.973661680817,
    "sigma": 0.00016
  },
  {
    "chi2": 1.13580889694,
    "key": "Vcd",
    "mean": 0.22487,
    "pred": 0.224145294519,
    "sigma": 0.00068
  },
  {
    "chi2": 0.666529490602,
    "key": "Vus",
    "mean": 0.22501,
    "pred": 0.22445483945,
    "sigma": 0.00068
  },
  {
    "chi2": 0.636035359271,
    "key": "Vud",
    "mean": 0.97435,
    "pred": 0.97447760292,
    "sigma": 0.00016
  }
],
"contrib_holdout": [
  {
    "chi2": 391.7309078532549,
    "key": "Vtd",
    "mean": 0.00858,
    "pred": 0.0123405166897,
    "sigma": 0.00019
  },
  {
    "chi2": 0.567298317887,
    "key": "Vub",
    "mean": 0.003732,
    "pred": 0.00366421271229,
    "sigma": 9e-05
  }
],
"delta_M": 0.607909036634,
"delta_star": 0.608861992029,
"delta_used": 0.608861992029,
"unitarity_dev_ref": 8.88178419700318e-16
},
{
  "J_mt": -2.126577641e-05,
  "J_ref": -2.10135605975e-05,
  "candidate": {
    "complexity": 6,
    "delta_mode": "2pi_times_delta",
    "delta_source": "tau_mu",
    "s13_mode": "A_lam3_times_1_minus_delta"
  },
  "chi2_fit": 5.58193968246,
  "chi2_holdout": 395.88633286847215,
  "chi2_total": 401.46827255093694,
  "ckm_mt_abs": {
    "Vcb": 0.0419849453471,
    "Vcd": 0.224144326969,
    "Vcs": 0.973651161891,
    "Vtb": 0.999111410627,
    "Vtd": 0.0124324042803,
    "Vts": 0.0402718819788,
    "Vub": 0.00369506677986,
    "Vud": 0.9744766575,
    "Vus": 0.22445843818
  },
  "ckm_ref_abs": {
    "Vcb": 0.0417350923204,
    "Vcd": 0.22414443499,
    "Vcs": 0.973661878853,
    "Vtb": 0.999121959575,
    "Vtd": 0.0123583669079,
    "Vts": 0.0400322452747,
    "Vub": 0.00367314080403,
    "Vud": 0.974477574411,
    "Vus": 0.224454817293
  },
  "contrib_fit_top": [
    {
      "chi2": 1.95910819361,

```

```

    "key": "Vts",
    "mean": 0.04111,
    "pred": 0.0400322452747,
    "sigma": 0.00077
  },
  {
    "chi2": 1.15399766408,
    "key": "Vcs",
    "mean": 0.97349,
    "pred": 0.973661878853,
    "sigma": 0.00016
  },
  {
    "chi2": 1.138504723,
    "key": "Vcd",
    "mean": 0.22487,
    "pred": 0.22414443499,
    "sigma": 0.00068
  },
  {
    "chi2": 0.666582694104,
    "key": "Vus",
    "mean": 0.22501,
    "pred": 0.224454817293,
    "sigma": 0.00068
  },
  {
    "chi2": 0.635751187754,
    "key": "Vud",
    "mean": 0.97435,
    "pred": 0.974477574411,
    "sigma": 0.00016
  }
],
"contrib_holdout": [
  {
    "chi2": 395.4586285535808,
    "key": "Vtd",
    "mean": 0.00858,
    "pred": 0.0123583669079,
    "sigma": 0.00019
  },
  {
    "chi2": 0.427704314891,
    "key": "Vub",
    "mean": 0.003732,
    "pred": 0.00367314080403,
    "sigma": 9e-05
  }
],
"delta_M": 0.607909036634,
"delta_star": 0.608861992029,
"delta_used": 0.607909036634,
"unitarity_dev_ref": 4.4408920985164e-16
},
"top": [
  {
    "J_mt": 8.75351651866198e-06,
    "J_ref": 8.64968682553e-06,
    "candidate": {
      "complexity": 6,
      "delta_mode": "koide_pi_over_12",
      "delta_source": "delta_star",
      "s13_mode": "A_lam3_times_1_minus_delta"
    },
    "chi2_fit": 2.47465843398738,
    "chi2_holdout": 185.88742297673767,
    "chi2_total": 188.36208141072504,
    "ckm_mt_abs": {
      "Vcb": 0.0419849467387,
      "Vcd": 0.224407725545,
      "Vcs": 0.973590487301,
      "Vtb": 0.999111443742,
      "Vtd": 0.0060294076396,
      "Vts": 0.0417129383655,
      "Vub": 0.00368608612447,
      "Vud": 0.974476689798,
      "Vus": 0.224458445619
    },
    "ckm_ref_abs": {
      "Vcb": 0.0417350876163,
      "Vcd": 0.224407690306,
      "Vcs": 0.973601238184,
      "Vtb": 0.999121992914,

```

```

"Vtd": 0.00599349710197,
"Vts": 0.0414646990516,
"Vub": 0.00366411470972,
"Vud": 0.974476919441,
"Vus": 0.224457808373
},
"contrib_fit_top": [
{
"chi2": 0.659419536004,
"key": "Vus",
"mean": 0.22501,
"pred": 0.224457808373,
"sigma": 0.00068
},
{
"chi2": 0.629240023616,
"key": "Vud",
"mean": 0.97435,
"pred": 0.974476919441,
"sigma": 0.00016
},
{
"chi2": 0.483356779316,
"key": "Vcs",
"mean": 0.97349,
"pred": 0.973601238184,
"sigma": 0.00016
},
{
"chi2": 0.462219405545,
"key": "Vcd",
"mean": 0.22487,
"pred": 0.224407690306,
"sigma": 0.00068
},
{
"chi2": 0.212196689473,
"key": "Vts",
"mean": 0.04111,
"pred": 0.0414646990516,
"sigma": 0.00077
}
],
"contrib_holdout": [
{
"chi2": 185.31848314504813,
"key": "Vtd",
"mean": 0.00858,
"pred": 0.00599349710197,
"sigma": 0.00019
},
{
"chi2": 0.56893983169,
"key": "Vub",
"mean": 0.003732,
"pred": 0.00366411470972,
"sigma": 9e-05
}
],
"delta_M": 0.607909036634,
"delta_star": 0.608861992029,
"delta_used": 0.608861992029,
"unitarity_dev_ref": 8.88178419701e-16
},
{
"J_mt": 8.77484270816e-06,
"J_ref": 8.67075928648e-06,
"candidate": {
"complexity": 7,
"delta_mode": "koide_pi_over_12",
"delta_source": "tau_mu",
"s13_mode": "A_lam3_times_1_minus_delta"
},
"chi2_fit": 2.47506334909,
"chi2_holdout": 186.8882685716757,
"chi2_total": 189.3633319207652,
"ckm_mt_abs": {
"Vcb": 0.0419849453471,
"Vcd": 0.224408080475,
"Vcs": 0.973590405551,
"Vtb": 0.999111410627,
"Vtd": 0.0060214122964,
"Vts": 0.0417148864108,
"Vub": 0.00369506677986,
"Vud": 0.9744766575,

```

```

    "Vus": 0.22445843818
  },
  "ckm_ref_abs": {
    "Vcb": 0.0417350835838,
    "Vcd": 0.224408040013,
    "Vcs": 0.973601157752,
    "Vtb": 0.999121960307,
    "Vtd": 0.00598554937448,
    "Vts": 0.0414666327522,
    "Vub": 0.0036730411613,
    "Vud": 0.974476887759,
    "Vus": 0.224457800026
  },
  "contrib_fit_top": [
    {
      "chi2": 0.659439471234,
      "key": "Vus",
      "mean": 0.22501,
      "pred": 0.224457800026,
      "sigma": 0.00068
    },
    {
      "chi2": 0.628925912094,
      "key": "Vud",
      "mean": 0.97435,
      "pred": 0.974476887759,
      "sigma": 0.00016
    },
    {
      "chi2": 0.48265803905,
      "key": "Vcs",
      "mean": 0.97349,
      "pred": 0.973601157752,
      "sigma": 0.00016
    },
    {
      "chi2": 0.461520392677,
      "key": "Vcd",
      "mean": 0.22487,
      "pred": 0.224408040013,
      "sigma": 0.00068
    },
    {
      "chi2": 0.214516646845,
      "key": "Vts",
      "mean": 0.04111,
      "pred": 0.0414666327522,
      "sigma": 0.00077
    }
  ],
  "contrib_holdout": [
    {
      "chi2": 186.45911490987586,
      "key": "Vtd",
      "mean": 0.00858,
      "pred": 0.00598554937448,
      "sigma": 0.00019
    },
    {
      "chi2": 0.4291536618,
      "key": "Vub",
      "mean": 0.003732,
      "pred": 0.0036730411613,
      "sigma": 9e-05
    }
  ],
  "delta_M": 0.607909036634,
  "delta_star": 0.608861992029,
  "delta_used": 0.607909036634,
  "unitarity_dev_ref": 4.44089209850063e-16
},
{
  "J_mt": 7.45989812395e-06,
  "J_ref": 7.3714128799e-06,
  "candidate": {
    "complexity": 5,
    "delta_mode": "koide_pi_over_12",
    "delta_source": "delta_star",
    "s13_mode": "A_lam3_over_3"
  },
  "chi2_fit": 2.47911242142,
  "chi2_holdout": 168.10522472179576,
  "chi2_total": 170.58433714321654,
  "ckm_mt_abs": {
    "Vcb": 0.0419850248159,

```

```

    "Vcd": 0.224386196146,
    "Vcs": 0.973595446102,
    "Vtb": 0.999113301737,
    "Vtd": 0.00651798713915,
    "Vts": 0.041594784959,
    "Vub": 0.00314133464349,
    "Vud": 0.974478501981,
    "Vus": 0.224458863033
  },
  "ckm_ref_abs": {
    "Vcb": 0.0417351650112,
    "Vcd": 0.22438616832,
    "Vcs": 0.97360619527,
    "Vtb": 0.999123828841,
    "Vtd": 0.00647916691203,
    "Vts": 0.0413472494741,
    "Vub": 0.00312260218892,
    "Vud": 0.974478767271,
    "Vus": 0.224457972665
  },
  "contrib_fit_top": [
    {
      "chi2": 0.659027202806,
      "key": "Vus",
      "mean": 0.22501,
      "pred": 0.224457972665,
      "sigma": 0.00068
    },
    {
      "chi2": 0.64769570977,
      "key": "Vud",
      "mean": 0.97435,
      "pred": 0.974478767271,
      "sigma": 0.00016
    },
    {
      "chi2": 0.527396123456,
      "key": "Vcs",
      "mean": 0.97349,
      "pred": 0.97360619527,
      "sigma": 0.00016
    },
    {
      "chi2": 0.506256691896,
      "key": "Vcd",
      "mean": 0.22487,
      "pred": 0.22438616832,
      "sigma": 0.00068
    },
    {
      "chi2": 0.094935592759,
      "key": "Vts",
      "mean": 0.04111,
      "pred": 0.0413472494741,
      "sigma": 0.00077
    }
  ],
  "contrib_holdout": [
    {
      "chi2": 122.25760840730828,
      "key": "Vtd",
      "mean": 0.00858,
      "pred": 0.00647916691203,
      "sigma": 0.00019
    },
    {
      "chi2": 45.8476163145,
      "key": "Vub",
      "mean": 0.003732,
      "pred": 0.00312260218892,
      "sigma": 9e-05
    }
  ],
  "delta_M": 0.607909036634,
  "delta_star": 0.608861992029,
  "delta_used": 0.608861992029,
  "unitarity_dev_ref": 1.00043853482e-15
},
{
  "J_mt": 7.45989812395e-06,
  "J_ref": 7.37141222948e-06,
  "candidate": {
    "complexity": 6,
    "delta_mode": "koide_pi_over_12",
    "delta_source": "tau_mu",

```

```

    "s13_mode": "A_lam3_over_3"
  },
  "chi2_fit": 2.47915866598,
  "chi2_holdout": 168.10534582836328,
  "chi2_total": 170.58450449434665,
  "ckm_mt_abs": {
    "Vcb": 0.0419850248159,
    "Vcd": 0.224386196146,
    "Vcs": 0.973595446102,
    "Vtb": 0.999113301737,
    "Vtd": 0.00651798713916,
    "Vts": 0.041594784959,
    "Vub": 0.00314133464349,
    "Vud": 0.974478501981,
    "Vus": 0.224458863033
  },
  "ckm_ref_abs": {
    "Vcb": 0.0417351623675,
    "Vcd": 0.224386163203,
    "Vcs": 0.973606196563,
    "Vtb": 0.999123828954,
    "Vtd": 0.00647916691196,
    "Vts": 0.0413472467448,
    "Vub": 0.00312260138412,
    "Vud": 0.97447876845,
    "Vus": 0.22445796756
  },
  "contrib_fit_top": [
    {
      "chi2": 0.659039390777,
      "key": "Vus",
      "mean": 0.22501,
      "pred": 0.22445796756,
      "sigma": 0.00068
    },
    {
      "chi2": 0.647707563864,
      "key": "Vud",
      "mean": 0.97435,
      "pred": 0.97447876845,
      "sigma": 0.00016
    },
    {
      "chi2": 0.527407858544,
      "key": "Vcs",
      "mean": 0.97349,
      "pred": 0.973606196563,
      "sigma": 0.00016
    },
    {
      "chi2": 0.506267401064,
      "key": "Vcd",
      "mean": 0.22487,
      "pred": 0.224386163203,
      "sigma": 0.00068
    },
    {
      "chi2": 0.094933408517,
      "key": "Vts",
      "mean": 0.04111,
      "pred": 0.0413472467448,
      "sigma": 0.00077
    }
  ],
  "contrib_holdout": [
    {
      "chi2": 122.25760841601507,
      "key": "Vtd",
      "mean": 0.00858,
      "pred": 0.00647916691196,
      "sigma": 0.00019
    },
    {
      "chi2": 45.84773741234822,
      "key": "Vub",
      "mean": 0.003732,
      "pred": 0.00312260138412,
      "sigma": 9e-05
    }
  ],
  "delta_M": 0.607909036634,
  "delta_star": 0.608861992029,
  "delta_used": 0.607909036634,
  "unitarity_dev_ref": 1.99840144433e-15
},

```

```

{
  "J_mt": 3.1862274907e-05,
  "J_ref": 3.14843571005e-05,
  "candidate": {
    "complexity": 4,
    "delta_mode": "pi_times_1_minus_delta",
    "delta_source": "delta_star",
    "sl3_mode": "A_lam3_times_1_minus_delta"
  },
  "chi2_fit": 2.72733324839,
  "chi2_holdout": 2.37820415529,
  "chi2_total": 5.10553740368344,
  "ckm_mt_abs": {
    "Vcb": 0.0419849467387,
    "Vcd": 0.224312671938,
    "Vcs": 0.973612391794,
    "Vtb": 0.999111443742,
    "Vtd": 0.00888854591775,
    "Vts": 0.0411985040388,
    "Vub": 0.00368608612447,
    "Vud": 0.974476689798,
    "Vus": 0.224458445619
  },
  "ckm_ref_abs": {
    "Vcb": 0.0417350907209,
    "Vcd": 0.224312690318,
    "Vcs": 0.973623129945,
    "Vtb": 0.999121992654,
    "Vtd": 0.00883560890963,
    "Vts": 0.0409533369752,
    "Vub": 0.00366415020497,
    "Vud": 0.974477166986,
    "Vus": 0.224456733082
  },
  "contrib_fit_top": [
    {
      "chi2": 0.692327436225,
      "key": "Vcs",
      "mean": 0.97349,
      "pred": 0.973623129945,
      "sigma": 0.00016
    },
    {
      "chi2": 0.671700003036,
      "key": "Vcd",
      "mean": 0.22487,
      "pred": 0.224312690318,
      "sigma": 0.00068
    },
    {
      "chi2": 0.661990230257,
      "key": "Vus",
      "mean": 0.22501,
      "pred": 0.224456733082,
      "sigma": 0.00068
    },
    {
      "chi2": 0.631696967668,
      "key": "Vud",
      "mean": 0.97435,
      "pred": 0.974477166986,
      "sigma": 0.00016
    },
    {
      "chi2": 0.0413953505326,
      "key": "Vts",
      "mean": 0.04111,
      "pred": 0.0409533369752,
      "sigma": 0.00077
    }
  ],
  "contrib_holdout": [
    {
      "chi2": 1.80985913244,
      "key": "Vtd",
      "mean": 0.00858,
      "pred": 0.00883560890963,
      "sigma": 0.00019
    },
    {
      "chi2": 0.568345022852,
      "key": "Vub",
      "mean": 0.003732,
      "pred": 0.00366415020497,
      "sigma": 9e-05
    }
  ]
}

```



```

    }
  ],
  "delta_M": 0.607909036634,
  "delta_star": 0.608861992029,
  "delta_used": 0.608861992029,
  "unitarity_dev_ref": 8.88178419703e-16
},
{
  "J_mt": 3.1973797987e-05,
  "J_ref": 3.15945547206e-05,
  "candidate": {
    "complexity": 5,
    "delta_mode": "pi_times_1_minus_delta",
    "delta_source": "tau_mu",
    "sl3_mode": "A_lam3_times_1_minus_delta"
  },
  "chi2_fit": 2.72918490764,
  "chi2_holdout": 2.3993206571,
  "chi2_total": 5.12850556474,
  "ckm_mt_abs": {
    "Vcb": 0.0419849453471,
    "Vcd": 0.224312368865,
    "Vcs": 0.97361246168,
    "Vtb": 0.999111410627,
    "Vtd": 0.00889972823271,
    "Vts": 0.0411968929859,
    "Vub": 0.00369506677986,
    "Vud": 0.9744766575,
    "Vus": 0.224458438179
  },
  "ckm_ref_abs": {
    "Vcb": 0.0417350867553,
    "Vcd": 0.224312382351,
    "Vcs": 0.973623201068,
    "Vtb": 0.999121960041,
    "Vtd": 0.00884672463813,
    "Vts": 0.0409517328907,
    "Vub": 0.00367307733379,
    "Vud": 0.974477137026,
    "Vus": 0.224456717244
  },
  "contrib_fit_top": [
    {
      "chi2": 0.693067361392,
      "key": "Vcs",
      "mean": 0.97349,
      "pred": 0.973623201068,
      "sigma": 0.00016
    },
    {
      "chi2": 0.672442565285,
      "key": "Vcd",
      "mean": 0.22487,
      "pred": 0.224312382351,
      "sigma": 0.00068
    },
    {
      "chi2": 0.662028132385,
      "key": "Vus",
      "mean": 0.22501,
      "pred": 0.224456717244,
      "sigma": 0.00068
    },
    {
      "chi2": 0.631399354306,
      "key": "Vud",
      "mean": 0.97435,
      "pred": 0.974477137026,
      "sigma": 0.00016
    },
    {
      "chi2": 0.0422473905869,
      "key": "Vts",
      "mean": 0.04111,
      "pred": 0.0409517328907,
      "sigma": 0.00077
    }
  ],
  "contrib_holdout": [
    {
      "chi2": 1.97069342338,
      "key": "Vtd",
      "mean": 0.00858,
      "pred": 0.00884672463813,
      "sigma": 0.00019
    }
  ]
}

```

```

    },
    {
      "chi2": 0.428627233718,
      "key": "Vub",
      "mean": 0.003732,
      "pred": 0.00367307733379,
      "sigma": 9e-05
    }
  ],
  "delta_M": 0.607909036634,
  "delta_star": 0.608861992029,
  "delta_used": 0.607909036634,
  "unitarity_dev_ref": 7.43360581994e-16
},
{
  "J_mt": 2.71535815689e-05,
  "J_ref": 2.68315122439e-05,
  "candidate": {
    "complexity": 3,
    "delta_mode": "pi_times_1_minus_delta",
    "delta_source": "delta_star",
    "sl3_mode": "A_lam3_over_3"
  },
  "chi2_fit": 2.82210898489,
  "chi2_holdout": 47.51763659810416,
  "chi2_total": 50.3397455829968,
  "ckm_mt_abs": {
    "Vcb": 0.0419850248159,
    "Vcd": 0.224305184882,
    "Vcs": 0.973614113356,
    "Vtb": 0.999113301737,
    "Vtd": 0.00887880692043,
    "Vts": 0.0411555230777,
    "Vub": 0.00314133464349,
    "Vud": 0.974478501981,
    "Vus": 0.224458863033
  },
  "ckm_ref_abs": {
    "Vcb": 0.041735167657,
    "Vcd": 0.224305202746,
    "Vcs": 0.973624851676,
    "Vtb": 0.999123828619,
    "Vtd": 0.00882592790591,
    "Vts": 0.0409106108738,
    "Vub": 0.00312263768437,
    "Vud": 0.974478978233,
    "Vus": 0.224457056285
  },
  "contrib_fit_top": [
    {
      "chi2": 0.710350571572,
      "key": "Vcs",
      "mean": 0.97349,
      "pred": 0.973624851676,
      "sigma": 0.00016
    },
    {
      "chi2": 0.689870109537,
      "key": "Vcd",
      "mean": 0.22487,
      "pred": 0.224305202746,
      "sigma": 0.00068
    },
    {
      "chi2": 0.661217024766,
      "key": "Vus",
      "mean": 0.22501,
      "pred": 0.224457056285,
      "sigma": 0.00068
    },
    {
      "chi2": 0.6498197097,
      "key": "Vud",
      "mean": 0.97435,
      "pred": 0.974478978233,
      "sigma": 0.00016
    },
    {
      "chi2": 0.0670535058911,
      "key": "Vts",
      "mean": 0.04111,
      "pred": 0.0409106108738,
      "sigma": 0.00077
    }
  ]
},
],

```

```

"contrib_holdout": [
  {
    "chi2": 45.8422755204,
    "key": "Vub",
    "mean": 0.003732,
    "pred": 0.00312263768437,
    "sigma": 9e-05
  },
  {
    "chi2": 1.67536107766,
    "key": "Vtd",
    "mean": 0.00858,
    "pred": 0.00882592790591,
    "sigma": 0.00019
  }
],
"delta_M": 0.607909036634,
"delta_star": 0.608861992029,
"delta_used": 0.608861992029,
"unitarity_dev_ref": 8.881784197e-16
},
{
  "J_mt": 2.71823989958e-05,
  "J_ref": 2.68599855497e-05,
  "candidate": {
    "complexity": 4,
    "delta_mode": "pi_times_1_minus_delta",
    "delta_source": "tau_mu",
    "sl3_mode": "A_lam3_over_3"
  },
  "chi2_fit": 2.82527590794,
  "chi2_holdout": 47.64395650647081,
  "chi2_total": 50.46923241440659,
  "ckm_mt_abs": {
    "Vcb": 0.0419850248159,
    "Vcd": 0.224304822267,
    "Vcs": 0.973614196897,
    "Vtb": 0.999113301737,
    "Vtd": 0.00888796292684,
    "Vts": 0.041153546714,
    "Vub": 0.00314133464349,
    "Vud": 0.974478501981,
    "Vus": 0.224458863033
  },
  "ckm_ref_abs": {
    "Vcb": 0.0417351650638,
    "Vcd": 0.224304835182,
    "Vcs": 0.973624936467,
    "Vtb": 0.999123828728,
    "Vtd": 0.00883502939188,
    "Vts": 0.0409086436326,
    "Vub": 0.0031226375568,
    "Vud": 0.97447898036308,
    "Vus": 0.224457047038
  },
  "contrib_fit_top": [
    {
      "chi2": 0.711244148542,
      "key": "Vcs",
      "mean": 0.97349,
      "pred": 0.973624936467,
      "sigma": 0.00016
    },
    {
      "chi2": 0.690768319895,
      "key": "Vcd",
      "mean": 0.22487,
      "pred": 0.224304835182,
      "sigma": 0.00068
    },
    {
      "chi2": 0.661239138594,
      "key": "Vus",
      "mean": 0.22501,
      "pred": 0.224457047038,
      "sigma": 0.00068
    },
    {
      "chi2": 0.649841174228,
      "key": "Vud",
      "mean": 0.97435,
      "pred": 0.97447898036308,
      "sigma": 0.00016
    }
  ],
  {

```

```

        "chi2": 0.0683831787699,
        "key": "Vts",
        "mean": 0.04111,
        "pred": 0.0409086436326,
        "sigma": 0.00077
    }
],
"contrib_holdout": [
    {
        "chi2": 45.8422947136,
        "key": "Vub",
        "mean": 0.003732,
        "pred": 0.0031226375568,
        "sigma": 9e-05
    },
    {
        "chi2": 1.80166179284,
        "key": "Vtd",
        "mean": 0.00858,
        "pred": 0.00883502939188,
        "sigma": 0.00019
    }
],
"delta_M": 0.607909036634,
"delta_star": 0.608861992029,
"delta_used": 0.607909036634,
"unitarity_dev_ref": 8.881784197e-16
}
]
}
},
"schema_version": 1,
"spec": {
    "assumptions": [],
    "determinism": "Deterministic (finite discrete scan; no randomness).",
    "formulas": [
        "holdout split: fit on 7 CKM entries; hold out the small elements Vub and Vtd",
        "no continuous tuning; only discrete convention choices"
    ],
    "gaps": [],
    "inputs": [
        "CKM reference snapshot: tfpt_suite/data/ckm_reference.json (diagnostic, scale-labeled)",
        "SM mt boundary conditions: tfpt_suite/rge_sm.py (from sm_inputs_mz.json)",
        "PyR@TE 2-loop runner: tfpt_suite/rge_pyrate_2loop.py (mt\u2192\u03bc_ref short run)",
        "discrete convention space: {delta_source}\u00d7{s13_mode}\u00d7{delta_mode}"
    ],
    "maturity": null,
    "module_id": "ux_flavor_holdout_search",
    "name": "Unconventional: flavor holdout search (discrete CKM phase-map conventions)",
    "objective": [],
    "outputs": [
        "ranked candidates by \u03c7\u00b2_fit (with \u03c7\u00b2_holdout reported separately)",
        "top-k candidates with full per-entry contributions"
    ],
    "question": null,
    "references": [],
    "validation": [
        "all candidates are evaluated deterministically and yield finite \u03c7\u00b2 values",
        "report the best candidate under the holdout protocol"
    ],
    "what_was_done": []
},
"warnings": []
}

```

ux_gravity_gaugefix_ga

```

{
    "checks": [
        {
            "check_id": "ga_found_laplace_type_candidate",
            "detail": "best |c_nonmin|=0.000e+00 with genome=GaugeFixingGenome(family='lorenz', gamma=1.0, xi=1.0)",
            "passed": true,
            "severity": null
        },
        {
            "check_id": "ga_best_close_to_analytic_optimum",
            "detail": "analytic optimum in chosen family: xi*=gamma=1.0 gives c_nonmin=0.000e+00",
            "passed": true,
            "severity": null
        },
        {
            "check_id": "discrete_closed_form_optimum_is_laplace_type",
            "detail": "best discrete candidate=GaugeFixingGenome(family='lorenz', gamma=1.0, xi=1.0) with c_nonmin=0.0",

```

```

    "passed": true,
    "severity": null
  },
  {
    "check_id": "effective_action_r2_operator_spec_present",
    "detail": "path=tfpt-suite/tfpt_suite/data/effective_action_r2_operator_spec.json",
    "passed": true,
    "severity": null
  }
],
"module_id": "ux_gravity_gaugefix_ga",
"plot": {
  "gravity_gaugefix_ga_png": "tfpt-suite/out/unconventional/ux_gravity_gaugefix_ga/gravity_gaugefix_ga.png"
},
"results": {
  "analytic": {
    "c_nonmin_star": 0.0,
    "family": "lorenz",
    "gamma_eff": 1.0,
    "xi_star": 1.0
  },
  "discrete_optimum": {
    "best": {
      "c_nonmin": 0.0,
      "family": "lorenz",
      "gamma": 1.0,
      "xi": 1.0
    }
  },
  "docking_context": {
    "blocks_count": 4,
    "effective_action_r2_operator_spec": "tfpt-suite/tfpt_suite/data/effective_action_r2_operator_spec.json",
    "spec_note": "OperatorSpec for effective_action_r2 on a 4D constant-curvature background. This file is generated deterministically from the canonical microscopic action spec (tfpt_suite/data/microscopic_action_tfpt_v25.json) using the K4 closure equation for the minimal Laplace-type torsion+ghost block operator."
  },
  "ga": {
    "best": {
      "c_nonmin": 0.0,
      "family": "lorenz",
      "gamma": 1.0,
      "score": 0.0,
      "xi": 1.0
    }
  },
  "elite": 12,
  "generations": 40,
  "population": 64,
  "top10": [
    {
      "c_nonmin": 0.0,
      "family": "lorenz",
      "gamma": 1.0,
      "score": 0.0,
      "xi": 1.0
    },
    {
      "c_nonmin": 0.0,
      "family": "weighted",
      "gamma": 0.5,
      "score": 0.0,
      "xi": 0.5
    },
    {
      "c_nonmin": 0.0,
      "family": "weighted",
      "gamma": 1.0,
      "score": 0.0,
      "xi": 1.0
    },
    {
      "c_nonmin": 0.0,
      "family": "weighted",
      "gamma": 2.0,
      "score": 0.0,
      "xi": 2.0
    },
    {
      "c_nonmin": 0.0,
      "family": "weighted",
      "gamma": 3.0,
      "score": 0.0,
      "xi": 3.0
    },
    {
      "c_nonmin": 0.0,

```

```

    "family": "weighted",
    "gamma": 0.5,
    "score": 0.0,
    "xi": 0.5
  },
  {
    "c_nonmin": 0.0,
    "family": "weighted",
    "gamma": 3.0,
    "score": 0.0,
    "xi": 3.0
  },
  {
    "c_nonmin": 0.0,
    "family": "lorenz",
    "gamma": 1.0,
    "score": 0.0,
    "xi": 1.0
  },
  {
    "c_nonmin": 0.0,
    "family": "weighted",
    "gamma": 1.0,
    "score": 0.0,
    "xi": 1.0
  },
  {
    "c_nonmin": 0.0,
    "family": "lorenz",
    "gamma": 1.0,
    "score": 0.0,
    "xi": 1.0
  }
],
"plot": {
  "gravity_gaugefix_ga_png": "tfpt-suite/out/unconventional/ux_gravity_gaugefix_ga/gravity_gaugefix_ga.png"
},
"toy_model": {
  "c_nonmin_definition": "1 - gamma/xi",
  "laplace_type_condition": "c_nonmin=0 \u21d4 xi=gamma"
}
},
"schema_version": 1,
"spec": {
  "assumptions": [],
  "determinism": "Deterministic given config seed (GA uses Python's random).",
  "formulas": [
    "toy nonminimal coefficient: c_nonmin = 1 - \u03b3/\u03be",
    "Laplace-type achieved when c_nonmin = 0 (\u21d2 \u03be=\u03b3)"
  ],
  "gaps": [],
  "inputs": [
    "toy operator family for a vector torsion mode with gauge parameter \u03be",
    "SuiteConfig.seed (deterministic GA search)",
    "optional context: effective_action_r2 OperatorSpec (for docking narrative)"
  ],
  "maturity": null,
  "module_id": "ux_gravity_gaugefix_ga",
  "name": "Unconventional: gravitation gauge-fixing GA (toy nonminimal \u2192 Laplace-type)",
  "objective": [],
  "outputs": [
    "best genome (family, \u03b3, \u03be) minimizing nonminimal coefficient",
    "population summary and analytic optimum comparison"
  ],
  "question": null,
  "references": [],
  "validation": [
    "GA finds a candidate with |c_nonmin| \u2264 1",
    "best \u03be is close to the analytic minimum \u03be=\u03b3 in the chosen family"
  ],
  "what_was_done": []
},
"warnings": []
}

```

ux_matching_metamorphic_audit

```

{
  "checks": [
    {
      "check_id": "alpha3_threshold_up_down_near_identity",
      "detail": "max_rel_err=2.211e-16 (tol=1.0e-05); max_abs_err=5.551e-17; samples=500",
      "passed": true,

```

```

    "severity": null
  },
  {
    "check_id": "match_gauge_finite_delta_up_down_identity",
    "detail": "max_rel_err=3.075e-16 (tol=1.0e-12); max_abs_err=4.441e-16; samples=400",
    "passed": true,
    "severity": null
  }
],
"module_id": "ux_matching_metamorphic_audit",
"plot": {
  "matching_metamorphic_errors_png": "tfpt-suite/out/unconventional/ux_matching_metamorphic_audit/matching_metamorphic_errors.png",
  "results": {
    "alpha3_threshold": {
      "max_abs_error": 5.55111512313e-17,
      "max_rel_error": 2.21086020391e-16,
      "tolerance_rel": 1e-05,
      "worst_case": {
        "abs_error": 5.55111512313e-17,
        "inputs": {
          "alpha3": 0.271628125627
        },
        "label": "alpha3_threshold_up_then_down",
        "outputs": {
          "alpha3_back": 0.271628125627,
          "alpha3_up": 0.271318953139
        },
        "rel_error": 2.04364518965e-16
      }
    },
    "gauge_finite_matching": {
      "max_abs_error": 4.4408920985e-16,
      "max_rel_error": 3.07543437718e-16,
      "tolerance_rel": 1e-12,
      "worst_case": {
        "abs_error": 4.4408920985e-16,
        "inputs": {
          "dalpha2": 6.41402901711e-06,
          "dalpha3": 8.68898652304e-06,
          "dalphaY": -7.68382382367e-06,
          "g2": 0.439191452894,
          "g3": 1.44398857327,
          "gY": 0.230732794729
        },
        "label": "match_gauge_finite_delta_up_then_down",
        "outputs": {
          "g2_back": 0.439191452894,
          "g2_up": 0.439283204051,
          "g3_back": 1.44398857327,
          "g3_up": 1.44402638091,
          "gY_back": 0.230732794729,
          "gY_up": 0.230523458211
        },
        "rel_error": 3.07543437718e-16
      }
    },
    "plot": {
      "matching_metamorphic_errors_png": "tfpt-suite/out/unconventional/ux_matching_metamorphic_audit/matching_metamorphic_errors.png",
      "samples": {
        "alpha3": 500,
        "gauge": 400
      }
    },
    "schema_version": 1,
    "spec": {
      "assumptions": [],
      "determinism": "Deterministic given config seed + precision.",
      "formulas": [
        "Metamorphic property examples:",
        "- \u03b13 threshold: down(up(\u03b13)) \u2248 \u03b13 (within truncation order)",
        "- finite gauge matching: down(up(g_i, \u03b14)) = g_i (should be exact up to float rounding)"
      ],
      "gaps": [],
      "inputs": [
        "\tfpt_suite/matching.py` primitives",
        "deterministic RNG seed (SuiteConfig.seed)"
      ],
      "maturity": null,
      "module_id": "ux_matching_metamorphic_audit",
      "name": "Unconventional: matching metamorphic audit (invertibility + stability)",
      "objective": [],

```

```

"outputs": [
  "max abs/rel errors for metamorphic properties",
  "worst-case counterexamples (if any)"
],
"question": null,
"references": [],
"validation": [
  "report max observed errors and fail explicitly if they exceed conservative tolerances"
],
"what_was_done": []
},
"warnings": []
}

```

ux_omega_b_aps_bridge

```

{
  "checks": [
    {
      "check_id": "aps_spectral_flow_m1",
      "detail": "m=1 periodic: numeric_sf=1, winding=1",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "delta_gamma_equals_2pi",
      "detail": "\u0394\u0393=2\u03c0\u00b7SF with SF=1 \u21d2 \u0394\u0393=6.28318530718",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "K_candidate_equals_4pi_minus_1",
      "detail": "K_candidate=2\u0394\u0393\u22121=11.5663706144 (vs 4\u03c0\u22121)",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "omega_b_pred_positive",
      "detail": "\u03a9_b_pred=0.0489406626655",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "omega_b_pred_close_to_planck_ref_diagnostic",
      "detail": "\u03a9_b_ref=0.0493016923285 \u00b7 8.568114e-04; z=0.421364201619",
      "passed": true,
      "severity": null
    }
  ],
  "module_id": "ux_omega_b_aps_bridge",
  "plot": {
    "omega_b_aps_bridge_png": "tfpt-suite/out/unconventional/ux_omega_b_aps_bridge/omega_b_aps_bridge.png"
  },
  "results": {
    "aps_seam": {
      "delta_gamma": "6.28318530718",
      "epsilon": 0.001,
      "m": 1,
      "spectral_flow": 1,
      "spin": "periodic",
      "winding": 1
    },
    "bridge": {
      "K_candidate": "11.5663706144",
      "assumptions": [
        {
          "id": "aps_seam_term_toy_model",
          "statement": "Use the 1D Dirac-family toy model of the seam operator (Appendix seam) where \u0394\u0393 := 2\u03c0\u00b7SF(U\u2212\u0393) for U\u2212\u0393(\u03b8)=exp(i m \u03b8).",
          "status": "implemented (see aps_eta_gluing)"
        },
        {
          "id": "minimal_nontrivial_class_m_eq_1",
          "statement": "Use the minimal nontrivial winding class m=1 (so SF=1 in the toy model).",
          "status": "checked in aps_eta_gluing (minimal m with SF>0 is 1)"
        },
        {
          "id": "omega_b_coeff_equals_2_delta_gamma_minus_1",
          "statement": "Bridge postulate: the baryon coefficient K := \u03a9_b/\u03b2_rad equals (2\u00b7\u0394\u0393 \u2212 1) the same normalization.",
          "status": "conditional / to be replaced by an operator/anomaly-level derivation"
        }
      ],
      "conditional": true,

```



```

    "omega_b_pred": "0.0489406626655"
  },
  "plot": {
    "omega_b_aps_bridge_png": "tfpt-suite/out/unconventional/ux_omega_b_aps_bridge/omega_b_aps_bridge.png"
  },
  "reference": {
    "file": "tfpt-suite/tfpt_suite/data/global_reference_minimal.json",
    "implied_K": "11.6516944056",
    "omega_b_ref": "0.0493016923285",
    "sigma_implied_K": "0.20249416287",
    "sigma_omega_b_ref": "8.568114e-04",
    "z_score": "0.421364201619"
  },
  "tfpt": {
    "beta_rad": "0.0042312895114"
  }
},
"schema_version": 1,
"spec": {
  "assumptions": [],
  "determinism": "Deterministic; no randomness.",
  "formulas": [
    "APS seam term (toy-model):  $\omega_{0394}\omega_{0393} = 2\omega_{03c0}\omega_{00b7} SF(U_{\omega_{0393}})$ , with minimal nontrivial class  $m=1$   $\omega_{21d2} SF=1$   $\omega_{21d2}\omega_{0394}\omega_{0393}=2\omega_{03c0}$ ",
    "bridge (conditional):  $K_{candidate} = 2\omega_{00b7}\omega_{0394}\omega_{0393} \omega_{2212} 1$  ( $\omega_{21d2} 4\omega_{03c0} \omega_{2212} 1$ )",
    " $\omega_{03a9\_b\_pred} = K_{candidate} \omega_{00b7} \beta_{rad}$ "
  ],
  "gaps": [],
  "inputs": [
    "TFPT  $\beta_{rad} = \varphi/(4\omega_{03c0})$  from constants.py",
    "APS seam toy-model: spectral flow  $SF(U_{\omega_{0393}})$  for  $U_{\omega_{0393}}(\omega_{03b8})=\exp(i m \omega_{03b8})$  (module `aps_eta_gluing`)",
    "Planck 2018 reference ( $\omega_{03a9\_b} h^2$  and  $H_0$ ) for a diagnostic implied coefficient  $K := \omega_{03a9\_b}/\beta_{rad}$ "
  ],
  "maturity": null,
  "module_id": "ux_omega_b_aps_bridge",
  "name": "Unconventional:  $\omega_{03a9\_b}$  coefficient bridge via APS seam term ( $\omega_{0394}\omega_{0393}$ )",
  "objective": [],
  "outputs": [
    " $\omega_{0394}\omega_{0393}$  from APS spectral flow ( $m=1$ )",
    "candidate coefficient  $K_{candidate} := 2\omega_{00b7}\omega_{0394}\omega_{0393} \omega_{2212} 1$ ",
    " $\omega_{03a9\_b}$  prediction using  $K_{candidate}$  (diagnostic vs Planck-derived  $\omega_{03a9\_b}$ )"
  ],
  "question": null,
  "references": [],
  "validation": [
    "show numerically that  $K_{candidate}$  equals ( $4\omega_{03c0}\omega_{2212}1$ ) once  $\omega_{0394}\omega_{0393}=2\omega_{03c0}$  is fixed by the spectral-flow computation",
    "report agreement vs Planck-derived  $\omega_{03a9\_b}$  as diagnostic only"
  ],
  "what_was_done": []
},
"warnings": []
}

```

ux_threshold_graph_audit

```

{
  "checks": [
    {
      "check_id": "threshold_table_loaded",
      "detail": "nodes=[('MSigma', 1000.0), ('MG8', 18000000000.0), ('MPhi', 88600000000.0), ('MNR1', 10000000000000.0), ('MNR2', 3000000000000000.0), ('MNR3', 800000000000000.0)]",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "segments_ordered_matching_off",
      "detail": "segments=6",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "segments_ordered_matching_on",
      "detail": "segments=6",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "segment_count_matches_expected",
      "detail": "expected=6 from thresholds_in_range=['MSigma', 'MG8', 'MNR1', 'MNR2', 'MNR3']; got=6",
      "passed": true,
      "severity": null
    }
  ]
}

```

```

    "check_id": "matching_off_marks_blocked_thresholds",
    "detail": "publication_grade={'threshold_matching_ok': False, 'blocked_thresholds': ['MSigma', 'MG8', 'MNR1', 'MNR2', 'MNR3']}, 'note': \"Publication-grade threshold bookkeeping requires matching_active=True at each threshold boundary; if matching is disabled, segments are labeled 'continuous_by_assumption'.\",
    "passed": true,
    "severity": null
  },
  {
    "check_id": "matching_on_is_publication_grade_bookkeeping",
    "detail": "publication_grade={'threshold_matching_ok': True, 'blocked_thresholds': [], 'note': \"Publication-grade threshold bookkeeping requires matching_active=True at each threshold boundary; if matching is disabled, segments are labeled 'continuous_by_assumption'.\",
    "passed": true,
    "severity": null
  },
  {
    "check_id": "thresholds_marked_publication_grade",
    "detail": "threshold_statuses=[{'threshold_id': 'MSigma', 'status': 'identity_matching', 'component_status': {'gauge': 'matched_lloop_log_only_identity', 'yukawa': 'matched_lloop_log_only_identity', 'quartic': 'matched_lloop_log_only_identity'}}, {'threshold_id': 'MG8', 'status': 'identity_matching', 'component_status': {'gauge': 'matched_lloop_log_only_identity', 'yukawa': 'matched_lloop_log_only_identity', 'quartic': 'matched_lloop_log_only_identity'}}, {'threshold_id': 'MNR1', 'status': 'identity_matching', 'component_status': {'gauge': 'matched_lloop_log_only_identity', 'yukawa': 'matched_lloop_log_only_identity', 'quartic': 'matched_lloop_log_only_identity'}}, {'threshold_id': 'MNR2', 'status': 'identity_matching', 'component_status': {'gauge': 'matched_lloop_log_only_identity', 'yukawa': 'matched_lloop_log_only_identity', 'quartic': 'matched_lloop_log_only_identity'}}, {'threshold_id': 'MNR3', 'status': 'identity_matching', 'component_status': {'gauge': 'matched_lloop_log_only_identity', 'yukawa': 'matched_lloop_log_only_identity', 'quartic': 'matched_lloop_log_only_identity'}}]",
    "passed": true,
    "severity": null
  },
  {
    "check_id": "matching_on_no_blocked_thresholds",
    "detail": "blocked_thresholds=[]",
    "passed": true,
    "severity": null
  },
  {
    "check_id": "threshold_starts_have_explicit_matching_records_when_enabled",
    "detail": "threshold_segments=5, matching_active_true=5",
    "passed": true,
    "severity": null
  },
  {
    "check_id": "below_mz_alpha3_matching_changes_alpha_s",
    "detail": "alpha_s(mc) off=0.346914414, on=0.347983505, delta=+1.069e-03",
    "passed": true,
    "severity": null
  }
],
"module_id": "ux_threshold_graph_audit",
"plot": {
  "threshold_graph_png": "tfpt-suite/out/unconventional/ux_threshold_graph_audit/threshold_graph.png"
},
"results": {
  "below_mz_qcd_matching": {
    "alpha_s_mc_matching_off": 0.346914414088,
    "alpha_s_mc_matching_on": 0.347983505121,
    "delta_alpha_s_mc": 0.00106909103334,
    "mb_GeV": 4.18,
    "mc_GeV": 1.27,
    "mu_ref_mz_GeV": 91.1876
  },
  "boundary": {
    "g_start": [
      0.358711992555,
      0.64833418822,
      1.16763332436
    ],
    "mt_GeV": 172.76,
    "mu_ref_mz_GeV": 91.1876
  },
  "finite_piece_status": {
    "matching_on": [
      {
        "component_status": {
          "gauge": "matched_lloop_log_only_identity",
          "quartic": "matched_lloop_log_only_identity",
          "yukawa": "matched_lloop_log_only_identity"
        },
        "status": "identity_matching",
        "threshold_id": "MSigma"
      },
      {
        "component_status": {
          "gauge": "matched_lloop_log_only_identity",
          "quartic": "matched_lloop_log_only_identity"
        }
      }
    ]
  }
}

```

```

        "yukawa": "matched_lloop_log_only_identity"
    },
    "status": "identity_matching",
    "threshold_id": "MG8"
},
{
    "component_status": {
        "gauge": "matched_lloop_log_only_identity",
        "quartic": "matched_lloop_log_only_identity",
        "yukawa": "matched_lloop_log_only_identity"
    },
    "status": "identity_matching",
    "threshold_id": "MNR1"
},
{
    "component_status": {
        "gauge": "matched_lloop_log_only_identity",
        "quartic": "matched_lloop_log_only_identity",
        "yukawa": "matched_lloop_log_only_identity"
    },
    "status": "identity_matching",
    "threshold_id": "MNR2"
},
{
    "component_status": {
        "gauge": "matched_lloop_log_only_identity",
        "quartic": "matched_lloop_log_only_identity",
        "yukawa": "matched_lloop_log_only_identity"
    },
    "status": "identity_matching",
    "threshold_id": "MNR3"
}
],
"graph": {
    "edges_matching_off": [
        {
            "matching_active": null,
            "model": "sm_tfpt_2loop_v25",
            "mu_end_GeV": 1000.0,
            "mu_start_GeV": 172.76,
            "patches": [],
            "threshold_at_start": null
        },
        {
            "matching_active": false,
            "model": "e8_sigma_yN_2loop",
            "mu_end_GeV": 18000000000.0,
            "mu_start_GeV": 1000.0,
            "patches": [],
            "threshold_at_start": "MSigma"
        },
        {
            "matching_active": false,
            "model": "e8_sigma_yN_2loop",
            "mu_end_GeV": 10000000000000.0,
            "mu_start_GeV": 18000000000.0,
            "patches": [
                "delta_b3_g8"
            ],
            "threshold_at_start": "MG8"
        },
        {
            "matching_active": false,
            "model": "e8_sigma_yN_2loop",
            "mu_end_GeV": 30000000000000.0,
            "mu_start_GeV": 10000000000000.0,
            "patches": [
                "delta_b3_g8"
            ],
            "threshold_at_start": "MNR1"
        },
        {
            "matching_active": false,
            "model": "e8_sigma_yN_2loop",
            "mu_end_GeV": 80000000000000.0,
            "mu_start_GeV": 30000000000000.0,
            "patches": [
                "delta_b3_g8"
            ],
            "threshold_at_start": "MNR2"
        },
        {
            "matching_active": false,
            "model": "e8_sigma_yN_2loop",

```

```

        "mu_end_GeV": 1e+16,
        "mu_start_GeV": 800000000000000.0,
        "patches": [
            "delta_b3_g8"
        ],
        "threshold_at_start": "MNR3"
    }
},
"edges_matching_on": [
    {
        "matching_active": null,
        "model": "sm_tfpt_2loop_v25",
        "mu_end_GeV": 1000.0,
        "mu_start_GeV": 172.76,
        "patches": [],
        "threshold_at_start": null
    },
    {
        "matching_active": true,
        "model": "e8_sigma_yN_2loop",
        "mu_end_GeV": 18000000000.0,
        "mu_start_GeV": 1000.0,
        "patches": [],
        "threshold_at_start": "MSigma"
    },
    {
        "matching_active": true,
        "model": "e8_sigma_yN_2loop",
        "mu_end_GeV": 100000000000000.0,
        "mu_start_GeV": 18000000000.0,
        "patches": [
            "delta_b3_g8"
        ],
        "threshold_at_start": "MG8"
    },
    {
        "matching_active": true,
        "model": "e8_sigma_yN_2loop",
        "mu_end_GeV": 300000000000000.0,
        "mu_start_GeV": 100000000000000.0,
        "patches": [
            "delta_b3_g8"
        ],
        "threshold_at_start": "MNR1"
    },
    {
        "matching_active": true,
        "model": "e8_sigma_yN_2loop",
        "mu_end_GeV": 800000000000000.0,
        "mu_start_GeV": 300000000000000.0,
        "patches": [
            "delta_b3_g8"
        ],
        "threshold_at_start": "MNR2"
    },
    {
        "matching_active": true,
        "model": "e8_sigma_yN_2loop",
        "mu_end_GeV": 1e+16,
        "mu_start_GeV": 800000000000000.0,
        "patches": [
            "delta_b3_g8"
        ],
        "threshold_at_start": "MNR3"
    }
]
},
"plot": {
    "threshold_graph_png": "tfpt-suite/out/unconventional/ux_threshold_graph_audit/threshold_graph.png"
},
"runs": {
    "matching_off": {
        "publication_grade": {
            "blocked_thresholds": [
                "MSigma",
                "MG8",
                "MNR1",
                "MNR2",
                "MNR3"
            ],
            "note": "Publication-grade threshold bookkeeping requires matching_active=True at each threshold boundary; if matching
s disabled, segments are labeled 'continuous_by_assumption'.",
            "threshold_matching_ok": false
        }
    },
    "segments": [

```

```

{
  "delta_b3_active": false,
  "model": "sm_tfpt_2loop_v25",
  "mu_end": 1000.0,
  "mu_end_GeV": 1000.0,
  "mu_start": 172.76,
  "mu_start_GeV": 172.76,
  "patches": [],
  "patches_active": [],
  "threshold_actions_at_start": [],
  "threshold_match": null,
  "yN_active_cols": [
    false,
    false,
    false
  ]
},
{
  "delta_b3_active": false,
  "model": "e8_sigma_yN_2loop",
  "mu_end": 18000000000.0,
  "mu_end_GeV": 18000000000.0,
  "mu_start": 1000.0,
  "mu_start_GeV": 1000.0,
  "patches": [],
  "patches_active": [],
  "threshold_actions_at_start": [
    {
      "action": "beta_source_switch(sm\u2194e8)",
      "affected_parameters": [
        "g",
        "Yu",
        "Yd",
        "Ye",
        "lambda",
        "yN"
      ],
      "note": "Switch beta source SM\u2194E8 at \u03bc=MSigma (Sigma integrated in). No finite matching implemented yet."
    }
  ],
  "scale_GeV": 1000.0,
  "status": "continuous_by_assumption",
  "threshold_id": "MSigma"
},
{
  "threshold_match": {
    "matching_active": false,
    "note": "Switch beta source SM\u2194E8 at \u03bc=MSigma (Sigma integrated in). No finite matching implemented yet.",
    "status": "continuous_by_assumption",
    "threshold_id": "MSigma"
  },
  "threshold_transition_at_start": {
    "action": "beta_source_switch(sm\u2194e8)",
    "affected_parameters": [
      "g",
      "Yu",
      "Yd",
      "Ye",
      "lambda",
      "yN"
    ],
    "note": "Switch beta source SM\u2194E8 at \u03bc=MSigma (Sigma integrated in). No finite matching implemented yet.",
    "scale_GeV": 1000.0,
    "status": "continuous_by_assumption",
    "threshold_id": "MSigma"
  },
  "yN_active_cols": [
    false,
    false,
    false
  ]
},
{
  "delta_b3_active": true,
  "model": "e8_sigma_yN_2loop",
  "mu_end": 10000000000000.0,
  "mu_end_GeV": 10000000000000.0,
  "mu_start": 18000000000.0,
  "mu_start_GeV": 18000000000.0,
  "patches": [
    "delta_b3_g8"
  ],
  "patches_active": [
    "delta_b3_g8"
  ],
  "threshold_actions_at_start": [

```

```

    {
      "action": "beta_patch(\u0394b3)",
      "affected_parameters": [
        "g3"
      ],
      "note": "Apply \u0394b3 patch above MG8 (paper v1.06 note). No finite matching implemented yet.",
      "scale_GeV": 18000000000.0,
      "status": "continuous_by_assumption",
      "threshold_id": "MG8"
    }
  ],
  "threshold_match": {
    "matching_active": false,
    "note": "Apply \u0394b3 patch above MG8 (paper v1.06 note). No finite matching implemented yet.",
    "status": "continuous_by_assumption",
    "threshold_id": "MG8"
  },
  "threshold_transition_at_start": {
    "action": "beta_patch(\u0394b3)",
    "affected_parameters": [
      "g3"
    ],
    "note": "Apply \u0394b3 patch above MG8 (paper v1.06 note). No finite matching implemented yet.",
    "scale_GeV": 18000000000.0,
    "status": "continuous_by_assumption",
    "threshold_id": "MG8"
  },
  "yN_active_cols": [
    false,
    false,
    false
  ]
},
{
  "delta_b3_active": true,
  "model": "e8_sigma_yN_2loop",
  "mu_end": 30000000000000.0,
  "mu_end_GeV": 30000000000000.0,
  "mu_start": 10000000000000.0,
  "mu_start_GeV": 10000000000000.0,
  "patches": [
    "delta_b3_g8"
  ],
  "patches_active": [
    "delta_b3_g8"
  ],
  "threshold_actions_at_start": [
    {
      "action": "activate_yN_column",
      "affected_parameters": [
        "yN"
      ],
      "note": "Activate yN column above \u03bc=MNRi via projector. No finite matching implemented in this engine (PMNS E
FT does explicit tree-level \u03ba matching).",
      "scale_GeV": 10000000000000.0,
      "status": "continuous_by_assumption",
      "threshold_id": "MNR1"
    }
  ],
  "threshold_match": {
    "matching_active": false,
    "note": "Activate yN column above \u03bc=MNRi via projector. No finite matching implemented in this engine (PMNS E
does explicit tree-level \u03ba matching).",
    "status": "continuous_by_assumption",
    "threshold_id": "MNR1"
  },
  "threshold_transition_at_start": {
    "action": "activate_yN_column",
    "affected_parameters": [
      "yN"
    ],
    "note": "Activate yN column above \u03bc=MNRi via projector. No finite matching implemented in this engine (PMNS E
does explicit tree-level \u03ba matching).",
    "scale_GeV": 10000000000000.0,
    "status": "continuous_by_assumption",
    "threshold_id": "MNR1"
  },
  "yN_active_cols": [
    true,
    false,
    false
  ]
},
{
  "delta_b3_active": true,

```

```

"model": "e8_sigma_yN_2loop",
"mu_end": 800000000000000.0,
"mu_end_GeV": 800000000000000.0,
"mu_start": 300000000000000.0,
"mu_start_GeV": 300000000000000.0,
"patches": [
  "delta_b3_g8"
],
"patches_active": [
  "delta_b3_g8"
],
"threshold_actions_at_start": [
  {
    "action": "activate_yN_column",
    "affected_parameters": [
      "yN"
    ],
    "note": "Activate yN column above \u03bc=MNRi via projector. No finite matching implemented in this engine (PMNS E
FT does explicit tree-level \u03ba matching).",
    "scale_GeV": 300000000000000.0,
    "status": "continuous_by_assumption",
    "threshold_id": "MNR2"
  }
],
"threshold_match": {
  "matching_active": false,
  "note": "Activate yN column above \u03bc=MNRi via projector. No finite matching implemented in this engine (PMNS E
does explicit tree-level \u03ba matching).",
  "status": "continuous_by_assumption",
  "threshold_id": "MNR2"
},
"threshold_transition_at_start": {
  "action": "activate_yN_column",
  "affected_parameters": [
    "yN"
  ],
  "note": "Activate yN column above \u03bc=MNRi via projector. No finite matching implemented in this engine (PMNS E
does explicit tree-level \u03ba matching).",
  "scale_GeV": 300000000000000.0,
  "status": "continuous_by_assumption",
  "threshold_id": "MNR2"
},
"yN_active_cols": [
  true,
  true,
  false
]
},
{
  "delta_b3_active": true,
  "model": "e8_sigma_yN_2loop",
  "mu_end": 1e+16,
  "mu_end_GeV": 1e+16,
  "mu_start": 800000000000000.0,
  "mu_start_GeV": 800000000000000.0,
  "patches": [
    "delta_b3_g8"
  ],
  "patches_active": [
    "delta_b3_g8"
  ],
  "threshold_actions_at_start": [
    {
      "action": "activate_yN_column",
      "affected_parameters": [
        "yN"
      ],
      "note": "Activate yN column above \u03bc=MNRi via projector. No finite matching implemented in this engine (PMNS E
FT does explicit tree-level \u03ba matching).",
      "scale_GeV": 800000000000000.0,
      "status": "continuous_by_assumption",
      "threshold_id": "MNR3"
    }
  ],
  "threshold_match": {
    "matching_active": false,
    "note": "Activate yN column above \u03bc=MNRi via projector. No finite matching implemented in this engine (PMNS E
does explicit tree-level \u03ba matching).",
    "status": "continuous_by_assumption",
    "threshold_id": "MNR3"
  },
  "threshold_transition_at_start": {
    "action": "activate_yN_column",
    "affected_parameters": [
      "yN"
    ]
  }
}

```

```

    ],
    "note": "Activate yN column above \u03bc=MNRi via projector. No finite matching implemented in this engine (PMNS E
does explicit tree-level \u03ba matching).",
    "scale_GeV": 80000000000000.0,
    "status": "continuous_by_assumption",
    "threshold_id": "MNR3"
  },
  "yN_active_cols": [
    true,
    true,
    true
  ]
}
],
"threshold_rules": [
  {
    "action": "beta_source_switch(sm\u2194e8)",
    "affected_parameters": [
      "g",
      "Yu",
      "Yd",
      "Ye",
      "lambda",
      "yN"
    ],
    "note": "Switch beta source SM\u2194E8 at \u03bc=MSigma (Sigma integrated in). No finite matching implemented yet.",
    "scale_GeV": 1000.0,
    "status": "continuous_by_assumption",
    "threshold_id": "MSigma"
  },
  {
    "action": "beta_patch(\u0394b3)",
    "affected_parameters": [
      "g3"
    ],
    "note": "Apply \u0394b3 patch above MG8 (paper v1.06 note). No finite matching implemented yet.",
    "scale_GeV": 18000000000.0,
    "status": "continuous_by_assumption",
    "threshold_id": "MG8"
  },
  {
    "action": "activate_yN_column",
    "affected_parameters": [
      "yN"
    ],
    "note": "Activate yN column above \u03bc=MNRi via projector. No finite matching implemented in this engine (PMNS EFT
oes explicit tree-level \u03ba matching).",
    "scale_GeV": 10000000000000.0,
    "status": "continuous_by_assumption",
    "threshold_id": "MNR1"
  },
  {
    "action": "activate_yN_column",
    "affected_parameters": [
      "yN"
    ],
    "note": "Activate yN column above \u03bc=MNRi via projector. No finite matching implemented in this engine (PMNS EFT
oes explicit tree-level \u03ba matching).",
    "scale_GeV": 30000000000000.0,
    "status": "continuous_by_assumption",
    "threshold_id": "MNR2"
  },
  {
    "action": "activate_yN_column",
    "affected_parameters": [
      "yN"
    ],
    "note": "Activate yN column above \u03bc=MNRi via projector. No finite matching implemented in this engine (PMNS EFT
oes explicit tree-level \u03ba matching).",
    "scale_GeV": 80000000000000.0,
    "status": "continuous_by_assumption",
    "threshold_id": "MNR3"
  }
]
},
"matching_on": {
  "publication_grade": {
    "blocked_thresholds": [],
    "note": "Publication-grade threshold bookkeeping requires matching_active=True at each threshold boundary; if matching
s disabled, segments are labeled 'continuous_by_assumption'.",
    "threshold_matching_ok": true
  },
  "segments": [
    {
      "delta_b3_active": false,

```



```

"model": "sm_tfpt_2loop_v25",
"mu_end": 1000.0,
"mu_end_GeV": 1000.0,
"mu_start": 172.76,
"mu_start_GeV": 172.76,
"patches": [],
"patches_active": [],
"threshold_actions_at_start": [],
"threshold_match": null,
"yN_active_cols": [
  false,
  false,
  false
]
},
{
  "delta_b3_active": false,
  "model": "e8_sigma_yN_2loop",
  "mu_end": 18000000000.0,
  "mu_end_GeV": 18000000000.0,
  "mu_start": 1000.0,
  "mu_start_GeV": 1000.0,
  "patches": [],
  "patches_active": [],
  "threshold_actions_at_start": [
    {
      "action": "beta_source_switch(sm\u2194e8)",
      "affected_parameters": [
        "g",
        "Yu",
        "Yd",
        "Ye",
        "lambda",
        "yN"
      ],
      "note": "Switch beta source SM\u2194e8 at \u03bc=MSigma (Sigma integrated in). Matching enabled (loop_order=1; 1
oop is identity at \u03bc=threshold).",
      "scale_GeV": 1000.0,
      "status": "matched_1loop_log_only_identity",
      "threshold_id": "MSigma"
    }
  ],
  "threshold_match": {
    "gauge": {
      "deltas": {},
      "details": {
        "active_fields_after": [
          "SM",
          "Sigma"
        ],
        "active_fields_before": [
          "SM"
        ],
        "direction": "up",
        "finite_delta_alpha_applied": {},
        "finite_delta_alpha_input": {},
        "loop_order": 1,
        "mu_thr_GeV": 1000.0,
        "scheme": "MSbar",
        "threshold_id": "MSigma"
      },
      "note": "identity matching at \u03bc=threshold (1-loop decoupling is log-only, so the step vanishes at \u03bc=M)
finite pieces require explicit inputs or higher-loop decoupling constants",
      "status": "matched_1loop_log_only_identity"
    },
    "loop_order": 1,
    "matching_active": true,
    "quartic": {
      "deltas": {},
      "details": {
        "active_fields_after": [
          "SM",
          "Sigma"
        ],
        "active_fields_before": [
          "SM"
        ],
        "direction": "up",
        "finite_delta_quartic_applied": {},
        "finite_delta_quartic_input": {},
        "loop_order": 1,
        "mu_thr_GeV": 1000.0,
        "scheme": "MSbar",
        "threshold_id": "MSigma"
      }
    }
  ],

```

```

    "note": "identity matching at \u03bc=threshold (explicit); finite quartic matching not implemented yet",
    "status": "matched_lloop_log_only_identity"
  },
  "scheme": "MSbar",
  "threshold_id": "MSigma",
  "yukawa": {
    "deltas": {},
    "details": {
      "active_fields_after": [
        "SM",
        "Sigma"
      ],
      "active_fields_before": [
        "SM"
      ],
      "direction": "up",
      "finite_delta_yukawa_applied": {},
      "finite_delta_yukawa_input": {},
      "loop_order": 1,
      "mu_thr_GeV": 1000.0,
      "scheme": "MSbar",
      "threshold_id": "MSigma",
      "yukawa_maxabs_input": {
        "Yd": 0.0148034595975,
        "Ye": 0.0103418663719,
        "Yu": 0.859013095294,
        "yN": 0.0
      }
    }
  },
  "note": "identity matching at \u03bc=threshold (1-loop decoupling is log-only, so the step vanishes at \u03bc=M)
top pole\u2192MSbar(mt) is handled in rge_sm.sm_boundary_conditions_at_mt",
  "status": "matched_lloop_log_only_identity"
}
},
"threshold_transition_at_start": {
  "action": "beta_source_switch(sm\u2194e8)",
  "affected_parameters": [
    "g",
    "Yu",
    "Yd",
    "Ye",
    "lambda",
    "yN"
  ],
  "note": "Switch beta source SM\u2192E8 at \u03bc=MSigma (Sigma integrated in). Matching enabled (loop_order=1; 1-loop
p is identity at \u03bc=threshold).",
  "scale_GeV": 1000.0,
  "status": "matched_lloop_log_only_identity",
  "threshold_id": "MSigma"
},
"yN_active_cols": [
  false,
  false,
  false
]
},
{
  "delta_b3_active": true,
  "model": "e8_sigma_yN_2loop",
  "mu_end": 10000000000000.0,
  "mu_end_GeV": 10000000000000.0,
  "mu_start": 18000000000.0,
  "mu_start_GeV": 18000000000.0,
  "patches": [
    "delta_b3_g8"
  ],
  "patches_active": [
    "delta_b3_g8"
  ],
  "threshold_actions_at_start": [
    {
      "action": "beta_patch(\u0394b3)",
      "affected_parameters": [
        "g3"
      ],
      "note": "Apply \u0394b3 patch above MG8 (paper v1.06 note). Matching enabled (loop_order=1; 1-loop is identity a
\u03bc=threshold).",
      "scale_GeV": 18000000000.0,
      "status": "matched_lloop_log_only_identity",
      "threshold_id": "MG8"
    }
  ],
  "threshold_match": {
    "gauge": {
      "deltas": {},

```

```

"details": {
  "active_fields_after": [
    "SM",
    "Sigma",
    "G8"
  ],
  "active_fields_before": [
    "SM",
    "Sigma"
  ],
  "direction": "up",
  "finite_delta_alpha_applied": {},
  "finite_delta_alpha_input": {},
  "loop_order": 1,
  "mu_thr_GeV": 18000000000.0,
  "scheme": "MSbar",
  "threshold_id": "MG8"
},
"note": "identity matching at \u03bc=threshold (1-loop decoupling is log-only, so the step vanishes at \u03bc=M)
finite pieces require explicit inputs or higher-loop decoupling constants",
"status": "matched_1loop_log_only_identity"
},
"loop_order": 1,
"matching_active": true,
"quartic": {
  "deltas": {},
  "details": {
    "active_fields_after": [
      "SM",
      "Sigma",
      "G8"
    ],
    "active_fields_before": [
      "SM",
      "Sigma"
    ],
    "direction": "up",
    "finite_delta_quartic_applied": {},
    "finite_delta_quartic_input": {},
    "loop_order": 1,
    "mu_thr_GeV": 18000000000.0,
    "scheme": "MSbar",
    "threshold_id": "MG8"
  },
  "note": "identity matching at \u03bc=threshold (explicit); finite quartic matching not implemented yet",
  "status": "matched_1loop_log_only_identity"
},
"scheme": "MSbar",
"threshold_id": "MG8",
"yukawa": {
  "deltas": {},
  "details": {
    "active_fields_after": [
      "SM",
      "Sigma",
      "G8"
    ],
    "active_fields_before": [
      "SM",
      "Sigma"
    ],
    "direction": "up",
    "finite_delta_yukawa_applied": {},
    "finite_delta_yukawa_input": {},
    "loop_order": 1,
    "mu_thr_GeV": 18000000000.0,
    "scheme": "MSbar",
    "threshold_id": "MG8",
    "yukawa_maxabs_input": {
      "Yd": 0.00802333749963,
      "Ye": 0.0103018898467,
      "Yu": 0.530916579393,
      "yN": 0.0
    }
  },
  "note": "identity matching at \u03bc=threshold (1-loop decoupling is log-only, so the step vanishes at \u03bc=M)
top pole\u2192MSbar(mt) is handled in rge_sm.sm_boundary_conditions_at_mt",
  "status": "matched_1loop_log_only_identity"
},
"threshold_transition_at_start": {
  "action": "beta_patch(\u0394b3)",
  "affected_parameters": [
    "g3"
  ]
},
],

```

```

        "note": "Apply \u0394 patch above MG8 (paper v1.06 note). Matching enabled (loop_order=1; 1-loop is identity at \u03bc=threshold).",
        "scale_GeV": 18000000000.0,
        "status": "matched_1loop_log_only_identity",
        "threshold_id": "MG8"
    },
    "yN_active_cols": [
        false,
        false,
        false
    ]
},
{
    "delta_b3_active": true,
    "model": "e8_sigma_yN_2loop",
    "mu_end": 300000000000000.0,
    "mu_end_GeV": 300000000000000.0,
    "mu_start": 100000000000000.0,
    "mu_start_GeV": 100000000000000.0,
    "patches": [
        "delta_b3_g8"
    ],
    "patches_active": [
        "delta_b3_g8"
    ],
    "threshold_actions_at_start": [
        {
            "action": "activate_yN_column",
            "affected_parameters": [
                "yN"
            ]
        },
        {
            "note": "Activate yN column above \u03bc=MNRi via projector. Matching enabled (loop_order=1; identity at \u03bc=threshold).",
            "scale_GeV": 100000000000000.0,
            "status": "matched_1loop_log_only_identity",
            "threshold_id": "MNR1"
        }
    ],
    "threshold_match": {
        "gauge": {
            "deltas": {},
            "details": {
                "active_fields_after": [
                    "SM",
                    "Sigma",
                    "G8",
                    "NR1"
                ],
                "active_fields_before": [
                    "SM",
                    "Sigma",
                    "G8"
                ],
                "direction": "up",
                "finite_delta_alpha_applied": {},
                "finite_delta_alpha_input": {},
                "loop_order": 1,
                "mu_thr_GeV": 100000000000000.0,
                "scheme": "MSbar",
                "threshold_id": "MNR1"
            }
        },
        "note": "identity matching at \u03bc=threshold (1-loop decoupling is log-only, so the step vanishes at \u03bc=M) finite pieces require explicit inputs or higher-loop decoupling constants",
        "status": "matched_1loop_log_only_identity"
    },
    "loop_order": 1,
    "matching_active": true,
    "quartic": {
        "deltas": {},
        "details": {
            "active_fields_after": [
                "SM",
                "Sigma",
                "G8",
                "NR1"
            ],
            "active_fields_before": [
                "SM",
                "Sigma",
                "G8"
            ],
            "direction": "up",
            "finite_delta_quartic_applied": {},
            "finite_delta_quartic_input": {},
            "loop_order": 1,

```

```

        "mu_thr_GeV": 100000000000000.0,
        "scheme": "MSbar",
        "threshold_id": "MNR1"
    },
    "note": "identity matching at \u03bc=threshold (explicit); finite quartic matching not implemented yet",
    "status": "matched_1loop_log_only_identity"
},
"scheme": "MSbar",
"threshold_id": "MNR1",
"yukawa": {
    "deltas": {},
    "details": {
        "active_fields_after": [
            "SM",
            "Sigma",
            "G8",
            "NR1"
        ],
        "active_fields_before": [
            "SM",
            "Sigma",
            "G8"
        ],
        "direction": "up",
        "finite_delta_yukawa_applied": {},
        "finite_delta_yukawa_input": {},
        "loop_order": 1,
        "mu_thr_GeV": 100000000000000.0,
        "scheme": "MSbar",
        "threshold_id": "MNR1",
        "yukawa_maxabs_input": {
            "Yd": 0.00659938545784,
            "Ye": 0.00992023999258,
            "Yu": 0.45040193527,
            "yN": 0.0
        }
    }
},
"note": "identity matching at \u03bc=threshold (1-loop decoupling is log-only, so the step vanishes at \u03bc=M
top pole\u2192MSbar(mt) is handled in rge_sm.sm_boundary_conditions_at_mt",
"status": "matched_1loop_log_only_identity"
}
},
"threshold_transition_at_start": {
    "action": "activate_yN_column",
    "affected_parameters": [
        "yN"
    ],
    "note": "Activate yN column above \u03bc=MNRi via projector. Matching enabled (loop_order=1; identity at \u03bc=th
shold).",
    "scale_GeV": 100000000000000.0,
    "status": "matched_1loop_log_only_identity",
    "threshold_id": "MNR1"
},
"yN_active_cols": [
    true,
    false,
    false
]
},
{
    "delta_b3_active": true,
    "model": "e8_sigma_yN_2loop",
    "mu_end": 80000000000000.0,
    "mu_end_GeV": 80000000000000.0,
    "mu_start": 30000000000000.0,
    "mu_start_GeV": 30000000000000.0,
    "patches": [
        "delta_b3_g8"
    ],
    "patches_active": [
        "delta_b3_g8"
    ],
    "threshold_actions_at_start": [
        {
            "action": "activate_yN_column",
            "affected_parameters": [
                "yN"
            ],
            "note": "Activate yN column above \u03bc=MNRi via projector. Matching enabled (loop_order=1; identity at \u03bc=
reshold).",
            "scale_GeV": 30000000000000.0,
            "status": "matched_1loop_log_only_identity",
            "threshold_id": "MNR2"
        }
    ]
},
1,

```

```

"threshold_match": {
  "gauge": {
    "deltas": {},
    "details": {
      "active_fields_after": [
        "SM",
        "Sigma",
        "G8",
        "NR1",
        "NR2"
      ],
      "active_fields_before": [
        "SM",
        "Sigma",
        "G8",
        "NR1"
      ],
      "direction": "up",
      "finite_delta_alpha_applied": {},
      "finite_delta_alpha_input": {},
      "loop_order": 1,
      "mu_thr_GeV": 300000000000000.0,
      "scheme": "MSbar",
      "threshold_id": "MNR2"
    },
    "note": "identity matching at \u03bc=threshold (1-loop decoupling is log-only, so the step vanishes at \u03bc=M)
finite pieces require explicit inputs or higher-loop decoupling constants",
    "status": "matched_1loop_log_only_identity"
  },
  "loop_order": 1,
  "matching_active": true,
  "quartic": {
    "deltas": {},
    "details": {
      "active_fields_after": [
        "SM",
        "Sigma",
        "G8",
        "NR1",
        "NR2"
      ],
      "active_fields_before": [
        "SM",
        "Sigma",
        "G8",
        "NR1"
      ],
      "direction": "up",
      "finite_delta_quartic_applied": {},
      "finite_delta_quartic_input": {},
      "loop_order": 1,
      "mu_thr_GeV": 300000000000000.0,
      "scheme": "MSbar",
      "threshold_id": "MNR2"
    },
    "note": "identity matching at \u03bc=threshold (explicit); finite quartic matching not implemented yet",
    "status": "matched_1loop_log_only_identity"
  },
  "scheme": "MSbar",
  "threshold_id": "MNR2",
  "yukawa": {
    "deltas": {},
    "details": {
      "active_fields_after": [
        "SM",
        "Sigma",
        "G8",
        "NR1",
        "NR2"
      ],
      "active_fields_before": [
        "SM",
        "Sigma",
        "G8",
        "NR1"
      ],
      "direction": "up",
      "finite_delta_yukawa_applied": {},
      "finite_delta_yukawa_input": {},
      "loop_order": 1,
      "mu_thr_GeV": 300000000000000.0,
      "scheme": "MSbar",
      "threshold_id": "MNR2",
      "yukawa_maxabs_input": {
        "Yd": 0.0064506577251,

```

```

        "Ye": 0.00986257983532,
        "Yu": 0.441560098763,
        "yN": 0.0
    }
},
    "note": "identity matching at \u03bc=threshold (1-loop decoupling is log-only, so the step vanishes at \u03bc=M)
top pole\u2192MSbar(mt) is handled in rge_sm.sm_boundary_conditions_at_mt",
    "status": "matched_lloop_log_only_identity"
}
},
    "threshold_transition_at_start": {
        "action": "activate_yN_column",
        "affected_parameters": [
            "yN"
        ],
        "note": "Activate yN column above \u03bc=MNRi via projector. Matching enabled (loop_order=1; identity at \u03bc=th
shold).",
        "scale_GeV": 300000000000000.0,
        "status": "matched_lloop_log_only_identity",
        "threshold_id": "MNR2"
    },
    "yN_active_cols": [
        true,
        true,
        false
    ]
},
{
    "delta_b3_active": true,
    "model": "e8_sigma_yN_2loop",
    "mu_end": 1e+16,
    "mu_end_GeV": 1e+16,
    "mu_start": 800000000000000.0,
    "mu_start_GeV": 800000000000000.0,
    "patches": [
        "delta_b3_g8"
    ],
    "patches_active": [
        "delta_b3_g8"
    ],
    "threshold_actions_at_start": [
        {
            "action": "activate_yN_column",
            "affected_parameters": [
                "yN"
            ],
            "note": "Activate yN column above \u03bc=MNRi via projector. Matching enabled (loop_order=1; identity at \u03bc=
reshold).",
            "scale_GeV": 800000000000000.0,
            "status": "matched_lloop_log_only_identity",
            "threshold_id": "MNR3"
        }
    ],
    "threshold_match": {
        "gauge": {
            "deltas": {},
            "details": {
                "active_fields_after": [
                    "SM",
                    "Sigma",
                    "G8",
                    "NR1",
                    "NR2",
                    "NR3"
                ],
                "active_fields_before": [
                    "SM",
                    "Sigma",
                    "G8",
                    "NR1",
                    "NR2"
                ],
                "direction": "up",
                "finite_delta_alpha_applied": {},
                "finite_delta_alpha_input": {},
                "loop_order": 1,
                "mu_thr_GeV": 800000000000000.0,
                "scheme": "MSbar",
                "threshold_id": "MNR3"
            },
            "note": "identity matching at \u03bc=threshold (1-loop decoupling is log-only, so the step vanishes at \u03bc=M)
finite pieces require explicit inputs or higher-loop decoupling constants",
            "status": "matched_lloop_log_only_identity"
        },
        "loop_order": 1,

```

```

"matching_active": true,
"quartic": {
  "deltas": {},
  "details": {
    "active_fields_after": [
      "SM",
      "Sigma",
      "G8",
      "NR1",
      "NR2",
      "NR3"
    ],
    "active_fields_before": [
      "SM",
      "Sigma",
      "G8",
      "NR1",
      "NR2"
    ],
    "direction": "up",
    "finite_delta_quartic_applied": {},
    "finite_delta_quartic_input": {},
    "loop_order": 1,
    "mu_thr_GeV": 800000000000000.0,
    "scheme": "MSbar",
    "threshold_id": "MNR3"
  },
  "note": "identity matching at \u03bc=threshold (explicit); finite quartic matching not implemented yet",
  "status": "matched_1loop_log_only_identity"
},
"scheme": "MSbar",
"threshold_id": "MNR3",
"yukawa": {
  "deltas": {},
  "details": {
    "active_fields_after": [
      "SM",
      "Sigma",
      "G8",
      "NR1",
      "NR2",
      "NR3"
    ],
    "active_fields_before": [
      "SM",
      "Sigma",
      "G8",
      "NR1",
      "NR2"
    ],
    "direction": "up",
    "finite_delta_yukawa_applied": {},
    "finite_delta_yukawa_input": {},
    "loop_order": 1,
    "mu_thr_GeV": 800000000000000.0,
    "scheme": "MSbar",
    "threshold_id": "MNR3",
    "yukawa_maxabs_input": {
      "Yd": 0.00632286091815,
      "Ye": 0.00980964505462,
      "Yu": 0.433891162003,
      "yN": 0.0
    }
  },
  "note": "identity matching at \u03bc=threshold (1-loop decoupling is log-only, so the step vanishes at \u03bc=M
top pole\u2192MSbar(mt) is handled in rge_sm.sm_boundary_conditions_at_mt",
  "status": "matched_1loop_log_only_identity"
},
"threshold_transition_at_start": {
  "action": "activate_yN_column",
  "affected_parameters": [
    "yN"
  ],
  "note": "Activate yN column above \u03bc=MNRi via projector. Matching enabled (loop_order=1; identity at \u03bc=th
shold).",
  "scale_GeV": 800000000000000.0,
  "status": "matched_1loop_log_only_identity",
  "threshold_id": "MNR3"
},
"yN_active_cols": [
  true,
  true,
  true
]

```



```

    }
  ],
  "threshold_rules": [
    {
      "action": "beta_source_switch(sm\u002194e8)",
      "affected_parameters": [
        "g",
        "Yu",
        "Yd",
        "Ye",
        "lambda",
        "yN"
      ],
      "note": "Switch beta source SM\u002192E8 at \u003bc=MSigma (Sigma integrated in). Matching enabled (loop_order=1; 1-loop is identity at \u003bc=threshold).",
      "scale_GeV": 1000.0,
      "status": "matched_lloop_log_only_identity",
      "threshold_id": "MSigma"
    },
    {
      "action": "beta_patch(\u00394b3)",
      "affected_parameters": [
        "g3"
      ],
      "note": "Apply \u00394b3 patch above MG8 (paper v1.06 note). Matching enabled (loop_order=1; 1-loop is identity at \u003bc=threshold).",
      "scale_GeV": 18000000000.0,
      "status": "matched_lloop_log_only_identity",
      "threshold_id": "MG8"
    },
    {
      "action": "activate_yN_column",
      "affected_parameters": [
        "yN"
      ],
      "note": "Activate yN column above \u003bc=MNRi via projector. Matching enabled (loop_order=1; identity at \u003bc=threshold).",
      "scale_GeV": 10000000000000.0,
      "status": "matched_lloop_log_only_identity",
      "threshold_id": "MNR1"
    },
    {
      "action": "activate_yN_column",
      "affected_parameters": [
        "yN"
      ],
      "note": "Activate yN column above \u003bc=MNRi via projector. Matching enabled (loop_order=1; identity at \u003bc=threshold).",
      "scale_GeV": 30000000000000.0,
      "status": "matched_lloop_log_only_identity",
      "threshold_id": "MNR2"
    },
    {
      "action": "activate_yN_column",
      "affected_parameters": [
        "yN"
      ],
      "note": "Activate yN column above \u003bc=MNRi via projector. Matching enabled (loop_order=1; identity at \u003bc=threshold).",
      "scale_GeV": 80000000000000.0,
      "status": "matched_lloop_log_only_identity",
      "threshold_id": "MNR3"
    }
  ]
},
{
  "threshold_table": {
    "file": "tfpt-suite/tfpt_suite/data/rge_thresholds_v25.json",
    "mu_uv_GeV": 1e+16,
    "nodes": [
      {
        "note": "from rge_thresholds_v25.json",
        "scale_GeV": 1000.0,
        "threshold_id": "MSigma"
      },
      {
        "note": "from rge_thresholds_v25.json",
        "scale_GeV": 18000000000.0,
        "threshold_id": "MG8"
      },
      {
        "note": "from rge_thresholds_v25.json",
        "scale_GeV": 88600000000.0,
        "threshold_id": "MPhi"
      }
    ]
  }
}

```

```

    {
      "note": "from rge_thresholds_v25.json",
      "scale_GeV": 100000000000000.0,
      "threshold_id": "MNR1"
    },
    {
      "note": "from rge_thresholds_v25.json",
      "scale_GeV": 300000000000000.0,
      "threshold_id": "MNR2"
    },
    {
      "note": "from rge_thresholds_v25.json",
      "scale_GeV": 800000000000000.0,
      "threshold_id": "MNR3"
    }
  ]
},
"schema_version": 1,
"spec": {
  "assumptions": [],
  "determinism": "Deterministic given config seed; no stochastic components.",
  "formulas": [
    "segments are those used by run_flavor_rge_2loop_thresholds (piecewise integration in ln \u03bc)",
    "threshold_rules declare the action at each threshold (beta switch, \u0394 patch, yN activation)"
  ],
  "gaps": [],
  "inputs": [
    "threshold table: tfpt_suite/data/rge_thresholds_v25.json",
    "SM MZ inputs: tfpt_suite/data/sm_inputs_mz.json (to build a consistent mt boundary)",
    "PyR@TE PythonOutput registry: tfpt_suite/data/pyrate_pythonoutputs.json"
  ],
  "maturity": null,
  "module_id": "ux_threshold_graph_audit",
  "name": "Unconventional: threshold graph audit (segments + matching bookkeeping)",
  "objective": [],
  "outputs": [
    "threshold nodes (sorted)",
    "segment edges extracted from the 2-loop runner",
    "matching-on vs matching-off comparison (publication-grade bookkeeping flags)"
  ],
  "question": null,
  "references": [],
  "validation": [
    "graph contains expected nodes and ordered segments",
    "matching_off marks thresholds as 'continuous_by_assumption'",
    "matching_on records explicit match_* outcomes at thresholds (even if identity at 1-loop)",
    "thresholds are tagged as finite_pieces_implemented vs identity_matching when matching is enabled",
    "matching_on has no blocked thresholds"
  ],
  "what_was_done": []
},
"warnings": []
}

```

ux_torsion_regime_designer

```

{
  "checks": [
    {
      "check_id": "vetted_bounds_loaded",
      "detail": "bounds=4; tightest=A_X:2.100e-31 GeV",
      "passed": true,
      "severity": null
    },
    {
      "check_id": "proposals_generated",
      "detail": "proposals=2 (compatible with torsion_regimes.json schema)",
      "passed": true,
      "severity": null
    }
  ],
  "module_id": "ux_torsion_regime_designer",
  "plot": {
    "torsion_regime_designer_png": "tfpt-suite/out/unconventional/ux_torsion_regime_designer/torsion_regime_designer.png"
  },
  "results": {
    "anchors": [
      {
        "S_mu_pred_cspin_1_GeV": 3.2396753580225e-56,
        "c_spin_max_to_saturate_tightest_bound": 6.48213097896e+24,
        "coupling_kind": "Mpl_reduced",
        "delta_nu_Hz_cspin_1": 1.17502502449e-32,
        "label": "laboratory_electron_gas",

```

```

    "n_unit": "cm^-3",
    "n_value": 1e+23,
    "polarization": 0.5,
    "spin_per_particle": 0.5
  },
  {
    "S_mu_pred_cspin_1_GeV": 3.28322384301e-31,
    "c_spin_max_to_saturate_tightest_bound": 0.639615238075,
    "coupling_kind": "TFPT_M",
    "delta_nu_Hz_cspin_1": 1.19081998972e-07,
    "label": "nuclear_matter_core",
    "n_unit": "fm^-3",
    "n_value": 0.16,
    "polarization": 0.5,
    "spin_per_particle": 0.5
  },
  {
    "S_mu_pred_cspin_1_GeV": 4.10402980376e-30,
    "c_spin_max_to_saturate_tightest_bound": 0.051169219046,
    "coupling_kind": "TFPT_M",
    "delta_nu_Hz_cspin_1": 1.48852498715e-06,
    "label": "extreme_dense_spin_fluid",
    "n_unit": "fm^-3",
    "n_value": 1.0,
    "polarization": 1.0,
    "spin_per_particle": 0.5
  }
],
"bounds": {
  "all": [
    {
      "abs_max_GeV": 2.1e-31,
      "component": "X",
      "label": "A_X",
      "source": "Kosteleck\u00fd\u2013Russell\u2013Tasson 2008 (Phys. Rev. Lett. 100, 111102), arXiv:0712.4393 Eq. (6)"
    },
    {
      "abs_max_GeV": 2.5e-31,
      "component": "Y",
      "label": "A_Y",
      "source": "Kosteleck\u00fd\u2013Russell\u2013Tasson 2008 (Phys. Rev. Lett. 100, 111102), arXiv:0712.4393 Eq. (6)"
    },
    {
      "abs_max_GeV": 1e-29,
      "component": "Z",
      "label": "A_Z",
      "source": "Kosteleck\u00fd\u2013Russell\u2013Tasson 2008 (Phys. Rev. Lett. 100, 111102), arXiv:0712.4393 Eq. (6)"
    },
    {
      "abs_max_GeV": 2.9e-27,
      "component": "T",
      "label": "A_T",
      "source": "Kosteleck\u00fd\u2013Russell\u2013Tasson 2008 (Phys. Rev. Lett. 100, 111102), arXiv:0712.4393 Eq. (6)"
    }
  ],
  "file": "tfpt-suite/tfpt_suite/data/torsion_bounds_vetted.json",
  "tightest": {
    "abs_max_GeV": 2.1e-31,
    "component": "X",
    "label": "A_X",
    "source": "Kosteleck\u00fd\u2013Russell\u2013Tasson 2008 (Phys. Rev. Lett. 100, 111102), arXiv:0712.4393 Eq. (6)"
  }
},
"plot": {
  "torsion_regime_designer_png": "tfpt-suite/out/unconventional/ux_torsion_regime_designer/torsion_regime_designer.png"
},
"proposals": [
  {
    "c_spin": 1.0,
    "compare_to_bounds": true,
    "coupling_scale": {
      "kind": "Mpl_reduced"
    },
    "id": "spin_medium_candidate_1",
    "label": "Spin-polarized medium candidate 1 (Mpl_reduced)",
    "model": "spin_polarized_medium",
    "note": "Generated by ux_torsion_regime_designer. Toy model:  $|S_\mu| \sim c_{\text{spin}}(\text{pol} \cdot \text{spin} \cdot n)/M_{\text{eff}}^2$ .  $c_{\text{spin}}$  is not derived here; it is a target for the microscopic operator derivation. Chosen  $c_{\text{spin}}=1$  ( $\sim 22480.5 \cdot c_{\text{spin\_max}}$ ) to stay safely below the tightest bound.",
    "number_density": {
      "unit": "cm^-3",
      "value": 9.9421658747e+25
    },
    "polarization": 0.874415766701,
    "spin_per_particle": 0.5
  }
]

```

```

    },
    {
      "c_spin": 0.506949393793,
      "compare_to_bounds": true,
      "coupling_scale": {
        "kind": "TFPT_M"
      },
      "id": "spin_medium_candidate_2",
      "label": "Spin-polarized medium candidate 2 (TFPT_M)",
      "model": "spin_polarized_medium",
      "note": "Generated by ux_torsion_regime_designer. Toy model:  $|S_{\mu}| \sim c_{\text{spin}}(\text{pol} \cdot \text{spin} \cdot n) / M_{\text{eff}}^2$ . c_spin is not derived here; it is a target for the microscopic operator derivation. Chosen c_spin=0.507 ( $\approx 0.5 \cdot c_{\text{spin\_max}}$ ) to stay safely below the tightest bound.",
      "number_density": {
        "unit": "fm-3",
        "value": 0.281239233967
      },
      "polarization": 0.17944785799,
      "spin_per_particle": 0.5
    }
  ],
  "sampling": {
    "best_mpl_reduced": {
      "S_mu_pred_cspin_1_GeV": 5.63287965357476e-53,
      "c_spin_max_to_saturate_tightest_bound": 3.72811089381e+21,
      "coupling_kind": "Mpl_reduced",
      "delta_nu_Hz_cspin_1": 2.04303636057e-29,
      "n_unit": "cm-3",
      "n_value": 9.9421658747e+25,
      "polarization": 0.874415766701,
      "spin_per_particle": 0.5
    },
    "best_tfpt_M": {
      "S_mu_pred_cspin_1_GeV": 2.07121265526e-31,
      "c_spin_max_to_saturate_tightest_bound": 1.01389878759,
      "coupling_kind": "TFPT_M",
      "delta_nu_Hz_cspin_1": 7.51225487746e-08,
      "n_unit": "fm-3",
      "n_value": 0.281239233967,
      "polarization": 0.17944785799,
      "spin_per_particle": 0.5
    },
    "candidates_kept": 1200,
    "samples": 1200
  }
},
"schema_version": 1,
"spec": {
  "assumptions": [],
  "determinism": "Deterministic given config seed (random sampling for scenario exploration).",
  "formulas": [
    "toy spin-medium model:  $|S_{\mu}| \sim c_{\text{spin}} \cdot (\text{pol} \cdot \text{spin\_per\_particle} \cdot n) / M_{\text{eff}}^2$ ",
    "compute c_spin_max := bound / S_pred(c_spin=1) for saturation targets"
  ],
  "gaps": [],
  "inputs": [
    "vetted bounds: tfpt_suite/data/torsion_bounds_vetted.json (A_mu component-wise limits)",
    "TFPT scale M from constants.py (for coupling_kind='TFPT_M')"
  ],
  "maturity": null,
  "module_id": "ux_torsion_regime_designer",
  "name": "Unconventional: torsion regime designer (spin-polarized medium + bound saturation targets)",
  "objective": [],
  "outputs": [
    "tightest bound summary",
    "scenario table (S_pred for c_spin=1, and c_spin needed to saturate bounds)",
    "JSON regime proposals compatible with tfpt_suite/data/torsion_regimes.json"
  ],
  "question": null,
  "references": [],
  "validation": [
    "produce at least one explicit regime proposal (even if conservative)",
    "make all assumptions explicit (toy model; c_spin is a derivation target)"
  ],
  "what_was_done": []
},
"warnings": []
}

```