TFPT — Changelog

All changes and new results, by date

Stefan Hamann Alessandro Rizzo

June 28, 2026

This file is the canonical, dated record of every change to the TFPT theory development: new verification modules (`vN`), status changes, editorial passes and infrastructure. It is maintained *in the same change* as the work it records, and it is also imported at the end of the `introduction` document. Module numbers `vN` refer to `verification/vN_*.py`; claim IDs refer to rows of `verification/status_ledger.csv`.

2026-06-28 (v434 — a third honest step on the α^{-1} Quillen target: b_1 is the a_4 heat-kernel coefficient, and the three residuals collapse to one [C] + one [O])

- **New module v434 (ALPHA.QUILLEN.PROGRESS.03) — it settles the status of the three residuals named after v433 and shows they are *not* three independent open problems.** The target `ALPHA.QUILLEN.EXACT.01` (v382) stays [**O**]; $\alpha^{-1} = 137.0359992$ stays [**E**].
  - [**E**] **b_1 *is* the $U(1)$ a_4 heat-kernel coefficient (the $\beta = a_4$ theorem).** The one-loop β function of a gauge coupling *is* the a_4 (Seeley–DeWitt a_2 in d=4) heat-kernel coefficient of the charged-field operator (Vassilevich). Computed from the carrier hypercharge content with the standard spin weights ($\frac{2}{3}$ per Weyl fermion, $\frac{1}{3}$ per complex scalar), $\sum \frac{2}{3}Y_f^2 + \frac{1}{3}Y_s^2 = 41/6$ (SM) and $(3/5) \cdot$ that $= 41/10 = b_1$ (GUT). So the b_1 in the counterterm $8b_1c_3^6$ is the a_4 coefficient of the carrier $U(1)_Y$ content (the same number as the β, `v159`/`v246`), the *same kind* of heat-kernel object as the α^2 Calderón a_4 (`v342`) — not a fitted multiplicity.
  - [**E**] **the geometry factors off:** $8b_1c_3^6 = b_1 \cdot (\operatorname{rank} E_8) \cdot c_3^6$, with $\operatorname{rank} E_8 = 8$ the χ=2 seam boundary count (`v216`) and c_3^6 the six boundary insertions (the π-power test, `v342`).
  - [**C**] **residual (1) $\equiv$ residual (3).** With b_1 and the c_3-powers heat-kernel-forced, the only freedom left in the exact seam a_4 value is how the gauge curvature couples to the boundary measure — the seam F-normalisation. So "the actual seam $a_4 = 8b_1c_3^6$" and "the seam F-normalisation" are *one* [**C**] obligation, not two.
  - [**E**] **residual (2) located (not closed):** the determinant-line variation factors $a^3 - 2c_3^3a^2 = a^2(a - 2c_3^3)$; a^2 is the Gilkey gauge-curvature (Quillen/Chern) density (`v342`), so the leading $a^3 = a \cdot a^2$ is the *first moment* of the Chern density — a topological level at boundary order c_3^0, not a Seeley–DeWitt curvature integral. Its from-first-principles (Chern–Simons-type) origin stays [**O**].
  - [**E**] **net reduction:** the EM-Ward residual is *one* [**C**] (residuals 1 & 3) + *one* [**O**] (residual 2), not three independent problems — a genuine narrowing of the open surface. [**O**] `ALPHA.QUILLEN.EXACT.01` is *not* closed (the α^3 Chern level and the from-first-principles proof stay external, type A, `v384`).
- **Surfaces updated.** Registered in `run_all.py`, `script_registry.csv` and `status_ledger.csv` (`ALPHA.QUILLEN.PROGRESS.03`); cited in the `tfpt_1` EM-closure subsection beside `v433`; mirrored on the website residual-gap lab. Python-only; no new physical number.

2026-06-27 (v433 — a second honest step on the α^{-1} Quillen target: a solvable 4D model reaches the a_4 order, connecting v391 and v342)

- **New module v433 (ALPHA.QUILLEN.PROGRESS.02) — a second honest step on the external target ALPHA.QUILLEN.EXACT.01 (v382); it *grounds and connects*, it does *not* close it.** The target stays [**O**] (external math, type A, v384); the value $\alpha^{-1} = 137.0359992$ stays [**E**]. The earlier honest attempt v391 gave a solvable model on a 1D circle whose ζ-determinant variation reached only the low Seeley–DeWitt orders a_0, a_1; separately, v342 grounded the quadratic Calderón term in the Gilkey gauge-curvature coefficient a_4 ($30/360 = \frac{1}{12}$, $\Omega^2/12$). This module supplies the missing link between the two.
  - [**E**] **a solvable 4D model reaches the a_4 order:** the flat operator $\Delta = -\partial^2 + m^2$ on a 4-torus of volume V has heat trace $\mathrm{Tr}\, e^{-t\Delta} = V/(4\pi)^2\, t^{-2} e^{-tm^2}$, with Gilkey coefficients $a_0 = V/(4\pi)^2$, $a_2 = -Vm^2/(4\pi)^2$ and $a_4 = Vm^4/(2(4\pi)^2)$; the t^0 (conformal-anomaly) order a_4 is *non-zero* — exactly the order v391's 1D circle toy could not reach.
  - [**E**] **it is the order v342 uses:** so v391 ("a ζ-determinant variation *is* closed heat-kernel data") and v342 ("the seam term *is* the Gilkey a_4") are unified — the variation is heat-kernel data *at the a_4 order*, not only the low orders v391 reached.
  - [**E**] **the measure is c_3-built:** the universal 4D heat-kernel measure $(4\pi)^{-2} = 1/(16\pi^2) = (2c_3)^2 = 4c_3^2$ in the seam's one-sided 2D-boundary normalisation $c_3 = \frac{1}{2}(4\pi)^{-1}$; and the v382 split is re-verified at $\alpha^{-1} = 137.0359992$.
  - [**O**] **not closed:** computing the *actual* seam $U(1)$ ζ-determinant a_4 coefficient ($= 8b_1c_3^6$) on the μ_4 seam moduli, and the origin of the cubic α^3 Maxwell/Chern moment, stay open (external math, type A, v384); the exact seam F-normalisation fixing the coefficient *value* stays [**C**] (v342). A second honest step that grounds and connects, it does not close.
- **Surfaces updated.** Registered in `run_all.py`, `script_registry.csv` and `status_ledger.csv` (ALPHA.QUILLEN.PROGRESS.02); cited in the `tfpt_1` EM-closure subsection beside v382/v391; mirrored on the website (the residual-gap lab). Python-only (like v391); no new physical number.

2026-06-27 (v431, v432 — the "unmapped" E_8 degrees are forced spine+flavor structure; the unconditional over-determination floor)

- **New module v431 (E8.DEGREE.LADDER.01) — the reverse-audit "unmapped" E_8 Casimir degrees are NOT diffuse overhead but a forced two-family decomposition.** The structural complement of the reverse audit (v354/v355) and its sheet/deck complement (v430): $\deg(E_8) = 6 \cdot \mathrm{spine}\{2,3,4,5\} \sqcup (\{2\} \cup \text{det-ladder}\{8,14,20\})$. [**E**] the two-family split is *forced* by $h(E_8) = 30 = 2 \cdot 3 \cdot 5$ — the exponents are the $\varphi(30) = 8$ totatives of 30, hence coprime to 6, hence $\equiv \pm 1 \bmod 6$, so the degrees occupy only the residue classes $\{0,2\} \bmod 6$. [**E**] the $6k$ family $\{12,18,24,30\}/6 = \{2,3,4,5\}$ is the v91 spine; the $6k{+}2$ family $\{8,14,20\} = (\det R, \det C, \det L)$ is the winding line $\det M(s,0) = 6s + 8$ of the flavor diamond (v135). [**E**] "$18 = 6N_{\mathrm{fam}}$" is not a holdout (spine family), and the clean split is special to E_8 among the simply-laced exceptionals ($E_6/E_7/D_5$ fail). [**C**] **honest v355 line:** the arithmetic decomposition is exact, but the *functorial* claim "$6k{+}2$ Casimir stratum = flavor sheet operators" needs a representation-theoretic map and stays [**C**] ($12, 24$ admit two canonical readings each) — a structure theorem, not a forced functorial flavor map. It reclassifies the v354 overhead to zero orphan degrees and closes no gate.
- **New module v432 (OVERDET.FLOOR.01) — the unconditional improbability floor and the L1$\leftrightarrow$L2 bridge.** The complement of the conditional null model (v100) and the multiply-vs-compress framework (v427/v428): the defensible over-determination number that survives even if a skeptic *rejects* the declared formula grammar. [**E**] compression removed (v428), the

genuinely multiplicative pieces are the input "8" forced four independent ways plus the foreign witness $\alpha^{-1} \sim 137$. **[C]** multiplying only across disjoint pieces (input over-determination $\times$ the α census $1/94500$ $\times$ the φ_0^{ret}-seed cluster counted once $\times$ one downstream witness) gives a floor $\leq 10^{-6}$ across a grid of generous assignments, nominal $\sim 10^{-10}$. **[E]** that floor sits ~ 20 orders *above* the `v100` conditional $10^{-30.7}$; the gap is exactly the evidential value of proving the forms forced, so the α form-derivation (`ALPHA.QUILLEN.EXACT.01`, `v382`) and this floor are the *same* lever. **[C]** **honest scope:** bounds only the "is it numerology?" question, not the physics bridge (firewall `v187`); a conservative floor, not a posterior.

- *Surfaces synced in the same change:* `v431`/`v432` added to `run_all.py`, `script_registry.csv` (master index + website `ScriptIndex`), `status_ledger.csv`, `tfpt_5_redteam` (reverse-audit winbox + Casimir-degree figure) and `tfpt_safeguards` (the over-determination layer); `v431` mirrored in `wolfram/tfpt_readouts_extension.wl` (`v432` is a conservative bound, Python-only).

2026-06-27 (`v430` — the seam's "other side" is forced-disjoint from E_8's unmapped Casimir degrees)

- **New module `v430` (`E8.OTHERSIDE.AUDIT.01`) — the sheet/deck complement of the reverse audit (`v354`/`v355`).** The reverse audit found five E_8 Casimir degrees $\{12, 14, 18, 20, 24\}$ with no primary readout ("hull overhead"); the double cover has an *other side* (the one-sided $\mathbb{Z}_2$ collar / conjugate half-spinor S^-), so the sharp adversarial follow-up is *"is the leftover where the second sheet lives?"* The answer is a disciplined **negative**. **[E]** the deck is the degree-2 invariant: the one-sided cover contributes $|\mathbb{Z}_2| = 2$ (the $\frac{1}{2}$ in $c_3 = 1/(|\mathbb{Z}_2|\,4\pi) = 1/(8\pi)$, `v58`/`v216`), and $2 = \min\deg(E_8)$ is the quadratic/metric — one of the *matched* primary readouts $\{2, 8, 30\}$, never one of the unmapped degrees. **[E]** the two sheets are the 128-spinor: $\dim S^+ = \dim S^- = 16$, the spinor block $128 = \operatorname{rank} E_8 \cdot \dim S^+ = 2^{\mathrm{rank}-1} = \sum \deg$, the spinor half of $248 = 120 + 128$; S^- enters 248 as the conjugate $(\overline{16}, \overline{4})$ $(128 = 2 \cdot 64)$, not a spare singlet. **[E]** forced-disjoint: the sheet/deck set $\{2, 16, 32, 128\}$ has empty intersection with $\{12, 14, 18, 20, 24\}$, its only degree contact the matched 2. **[O]** each unmapped degree, "explained" from sheet atoms, needs an unforced coefficient and admits ≥ 2 readings (the `v355` discriminator), so there is no forced sheet$\to$unmapped-degree identity.
- **A structural negative, not a status change.** It consolidates the S^--dark-matter downgrade (`v227`) and the no-spare-singlet WIMP no-go of the frontier E_8 scan (`tfpt_4_frontier`): the other side is matched conjugate matter, the five unmapped degrees are the hull overhead, and the two do not meet. The only live "other side" question — whether the 128 phase/glue channel hosts a dark sector (`v227`) — concerns *matched* structure, not the unmapped five. Closes no gate, upgrades nothing.
- **Surfaces synced.** `run_all.py`, `script_registry.csv`, `status_ledger.csv`; the reverse-audit Outcome winbox + degree-audit table caption and the Target D winbox of `tfpt_5_redteam`, the magnitude/phase keybox of `tfpt_3_e8_audit_bootstrap`, the WIMP-no-go passage of `tfpt_4_frontier`; the `E8` node of the website verification DAG; the Wolfram extension/README/ledger counts and the website verification count; manifests refreshed.

2026-06-26 (`v429` — the 'unmapped' golden E_8 structure is the geometry of the one external input θ_i)

- **New module `v429` (`DM.AXION.PENTAGON.01`) — a geometric re-reading answering "why does so much idle E_8 structure exist?" for the one case where the idle structure has a job.** The reverse audit (`v354`) had argued the golden ratio φ is *unmapped* (it appears only internally — the affine-E_8 attractor angle `v312`, the icosian lattice `v348` — and in no physical readout), and used exactly that to conclude φ cannot be numerology. **[E]** this sharpens that statement: because $N_{\rm fam}=g_{\rm car}-2$, the axion misalignment *spine* angle (`v211`, `DM.AXION.SPINE.01`) is $\theta_i=\pi N_{\rm fam}/g_{\rm car}=(g_{\rm car}-2)\pi/g_{\rm car}$, which is *exactly* the interior angle of the regular $g_{\rm car}$-gon — for $g_{\rm car}=5$ the pentagon, $\theta_i=3\pi/5=108°$. **[E]** its cosine is golden, $\cos(3\pi/5)=(1-\sqrt{5})/4=-1/(2\varphi)$ (partner $2\cos(2\pi/5)=1/\varphi=\varphi-1$, $\varphi=2\cos(\pi/5)$). **[E]** the golden character is *unique* to $g_{\rm car}=5$: among the small regular n-gons only $n=5$ has an irrational interior-angle cosine ($n=3,4,6$ give $1/2,0,-1/2$), so θ_i is golden *because* the carrier is 5 (P2).

- **An honest [C] bridge, not a status change.** It connects two standing facts — φ is the unmapped $g_{\rm car}=5$ signature (`v354`/`v313`) and $\theta_i=3\pi/5$ is the one external cosmological input (`v211`) — and *refines* `v354` from "φ in no physical readout" (it is the unmapped $g_{\rm car}=5$ signature, `v313`) to "φ touches *only* the **[C]** spine misalignment angle" (conditional, branch-level, never a frozen prediction). It is a geometric motive for the spine over the hilltop $\theta_i\approx170°$ (whose cosine is not a clean pentagon value), consistent with — not replacing — the finite-T solver that decides the branch (`v185`/`v211`). It does *not* derive θ_i, does *not* upgrade `DM.AXION.SPINE.01` (stays **[C]**) and closes no gate.
- **Surfaces synced.** `run_all.py`, `script_registry.csv`, `status_ledger.csv`, the dark-matter section of `tfpt_4_frontier`; the Wolfram extension/README/ledger counts (`GATE.WOLFRAM.02`) and the website verification count; manifests refreshed.

2026-06-25 (External-works references appendix — web-verified)

- **New shared appendix `tex-artefacts/tfpt_references.tex`** ("External works built upon"), `\input` into the six math-heavy documents (`tfpt_1`, `tfpt_2`, `tfpt_4`, `tfpt_horizon_readouts`, `origin_theory`, `tfpt_research_contracts`). The active papers named the foundational results they build on by author only, with no reference list; the appendix supplies web-verified locators (journal, volume, year / arXiv) grouped by topic: modular theory & AQFT (Tomita–Takesaki LNM 128 1970; Bisognano–Wichmann J. Math. Phys. 16/17; Osterwalder–Schrader CMP 31/42; Doplicher–Haag–Roberts CMP 23/35; Haag–Ruelle; Longo CMP 126/130; Kawahigashi–Longo–Müger CMP 219), conformal nets/VOAs/lattices (Frenkel–Kac Invent. Math. 62; Segal CMP 80; MMST; Adamo–Moriwaki–Tanimoto; Adamo–Giorgetti–Tanimoto `2506.01008`/`2508.07109`; Naaijkens–Penneys–Wallick), lattices/quadratic forms (Conway–Sloane; Siegel Ann. Math. 36 1935), singularities (Brieskorn Invent. Math. 2 1966; Milnor AMS 61 1968) and spectral geometry/gravity/thermal time (Chamseddine–Connes CMP 186; Connes–Rovelli CQG 11; Wald PRD 48; Casini–Huerta–Myers JHEP 05 2011). Added to the `make_manifest.py` TEX list. No claim or status change — a provenance/citation completeness pass.

2026-06-25 (External AQFT citations + the four-fold μ_4 identity sharpened)

- **Two recent Adamo–Giorgetti–Tanimoto theorems cited where the keystone builds on them.** The open `SEAM.EQUIV.01` continuum/realisation legs (`v336`) now cite, alongside MMST and Adamo–Moriwaki–Tanimoto (`arXiv:2407.18222`, already in use): **(a)** the construction and classification of two-dimensional conformal nets from even lattices (`arXiv:2506.01008`, 2025) — "the lattice is a conformal net" is a theorem of the same operator-algebraic lineage, strengthening the lattice-realisation leg; and **(b)** automatic positive-energy/diffeomorphism covariance of conformal-net representations (`arXiv:2508.07109`, 2025), which defuses the "Bisognano–Wichmann presupposes the covariance it should produce" circularity (`v215`) on the intrinsic-BW residual (`v424`). Added to `v336` docstring/registry, the `SEAM.EQUIV.CONTINUUM.01` ledger `external_data`, and `tfpt_research_contracts`.
- **The four-fold μ_4 identity made explicit (v422).** `v422` already proved that the seam deck/divisor μ_4, the carrier Galois group $\mathrm{Gal}(\mathbb{Q}(\zeta_5))$, the discriminant $\mathrm{disc}(D_5)=\mathrm{disc}(A_3)=\mathbb{Z}/4$ and the $(E_8)_1$ simple-current glue are ONE cyclic $\mathbb{Z}/4$ (with

the cyclic-vs-Klein negative control). It is now named the *four-fold μ_4 identity* and typed, per `v428`, as a *compression* (one object read four ways), NOT four independent witnesses – in `v422`, the registry, the `SEAM.GALOIS.NET.01` ledger row and `origin_theory`. (No new module: a separate `v429` would have duplicated `v422` and violated the very compression discipline.)

2026-06-25 (`v428` — honest self-correction of the over-determination map)

- **`v428` (`OVERDET.WITNESS.RECLASS.01`) — applying `v427`'s own multiply-vs-compress test to `v427` itself.** A pattern search and the right objection exposed that calling the seven arithmetic witnesses "disjoint grammars that *multiply*" overstates independence. **[E]** by the Brieskorn classification (`v236`) the $(2, 3, 5)$ singularity is the ONE generator behind the order-30 clock (Milnor μ=(2−1)(3−1)(5−1)=8= rank E_8, 30=2·3·5=$h(E_8)$, $\varphi(30)$=8), so each witness is a facet of that same object (primes $2, 3, 5$ of 30, the clock 30, or E_8): all seven collapse to one generator ⇒ *compression*, not seven multiplications. **[E]** what genuinely multiplies is the input forced four independent ways — the "8" in c_3=1/(8π) from rank E_8, $h(D_5)$=2(5−1), $\varphi(30)$ and the Milnor number — plus the foreign witness α^{-1}≈137. **[C]** refines and partly walks back `v427`, consistent with `v236`/`v305`/`v313`.
- **Surfaces corrected (same change).** `v427`'s prose, the ledger row (`OVERDET.WITNESS.MAP.01`, now noting the refinement), `tfpt_safeguards` Layer 3 (the seven compress one object; a second keybox states what multiplies), the witness-map figure (redrawn), the website (`papers.ts`, `Safeguards.tsx`, `release.ts`, the intro-video description) and the Zenodo description. The over-determination claim is now the narrower, harder-to-attack "one richly over-determined input + a foreign readout".

2026-06-25 (Safeguards visuals + paper expansion + the website safeguards band)

- **Five safeguards figures** (`make_figures.py`, in `manifest.sha256`): the layered defense, the α^{-1} uniqueness scan (one $F_{U(1)}$ variant of 94,500 in the CODATA window), the reverse audit (3/8 vs 5/8), the witness-independence map (seven disjoint grammars), and the look-elsewhere null model (13/13 vs ≤ 5/13).
- **`tfpt_safeguards` expanded.** Layer 5 now states the null model explicitly ($\prod p_i$=$10^{-25.8}$, 2×200k pseudo-theories ≤ 5/13, φ_0^{ret} ± 10% → 6/13, shuffle 1.2) and the α uniqueness (≤ $10^{-30.7}$, ∼102 bits, `v100`), with the data watchdog (`v307`) and kill board (`v321`); the five figures are embedded.
- **Website: a prominent animated Safeguards band** (`components/Safeguards.tsx`) in the home flow (after the trust beat) — headline statistics, the seven layers, the figures, links to the paper and the suite — to address the coincidence/numerology suspicion proactively.
- **Koide flow-time investigation (honest negative).** Post-`v425`: the flow-time is *not* native and does *not* reduce to one scale — `v99` already rejects a scale reading as look-elsewhere; the only theory-side content is the conditional integer reading t=N_{fam}=3 ⇒ m_τ=1776.94 MeV, a Belle II kill test. No new module.

2026-06-25 (Three closure-strategy modules `v425`–`v427` + the Safeguards paper)

- **`v425` (`DYN.TRANSFER.UNIVERSAL.01`) — the single-flow reduction of F_{transfer}.** The four frontier transfers do not each need a separate external solver: their *dynamics* is the ONE native flow (the seam modular/recovery semigroup, `v238`/`v240`, gap $6\ln(3/2)$) restricted to each sector. **[E]** the `v99` Koide generator linearised at q=2 has rate $-\Delta$, time-1 contraction $(2/3)^6$; Boltzmann washout is that contraction (CP phase $4\pi/3$ native, `v320`); QCD rate $b_3=-7$. **[C]** only the anchors (v_{geo}, C_p, M_R) stay external; F_{relic}'s cosmological IC θ_i is the one wall. A reduction (extends `v383` static→dynamic), not internalisation; the firewall holds.

- **v426 (SEAM.EQUIV.LTORP.KMS.01) — the invertible β=1-KMS variant of (LTO-RP).** The corner NPW26 leave open (they prove it for topologically-ordered models; the seam is invertible + KMS, not a trace). **[E]** a gapped reflection-symmetric μ_4-even collar at β=1 KMS satisfies $\Theta K\Theta^{-1}$=$-K$ (u_Θ=J) and $[\rho, K]$=0, so (LTO-RP) holds by direct Tomita–Takesaki; $|\det \mathrm{Cartan}(E_8)|$=1 (no anyons), state not a trace; neg controls have teeth. Advances `v424` sub-step (ii); `SEAM.EQUIV.01` stays **[O]** (continuum sub-step (i) remains).

- **v427 (OVERDET.WITNESS.MAP.01) — the honest over-determination accounting.** A reviewer correction made machine-explicit: witnesses from *disjoint* grammars multiply, projections of the *same* generator compress. **[E]** seven disjoint-grammar witnesses each reproduce a carrier-skeleton integer from their own structure — Gauss $N(3{+}2i)$=13, Eisenstein $N(3{+}2\omega)$=7, cyclotomy $N(3{+}2\zeta_5)$=55, Galois $|(\mathbb{Z}/5)^\times|$=4, $|\det \mathrm{Cartan}(E_8)|$=1, Pascal $\binom{4}{0}+\binom{4}{1}+\binom{4}{2}$=11 ($2^4$=16), Coxeter $h(E_8)$=30=2·3·5 with $\varphi(30)$=8 — and the anchor a=$(1, 1, 2)$ is the compression generator. Extends `v305`.

- **New paper `tfpt_safeguards` (companion S).** A dedicated methodology paper collecting, in one language, every mechanism by which TFPT defends a claim against coincidence and numerology: the status calculus + ledger + audit, no-free-pattern + reverse audit, the over-determination map (`v427`), the firewall + No-Unit theorem, frozen predictions + null model, the independent Wolfram and Lean paths, and the red team — with a final kill-test summary. Registered in `build.sh`, `make_docs_map.py`, `make_manifest.py` and the document-set box; the document set is now **eleven** deliverables (five numbered papers + four companions + introduction + changelog).

- **Surfaces synced.** `run_all.py` (421 modules), the registry, the ledger, `tfpt_research_contracts` (the F_{transfer} and keystone sections), `tfpt_safeguards`; manifests refreshed.

2026-06-25 (The (LTO-RP) reduction of the keystone SEAM.EQUIV.01: v424)

- **New module v424 (SEAM.EQUIV.LTORP.01).** An honest MMST-style reduction of the one open keystone — `SEAM.EQUIV.01`'s intrinsic Bisognano–Wichmann lemma (the `v308`/`v309` residual) — to the recent commuting-projector theorem of Naaijkens–Penneys–Wallick (`arXiv:2605.10693`, [NPW26]), with the central mapping *corrected.* **[E]** the μ_4 clock is a modular *symmetry* ($[\rho, K]$=0, `v309`/`v199`), not the flow — σ^ψ=ρ is type-wrong (a one-parameter group versus a finite order-4 element). **[E]** NPW26's axiom (LTO-RP) means u_Θ=J (reflection = modular conjugation) = the intrinsic BW condition $\theta K\theta$=$-K$, *distinct* from $\omega\circ\rho$=ω: a positive character-block-diagonal K has $[\rho, K]$=0 yet never $\theta K\theta$=$-K$, so clock-invariance does *not* imply (LTO-RP) (refuting that identification). **[O]** make-or-break: NPW26 prove (LTO-RP) for *topologically ordered* models (Toric Code $|\det K|$=4 via a trace; Levin–Wen anyonic), while the seam is invertible ($|\det \mathrm{Cartan}(E_8)|$=1, no anyons) and a β=1 KMS state (not a trace) — in neither proved bucket. **[C]** verdict: the BW residual reduces to NPW26 Theorem A modulo two open sub-steps (realise the seam as a $\mathbb{Z}_2$-reflection commuting-projector LTO; extend (LTO-RP) to the invertible KMS case) — a reduction, *not* a closure; `SEAM.EQUIV.01` stays **[O]**. Cited in `tfpt_research_contracts`; Python-only (numpy; the det discriminators mirrored via `v89`/`v281`).

- **Validation provenance.** The three pivotal references of the closure-strategy note were independently verified real and correctly described: NPW26 (`arXiv:2605.10693`), the RP–Yang–Mills complete-monotonicity reconstruction (Int. J. Geom. Meth. Mod. Phys. 2026), and Marolf (`arXiv:2203.07421`).

- **Surfaces synced.** `run_all.py`, the script registry, the status ledger and the `tfpt_research_contracts` keystone section; manifests refreshed.

2026-06-25 (No-Ambient-Dependency: no frozen readout is computed from `QG.AMB.01`: `v423`)

- **New module `v423` (`QGAMB.NODEP.01`).** Sharpens the `v369`/`v384` prose redundancy ("`QG.AMB.01` is a [**C**] redundancy, not dynamics") into a machine-checked DAG+script fact, told honestly. [**E**] gap-decoupling margin $\Delta_{\mathrm{eff}} = 6\ln\frac{3}{2} - 31/(4\pi^2) \approx 1.648 > 0$ ($31 = 2^{g_{\mathrm{car}}} - 1$), susceptibility $\chi = 729/665$ finite (negative control gap $\to 0 \Rightarrow \chi \to \infty$); [**E**] `QG.AMB.01` is a certification *sink* (every claim that lists it is a gravity-gate/QG row, never a frozen prediction) and *not a value source* (no producing script, while α^{-1}, the mixing angles and cosmology are each *computed* by a compiler script, `v3`/`v9`/`v268`/`v7`); [**E**] the one transitive link is architectural — of the frozen readouts only θ_{13} references it, via the 4d-QFT contract spine (`PS.DIRAC`→`CONTRACT.QFT4D`→`QG.G2`→`GATE.METRIC`), a coherence edge, not a numerical input. [**C**] verdict: `QG.AMB.01` is gap-decoupled certification — `v369` as a DAG/script fact; honest scope — this does *not* discharge `SEAM.EQUIV.01`, on which the readouts still depend. Cited in `tfpt_4`; Python-only (gap algebra mirrored via `v337`).
- **Paper sharpening (seam selector, up front).** The `tfpt_4` quantum-gravity keybox now states explicitly that the open `SEAM.EQUIV.01` premise is the *holomorphic* $|\det K|=1$ point that selects $(E_8)_1$ — the central charge $c=8$ alone does *not*, being shared by the non-holomorphic $SO(16)_1$ counterexample (`v277`/`v281`).
- **Surfaces synced.** `run_all.py`, `script_registry.csv`, `status_ledger.csv`, `tfpt_4`; manifests refreshed.

2026-06-25 (The Galois↔Net bridge: `v422`)

- **New module `v422` (`SEAM.GALOIS.NET.01`).** The seam $\mu_4 = \mathrm{Gal}(\mathbb{Q}(\zeta_5))$ is the SAME cyclic $\mathbb{Z}/4$ as the $(E_8)_1$ simple-current glue — not a mere order-4 coincidence — bridging the Galois gearbox of `v419` to G_{net}/`SEAM.EQUIV.01`. [**E**] $\mathrm{disc}(A_3) = \mathrm{disc}(D_5) = \mathbb{Z}/4$ (one Smith invariant factor 4 = cyclic, $\det 4$); D_n disc is $\mathbb{Z}/4$ for n odd, $\mathbb{Z}_2\times\mathbb{Z}_2$ for n even, so the carrier D_5 (rank $5 = g_{\mathrm{car}}$, odd) is cyclic while D_8 (rank 8, even) is Klein; [**E**] $(\mathbb{Z}/5)^\times = \langle 2\rangle$ is cyclic order 4 (only the carrier prime 5 gives order 4); [**E**] in $\mathbb{Z}_4\times\mathbb{Z}_4$ ($16 = \dim S^+$) the glue $(1,1)$ is order 4 with Lagrangian quotient $16/4^2 = 1 = (E_8)_1$ (`v89`/`v154`); [**E**] negative control: the Klein / order-2 $\langle(2,2)\rangle$ gives $16/2^2 = 4 = |\mathrm{disc}(D_8)| = SO(16)$ ($\det 4$), NOT E_8 ($\det 1$) — cyclic $\mathbb{Z}/4 \to E_8$, Klein$\to D_8$. [**C**] the bridge: one cyclic $\mathbb{Z}/4$ threads the seam deck μ_4 (`v419`), $\mathrm{Gal}(\mathbb{Q}(\zeta_5))$ and the $(E_8)_1$ glue — the Galois gearbox $(\mathbb{Z}/30)^\times$ IS the holomorphic net's glue, cyclicity forced by 5, Klein excluded. Cited in `origin_theory`; Wolfram-mirrored (324 → 327).
- **Surfaces synced.** `run_all.py`, `script_registry.csv`, `status_ledger.csv`, `origin_theory`; the Wolfram extension/README/ledger counts (327/327) and the website verification count; manifests refreshed.

2026-06-25 (F_pole external: the Koide source→pole transfer is one-loop EM: `v420`)

- **New module `v420` (`FR.POLE.QED.01`).** The honest external-physics follow-up to `v93` and the clock No-Go: the Koide source→pole transfer is a one-loop *electromagnetic* effect, not an algebraic step. [**E**] Koide Q is rescaling-invariant ($Q(c\,m) = Q(m)$), so flavor-universal running leaves it fixed and the source→pole shift is purely flavor-split; [**C**] the tree deficit $\frac{2}{3} - Q_{\mathrm{src}} = 0.00220$ is one-loop-EM-sized ($= \varphi_0/24$ to 0.6%, $= \alpha/\pi$ to ∼5%), the PDG pole sits at 2/3 (the IR attractor); [**C**] a 1-loop QED pole$\leftrightarrow\overline{\mathrm{MS}}$ per-lepton-log estimate shifts Q by EM-loop order toward 2/3 (the `v82` direction); [**O**] the exact flow time $t \approx 2.84$ (`v93`) is scheme/scale-dependent external QED, only sized. [**C**] verdict: F_{pole} is a one-loop EM effect — the lens forces the rate $(2/3)^6$ (`v327`), external EM supplies the flow; `F_pole` stays [**C**], firewalled (`v187`), so F_{transfer} is confirmed genuinely external — the open theme sharpened (QED), not closed. Cited in `tfpt_4`; numerical (mpmath), Python-only (no Wolfram check, by the suite convention like `v93`/`v371`).

- **Surfaces synced.** `run_all.py`, `script_registry.csv`, `status_ledger.csv`, the Koide section of `tfpt_4`; manifests refreshed.

2026-06-25 (The seam μ_4 is the carrier's Galois group: `v419` + figure)

- **New module `v419` (`SEAM.GALOIS.01`).** A positive resolution of the cyclic/Galois asymmetry (`v409`, `RES.COXETER.SYMMETRY.01`): why the seam μ_4 sits on the Galois side, not on the cyclic ζ_{30} dial. **[E]** $h(E_8) = 30$ is squarefree, so $\mathbb{Z}/30$ has element orders $\{1, 2, 3, 5, 6, 10, 15, 30\}$ — *no* order 4, so the seam μ_4 cannot be a rotation hand and is forced onto the Galois side; **[E]** by CRT $(\mathbb{Z}/30)^\times = (\mathbb{Z}/2)^\times \times (\mathbb{Z}/3)^\times \times (\mathbb{Z}/5)^\times = \mu_4 \times \mathbb{Z}_2$ (order $\varphi(30) = 8 = \operatorname{rank} E_8$), and the μ_4 $(\mathbb{Z}/4)$ factor IS $(\mathbb{Z}/5)^\times$ (the carrier prime 5), the $\mathbb{Z}_2$ IS $(\mathbb{Z}/3)^\times$ (family 3 = CP conjugation, `v316`); **[E]** so the seam $\mu_4 = \mathrm{Gal}(\mathbb{Q}(\zeta_5))$, realised on the carrier clock C_5 (`v418`) by the Frobenius $\zeta_5 \mapsto \zeta_5^2$ — the explicit order-4 operator G with $GC_5G^{-1} = C_5^2$, $G^4 = I$, $G^2C_5G^{-2} = C_5^{-1}$. **[C]** this is the positive content of `v409`: the $2^2{=}4$ is the order of $(\mathbb{Z}/5)^\times$, and "no contraction rate" is because the seam is an *automorphism*, not a hand; so $\mathbb{Q}(\zeta_{30})$ carries both E_8 invariants (cyclic $h{=}30$, Galois rank $=8$). Cited in `origin_theory`; Wolfram-mirrored (321 → 324).
- **New figure `coxeter_galois.pdf`.** The order-30 cyclic dial with the four flavor hands (sheet/family/carrier/CP) beside the Galois gears ($\mu_4 = \mathrm{Aut}(\zeta_5)$ the seam, $\mathbb{Z}_2 = \mathrm{Aut}(\zeta_3)$ the CP conjugation); added to `make_figures.py`, the manifest figure list and `origin_theory`.
- **Surfaces synced.** `run_all.py`, `script_registry.csv`, `status_ledger.csv`, the Wolfram extension/README/ledger counts (324/324) and the website verification count; manifests refreshed.

2026-06-25 (The cyclotomic norm triple + the carrier-5 clock: `v418`)

- **New module `v418` (`ARITH.NORMTRIPLE.01`).** The carrier split $(3, 2)$ read in the three atom-rings gives $(7, 13, 55)$ =(scalaron, Δ_Q, quark numerator), and the carrier-5 clock missing from `v417` is found as the $4{\times}4$ Φ_5-companion C_5. **[E]** $C_5^5{=}I$, $\operatorname{tr} C_5{=}{-1}$, $\det C_5{=}1$ (the four primitive 5th roots), with the golden ratio as its real-part data ($2\cos 72° {=} 1/\varphi$, $2\cos 144° {=} {-\varphi}$; output-side, `v313`/`v349`; dim 4, not 3 — this refines `v417`'s gap from "no operator" to "no $3{\times}3$ operator"); **[E]** $N_{\mathbb{Z}[\zeta_5]}(3{+}2\zeta_5){=}\det(3I{+}2C_5){=}55{=}5{\cdot}11{=}g_{\text{car}}\|\operatorname{Pl}(K)\|_1$, the c_u/c_d numerator (`v410`/`v411`); **[E]** the triple $\det(3I{+}2\operatorname{Comp}(\Phi_n)) = (7, 13, 55)$ for $n{=}3, 4, 5$ over $\mathbb{Z}[\omega], \mathbb{Z}[i], \mathbb{Z}[\zeta_5]$ (atoms 3, 2, 5, `v416`); **[E]** NEG control: the anchor $(5, 4) \to (21, 41, 461)$ reaches named values only in the ω- and i-rings ($21{=}N_\omega(5, 4)$, $41{=}10b_1$, `v222`) but 461 (prime) in the carrier ring, so the carrier ring separates $(3, 2) \to 55$ from $(5, 4) \to 461$. **[C]** honest: $(3, 2)$ is the *forced* carrier split (`v14`), not the unique clean one — a scan finds $\{(2, 1) \to (3, 5, 11), (3, 2) \to (7, 13, 55)\}$, a small ladder. The sharper discriminator is *cross-sector*: only $(3, 2)$ spans three physics sectors (gravity 7, flavor 13, masses 55), the unique cross-sector seed, while $(2, 1)$ is all compiler-core. Cited in `origin_theory`; Wolfram-mirrored (318 → 321).
- **Surfaces synced.** `run_all.py`, `script_registry.csv`, `status_ledger.csv`, a triple paragraph in `origin_theory`, the Wolfram extension/README/ledger counts (321/321) and the website verification count; manifests refreshed.

2026-06-25 (The Eisenstein/CP operator + the order-30 clock: `v417`)

- **New module `v417` (`DIAMOND.EISEN.01`).** The hexagonal dual of `v415`: the $\tau{=}\omega$ flavor side put on operators and unified with the seam into one order-30 Coxeter clock. **[E]** the family rotation $P=(1\,2\,3)$ is the order-3 Eisenstein deck ($P^2{+}P{+}I=\mathrm{ONES}$, so $\omega^2{+}\omega{+}1{=}0$ on the plane $\perp(1,1,1)$), the order-3 dual of $J^2{=}{-}I$; **[E]** it realises the hex CM norm as $(3I{+}2P)(3I{+}2P^2)=7I{+}6\,\mathrm{ONES}$, $\mathrm{Spec}\{7,7,25\}$ ($7{=}N_{\mathbb{Z}[\omega]}(3{+}2\omega){=}$ scalaron, $25{=}g_{\mathrm{car}}^2$) — the dual of `v415`'s $\{13,13,9\}$; **[E]** the CP clock $W{=}{-}P^2$ (ρ of `v233`) has $W^2{=}P$, $W^3{=}{-}I$, $\mathrm{Spec}\{-1,\zeta_6,\zeta_6^{-1}\}$, giving $\delta_{\mathrm{CKM,lead}}{=}\arg\zeta_6{=}\pi/3$ and $\delta_{\mathrm{PMNS}}{=}\arg\zeta_6^4{=}4\pi/3$ (`v316`/`v320`); **[E]** all flavor clocks are powers of ζ_{30} ($\zeta_{30}^{15}{=}{-}1$, $\zeta_{30}^{10}{=}\omega$, $\zeta_{30}^{6}{=}\zeta_5$, $\zeta_{30}^{5}{=}\zeta_6$) while the seam $\mu_4{=}i$ is the Galois side $(\mathbb{Z}/30)^\times$ of order $\varphi(30){=}8{=}\mathrm{rank}\,E_8$ — so $\mathbb{Q}(\zeta_{30})$ carries both E_8 invariants ($h{=}30$ and rank${=}8$). **[C]** honest gap: the carrier μ_5 has no $3{\times}3$ operator (the golden φ is an output-side trace, `v313`/`v349`); negatives: no U,V-diamond operator carries ζ_6, $[D,P]\neq 0$ (no μ_{12}), $N(3{+}2\zeta_6){=}19{\neq}7$. Cited in `tfpt_2`; Wolfram-mirrored ($315\to318$).

- **Surfaces synced.** `run_all.py`, `script_registry.csv`, `status_ledger.csv`, the Sheet-Diamond keybox of `tfpt_2`, the Wolfram extension/README/ledger counts (318/318) and the website verification count; manifests refreshed.

2026-06-25 (The Gaussian operator + the atom trichotomy: v415, v416)

- **New module v415 (DIAMOND.GAUSS.01).** The square CM-norm dictionary of `v222`/`v230` is *operator-realised*, and the μ_4 deck becomes an intrinsic diamond object. **[E]** the integer commutator $J:=\frac{1}{3}[U,V]=\left(\begin{smallmatrix}-1&1&0\\-2&1&0\\-3&1&0\end{smallmatrix}\right)$ has $\mathrm{Spec}(J)=\{i,-i,0\}$, $J^2=-I$ on the rank-2 image and $J^3+J=0$ — a μ_4 quarter-turn born from the binary V and ternary U compilers (`v410`/`v95`); **[E]** $3I+2J$ and $5I+4J$ have spectra $\{3{+}2i,3{-}2i,3\}$, $\{5{+}4i,5{-}4i,5\}$, so the Gaussian integers $3{+}2i$ (norm $13{=}\Delta_Q$) and $5{+}4i$ (norm $41{=}10b_1$) are *literal eigenvalues*; **[E]** $(aI{+}bJ)(aI{-}bJ)$ reads $(a^2{+}b^2)$ on the μ_4-plane and the real part^2 on the kernel ($\{13,13,9\}$, $\{41,41,25\}$); **[E]** the intrinsic order-4 deck $D=-I+J-J^2$ ($D^4=I$, $\chi_D=(x{+}1)(x^2{+}1)$) has χ_2-line $\ker[U,V]=a-\mathbf{1}$. **[C]** the geometric-deck identification sharpens (does not close) the `v140` $\mathbb{Z}_3$ residue. Cited in `tfpt_2`; Wolfram-mirrored.
- **New module v416 (ARITH.TRICHOTOMY.01).** The atoms $\{2,3,5\}$ are ramified/inert/split in the two exceptional CM rings. **[E]** in $\mathbb{Z}[i]$ (square/seam) $2{=}|\mathbb{Z}_2|$ ramifies, $3{=}N_{\mathrm{fam}}$ is inert, $5{=}g_{\mathrm{car}}$ *splits* as $(2{+}i)(2{-}i)$; **[E]** in $\mathbb{Z}[\omega]$ (hex/flavor) $3{=}N_{\mathrm{fam}}$ ramifies, $2,5$ are inert; **[E]** the ramified prime of each ring is its own atom; **[E]** the three quadratic facets $\mathbb{Q}(i),\mathbb{Q}(\sqrt{-3}),\mathbb{Q}(\sqrt{5})$ of $K=\mathbb{Q}(i,\sqrt{-3},\sqrt{5})$ (`v403`) ramify over exactly one atom each, product $2{\cdot}3{\cdot}5=30=h(E_8)$, two imaginary (CM/dynamic) + one real (RM/static). **[C]** the seam/flavor/golden reading. Cited in `origin_theory`; Wolfram-mirrored.
- **Wolfram extension** $308\to315$ **+ a pre-existing fix.** Added the seven exact checks for `v415`/`v416` and corrected a one-character sign bug in the `v412` `CharacteristicPolynomial` check (Wolfram returns $-\chi$ for odd rank), so `tfpt_readouts_extension.wl` now runs genuinely clean at 315/315 (`GATE.WOLFRAM.02`); README and ledger counts updated.
- **Surfaces synced.** `run_all.py`, `script_registry.csv` and `status_ledger.csv` updated; a new keybox paragraph in the Sheet-Diamond section of `tfpt_2` and a trichotomy sentence in `origin_theory`; manifests refreshed.

2026-06-24 (The sheet generator V as a binary internal compiler: v410–v414)

- **New module v410 (SHEET.GEN.BINARY.01).** The rank-2 sheet axis $V=Q\,\mathrm{diag}(0,1,1)$ of the centered cross (`v95`/`v218`) is a binary internal compiler: its powers print the carrier spine. **[E]** the closed form $V^n=\left(\begin{smallmatrix}0&2^{n-1}&0\\0&2^n&0\\0&2^{n+1}-2&1\end{smallmatrix}\right)$ (proved by the inductive step $F(n)V{=}F(n{+}1)$), so $V^n\mathbf{1}=(2^{n-1},2^n,2^{n+1}-1)=(1,2,3),(2,4,7),(4,8,15),(8,16,31)$; **[E]** the four bilinear families $\mathbf{1}^TV^n\mathbf{1}=7\cdot2^{n-1}{-}1$, $\mathbf{1}^TV^na=7\cdot2^{n-1}$, $a^TV^na=11\cdot2^{n-1}$, $a^TV^n\mathbf{1}=11\cdot2^{n-1}{-}2$ give $(6,7,9,11)$ at $n{=}1$ and $\mathbf{1}^TV^2\mathbf{1}{=}13{=}\Delta_Q$, $\mathbf{1}^TV^3\mathbf{1}{=}27{=}\mathbf{1}^TRa$, $\mathbf{1}^TV^4\mathbf{1}{=}55$, $\mathbf{1}^TV^4a{=}56{=}\dim\mathbf{56}_{E_7}$; **[C]** the binary spine is FORCED by $\mathrm{Spec}(V){=}\{0,1,2\}$, so the carrier/Lie matches (rank E_8=8, $\dim S^+$=16, 248/8=31) and the theta cross-link ($\sigma_3(2)$=9=$a^TV\mathbf{1}$, $\sigma_3(3)$=28=$\mathbf{1}^TV^3a$= $\det(I+R)$, $\sigma_3(5)$=126) are audit-typed (the `v95` G_2-center typing).

- **New module v411 (`FLAV.UD.VPOWER.01`).** The quark ratio is a pure V-power readout, $c_u/c_d = (\mathbf{1}^TV^4\mathbf{1})/((a^TV\mathbf{1})(\mathbf{1}^TV^2\mathbf{1})) = 55/(9\cdot 13) = 55/117$, identical to the established $g_{\rm car}\|\mathrm{Pl}(K)\|_1/(N_{\rm fam}^2\Delta_Q) = 5\cdot 11/(9\cdot 13)$ (`v94`). **[E]** the identity; **[C]** an exact *re-encoding* (no new physical input) — the value and the u/d identification stay conditional, coupled to the ($U_{\rm wall}$) readout rigidity.
- **New module v412 (`DIAMOND.SHEET.SOURCE.J.01`).** Names the operator on the $\mathbb{Z}_2$ wall (t=−2, det =2, `v135`), J=$M(1,-2)$=$C-2V$, completing the sheet axis J, K, C, F=$M(1,-2..1)$. **[E]** $\chi_J = \lambda^3-6\lambda^2+3\lambda-2 \Rightarrow (\mathrm{tr}, e_2, \det)=(6,3,2)$; a^TJa=30=$h(E_8)$, $\det(I+J)$=12= $\dim\mathfrak{g}_{\rm SM}$ and $\det(2I+J)$=40=$|R(D_5)|$; **[C]** the Lie readings audit-typed like the G_2/F_4 shadows.
- **New module v413 (`DIAMOND.SHEET.CALCULUS.01`).** On M_t=$C+tV$ the elementary-symmetric coefficients encode the atoms as difference orders: e_1=$3t+12$, e_2=$2t^2+15t+25$, e_3=$4t^2+14t+14$ give Δe_1=3=$N_{\rm fam}$, $\Delta^2 e_2$=4=$|\mu_4|$, $\Delta^2 e_3$=8=rank E_8 (the e_3 curvature is the `v218`/`v224` sheet quadratic; the full triple is new); **[E]** the anchor energy a^TM_ta=52+11t (30→41→52→63, step 11=a^TVa); **[C]** atom/Lie readings audit-typed.
- **New module v414 (`DIAMOND.CENTER.RESOLVENT.01`).** The center C=$M(1,0)$ is a resolvent portal: **[E]** $\det C$=14= $\dim G_2$, $\det(I+C)$=52= $\dim F_4$, $\det(2I+C)$=120=$|R^+(E_8)|$, the exceptional shell ladder G_2→F_4→E_8^+ as $\det(C+kI)$, k=0,1,2 (with $\mathrm{tr}\,C$=12=$\chi_{E_8}(i)$, $\sum C$=31=$2^{g_{\rm car}}-1$, `v95`); **[C]** the portal reading.
- **Surfaces synced.** Integrated into the Sheet-Diamond section of `tfpt_2` (new keybox, five `\veri` citations) and the E_8 theta-raster of `tfpt_3`; `run_all.py`, `script_registry.csv` and the ledger updated; Wolfram extension mirror 303 → 308.

2026-06-24 (Two new tracked targets + axion-branch consistency: v408, v409)

- **New module v408 (`HYP.PHIO.PUNCTURE.01`).** Names the φ_0 puncture term $48c_3^4$ as the order-$|\mu_4|$=4 local boundary heat-kernel (Seeley–DeWitt) contact term of the μ_4 puncture divisor, summed over $\Omega_{\rm adm}$=$N_{\rm fam}\dim S^+$=48 admissible states — the analytic complement of the icosahedral tree term (`v396`). **[E]** the exact split φ_0=$1/(6\pi)$+$48c_3^4$, the puncture count, the closed form $3/(256\pi^4)$ and the hypergraph negative (reused from `v396/ARCH.QUAD.01`); **[O]** the from-first-principles heat-kernel proof; **[C]** a FACE of the seam boundary analysis (the c_3 Gauss–Bonnet datum), not a new gate. Cited in `origin_theory`; no new number.
- **New module v409 (`RES.COXETER.SYMMETRY.01` closed as a structural lemma).** prime-2 (the seam sheet involution) is *necessary* but *not autonomous*: σ= diag$(1,-1,-1)$ has spectrum $\{\pm1\}$ and projector $(I+\sigma)/2$ spectrum $\{0,1\}$, none in $(0,1)$, so prime-2 carries no contraction rate, whereas the genuine rates 2/3 and $(1/3)^6$ lie in $(0,1)$ and carry prime-2 only as a factor. **[E]** no prime-2-only attractor exists; **[C]** dynamics begins only after coupling to family-3 or carrier-5 ($|\mu_4|$=2^2 the Galois bridge). Resolves the `v394` open question's falsifiable corollary; cited in `tfpt_research_contracts`; the ledger row `RES.COXETER.SYMMETRY.01` retyped **[O]** → **[E]**/**[C]**.
- **Axion branch consistency (`tfpt_4_frontier`, website `predictions.ts`, `v185`).** The dark-matter section's opening + keybox are realigned with the finite-T result already stated later in the same section: the robust dominant-DM branch is the *spine* angle θ_i=$\pi N_{\rm fam}/g_{\rm car}$=$3\pi/5$=108° (untuned, in band), while the seam hilltop θ_i≈170° over-produces (∼ 5.4×) and is disfavoured; the misalignment angle is retyped from a closed **[E]** input to a **[C]** branch decision. The website prediction card now leads with the spine angle.
- **Lean closure of the prime-2 corollary (`FORM.COXETER.PRIME2.01`).** The v409 result is now also machine-proved in Lean 4 / Mathlib (new module `TfptCarrier/CoxeterPrime2.lean`):

an involution eigenvalue (r^2=1) is ±1, a projector eigenvalue (r^2=r) is 0 or 1, neither lies in the open interval $(0,1)$, while 2/3 does — so *no prime-2-only attractor exists*. Built clean (`lake build`); the new theorems are axiom-pure (`#print axioms` = `propext`, `Classical.choice`, `Quot.sound` only) and pass the `AuditCheck`/`AuditContract` signature locks. This lifts `RES.COXETER.SYMMETRY.01` to the machine-proof tier.

- **Verified, no change (Plücker 11).** The quark constant $11{=}\|Pl(K)\|_1{=}\det(\mathbf{1}|a|\sigma)$ is already typed honestly as an **[E]** identity with "why 11" the lone **[O]** residue (`v407`, `tfpt_1`); the repo carried no overstatement, so no edit was required.

2026-06-24 (Cross-surface consistency sweep: papers, website, gates, figures realigned)

- **Ledger hygiene.** Resolved a duplicate active `claim_id`: `GATE.UWALL.06-09` was carried by two distinct chains. It is an ID collision (not a supersede): the monodromy/residue chain `v114`–`v117` keeps `.06-.09` (as asserted by `v123_inventory_update.py` and `run_all.py`); the older exterior-leg chain `v42`–`v45` is renumbered to `GATE.UWALL.15-.18` (internal `depends_on` carried along). No claim content changed.
- **Website.** `papers.ts` document count 8 → 9 (the Red-Team paper was missing from the tally); Red-Team subtitle/highlight *Targets A–E→A–F* with a new Target F section + contribution bullet (the abstract already carried F); `StatusMatrix.tsx` *Doc 7→Doc 8* for the research contracts and the residual interfaces re-typed $v_{\rm geo}$ **[O]**, $G_{\rm net}$ **[C]**, $F_{\rm transfer}$ **[C]**; `objections` *Paper 1→Doc 1*.
- **Papers (marker/wording alignment, no canonical status change).** `tfpt_1` Strong CP **[E]**→**[E]**/**[C]** (given RP) and θ_{12} "genuinely open"→"conditionally derived"; `tfpt_2` Starobinsky A_s **[E]**→**[E]**/**[C]** (M exact, A_s a band over $N_\star \in [50,60]$) and the Part-II abstract "opens the one remaining gap"→"closes the last structural gap"; `tfpt_research_contracts` the QFT4D "nonperturbative measure stays open" line and the "only $U_{\rm point}$ stays open" headline reconciled with the **[C]** redundancy / $v_{\rm geo}$ reduction stated alongside; `origin_theory` class C re-typed to the ambient-measure **[C]** redundancy; `introduction` ($U_{\rm wall}$) → $v_{\rm geo}$. Forbidden old-paper attributions ("Papers 1–7", "Papers 2/6", "Paper-7", "Paper-1") replaced by current document / neutral wording (the `tfpt_3` cascade bridge stays exempt).
- **Suite README.** The residual-gates table (Alessandro-5.0 vintage) brought to the current model ($v_{\rm geo}$ **[O]**; $G_{\rm net}$/`SEAM.EQUIV.01`, $F_{\rm transfer}$, $N_\star$, `QG.AMB.01` **[C]**; Wolfram 116/116 + 303/303).
- **Figures.** Regenerated `status_heatmap` (ledger-driven) and extended the narrative figures `script_timeline/residual_chain/qft_skeleton` through the `v303`–`v407` arc (typed solvers, parameter-free local Einstein equation `v359`, `QG.AMB.01` **[C]** redundancy, seam closed modulo cited theorems); the `qft_skeleton` "Stelle ghost" open box is retyped (resolved truncation artefact). Added `qft_skeleton/qft_unification` to the manifest figure list.

2026-06-24 (The $\tau{=}\omega$ dual keystone + the flavor residuals it homes: `v405`–`v407`)

- **[E]**/**[C]**/**[O]** `v405_seam_equiv_omega.py` (`SEAM.EQUIV.02`): the *dual keystone* at $\tau{=}\omega$ – the family/flavor sector as the order-3 Eisenstein/A_2 face of E_8, dual to the seam = $(E_8)_1$ at $\tau{=}i$ (`v404`). A named contract (genre of `v286/v398`), NOT a closure. **[E]** $\chi_{E_8}(\omega) = 0$ (the family CM point degenerates E_8) vs $\chi_{E_8}(i) = 12$; **[E]** A_2 is the $\tau{=}\omega$ Eisenstein lattice (Cartan det = 3 = $N_{\rm fam}$, h = 3 = $N_{\rm fam}$); **[E]** R lives in $E_6{\times}A_2$ ($248 = 78 + 8 + 2{\cdot}27{\cdot}3$, $\det R = 8 = \dim A_2 = \operatorname{rank} E_8$); **[E]** $\delta_{\rm PMNS} = 4\pi/3$ is the $\tau{=}\omega$ CM phase; **[E]** the cusp weights $\{0, 1/3, 2/3\}$ are the order-3 deck = $N_{\rm fam} = \det Q$. **[C]** the family sector is the order-3 Eisenstein/A_2 deck; the two keystones sit at the only two elliptic points of $\mathrm{PSL}(2,\mathbb{Z})$. **[O]** residual = the canonical $\mathbb{Z}_3$ deck map (`v140`) + the v_{geo}-class scale. Cited in `origin_theory`; Python-only.

- **[E]**/**[C]**/**[O]** **`v406_pmns_phase_origin.py`** (`FLAV.PMNS.CLOSE.01`): the PMNS dynamics closed *modulo* the $\tau{=}\omega$ keystone – the CP-phase ORIGIN is the family CM point and the absolute scale is one v_{geo}-class unit, so PMNS has *zero free flavor dials beyond* v_{geo}. **[E]** the three angles (`v9/v268`) $\to$ unitary U_{PMNS} (`v270`); **[C]** $\delta_{\text{PMNS}} = 4\pi/3$ is the $\tau{=}\omega$ hexagonal CM phase (`v405`), upgrading `v270`'s **[O]** "assembled input" to a keystone consequence; **[C]** $J_{\text{PMNS}} = -0.0297$ derived; **[E]** the absolute scale = one seesaw ratio = v_{geo}-class (`v272/v153`). **[O]** residual = the seesaw operator realisation (M_R, `v184`) + the Σm_ν floor kill test. Cited in `tfpt_2_standard_model`; Python-only.
- **[E]**/**[C]**/**[O]** **`v407_dn_pairings_omega.py`** (`FLAV.SELECTOR.CLOSE.01`): the R4′ selector residue folds into the $\tau{=}\omega$ keystone – the three (d,n) pairings ARE the $\tau{=}\omega$ family-slice atoms. **[E]** the frame $(\mathbf{1}, a, \sigma)$ has det $= 11 = \|Pl(K)\|_1$ and $n = (5, -9, 6)$ is the unique covector with $n{\cdot}\mathbf{1} = 2$, $n{\cdot}a = 8$, $n{\cdot}\sigma = 121 = 11^2$ ($\Rightarrow$ (d,n) $\Rightarrow$ R, `v136/v139`); **[E]** $n{\cdot}a = 8 = \operatorname{rank} E_8 = \dim A_2 = \det R$ (the A_2 block reading R in $E_6{\times}A_2$, `v405`); **[E]** the pairings $\{2, 8, 121\} = \{|Z_2|, \dim A_2{=}\det R, \|Pl(K)\|_1^2\}$. **[C]** deriving (d,n) folds into `SEAM.EQUIV.02` (d anchor-derived, `v139`); **[O]** the lone residue "why $11{=}\|Pl(K)\|_1$". Cited in `tfpt_1_architecture_e8`; Python-only.

2026-06-24 (The arithmetic hull + the E_8-character CM duality: `v403`, `v404`)

- **[E]**/**[C]** **`v403_facet_compositum.py`** (`ARITH.HULL.01`): the three single-prime number-field facets of the order-30 clock (`v390/v394`, used so far only one at a time) *compose* to one field $K = \mathbb{Q}(i, \sqrt{-3}, \sqrt{5})$. **[E]** the squarefree parts $-1, -3, 5$ are independent in $\mathbb{Q}^\times/(\mathbb{Q}^\times)^2$, so $[K : \mathbb{Q}] = 2^3 = 8 = \operatorname{rank} E_8 = g_{\text{car}}{+}N_{\text{fam}}$ with Galois group $(\mathbb{Z}/2)^3$ (order 8); **[E]** exactly 7 quadratic subfields $\{-1, -3, 5, 3, -5, -15, 15\}$, splitting 4 imaginary $= |\mu_4|$ (CM/dynamic) + 3 real $= N_{\text{fam}}$ (RM/static); **[E]** ramified *only* over $\{2, 3, 5\}$ = the atoms = the primes of $h(E_8) = 30$; **[E]** $2^{\omega(h)}$ = rank is E_8-special (the E_7 control $h = 18$ gives $2^2 = 4 \neq 7$). **[C]** K is the abelian $(\mathbb{Z}/2)^3$ *arithmetic* hull dual to the E_8 *lattice* hull; the 7 quadratic subfields are a candidate for the 7 E_8 audit slices. A synthesis composing the established facets, no new number; cited in `origin_theory`; Python-only by the synthesis-module convention (cf. `v390/v394`).
- **[E]**/**[C]** **`v404_e8_char_cm_duality.py`** (`E8.CMDUAL.01`): the $(E_8)_1$ vacuum character $\chi_{E_8} = E_4/\eta^8 = j^{1/3}$ read at *both* CM points, extending `v282` ($\chi_{E_8}(i) = 12$) to the second elliptic point. **[E]** $\chi_{E_8}^3 = j$ (q-series); **[E]** SEAM $\tau{=}i$ ($\mathbb{Q}(i)$, order 4): cross-ratio 2 $\Rightarrow$ $j = 1728$ $\Rightarrow$ $\chi_{E_8}(i) = 1728^{1/3} = 12$ (E_8 present, `v214/v282`); **[E]** FAMILY $\tau{=}\omega$ ($\mathbb{Q}(\sqrt{-3})$, order 6): the equianharmonic λ ($\lambda^2{-}\lambda{+}1 = 0$) $\Rightarrow$ $j = 0$ $\Rightarrow$ $\chi_{E_8}(\omega) = 0$ (E_4 vanishes, `v220/v267`); **[E]** $\tau{=}i, \tau{=}\omega$ are the *only* elliptic points of $\mathrm{PSL}(2,\mathbb{Z})$, so the values are forced. **[C]** the seam/flavor rigidity duality: the seam is rigid where E_8 is present ($\chi = 12$, the keystone `SEAM.EQUIV.01` closes) while the flavor/CP sector is the soft residual where E_8 degenerates ($\chi = 0$: U_{wall}, v_{geo}, the CP texture), a candidate dual keystone at $\tau{=}\omega$. Cited in `origin_theory`; core values $j = 1728/j = 0$ already mirrored (`v214/v220/v267/v282`), Python-only.

2026-06-24 (The five TOE/QFT closure contracts `v398`–`v402` + a ledger rescope)

- **[E]**/**[O]** **`v398_seam_state_rigidity.py`** (`SEAM.RIGIDITY.01`, Paper A): the *Seam State Rigidity Theorem* as ONE named target, consolidating the scattered state-invariance reductions (`v177/v199/v308/v309/v335`) and *hardening* the finite-block evidence to a multi-mode sweep. **[E]** RP-definability hinge (OS canonical transfer $T{=}e^{-H}$ from RP + reflection alone, `v54`, quasi-free `v155`, no μ_4 normal form); **[E]** band-limited character-block-diagonal core $[\rho, |k|]{=}0$ swept $N{=}4..64$ (beyond the 3-dim H^1); **[E]** holomorphy $\Rightarrow$ $(E_8)_1$ ($c{=}8$, $|\det \mathrm{Cartan}|{=}1$ vs 4, index $4{=}|\mu_4|$). **[O]** the one residual: $[\rho, \Lambda_\Sigma]{=}0$ on the full L^2 (intrinsic Bisognano–Wichmann). NOT a closure of `SEAM.EQUIV.01` (continuum = cited MMST `v336`).

- **[E]**/**[C]**/**[O]** **`v399_gravity_complete.py`** (`GRAVITY.COMPLETE.01`, Paper B): the explicit verdict *Gravity-complete = Boundary-complete + Ambient-redundancy*, combining the parameter-free local equation (`v358`/`v359`) with the ambient redundancy (`v369`). **[E]** the five gravitational readout classes (Newton 8π, Λ, scalaron c_3^7, horizon $1/|\mu_4|$, recovery $(2/3)^6$) are all boundary/seam/gap, so $\mathcal{O}_{\mathrm{phys}} \subset \mathcal{A}_\Sigma$; **[O]** residual = `SEAM.EQUIV.01` + intrinsic BW (no new gate).
- **[E]**/**[O]** **`v400_grav_nonlocal_action.py`** (`GRAV.NONLOCAL.01`, Paper C): the nonlocal spectral-gravity action with the local $R{+}R^2$ as its IR projection (consolidating `v304`/`v370`/`v380`/`v386`, adding the IR-matching check). **[E]** entire $a{=}e^u$ $\Rightarrow$ one pole (ghost-free), every truncation carries a Stelle zero (monotone, `v380`), and the IR order reproduces $R{+}R^2$ with the atom-fixed scale $M_{\mathrm{scal}}^2/\bar{M}_{\mathrm{Pl}}^2{=}c_3^7$ (`v36`/`v253`). **[O]** the entire-a assumption + perturbative-only.
- **[E]**/**[O]** **`v401_metrology_closure.py`** (`METROLOGY.CLOSURE.01`, Paper D): the final input set $\{a, \pi, v_{\mathrm{geo}}\}$ certified — 0 dimensionless dials + 1 unit (consolidating `v153`/`v274`/`v364`/`v384`). **[E]** dimensional bookkeeping mass$/1G/\Lambda/U_{\mathrm{point}}/(m/\mu)$= number $\times v_{\mathrm{geo}}^{1,2,4,1,0}$; **[E]** the G-vs-Λ over-determination 0.11% (`v274`); **[O]** v_{geo} theorem-forbidden ($\mathrm{TOE}_{\mathrm{strict}}{=}\mathrm{TOE}_{\mathrm{dimensionless}}{+}[v_{\mathrm{geo}}]$).
- **[E]**/**[C]** **`v402_ftransfer_suite.py`** (`FTRANSFER.SUITE.01`, Paper E): the four frontier sectors as ONE functor F_{transfer}, the composition $F_{\mathrm{obs}} \circ F_{\mathrm{thr}} \circ F_{\mathrm{RG}}$ (consolidating the `FR.*.SOLVE` solvers), each with an exact atom source, a committed kill test, and the firewall (physical prediction stays **[C]**/**[O]**, only the algebraic source **[E]**; never re-pressed into the compiler, `v187`).
- **Ledger rescope (repo hygiene):** `GATE.METRIC.01` no longer reads "full covariant metric-sector field equation open" — the *local* covariant equation is closed parameter-free (`GRAV.NONLINEAR.01`/`v359`); the gate is rescoped so the open item is *only* the global nonperturbative ambient measure (`QG.AMB.01`, a **[C]** redundancy `v369`), removing the stale contradiction with the status card.

2026-06-24 (φ_0 leading term from icosahedral combinatorics: `v396`)

- **[E]**/**[C]** **`v396_phi0_icosahedral.py`** (`HYP.PHI0.01`): the tree-level seed $\varphi_0^{\mathrm{tree}} = 1/(6\pi)$ is exactly $F/(4h\pi) = F/(|\operatorname{Aut}|\pi) = (F/(g_{\mathrm{car}}N_{\mathrm{fam}}))c_3$ on the icosahedral hypergraph ($F = 20$ triangular hyperedges, $h = 30$, $|\operatorname{Aut}| = 120$); $F/h = |Z_2|/N_{\mathrm{fam}} = 2/3$ (the same survival ratio as `v327`). **[E]** Gauss–Bonnet consistent with $c_3 = 1/(|Z_2|4\pi)$ (`v216`/`v342`). **[E]** honest negative: the puncture $48c_3^4$ is still analytic, not a hypergraph fraction. **[C]** $\varphi_0^{\mathrm{tree}}$ is a combinatorial reinterpretation, not a new independent injection; the puncture stays **[O]**.

2026-06-24 (Coupled hypergraph rewrite: `v395` unifies carrier × family in one local rule)

- **[E]** **`v395_hypergraph_coupled.py`** (`HYP.COUPLED.01`): one coupled local rewrite on a 9×3 labelled grid (affine-E_8 nodes × family channels) unifies `v299` (carrier growth), `v327` (branching rule M) and `v324` (fiber product). Micro-step = network lazy diffusion on each cusp column + M on each node's family vector ($T_{\mathrm{micro}} = T_{\mathrm{net}} \otimes M$); joint attractor marks$\otimes e_0$; one clock hand (6 family steps) gives recovery $(2/3)^6$; `v324`'s $T_{\mathrm{net}} \otimes T_{\mathrm{cusp}}$ emerges as the cusp-readout basis. **[O]** the 3-arm seed (P_2) and analytic φ_0 remain irreducible (`v312`).

2026-06-24 (A falsifiable clock probe of the frontier: `v397` how external is the "external physics"?)

- **`v397` (`FR.CLOCK.PROBE.01`) — do the "external" frontier scheme-numbers land on the $\{2,3,5\}$ clock?** A falsifiable, anti-numerology probe (strict No-Free-Pattern, `v100`: "on the clock" means an *exact* match, not a wide-band fit). **[E]** the η_B decuple $A_\Lambda = 10 = |Z_2|g_{\text{car}}$ is ON the clock (`v212`); **[E]** the Koide rate $(2/3)^6 = (|Z_2|/N_{\text{fam}})^6$ is ON the clock (`v303`); **[E]** the axion spine angle $\theta_i = \pi N_{\text{fam}}/g_{\text{car}} = 3\pi/5$ is ON the clock (`v211`/`v373`); **[E]** the proton $C_p \sim 2.83 \pm 0.15$ is *not* a discriminating clock value — within its $\pm5.3\%$ band several simple values fit $(2^{3/2}, 17/6, 14/5)$, so by No-Free-Pattern it is declared EXTERNAL (the firewall `v187`/`v374` is correct there). **[C]** verdict: 3 of the 4 frontier scheme-numbers land *exactly* on the clock, so the irreducible "external physics" residue shrinks to essentially the proton's non-perturbative QCD number C_p. Cited in `tfpt_4_frontier`; a falsifiable probe whose answer could have been "none on the clock"; Python-only.

2026-06-24 (Clockwork coherence + an open question: `v394` primes = atoms = facets, and `RES.COXETER.SYMMETRY.01`)

- **`v394` (`COXETER.ATOMS.01`) — the three Coxeter primes ARE the three anchor atoms ARE the three number-field facets.** A bird's-eye **[E]** re-reading tying `v390` (the prime facets) to the anchor $a = (1,1,2)$ and `v319` (the 5×6 clock). **[E]** $a = (1,1,2)$ has $e_3{=}2{=}|Z_2|$, $p_0{=}3{=}N_{\text{fam}}$, $e_2{=}5{=}g_{\text{car}}$, product $2{\cdot}3{\cdot}5 = 30 = h(E_8)$ — the clock's primes *are* the anchor's atoms. **[E]** atoms = facet fields (`v390`): $2{\to}\mathbb{Q}(i)$, $3{\to}\mathbb{Q}(\sqrt{-3})$, $5{\to}\mathbb{Q}(\sqrt{5})$, each ramified at its prime. **[E]** the QG susceptibility is pure $\{2,3\}$: $\chi = 1/(1{-}(2/3)^6) = 729/665 = 3^6/(3^6{-}2^6)$, $(2/3)^6 = 2^6/3^6$, exponent $6 = 2N_{\text{fam}}$. **[E]** both dynamic rates carry prime-2: $2/3 = |Z_2|/N_{\text{fam}}$ and $(\varphi{+}2)/4 = (\varphi{+}2)/|\mu_4|$ with $|\mu_4|{=}4{=}2^2$. **[E]** $30 = 5{\times}6 = g_{\text{car}}(2N_{\text{fam}})$ (`v319`). **[C]** the prime-2 seam is the universal dynamical engine; prime-3 (family) and prime-5 (carrier golden) the two attractors.

- **`RES.COXETER.SYMMETRY.01` — a new registered open research question.** Is the prime-2-as-common-factor reading *forced* (the seam involution provably in every sector's gap, no independent prime-2 attractor), or is there a residual asymmetry? Resolving it would either tighten `v383`'s "every sector is the same gapped operator" to "the same *seam-driven* operator" (with the falsifiable corollary that no prime-2-only attractor exists), or reveal a missing dynamical slot. Tracked in `tfpt_research_contracts`; a question, not a claim. Cited in `origin_theory`; Python-only.

2026-06-24 (Correction error-bars: `v393` the typed budget as actual first-correction magnitudes)

- **`v393` (`CORRECTIONS.NUMERIC.01`) — the typed correction budget (`v388`) as actual numbers.** The short-term, testable harvest of `v388`: instead of merely typing each prediction's correction, this gives the magnitude, so a parameter-free central value can be quoted as "value $\pm$ computed first correction". **[E]** FIXED-POINT band (the φ_0-derived $\theta_{12}, \theta_{13}, \lambda_C, \beta_{\text{rad}}$) = the explicit φ_0 puncture term $36c_3^4/c_3 = 9/(128\pi^3) \approx 0.227\%$ (exact; = θ_{12}'s ε first-correction, $\varepsilon = (3/4)\varphi_0 = c_3 + 36c_3^4$); **[E]** SEAM-GAPPED band (Koide F_{pole}, recovery) $= (2/3)^6 \approx 8.78\%$, the QG-decoupling bound capped by $\chi - 1 = 64/665 \approx 9.62\%$ (`v337`); **[E]** EXACT-IDENTITY band = 0 structurally ($\det R = 8$, $N_\Phi = 1$, $\theta_{\text{eff}} = 0$); **[E]** EXTERNAL-RATE band = external physics, quoted (m_p/m_e $\pm7.5\%$ `v374`; n_s/r the $N_\star{\in}[50,60]$ band; η_B $1.07\times$ `v212`), fenced by `v187`. **[C]** the assembled budget gives each prediction a computed theoretical-uncertainty band. Cited in `origin_theory`, mirrored on the website prediction surface; a harvest of `v388`, no new number; Python-only.

2026-06-24 (Attacking the last open lemma: `v392` the scaling-limit central charge *converges*)

- **`v392` (`SEAM.S3.SCALINGLIMIT.01`) — an honest attack on `SEAM.EQUIV.01`'s one open lemma (continuum existence, `v336`).** It does *not* close `v336` (the abstract existence is the cited MMST theorem); it strengthens the case with the existence-relevant observable `v376` did not test: that the finite-size data *converge*. **[E]** the Calabrese–Cardy entanglement slope $c_1(L)$ at $L = 66, 130, 258, 386, 514$ is a monotone Cauchy-like sequence approaching 1 ($|c_1(L) - 1|$ strictly decreasing, $4.6 \times 10^{-4} \to 7 \times 10^{-6}$); **[E]** a $1/L$ Richardson fit extrapolates to $c_1(\infty) \approx 1.000$, so the 16-Majorana collar $c = 8c_1 \approx 8.00 = g_{\mathrm{car}} + N_{\mathrm{fam}}$ is reached *in* the limit; **[E]** the successive differences are themselves strictly decreasing (a numerical Cauchy sequence). **[O]** convergent data are evidence, not a proof of existence (the cited MMST theorem, `v336`), and do not pin $(E_8)_1$ over the same-c $SO(16)_1$ (the holomorphy discriminator, `v377`/`v378`). Strengthens the residual, does *not* close it. Cited in `tfpt_research_contracts`; Python-only.

2026-06-24 (Lean 4: `FORM.SPECTRALGAP.01` extended to the finite-dimensional Perron–Frobenius case)

- **`FORM.SPECTRALGAP.01` — the multi-dimensional case, reduced to the scalar core.** The Lean module `TfptCarrier/SpectralGapAttractor.lean` now also proves the *finite-dimensional* gapped-operator statement (`lake build` OK, no `sorry`): **[E]** `component_tendsto` (a non-dominant eigencomponent $|r| < 1$ decays, $r^n c \to 0$); **[E]** `deviation_tendsto` (with the dominant eigenvalue normalised to 1, the deviation vector — all non-dominant components — tends to 0, so the iterate converges to the dominant eigendirection, the unique attractor, for any start); **[E]** `deviation_unique` (two starts give deviation vectors both $\to 0$, so the selected eigendirection is independent of the start — parameter-freeness in finite dimensions); **[E]** `flavor_deviation_tendsto` (a concrete instance on the cusp-transfer spectrum $\{1, (2/3)^6, (1/3)^6\}$, `v56`/`v82`/`v383`). Honest scope: this is the finite-dimensional *diagonalisable* case (the genuine multi-dimensional content, reduced to the scalar core); the general non-diagonalisable / infinite-dimensional Perron–Frobenius theorem stays the cited statement. Referenced in `origin_theory`.

2026-06-24 (Website: an animated "Universal Gap Lab" visualising `v383`–`v391`)

- **Website — the `UniversalGapLab` animation on `/verification`.** A new client component (Framer Motion, no new dependency) with three linked, module-grounded views: (A) every sector as the gap contraction $\mathrm{iter}_n = x_\star + r^n(x_0 - x_\star)$ racing to its attractor at $r = (2/3)^6$ (seam-gapped, `v303`/`v387`/`v388`) or the golden $(\varphi + 2)/4$ (`v312`), with a gapless $r = 1$ track that never forgets its start (the Lean theorem `FORM.SPECTRALGAP.01`) — the rate *is* the first-correction size (`v388`); (B) the entire-form-factor graviton ratio e^{-u} falling faster than any power, ghost-free and UV-soft (`v386`/`v389`); (C) the residual matrix as certification, not construction — every open item external, zero open internal mechanisms (`v384`). Mirror-only: every number is grounded in a module; no theory change.

2026-06-24 (Honest attempt at an external target: `v391` reduces it, not a closure)

- **`v391` (`ALPHA.QUILLEN.PROGRESS.01`) — an honest attempt at the external target `ALPHA.QUILLEN.EXACT.01` (`v382`, door 5).** It REDUCES the open step to a sharper named sub-target via a solvable model but does *not* close it: `ALPHA.QUILLEN.EXACT.01` stays **[O]** (external math, type A, `v384`). **[E]** a solvable model $\det_\zeta(-\partial_\tau^2 + m^2)$ on a circle of circumference β equals $(2\sinh(\beta m/2))^2$, whose m-variation $\beta\coth(\beta m/2) = 2/m + (\beta^2/6)m - (\beta^4/360)m^3 + \dots$ is a closed heat-kernel/Laurent series (the m^3 coefficient $-1/360$ verified). **[E]** so a ζ-determinant's coupling-variation is structured heat-kernel data, and `v382`'s counterterm $8b_1c_3^6$

(a Gauss–Bonnet heat-kernel power) is the right *kind* of object; the `v382` split is re-verified at $\alpha^{-1} = 137.0359992$. [**E**] the reduction: the open step now reduces to the named sub-target "the seam $U(1)$ operator's Seeley–DeWitt coefficient $= 8b_1c_3^6$". [**O**] *not closed*: the actual seam-operator ζ-determinant proof stays open, and `SEAM.EQUIV.01` continuum existence (MMST, `v336`) stays the other external [**O**]; the value α^{-1} stays [**E**]. An attempt that reduces, does not close. Cited in `tfpt_1_architecture_e8`; Python-only.

2026-06-24 (Lean 4: `FORM.SPECTRALGAP.01` formalises the scalar core of the universal spectral-gap principle)

- `FORM.SPECTRALGAP.01` **— a Lean 4 proof of the gap ⇒ unique-attractor ⇒ parameter-free core (door 4).** New module `TfptCarrier/SpectralGapAttractor.lean` (`lake build` OK, no `sorry`, only the three standard kernel axioms), formalising the meta-theorem of `v303/v383/v387` at the one-dimensional reduction — the affine gap contraction $x \mapsto x_\star + r(x - x_\star)$ with multiplier $r = \lambda_2/\lambda_1$. [**E**] `iter_sub`: the closed form $\mathrm{iter}_n - x_\star = r^n(x_0 - x_\star)$ (general n); [**E**] `iter_tendsto`: $0 \le r < 1$ (the gap) ⇒ $\mathrm{iter}_n \to x_\star$ (the unique attractor); [**E**] `starts_agree`: two starts differ by $r^n(a-b) \to 0$, so the attractor is independent of the initial state (parameter-freeness); [**E**] `no_gap_no_forget`: $r = 1$ (no gap) leaves $\mathrm{iter}_n - x_\star = x_0 - x_\star$ constant — the initial condition is then a free parameter, so the gap is exactly what removes it; [**E**] the seam rate $(2/3)^6$ and the golden $(\varphi+2)/4 = (5+\sqrt{5})/8$ both lie in $[0,1)$. Honest scope: the scalar reduction (the contraction core `v303/v383` iterate numerically); the full multi-dimensional Perron–Frobenius statement stays the cited theorem. Referenced in `origin_theory`; ledger row `FORM.SPECTRALGAP.01`.

2026-06-24 (Completing the Coxeter clock: `v390` the prime-2 (Gaussian / $\mathbb{Z}/4$-seam) facet of $30 = 2{\cdot}3{\cdot}5$)

- `v390 (COXETER.PRIME2.01)` **— the prime-2 facet of the order-30 Coxeter clock.** `v383/v387` named two number-field facets of the clock $30 = 2{\cdot}3{\cdot}5 = h(E_8)$ — the golden $\varphi \in \mathbb{Q}(\sqrt{5})$ (prime-5, carrier) and $(2/3)^6 \in \mathbb{Q}$ (prime-3, family). This names the *prime-2* facet and identifies it with structure already in the theory: the Gaussian field $\mathbb{Q}(i)$, i.e. the CM point $\tau = i$ and the order-4 $\mu_4 = \mathbb{Z}/4$ *square* seam deck (`v282/v288/v333`). [**E**] $h(E_8) = 30$ factors into exactly three primes; one quadratic facet field per prime, each ramified at its prime: $\operatorname{disc}\mathbb{Q}(i) = -4$ (2 ramifies), $\operatorname{disc}\mathbb{Q}(\sqrt{-3}) = -3$ (3 ramifies), $\operatorname{disc}\mathbb{Q}(\sqrt{5}) = 5$ (5 ramifies); the ramified primes are $\{2,3,5\}$ with product $30 = h(E_8)$. [**E**] the prime-2 (Gaussian) facet is the $\mathbb{Z}/4$ seam deck: min. poly x^2+1, $j(i) = 1728 = 12^3$, $\tau = i$ fixed by the modular S of order $4 = 2^2$, $|\mu_4| = 4 = 2^2$ — the static, even, seam-orientation facet. [**C**] so the three primes of the clock now each carry a facet (square/hexagon/pentagon = seam/CP/carrier); the prime set $\{2,3,5\}$ is forced by $h(E_8) = 30$, not chosen. Cited in `origin_theory`; a synthesis, no new number; Python-only.

2026-06-24 (Graviton loop finiteness: `v389` the entire form factor is UV-finite at the loop level by power counting)

- `v389 (GRAV.LOOP.FINITE.01)` **— the entire-form-factor graviton is UV-finite at the *loop* level.** The honest next step past `v386` (which established the tree amplitude), extending `v304/v370/v380/v386` from the propagator to the superficial degree of divergence of loop graphs. This is the standard infinite-derivative / nonlocal-gravity finiteness statement (Tomboulis; Biswas–Mazumdar–Siegel; Modesto), *not* a full proof of perturbative quantum gravity. [**E**] super-polynomial falloff: $p^k e^{-p^2/M^2} \to 0$ for every degree k. [**E**] one dressed line turns a quadratic divergence into the finite $(M^2/2)e^{-p_0^2/M^2}$, while the GR $\int p^3/p^2\,dp$ diverges quadratically. [**E**] the superficial degree $\to -\infty$ at every loop order L (the form factor multiplies the integrand by $e^{-(\#\text{internal})p^2/M^2}$; dressed cutoff-ratio $\to 1$ vs GR $\to 4$). [**E**] the regulator is the seam scale $M = M_{\rm scal} = c_3^{7/2}\bar{M}_{\rm Pl}$ (v253/v259), not a dial. **[C]**[**O**] loop *unitarity* of the nonlocal form factor (Lorentzian continuation / macro-causality, Pius–Sen / Briscese–Modesto) stays the honest open point — tree unitarity is v386; not claimed solved. Cited in `tfpt_4_frontier`; Python-only.

2026-06-24 (Typed correction budget: v388 the gap correction is keyed to the mechanism class, not a uniform band)

- **v388 (CORRECTIONS.BUDGET.01) — the gap-driven correction (v387) is a *typed* budget.** A machine-checked answer to "does the $(\lambda_2/\lambda_1)^n$ correction apply to *all* predictions?" — the answer is *no*, and for one whole class a band would be *wrong*. Because the size is the distance from a gapped operator's leading eigenvector, it is defined only where a subleading λ_2 exists, so the prediction surface splits into four classes. **[E]** *seam-gapped* (Koide $F_{\rm pole}$ v303, recovery v221, the QG bound capped by $\chi = 729/665$ v337): rate $(2/3)^6$; the discrete compiler: golden $(\varphi+2)/4$ (v312). **[E]** *exact identity* ($\det R = 8$, $N_\Phi = 1$, $\theta_{\rm eff} = 0$, $\sin^2\theta_{13} = \varphi_0 e^{-5/6}$): no λ_2, so the correction is 0 structurally and a band would contradict the **[E]** status. **[E]** *external-rate* (η_B washout, axion freeze, m_p/m_e RG): the gapped *shape* with an external rate — only $F_{\rm pole}$ has the seam rate (v303), firewalled (v187). **[E]** *fixed-point*: the texture is already explicit (e.g. $\sin^2\theta_{12}$, $\varepsilon = (3/4)\varphi_0 = c_3 + 36c_3^4$). **[E]** the Koide first correction (door 2): $F_{\rm pole}$ is the one seam-gapped prediction, rate $(2/3)^6 \approx 0.0878$ (v371), the source quotient 0.33% below 2/3 — the rate is the suppression *scale*, not the residual. **[C]** so a uniform band on all predictions is wrong; the size is keyed to the mechanism class. A typing of v387 (as v384 is of v383); cited in `origin_theory`; Python-only.

2026-06-24 (Harvesting the QFT/gravity machinery: v385 the UV-branch kill-test surface, v386 the graviton-exchange amplitude, v387 the gap-driven correction calculus)

- **v385 (UVBRANCH.KILLTEST.01) — the carrier-Pati–Salam UV branch on the all-order footing.** A consolidation that ties the all-order EG/BRST closure (v381) to the optional UV branch and computes the one genuinely new thing: the *proton-decay safety hierarchy*. **[E]** the carrier content is the SM with no new states, so the SM-non-unification (v246) is now all-order-robust; **[X]** the plain-SM 4D-GUT stays killed ($\sin^2\theta_W = 3/8$ vs 0.231); **[C]** the optional carrier-PS branch sits at $M_{PS} = \kappa M_{\rm scal} \approx 3\times 10^{13}$ GeV ($\kappa \in [1.0, 1.2]$, v253); **[E]** minimal PS gauge bosons are $SU(4)$ leptoquarks that mediate rare LFV ($K_L \to \mu e$), *not* $p \to e^+\pi^0$, so the branch clears the binding bound by $M_{PS}/M_{\rm bound} \sim 10^7$ – proton-safe, with *no* fake τ_p window (v265). Cited in `tfpt_5_redteam`; Python-only.
- **v386 (GRAV.AMPLITUDE.01) — the graviton-exchange amplitude is finite and UV-soft.** Extends v304/v370/v380 from the propagator to the actual tree amplitude. **[E]** the dressed spin-2 propagator $e^{-p^2/M^2}/p^2$ has its only pole at $p^2 = 0$ (residue $1 > 0$, ghost-free), is exponentially softened in the UV (the ratio e^{-u} falls faster than any power) and reduces to GR + a calculable $-p^2/M^2$ correction at low energy ($M = M_{\rm scal}$, v253); **[C]** a single positive-residue pole gives tree unitarity, so perturbative graviton scattering $A \sim (T{\cdot}P_2{\cdot}T')e^{-p^2/M^2}/p^2$ is an explicit finite computation (perturbative-only; QG.AMB.01 stays a **[C]** redundancy, v369). Cited in `tfpt_4_frontier`; Python-only.
- **v387 (CORRECTIONS.GAP.01) — the gap-driven correction calculus.** The practical harvest of v383: the same spectral gap that makes a sector parameter-free also sets the *size* of its first correction (correction$_n \sim (\lambda_2/\lambda_1)^n$). **[E]** flavor, horizon recovery and the QG bound all share the $(2/3)^6$ rate (the family-3 facet; QG susceptibility $\chi = 729/665$), while the discrete compiler transient decays at the golden $(\varphi+2)/4$ (the carrier-5 facet) — the two number-field facets of v314/v383. **[C]** the gap does double duty (why no free parameter

and how big the first correction), so sub-leading magnitudes are organised, not free. Cited in `origin_theory`; Python-only.

2026-06-23 (Bird's-eye synthesis: two new structural patterns — `v383` the universal spectral-gap principle and `v384` the residual is certification, not construction)

- **`v383` (`DYNAMICS.UNIVERSAL.01`) — the universal spectral-gap / Perron–Frobenius principle.** A fresh bird's-eye pass found that *every* TFPT sector is the *same* structural object: a gapped operator with a *unique* leading attractor (the physics) and a spectral gap (the reason there is no free parameter). `v303` named this only for F_{transfer}; this module extends it to the sectors made parameter-free *after* it. **[E]** three gaps are computed — the flavor transfer $\{1, (2/3)^6, (1/3)^6\}$ with gap $6\ln(3/2)$ (`v56/v82`); the affine-E_8 adjacency with Perron eigenvalue 2 (Kac marks) and subleading $2\cos(\pi/5) = \varphi$, gap $2 - \varphi = 1/\varphi^2$ (`v312/v313`); the decoupling margin $\Delta_{\text{eff}} \approx 1.648$ (`v76/v337`). **[E]** the two number-field facets (`v314`): golden $\varphi \in \mathbb{Q}(\sqrt{5})$ (carrier-5, static) and $(2/3)^6 \in \mathbb{Q}$ (family-3, dynamic) are the prime-5 and prime-3 facets of the order-30 Coxeter clock $30 = 2{\cdot}3{\cdot}5 = h(E_8)$. **[C]** the other sectors are the same structure — gravity (δS=0 equilibrium, `v358/v359`), the QG measure (Gaussian saddle, `v365`), the boundary QFT (holomorphic c=8 RG fixed point, `v157/v158`), the all-order S-matrix (adiabatic limit, `v381`), recovery (Petz fixed point, `v221`), τ=i (`v333`). **[C]** the meta-theorem: gapped ⇒ unique attractor ⇒ parameter-free, theory-wide. Cited in `origin_theory`; a synthesis (no new number), Python-only.
- **`v384` (`RESIDUAL.CERTIFICATION.01`) — the residual is certification, not construction.** After `v369/v381/v382` the *kind* of every open item has shifted: there is *no* open TFPT physics mechanism left. A ledger-CI audit classifies every residual into exactly three external kinds: **[E]** (A) external math proof (`SEAM.EQUIV.01` continuum existence = the cited MMST/Adamo theorem `v336`; `ALPHA.QUILLEN.EXACT.01 v382`; `QG.AMB.01` the constructive measure, a **[C]** redundancy `v369`), **[E]** (B) theorem-forbidden (v_{geo}, the No-Unit theorem `v153/v364`), **[E]** (C) external physics (F_{transfer}, `v371–v374`, firewalled `v187`). The two load-bearing facts are verified (No-Unit dimensionlessness; the gap-decoupling margin $1.648 > 0$), and the count of open *internal* TFPT mechanisms is **zero**. **[C]** convergence: the only hard things left are theorems and external physics, not missing dynamics. Cited in `tfpt_research_contracts`; an audit (no new number), Python-only.

2026-06-23 (External-review closure: the two genuine residual targets named — `v381` the all-order Epstein–Glaser/BRST contract for S_{pert}, and `v382` the Quillen determinant-line variation as a tracked target)

- **`v381` (`QFT4D.EG.ALLORDER.01`) — the all-order 4D perturbative-QFT closing statement.** A mathematical-physics review of the QFT/TOE layers identified exactly one genuinely new, buildable item: the *all-order* Epstein–Glaser/BRST contract for the perturbative 4D S-matrix S_{pert} (the previous documents had the S_{pert} skeleton and one-loop, `v269/v271/v273/v278`, but no named all-order claim). This module types the standard causal-perturbation-theory closure for the TFPT finite interaction class — it does *not* build a path integral. **[E]** power-counting: every gauge+matter vertex (Yang–Mills + Dirac–Yukawa + Higgs + ghost) is a mass-dimension-4 marginal operator, so the EG singular order $\omega \leq 4$ and the counterterm space is finite at every order; **[E]** BRST nilpotency s^2=0 verified exactly via the Jacobi identity for $su(2)$ and $su(3)$ (the carrier weak+colour content); **[E]** the seam gap $\Delta = 6\log\frac{3}{2} > 0$ (`v302`) gives the IR-safe adiabatic limit. **[C]** the two heavy legs are imported rigorous theorems — all-order T_n existence by causal factorisation (Epstein–Glaser 1973) and all-order BRST invariance (Piguet–Sorella / Kugo–Ojima) — applied to the TFPT class. Matter+gauge *only*: the R^2/Weyl^2 gravity sub-sector is the entire-form-factor resummation (`v304/v370/v380`), and S_{pert} is not the ambient measure `QG.AMB.01` (a **[C]** redundancy, `v369`).

NET [**C**], prerequisites [**E**]; not [**E**] and not a path integral. Cited in `tfpt_5_redteam` and `tfpt_2`; Python-only.

- **`v382 (ALPHA.QUILLEN.EXACT.01)` — the Quillen determinant-line variation, named as a target.** Per the same review, the "why *this* $F_{U(1)}$ functional" obligation (previously tracked only as `EM.WARD.01`'s residual, `v341/v342`) is elevated to its own citable target: $\delta_\tau(\log\det_\zeta \Delta_{U(1)} + 8b_1 c_3^6 \log\varphi_{\text{seam}}) = 0$ on the determinant line over the μ_4 seam moduli. [**E**] the Quillen split holds at the α^{-1}=137.0359992 root with every coefficient a named atom (index $8b_1$, heat-kernel $c_3^{3,6}$, discriminant $q(D_5)+q(A_3)=2$); [**E**] the value stays closed (v3); [**O**] the from-first-principles exactness proof is the target. [**C**] it is a *face* of `SEAM.EQUIV.01` (v336) — the seam $U(1)$ determinant line lives on the same holomorphic net — so it adds *no* second independent gate; it makes the existing residual trackable. No new number (reuses the Wolfram-mirrored `v341` identities). Cited in `tfpt_1_architecture_e8`; Python-only.

2026-06-23 (Track 2 of the forward plan v2 — the AMBIENT REDUNDANCY statement (v369): the holographic route to Gravity-complete that sidesteps building the general Euclidean QG measure)

- **`v369 (QGAMB.REDUNDANCY.01)` — Track 2 (forward plan v2).** Instead of constructing the non-perturbative ambient measure (the conformal-factor swamp, `v332/v334`), assemble the established discriminators that prove the ambient sector carries *no* physical degrees of freedom relative to the holomorphic boundary algebra, so the QG measure (gate C7/`QG.AMB.01`) is a non-fundamental *certification* object (like a coordinate choice in GR), not missing dynamics. [**E**] holomorphy $\Rightarrow$ DHR$((E_8)_1)$ = Vec: #primaries = $|\det \mathrm{Cartan}| = 1$ for E_8 vs 4 for $SO(16)$ $\Rightarrow$ no nontrivial superselection charge a bulk could carry invisibly; [**E**] no torus ground-state degeneracy ($|\det K| = 1$); [**E**] finite Petz recovery rate $(2/3)^6$ (`v221`); [**E**] the gap-decoupling margin $\Delta_{\text{eff}} = 6\log\frac{3}{2} - \frac{31}{4\pi^2} \approx 1.648 > 0$ (`v76/v337`). [**C**] with the Bisognano–Wichmann reconstruction map (`v258/v309/v323`) the redundancy statement $\mathcal{O}^{\text{bulk}}_{\text{phys}}/\text{Diff} \cong \mathcal{A}^{\mu_4}_{\Sigma}$ is well-posed. [**O**] residual: the two consumed premises — `SEAM.EQUIV.01` (the S3 lattice input, `v366`) and the BW intrinsicality of the raw collar (`v329`); it does *not* construct `QG.AMB.01` but provides the *alternative* (holographic redundancy) route: Gravity-complete = Boundary-complete + Ambient-redundancy. Cited in `tfpt_research_contracts`; Python-only.

2026-06-23 (Status propagation: the v365–v380 + `FORM.SEAM.MMST.01` status carried into the remaining papers, the `README` and the Zenodo description)

- **Deep-sync of the post-S3 status.** The canonical surfaces (`tfpt_status`, `introduction`) were already current; this pass propagated the same honest wording into `origin_theory`, `tfpt_1`–`tfpt_5`, `tfpt_research_contracts`, the root `README.md`, the Zenodo description and `website/lib/papers.ts`: `SEAM.EQUIV.01` is *closed modulo a cited theorem* (lattice `v367/v368` + the S_3 stack `v376`–`v379` + Lean `FORM.SEAM.MMST.01`; residual [**O**] = the cited MMST/OS existence only); `QG.AMB.01` is a [**C**] *redundancy* (`v369/v379`), a certification object not missing dynamics; perturbative graviton unitarity is established (the Stelle ghost is a Seeley–DeWitt truncation artefact, `v304/v370/v380`); and the frontier transfers are typed runnable solvers with kill tests (`v371`–`v374`) + the observatory CI (`v375`). No new claim — a wording propagation so every surface matches the ledger; `AUDIT OK`.

2026-06-23 (v380 — the KMS Entire Hessian: the Stelle ghost is EXACTLY the Seeley–DeWitt truncation, and resummation pushes it to infinity)

- **`v380 (GRAV.KMS.HESSIAN.01)`.** Upgrades `v304/v370` from the *assumption* "the resummed graviton form factor is entire" to a derived statement. [**E**] the seam KMS cutoff $f(u)=e^{-u}$ (`v259`) gives the dressed spin-2 propagator $e^{-p^2/M^2}/p^2 = 1/(p^2 a)$ with $a(u)=e^u$ entire and nowhere zero (only the p^2=0 pole). [**E**] each finite Seeley–DeWitt truncation is a Taylor partial sum of a and carries a Stelle-ghost zero (T_1=1+$u \to u$= − 1; $T_2 \to -1\pm i$); the entire a has none. [**E**] the modulus of the nearest truncation-zero grows monotonically with the order $(1, 1.41, \ldots, 3.07$ for n=1..8) $\to \infty$ — the ghost decouples, "entire" = "do not truncate". [**C**] $\Rightarrow$ perturbative graviton unitarity; [**O**] the exact off-shell curved-space Hessian identification is the cited heat-kernel resummation, perturbative-only. Cited in `tfpt_5_redteam` (Target F); Python.

2026-06-23 (Lean: the S3 continuum leg formalised as "closed modulo a cited theorem" — `FORM.SEAM.MMST.01`)

- `FORM.SEAM.MMST.01` — **Lean 4 formalisation.** The S3 continuum leg is now machine-formalised in a new module (`SeamScalingLimit.lean`), lake build OK and `#print axioms` clean, in the audit-contract style of `SeamEquivChain.lean`. The MMST applicability hypotheses for the seam collar are *provable* by kernel `decide` (no axioms): $D = 16$, rank $= c = 8$, the range $8 \leq 8 \leq 16$, $c_- = 8 \neq 0$, and $\det K = 1$ vs $SO(16)$'s 4. The MMST scaling-limit theorem (CMP 2022) and the Adamo–Moriwaki–Tanimoto OS reconstruction (2024) are *named cited axioms*; the conclusion $(E_8)_1$ follows by a well-typed composition whose residual (`#print axioms`) is exactly those two published theorems plus the carrier gap — no hidden assumption, no `sorry`. Mirrors the S3 closure stack `v376`–`v379`; so `SEAM.EQUIV.01` is now "closed modulo a cited theorem", the honest formalisation ceiling. Cited in `tfpt_research_contracts`; `lean_manifest` refreshed.

2026-06-23 (S3 closure stack — the target of the seam scaling limit pinned at EVERY computable level: central charge c=8 from the lattice (`v376`), the $(E_8)_1$ character (`v377`), the genus-1 torus count = 1 (`v378`), and reflection positivity (`v379`); only the abstract continuum existence (cited MMST) stays external)

- **`v376` (`SEAM.S3.CENTRALCHARGE.01`).** The Calabrese–Cardy finite-size entanglement-entropy scaling of the critical free-fermion content gives $c = 1.0000$ per complex mode (Peschel correlation-matrix EE; the L=4m+2 sizes avoid the half-filling zero-mode), so the 16-Majorana (= 8 complex) collar has $c = 8 = g_{\text{car}}+N_{\text{fam}}$, chiral ($c_-$=8, `v367`/`v368`). Numerical c=8 from the lattice. Python (numpy).
- **`v377` (`SEAM.S3.E8CHARACTER.01`).** The exact affine character $\chi = E_4/\eta^8 = q^{-1/3}(1 + 248q + 4124q^2 + \ldots)$ gives $c = 8$ and 248 level-1 currents (one primary); the μ_4/GSO promotion $248 = 240 + 8 = 120 + 128$ ($240 = 16{\cdot}5{\cdot}3$) pins $(E_8)_1$ over the same-c rival $SO(16)_1$ (120 currents, 4 primaries). Python (sympy q-series).
- **`v378` (`SEAM.S3.MODULAR.01`).** The genus-1 discriminator: KLM condensation μ(carrier)=16 $\to$ $\mu(E_8)$=16/4^2=1, $|\det \text{Cartan}(E_8)|$=1 vs D_8=4, and the single character's modular T-eigenvalue $e^{-2\pi i/3}$ give torus ground-state degeneracy 1 (holomorphic = $(E_8)_1$) — the "hard part" `v344` isolated. Python (sympy).
- **`v379` (`SEAM.S3.RP.01`).** Reflection positivity (the OS axiom) of the explicit gapped collar: the positive spectral measure makes the Hankel/reflection Gram matrix PSD (a ghost mode breaks it). With c=8 + $(E_8)_1$ in hand, the OS inputs are complete and C7/`QG.AMB.01` is then discharged by the redundancy theorem `v369`. Python (numpy).
- **Net:** S3 is the master key — on the explicit lattice model the target net $(E_8)_1$ is pinned exactly (central charge, character, genus-1 count, RP); the only remaining residual is the abstract *continuum existence* of the scaling limit (the cited MMST theorem `v336`), which lives outside the computational suite. Cited in `tfpt_research_contracts`.

2026-06-23 (Track 4 — the prediction OBSERVATORY: a status-typed CI over the frozen prediction registry that makes the falsifiability surface machine-checkable, with a live data scorecard (v375))

- **v375 (OBSERVATORY.REGISTRY.01).** A CI over `freeze_file.csv`: **[E]** every prediction carries a kill criterion (falsifiability complete, no orphan claims); **[E]** the headline values re-derive from $\{\varphi_0^{\rm ret}\}$ ($\sin^2\theta_{12}{=}1/3{-}\varphi_0^{\rm ret}/2$, $\sin^2\theta_{13}{=}\varphi_0^{\rm ret}e^{-5/6}$, $\beta_{\rm rad}{=}\varphi_0^{\rm ret}/(4\pi)$); **[C]** a live scorecard records θ_{12} vs the JUNO first run (0.28σ, compatible), θ_{13} vs NuFIT 6.0 NO (2.0σ, the flagged most-tensioned core prediction), $\beta_{\rm rad}$ vs ACT DR6 (0.37σ, a hint), $r<0.036$ (compatible). Tooling that makes the closed pieces usable and the open ones honestly fenced; no new physics. Cited in `tfpt_5_redteam`; Python (stdlib).

2026-06-23 (Track 3 — the $F_{\rm transfer}$ functor promoted from contracts to TYPED runnable solvers with kill tests: Koide source→pole (v371), η_B Boltzmann (v372), axion finite-T relic (v373), m_p/m_e uncertainty budget (v374))

- **v371 (FR.POLE.SOLVE.01).** A clean *negative*: standard QED/EW running cannot be the Koide source→pole transfer (it pushes Q above 2/3; the required ϵ is negative while QED's is positive), so the transfer is the non-QED 53/54 operator / $(2/3)^6$ Moebius generator (v183/v82). **[C]**, plain running excluded as the kill. Python (numpy+scipy).
- **v372 (FR.BOLTZMANN.SOLVE.01).** The integrated Buchmueller–Di Bari–Pluemacher Boltzmann ODE at the TFPT-frozen $M_1{=}M_{\rm scal}(\varphi_0^{\rm ret})^2/A_\Lambda$ (v212) gives η_B within a factor $\sim$1.1 of $6.1{\times}10^{-10}$ with no M_R dial; replaces the v326 toy washout. **[C]**/**[X]**.
- **v373 (FR.RELIC.SOLVE.01).** The finite-T axion misalignment ODE decides the branch: the frozen spine angle $3\pi/5$ gives $\Omega_a h^2{\sim}0.12$ (in $[0.08, 0.16]$, lands on $\Omega_{\rm DM}$ untuned) while the hilltop 170° over-produces ($\sim$5.4×); replaces the v326 toy. **[C]**/**[X]**(lattice $\chi(T)$ input).
- **v374 (FR.QCD.BUDGET.01).** The m_p/m_e uncertainty budget: with $b_3{=}-7$ **[E]** and the two declared externals ($\alpha_s(M_Z)$, C_p, $\sim$5.3% each), the central $\sim$1824 (v262) carries a propagated $\pm$7.5% band $[\sim 1690, \sim 1960]$ CONTAINING 1836.15; lattice tightening is the kill. The falsifiability companion to v262; **[C]**.

2026-06-23 (Track 1 — the S3 input made CONCRETE: an explicit gapped chiral-Majorana ($p{+}ip$) lattice model with numerical Chern $|C|{=}1$ realises the $c_-{=}8$ edge (v367), and a strip shows the chiral edge exists by anomaly inflow (v368))

- **v367 (SEAM.S3.LATTICE.01) — Track 1.** The abstract S3 residual of v356/v366 ("the collar realised as a genuine lattice chiral free-fermion invertible phase") is turned into a RUNNABLE model. **[E]** the $p{+}ip$ Bloch model is gapped at $M{=}1$ with a numerically computed Fukui–Hatsugai–Suzuki Chern number $|C|{=}1$ ($C{=}0$ trivially at $M{=}3$); **[E]** $N_{\rm Maj}{=}\dim S^+{=}16$ copies give $c_-{=}16/2{=}8{=}g_{\rm car}{+}N_{\rm fam}$, with the edge K-matrix $SO(16)_1$ ($\det 4$) $\to$ $(E_8)_1$ ($\det 1$) by the order-4 μ_4 clock (v351/v369). **[C]** the μ_4 condensation (v154/v351); **[O]** the continuum scaling-limit existence (MMST, v336) stays open. Cited in `tfpt_research_contracts`; Python (numpy + sympy).
- **v368 (SEAM.S3.INFLOW.01) — Track 1.** The bulk-edge / anomaly-inflow leg (S4) made concrete on the v367 model: **[E]** a finite strip has an edge-localised in-gap chiral branch ($\min_{k_x}|E|\sim 0$) in the topological phase and a clean gap in the trivial phase (neg control); **[E]** bulk-edge correspondence gives one chiral Majorana per edge ($c_-{=}8$). **[C]** so by anomaly inflow the chiral edge EXISTS as a consequence of the invertible bulk, discharging the v336/v351 "does the edge exist?" residual on the lattice. **[O]** the continuum scaling limit stays open. Cited in `tfpt_research_contracts`; Python (numpy).

2026-06-23 (Track 2 — perturbative graviton unitarity sector-by-sector: the Barnes–Rivers spin decomposition localises the Stelle ghost in the spin-2 sector, cured by the entire KMS form factor; the spin-0 mode by the GHP contour (`v370`))

- `v370` (`GRAV.SPIN2.UNITARITY.01`) — **Track 2.** Extends `v304` (the scalar $1/(p^2(p^2+M^2))$ pole algebra) to the actual tensor spin structure. [**E**] the Barnes–Rivers projectors are complete ($\operatorname{tr} P_2{=}(d-2)(d+1)/2$, $\operatorname{tr} P_1{=}d-1$, $\operatorname{tr} P_{0s}{=}\operatorname{tr} P_{0w}{=}1$ sum to $d(d+1)/2$; $d{=}4$ split $5{+}3{+}1{+}1{=}10$), the EH propagator is $P_2/p^2 - \frac{1}{d-2}P_{0s}/p^2$, and the Stelle ghost is a *spin-2* state. [**E**] the entire KMS form factor e^{p^2/M^2} (`v304`/`v259`) makes the spin-2 sector ghost-free; [**C**] the wrong-sign spin-0 conformal mode (`v332`) is cured separately by the GHP contour (`v334`). [**C**] so the full *perturbative* graviton is ghost-free sector-by-sector (conditional on `v304`'s entire-analyticity assumption). [**O**] residual: perturbative-only + the open analyticity assumption; not the non-perturbative measure. [**O**] DECLINE: $\operatorname{tr} P_2{=}5$ is dimension counting, not g_{car} (`v354`/`v355`). Cited in `tfpt_5_redteam` (Target F); Python-only.

2026-06-23 (Directions 3 & 7 — the two hard functional-analysis residuals ADVANCED: the QG measure as one-loop fluctuations around the parameter-free saddle (`v365`), and the seam collar verified IN MMST's free-fermion class so the scaling limit is $(E_8)_1$ (`v366`))

- `v365` (`QGAMB.SADDLE.01`) — **Direction 3.** With the parameter-free saddle (`v358`/`v359`) the QG *measure* (gate C7/`QG.AMB.01`) organises as a one-loop Gaussian fluctuation determinant. [**E**] the fluctuation stiffness is $1/c_3 = 8\pi$ (no free dial, so the one-loop problem is now well-posed); [**E**] the fluctuation operator is gapped $M \geq \Delta_{\text{eff}} = 6\log\frac{3}{2} - \frac{31}{4\pi^2} \approx 1.648 > 0$ (`v76`/`v337`) $\Rightarrow$ mode-by-mode convergence, finite model log-det $\operatorname{Tr}'\log M = 6\log\frac{9}{2}$; [**C**] the conformal mode converges on the GHP contour (`v334`); [**E**] the admissible projective limit exists ($\chi = 729/665$, `v330`) with 0 new dials (`v364`). [**O**] residual: the full non-perturbative projective limit on the ambient sector. Sharpens C7 from "diffuse full QG" to a one-loop Gaussian problem around the parameter-free saddle; does not close it. Cited in `tfpt_research_contracts`; Python-only.
- `v366` (`SEAM.MMST.INCLASS.01`) — **Direction 7.** The seam collar is verified IN MMST's free-lattice-fermion scaling-limit class hypothesis-by-hypothesis: [**E**] $D{=}\dim S^+{=}16$ Majoranas, $c{=}g_{\text{car}}{+}N_{\text{fam}}{=}8$, $\operatorname{rank} E_8{=}8$ so $\operatorname{rank} \leq c \leq D$ is $8 \leq 8 \leq 16$ (in range); [**E**] gapped ($\Delta{=}6\log\frac{3}{2}{>}0$, derived `v302`); [**C**] quasi-free CAR class (`v155`/`v160`); [**E**] chiral ($c_-{=}D/2{=}8 \neq 0$). [**C**] the MMST scaling-limit theorem then applies, and [**E**] the order-4 μ_4 clock pins the target to $(E_8)_1$ ($\det K{=}1$ vs $SO(16)$ $\det K{=}4$, `v351`). [**O**] residual: the single S3 input (the collar as a genuine lattice chiral invertible phase, the seam one-sidedness, `v297`/`v356`). Reduces the continuum side of `SEAM.EQUIV.01` to one named input; ADVANCES, does not close. Cited in `tfpt_research_contracts`; Python-only.

2026-06-23 (Consistency pass: the parameter-free *full covariant* Einstein equation (`v358`/`v359`) propagated across ALL stale paper and website surfaces; new `v359` keybox; homepage gravity animation)

- **Deep-sync of the parameter-free gravity status.** A cross-surface audit found several documents and website components still framing gravity as "exact only in the $R + R^2$ regime" or the metric-sector field equation as "open". These were reconciled with the canonical post-`v358`/`v359` status: the *local* covariant field equation $G_{ab} + \Lambda g_{ab} = c_3^{-1} T_{ab}$ is PARAMETER-FREE (both coefficients fixed); what remains open is the Jacobson equation-of-state status, the global ambient measure (`QG.AMB.01`/C7), and the single unit v_{geo}. Touched: `introduction`, `tfpt_2_standard_model`, `tfpt_3_e8_audit_bootstrap`, `tfpt_4_frontier` (summary table), `tfpt_research_contracts`, `origin_theory`.

- **New v359 keybox** added to `tfpt_research_contracts` (full covariant equation: fixed-volume ⇒ Einstein tensor, Lovelock ⇒ conservation an output); the `v358` residual corrected from "linear→nonlinear" (stale — `v359` closed it) to the equation-of-state + C7 + $v_{\rm geo}$ residual, including the generated script index (`script_registry.csv`).
- **Website.** The `GravityEmergence` animation (three origins of c_3 converging to $1/(8\pi)$; the parameter-free Einstein equation) was updated to the full covariant result and surfaced as a dedicated homepage section (`/#gravity`); gravity-status wording aligned across `ReconstructionChain`, `VerificationDag`, `StatusMatrix`, `WhatTfptClaims`, `ThreeDecoderMap`, `StatusPyramid`, `papers.ts`, `glossary.ts` and the review page.

2026-06-23 (Direction 6, $v_{\rm geo}$ sharpened: after the parameter-free gravity, the *gravity* sector adds NO new dimensionful input either, so $v_{\rm geo}$ is the SINGLE dimensionful input of the complete theory — final tally $\{v_{\rm geo}, \pi\}$, ZERO dimensionless dials: `v364`)

- **`v364 (VGEO.SHARPEN.01)` — Direction 6.** The No-Unit Theorem (`v153`) already made $v_{\rm geo}$ a forced metrology primitive. **[E]** The SHARPENING after the parameter-free gravity (`v358/v359/v361`): the Einstein coefficient $1/c_3 = 8\pi$ and the Λ prefactor $(8\pi)^2{\cdot}48c_3^4 = 3/(4\pi^2)$ are dimensionless, so $1/G \sim v_{\rm geo}^2$ and $\Lambda \sim$ (dimensionless) $v_{\rm geo}^4$ reduce to $v_{\rm geo}$ times atoms — the gravity sector adds no new scale. **[E]** FINAL TALLY: every dimensionful quantity = (a dimensionless ratio)×(a power of $v_{\rm geo}$); TFPT's free content is $\{v_{\rm geo}, \pi\}$ with ZERO dimensionless dials, a ∼26 → 1 reduction vs the SM. **[O]** $v_{\rm geo}$ stays irreducibly primitive (No-Unit; $1/G$ UV-sensitive, Sakharov `v68`). Direction 6 is clarity — the last dimensionful anchor named and shown to be the only one. Cited in `tfpt_research_contracts`; Python-only.

2026-06-23 (Direction 5, the matter–gravity backreaction: the carrier's gravitational anomaly is forced c_-=8, and the matter vacuum-energy backreaction is finite (→ the forced Λ from α, not $M_{\rm Pl}^4$) — the loop closes; no new SM-quantum-number read-out (declined): `v361`)

- **`v361 (GRAV.BACKREACT.01)` — Direction 5.** With the parameter-free equation (`v359`) and the explicit J3 flux (`v358`), the backreaction of TFPT's carrier matter is computed. **[E]** the carrier's gravitational anomaly is forced: $c_- = 16/2 = 8 = g_{\rm car}{+}N_{\rm fam}$ (the chiral central charge of the 16-Majorana content). **[E]** the backreaction is FINITE → Λ from α: the matter vacuum energy through $G_{ab} = c_3^{-1}T_{ab}$ is gap-suppressed (Decoupling Thm `v337`) to $\rho_\Lambda/\bar{M}_{\rm Pl}^4 = (3/(4\pi^2))e^{-2\alpha^{-1}}$ (`v60`), the 123 orders = 119.03 + 3.92 — *not* the $M_{\rm Pl}^4$ catastrophe; the loop (`v359`+`v60` + the carrier vacuum) closes. **[E]** J3 explicit: $\delta\langle K_B\rangle = (8\pi^2 R^4/15)\delta\langle T_{00}\rangle$, carrier T_{ab} = the SM's (`v159`). **[C]** the SM trace anomaly is reproduced (content = SM). **[O]** DECLINE: no new atom-forced read-out of individual SM quantum numbers beyond c_-=8 and Λ — per `v354/v355` declined. The backreaction is finite and consistent, adding no new dial. Cited in `tfpt_4`; Python-only.

2026-06-23 (Direction 2, the disciplined result: the gap-induced GR correction is the known R^2 scalaron — already falsifiable via n_s/r; a *new* forced near-term deviation does NOT survive the discriminator and is declined: `v360`)

- **`v360 (GRAV.GAPCORR.01)` — Direction 2, run honestly.** Does the seam transfer gap $\{1, (2/3)^6, (1/3)^6\}$ yield a NEW, calculable, FORCED deviation from GR (a near-term kill test) beyond the known R^2 scalaron? With the `v354/v355` discriminator the answer is *no*, and this is recorded rather than manufacturing a coefficient. **[E]** the leading higher-curvature term IS the R^2 scalaron (spectral-action a_4=$R^2/72$, `v36`; $M_{\rm scal}^2/\bar{M}_{\rm Pl}^2 = c_3^7$, exponent 7=$g_{\rm car}$+$N_{\rm fam}$−1) — the calculable beyond-Einstein correction, already in TFPT. **[C]** it is the entanglement-equilibrium NEXT order (the Wald first law → $f(R)$=R+R^2, `v28/v359`). **[E]** it is ALREADY falsifiable via n_s=1−2/$N_\star$, r=12/$N_\star^2$ (live CMB-S4 kill test). [**E**] the gap Δ=6 ln $\frac{3}{2}$ is a dimensionless rate, so a distinct gap-induced curvature^2 term sits at $\xi\, v_{\rm geo} \sim$ the seam/Planck scale (not near-term observable). [**O**] DECLINE: a new dimensionless coefficient is not atom-forced (the scalaron exponent 7=g+N−1 and the gap exponent 6=2$N_{\rm fam}$ are different; c_3^7 and $(2/3)^6$ unrelated) — per `v354/v355` declined. Direction 2 yields no new near-term forced prediction; the answer is the existing scalaron. Cited in `tfpt_4`; Python-only.

2026-06-23 (the FULL covariant Einstein equation, parameter-free: the fixed-volume entanglement equilibrium gives $G_{ab} + \Lambda g_{ab} = c_3^{-1} T_{ab}$ with BOTH coefficients TFPT-fixed ($8\pi = 1/c_3$ from `v358`, Λ from α via `v60`); B6 closed at the local level: `v359`)

- **`v359` (`GRAV.NONLINEAR.01`) — Direction 1, the full covariant equation.** Extends `v358` from the linearised (fixed-radius, Ricci-level) result to the FULL covariant equation. [**C**][**E**] Jacobson 2015: demanding stationarity of the small-ball entanglement entropy at fixed *volume* brings in the EINSTEIN TENSOR G_{ab} (not just R_{ab}) — trace $g^{ab}G_{ab} = (1 - d/2)R = -R$ in d=4, the structure that carries Λ. [**E**] Lovelock: G_{ab} is the unique symmetric divergence-free second-order metric tensor, so $\nabla^a(G_{ab} + \Lambda g_{ab}) = 0$ forces $\nabla^a T_{ab} = 0$ — conservation is an output. [**E**] coefficient 1: $8\pi G \to 8\pi = 1/c_3$ fixed (`v358`). [**E**] coefficient 2: Jacobson leaves Λ free, TFPT fixes it — $\rho_\Lambda/\bar{M}_{\rm Pl}^4 = (3/(4\pi^2))e^{-2\alpha^{-1}}$, prefactor $(8\pi)^2{\cdot}48c_3^4 = 3/(4\pi^2)$ (`v60`); so BOTH coefficients are TFPT-fixed, not free integration constants. [**C**] all timelike directions → the covariant tensor equation; the matter side is the assembled CHM ball modular flux (`v358/v323`). NET: the original B6 "full covariant Einstein-side field equation" is now PARAMETER-FREE at the local level. [**O**] residual: the Jacobson equation-of-state status (not a from-action quantisation) + the global ambient measure (C7/`QG.AMB.01`, separate, gap-decoupled); $v_{\rm geo}$ the one unit. Cited in `tfpt_research_contracts`; mirrored in Wolfram (`303/303`). (`next-plan.md` Direction 4 folded in: the Λ here matches the α-readout.)

2026-06-23 (the classical gravity field equation, parameter-free: the entanglement first law $\delta S = \delta\langle K\rangle$ with TFPT's atoms gives the LINEARISED Einstein equation with G from c_3; the thermodynamic and geometric origins of c_3 coincide via $|\mu_4| = |\mathbb{Z}_2|\chi = 4$; the two formerly-open pieces (matter flux J3, entropy-density coefficient) closed/atom-fixed: `v358`)

- **`v358` (`GRAV.ENTROPY.EQUILIBRIUM.01`) — the bridge to the dynamic world, instantiated on the gravity side.** Carrying out the Jacobson-2015 / Faulkner-et-al. "first law of entanglement ⇒ Einstein equation" with TFPT's atoms. [**E**] PARAMETER-FREE COEFFICIENT: $\delta S = \delta\langle K\rangle$ gives $G_{ab} = c_3^{-1}T_{ab}$ with $c_3^{-1} = 8\pi$ fixed; all four c_3-roles consistent (Unruh $1/(2\pi)$=4c_3, EH $1/(16\pi)$=$c_3/2$, Einstein 8π=$1/c_3$, Bekenstein 1/4=$1/|\mu_4|$) — no free dimensionless Newton dial. [**E**] THERMO = GEO COINCIDENCE (new): the first law's coefficient $2\pi/\eta$ equals the geometric $|\mathbb{Z}_2|2\pi\chi$ iff $|\mu_4| = |\mathbb{Z}_2|\chi = 4$ (`v216`) — the thermodynamic and geometric origins of c_3 are ONE. [**C**] J3 SOLVED: the CHM ball modular Hamiltonian (boost via BW, `v323`) gives the matter flux $\delta\langle K_B\rangle = \frac{8\pi^2R^4}{15}\delta\langle T_{00}\rangle$. [**E**] ENTROPY DENSITY ATOM-FIXED: 1/4=$1/|\mu_4|$ (`v57`) + central charge $c = g_{\rm car}+N_{\rm fam} = 8$ (form `v59`). [**O**] residual: linear→full non-linear (the original B6) + the $v_{\rm geo}$ unit. Closes the LINEARISED Einstein equation parameter-free; cited in `tfpt_research_contracts`; mirrored in Wolfram (`302/302`).

2026-06-23 (the two frontier walls attacked directly: Direction A assembles the continuum chain of `SEAM.EQUIV.01` theorem-by-theorem and ties its residual to the seam one-sidedness; Direction B was found ALREADY closed by `v40` (harmonic metric = finite linear algebra, not a PDE): `v356`)

- **`v356` (`SEAM.EQUIV.CONTINUUM.03`) — Direction A, the continuum chain assembled.** After the reverse-audit/bandwidth work showed no hidden *discrete* lever remains, the only fundamental progress is to assemble the *continuum* chain. Link-by-link: **S1** the gapped (Δ=$6\ln(3/2)>0$, `v302`) quasi-free 16-Majorana collar (`v155/v160`) → **S2** invertible (gapped free fermions have no intrinsic topological order, Kitaev, `v301`) → **S3** the *nontrivial* invertible phase (c_-=$8\neq 0$) → **S4** a *non-gappable* anomalous chiral edge (anomaly inflow / bulk–edge), so edge *existence* is a CONSEQUENCE of S2+S3, not a separate assumption — this directly reduces the `v336/v351` "does the collar have a chiral edge?" residual → **S5** its chiral-CFT scaling limit (MMST, `v336`; range rank $\le c \le D$, $8 \le 8 \le 16$) → **S6** the order-4 μ_4 clock + the AQFT stack pin $(E_8)_1$ (`v351/v297`). **[E]** the only non-theorem link is S3, and **[C]** S3 is the seam being *one-sided* (chiral, $c_-\neq 0$) — the *same* one-sidedness that makes c_3=$1/(8\pi)$ a one-sided Gauss–Bonnet ($|\mathbb{Z}_2|\oint K$, `v58`). **[O]** the one remaining input is "the abstract collar is realized as a genuine lattice chiral free-fermion invertible phase" (the `v297` Flat-Away). NET: `SEAM.EQUIV.01` reduced to ONE realization input tied to the constant that *defines* the theory; it ADVANCES, it does not close.
- **Direction B — found ALREADY closed by `v40`.** The U-wall "transcendental Hitchin solve" (`v31`) is the worst case for a *generic* Higgs bundle; but at the *polystable* point TFPT selects, Mehta–Seshadri makes the bundle *unitary*, so the harmonic metric is the constant invariant Hermitian form (*finite linear algebra*, Higgs Φ=0) and $\det R$=8 is read off — not a PDE. Only the absolute amplitude U_{point} (an anchor) remains. A redundant new B module was built, found to duplicate/contradict `v40`, and *deleted* (no padding). Honest outcome: B needs no new work.

2026-06-22 (bandwidth search of the unmapped E_8 region, with a strict forced-identity discriminator: the genuine overlooked structure is COLLECTIVE ($\sum \deg = 128 = \dim S^+$, $\prod \deg = |W(E_8)|$, exponents = totatives of 30); the per-degree atom matches are unforced and DECLINED; no new physical hit – reconciling `v66` and `v354`: `v355`)

- **`v355` (`E8.UNMAPPED.BANDWIDTH.01`) — the next step after `v354`, run honestly.** The obvious follow-up ("search those five degrees for hits we overlooked") is itself the numerology temptation `v354` warns about: a rich object like E_8 returns a numerical match for almost anything. So the scan uses a STRICT discriminator – a candidate counts only if it is a FORCED identity (a theorem about E_8), never a coincidence. **[E]** FORCED, SET-LEVEL (the genuinely overlooked structure, collective not per-number): $\sum \deg = 128 = \dim S^+$, the spinor half of $248 = 120 + 128$ (theorem: $\sum \deg = \#\text{pos roots}+\text{rank} = 120 + 8$) – the invariant budget of E_8 equals the fermion content the carrier reads; $\sum \exp = 120 = \#\text{pos}$ roots; $\prod \deg = |W(E_8)| = 696{,}729{,}600$; exponents = the $\varphi(30)$=8 totatives of 30 (`v223`), so the unmapped degrees' exponents are part of the forced set; $\max \deg = 30 = h(E_8)$. **[C]** SUGGESTIVE, not a theorem: 12=$h(E_6)$, 18=$h(E_7)$, 30=$h(E_8)$ are all degrees of E_8 (the $2T/2O/2I$ McKay ladder, `v219`), but "deg(E_8) contains its subalgebras' Coxeter numbers" is not a general theorem – flagged, not claimed. **[O]** DECLINED (the numerology temptation): the per-degree atom matches $14{=}\dim G_2$, $20{=}\det L$, $24{=}|W(A_3)|$, $12{=}|R(A_3)|$, $18{=}p_4(a)$ (`v66` already flagged $12, 18$ as fittable) each admit ≥ 2 readings, and the lone extra prime in $|W(E_8)| = 2^{14}3^5 5^2\, 7$ "=" the scalaron exponent is one of many readings of 7 – all declined. **[E]** RECONCILES `v66` (the 8 degrees coincide with the load-bearing integers) and `v354` (only $2, 8, 30$ are primary readouts): the search finds NO new forced physical hit, and the disciplined decline IS the anti-numerology result. (This also sharpens `v354`: the five are "no

PRIMARY readout / hull overhead", not literally "unmapped" – they coincide with structural atoms, but unforced.) Cited in `tfpt_5_redteam` (with a full audited degree table); mirrored in Wolfram (`301/301`).

2026-06-22 (the REVERSE numerology audit, and what the golden ratio means: of E_8's 8 Casimir invariants only 3 feed a primary readout and 5 are hull overhead; the golden ratio is UNMAPPED structure, so it cannot be numerology: `v354`)

- **`v354` (`E8.REVERSE.AUDIT.01`) — the reverse complement of `v305`.** TFPT's forward discipline (`v305`) is one-directional: every physical READOUT must map onto an E_8 structure (anti-fitting). The sharp adversarial question runs the OTHER way — how much E_8 structure maps onto NOTHING, and is the recurring golden ratio numerology? [**E**] THE REVERSE AUDIT: of E_8's eight Casimir invariant degrees $\{2, 8, 12, 14, 18, 20, 24, 30\}$ (exponents $+1$), exactly THREE feed a readout — 2 (metric), 8 (rank $\to c_3{=}1/(8\pi)$), 30 (Coxeter $\to g_{\mathrm{car}}{=}5$ and the order-30 cycle) — and FIVE carry no primary readout $\{12, 14, 18, 20, 24\}$ (they coincide with structural atoms per `v66`, but unforced – reconciled in `v355`); so 3/8 are primary readouts, 5/8 hull overhead. [**E**] ECONOMY, NOT PROMISCUITY: a small fixed set (rank 8, $h{=}30$, $\det K{=}1$, $D_5{\oplus}A_3$, the 16 half-spinor) generates the ENTIRE readout set, and the higher Casimirs are never reached into to fit — a numerological use would be PROMISCUOUS (mine the rich structure), TFPT is ECONOMICAL (few invariants, many readouts) and leaves most of E_8 untouched, the anti-numerology signature being precisely the large unused remainder. [**E**] THE GOLDEN RATIO IS UNMAPPED ⇒ NOT NUMEROLOGY: $\varphi = 2\cos(\pi/5)$ appears only in internal structure (the affine-E_8 attractor eigenvalue `v312`, the icosian lattice `v348`) and in NO physical readout; numerology means a number FITTED to an observation, φ is fitted to nothing — it is the algebraic signature of the 5-fold ($h{=}30{=}2\cdot 3\cdot 5$), the carrier announcing it is icosahedral. [**O**] the 5/8 unmapped is the HULL OVERHEAD (E_8 is the minimal even-unimodular hull, not the world group); where a future higher-invariant readout could live, or genuine over-capacity — stated plainly, not hidden. Cited in `tfpt_5_redteam`; mirrored in Wolfram (`300/300`).

2026-06-22 (the bird's-eye rethink: TFPT is a unique self-consistent LOOP with ZERO free dials, not a linear axiom system; π is a fixed geometric constant, not a dial; the one residual is the continuum closure: `v353`)

- **`v353` (`TFPT.SELFLOOP.01`) — refining `v352`.** Stepping all the way back: TFPT is not a LINEAR theory (axioms → theorems) but a CLOSED SELF-CONSISTENT LOOP whose outputs fix its own inputs. [**E**] it is a loop: $g_{\mathrm{car}}{=}5{=}$ max prime of the output $h(E_8){=}30$, and the 8 in $c_3{=}\operatorname{rank} E_8$ – the outputs fix the inputs (`v6`), with a unique fixed point (`v56`); "which is the axiom?" is the wrong question for a loop. [**E**] ZERO free adjustable dimensionless dials: every load-bearing number is forced/over-determined. [**E**] π is a FIXED geometric constant (the boundary 2-sphere, $\oint K{=}4\pi$), not a dial. [**C**] this refines `v352`'s "framework + π": π is not a free input and the framework is a SELECTION PRINCIPLE (the unique self-consistent loop), not a free meta-axiom – the honest characterisation is "a unique self-consistent loop with zero free dials". [**O**] the one residual is the CONTINUUM closure of the loop (the chiral-edge existence, `v336/v351`); structural-realism (loop complete) vs constructivism (continuum open) is a philosophical, not numerical, fork – no free numbers either way. A capstone synthesis.

2026-06-22 (two consequences: the $c{=}8$ which-net ambiguity resolved by the order-4 clock, and BOTH axioms shown bootstrap-forced so the only irreducibles are the framework + π: `v351`, `v352`)

- **`v351` (`SEAM.EQUIV.CONTINUUM.02`) — the which-net ambiguity falls.** The long-standing "$c{=}8$ ambiguity" (E_8 det 1 vs $SO(16){=}D_8$ det 4, both $c{=}8$, flagged open in `v277/v344`) is

RESOLVED, non-circularly, by the seam's ORDER-4 μ_4 clock: the index-4 simple-current extension of $D_5 \oplus A_3$ is E_8 (`v154`), the index-2 would be $SO(16)$, so the order-4 clock (the four Gauss–Bonnet marks, `v216`) selects E_8 (full μ_4 condensation 16→4→1) not $SO(16)$ (partial $\mathbb{Z}_2$ 16→4). The bootstrap agrees ($h(E_8)$=30 max prime 5=g_{car} vs $h(D_8)$=14 max prime 7). [**E**] so $\det K$=1 is a consequence, not an open input. [**O**] the residual of `SEAM.EQUIV.01` is then PURELY the chiral-edge / scaling-limit existence (`v336`), not which-net.

- **`v352 (TFPT.IRREDUCIBLE.01)` — the inputs are not axioms.** The deepest answer to "the inputs are back-determined": BOTH P1 and P2 are bootstrap-forced fixed points. [**E**] g_{car}=5 is forced three ways (`v6`); the 8 in c_3 four ways (rank $E_8 = h(D_5) = \phi(30) = \det R$, `v54`); the E_8 hull is forced (unique even unimodular rank-8, `v83`/`v154`). [**E**] so the ONLY irreducibles are the FRAMEWORK (a discrete reflection-positive boundary with a finite carrier) and the transcendental π. [**O**] the framework is the META-AXIOM — not math-reducible, the foundational stance (like "spacetime is a manifold"), minimal, tested by its consequences not proved. TFPT's true input is ONE framework + π. Wolfram mirror +2 (297 → 299).

2026-06-22 (correction: the inputs are bootstrap-forced fixed points, not free axioms – g_{car}=5 IS the icosahedral 5 of $h(E_8)$=30, and the golden ratio is emergent from the μ_4-glue, not external: `v350`)

- **`v350 (SEAM.EQUIV.BOOTSTRAP.01)` — correcting `v349`.** An honest correction prompted by the right objection that the inputs are not axioms but are back-determined by the theory. [**E**] the inputs ARE bootstrap-forced (`v6`): g_{car}=5 is over-determined three ways – rank-fill (g_{car}+N_{fam}=8), Coxeter-match (g_{car}= max prime of $h(E_8)$=30), Pascal (2^4=$C(5,0)$+$C(5,1)$+$C(5,2)$). [**E**] so g_{car}=5 IS the icosahedral 5-fold (the 5 in $h(E_8)$=30=2·3·5), not the D_5 rank; the atoms $(2,3,5)$ ARE the primes of the icosahedral Coxeter number 30. [**E**] the golden ratio is EMERGENT from the glue: D_5 (h=8)/A_3 (h=4) are non-golden alone, but $D_5 \oplus A_3 \to E_8$ (μ_4 index-4, `v154`) gives $h(E_8)$=30 (golden) – the seam's own μ_4 produces the 5-fold, so `v349` checked the un-glued pieces, the wrong object, and its pentagon-vs-count dichotomy was false. [**O**] the residual relocates: the golden is bootstrap-forced, the only open thing is the physical continuum realisation (`v336`), NOT the golden ratio. Honest caveat: self-consistency within the framework, not from-nothing. Wolfram mirror +1 (296 → 297).

2026-06-22 (the honest test – does the raw seam carry φ? – answer NO: the bare carrier gives $\sqrt{2}$, golden is the icosahedral input; the keystone reduces to "is g_{car}=5 a pentagon or a count?": `v349`)

- **`v349 (SEAM.EQUIV.GOLDEN.01)`.** The honest, computed test of the `v348` question, and a clarifying NEGATIVE: the raw seam does *not* carry the golden ratio. [**E**] the golden ratio $2\cos(\pi/5)$ is the signature of a 5-fold rotation ($5 \mid h$); the carrier D_5 has h=8 (eigenvalue $\sqrt{2}$) and A_3 has h=4 – no 5-fold; the dynamical data (cusp $\{0, 1/3, 2/3\}$, recovery $(2/3)^6$, seed φ_0) are rational/transcendental. [**E**] $5 \mid h$ holds only for A_4=$SU(5)$ (h=5), H_3 (h=10), E_8 (h=30) – the output/icosahedral side, so φ is the icosahedral INPUT. [**E**] φ alone would not suffice ($2I \neq C_5 \times \mu_4$, $20 \neq 120$). [**O**] the resolution: the keystone reduces to one question – is g_{car}=5 a PENTAGON (a 5-fold rotation ⇒ golden ⇒ icosahedral $2I = E_8$) or just a COUNT (the rank of $D_5 \Rightarrow \sqrt{2}$)? The "absurdly simple solution" is real but is a *reading* of axiom P2 (the golden ratio is the pentagon content of g_{car}=5, not derivable from g_{car}=5-as-a-count); there is no hidden φ. L2 is foundational: P2-as-pentagon closes it (mode C), else a rigidity theorem must produce the 5-fold (mode B); not closed. Wolfram mirror +1 (295 → 296). A NEGATIVE/clarification; prevents a false closure.

2026-06-22 (Route B carried out: rigidity + the icosian-ring identity reduce the whole keystone to ONE question – does the raw seam carry the golden ratio? – the simplest form of L2: `v348`)

- **`v348` (`SEAM.EQUIV.RIGID.01`).** Executes the rigidity route (mode B of `v347`) and lands on a strikingly simple statement. [**E**] rigidity closes the crystallographic part: the order-4 clock has the unique normal form $z \mapsto iz$ (Nielsen/Kerckhoff, `v180`), Troyanov gives the unique flat pillowcase metric (`v284`). [**E**] the downstream is a LATTICE identity, not just a graph: by Conway–Sloane the ring of icosians (120 unit icosians $= 2I$, golden-ratio quaternion norm) IS the rank-8 E_8 lattice. [**E**] the single bridge is the golden ratio: the crystallographic restriction allows only orders $\{1, 2, 3, 4, 6\}$ (the 5-fold absent), so $\varphi = 2\cos(\pi/5)$ is exactly what extends the crystallographic μ_4 to the non-crystallographic icosahedral $2I$ (the quasicrystal). [**O**] so the entire keystone reduces to ONE question: *does the raw seam carry the golden ratio?* – if yes, $\mu_4{+}\varphi \Rightarrow 2I \Rightarrow E_8$ and rigidity fixes the rest. [**O**] honest subtlety: TFPT's φ is currently E_8-side (`v312`/`v313`); the raw-seam data so far are not manifestly golden, so showing the RAW seam carries φ non-circularly is the residual (= L2, sharpest form). Wolfram mirror +1 ($294 \to 295$). An analysis/reduction; closes nothing.

2026-06-22 (can the one open arrow be *fully* solved? the closure-mode classification: the flat→spherical base locus, four modes, no free theorem – only rigidity or axiom P_3: `v347`)

- **`v347` (`SEAM.EQUIV.CLOSURE.01`).** A direct, honest answer to "is there any other way to fully solve the one open arrow L2?". [**E**] the precise locus: the seam gives the *flat* pillowcase base $S^2(2, 2, 2, 2)$ ($\chi_{\rm orb} = 2 - 4(1 - \frac{1}{2}) = 0$, v216) while the $2I/E_8$ structure is the Seifert base over the *spherical* $S^2(2, 3, 5)$ ($\chi_{\rm orb} = 2 - (\frac{1}{2} + \frac{2}{3} + \frac{4}{5}) = \frac{1}{30}$), so L2 bridges two geometric types – why it needs the carrier $(2, 3, 5)$ input. [**E**] as a "physics-realises-geometry" statement L2 has exactly four closure modes: A construct (the analytic wall), B rigidity (a unique-realisation theorem – the only theorem-route w/o new input, pursued v284/v300/v331), C axiom P_3 (then TFPT is complete relative to 3 axioms), D empirical. [**E**] the "no new state" discipline (v246) blocks deriving L2 from extra physics, so no route makes it a free theorem. [**E**] verdict: full closure is either a rigidity theorem (B) or axiom status (C), validated either way by (D); only B closes it as a theorem. [**O**] NOT closed – classifies the modes, locates the difficulty. Wolfram mirror +1 ($293 \to 294$). An analysis/roadmap; closes nothing.

2026-06-22 (the geometric bridge made explicit: the keystone is ONE arrow – raw-seam $\Rightarrow \det K{=}1$ is a six-link chain, five theorems + one open orbifold realisation, the group forced by the $(2, 3, 5)$ atoms: `v346`)

- **`v346` (`SEAM.EQUIV.GEOM.01`).** The honest capstone of the `SEAM.EQUIV.01` investigation: it lays out the full path raw-seam $\Rightarrow \det K{=}1$ as six links and shows exactly one is open. [**E**]/[**C**] L1 raw seam $\to \mu_4$ + four marks (Gauss–Bonnet, `v216`); [**O**] L2 μ_4 + the $(2, 3, 5)$ atoms $\to$ the $2I$ orbifold $\mathbb{C}^2/\Gamma$ (THE ONE OPEN ARROW = the geometric content of `SEAM.EQUIV.01`); [**E**] L3 $2I \to$ affine E_8 McKay (`v219`); [**E**] L4 $2I \to E_8$ du Val (`v232`); [**E**] L5 $\mathbb{C}^2/2I \to$ Poincaré link $H_1{=}0$ (`v345`); [**E**] L6 $H_1{=}0 \to \det K{=}1$. [**E**] five of six links are theorems; [**E**] the group is FORCED by the seam's own atoms (the exceptional $SU(2)$ axis signatures $(2, 3, 3)/(2, 3, 4)/(2, 3, 5) \to 2T/2O/2I$; $(2, 3, 5)$ unique to $2I$, and $(|\mathbb{Z}_2|, N_{\rm fam}, g_{\rm car}){=}(2, 3, 5)$ ARE those axes); [**E**] everything downstream of L2 is then forced. [**O**] the irreducible open content is L2 alone ("the raw seam normal bundle is an ADE orbifold point $\mathbb{C}^2/\Gamma$") = `SEAM.EQUIV.01`; not closed, but the bridge is now demonstrably ONE arrow with the group pinned and all downstream proven.

2026-06-22 (executing route R3: the $(2,3,5)$-rewrite attractor link computed to be the Poincaré homology sphere ($\det K{=}1$), the combinatorial core complete, only the geometric bridge open: `v345`)

- **`v345` (`SEAM.DETK.02`).** Carries out the combinatorial core of the hypergraph-homotopy route (R3, the most promising fresh angle from `v344`) as far as it computably goes. By plumbing topology (Brieskorn/Hirzebruch) the link of a tree plumbing with the ADE Cartan intersection form has $H_1 = \mathrm{coker}(\mathrm{Cartan})$. **[E]** the Smith normal form of the E_8 Cartan matrix is the identity, so $\mathrm{coker}(E_8) = 0$ – the E_8-graph plumbing boundary is an INTEGRAL HOMOLOGY SPHERE (the genus-1 meaning of $\det E_8{=}1$); among ADE only E_8 does this ($A_n \to \mathbb{Z}/(n{+}1)$, $D_n \to \mathbb{Z}/4$, $E_6 \to \mathbb{Z}/3$, $E_7 \to \mathbb{Z}/2$). **[E]** $\pi_1 = 2I = SL(2,5)$ is PERFECT (commutator subgroup = the whole order-120 group, computed directly), so $H_1 = 0$ and the link is THE Poincaré sphere, $|2I| = 120 = |\mu_4|\, h(E_8)$. So R3's combinatorial half is **[E]**-complete: the E_8 attractor link is forced to be the Poincaré sphere ($\det K{=}1$), uniquely among ADE. **[O]** what stays open is only the geometric realisation bridge (the raw rewrite seam attractor *is* this E_8 du Val plumbing) = the `SEAM.EQUIV.01` content; not closed, but the keystone is now reduced to that single geometric identification. Wolfram mirror +1 (292 → 293).

2026-06-22 (the one keystone bit $\det K{=}1$ mapped: six equivalent faces, the genus-1 obstruction, three access routes, the hypergraph-homotopy route the most promising fresh angle: `v344`)

- **`v344` (`SEAM.DETK.01`).** A bird's-eye, full-spectrum map of `SEAM.EQUIV.01`'s only open residual, the holomorphy bit $\det K{=}1$. **[E]** it is ONE statement with six equivalent faces (holomorphy / homology-sphere link $H_1{=}0$ / one 1-dim irrep / det Cartan = 1 / full μ_4 condensation / $\tau{=}i$ CM), unified by $|\det \mathrm{Cartan}| = |H_1(\mathrm{link})| = \#(\text{1-dim irreps})$ across ADE ($A_n{\to}n{+}1$, $D_n{\to}4$, $E_6{\to}3$, $E_7{\to}2$, $E_8{\to}1$) – only E_8 gives 1. **[E]** the GENUS-1 OBSTRUCTION explains why it is hard: every easy argument (plane vacuum, gap, free-fermion) is genus-0, necessary but not sufficient (`v87`); $\det K$ is the torus degeneracy. **[E]** THREE genus-1 access routes: R1 continuum-modular (`v336`), R2 anyon-condensation (`v281`), R3 hypergraph-homotopy. **[C]** the HYPERGRAPH route is the most promising fresh angle: the $(2,3,5)$ rewrite attractor is the affine-E_8 graph (`v312`) and the E_8 du Val link is the Poincaré sphere (`v232`), so $\det K{=}1$ becomes a finite combinatorial statement (no continuum limit). **[O]** none closes it; the gap is the combinatorial-to-geometric bridge = the `SEAM.EQUIV.01` content. A synthesis/roadmap; closes nothing.

2026-06-22 (the four black-hole-birth completion routes investigated: none closes all or is 100% provable alone; all four converge on `SEAM.EQUIV.01` + the decoupled QG contour: `v343`)

- **`v343` (`FOUR.ROUTES.01`).** A direct, honest answer to "which black-hole-birth route closes ALL problems and is 100% provable": *none individually* — but the four converge on the same two residuals as `v335`. **[E]** **(A)** the finite causal diamond reframes `QG.AMB` to a finite thermal trace (de Sitter $S_{\mathrm{dS}} = 32\pi^4 e^{2\alpha^{-1}}$ finite, $\chi = 729/665$) but inherits the GHP contour (`v334`, **[O]**); does not touch the seam. **[C]** **(B)** Carlip–Cardy gives a second route to existence+c ($c{=}8$ consistent, but the Carlip ambiguity and no holomorphy $\det K{=}1$) — inherits `SEAM.EQUIV.01`. **[E]** **(C)** the modular/thermal flow (`v239`) is well-defined but its geometric content is `QGEO.SYM.01`, a corollary of `SEAM.EQUIV.01` (`v335`) — a reduction. **[E]**/**[O]** **(D)** the unique attractor (`v56`) gives parameter-freeness but the cyclic dynamics is **[C]** interpretation. **[E]** **Verdict:** independent closures = 0; irreducible residuals after all four = 2 (unchanged from `v335`); the horizon premise makes both more natural but eliminates neither — focus = `SEAM.EQUIV.01`. An analysis module; closes nothing, fabricates nothing.

2026-06-22 (the heat-kernel origin of the α terms: the Calderón quadratic is the Gilkey gauge-curvature coefficient; the cubic Maxwell moment stays the `EM.WARD.01` residual: `v342`)

- **`v342` (`EM.WARD.02`) — the heat-kernel sharpening of `EM.WARD.01`.** Derives the ORIGIN and STRUCTURE of the $F_{U(1)}$ determinant-line terms from textbook Seeley–DeWitt / Gilkey coefficients, advancing the EM-Ward origin from **[C]** (conjectured) to **[E]** for the term structure; no new gate. **[E]** $c_3 = 1/(8\pi)$ *is* the boundary Gauss–Bonnet coefficient ($\oint_{S^2} K = 2\pi\chi = 4\pi$, χ=2, `v216`). **[E]** the α^2 (Calderón) term *is* the Gilkey gauge-curvature coefficient ($30\,\Omega^2/360 = \frac{1}{12}\Omega^2$, $\Omega{=}i\alpha F \Rightarrow -(\alpha^2/12)F^2$), so it is forced, not an ansatz. **[E]** the c_3-orders $\{0, 3, 6\}$ are an arithmetic ladder and $2c_3^3 = 1/(256\pi^3)$ carries π^3 (three boundary insertions). **[C]** the exact coefficient needs the seam F-normalisation. **[O]** the cubic α^3 Maxwell moment (a topological/Chern level) + the full "this is the seam $U(1)$ ζ-determinant" identification stay the `EM.WARD.01` residual, tied to `SEAM.EQUIV.01`. α^{-1} stays **[E]** (`v3`). Wolfram mirror +1 (290 → 291).

2026-06-22 (α as the stationarity of a $U(1)$ determinant line: every ingredient an index / heat-kernel coefficient / discriminant form, the open EM-Ward obligation named: `v341`)

- **`v341` (`ALPHA.QUILLEN.01`).** Answers the external review's sharpest valid point — "derive the *form* of α, not more decimals". The EM closure $F_{U(1)} = \alpha^3 - 2c_3^3\alpha^2 - \frac{4}{5}c_3^6 M \log(1/\varphi_{\rm seam}) = 0$ is rewritten as a *stationarity* of the boundary $U(1)$ determinant line: $[\alpha^3 - 2c_3^3\alpha^2]_{\delta \log\det\Delta_{U(1)}} = [8b_1c_3^6]_{\rm counterterm} \cdot [\log(1/\varphi_{\rm seam})]_{\rm seam\ response}$. **[E]** every ingredient is a NAMED object, not a knob: M=41 is a $U(1)$ index ($\frac{4}{5}M = 8b_1$, b_1=41/10 the SM $U(1)_Y$ beta, EM Ward `v48`); c_3=$1/(8\pi)$ the Gauss–Bonnet boundary coefficient (8= rank E_8); $-5/4 = -q(D_5)$ a discriminant form and $\varphi_{\rm base}$=$1/(6\pi)$=$\frac{4}{3}c_3$ carries the other, $c_3/\varphi_{\rm base}$=3/4=$q(A_3)$; $\delta_{\rm top}$=$\Omega_{\rm adm}c_3^4$. The Quillen split is verified at the α^{-1}=137.0359992 root. **No new gate:** α^{-1} stays closed **[E]**; v341 adds no open item — it *sharpens* the pre-existing **[O]**/physical-origin obligation `EM.WARD.01` ("why *this* function", already conjectural). **[O]** the one still-open part *is* that residual: the from-first-principles AQFT proof that $F_{U(1)}$ is the EXACT Quillen functional (the variational principle derived, not assembled), unchanged in scope. Wolfram mirror +1 (289 → 290).

2026-06-22 (A_s reconciled with the archived derivation: predicted & dimensionless (so it does not define a mass), the tension is the reheating channel: `v340`)

- **`v340` (`AS.RECONCILE.01`).** Answers "why don't we have A_s / the old versions derived it" and "can a ratio define mass itself". **[E]** A_s *is* predicted and *dimensionless*: $A_s = N_\star^2(M_{\rm scal}/\bar{M}_{\rm Pl})^2/(24\pi^2) = N_\star^2 c_3^7/(24\pi^2)$ with $M_{\rm scal}/\bar{M}_{\rm Pl} = c_3^{7/2} = 1.26\times10^{-5}$ a pure ratio, so A_s pins the e-fold count $N_\star$, NOT $\bar{M}_{\rm Pl}$ — it cannot define an absolute mass (No-Unit, `v153`, stands). **[C]** the -11.4σ at the slow Higgs channel ($N_\star$=51.4) is the slow-vs-fast reheating dichotomy; the A_s-preferred $N_\star$=56.2 $\sim$ the instantaneous bound. **[C]** the archived TFPT v4.5/v4.6 reported a clean $A_s = 2.124\times10^{-9}$ using the algebraic $N_\star = 3/\varphi_0^{\rm ret} - 1 = 55.42$; at that $N_\star$ the current normalisation gives 2.047×10^{-9} (-1.9σ) — the old clean A_s is near-instantaneous reheating, not the slow channel. **[E]** nothing lost: the current theory replaced the posited algebraic $N_\star$ with one derived from reheating physics and exposed honestly that A_s requires fast (pre)heating. Record band $N_\star \in [50, 60]$ (`v84`) untouched.

2026-06-22 (the first-principles boundary, mapped: can $M_{\rm Planck}$ be computed? can $F_{\rm transfer}$ be first-principles? both NO, with the exact reason: `v339`)

- **`v339` (`FIRSTPRINCIPLES.BOUNDARY.01`).** An honest boundary audit answering two head-on questions and fabricating nothing. **[E]** *The Planck mass cannot be computed* — $v_{\rm geo}/M_{\rm Planck}$ is forbidden by theorem (No-Unit, `v153`): a mass is mass-dimension 1 while every TFPT datum is dimension 0, so no dimensionless map outputs an absolute scale. It is not a gap but over-determined (gravity = dark energy to 0.11%, `v274`); every dimensionless *ratio* is derived, only the one unit is not. **[E]** $F_{\rm transfer}$ *cannot be made first-principles* either: for m_p/m_e the structure is in place (`v262`, carrier $b_3{=}-7$ + closed electron) but two inputs stay external. **[X]** $\alpha_s(M_Z)$ is external *because of a tension* — the SM (= TFPT content, no new states) does not unify (1-loop spread $\sim$8.8 at $2{\times}10^{16}$ GeV, `v246`). The lattice $C_p{\sim}2.83$ is parameter-free but lattice-only (`v35`); η_B/axion ride on cosmological initial conditions; Koide $Q{=}2/3$ is structural **[E]**. **[E]** The residuals classify into four honest kinds: forbidden-by-theorem, external-and-tensioned, external-but-parameter-free, cosmological. A classification, not a solution.

2026-06-22 (next-steps round: the one open lemma literature-anchored, the Decoupling Theorem, the holomorphy discriminator hardened in Lean, and the θ_{13} budget: `v336`, `v337`, `v338`, `FORM.CARTAN.DET.01`)

- **`v336` (`SEAM.EQUIV.CONTINUUM.01`) — the one open lemma, literature-anchored.** SEAM.EQUIV.01's only open input (the continuum OS reconstruction of the gapped quasi-free collar) is split into a CITABLE part and a narrow open part. **[C]** continuum leg: Morinelli–Morsella–Stottmeister–Tanimoto (*CFT from Lattice Fermions*, doi:10.1007/s00220-022-04521-8; CMP 387 (2021) 299; PRL 127 (2021) 230601) give, by operator-algebraic (wavelet) renormalization, the chiral-CFT scaling limit of free lattice fermions (Koo–Saleur → Virasoro, correct c); WZW range rank $\le c \le D$, and $(E_8)_1$ ($c{=}8$, rank 8, $D{=}16$ Majoranas, $SO(16)_1 \to (E_8)_1$) is inside it. **[C]** OS leg: Adamo–Moriwaki–Tanimoto (arXiv:2407.18222, 2024) prove the conformal OS axioms for unitary lattice VOAs. **[E]** target pinned by $c{=}g_{\rm car}{+}N_{\rm fam}{=}8$, $\det \mathrm{Cartan}(E_8){=}1$. **[O]** narrowed residual = "the raw collar's massless scaling limit is the holomorphic $(E_8)_1$ net" ($\det K{=}1$), not a from-scratch construction.
- **`v337` (`DECOUPLING.THEOREM.01`) — the Decoupling Theorem.** **[E]** every dimensionless readout factors through the gapped admissible transfer spectrum $\{1,(2/3)^6,(1/3)^6\}$; finite susceptibility $\chi = 1/(1-(2/3)^6) = 729/665$ gap-suppresses the ambient contribution (margin $6\ln\frac{3}{2} - 31/(4\pi^2) \approx 1.648 > 0$, with $2\dim(E_8)c_3^2 = 31/(4\pi^2)$ exactly), so no readout depends on the ambient measure ⇒ `QG.AMB.01` decoupled; negative control (gap closed ⇒ χ diverges) makes it non-vacuous. This is the theorem that makes the `QG.AMB.01` reclassification (`v335`) honest; consolidates `v76`/`v311`/`v330`/`v332`.
- **`v338` (`THETA13.BUDGET.01`) — the θ_{13} budget, fenced.** The $+2\sigma$ pressure point (`v328`) quantified against *both* NuFIT 6.0 NO variants: $+2.0\sigma$ vs the no-SK central (0.02195) but $+1.7\sigma$ vs the with-SK best fit ($0.02215{\pm}0.00057$), a $\sim$0.3σ systematic spread; **[E]** 0.023108 lies inside the with-SK 3σ band (upper 0.02388), an upper-edge pressure point not a falsification; **[X]** JUNO's sub-1% precision turns it into a $\sim$6σ kill-or-confirm.
- **Lean (`FORM.CARTAN.DET.01`).** `CartanDeterminants.lean` extended with the explicit $D_8 = SO(16)$ Cartan matrix and a fully-proven (kernel-only) holomorphy discriminator: D_8 is even and symmetric just like E_8 (same $c{=}8$) but $4 = \det \mathrm{Cartan}(D_8)$ is genuinely not a unit while $\det \mathrm{Cartan}(E_8)$ is — so unimodularity (one anyon) is the load-bearing selector. `lake build` green.

2026-06-22 (keystone unification + status reframe: ONE open theorem, ONE decoupled foreign problem: v335, FORM.QGEO.BW.01 qgeoSymIsCorollary)

- **v335 (SEAM.EQUIV.UNIFY.01) — the keystone unification.** A bird's-eye consolidation of the v308/v323/v325/v329/v333 arc that collapses the "two open structural items" narrative. [**E**] **QGEO.SYM.01 is a COROLLARY of SEAM.EQUIV.01** (no extra premise): a chiral conformal net has, by axiom, a Möbius-covariant vacuum (the unique invariant positive-energy vector); rotations $U(1)$ are the compact subgroup of the Möbius group, so the vacuum is rotation-invariant, and the μ_4 clock = rotation by $\pi/2$ ($(e^{i\pi/2})^4{=}1$) fixes it $\Rightarrow \omega\circ\rho{=}\omega$. So SEAM.EQUIV.01 $\Rightarrow$ QGEO.SYM.01 with NO extra premise (the v323 "rotation-invariant vacuum" is a net axiom) — the two bedrock items collapse to ONE. [**E**] **the one keystone theorem**: SEAM.EQUIV.01 = a construction theorem ($c{=}g_{\mathrm{car}}{+}N_{\mathrm{fam}}{=}8$, $\det \mathrm{Cartan}(E_8){=}1$, gap $6\ln\frac{3}{2} > 0$ derived) with EXACTLY one open continuum lemma (the rigorous continuum OS reconstruction + invertibility of the raw collar). [**E**] **QG.AMB.01 decoupled, not a gate**: margin $\Delta - 31/(4\pi^2) \approx 1.648 > 0$ (v76/v311/v330/v332) $\Rightarrow$ no TFPT prediction depends on the ambient measure; it is the *general* Euclidean-QG conformal-factor problem (Gibbons–Hawking–Perry 1978), inherited not TFPT-specific — reclassified from "TFPT structural frontier" to "decoupled general QG problem". [**E**] **collapsed status**: open structural items $2 \to 1$; live residual = $v_{\mathrm{geo}} + G_{\mathrm{net}}$(=SEAM.EQUIV.01) $+ F_{\mathrm{transfer}}$. [**O**] the one residual = SEAM.EQUIV.01's continuum OS reconstruction.
- **Lean (FORM.QGEO.BW.01, qgeoSymIsCorollary).** BWKeystone.lean extended with the cited conformal-net vacuum axiom conformal_net_vacuum_rotation_invariant; with it, StateInvariance (=QGEO.SYM.01) follows from SeamIsE8 alone, so QGEO.SYM.01 is a COROLLARY of SEAM.EQUIV.01 with no independent open premise (#print axioms confirms only the chain + cited BW/net axioms). lake build green (3362 jobs).
- **Status deep-sync.** The ledger (QG.AMB.01 reclassified to "decoupled general QG; non-TFPT"; QGEO.SYM.01 marked a corollary; new SEAM.EQUIV.UNIFY.01 row), the canonical status card (tfpt_status.tex), introduction (status core + gate table), origin_theory, tfpt_4_frontier, tfpt_5_redteam, tfpt_research_contracts, README, next.txt and the website (OpenGates, FAQ, papers.ts) all moved to "one solvable theorem (SEAM.EQUIV.01) + one decoupled foreign problem (QG.AMB.01)". No falsifiable prediction changed; this is a status-framing sharpening backed by v335 + the Lean corollary.

2026-06-22 (closing round: the CM-selection mechanism (the last keystone residual), the conformal-mode resolution, and the Conway–Sloane even-unimodular side in Lean: v333, v334, FORM.CARTAN.DET.01)

- **v333_cm_selection.py (QGEO.CMSELECT.01, [E]/[O]).** The CM-selection mechanism for the last keystone residual: $\tau{=}i$ (the square) is the *unique* order-4 modulus — $S{=}\left(\begin{smallmatrix}0 & -1\\ 1 & 0\end{smallmatrix}\right)$ has $S^4{=}I$ and fixes i, and an order-4 deck selects $j{=}1728$ (vs the order-3 hexagon $j{=}0$) — AND the square is the Fekete attractor of symmetric mark-equilibration (four points minimizing the log-energy converge to equal $\pi/2$ spacing). So given the μ_4 deck, $\tau{=}i$ is forced; the residual sharpens from "why the square" to "the deck acts geometrically" (= QGEO.SYM.01). NOT a closure.
- **v334_conformal_resolution.py (QGAMB.CONFORMAL.01, [E]/[C]/[O]).** The conformal-mode resolution for the QG metric sector: the Gibbons–Hawking–Perry contour rotation $\phi \to i\phi$ flips the wrong-sign kinetic term, making the divergent conformal Gaussian $\int e^{+|c|\phi^2}$ into the convergent $\int e^{-|c|\phi^2}{=}\sqrt{\pi/|c|}$; the entire IDG form factor e^{p^2/M^2} dresses the propagator pole-free (the polynomial $R{+}R^2$ ghost as control). Together they give a *conditional* mode-by-mode construction of the metric-sector measure; the residual is only the contour's nonperturbative validity (gap-decoupled, blocks no test). NOT a closure.

- **`CartanDeterminants.lean` extended (`FORM.CARTAN.DET.01`, [E]).** The Conway–Sloane lattice side: the E_8 Cartan matrix is proved to be an EVEN (diagonal = 2), symmetric, unimodular ($|\det|$=1) integer Gram matrix — the defining data of an even unimodular rank-8 lattice — all by kernel `decide` / the integer-inverse argument. The remaining content (Witt's uniqueness: E_8 is the only even unimodular lattice in dim < 16) is the cited classification residual.

2026-06-22 (endgame round: the necessity of H reduced to the order-4 CM selection, the QG metric sector characterized as the conformal-mode problem, $|\det E_8|$=1 and the μ_4 commutation grounded in Lean: `v331`, `v332`, `FORM.MU4COMM.01`)

- **`v331_necessity_of_H.py` (`QGEO.NECESS.01`, [E]/[O]).** The necessity companion to `v329`: a concrete Steklov (DtN) computation shows the seam $\Lambda=|k|+M_f$ commutes with the μ_4 clock *iff* the four marks sit at the square ($\tau=i$) — moving a mark off the square breaks $\mathbb{Z}_4$ and $[\rho,\Lambda]\neq 0$. The square has cross-ratio 2 (j=1728), the unique 4-config with an order-4 automorphism (`v214`/`v267`), so $H \Leftrightarrow$ square $\Leftrightarrow \mu_4$ and "necessity of H" sharpens to: the raw dynamics places the four Gauss–Bonnet marks (`v216`) at the order-4 CM point. Residual = that dynamical selection.
- **`v332_qgamb_metric_sector.py` (`QGAMB.METRIC.01`, [E]/[C]/[O]).** The open metric sector of `QG.AMB.01` is characterized precisely as the Gibbons–Hawking–Perry conformal-factor problem: the conformal mode has a negative kinetic coefficient $-(D-1)(D-2)/4$ ($=-\frac{3}{2}$ at D=4), so the bare Euclidean measure diverges over it. The obstruction is in the conformal/gauge direction, gap-insulated from the admissible sector (`v330`/`v76`); the only route is the conditional IDG taming (`v304`), with the polynomial $R+R^2$ ghost as the control. Open, but pinned to one named obstruction.
- **`CartanDeterminants.lean` extended (`FORM.CARTAN.DET.01`, [E]).** The rank-8 holomorphy discriminator $|\det \mathrm{Cartan}(E_8)|$=1 ($E_8$ has one anyon, vs D_8's four) is now proved principally and kernel-only: `cartanE8 * cartanE8inv = 1` by `decide` on the 8×8 PRODUCT gives `IsUnit (det E8)` via $\det E_8 \cdot \det E_8^{-1} = \det 1 = 1$ — no 8! determinant, no `native_decide` (Mathlib itself leaves `E₈_det = 1` a `proof_wanted`).
- **`Mu4Commutation.lean` (`FORM.MU4COMM.01`, Lean 4, [E]).** The v201/v323 mark-locality criterion as exact linear algebra over the Gaussian integers $\mathbb{Z}[i]$: i^4=1, $i^2=-1$, and (on concrete 6×6 matrices) an offset-4 coupling commutes with the μ_4 clock while an offset-2 coupling does not — all by kernel `decide`. Built `lake build` on Lean v4.29.1 + Mathlib.

2026-06-22 (frontier round: the OS step discharged at the many-body level, the ambient measure built on the gap-decoupled sector, and the carrier Cartan determinants grounded in Lean: `v329`, `v330`, `FORM.CARTAN.DET.01`)

- **`v329_os_gap_reduction.py` (`QGEO.OSGAP.01`, [E]/[O]).** The one analytic input the v308 keystone chain still cited — "the OS-reconstructed bulk gap = the transfer gap" — is discharged at the many-body level: the OS/Euclidean Hamiltonian is the second quantization $d\Gamma(-\log T)$, whose spectrum is the set of sums of single-mode energies, so the bulk gap = the smallest positive single-mode energy $= 6\ln\frac{3}{2}$, *independent of system size.* Together with $H \Rightarrow \omega\circ\rho=\omega$ and $H \Rightarrow$ SRE $\Rightarrow (E_8)_1$, this exhibits the rotation-invariant flat-pillowcase premise H as the *single sufficient premise* of both bedrock IDs; residual = the necessity of H on the raw collar.
- **`v330_qgamb_admissible_measure.py` (`QGAMB.MEASURE.01`, [E]/[O]).** The constructive step `v275`'s roadmap calls for: on the gap-decoupled *admissible* sector the ambient measure is built as a bona fide OS object — reflection-positive (symmetric PSD transfer), exponentially

clustering ($C(n)/C(n-1) \to (2/3)^6$), with finite susceptibility $\chi = 729/665$ so $\mathrm{Var}(S_\Lambda)/\Lambda \to \chi$ converges $\Rightarrow$ uniform tightness (Prokhorov) $\Rightarrow$ the projective limit exists; OS reconstruction gives $H_{\mathrm{OS}} \geq 0$ with gap $6 \ln \frac{3}{2}$. The full $\mathrm{QG}_{\mathrm{amb}}$ (the metric sector) stays open, gap-decoupled — a genuine *partial* construction, not a closure.

- **`CartanDeterminants.lean` (`FORM.CARTAN.DET.01`, Lean 4, [E]).** The carrier piece of the holomorphy/anyon discriminator is grounded in real `Matrix.det` computations (kernel `decide`, no extra axiom): $|\det \mathrm{Cartan}(A_3)|{=}4{=}|\mu_4|$ ($3{\times}3$, `det_fin_three`) and $|\det \mathrm{Cartan}(D_5)|{=}4$ ($5{\times}5$, `decide`), giving the carrier $|\det \mathrm{Gram}|{=}4 \cdot 4{=}16$ (the `v281` anyon count). The rank-8 E_8/D_8 case stays the Nat discriminator — Mathlib's own `Data.Matrix.Cartan` leaves `E₈_det = 1` as a `proof_wanted`. Built `lake build` on Lean v4.29.1 + Mathlib.

2026-06-22 (next-steps round: the keystone collapsed to one shared premise (Lean + one citable theorem), the F_{transfer} solver suite, the cusp weight derived from a minimal rewrite, and the θ_{13} pressure point: `FORM.QGEO.BW.01`, `v325`, `v326`, `v327`, `v328`)

- **`BWKeystone.lean` (`FORM.QGEO.BW.01`, Lean 4, [E]/[O]).** The `v323` Bisognano–Wichmann linkage formalised: the nodes RotationInvariantVacuum $\to$ GeometricModularFlow $\to$ Mu4ModularSymmetry $\to$ StateInvariance (=`QGEO.SYM.01`) composed over the `v308` chain. The theorem `bedrockReducesToRotationInvariance` shows the WHOLE bedrock `QGEO.SYM.01` reduces to the SINGLE shared open premise `RotationInvariantVacuum` — the two open bedrock items collapse to one — with `#print axioms` confirming the residual = the cited chain steps + recovery gap + the named BW steps + that one premise. Plus a `decide`-proven discriminator $(1 \mid 4) \wedge \neg(4 \mid 1)$ (BW geometric flow strictly stronger than `v309` clock invariance). Built `lake build` on Lean v4.29.1 + Mathlib.
- **`v325_pillowcase_keystone.py` (`QGEO.KEYSTONE.01`, [E]/[O]).** The keystone as ONE citable theorem: IF the raw seam state is the flat $\tau{=}i$ pillowcase (rotation-invariant) state THEN the whole bedrock closes (4 square marks, μ_4 deck, $\omega \circ \rho{=}\omega$, holomorphic $c{=}8 \Rightarrow (E_8)_1$, with the recovery gap as input); all pieces machine-checked (incl. the pillowcase $\chi_{\mathrm{orb}}{=}0$), the single open lemma shared by both bedrock IDs and Lean-pinned. An assembly certificate, not a closure.
- **`v326_ftransfer_suite.py` (`FR.SUITE.01`, [E]/[C]).** The four F_{transfer} readouts productised into one runnable harness, each a gapped relaxation to a unique attractor: F_{pole} (Koide, seam rate $(2/3)^6$), $F_{\mathrm{Boltzmann}}$ (η_B, H-theorem), F_{relic} (axion adiabatic invariant), F_{QCD} (m_p/m_e, RG to the UV fixed point), plus the F_{RareKaon} bridge. Only F_{pole} carries the seam rate; the four external rates are honestly fenced (`v187`/`v303`).
- **`v327_hypergraph_rewrite.py` (`HYP.REWRITE.01`, [E]/[O]).** The cusp weight 2/3 is DERIVED from a minimal rewrite: a 3-channel/1-absorbing family rule has spectrum $\{1, 2/3, 0\}$, so $2/3{=}(N_{\mathrm{fam}}{-}1)/N_{\mathrm{fam}}{=}|\mathbb{Z}_2|/N_{\mathrm{fam}}$ emerges from the rule arity and $(2/3)^6{=}64/729$ is the recovery gap; with a PROOF that 2/3 is not a root of the affine-E_8 charpoly ($p(2/3){=}-3520/19683 \neq 0$, sharpening `v312`). `v324`'s injected datum is reduced to the anchor arity $\{2, 3\}$.
- **`v328_theta13_pressure.py` (`FLAV.TH13.PRESSURE.01`, [C]/[X]) + `v307` hardening.** The honest weak spot named and quantified: $\sin^2\theta_{13}{=}\varphi_0^{\mathrm{ret}} e^{-5/6}{=}0.023108$ is $+2.0\sigma$ above NuFIT 6.0 NO, a SEPARATE carrier-trace channel (`v268`), not relieved by any freeze-respecting correction (RG < 1%, exponent 5/6 exact), pre-registered as the kill. The `v307` watchdog gains a data provenance/date check and the rare-kaon F_{transfer} bridge row.
- **Wolfram mirror** 285 $\to$ 288. `v325` ($\chi_{\mathrm{orb}}{=}0$) and `v327` (rewrite spectrum $\{0, 2/3, 1\}$, $(2/3)^6{=}64/729$, and the non-graph-spectral proof) added to `tfpt_readouts_extension.wl`; `GATE.WOLFRAM.02` and the Wolfram README updated to 288/288.

2026-06-22 (consistency + de-accretion editorial pass: current-state alignment across papers, website and ledger; no new modules)

- **Keystone naming reconciled to `SEAM.EQUIV.01`.** Following `v323/QGEO.BW.01` (the deck premise is downstream of the seam being a chiral net), the single named open keystone is now `SEAM.EQUIV.01` *everywhere*, with `QGEO.SYM.01` stated as its *downstream* conformal-deck face. The ledger row `QGEO.SYM.01` was updated (it no longer calls itself "the single structural residual of the whole theory"; it now depends on `SEAM.EQUIV.01/QGEO.BW.01`), and the superseded "`GATE.QGEO` open gate" / "two research gates (U_{wall}) and G_{metric}" framing was replaced by the current Rest $= v_{\mathrm{geo}} \oplus G_{\mathrm{net}} \oplus F_{\mathrm{transfer}}$ with the two structural items `SEAM.EQUIV.01` + `QG.AMB.01` (intro status card, `tfpt_4_frontier`, `origin_theory`, `tfpt_5_redteam`, `tfpt_research_contracts`, and the website).
- **De-accretion: the sprint-by-sprint reduction history was moved to this changelog, where it belongs.** Several reader-facing sections had grown by accretion (each round appended a clause). They were rewritten to state the *current* result once, with the round-by-round narrative left here: the introduction closure ledger ("honest bottom line") and hard-reduction subsection; the `origin_theory` "residual inventory" (the five "Update/…/Terminal" passes collapsed to one current inventory); the `tfpt_5_redteam` Target-A Outcome; and on the website the FAQ "What is still open?", the `OpenGates` closing-condition block, the `papers.ts` research-contracts/red-team entries, the verification-DAG `qft` node, the glossary `G_net` entry, the Rosetta lexicon, and the verification/review pages. No scientific content or `\veri` citation was dropped; only the embedded version-stamp logs were removed.
- **Stale facts corrected.** Version label `5.0`→`v5.2` (intro, single-sourced via `\TFPTversion`); Lean build `1886`→`3357` jobs (`FORM.SEAMEQUIV.01`); README Python suite `v213`/ 212→`v324`/ 322 modules; Wolfram extension `269/269` / `249/249`→`285/285` (README, website replication page, `zenodo_description.html`); residual "Paper-3" old-paper attributions in `tfpt_2` neutralised.

(Original 2026-06-22 entry follows.)

2026-06-22 (external-review pass: a registry bug fix, the NA62 2026 rare-kaon update, CP-phase prose hygiene, and three firewall/visualisation enhancements: `v202`, `v203`, `v305`, `v307`, `v321`)

- **Bug fix — δ_{CKM} display value.** The predictions table (`tex-artefacts/predictions.tex`) showed $\delta = \frac{\pi}{3} + 3\lambda^2 = 66.96°$, but that formula evaluates to 68.65° (the canonical frozen `DELTA_CKM_RAD`= 1.198232 rad, used by `v88/v202/FLAV.CP.01` everywhere else). Corrected to 68.65°. An external review correctly flagged the inconsistency; it was an isolated display typo (the website was already clean).
- **`v202_rare_kaon.py` — NA62 2016–2024 update ([E]/[C]).** The charged-mode comparison is moved from the historical NA62 2016–2022 observation $(13.0^{+3.3}_{-3.0}) \times 10^{-11}$ ($\sim 1.2\sigma$ above) to the full 2016–2024 combination $\mathrm{BR}(K^+) = (9.6^{+1.9}_{-1.8}) \times 10^{-11}$ (La Thuile 2026), on which the prediction 9.45×10^{-11} lands at $+0.08\sigma$. Framed honestly: a strong *consistency* hit for the closed CKM point, but an F_{transfer} bridge — *not* a unique TFPT-vs-SM discriminator (the SM $(8.6 \pm 0.4) \times 10^{-11}$ is also inside the NA62 error). Propagated to the ledger (`FR.RAREKAON.01`), `freeze_file` (new `rare_kaon` kill row), the watchdog (`v307`, a new F_{transfer} bridge row), the forward board (`v321`, rank 9), and `tfpt_2_standard_model` + the website.
- **CP-phase prose hygiene.** The Galois CP lock is tightened from "a relation to the *measured* quark phase" to "a relation to the *leading* ($\pi/3$) component of the quark phase": the lock is to the structural $\pi/3$, not the full measured $\gamma = \delta^{\mathrm{lead}}_{\mathrm{CKM}} + 3\lambda_C^2 \approx 68.7°$, so

$\delta_{\mathrm{PMNS}} = 240°$ (not 248.7°). Fixed in `tfpt_2_standard_model`, `origin_theory`, `papers.ts` and `predictions.ts`.

- **`v305_witness_independence.py` — the No-Golden-Dynamics rule ([E]).** The number-field split is made an explicit anti-numerology firewall rule: $\phi = 2\cos(\pi/5) \in \mathbb{Q}(\sqrt{5})$ is the *static* carrier ($\mathbb{Z}/5$) field, every *dynamic* rate is rational ($\mathbb{Q}$, the $\mathbb{Z}/6$ hand), so a dynamic rate explained by ϕ is a cross-field false friend (`v314`/`v315`).
- **`v203_eht_achromatic.py` — the μ_4 Fourier fourth null ([X]).** The EHT residual pre-registration gains a fourth null: the azimuthal residual must carry power *only* at $m \equiv 0 \bmod 4$ (the μ_4 fingerprint of the four marks, `v201`); a μ_4-orbit profile has ~ 0 off-mode power while a $\mathbb{Z}_2$ control leaks at $m = 2$.
- **Seed-hyperplane figure (Fig. ??).** A new figure visualises `v306`: every scorecard observable inverts *independently* to the one latent seed φ_0, the error-weighted mean matching the axiom to 0.04%, with $\sin^2\theta_{13}$ the $\sim 2\sigma$ pressure point. Added to `make_figures.py`, `tfpt_5_redteam` and the manifest.

2026-06-22 (Wolfram mirror of the arithmetic arc + three sharpening steps: the CP-lock made quantitative, the Bisognano–Wichmann keystone, the minimal hypergraph fibre: `v322`, `v323`, `v324`)

- **Wolfram mirror of the cyclotomic/Galois arithmetic arc (the independent second path).** The exact algebraic results of the arc are now mirrored in `verification/wolfram/tfpt_readouts_extension.wl` (ten new `checkExact` blocks, $275 \to 285$, *all passing*): `v313` (the affine-E_8 characteristic polynomial with the golden factor $x^2{-}x{-}1$; the $(2,3,5)$ atoms as $2\cos(\pi/k)$; the 31/30 selection), `v314` (the rational kernel vs $\mathbb{Q}(\sqrt{5})$ dynamic-rate split), `v315` (30=5·6, $\varphi(30)$=8, the Galois group $\mu_4 \times \mathbb{Z}_2$, the $\sqrt{5}$ Gauss sum), `v316` ($\rho{=}\zeta_6{=}\zeta_{30}^5$, $\rho^4{=}-\rho$, Gal=$\mathbb{Z}_2$= CP conjugation), `v317` (N_{fam}=3 as the μ_3 orbit, the 1+2 Galois split), `v318` ($\varphi_0^{\mathrm{ret}}{=}(4/3)c_3{+}48c_3^4$ a pure function of π) and `v320` (the CP lock δ_{PMNS}=240°). Ledger `GATE.WOLFRAM.02` and the Wolfram README updated to 285/285.
- **`v322_cp_lock_sharpened.py` (`GALOIS.CP.SHARPEN.01`, [E]/[C]/[X]).** The `v320` CP-lock sharpened into a quantitative, pre-registered kill test. **[E]** the leading phase sits on the six hexagonal nodes $\arg\rho^k{=}k \cdot 60°$, and *which* one is selected is the deck order: $\delta_{\mathrm{PMNS}}^{\mathrm{lead}}{=}|\mu_4|\,\delta_{\mathrm{CKM}}^{\mathrm{lead}}{=}4(\pi/3)$ (node 4); **[C]** the sub-leading correction is bounded by the quark analogue $3\lambda^2 \approx 8.7°$, so the prediction is the band $240° \pm \sim 9°$; **[C]** against NuFIT 6.0 (NO, $\delta_{CP}{=}212^{+26}_{-41}{}°$) the leading value is $+1.08\sigma$, the band edge $+0.74\sigma$ – compatible today; **[X]** the nearest wrong node is 60° away, far beyond the budget, so DUNE/Hyper-K ($\sim$ 5–15°) discriminate cleanly. Cited in `origin_theory`; ledger `GALOIS.CP.SHARPEN.01`.
- **`v323_bw_geometric_modular.py` (`QGEO.BW.01`, [E]/[C]/[O]).** The keystone pushed one honest step via Bisognano–Wichmann. **[E]** the μ_4 clock is a geometric rotation $\rho{=}\mathrm{diag}(i^n){=}\exp(i\frac{\pi}{2}L)$, $\mu_4 \subset U(1)_{\mathrm{rot}}$; **[E]** for a rotation-covariant covariance $C{=}f(L)$ the modular Hamiltonian $K{=}\log((1{-}C)/C){=}g(L)$, so $[K,L]$=0 (the modular flow is geometric) and the clock is a modular symmetry *for free* (the discriminator: a period-4 curvature preserves the clock but its flow is not geometric, $[K,L] \neq 0$); **[C]** given the seam is the $(E_8)_1$ chiral net (`v308`), BW/Hislop–Longo make the vacuum modular flow geometric, so `QGEO.SYM.01` ($\omega \circ \rho{=}\omega$) is *downstream* of `SEAM.EQUIV.01` + a rotation-invariant vacuum, not an independent axiom; **[O]** residual: the raw collar vacuum is rotation-invariant (cleaner than `v309`, shared with `v308`). Cited in `origin_theory`; ledger `QGEO.BW.01`.
- **`v324_hypergraph_fiber.py` (`HYP.FIBER.01`, [E]/[C]).** The constructive `v312` follow-up: the *minimal* substrate that carries both the E_8 skeleton and the recovery gap is a *product.* **[E]** the carrier network $T_{\mathrm{net}}{=}(A{+}2I)/4$ (attractor = Kac marks = skeleton) fibred by the 3-node family cusp $T_{\mathrm{cusp}}{=}\mathrm{diag}((1{-}w)^{2N_{\mathrm{fam}}})$, $w \in \{0, \frac{1}{3}, \frac{2}{3}\}$ (spectrum $\{1, (2/3)^6, (1/3)^6\}$); the

fibred $T_{\rm net} \otimes T_{\rm cusp}$ has top eigenvalue 1 (eigenvector marks $\otimes$ (w=0)) and $(2/3)^6$ as a genuine eigenvalue (marks $\otimes$ (w=$\frac{1}{3}$)) – the $N_{\rm fam}$=3 cusp is the minimal fibre and the substrate = carrier × family = the 30=$g_{\rm car}(2N_{\rm fam})$=5×6 of `v315`; **[C]** honestly (`v312`) the cusp weight is still *injected*, not derived from the graph – a consistent realisation, not a derivation of 2/3 from a pure rewrite. Cited in `origin_theory`; ledger `HYP.FIBER.01`.

2026-06-22 (the forward kill-test board: the decisive upcoming measurements ranked, each locked to a freeze row — incl. the new Galois-CP relation: `v321`)

- **`v321_killtest_board.py` (`KILL.BOARD.01`, [E]).** The forward companion to `v307` (the current-data board): the decisive *upcoming* measurements, ranked and each locked to a `freeze_file.csv` kill row – #1 JUNO $\sin^2\theta_{12}$=0.306747 (fastest), #2 CMB-S4/LiteBIRD r (kill r>0.01), #3 DESI/Euclid w (kill $w \neq -1$), #4 DUNE/Hyper-K $\delta_{\rm PMNS}$=240° (the new `v320` Galois-CP relation), #5 DUNE/LEGEND/nEXO ordering+$m_{\beta\beta}$, #6 PSI n2EDM, #7 JUNO $\sin^2\theta_{13}$ ($\sim 2\sigma$ now), #8 LiteBIRD β. A forward decision ledger (publicly-stated experimental reach), complementing `v307`; no new physics. Cited in `origin_theory`; ledger row `KILL.BOARD.01`.

2026-06-22 (Lean: the `SEAM.EQUIV.01` composition chain formalised — the keystone residual machine-pinned to the named cited steps: `FORM.SEAMEQUIV.01`)

- **`SeamEquivChain.lean` (`FORM.SEAMEQUIV.01`, Lean 4, [E]/[O]).** A Lean 4 mirror of the `v308` closing chain: the four nodes GapPositive → InvertibleSRE → HolomorphicC8 → SeamIsE8 assembled as a well-typed composition theorem `seamEquivChain`, with the three cited literature steps (Kitaev free-fermion invertibility; Müger / Kawahigashi–Longo–Müger holomorphy; Conway–Sloane E_8 uniqueness) as named `axiom`s and the carrier recovery gap (the OS step) as the single open input. **[E]** `#print axioms seamEquivChain` confirms the residual is exactly those named steps + `recovery_gap` (no hidden assumption); **[E]** a `decide`-proven discriminator primariesE8 $= 1 \neq$ primariesD8 $= 4$ (the $|\det \mathrm{Cartan}|$ that separates the holomorphic E_8 from the same-c rival D_8=$SO(16)$). Built end-to-end (`lake build`, 3357 jobs) on Lean v4.29.1 + Mathlib. **[O]** The value is the machine-checked composition + axiom audit (pinning the keystone residual), *not* a from-scratch proof — it does NOT close `SEAM.EQUIV.01`. Ledger row `FORM.SEAMEQUIV.01`; mirrors `v308`.

2026-06-22 (a NEW falsifiable prediction from the Galois structure: the two CP phases are locked, $\delta_{\rm PMNS} = \delta^{\rm lead}_{\rm CKM} + \pi$: `v320`)

- **`v320_galois_cp_relation.py` (`GALOIS.CP.PREDICT.01`, [E]/[C]/[X]).** The `v316` follow-up turned into a testable cross-prediction. **[E]** both leading CP phases are powers of the *one* hexagonal unit $\rho = \zeta_6$ of the family Galois factor: $\delta^{\rm lead}_{\rm CKM} = \arg\rho = \pi/3$ (60°), $\delta_{\rm PMNS} = \arg\rho^4 = 4\pi/3$ (240°), and $\rho^4 = -\rho$ locks them as $\delta_{\rm PMNS} = \delta^{\rm lead}_{\rm CKM} + \pi$ (the $\mathbb{Z}_2$ sheet flip); **[C]** this upgrades the previously assigned $\delta_{\rm PMNS} = 240°$ to a Galois-forced relation to the measured quark phase (the quark and lepton leading CP phases are not independent); **[X]** kill test: a $\delta_{\rm PMNS}$ robustly incompatible with 240° ($> 3\sigma$ at DUNE/Hyper-K/JUNO) falsifies the Galois-CP organisation; 240° is currently within the broad NuFIT 6.0 range. A genuine new falsifiable consequence of the `v313`–`v319` arithmetic arc (also a `freeze_file.csv` `cp_phase_relation` kill row). Cited in `origin_theory`; ledger row `GALOIS.CP.PREDICT.01`.

2026-06-22 (the translation clock: the discrete↔dynamic bridge *is* the order-30 Coxeter element, a clock with two coprime hands 5×6, read law-inclusive $(0..5)$ or live-only $(1..5)$: `v319`)

- **`v319_translation_clock.py` (`TRANSLATE.CLOCK.01`, [E]/[C]).** A synthesis of the `v313`–`v318` arc with `v124`/`v55`, answering the question "is the static↔dynamic translation a clock running $0,1,2,3,4,5$ or $1,2,3,4,5$?". **[E]** the only object holding both the static carrier ($\mathbb{Q}(\sqrt{5})$) and the dynamic family (rational) data is the order-30 Coxeter element (`v314`); $30 = h(E_8) = g_{\text{car}}(2N_{\text{fam}}) = 5 \cdot 6$ and $\gcd(5,6) = 1 \Rightarrow \mathbb{Z}/30 = \mathbb{Z}/5 \times \mathbb{Z}/6$ (two coprime hands, `v315`). **[E]** the *dynamic* hand is $\mathbb{Z}/6 = 2N_{\text{fam}}$ (ticks $0,\ldots,5$): the recovery exponent is exactly $6 = 2N_{\text{fam}}$, rate $(2/3)^6 = (|\mathbb{Z}_2|/N_{\text{fam}})^{2N_{\text{fam}}}$, order-6 generator c^5 ($\zeta_6 = \zeta_{30}^5$, `v316`). **[E]** position 0 is the *conserved law* — the resummed clock rate$(n) = -p_2 \ln(1 - n/N_{\text{fam}})$ (`v124`) has rate$(0) = 0$ (the attractor, eigenvalue 1, `v56`), the live decaying modes from n=1, and the E_8 live phases (totatives of 30) start at 1 ($\{1,7,\ldots,29\}$), the 0 phase not a totative — so "$0,1,2,3,4,5$" is law-inclusive, "$1,2,3,4,5$" live-only. **[E]** the *static* hand is $\mathbb{Z}/5 = g_{\text{car}}$ (ticks $1,\ldots,5$): the golden field $\mathbb{Q}(\sqrt{5})$ ($\varphi = 2\cos(\pi/5)$), field-obstructed (no rational dynamic image, `v314`) — static-only; $\zeta_5 = \zeta_{30}^6$ carries no phase. **[E]** one full turn $= \operatorname{lcm}(5,6) = 30 = h(E_8)$, rank $E_8 = 8 = \varphi(30)$ live phases pairing into $|\mu_4| = 4$ invariant planes (`v55`). **[C]** verdict: the discrete→dynamic translation *is* the order-30 clock = (static 5-ring) × (dynamic 6-ring), the dynamic hand carrying the rate (exponent $6 = 2N_{\text{fam}}$), the static hand the golden carrier (no rate), and "0 vs 1" = law-inclusive vs live-only; the arithmetic is **[E]**, the "it is one clock" reading **[C]**. Python-only (`sympy`), like the rest of the arc. New figure `figures/translation_clock.pdf` (concentric 5- and 6-hands). Cited in `origin_theory`; ledger row `TRANSLATE.CLOCK.01`.

2026-06-21 (capstone: the SM structural sector is $\mathbb{Q}(\zeta_{30})+$ Galois $\mu_4 \times \mathbb{Z}_2$, and the complete input is $\{a, \pi, v_{\text{geo}}\}$ — zero dimensionless free parameters: `v318`)

- **`v318_arithmetic_capstone.py` (`ARITH.CAPSTONE.01`, [E]/[O]).** The synthesis of the `v313`–`v317` arc. **[E]** the SM *structural* sector (the 3 generations, the 2 CP phases, their orbit/hierarchy) is the cyclotomic field $\mathbb{Q}(\zeta_{30})$ with Galois group $\mu_4 \times \mathbb{Z}_2$ (degree $\varphi(30) = 8 =$ rank E_8, $30 = |\mathbb{Z}_2| N_{\text{fam}} g_{\text{car}} = h(E_8)$), forced by the anchor atoms $\{2,3,5\} = e(a)$; **[E]** the magnitude seed $\varphi_0 = (|\mu_4|/N_{\text{fam}})c_3 + \Omega_{\text{adm}} c_3^4 = \frac{4}{3}c_3 + 48c_3^4$ ($c_3 = 1/(8\pi)$) is a pure function of π (no free parameters, anchor-derived coefficients), so the magnitudes ($\sin^2\theta_{12} = \frac{1}{3} - \varphi_0/2$) are $\{a,\pi\}$-determined, not free; **[E]** free inventory: *zero* dimensionless free parameters, π the unique transcendental primitive (`ARCH.CORE.01`), v_{geo} the unique dimensionful input (No-Unit Theorem) — complete input $\{a, \pi, v_{\text{geo}}\}$. **[O]** honest residual: this rigidity holds *given* the axioms and does not realise the structure on the raw seam (`QGEO.SYM.01`/`SEAM.EQUIV.01` stay **[O]**). Cited in `origin_theory`; ledger row `ARITH.CAPSTONE.01`.

2026-06-21 (are the 3 generations a μ_3/Galois orbit? Yes (μ_3), Galois-refined 1+2 with the fixed generation = the recovery attractor: `v317`)

- **`v317_galois_family.py` (`GALOIS.FAMILY.01`, [E]/[C]).** The `v316` follow-up to the generation structure. **[E]** the three cusp weights $\{0, \frac{1}{3}, \frac{2}{3}\}$ (with $\operatorname{Spec}(Q_+) = \{1,2,3\}$, the A_3 exponents) are the cube roots of unity $\{1, \zeta_3, \zeta_3^2\}$ under $w \mapsto e^{2\pi i w}$, and the cyclic family symmetry $w \mapsto w + \frac{1}{3}$ is a *transitive* μ_3 orbit (the family IS the cube-root orbit); **[E]** the transfer eigenvalues $(1-w)^6 = \{1, (2/3)^6, (1/3)^6\}$ attach to the weights (attractor = eigenvalue 1 at w=0); **[E]** the family Galois $\mathbb{Z}_2$ ($\zeta_3 \mapsto \zeta_3^2 = \bar{\zeta}_3$, = the `v316` CP conjugation) refines the orbit to 1+2 — fixing w=0 (rational) and swapping $w = \frac{1}{3} \leftrightarrow \frac{2}{3}$; **[E]** so the Galois-FIXED generation is the recovery ATTRACTOR (the law) and the Galois-conjugate pair the decaying hierarchy. **[C]** verdict: the family STRUCTURE is the same arithmetic as the CP phase (a μ_3 orbit, Galois-refined 1+2), the mass MAGNITUDES remaining the analytic seed. Cited in `origin_theory`; ledger row `GALOIS.FAMILY.01`.

2026-06-21 (does the Galois $\mu_4 \times \mathbb{Z}_2$ organize the readouts? Yes — the CP phases are the family-factor cyclotomic data, Galois $\mathbb{Z}_2$ = CP conjugation: `v316`)

- **`v316_galois_readout.py` (`GALOIS.READOUT.01`, [E]/[C]).** The `v315` follow-up to phenomenology: does the Galois coupling $\mu_4 \times \mathbb{Z}_2$ reach the physics? **[E]** it does, through the *family* factor — the hexagonal CP unit $\rho = \zeta_6 = \zeta_{30}^5$ is exactly the order-6 $= 2N_{\text{fam}}$ factor c^5 of `v315` (the carrier being $\zeta_5 = \zeta_{30}^6$); **[C]** the leading CP phases are its cyclotomic arguments $\delta_{\text{CKM}}^{\text{lead}} = \pi/3 = \arg \zeta_6$ and $\delta_{\text{PMNS}} = 4\pi/3 = \arg \zeta_6^4$ (power $4 = |\mu_4|$), with $\zeta_6^4 = -\zeta_6$ the $\mathbb{Z}_2$ sheet flip and $\mu_6 = \mu_3 \times \mu_2$ (inherits `v231`/`v233`); **[E]** the family Galois $\text{Gal}(\mathbb{Q}(\zeta_6)/\mathbb{Q}) = \mathbb{Z}_2$ ($\zeta_6 \mapsto \zeta_6^5 = \bar{\zeta}_6$) *is* CP conjugation $\delta \mapsto -\delta$; **[E]** the carrier factor ζ_5 (golden $\sqrt{5}$) carries no phase (μ_4 static), and the magnitudes ($\sin^2 \theta_{12} = \frac{1}{3} - \varphi_0/2$, transcendental φ_0) are not cyclotomic. **[C]** verdict: the Galois bridge reaches phenomenology in the phase sector predicted by the `v314` field split. Cited in `origin_theory`; ledger row `GALOIS.READOUT.01`.

2026-06-21 (couple or factorize? the order-30 Coxeter element couples the carrier and family sectors as a cyclotomic compositum, Galois $= \mu_4 \times \mathbb{Z}_2$: `v315`)

- **`v315_coxeter_coupling.py` (`COX.COUPLE.01`, [E]/[C]).** Answers the `v314` question — does $30 = g_{\text{car}}(2N_{\text{fam}}) = 5{\cdot}6$ couple the carrier (5-fold, golden, $\mathbb{Q}(\sqrt{5})$) and family ($6 = 2{\cdot}3$, rational) sectors, or just factorize? **[E]** the cyclic group *factorizes*: $\gcd(5, 6) = 1 \Rightarrow \mathbb{Z}/30 = \mathbb{Z}/5 \times \mathbb{Z}/6$ (direct product, group-decoupled, in line with the `v314` field obstruction); **[E]** the E_8 exponents = totatives(30) split as totatives(5)$\times$ totatives(6), $\varphi(30) = 4 \cdot 2 = 8 = \text{rank } E_8$; **[E]** but the *field* couples: $\mathbb{Q}(\zeta_{30})$ is the compositum of the carrier $\mathbb{Q}(\zeta_5) \ni \sqrt{5}$ and the family $\mathbb{Q}(\zeta_3)$, degree $8 = \text{rank } E_8$; **[E]** the Galois group is exactly $(\mathbb{Z}/5)^\times \times (\mathbb{Z}/3)^\times = \mathbb{Z}/4 \times \mathbb{Z}/2 = \mu_4 \times \mathbb{Z}_2$ (order 8, max element order 4), so the μ_4 seam clock *is* the Galois group of the carrier's golden field and $\mathbb{Z}_2$ that of the family field (refining `v223`); **[E]** $\sqrt{5} = \phi + 1/\phi$ is the quadratic Gauss sum in $\mathbb{Q}(\zeta_5)$. **[C]** verdict: $30 = 5 \cdot 6$ does not dynamically entangle the sectors — it couples them as the cyclotomic compositum, the static$\leftrightarrow$dynamic bridge being *Galois*, not a dynamical map. Cited in `origin_theory`; ledger row `COX.COUPLE.01`.

2026-06-21 (do the discrete-kernel and dynamic rates translate? An exact number-field split $\mathbb{Q}$ vs $\mathbb{Q}(\sqrt{5})$: `v314`)

- **`v314_rate_translation.py` (`RATE.TRANSLATE.01`, [E]/[C]).** Answers, exactly, whether the discrete kernel (the affine-E_8 network, carrying the golden ratio) and the dynamic part (the seam transfer, carrying the recovery rate $(2/3)^6$) translate. **[E]** FIELD SPLIT: the adjacency spectrum is the rational part $\{0, \pm 1, \pm 2\} \subset \mathbb{Q}$ plus the golden part $\{\pm\phi, \pm 1/\phi\} \subset \mathbb{Q}(\sqrt{5})$, while the transfer spectrum $\{1, (2/3)^6, (1/3)^6\}$ is *entirely* rational; **[E]** the family/sheet rates DO translate (the rational angles $2\cos(\pi/2){=}0 = |\mathbb{Z}_2|$ and $2\cos(\pi/3){=}1 = N_{\text{fam}}$ build $(2/3)^6 = (|\mathbb{Z}_2|/N_{\text{fam}})^{2N_{\text{fam}}} \in \mathbb{Q}$, same field, same atoms), but **[E]** the carrier 5-fold (golden, $\mathbb{Q}(\sqrt{5})$) has NO rational dynamic image – a field obstruction (2/3 is neither an adjacency nor a lazy-update eigenvalue; heat-kernel $t = \Delta/(2 - \phi) \approx 6.37$ not clean), so the carrier is *static-only*; **[E]** the only object holding both is the order-30 Coxeter element $30 = g_{\text{car}}(2N_{\text{fam}}) = 5 \cdot 6$, and the ϕ-quasicrystal $E_8 = H_4{+}\phi H_4$ ($240 = 2 \cdot 120$) carries the carrier but not the (rational, 3-fold) cusp-weight family dynamics. Cited in `origin_theory`; ledger row `RATE.TRANSLATE.01`.

2026-06-21 (the golden ratio made precise: the $(2, 3, 5)$ atoms are the affine-E_8 network spectral angles, $\phi = 2\cos(\pi/5)$ the $g_{\text{car}}{=}5$ signature: `v313`)

- **`v313_golden_atoms_spectral.py` (`GOLD.ATOMS.01`, [E]/[C]).** A follow-up to `v312`'s observation, made exact. **[E]** the affine-E_8 adjacency characteristic polynomial factors as $x(x^2{-}4)(x^2{-}1)(x^2{-}x{-}1)(x^2{+}x{-}1)$, so the golden minimal polynomial $x^2{-}x{-}1$ divides it and $\phi = 2\cos(\pi/5) = (1{+}\sqrt{5})/2$ is an *exact* eigenvalue; **[E]** the non-trivial eigenvalues are $2\cos(\pi/k)$ for exactly $k \in \{2,3,5\} = \{|\mathbb{Z}_2|, N_{\rm fam}, g_{\rm car}\}$ ($2\cos(\pi/2){=}0$, $2\cos(\pi/3){=}1$, $2\cos(\pi/5){=}\phi$, $2\cos(2\pi/5){=}1/\phi$), so the golden ratio is *specifically* the $g_{\rm car}{=}5$ (5-fold) signature and $g_{\rm car}{=}5$ gains a new spectral witness distinct from Pascal/Riemann–Roch (raising the `v305` multiplicity); **[E]** the $(2,3,5)$ spherical excess $1/2{+}1/3{+}1/5 = 31/30 > 1$ (the condition selecting the finite $2I \Rightarrow E_8$) ties the `v63`/`v76` gap-margin numerator $31 = 2^{g_{\rm car}}{-}1 = 248/8 = 1{+}h(E_8)$ to the Coxeter $30 = h(E_8)$ — a unification of already-anchored quantities, NOT new evidence (honest anti-numerology, `v305`); **[E]** honest null: ϕ is a structural lattice/network quantity, not a phenomenological readout. **[C]** direction: ϕ is the E_8-quasicrystal (Elser–Sloane cut-and-project) ratio, a candidate aperiodic substrate for the `v312` question. Cited in `origin_theory`; ledger row `GOLD.ATOMS.01`.

2026-06-21 (TOE-roadmap solver round: the `SEAM.EQUIV.01` keystone certificate, the modular bedrock, the carrier→SM closure, the gap-decoupled measure, and the sharpened hypergraph substrate: `v308`–`v312`)

- **`v308_seam_equiv_chain.py` (`SEAM.EQUIV.CHAIN.01`, [E]/[O]).** TOE attack point 1: the keystone "the raw seam-Calderón net is the holomorphic $c{=}8$ $(E_8)_1$ net" assembled into ONE well-typed logical chain gap>0 → invertible/SRE (Kitaev) → holomorphic $c{=}8$ (Müger/KLM) → $(E_8)_1$ (Conway–Sloane), with the exact discriminators $|\det \mathrm{Cartan}(E_8)|{=}1$ vs $|\det \mathrm{Cartan}(D_8{=}SO(16))|{=}4$, the carrier tower $4{\cdot}4{=}16 \to 4 \to 1$ and $c{=}g_{\rm car}{+}N_{\rm fam}{=}8$ all machine-checked; the input gap is the derived recovery gap $6\ln(3/2){>}0$. The only undischarged premise is the cited OS step — an assembly/reduction certificate (a Lean target), not an end-to-end closure. Cited in `tfpt_research_contracts`; ledger row `SEAM.EQUIV.CHAIN.01`.
- **`v309_modular_bedrock.py` (`QGEO.MODHAM.01`, [E]/[O]).** TOE attack point 2: the bedrock $\omega{\circ}\rho{=}\omega$ via an explicit modular Hamiltonian, non-circular — the four marks come from Gauss–Bonnet (`v216`) and the order-4 clock from cross-ratio 2 (`v214`), so μ_4 is derived; the quasi-free modular Hamiltonian $K = \log((1{-}C)/C)$ round-trips to the seam operator and $[\rho, K]{=}0 \Leftrightarrow \omega{\circ}\rho{=}\omega$ (a $\mathbb{Z}_2$ profile breaks it). Reduces the bedrock to the Bisognano–Wichmann intrinsicality of the raw collar; not a closure of `QGEO.SYM.01`. Cited in `tfpt_research_contracts`; ledger row `QGEO.MODHAM.01`.
- **`v310_carrier_sm_anomaly.py` (`CAR.SM.ANOM.01`, [E]).** TOE attack point 3: the carrier half-spinor $16 = \Lambda^{\rm even}(\mathbb{C}^5) = 1{+}10{+}5$ is exactly one anomaly-free Standard-Model generation ($SU(5) \subset SO(10)$: $10{+}\bar{5}{+}1$), with $\sum Y = \sum Y^3 = [SU(2)]^2U(1) = [SU(3)]^2U(1) = 0$ (exact) and the one-loop $(b_1, b_2, b_3) = (\frac{41}{10}, -\frac{19}{6}, -7)$; a fourth family shifts b_1, so $N_{\rm fam}{=}3$ pins the RG. Closes the spectrum/anomaly/β sub-question; the interacting Epstein–Glaser S-matrix and the Yukawa sector stay **[C]**/**[O]**. Cited in `tfpt_research_contracts`; ledger row `CAR.SM.ANOM.01`.
- **`v311_gap_decoupled_measure.py` (`QGAMB.CLUSTER.01`, [E]/[C]/[O]).** TOE attack point 4: the physical QG measure as a gap-decoupled, exponentially-clustering object — the transfer spectrum $\{1, (2/3)^6, (1/3)^6\}$ gives geometric clustering at rate $(2/3)^6$ (correlation length $1/(6\ln(3/2))$, finite susceptibility $729/665$), and the `v76` margin $6\ln(3/2) - 31/(4\pi^2) {\approx} 1.648{>}0$ decouples the physical sector from the un-built ambient. `QG.AMB.01` stays **[O]** (gap-decoupled, inert). Cited in `tfpt_research_contracts`; ledger row `QGAMB.CLUSTER.01`.
- **`v312_hypergraph_substrate.py` (`HYP.INJECT.01`, [E]/[O]).** TOE attack point 5: the hypergraph substrate sharpened — the affine-E_8 Kac marks are the Perron eigenvector ($A\,m{=}2m$) and the subleading eigenvalue is exactly $2\cos(\pi/5)$ = the golden ratio, but the recovery rate $(2/3)^6$ is *not* any eigenvalue and φ_0 is not a rational edge fraction; so a full-structure rewrite must inject exactly two non-graph-spectral data — the cusp weight $2/3{=}|\mathbb{Z}_2|/N_{\rm fam}$ and the analytic seed φ_0. The open question is precisely delimited, not closed. Cited in `introduction`; ledger row `HYP.INJECT.01`.

2026-06-21 (adversarial-review follow-ups: a structural anti-numerology firewall, an out-of-sample seed cross-validation, an operational data watchdog, and the Target-A holomorphy kill test: `v305`–`v307`)

- **`v305_witness_independence.py` (`WITNESS.ECON.01`, [E]).** The *structural* anti-numerology firewall complementing the `v100` phenomenological null test, against the sharpest self-deception worry ("the same integer counted many times as if independent"). Every headline integer ($|\mu_4|$=4, g_{car}=5, $|\mathbb{Z}_2|$=2, N_{fam}=3, $\dim S^+$=16, $\operatorname{rank} E_8$=8, 240, 248, $|2I|$=120, $h(E_8)$=30, $|W(D_5)|$=1920, Ω_{adm}=48, the gap exponent 6) is a documented image of the single anchor a=$(1, 1, 2)$ with π the only transcendental primitive (13 atoms from 2 free primitives, 6.5× compression made explicit), so the recurring 2/3=$|\mathbb{Z}_2|/N_{\text{fam}}$ and $(2/3)^6$ are *one* ratio; the E_8 spine is overdetermined ($\geq$ 3 structurally independent witnesses) while the pure-seed readouts are single-witness (scored jointly by `v100`, never multiplied); the negative control shows α^{-1}'s "137" is foreign to the anchor family (an independent witness via the $F_{U(1)}$ cubic, `v3`). Cited in the `tfpt_5_redteam` body; ledger row `WITNESS.ECON.01`. Python-only.
- **`v306_seed_crossval.py` (`SEED.CROSSVAL.01`, [E]).** A leave-one-out cross-validation turning the "many observables, one seed φ_0" worry into a falsifiable out-of-sample test: back-solving φ_0 from each of the five seed-grammar observables ($\sin^2\theta_{12}$, $\sin^2\theta_{13}$, β, Ω_b, λ_C; NuFIT 6.0 / ACT DR6 / Planck / PDG) and error-weighted-averaging reproduces the axiom seed $\varphi_0 = 1/(6\pi) + 48c_3^4 = 0.0531720$ to 0.04%; leave-one-out predicts every held-out observable within 3σ out of sample (most-tensioned = $\sin^2\theta_{13}$, $\sim 2\sigma$); a data↔formula shuffle explodes the χ^2 by $> 100\times$. Cited in `tfpt_5_redteam`; ledger row `SEED.CROSSVAL.01`. Python-only.
- **`v307_data_watchdog.py` (`DATA.WATCHDOG.01`, [E]).** The operational decision pipeline over the frozen registry (`v84`): it classifies all twenty registry entries PASS/WATCH/TENSION/KILL by live n_σ against the repo-documented current bests (CODATA 2022, NuFIT 6.0, ACT DR6, Planck 2018, PDG 2024, BK18). No decidable prediction is in KILL; the watch items are α^{-1} (1.9σ), s_{23} (1.8σ) and the most-tensioned core prediction $\sin^2\theta_{13}$ (2.0σ, the honest current pressure point); $\sin^2\theta_{12} = 0.306747$ is compatible (0.02σ, the JUNO falsifier), the $r \in [0.0033, 0.0048]$ band is below the BK18 limit and the kill, and w=-1 is flagged as the DESI dark-energy watchdog. Cited in `origin_theory`; ledger row `DATA.WATCHDOG.01`. Python-only.
- **Target-A holomorphy kill test (`freeze_file.csv`).** A new `seam_holomorphy` freeze row records the sharpened *physical* kill criterion for Target A: a raw quasi-free seam bulk showing topological ground-state degeneracy on the torus ($|\det K| > 1$, the same-c rival $SO(16)_1$) would break holomorphy and kill "seam net = $(E_8)_1$" — since holomorphic c=8 ⇔ E_8 is machine-proven (`v83`/`v143`) and $\det K$=1 ⇔ invertible/SRE (`v237`/`v301`/`v302`).

2026-06-19 (an infinite-derivative narrowing of the Stelle-ghost attack, the double-pushout figure, and the "constancy of c" framing of `SEAM.EQUIV.01`: `v304`)

- **`v304_idg_nonlocal_ghost.py` (`QGAMB.IDG.01`, [C]/[O]).** A conditional, parameter-free narrowing of the red-team `rt_F`/`v278` Stelle-ghost attack on the perturbative gravity sector. [E] the local R+R^2/Weyl^2 four-derivative propagator $1/(p^2(p^2{+}M^2))$ carries a negative-residue massive spin-2 mode (the Stelle ghost) only as a *truncation artefact*; [E] for an *entire* graviton form factor $a(p^2) = e^{p^2/M^2}$ (nowhere zero) the dressed propagator $1/(p^2 a)$ has no extra pole (Tomboulis 1997; Biswas–Mazumdar–Siegel 2006), whereas any *polynomial* truncation has a real zero = the ghost; [C] the spectral-action cutoff is the seam KMS weight $f(u) = e^{-u}$ (`v259`), so the un-truncated trace points to a nonlocal form factor with *no new parameter*. [O] It does *not* close `QG.AMB.01`: the trace regulator is not yet shown to resum to an entire $a(\Box)$, and a ghost-free *perturbative* graviton is not the nonperturbative ambient measure. Cited in the red-team Target F body; ledger row `QGAMB.IDG.01`.

- **Double-pushout figure (`tfpt_1_architecture_e8`).** A new shared TikZ macro (`TFPTdoublepushout` in `tex-artefacts/tfpt_figures.tex`) draws the commuting square showing that the order-$|\mu_4|$=4 glue is *one* operation in two categories: the lattice pushout $D_5 \oplus A_3 + \mu_4 \Rightarrow E_8$ (`v1`) and the conformal-net / anyon-condensation extension $(D_5)_1 \otimes (A_3)_1 \rtimes \mu_4 \cong (E_8)_1$ (`v92/v281/v234/v277/v260`). Expository only; no new claim.
- **Framing (`introduction, tfpt_research_contracts`).** `SEAM.EQUIV.01` is now stated explicitly as the *one* irreducible structural postulate of the theory — the role the constancy of c plays in relativity (cf. `v267`). Prose sharpening; no status change.

2026-06-19 (the discrete→dynamic lens on `F_transfer`: one shape, one seam-rate, `v303`)

- **`v303_ftransfer_dynamics.py`** asks whether the main-branch mechanism — a gapped, positivity-preserving relaxation to a *unique* attractor (the local-averaging update → the E_8 marks, gap $6\ln(3/2)$) — is also the shape of the four `F_transfer` instances, or an unrelated bolt-on. It is the *same* shape: **[E]** F_pole (Koide) *is* the seam dynamics (Möbius multiplier F'=$(2/3)^6$=λ_2, the seam-clock eigenvalue ⇒ a unique attractor at the seam rate, `v82/v54`); **[C]** F_Boltzmann (η_B) is a gapped positive contraction (washout $\kappa_f \in (0, 1)$, H-theorem); **[C]** F_relic (axion) freezes at an adiabatic fixed point; **[E]** F_QCD (m_p/m_e) is the 1-loop RG flow with the carrier $b_3 = -7$ (asymptotic freedom, Gaussian UV attractor). **[O]** Verdict: one shape underlies all four; F_pole has the seam rate $(2/3)^6$ *exactly*, the other three share only the shape with external rates (thermal/cosmological/RG). So `F_transfer` is the readout end of the one discrete→dynamic principle, *not* a bolt-on; the theory's simplicity is preserved because the external rates are honestly fenced (`v187`), not reduced to the seam. **[E]** suite `v303` 5/5, `AUDIT OK`.

2026-06-19 (the last lever: the seam mass gap *is* the derived Recovery gap $6\ln(3/2)$, `v302`)

- **`v302_seam_gap.py`** closes the chain on the single statement `v301` had left: "the quasi-free seam bulk is gapped". That gap is *not* a free input — it is the established *Recovery gap* of the seam transfer operator, derived from the carrier. **[E]** the frozen transfer spectrum is $\mathrm{spec}(T) = \{1, (2/3)^6, (1/3)^6\}$ (`v160/v162`), a simple Perron eigenvalue 1 separated from the rest; **[E]** the gap is $\Delta = -\ln((2/3)^6) = 6\ln(3/2) = 2N_{\mathrm{fam}}\ln(3/2) \approx 2.4328 > 0$ (multiplicative gap $1 - (2/3)^6 = 665/729$; $(2/3)^6$ the μ_4-deck transfer eigenvalue forced by the carrier); **[E]** with the decoupling margin $\Delta - 31/(4\pi^2) \approx 1.648 > 0$ (`v76`) it is robust, and Perron–Frobenius primitivity makes the leading mode simple; **[C]** by Osterwalder–Schrader / quasi-free clustering a transfer-operator gap $\Delta > 0$ *is* a mass gap of the reconstructed Hamiltonian. **[O] Bottom line:** with `v300/v301`, `SEAM.EQUIV.01`'s entire residual is now a composition of *standard cited theorems* (OS/quasi-free clustering + Kitaev free-fermion invertibility + the `v297` AQFT stack) over *established* TFPT facts (16 quasi-free Majoranas; transfer gap $6\ln(3/2)$) — *no undischarged TFPT-internal assumption remains.* It stays **[O]** (not machine-proved end-to-end), but the open front is reduced to citable machinery over a spectral gap that is provably positive. **[E]** suite `v302` 5/5, `AUDIT OK`.

2026-06-19 (Route A's last hypothesis discharged: the gapped quasi-free bulk is invertible by the free-fermion classification, `v301`)

- **`v301_route_a_invertible.py`** attacks the single remaining *unconditional* gap of `SEAM.EQUIV.01`. Since `v300` collapsed Route B into Route A's rationality, that gap is Route A's open hypothesis (`v297` LIT-A): "the raw quasi-free seam bulk is invertible (SRE)". A *gapped* free-fermion (Gaussian) 2+1D bulk cannot carry intrinsic topological order — free fermions give the integer (IQHE/Chern) phases, all *invertible*; intrinsic topological order needs interactions (Kitaev's periodic table, class D). **[E]** the carrier is 16 Majoranas, $c = g_{\rm car}+N_{\rm fam} = 8 = 16/2$ (`v148`); **[E]** $SO(16)_1 \supset (E_8)_1$ ($\dim\mathfrak{so}(16) = 120$ currents $+\,128$ spinor $= 248$, `v154`); **[C]** so a gapped quasi-free bulk is invertible automatically; **[E]** the invariant $|\det K| = \#$anyons is 1 for E_8 (invertible) vs 4 for the gauged $D_8{=}SO(16)$ (anyons), which free fermions cannot produce. **[O]** LIT-A's 'invertible bulk' now *follows* from 'gapped 16-Majorana quasi-free bulk' (`v148`/`v160`+the mass gap), so the residual changes from a topological-order statement to a spectral one. **[O]** **Bottom line:** with `v300`, the whole open content of `SEAM.EQUIV.01` reduces to the *single spectral statement* "the quasi-free seam bulk is gapped" — the topological-order obstruction (hidden anyons) is removed; the gap is not manufactured. **[E]** suite `v301` 6/6, `AUDIT OK`.

2026-06-19 (the Flat-Away attack: a hard discrete obstruction + the pin derived from $(E_8)_1$, `v300`)

- **`v300_flataway_rigid.py`** attacks the single external fact the three Flat-Away routes (`v291`/`v293`/`v295`) left open, on two fronts. *Harden:* the flat seam was only a *soft* minimum ("the spectral mismatch grows with ε"); here the obstruction becomes a *discrete* on/off invariant. **[E]** the flat fingerprint — $\mathrm{spec}(|D_\theta|)$ is the integer ladder with every level $n \geq 1$ of multiplicity exactly 2; **[E]** the resonant mode $4k$ splits level $2k$ by gap $= g_k$ (sympy 2×2 $[[2k, g/2], [g/2, 2k]] \Rightarrow 2k \pm g/2$, + an $O(g^2)$ common shift), validated against the full Toeplitz operator; **[E]** any $g_k \neq 0$ lifts the resonant degeneracy ($2 \to 1{+}1$) and changes the spectral *multiset*, so preserving the flat ladder *with* its mult-2 degeneracies forces every $g_k = 0 \Rightarrow f = 0$ — strictly stronger than the "deviation grows" scan; **[E]** with the `v295` convexity, flat is isolated analytically *and* discretely. *Derive the pin:* **[C]** the $(E_8)_1$ character $E_4/\eta^8 = q^{-1/3}(1 + 248q + 4124q^2 + \dots)$ has integer q-coefficients (248 at level 1; E_8 even unimodular $\Rightarrow$ integer weights), so by 2d Steklov conformal rigidity the integer ladder $\Leftrightarrow$ flat seam, i.e. the external pin *is* the $(E_8)_1$ rationality (Route A). **[O]** verdict: Flat-Away carries *zero* new open content beyond Route A — the two `SEAM.EQUIV.01` routes converge on one rationality fact. **[E]** suite `v300` 6/6, `AUDIT OK`.

2026-06-19 (the hypergraph/Wolfram bridge hardened: the $(2, 3, r)$ seed reaches E_8 as the last finite point, `v299`)

- **`v299_hypergraph_0d_autonomous.py`** hardens the Wolfram/hypergraph reading into a precisely typed bridge (builds on `v219`/`v298`): **[E]** the icosahedron is a 3-uniform hypergraph ($|\mathrm{Aut(graph)}| = 120 = |I_h| = |A_5{\times}\mathbb{Z}_2|$; the McKay group is the $SU(2)$ binary lift $2I$, a *different* order-120 group whose McKay graph is affine E_8; 30 edges $= h(E_8)$); **[E]** the $1 \to 4$ subdivision rewrite is equivariant (all 120 symmetries at every scale); **[E]** the $2I$ fusion tensor is a weighted 3-uniform hypergraph whose 2-dim slice is the affine E_8 McKay graph; **[E]** Smith ($\rho \leq 2 \Leftrightarrow$ affine ADE) + Collatz–Wielandt ($\rho \leq 2 \Leftrightarrow$ a local witness $Am \leq 2m$); **[E]*** the autonomous rule (diffusion-generated witness + *local* gate $Am \leq 2m$, Perron only as audit) runs $E_6 \to E_7 \to E_8 \to \hat{E}_8$; **[E]** the negative controls $\rho(A_n) = 2\cos\frac{\pi}{n+1}$ and $\rho(D_n) = 2\cos\frac{\pi}{2n-2}$ are < 2 for *all* n (closed form), so neither family ever reaches E_8. Honest type: **[O]** the $(2, 3, \cdot)$ seed is the single irreducible input = P2 — *the rule reaches E_8 as the last finite point on this seed; it is not a derivation of P2.* **[E]** build green, `AUDIT OK`.

2026-06-18 (E8 as a network attractor — the Wolfram-program reading, `v298`)

- **`v298_e8_network_attractor.py`** is an honest audit of the "TFPT as a hypergraph/rewrite system" idea, on the `v219` McKay bedrock. **[E]** the affine-E_8 Kac marks $(1, 2, 3, 4, 5, 6, 4, 2, 3)$ are the *unique dynamical attractor* of a minimal local-averaging update $m \leftarrow (A{+}2I)/4\, m$ on the $(2, 3, 5)$ McKay graph (converges from any positive start; $A\,m = 2m$, top eigenvalue 2); the spherical tower terminates at E_8 and the cascade is nested-subgraph coarse-graining. **[C]** the Wolfram reading "E_8 is the universal attractor of a minimal $(2,3,5)$ network" holds at the Coxeter-skeleton level. **[O]** a minimal hypergraph *rewrite* reproducing the *full* structure stays open; honest negatives: φ_0^{ret} is the analytic seed $\frac{4}{3}c_3 = 1/(6\pi)$, not an edge fraction, and recovery is a 1-D Möbius fixed point, not a rewrite. **[E]** build green, `AUDIT OK`.

2026-06-18 (a_2 closed form + Route A literature stack, `v296`–`v297`)

- **`v296_flataway_a2_closed.py` (`FLATAWAY.A2.CLOSED.01`)** evaluates the exact a_2 coefficient in *closed form*: the operator tails telescope geometrically ($C_k + D_k e^{-4kt} = 4kt(1-e^{-4kt})$) to $W_k^{\mathrm{tail}} = t(1-e^{-4kt})/(8k(1-e^{-t}))$, leaving a finite $(4k-1)$-term middle; e.g. $W_1(t) = t(2te^t + e^{3t} + 3e^{2t} + e^t - 1)e^{-3t}/8$. Manifestly positive, small-t law $W_k = t/2 + O(t^3)$ (the t^2 term cancels). Reproduces `v295` to machine precision.
- **`v297_route_a_literature_stack.py` (`SEAM.EQUIV.A.LIT.01`)** writes Route A's one import as a citable stack: LIT-A (Kitaev; Freed–Hopkins) $\to$ LIT-B (Müger; Kawahigashi–Longo–Müger) $\to$ LIT-C (Conway–Sloane; Dong–Xu) compose into "invertible bulk $\Rightarrow (E_8)_1$", all legs established; the single open hypothesis (seam-bulk invertibility) coincides with Route B's Flat-Away, and the stack is non-circular with Route B (the `v286` firewall holds). **[E]** build green, `AUDIT OK`.

2026-06-18 (Flat-Away heat route made exact + Lean-formalised, `v295` / `FORM.FLATAWAY.01`)

- **`v295_flataway_a2_exact.py` (`FLATAWAY.A2.01`)** upgrades the `v292` positive-definiteness from a numerical scan to a *proof*: the first variation of $\mathrm{Tr}\, e^{-t\Lambda}$ vanishes (zero-mean off-mark curvature, Gauss-Bonnet), and since $\Lambda \mapsto \mathrm{Tr}\, e^{-t\Lambda}$ is convex (Klein/Peierls), $\varepsilon{=}0$ is the *global* minimum — so $\Delta\mathrm{Tr} \geq 0$ for all deformations, $= 0$ iff $f = 0$. The exact second-order coefficient is the divided-difference kernel of e^{-tx} (Duhamel), validated to rel. err $< 10^{-6}$.
- **Lean `FORM.FLATAWAY.01`** (`SeamDeckClosure.lean` Part 5): the formal $\Delta{=}0 \Leftrightarrow$ flat step — a positive-weighted sum of squares is positive-definite (`heatDeviation_eq_zero_iff`); built and axiom-checked (only `propext`, `Classical.choice`, `Quot.sound`). So the heat route's positive-definiteness is now both analytically proved and machine-formalised; only the single external fact (the seam fixes a_2) remains. **[E]** build green, `AUDIT OK`.

2026-06-18 (Flat-Away attacked on all three routes, `v292`–`v294`)

- **`v292_flataway_heat_reduction.py` (`FLATAWAY.HEAT.01`)**: the heat route, made precise. The heat-trace deviation $\Delta\mathrm{Tr}(e^{-t\Lambda}) = c(t)\varepsilon^2 + O(\varepsilon^4)$ is a *positive-definite* quadratic form in the off-mark curvature ($c_k(t) > 0$ for every $\mathbb{Z}_4$ mode, positive on all combinations), leading invariant $\|f\|_{L^2}$ — so Flat-Away reduces to the single fact "the seam fixes the a_2 heat coefficient".
- **`v293_flataway_spectral_hessian.py` (`FLATAWAY.SPEC.01`)**: the spectral route, upgraded from one direction to the *full* smooth-$\mathbb{Z}_4$ space. Mode $4k$ splits the degenerate Steklov level $|2k|$ at first order; the Hessian of the spectral mismatch over modes $\{4, 8, 12\}$ is positive-definite (eigenvalues $\{0.497, 0.500, 0.503\}$), so the flat seam is a strict isolated minimum — the "only one direction" objection is answered.
- **`v294_flataway_rp_energy.py` (`FLATAWAY.ENERGY.01`)**: the variational route. With the rigid mark divisor (4 cone angles π, Gauss-Bonnet 4π), Troyanov uniqueness gives a unique flat cone metric, and the curvature energy $\int f^2$ is strictly convex (Hessian $2\pi I$) with a unique minimiser — Flat-Away reduces to "RP+gap realises the energy-minimiser". The three routes converge on one selection principle for the flat metric; closing any one closes Route B. **[E]** build green, `AUDIT OK`.

2026-06-18 (Route-B red-team: the smooth $\mathbb{Z}_4$ adversary + Flat-Away as a mini-theorem, `v290`–`v291`)

- **`v290_z4_smooth_curvature_adversary.py` (`SEAM.ADVERSARY.01`)** is the honest red-team that $\mathbb{Z}_4$ block-diagonality is *not* mark-locality: a smooth $\mathbb{Z}_4$ off-mark curvature $f = \varepsilon\cos(4\theta)$ [**E**] passes the `v288` commutator ($\|[\rho, \Lambda]\| = 0$, same as mark-local) yet [**E**] shifts the DtN spectrum ($\max|\Delta\lambda| = 0.155$) and the heat trace ($\Delta = 0.019$). So the commutator is necessary, not sufficient; the modulus is excluded by the spectral data, not $[\rho, \Lambda]$=0 — which is exactly why Flat-Away cannot be read off the commutator.
- **`v291_flataway_contract.py` (`FLATAWAY.RP.01`)** states Flat-Away as its own named mini-theorem and types three independent proof routes: [**E**] spectral-rigidity and [**E**] heat-kernel (the flat seam is the *unique* spectral/heat match of the smooth $\mathbb{Z}_4$ family — deviation zero only at ε=0) and [**C**] RP-energy/Troyanov (constant-curvature minimiser). Closing any one closes Route B. [**E**] build green, `AUDIT OK`.

2026-06-18 (Route B sharpened: raw mark-locality decomposed + reviewer firewalls, `v289` / `v287`–`v288`)

- **`v289_marklocal_raw.py` (`MARKLOCAL.RAW.01`)** decomposes the one remaining Route-B residual ('why is the raw seam sub-principal term mark-local?') into a 5-lemma chain and isolates the *single* open analytic lemma: [**C**] L1 conic parametrix (b-calculus/Melrose, imported); [**O**] L2 **Flat-Away** — RP+gap+4 marks ⇒ curvature vanishes away from the marks; [**E**] L3 orbit-source (`v195`/`v216`), L4 Fourier-support on $4\mathbb{Z}$ (`v264`/`v288`), L5 full-operator $[\rho, \Lambda]$=0 (`v288`). 4/5 discharged — Route B reduces to exactly L2.
- **`v288` reviewer firewall**: a SCOPE FIREWALL check makes the exact-label split explicit (Fourier lemma Formal/Exact; numerical test Numerical Exact; transfer to the raw conic DtN Conditional, `v264`; mark-locality from the RP seam Open Selection, `v289`) — so it can never be read as 'full-L^2 QGEO proved'.
- **`v287` literature matrix**: L3 ('invertible bulk ⇒ single-sector') is typed as a composition of citable results (LIT-A Kitaev/Freed–Hopkins, LIT-B Müger/Kawahigashi–Longo–Müger, LIT-C Kawahigashi–Longo) conditional on one open hypothesis — seam-bulk invertibility, which coincides with Route B. [**E**] build green, `AUDIT OK`.

2026-06-18 (closing sprint: the Seam Equivalence Theorem named + both routes attacked, `v286`–`v288`)

- **`v286_seam_equivalence_contract.py` (`SEAM.EQUIV.01`)** names the one open theorem — *the raw RP seam state is the holomorphic* $(E_8)_1$ *net at* τ=i — and concentrates the whole open structure on it: four objects, six arrows (2 closed, 1 conditional `v282`, 1 open Gral), an **import firewall** proving the two routes (`v276`/`v280`/`v284` vs `v277`/`v281`/`v285`) never import each other (no 'E_8 into the geometry and back' circularity), and an exact-label taxonomy. Writes `seam_equivalence.json`.
- **`v287_free_rp_bulk_to_holomorphic_boundary.py` (`SEAM.EQUIV.A01`)**: Route A (AQFT) dependency checker — the 5-lemma chain RP+gap+chirality+Gaussian+invertible ⇒ μ=1 ⇒ holomorphic ⇒ $(E_8)_1$ is logically complete *modulo one* standard theorem: *invertible (SRE) Gaussian bulk ⇒ single-sector boundary* (the AQFT form of $\det K$=1). 4/5 discharged.
- **`v288_full_l2_subprincipal_z4.py` (`SEAM.EQUIV.B01`)**: Route B (DtN) — *proves* the full-L^2 lift of the sub-principal $\mathbb{Z}_4$ block-diagonality (a mark-sourced curvature has Fourier support only on $m \equiv 0 \bmod 4$, so $\Lambda = |n| + M_f$ commutes with $\rho = \mathrm{diag}(i^n)$ on the full operator, $\|[\rho, \Lambda]\| \sim 2{\times}10^{-15}$; generic curvature → 4.44), lifting `v201`/`v284` to L^2. The residual shrinks to one sharper question: why is the raw seam sub-principal term mark-local? [**E**] build green, `AUDIT OK`.

2026-06-18 (the two proof routes decomposed: Route (i) and Route (ii) into lemma chains, `v284/v285`)

- **`v284_route_i_rp_uniqueness.py` (`QGEO.ROUTEI.01`)** turns Route (i) (RP-state uniqueness) into a 6-lemma chain: **[E]** 5/6 lemmas are already discharged — L1 RP→DtN (`v194`), L2 marks→pillowcase (`v195/v216/v214`), L3 flat Steklov = $\sqrt{-\Delta_{\text{flat}}}$ (verified here), L4 covariance from DtN (`v258`), L5 μ_4-invariance (`v276`/Lean/`v280`); **[C]** Troyanov ($\chi_{\text{orb}}=0 \Rightarrow$ unique flat $\tau=i$) reduces the residual to one lemma. **[O]** the one open lemma: *the raw seam is the constant-curvature geometric state.*
- **`v285_route_ii_seam_condensation.py` (`QGAMB.ROUTEII.01`)** turns Route (ii) (seam-net condensation) into a 4-lemma chain: **[E]** 3/4 discharged (no abelian sector $\Leftrightarrow \det K=1 \Leftrightarrow$ holomorphic $\Leftrightarrow E_8$; the tower 16→4→1), and **its open lemma coincides with Route (i)'s** — both are "the raw seam is the $(E_8)_1$-at-$\tau=i$ object" (`v282`), so proving *either* route closes *both*. **[O]** the unified open lemma: a canonical equivalence between the raw seam KMS/DtN state and the holomorphic $(E_8)_1$ net at $\tau=i$. Build green, `AUDIT OK`.

2026-06-18 (self-investigation round: pillowcase DtN, modular data, the E8-at-$\tau=i$ unification, live scorecard, `v280–v283`)

- **`v280_pillowcase_steklov.py` (`QGEO.STEKLOV.01`)** runs the QGEO chain on the actual flat $\tau=i$ pillowcase orbifold: the order-4 deck permutes the 4 cone points (2 fixed + 1 swap) and the geometric chain $[\rho,\Delta]=0 \Rightarrow [\rho,H]=0 \Rightarrow [\rho,C]=0 \Rightarrow \omega\circ\rho=\omega$ is numerically exact — route-(i) evidence for `QGEO.OBLIG.01`; the premise stays **[O]**.
- **`v281_holomorphy_modular_data.py` (`QGAMB.MODULAR.01`)**: #anyons = $|\det \mathrm{Gram}|$ (E8→1, SO(16)→4), the anyon-condensation tower 16 → 4 → 1, Gauss–Milgram → c=8; holomorphy ($\det K=1$) is the single Tier-B discriminator.
- **`v282_e8_tau_i_unification.py` (`QGAMB.UNIFY.01`)**: the candidate *simplification* — $\chi_{E_8}=j^{1/3}$ gives $\chi_{E_8}(i)=1728^{1/3}=12$, so $\tau=i$ is both the order-4 CM point (QGEO) and the $(E_8)_1$ modulus (QG.AMB): the two obligations are two faces of one object (the seam is $(E_8)_1$ at $\tau=i$), **obligation count** 2 → 1.
- **`v283_live_killtest_scorecard.py` (`PRED.LIVE.01`)**: the recent round's computable predictions vs current data — all consistent $< 2\sigma$, with two sharp near-term kill tests (Σm_ν floor 0.0586 eV; proton decay 1.55×10^{35} yr).
- Wolfram 275/275 (v281/v282 exact-mirrored); build green, `AUDIT OK`.

2026-06-18 (the Gräl: QGEO.SYM.01 as one precise lemma + the all-orders step Lean-formalised, `v279/FORM.QGEO.03`)

- **`v279_qgeo_obligation_lemma.py` (`QGEO.OBLIG.01`) writes the bedrock as ONE precise constructive-QFT lemma.** Given the premise *the raw seam carries the flat $\tau=i$ pillowcase metric* (Troyanov-unique, $\Lambda_\Sigma=\sqrt{-\Delta_{\text{flat}}}$), then $\omega_\Sigma\circ\rho=\omega_\Sigma \to$ mark-locality $\to E_8$. **[E]** the reduction DAG from 'free RP seam' has exactly *one* open leaf — 'the raw seam state is the flat state'; **[E]** the geometric side is fixed (flat DtN diagonal, ρ commutes to all orders), so the obligation is a state-identification, with **[C]** two proof routes (RP-state uniqueness, or Troyanov + OS).
- **`FORM.QGEO.03`: the all-orders step is now machine-proved in Lean.** `SeamDeckClosure.lean` gains `diagonal_commutesClock` and `flat_all_orders_clock`: any spectral function $g(\Delta_{\text{flat}})$ of the Fourier-diagonal flat Laplacian commutes with the carrier clock $\rho=\mathrm{diag}(i^n)$ — so the `v276` all-orders closure is a Lean theorem (only `propext`, `Classical.choice`, `Quot.sound`; no `sorry`; full `lake build` green, 3356 jobs). The premise (the seam *is* flat) stays the **[O]** `QGEO.SYM.01` input. Build green, `AUDIT OK`.

2026-06-18 (4D QFT: the $S_{\text{pert}} \to S_{\text{phys}}$ LSZ bridge + one-loop unitarity, v278)

- **`v278_lsz_bridge_unitarity.py` (`QFT4D.SPERT.04`) connects the perturbative S-matrix to the physical asymptotic one and verifies one-loop unitarity.** **[E]** LSZ bridge: the EG T-products of S_{pert} (`v269`) *are* the OS Wick-rotated correlators (`v240`), so amputate+on-shell-residue gives $S_{\text{pert}} \xrightarrow{\text{LSZ}} S_{\text{phys}}$; **[C]** the gap $\Delta{=}6\log(3/2){>}0$ gives Haag–Ruelle asymptotic states. **[E]** *one-loop optical theorem*: the bubble discontinuity $\operatorname{Im} B(s)/\pi = x_+{-}x_- = \sqrt{1-4m^2/s}$ *exactly* = the two-body phase space, so $2\operatorname{Im} M = \sum\int d\Pi |M|^2$ (cutting rule) holds — the matter+gauge sector is unitary, with the cut turning on at the physical two-particle threshold. **[O]** the gravity sector's Stelle ghost (`v269`/`rt_F`) is non-unitary → `QG.AMB.01`. Exact core mirrored in Wolfram (273/273). Build green, `AUDIT OK`.

2026-06-18 (QG.AMB.01 Tier-B made concrete: the seam-Calderón → $(E_8)_1$ match, v277)

- **`v277_seam_calderon_e8_match.py` (`QGAMB.TIERB.01`) reduces Tier-B to ONE bit.** **[E]** the full $(E_8)_1$ matching target is computed and matches: $c{=}8$, $\det \mathrm{Cartan}(E_8){=}1$, the holomorphic character $E_4/\eta^8{=}j^{1/3}{=}q^{-1/3}(1{+}248q{+}\dots)$ with a single primary and exactly $248{=}\dim E_8$ weight-1 currents (240 roots). **[E]** the discriminator is holomorphy — the $c{=}8$ counterexample $(D_8){=}SO(16)_1$ has $\det \mathrm{Cartan}{=}4$ (non-holomorphic), so the one condition is $|\det K|{=}1$. **[C]** the seam side matches via `v276` (flat $\tau{=}i$) + `v260` (Kummer/K3). **[O]** residual = the single holomorphy bit; reduced, not closed. Exact core mirrored in Wolfram (272/272). Build green, `AUDIT OK`.

2026-06-18 (QGEO.SYM.01 narrowed: the flat pillowcase closes the commutator to all orders, v276)

- **`v276_qgeo_flat_closes_commutator.py` (`QGEO.SYM.03`) collapses the bedrock to ONE geometric postulate.** The state-level residual the whole bedrock rests on is the operator equation $[\rho, H]{=}0$. **[E]** if $H = f(\Delta_{\text{flat}})$ and the order-4 deck ρ ($z{\mapsto}iz$) is a flat-$\tau{=}i$ isometry, then $[\rho,\Delta]{=}0 \Rightarrow [\rho,H]{=}0$ *exactly*, to all orders (verified on the discretised square torus: $\rho^4{=}I$, $[\rho,\Delta]{=}0$, $[\rho,\sqrt{-\Delta}]{=}0$; generic non-isometry fails) — upgrading the leading-order `v198`/`v201` to the full H. **[C]** $\tau{=}i$ is forced by order-4 ($j{=}1728$; hexagonal $j{=}0$ is order-6, excluded). **[O]** `QGEO.SYM.01` therefore collapses to the single statement "the raw seam IS the flat $\tau{=}i$ pillowcase quasi-free state" — one human constructive-QFT proof, or an honest axiom. Narrows, does not close. Build green, `AUDIT OK`.

2026-06-18 (Red Team Target F — adversarial audit of the v269–v275 round, rt_F)

- **`redteam/rt_F_qft4d.py` (`REDTEAM.F.01`) stress-tests the just-published round** (the perturbative S_{pert} layer, the PMNS Jarlskog, the ν-scale, the over-determination, the `QG.AMB.01` roadmap). Survives (narrowed): two attacks land and are folded in. **(1)** the gravity R^2/Weyl^2 sub-sector is power-counting renormalizable but *non-unitary* (the Stelle ghost: the four-derivative propagator $1/(p^2(p^2+M^2))$ has a negative-residue massive spin-2 mode), so S_{pert} is unitary for the matter+gauge sector only — which is exactly why the non-perturbative `QG.AMB.01` is the real frontier (caveat added to `v269`). **(2)** the 0.11% anchor over-determination is conditional on the Λ-branch readout (`LAMBDA.BRANCH.01`, **[C]**), the gravity route being unconditional (caveat added to `v274`). Added as Target F in `tfpt_5_redteam` + the red-team table; `run_redteam.py` green.

2026-06-18 (Zenodo release 5.2 (rev 191) — the perturbative 4D-QFT layer + scale closure, v269–v275)

- **Published to Zenodo.** Version `5.2 (rev 191)` of the ten-PDF document set was published as a new version of the TFPT deposit — record `20743347`, DOI `10.5281/zenodo.20743347`. This release carries the perturbative 4D-QFT layer (the Epstein–Glaser S_{pert} skeleton `v269`, the concrete one-loop quartic `v271` and gauge β-coefficients `v273`), the complete complex PMNS matrix and leptonic CP strength `v270`, the honest absolute ν-mass-scale typing `v272`, the over-determination of the single mass anchor `v274`, and the `QG.AMB.01` obligation roadmap `v275`. Suite `273` modules (highest ID `v275`; v186/v226 skipped), Wolfram `271/271`, `run_all.py` green, `AUDIT OK`, `npm` build clean. The Zenodo description (`zenodo_description.html`) and the public website were synced in the same release.

2026-06-18 (scale + frontier round: ν-mass scale, EG gauge running, over-determination, QG roadmap, v272–v275)

- **`v272_nu_mass_scale.py` (`FLAV.NUSCALE.01`) types the absolute neutrino-mass scale honestly** (no fabricated Σm_ν — would contradict the `v184` firewall). **[E]** the absolute scale reduces to *one* seesaw ratio $m_3 = (y_\nu v_{\text{EW}})^2/M_R$ (one UV input, like v_{geo}, `v153`); **[C]** the observed m_3=0.050 eV with the TFPT PS→GUT window $M_R \in [4.2\times10^{13}, 2.4\times10^{15}]$ GeV (`v249`) needs $y_\nu \in [0.26, 2.0]$ — $O(1)$, no tuning; **[O]** M_R is not a clean $\bar{M}_{\text{Pl}}$ power, so the absolute value stays open; **[X]** the NO floor Σm_ν=0.0586 eV is the cosmological kill test. Closes the PMNS bookkeeping (the last **[O]** is one seesaw ratio).
- **`v273_eg_gauge_running.py` (`QFT4D.SPERT.03`) derives the SM one-loop b_i via the EG gauge self-energy.** **[E]** the gauge 2-point is the same scaling-degree-4 extension as the quartic (`v271`), giving $(b_1, b_2, b_3) = (41/10, -19/6, -7)$ from the carrier/SM content (the same 41 as the carrier algebra, `v159`); **[O]** two-loop + all-order stay open. Exact b_i mirrored in Wolfram.
- **`v274_scale_overdetermination.py` (`SCALE.OVERDET.01`) shows the single mass anchor is over-determined.** **[E]**/**[C]** two independent routes to $\bar{M}_{\text{Pl}}$ agree — gravity $(8\pi G)^{-1/2} = 2.4353\times10^{18}$ GeV and cosmology (the compiler prediction $\rho_\Lambda/\bar{M}_{\text{Pl}}^4 = (3/4\pi^2)e^{-2\alpha^{-1}}$ with $\rho_\Lambda^{1/4} = 2.24$ meV) = 2.438×10^{18} GeV, to 0.11%; the seam being a conformal c=8 CFT makes “no derivable absolute scale” a theorem, not a gap. Sharpens `v153`/`v78`.
- **`v275_qgamb_roadmap.py` (`QGAMB.ROADMAP.01`) gives the open gate `QG.AMB.01` a module.** **[E]** Tier A gap decoupling ($\Delta_{\text{eff}} = 1.648 > 0$, `v36`/`v76`); **[E]**/**[C]** Tier B reduction to the holomorphic $(E_8)_1$ boundary net (`v77`); **[C]** the perturbative layer in hand (`v269`/`v271`/`v273`); **[O]** the nonperturbative ambient measure stays the one structural frontier.
- Suite `271/271` Wolfram, `run_all` green, `AUDIT OK`, build green.

2026-06-18 (4D QFT: a concrete Epstein–Glaser one-loop quartic renormalization, v271)

- **`v271_eg_oneloop_quartic.py` (`QFT4D.SPERT.02`) takes the `v269` S_{pert} skeleton from “exists” to an actual EG number** (no path integral). **[E]** the first renormalization is the order-2 product T_2; the massless propagator has scaling degree sd=2 in d=4, the one-loop bubble has sd=4=d, so ω=sd$-d$=0 ⇒ exactly one logarithmic local counterterm ($C(\omega{+}d, d)$=1, finite, no infinite tower); the loop factor $\Omega_3/(2(2\pi)^4) = 1/(16\pi^2)$ exactly — the *same* factor that normalises the spectral-action a_4 geometric quartic. **[C]** the ϕ^4 one-loop $\beta_\lambda = 3\lambda^2/(16\pi^2)$ (symmetry $3 = s, t, u$ channels), EG initial condition $\lambda_\Phi(\text{UV}) = 1/(16\pi^2)$. **[O]** order-2/one-loop only; the all-order EG construction and the nonperturbative measure `QG.AMB.01` stay open. Exact core mirrored in Wolfram (270/270). **[E]** build green, `AUDIT OK`.

2026-06-18 (PMNS: the complete complex matrix + the leptonic Jarlskog CP strength, `v270`)

- **`v270_pmns_jarlskog_assembly.py` (`FLAV.PMNS.03`) assembles the four TFPT channels** ($\sin^2\theta_{12}{=}\frac{1}{3}{-}\frac{\varphi_0^{\rm ret}}{2}$, $\sin^2\theta_{23}{=}\frac{1}{2}$, $\sin^2\theta_{13}{=}\varphi_0^{\rm ret}e^{-5/6}$, $\delta{=}4\pi/3$) **into one exactly-unitary complex PMNS matrix and derives the leptonic CP strength.** [**E**] $U = R_{23}U_{13}(\delta)R_{12}$ is unitary; [**C**] the Jarlskog $J_{\rm PMNS} = \Im(U_{e1}U_{\mu2}U^*_{e2}U^*_{\mu1}) = -0.02965$ ($J_{\rm max} = 0.03424$) is a *derived* number, the leptonic analogue of the CKM J (`v88`); [**C**] data: $J_{\rm max}$ vs NuFIT 5.2 0.0332 ($\sim 3\%$), J vs best fit -0.026, the negative CP-violating sign reproduced. [**O**] δ is the μ_6/triality phase (assembled, not from M_ν/D_F) and the absolute ν-mass scale stays open — closes the CP-*strength* readout, not the phase origin nor the scale. [**E**] build green, `AUDIT OK`.

2026-06-18 (4D QFT: the perturbative S-matrix as an Epstein–Glaser / pAQFT skeleton, `v269`)

- **`v269_spert_paqft_skeleton.py` (`QFT4D.SPERT.01`) builds the honest middle layer of the three-layer S-matrix** (the first concrete 4D-QFT step beyond the spectral-action contract), *not* a nonperturbative closure. [**E**] three distinct layers: $S_{\rm top}$ (2d DHR braiding $|M|{=}1$, statistics, `v243`), $S_{\rm pert}$ (4d Epstein–Glaser/BV S-matrix of the spectral action), $S_{\rm phys}$ (LSZ on the OS Wightman functions, `v240`). [**E**] the spectral-action a_4 interaction is power-counting renormalizable (all operators dim ≤ 4; 7 marginal $+\,3$ relevant, a finite counterterm basis), so [**C**] by the Epstein–Glaser theorem the perturbative S-matrix exists order by order (causal factorisation + finite local extension; no path integral, no UV divergences). [**C**] the gap $\Delta = 6\log(3/2)$ gives an IR-safe adiabatic limit ($S_{\rm pert} \to S_{\rm phys}$ via LSZ). [**O**] perturbative only — the ambient measure `QG.AMB.01` stays open, the canonical 4d reading remains boundary-only (`v265`). [**E**] build green, `AUDIT OK`.

2026-06-18 (PMNS: the reactor-angle exponent closed as the carrier hypercharge trace, `v268`)

- **`v268_theta13_carrier_trace.py` (`FLAV.TH13.01`) closes the θ_{13} exponent origin.** The value $\sin^2\theta_{13} = \varphi_0^{\rm ret}e^{-5/6} = 0.0231$ was already checked (`v16`); now the exponent is exact: [**E**] $\gamma = 5/6 = {\rm tr}_E Y^2$, the carrier hypercharge-squared trace ($Y = {\rm diag}(-\frac{1}{3}, -\frac{1}{3}, -\frac{1}{3}, \frac{1}{2}, \frac{1}{2})$, roots of $6Y^2 - Y - 1 = 0$; complement $\frac{1}{6}$ the neutrino ratio). [**E**] own channel: the $\mu\tau$-breaking $\varepsilon = \frac{3}{4}\varphi_0^{\rm ret}$ induces only $\sim 1.6 \times 10^{-3} \ll 0.023$, so θ_{13} is a separate carrier-trace channel — correcting the tempting (and wrong) "θ_{13} from M_ν" route flagged by the new script atlas. [**O**] the CP magnitude and the absolute ν-mass scale remain the open PMNS items. Exact core mirrored in Wolfram. [**E**] build green, `AUDIT OK`.

2026-06-18 (Infrastructure: a generated causal "script atlas" so the suite is navigable at a glance)

- **`verification/make_script_atlas.py` generates `verification/script_atlas.md`** — a single grouped, dependency-aware view fusing the existing single sources (`status_ledger.csv` for claim→status→dependencies→supersedes, `script_registry.csv/script_clusters.csv` for the theme grouping, `docs_map.csv` for where each script is cited). It lists every registered script by cluster with its claim(s), four-class marker, one-liner, resolved dependencies and citing papers, plus a *supersede map* (which old claim each new one replaces) and a dependency/most-depended-on overview — the antidote to duplicating work or forgetting superseded results. No new data, a re-projection only; wired into `bash build.sh gen`. [**E**] build green, `AUDIT OK`.

2026-06-18 (The bedrock in its minimal-axiom form: a rigidity theorem for `QGEO.SYM.01`, `v267`)

- **`v267_qgeo_rigidity_minimal_axiom.py` (`QGEO.SYM.02`) sharpens the one bedrock postulate to its irreducible kernel** (it does *not* close it). [**E**] the *single* bare statement "the seam admits the carrier order-4 clock as a conformal symmetry permuting its four marks" ($= \omega \circ \rho = \omega$) forces *everything*: an order-4 Möbius orbit $\{a, ia, -a, -ia\}$ has cross-ratio 2 independent of a; cross-ratio 2 $\Leftrightarrow$ j=1728 (only $\lambda \in \{-1, \frac{1}{2}, 2\}$) $\Leftrightarrow$ the order-4 CM automorphism on y^2=$x^3$$-$$x$; and the unique flat pillowcase metric, mark-locality, $[\rho, \Lambda]$=0 and $\omega \circ \rho$=ω all follow (`v214/v201/v264/v198`). [**E**] neg controls: generic config $j \neq 1728$ ($\mathbb{Z}_2$ only), hexagonal j=0 ($\mathbb{Z}_6$, order 6) — only the square (order-4) realises the μ_4 clock. [**C**] second, independent reason: $\{1, i, -1, -i\}$ over $\mathbb{Q}$ with j=1728 (CM by $\mathbb{Z}[i]$), Belyi/dessins Galois-rigidity. [**O**] the bare order-4 symmetry stays the one foundational postulate (like c=const) — the *reduction* is closed (axiom $\Rightarrow$ everything), the axiom is not. [**E**] build green, `AUDIT OK`.

2026-06-18 (Branch B decided: the explicit PS threshold model + proton-decay window — minimal content killed, $+(15, 1, 1)$ survives, Hyper-K decisive, `v266`)

- **`v266_ps_threshold_proton.py` (`PS.PROTON.02/PS.THRESHOLD.02`) decides branch B of the `v265` fork.** The explicit two-step Pati–Salam thresholds give d=6 $\tau_p(p \to e^+\pi^0)$ (writes `ps_threshold_proton.json`): [**X**] the minimal 16-Higgs content ($M_{GUT}$$\sim$$2.4\times10^{15}$) gives $\tau_p$$\sim$$4.4\times10^{33}$ yr < Super-K and is *killed* even at the high hadronic band; [**C**] the E_8-allowed $(15, 1, 1)$ [the single 45] raises $M_{GUT}$$\sim$$5.9\times10^{15}$ $\Rightarrow$ $\tau_p$$\sim$$1.6\times10^{35}$ yr, proton-safe *now*; [**X**] but that sits at the Hyper-K reach ($\sim$$1.4\times10^{35}$ yr) — a *dated* kill test decisive within the decade. So branch B is promoted from "well-mannered candidate" to *content-selected (must be* $+(15, 1, 1)$*), Hyper-K-decisive UV branch*; [**O**] structurally marginal (only one 45 in the hull, `v247`) with an $O(3)$ τ_p band. Branch A (boundary-only) is unchanged and canonical. [**E**] build green, `AUDIT OK`.

2026-06-18 (The 4D-QFT fork frozen as a branch policy: boundary-only canonical, Pati–Salam a falsifiable UV branch, SM-only GUT killed, `v265`)

- **`v265_qft4d_fork_freeze.py` (`QFT4D.FORK.01`) turns the 4D-QFT fork from an open ambiguity into a frozen decision tree** (`qft4d_fork_freeze.json`), no new physics. **A (canonical):** boundary-only is the default 4D reading — a 4D-GUT is *not claimed by default* (E_8 is the audit hull). [**X**] SM-only 4D-GUT unification is killed (1-loop: at the α_1=α_2 scale α_3^{-1} off by $\sim$5.6, spread $\sim$8.8 at 2×10^{16} GeV, re-deriving `v246`) — the canonical expectation, not a failure. **B (conditional):** carrier-native Pati–Salam is a falsifiable UV branch only with the E_8-allowed content $\{1, 10, 16, 45\}$ (no **126**, `v247`), $\sin^2\theta_W$=3/8 (`v248`), the $O(1)$ κ=M_{PS}/M_s band (`v249/v253`), a threshold model and a proton-decay kill test ([**X**], no fake τ_p window; carrier gauging stays the contract). [**E**] a prose guard (`QFT4D.NO_OVERCLAIM.01`) forbids bare 4D over-claims and requires the scoped policy wording. New ledger rows `QFT4D.BOUNDARY.DEFAULT.01`, `QFT4D.SMONLYGUT.01`, `PS.UVBRANCH.01`, `PS.THRESHOLD.01`, `PS.PROTON.KILL.01`. A fork-policy box added to `tfpt_research_contracts`; [**E**] build green, `AUDIT OK`.

2026-06-18 (Three open-residual advances: the F_{QCD} solver, M_ν from D_F, and the raw-seam$\Rightarrow$mark-locality reduction, `v262–v264`)

- **`v262_fqcd_mp_me.py` (`FR.MPME.02`) implements the one contract-only F_{transfer} pipeline.** A real two-loop α_s solver runs $\alpha_s(M_Z)$=0.1179 with n_f thresholds (carrier b_3= $-$ 7, [**E**]) to $\alpha_s(2\,\text{GeV})$$\sim$0.30 and $\Lambda^{(3)}_{\overline{\text{MS}}}$$\sim$0.33 GeV; with the lattice bridge C_p (external $O(1)$) and the closed

m_e it reproduces m_p/m_e~1824 vs the measured 1836.15 within the ~ 7% external budget. A **[C]** transfer reproduction (firewall: no compiler integer for 1836), advancing `FR.MPME.01` (**[O]**) to `FR.MPME.02` (**[C]**).

- **`v263_mnu_from_df.py` (`FLAV.PMNS.02`) makes M_ν a seesaw operator of D_F.** **[E]** $M_\nu = -m_D M_R^{-1} m_D^\top$ is symmetric, seesaw-suppressed and (for $\mu\tau$-symmetric inputs) $\mu\tau$-symmetric; **[C]** it reproduces θ_{23}=45° and $\sin^2\theta_{12}=\frac{1}{3}-\frac{\varphi_0^{\rm ret}}{2}$ (`v9`) under the seam misalignment; **[O]** θ_{13}=0 in the leading texture, the CP *magnitude* (240°) is the μ_6/triality phase (`v231`/`v233`), and M_R is the free seesaw scale. An operator advance, not a closure of full PMNS dynamics.
- **`v264_raw_seam_marklocal.py` (`QGEO.ENERGY.03`) sharpens the bedrock.** Composing `v216`+`v201`+`v198` on the canonical pillowcase: the flat-pillowcase curvature lives only at the 4 marks, so the DtN sub-principal symbol is $\mathbb{Z}_4$-invariant (Fourier on $4\mathbb{Z}$, FFT-verified), block-diagonal, and $[\rho,\Lambda]=0 \Rightarrow \omega\circ\rho=\omega$ on this metric. So the whole bedrock collapses to the single metric statement "the raw RP seam carries the uniformising flat pillowcase metric" (=`QGEO.SYM.01`). A reduction/sharpening, **[O]** — it does *not* prove the seam must carry that metric (negative control: curvature off the μ_4 orbit breaks the chain). Paper citations added in `tfpt_4_frontier`, `tfpt_2_standard_model` and `tfpt_research_contracts`. **[E]** `AUDIT OK`, build green.

2026-06-18 (Paper consistency pass: the closure ledger and the status/QFT sections updated for the Modular Spectral Closure, with an explicit "what is *not* closed" line)

- **Five paper sections that predated the `v238`–`v261` round are brought up to date** (additive, no status marker moved). The `introduction` closure-ledger table and the "five questions" item now carry a *boundary QFT (Modular Spectral Closure)* row — one relative object $\mathsf{TFPT}_{\rm QFT} = (\mathcal{A}_\Sigma, \omega_\Sigma, \Delta_\Sigma, \rho, A_F, H_F, D_F, J, \gamma, S_{\rm rel})$ closed modulo `QGEO.SYM.01` (`v258`–`v261`) — plus an explicit list of what the closure does *not* reach: the full measured pole masses, the absolute QCD scales (m_p/m_e), the complete PMNS dynamics, and the real 4D interacting QFT / ambient measure. The `tfpt_2` "ambient closure" section now states that the cutoff of its $S_{\rm rel}$ *is* the seam KMS weight (f_2/f_0=1, `v259`) and $D_{\rm rel}$ the covariance induction (`v258`); the `tfpt_2` "(4) Constructive QFT closure" section adds the relative-object pointer; `tfpt_4_frontier`'s full-quantum-gravity section records that the cutoff moment f_0 is pinned by the seam state (`v255`/`v259`); and `origin_theory`'s honest-status keybox notes that the whole boundary QFT collapses onto the same `QGEO.SYM.01` postulate (no sixth structural class). An editorial consistency pass so every status surface agrees with the ledger. **[E]** build green (`10 ok, 0 failed`), `AUDIT OK`.

2026-06-18 (Consistency pass: the Modular Spectral Closure surfaced structurally across the website and the intro status card)

- **The `v258`–`v261` closure is now reflected on every "what is open" surface, not just the research-contracts paper.** The homepage open-gates section and compiler-pipeline diagram, the hostile-referee FAQ, the glossary $G_{\rm net}$ entry, the reviewer page and the verification residual-chain caption now state that the *entire* emergent-QFT layer (Dirac, cutoff, gauging, glue, orientability) collapses onto the *same* premise `QGEO.SYM.01` via the Modular Spectral Closure — the boundary QFT is one relative object that adds *no new open item*, ambient QG separate. The introduction status card ("the structural residual is one condition") carries the same sentence. No status marker moved; this is an editorial consistency pass so the public surfaces agree with the ledger and the paper. **[E]** build green, `AUDIT OK`.

2026-06-17 (The Modular Spectral Closure: Dirac as covariance induction, the modular cutoff, the Kummer/K3 unification, and the assembly certificate, `v258`–`v261`)

- **`v258_dirac_covariance_induction.py` (`PS.DIRAC.03`) closes the "posited Yukawa vs derived operator" gap of `v250`/`v252`.** The finite Dirac operator D_F is the modular/covariance *induction* of the boundary seam quasi-free (KMS, β=1) state: a Gaussian state is fixed by its covariance C (a positive contraction) with one-particle modular Hamiltonian $H = \log((1-C)C^{-1})$ (Araki; Casini–Huerta), inverse to the KMS occupation $C = (1+e^{H})^{-1}$. [**E**] the inversion identity holds exactly; [**E**] C_F is a positive contraction; [**E**] the induced operator is chirality-odd; [**E**] it is unitarily equivalent to the `v252` D_F (same mass spectrum); [**E**] the Majorana/seesaw m_D^2/M_R is an off-diagonal covariance entry. [**C**] $C_F = P_F C_\Sigma P_F$, so D_F is the Kasparov shadow $[D_\Sigma]\widehat{\otimes}_{(E_8)_1}[\mathcal{K}_{\rm car}]$ of the boundary geometry and the `v18` Yukawas are the readout of C_Σ.
- **`v259_modular_cutoff_kappa.py` (`PS.SPECACT.02`) fixes the last open spectral-action input.** The cutoff f is the seam's own modular/KMS weight: by Tomita–Takesaki/Bisognano–Wichmann the seam is KMS at β=1 (`v239`) and 2π=$1/(4c_3)$ (`v58`) fixes β, so the heat-kernel cutoff $f(u) = e^{-u}$ is *derived.* [**E**] its moments give $f_2/f_0 = f_4/f_2 = 1$ exactly; [**E**] a generic Gaussian cutoff gives $\sqrt{\pi}/2 \neq 1$ (the choice is non-vacuous); [**E**] hence $\kappa = \sqrt{(f_2/f_0)\, c_{PS}/c_{\rm grav}} = \sqrt{c_{PS}/c_{\rm grav}}$ loses its scheme factor. [**C**] the open [**O**] cutoff freedom of `v253`/`v255` becomes a finite trace ratio over the 96-dim H_F (the RG κ≈1.3 pins $c_{PS}/c_{\rm grav}$≈1.7).
- **`v260_k3_kummer_unification.py` (`ARCH.K3.01`) unifies seam, carrier and lattice on one surface.** The pillowcase is the elliptic-involution quotient $T^2_{\tau=i}/(z\mapsto -z)$ (`v214`); squaring it gives the Kummer/K3 surface, whose three facets are three TFPT objects. [**E**] the E_8 Cartan is even/det 1/positive-definite; [**E**] $H^2(\mathrm{K3},\mathbb{Z}) = U^3 \oplus E_8(-1)^2$ (rank 22, det -1, even, signature $(3, 19)$); [**E**] the seam is $T^2/(z\mapsto -z)$ with 4 marks (orbifold Euler char 0); [**E**] the carrier-16 are the $|A[2]|$=2^4=16 Kummer nodes = $\dim S^+$ (`v197`), 16=4×4; [**E**] honest note — the rank-16 Kummer lattice is *not* the $E_8(-1)^2$ summand. [**C**] so the `v1` "glue $D_5\oplus A_3+\mu_4 \Rightarrow E_8$" is the lattice shadow of a single object; E_8 appears both locally (du Val $\mathbb{C}^2/2I$, `v232`/`v236`) and globally (H^2 summand). A unification, not a closure.
- **`v261_modular_spectral_closure.py` (`QFT.MSC.01`) is the assembly capstone.** The whole QFT round (`v238`–`v260`) is certified as *one* relative object $\mathsf{TFPT}_{\rm QFT} = (\mathcal{A}_\Sigma, \omega_\Sigma, \Delta_\Sigma, \rho, A_F, H_F, D_F, J, \gamma, S_{\rm rel})$ reduced to *one* open premise. [**E**] the cross-consistency invariants agree: $4 = [B{:}A] = |\mu_4| = 2\chi = |(\mathbb{Z}/2)^2|$ (index = marks = fixed points = glue order), one carrier-16 (spinor = lattice = triple), one gap $6\log(3/2)$ (OS = recovery = Lindblad); [**E**] the three closures re-derived; [**E**] the ten-component manifest present. [**O**] the QFT layer reduces to `QGEO.SYM.01` (seam realisation), the ambient QG measure `QG.AMB.01` kept separate. [**C**] the *Modular Spectral Universality* master statement: the unique RP holomorphic index-4 KMS seam state induces the 96-dim KO-6 triple whose inner fluctuations give the gauged Pati–Salam spectral action — the honest sense in which the boundary QFT is complete.

2026-06-17 (Infrastructure: the changelog is now a public website page, generated from `changelog.tex` and audit-gated)

- **The canonical changelog now also drives a public `/changelog` website page.** A new generator `verification/make_changelog_web.py` parses this file (dated `\subsection*` entries, `itemize` items, and the inline markup `\textbf`/`\emph`/`\texttt`/`\vref`, the status markers [**E**]/[**C**]/[**O**]/[**X**], inline math and accents) into the typed data file `website/lib/changelog.ts`, rendered server-side (math via KaTeX) by `website/app/changelog/page.tsx` + `website/components/Changelog.tsx`. The generator is wired into `bash` `build.sh gen`; its freshness is enforced by `audit_sync.py` (section A.generated), so the page can never drift from this file – editing the changelog and re-running `gen` is the only supported path (the `.ts` mirror is never hand-edited). `/changelog` is linked from the navbar, footer and sitemap. The `tfpt-workflow`, `website-sync` and `sync-maps` cursor rules were updated to record the new single-source generation step. [**E**] build (`npm run build` green, `/changelog` prerendered static) and `bash build.sh audit` (`AUDIT OK`).

2026-06-17 (Orientability + Poincaré duality: the honest, literature-confirmed status — strict fail, weakened hold, `v257`)

- **`v257_quasiorient_modpd.py` (`PS.NCG.ORIENT.02`) corrects the slightly too-generous `v256` typing.** The published result (Cacic–Stephan arXiv:0902.2068; CCM07; SM-vacuum hep-th/0601192) is that the Chamseddine–Connes–Marcolli Standard-Model finite triple (KO-dimension 6, with three right-handed neutrinos — exactly the TFPT seesaw case) *genuinely fails* strict orientability and strict Poincaré duality, and instead satisfies the physically correct weakened versions. Verified on the explicit `v252` triple: [**E**] strict orientability fails ($\gamma \notin \mathrm{span}\{\lambda(a)\rho(b)\}$); [**E**] *quasi-orientability* holds (the left/right A-irrep boxes are disjoint by chirality: $L = H$ weak-doublet, $R = \mathbb{C}$ singlet, so $L^{\mathrm{LR}}(\mathcal{H}^{\mathrm{even}}, \mathcal{H}^{\mathrm{odd}}) = \{0\}$); [**E**] strict Poincaré duality fails (KO-6 skew intersection form, corank 1, the equal-L/R-neutrino case); [**C**] modified Poincaré duality holds (CCM), Stephan's alternative triple (St06) restoring strict PD with identical physics. A known property of the NCG-SM model class, not a TFPT defect — no faked closure.

2026-06-17 (Remaining NCG obligations discharged or honestly typed: inner fluctuations, spectral action, orientability/Poincaré, `v254`–`v256`)

- **`v254_inner_fluctuations.py` (`PS.NCG.FLUCT.01`) closes `v250` #5 + the no-junk obligation.** The inner fluctuations $\Omega^1_D(A_F)$ of the finite Dirac operator are computed explicitly: [**E**] they are purely chirality-odd (scalars), and for the SM algebra sit *exactly* in the one Higgs doublet $(1,2)_{1/2}$ — no junk, no triplet, no $(10,1,3)/\mathbf{126}$. [**E**] the σ (ν_R Majorana) direction is absent for the SM algebra but present for Pati–Salam (the CCvS beyond-first-order scalar), and [**E**] σ is an SM singlet $(1,1,0)$ with $B{-}L = 2$. [**C**] σ = scalaron.
- **`v255_spectral_action_expansion.py` (`PS.SPECACT.01`) closes the spectral-action expansion (`v252` #11).** The Seeley–DeWitt expansion $S = 2f_4\Lambda^4 a_0 + 2f_2\Lambda^2 a_2 + f_0 a_4$: [**E**] structure ($a_0$ cosmological, a_2 Einstein–Hilbert+Higgs-mass, a_4 Yang–Mills+Weyl^2 + R^2+Higgs-quartic, $N = 96$); [**E**] $b/a^2 = 1/3$ (top-dominated); [**E**] $\sin^2\theta_W = 3/8$; [**E**] the R^2 spin-0 mode = the Starobinsky scalaron; [**C**] Higgs quartic $\to$ ~125 GeV with σ; [**C**] $\kappa = \sqrt{(f_2/f_0)c_{PS}/c_{\mathrm{grav}}}$ explicit; [**O**] exact decimal needs the cutoff moments.
- **`v256_orientability_poincare.py` (`PS.NCG.ORIENT.01`) — honest status, no faked proof.** KO-dimension 6 forces the intersection form $\mathrm{Tr}(\gamma\,\pi(p)J\pi(q)J^{-1})$ to be *antisymmetric*: [**E**] skew form (verified), [**E**] rank 2, corank 1, null $\sim (1,1,-1)$ on the SM K-theory $\mathbb{Z}^3$; [**E**] the orientability local condition $[\gamma_F, \pi(a)] = 0$. [**C**] the canonical hypercharge-faithful SM/PS triple satisfies orientability and Poincaré duality (van Suijlekom; CCM); [**O**] a self-contained machine proof needs the complete canonical bimodule.

2026-06-17 (Full 96-dim finite spectral triple built + NCG axioms verified, and κ pinned to $O(1)$, `v252`–`v253`)

- **`v252_full_finite_triple.py` (`PS.DIRAC.02`) advances the Dirac contract `v250` from a 7-obligation contract to a concrete object discharging 5 to [E].** The full 96-dim finite spectral triple $(A_F, H_F, D_F, J, \gamma)$ — H_F the particle$\oplus$antiparticle doubling of three $SO(10)$ **16**-plets — is built explicitly and the NCG axioms are checked by direct computation: [**E**] reality (J^2=+1, JD=DJ), grading (γ^2=1, $[\gamma, a]$=0, $J\gamma$=$-\gamma J$), KO-dimension 6, order-zero, the first-order condition (HOLDS for the SM algebra including the Majorana; VIOLATED for the Pati–Salam algebra exactly by the Majorana, localized to $\{\nu_R, e_R\}$ — the CCvS beyond-first-order mechanism on the full triple), and the spectrum of D_F reproducing the fermion masses and the type-I seesaw m_{light}=m_D^2/M_R. **[C]** Poincaré duality; **[O]** orientability, no-junk, spectral-action expansion.

- **`v253_kappa_scalaron_ps.py` (`PS.KAPPA.01`) discharges residual 6(b) of `v249`.** κ in $M_{PS} = \kappa\, M_s$ ($M_s = c_3^{7/2}\bar{M} \approx 3.06{\times}10^{13}$ GeV, exact) is pinned by an RG scan (PDG errors $\times$ the two E_8-allowed contents) to a tight $O(1)$ interval ($\approx$ 1.3). **[C]** heat-kernel origin: $\kappa = \sqrt{(f_2/f_0)\, c_{PS}/c_{\text{grav}}}$ is a scale-free ratio of heat-kernel traces over the 96-dim H_F (Λ cancels). **[X]** the **126**-content drives κ out of the $O(1)$ window (content-selective). **[O]** the exact decimal needs f_2/f_0 fixed.

2026-06-17 (Spectral triple, first step: the first-order condition is violated exactly by the Majorana/σ — the CCvS Pati–Salam mechanism, `v251`)

- **`v251_first_order_sigma.py` (`PS.DIRAC.01`) advances the Dirac contract `v250` from a contract to an exhibited mechanism.** On a faithful lepton-block model ($H = H_F \oplus H_F^c$, $H_F = \mathbb{C}^3$), the real even structure is checked (J^2=+1, γ^2=1, $D\gamma$=$-\gamma D$, KO-dim-6 signs), order-zero holds, the first-order condition HOLDS for the Yukawa block, and is VIOLATED *exactly* by the Majorana ($\nu_R\nu_R^c = \sigma$) block — the Chamseddine–Connes–van Suijlekom "beyond first order" mechanism by which the inner fluctuations promote the SM to Pati–Salam and generate σ. Honest correction to the review: σ does *not* rescue the first-order condition; its controlled violation *is* the mechanism. **[C]** σ = scalaron (`v249`); **[O]** the full 96-dim triple + spectral action.

2026-06-17 (Carrier-native Pati–Salam program: E_8 forbids the 126, PS algebra, unification kill-test, Dirac contract, `v247`–`v250`)

- **Four scripts turning the gauge-unification finding into typed claims with negative controls.** `v247_e8_branching_no126.py` (`PS.E8BRANCH.01`): the E_8 hull branches under $SO(10){\times}SU(4)$ as $(45,1){+}(1,15){+}(10,6){+}(16,4){+}(\overline{16},\bar{4})$, so the $SO(10)$ content is exactly $\{1, 10, 16, 45\}$ and the **126** is *absent* — the renormalisable 126_H is algebraically forbidden and 10+16+45 is E_8-supplied (only one 45 $\Rightarrow$ proton-marginal). `v248_ps_algebra.py` (`PS.ALGEBRA.01`): $A_F = \mathbb{H}_L \oplus \mathbb{H}_R \oplus M_4(\mathbb{C}) \to SU(2)_L{\times}SU(2)_R{\times}SU(4)_c$, exact hypercharges $Y = T_{3R} + (B{-}L)/2$, matching $\alpha_1^{-1} = \frac{3}{5}\alpha_{2R}^{-1} + \frac{2}{5}\alpha_4^{-1}$, $\sin^2\theta_W = 3/8$ (colour $SU(4)_c \subset D_5$, distinct from the family A_3). `v249_ps_unification.py` (`PS.RGTEST.01`): the two-step PS$\to SO(10)$ unification kill-test with negative controls (SM-only fails; 126 breaks the scalaron match; proton decay selects content), $M_{PS}/M_s = 1.0$–1.7. `v250_dirac_triple_contract.py` (`CONTRACT.QFT4D.DIRAC.01`): the spectral-triple contract ($H_F = 3{\times}16$, the seven NCG axioms, σ =scalaron) that would turn "carrier is gauged" from a fork into a theorem. The root-level `qft.txt` carries the full analysis.

2026-06-17 (Honest data cross-check + emergent-QFT figures: the unification tension, `v246`)

- **`v246_unification_data_crosscheck.py` (`QFT4D.RGTEST.01`) — the first hard data confrontation of the spectral-action prediction.** TFPT's gauge-charged content *is* the Standard Model (`v159`) and the theory adds no new states; the E_8 cascade is an arithmetic spine (`v5`), not a threshold tower. So the run *is* the SM run: at one loop the couplings spread $\sim 10^{13}$–10^{17} GeV (residual $\Delta\alpha^{-1} \approx 9$ at $2{\times}10^{16}$ GeV), and at two loops (RK4) the minimal spread is $\Delta\alpha^{-1} \approx 3.2$ at $1.7{\times}10^{14}$ GeV — the three never meet. Typed **[X]**/**[O]**: with "no new state" there is *no* admissible threshold source, so the spectral-action 4d-GUT route is in genuine tension (same status as NCG-SM), likely falsified unless extended — never a confirmation, and *not* rescued by a cascade. Two new figures (`figures/qft_skeleton.pdf`, `figures/qft_unification.pdf`) added via `make_figures.py` (PDF + website PNG) and embedded in `tfpt_research_contracts.tex`; a root-level `qft.txt` summarises the emergent-QFT skeleton, what each script proves, the data status and the open questions.

2026-06-17 (Spectral-action matter content: the $SO(10)$ 16 = one anomaly-free SM generation, v245)

- **`v245_spectral_matter_content.py` (`QFT4D.MATTER.01`) discharges the computable core of the 4d contract `v244`.** The carrier half-spinor (the $SO(10)$ **16**) is verified, in exact rational arithmetic, to be one Standard-Model generation: $\mathbf{16} = SU(5)(\mathbf{10}+\bar{\mathbf{5}}+\mathbf{1})$, the SM multiplet dimensions sum to $16 = \dim S^+$ (15 Weyl fermions $+\,\nu_R$), the electric charges $Q = T_3 + Y$ are exactly the SM values, all four gauge anomalies cancel ($\sum Y = \sum Y^3 = [SU(2)]^2 U(1) = [SU(3)]^2 U(1) = 0$), the spectral-action normalisation gives $\sin^2\theta_W = 3/8$ ($g_3 = g_2 = \sqrt{5/3}\, g_1$), and the Higgs is the $(1,2)_{1/2}$ inner fluctuation. So the matter-content + tree-relation half of `CONTRACT.QFT4D.01` is now [**E**]; only the seam→Dirac realisation and the run-down couplings stay [**O**]. Wired into `run_all.py`, the ledger, the registry, cited in `tfpt_research_contracts.tex`, mirrored to the website.

2026-06-17 (The QFT skeleton on the seam: thermal time, GNS/OS reconstruction, DHR sectors, the braiding S-matrix, and the 4d spectral-action contract, v239–v244)

- **Six emergent-QFT skeleton scripts (`v238`).** `v239_kms_thermal_time.py` (`DYN.KMS.01`): the modular flow is KMS at $\beta = 1$, and $2\pi = 1/(4c_3)$ fixes the modular temperature as $T_H = c_3/M$ — thermal time = horizon time. `v240_gns_os_reconstruction.py` (`DYN.GNS.01`): GNS reconstructs the Hilbert space from $(\mathcal{M}, \omega)$ and the OS Hamiltonian $H_{\mathrm{OS}} = -\log T = -L$ is positive with gap Δ (the `v64` mass gap). `v241_dhr_sectors.py` (`DHR.SECTORS.01`): particles = DHR sectors = the discriminant anyons of the Lean glue form, with the condensation tower $16 \to 4 \to 1$ (`v235`/`v237`). `v242_spin_statistics_modular.py` (`DHR.MODULAR.01`): spin-statistics, the modular (S, T) data, Verlinde fusion, and Gauss–Milgram $c = 8$. `v243_haag_ruelle_braiding.py` (`DHR.SMATRIX.01`): the 2-particle S-matrix = the braiding monodromy (factorised, crossing), with the `v238` mass gap supplying Haag–Ruelle asymptotic states. `v244_spectral_action_contract.py` (`CONTRACT.QFT4D.01`): the 4d Lagrangian via the Connes spectral action — the carrier half-spinor 16 is one generation, the SM gauge group sits in the carrier, gravity is `v36`; the matter Lagrangian is the open [**O**] contract. Net: the residual to a full 4d QFT is *one premise* (`QGEO.SYM.01`) plus *one contract* (`CONTRACT.QFT4D.01`). All wired into `run_all.py`, the ledger and registry, cited in `tfpt_research_contracts.tex`, mirrored to the website.

2026-06-17 (The static→dynamic flip: modular flow + a recovery Lindblad generator, v238)

- **New `v238_modular_lindblad_dynamics.py` (`DYN.SEMIGROUP.01`, cluster registry).** A companion to the modular round (`v196`/`v198`) and the recovery code (`v221`/`v64`) that reads the *same* seam objects *dynamically* rather than statically. [**E**] the modular flow $\sigma_t = e^{it\Lambda_\Sigma}$ is a unitary one-parameter group (Tomita–Takesaki) whose conservation of the μ_4 clock, $\rho\sigma_t\rho^{-1} = \sigma_t \Leftrightarrow [\rho, \Lambda_\Sigma] = 0$, IS the `v198` state-invariance — so the static commutator is the conservation law of modular time. [**E**] the recovery channel's generator $L = \log T$ is a doubly-stochastic/CPTP-classical Markov generator ($e^L = T$, $e^{L\tau} \to$ the democratic projector = the arrow of time). [**E**] keystone: the dissipative gap $= -\log((2/3)^6) = 6\log(3/2) =$ the

OS mass gap Δ (`v64`) — the static recovery bound (`v221`) and the dynamical mass gap (`v64`) are one number, one exponentiated. **[E]** the GKSL split $G = i\Lambda_\Sigma + L$ (imaginary + real≤ 0 spectrum). **[O]** the residual is the *geometric* modular flow (Connes–Rovelli "thermal time = physical time") on the full seam algebra = `QGEO.SYM.01` (`v198`) — a target, not a closure. Wired into `run_all.py`, `status_ledger.csv`, `script_registry.csv` and cited in `tfpt_research_contracts.tex`; mirrored to `website/public/verification`.

2026-06-17 (Experiments: black-hole-cosmology signatures, the η_B Boltzmann solve, the Petz/baby-universe realisation, and a real-data GW-echo pipeline)

- **Three new standalone black-hole-cosmology experiments (`experiments/`, all `data_limited`, not load-bearing).** From the `problem_b` black-hole-cosmology survey: (i) `ccbh-dark-energy` — the de Sitter seam interior ($w_{\rm in}$=-1) forces the Croker–Weiner cosmological-coupling index $k = -3w_{\rm in} = 3$, hence a population $w = -1$; vs. Farrah+2023 $k = 3.11 \pm 0.79$ (-0.14σ), a *contested* downstream bridge and an *alternative reading* of the same $w = -1$ the DESI watchdog tests (`alternative_group w_de_eos`, never double-counted). (ii) `gravastar-compactness` — the Nariai $Q_{\rm geom}$=3/8 equals the Jampolski–Rezzolla (2026) maximum horizonless compactness $\mathcal{C}$=3/8 (shared de Sitter endpoint 1/2); since 1/3<3/8<4/9<1/2 this is a light-trapping ECO, yielding an echo template (round-trip delay ∼0.7 ms at $62\,M_\odot$, amplitude $\le (2/3)^6$) — a **[C]** structural echo, no $\mathcal{C}\leftrightarrow Q_{\rm geom}$ map proven. (iii) `cosmic-handedness` — a parity watchdog (Shamir JADES $\sim$3.3σ spin monopole, most likely a Milky-Way-aberration dipole), explicitly *not* promoted (frontier).
- **η_B — full BDP Boltzmann ODE solve confirms the route at the frozen scale (`experiments/ftransfer/leptogenesis_boltzmann/fboltzmann_solve.py`; `tfpt_4_frontier`, [C]).** Integrating the Buchmüller–Di Bari–Plümacher Boltzmann network (integrated efficiency $\kappa_f = 0.092$, validating the analytic fit) at the *frozen* heavy scale $M_1 = M_{\rm scal}(\varphi_0^{\rm ret})^2/A_\Lambda \approx 8.65 \times 10^9$ GeV with $\delta_{\rm CP} = 4\pi/3$ gives $\eta_B = 6.5 \times 10^{-10}$ — a factor 1.07 from the observed 6.1×10^{-10}, with *no* free M_R dial. This moves the leptogenesis route from "solve pending" to a consistent **[C]** readout (the full *flavored* density-matrix solve is the next refinement); `tfpt_4_frontier` Route C synced.
- **The Petz recovery map and the rank-one baby universe, realised numerically (`experiments/recovery-channel`; `tfpt_horizon_readouts`, [C]; companion to `v221`).** The gapped transport contracts to a *rank-one* projector at exactly $\|T^n - P_\infty\| = (2/3)^{6n}$ — the one-dimensional baby-universe Hilbert space (Engelhardt 2025) — and the explicit Petz map is CPTP, recovers the reference, and equals the identity only on the protected λ=1 (Knill–Laflamme) mode; free-ratio and degenerate-spectrum negative controls hold. So the Petz identification `v221` deferred is now verified at the channel level (`internal_consistency`, no new datum); the full holographic reading stays gated on the Seam–Horizon theorem.
- **GW ringdown echo — Stage-1 matched filter validated, then run on real GWOSC strain (`experiments/gw-ringdown-echo`; `tfpt_horizon_readouts` search-targets).** The Stage-1 machinery (Kerr-ringdown subtraction → matched filter on the residual, ratio $(2/3)^6$ frozen, lag free, + free-ratio control) classifies 3/3 synthetic injections; run on *real* GWOSC strain (GW150914, GW190521; PSD-whitening + off-source background): **no kernel-ratio echo coincident in ≥ 2 detectors**, consistent with the $(2/3)^6$ *upper* bound (a single loud H1 excess has $\hat{q} \approx 2$, far from $(2/3)^6$, so the free-ratio control flags it as residual ringdown, not an echo). First pass: dominant-QNM subtraction, incoherent combination — full multi-mode + coherent stacking is the next step; no detection claim.
- **Scorecard + website synced.** `experiments/evidence_scorecard.json` now 51 rows (26 consistent, 7 null, 13 data-limited, 4 tension, 1 parked); the website `EXPERIMENTS_AUDIT` mirror and the η_B prediction entry are updated to match. These are standalone `experiments/` sur-

faces (not in the verification suite or ledger); the `tfpt_4_frontier/tfpt_horizon_readouts` and `papers.ts/predictions.ts` edits are the in-same-change sync.

2026-06-17 (Red-team layer re-synced to the paper; shadow export mirrors `figures/`)

- **Red Team Target A re-synced to `tfpt_5_redteam` (`rt_A_e8net.py`, `redteam_table.txt`, `redteam/README.md`, infrastructure).** The Python red-team surface still emitted the historical *three-residual* "A reduced, not closed" form, lagging the reader-facing note. It now encodes the sharper narrowing already in the paper: the residual collapses to the *single* statement "the seam–Calderón boundary net is holomorphic with $c = 8$" ($\Leftrightarrow$ the index-4 simple-current extension), with the index-4 $(D5)_1 \times (A3)_1 \to (E8)_1$ glue realised at Lie level (`v143`) and its odd sectors twisted/Ramond ($E_8 = 120_{\mathrm{NS}} + 128_{\mathrm{R}}$, `v148`), while the $q(A_3)$ normalisation collapses into the one declared anchor (`v152`). Two exact adversarial checks added ($120{+}128 = 248$; glue index $= |\mu_4| = N_{\mathrm{fam}}{+}1 = 4$); status stays [**C**]/[**O**] (reduced, not closed).
- **Shadow export now mirrors `figures/` but not `website/` (`scripts/export-shadow.sh`, `verification/make_script_index.py`, infrastructure).** `export-shadow.sh` ships `figures/*.pdf` (so `make_manifest.py --check` passes literally on the exported tree) while still excluding `website/` and the compiled paper PDFs; the `SHADOW_MIRROR.md` table is corrected accordingly. `make_script_index.py` now detects a missing `website/` and skips its `ScriptIndex.tsx` mirror, so `build.sh notes` runs on the subset without crashing.

2026-06-17 (CP phases as μ_6 powers — a reduction of red-team Target D)

- **Both CP phases are μ_6 powers of one hexagonal CM unit, split by the sheet (`v231_cp_mu6_phases`, `tfpt_5_redteam`, [E]/[C]).** Sharper than `v220`/`v225` (which only *located* the CP residual). With $\rho = e^{i\pi/3}$ the primitive 6th root (the $j{=}0$ Eisenstein CM unit): δ_{CKM} leading $= \arg(\rho^1) = \pi/3$ (quark) and $\delta_{\mathrm{PMNS}} = \arg(\rho^4) = 4\pi/3$ (lepton, the phase lattice), with $\rho^4 = -\rho$, so $\delta_{\mathrm{PMNS}} = \delta_{\mathrm{CKM,lead}} + \pi =$ (CM unit) $\times$ ($\mathbb{Z}_2$ sheet, $\rho^3{=}{-}1$). The two CP phases are *one* hexagonal unit on the two sheets, not two independent inputs; the dual-frame Jarlskog orientations are sheet-flipped ($\pm 21 \sin(\pi/3)$). A structural reduction of Target D (removes one of its two phase inputs); the quark seam correction $3\lambda_C^2$ stays the `v88` misalignment, the deck stays $\mathbb{Z}/4$, and the physical CP derivation stays [**C**] (`CP.MU6.01`).
- **The seam as the E_8 Kleinian singularity (`v232_e8_kleinian_seam`, `origin_theory`, [E]/[C]).** The du Val side of the McKay correspondence (`v219`) gives the open seam-realisation premise `QGEO.REALIZE.01` a canonical algebraic-geometric model: dropping the trivial-rep node of the affine-E_8 McKay graph of $2I$ leaves the finite E_8 Dynkin = the dual intersection graph of the eight exceptional $\mathbb{P}^1$'s of the minimal resolution of $\mathbb{C}^2/2I$; the eight curves = rank $E_8 = g_{\mathrm{car}}{+}N_{\mathrm{fam}}$ (a fourth reading of the 8), their negated intersection form is the E_8 Cartan (det 1, even, (-2)-curves), and the link is the Poincaré homology 3-sphere $S^3/2I$ ($2I$ perfect $\Rightarrow H_1{=}0$, $\pi_1{=}2I$ order 120). The raw seam ($\mathbb{P}^1$ with marks) is canonically a du Val exceptional curve — a model for the bedrock, not a P2 proof (it presupposes E_8; `TOPO.E8.01`, bedrock stays [**O**]).
- **CP is the universal family/triality phase, only sheet-split (`v233_cp_triality_phase`, `tfpt_5_redteam`, [E]/[C]).** One step past `v231` in the $\mu_6 = \mu_3$(family/triality)$\times\mu_2$(sheet) factorisation: $\rho = \omega^2(-1)$ with $\omega = e^{2\pi i/3}$ the $\mathbb{Z}_3$ triality centre (the 2/3 cusp weight). Since $\rho^4 = \rho^1\rho^3$ with $\rho^3 \in \mu_2$, the quark (ρ^1) and lepton (ρ^4) CP phases share the *same* family/triality class and differ only by the sheet — so CP *is* the universal triality phase, sheet-split, not a free power choice (`CP.TRIALITY.01`).
- **The Seam-Holomorphy selection certificate: the structural residual is one gate**

(`v234_seam_holomorphy_selection`, `tfpt_research_contracts`, [**E**]/[**O**]). The whole structural residual is *one* condition — "the seam carries no nontrivial abelian sector" — with three provably-equivalent faces, all forcing E_8: (i) holomorphy (μ-index 1; Target A), (ii) the seam link is a homology 3-sphere (Γ perfect $\Leftrightarrow$ $2I$; `v232`), (iii) exactly one 1-dim irrep (`v219`). All equal $\#(\text{mark-1}) = |\Gamma^{\text{ab}}| = |H_1|$, which is 1 only for E_8; and holomorphic $c{=}8{=}g_{\text{car}}{+}N_{\text{fam}}$ gives the unique even unimodular rank-8 lattice E_8. So P2, G_{net}, Target A and the Kleinian seam are one gate. The stated closing theorem ([**O**]): RP+gap+chirality $\Rightarrow$ quasi-free bulk (`v160`) $\Rightarrow$ holomorphic boundary $\Rightarrow$ E_8; the single residual analytic step is "free bulk $\Rightarrow$ holomorphic boundary" (`GATE.HOLO.01`).

- **The closing step in Chern–Simons language: holomorphic** $\Leftrightarrow$ $\det K{=}1$ **(`v235_seam_chern_simons`, `tfpt_research_contracts`, [E]/[O]).** A genuine reduction (not a closure) of `GATE.HOLO.01` into standard anyon-condensation physics: a free gapped bosonic 2+1d bulk is an even integer K-matrix with #anyons $= |\det K|$, edge $c = \text{signature}(K)$, and the edge net holomorphic $\Leftrightarrow |\det K|{=}1$. The TFPT extension tower (`v92`) *is* the condensation tower read by determinant: carrier $D_5{\oplus}A_3$ (det 16, 16 anyons) $\to SO(16)_1{=}D_8$ (det 4) $\to (E_8)_1$ (det 1, holomorphic) — all rank 8, $c{=}8{=}g_{\text{car}}{+}N_{\text{fam}}$ — so holomorphic $= E_8 =$ the Kitaev E_8 quantum-Hall state. Holomorphy $\Leftrightarrow$ condensing the order-$|\mu_4|$ Lagrangian glue (det $16{\to}1$, vs. a partial order-2 isotropic $\to 4{=}D_8$). The residual narrows to one integer condition "the free RP seam condenses the Lagrangian glue (det $=1$)" = the sheet/QGEO selection, now with holomorphy$\Leftrightarrow$ det 1 a theorem (`GATE.HOLO.02`).
- **The** $(2,3,5)$ **Brieskorn singularity is the one generator of the skeleton (`v236_brieskorn_capstone`, `origin_theory`, [E]).** Capstone of the icosahedral round: the singularity $x^2{+}y^3{+}z^5$, whose exponents are the atoms $(|\mathbb{Z}_2|, N_{\text{fam}}, g_{\text{car}}){=}(2,3,5)$, has Milnor number $\mu{=}(2{-}1)(3{-}1)(5{-}1){=}8{=}\operatorname{rank} E_8$ (a *fifth* origin of the "8"), Milnor monodromy = the order-30 E_8 Coxeter element (eigenvalues the primitive 30th roots = the E_8 exponents, charpoly Φ_{30}), Milnor lattice E_8, link the Poincaré sphere; the two clocks are facets of this one monodromy — the μ_3 triality (CP, `v233`) is h^{10} in $\langle h\rangle{=}\mathbb{Z}/30$, the μ_4 clock (`v223`) is the order-4 Galois automorphism of $\mathbb{Q}(\zeta_{30})$ (`TOPO.BRIESKORN.01`).
- **The closing step as a physical condition: no topological degeneracy** $\Leftrightarrow \det K{=}1 \Leftrightarrow$ **the seam is SRE (`v237_seam_sre_closure`, `tfpt_research_contracts`, [E]/[O]).** Sharpens `GATE.HOLO.02`'s residual from definitional to falsifiable: the K-matrix ground-state degeneracy on a genus-g surface is $|\det K|^g$ (torus: carrier 16, D_8 4, E_8 1), so "no topological degeneracy on any closed surface" $\Leftrightarrow \det K{=}1$; among rank-8 even positive-definite K ($c{=}8{=}g_{\text{car}}{+}N_{\text{fam}}$) only E_8 is short-range-entangled (the Kitaev E_8 phase). A unique vacuum on the plane (RP+gap+cluster) is necessary but not sufficient (the plane cannot see $\det K$); so the one open step is the physical statement "the free RP seam is SRE (no topological order)" (`GATE.HOLO.03`).

2026-06-16 (the icosahedral bedrock, CM-norm duality, and a structural-finds round)

- **McKay bedrock: why the atoms are** $\{2,3,5\}$ **(`v219_icosahedral_mckay`, `origin_theory`, [E]).** E_8 is the exceptional *top* of the McKay tower of finite $SU(2)$ subgroups ($2T{\to}\hat{E}_6$, $2O{\to}\hat{E}_7$, $2I{\to}\hat{E}_8$). Built *from the group*: the 120 unit-quaternion icosians close to the binary icosahedral group $2I$ (element orders $\{1,2,3,4,5,6,10\}$ — it contains the $2,3,5$ rotation-axis orders), 9 conjugacy classes; the 9 irreducible character degrees (Dixon, from the class algebra) are $\{1,2,2,3,3,4,4,5,6\}$, sum $30{=}h(E_8)$, sum of squares $120{=}|R^+(E_8)|$; the McKay adjacency from the natural 2-dim rep *is* the affine E_8 graph with Kac marks = the degrees. A backward certificate of the closed E_8, not a P2 proof (`MCKAY.E8.01`).
- **CM-norm duality:** 41 **(square) and** 7 **(hex) (`v222_cm_norm_duality`, `origin_theory`, [E]).** The square seam (Gaussian $\mathbb{Z}[i]$, $j{=}1728$) gives $N(g_{\text{car}}{+}i|\mu_4|){=}5^2{+}4^2{=}41{=}10b_1$ (the EM

index *is* the Gaussian norm of the carrier-glue vector) and $N(3{+}2i){=}13{=}\Delta_Q$; the hexagonal partner (Eisenstein $\mathbb{Z}[\omega]$, $j{=}0$) gives $N(3{+}2\omega){=}7{=}$ scalaron. The $(3,2)$ split generates $(5,6,7,13)$ by sum/product/Eisenstein/Gauss norm; rings rigid (`CMNORM.DUAL.01`).

- **The μ_4 clock is the order-4 character of the E_8 Coxeter cycle (`v223_coxeter_totative_clock`, `origin_theory`, [E]).** $(\mathbb{Z}/30)^\times$ are the E_8 exponents; the order-4 generator 7 ($\langle 7\rangle{=}\{1,7,13,19\}$) is a literal μ_4 clock permuting the four conjugate planes; only E_8 has $\varphi(h){=}$rank and $h{=}2{\cdot}3{\cdot}5$ (`COX.CLOCK.01`).
- $248{=}120{+}128$ **as a magnitude/phase channel typing (`v227_degree_exponent_channel_split`, `tfpt_5_redteam`, [E]).** Exponents sum $120{=}|R^+(E_8)|$ (magnitude channel), degrees sum $128{=}\mathrm{rank}\cdot\dim S^+$ (phase/glue channel); the red-team Target D magnitude bijection lives in 120, the un-covered CP phases in 128; the dark-sector reading of 128 stays Frontier (replaces the over-strong S^- reading; `E8.CHAN.01`).
- **P2 as the mode space of a degree-4 seam divisor (`v228_rr_index_gate`, `origin_theory`, [E]/[C]/[O]).** A Riemann–Roch index gate: $\deg D{=}4{=}|\mu_4|$ on $\mathbb{P}^1$ forces $h^0{=}5{=}g_{\mathrm{car}}$, $\mathrm{rank}\,H_1{=}3{=}N_{\mathrm{fam}}$, $h^0{+}H_1{=}8{=}\mathrm{rank}\,E_8$, $\Lambda^{\mathrm{even}}(\mathbb{C}^5){=}16{=}\dim S^+$ — bedrock language for P2, conditional on the seam producing the degree-4 divisor (`QGEO.RR.01`).
- **The seam as a finite recoverability code (`v221_seam_qecc`, `origin_theory`, [E]/[C]).** Code dimension $\dim S^+{=}16$; the gapped transport is a CPTP doubly-stochastic contraction with spectrum $\{1,(2/3)^6,(1/3)^6\}$, recovery bound $\|T^n\delta\|{\le}(2/3)^{6n}\|\delta\|$ (Knill–Laflamme type); free ratio breaks it. Holographic/Petz reading **[C]**, gated on the Seam–Horizon theorem (`QEC.SEAM.01`).
- **CP lives in the hexagonal phase fiber (`v220_cp_hexagonal_modulus`, `tfpt_5_redteam`, [E]/[C]).** The seam deck is the square modulus $j{=}1728$ ($\mathbb{Z}/4$); its partner is the hexagonal $j{=}0$ ($\mathbb{Z}/6$, $\arg\rho{=}\pi/3$). The frozen $\delta{=}\pi/3{+}3\lambda_C^2{=}68.654^\circ$ has leading term $\pi/3{=}\arg\rho$; the deck stays $\mathbb{Z}/4$, CP is the $\mathbb{Z}/6$ fiber (`CP.MOD.01`).
- **The dual normal frame (d,n) with CP as orientation (`v225_dual_normal_frame`, `tfpt_5_redteam`, [E]/[C]).** $d{=}a^\top R^{-1}{=}(-\frac{1}{2},-\frac{1}{2},1){=}-\frac{1}{2}$ Nariai; $n{=}(5,-9,6)$ reads det on the first-generation column; $\det(\mathbf{1},d,n){=}21{=}3{\cdot}7$; $\mathrm{Im}\det(\mathbf{1},d,\rho n){=}21\sin(\pi/3)$ — CP as orientation (`DUAL.FRAME.01`).
- F_{transfer} **as one path on the Sheet Diamond (`v224_diamond_ftransfer_path`, `tfpt_2_standard_model`, [E]/[C]).** $M(s,t){=}R{+}Q\,\mathrm{diag}(s,t,t)$: K,C,F on the sheet axis (curved, 2nd diff 8), the winding axis flat (slope 6), Plücker steps $(1,8,10),(1,8,16)$; the Koide source$\to$pole is the 1-D projection (`FTR.PATH.01`).
- **The charged leptons as an étale Frobenius algebra (`v229_lepton_frobenius_algebra`, `tfpt_2_standard_model`, [E]/[C]).** $(c_e,c_\mu,c_\tau){=}(\frac{16}{7},\frac{4}{3},\frac{7}{6})$, ring closure $c_ec_\tau{=}\frac{8}{3}{=}|\mathbb{Z}_2|c_\mu$, product $\frac{32}{9}$; $A{=}\mathbb{Q}[t]/(m)$ is étale (trace-form Gram nondegenerate), a commutative Frobenius algebra over the μ_6 resolvent (`LEP.FROB.01`).
- **The center budget $(7,11,13)$ as three local norms (`v230_center_budget_norms`, `tfpt_2_standard_model`, [E]).** $C{=}R{+}Q\,\mathrm{diag}(1,0,0)$ row sums $(7,11,13)$: $7{=}N_{\mathbb{Z}[\omega]}(3{+}2\omega)$ (hex), $13{=}N_{\mathbb{Z}[i]}(3{+}2i)$ (square), $11{=}\binom{4}{0}{+}\binom{4}{1}{+}\binom{4}{2}$ (QBL Fock count); the two CM rings and the boundary count meet in one operator center (`CENTER.NORM.01`).

2026-06-15 (the diamond axis geometry — two axes + the transfer corner)

- **The Sheet Diamond is a discrete geometry with two axes (`v218_diamond_axis_geometry`, `tfpt_2_standard_model`, [E]).** Sharpens `v94`/`v95` with three exact **[E]** lemmas (no new numbers). **(1) Axis curvature:** along the centered cross the determinant is linear on the winding axis $\det(C{+}xU)\;=\;14{+}6x$ (slope $6{=}|R^+(A_3)|$) and quadratic on the sheet axis $\det(C{+}yV)\;=\;14{+}14y{+}4y^2$ (2nd difference $8{=}\mathrm{rank}\,E_8$); the anchor block has $\det B(C{+}xU) = 2\det(C{+}xU)$ and sheet curvature $6{=}|R^+(A_3)|$ — two curvatures $(8,6) = (\operatorname{rank} E_8, |R^+(A_3)|)$. **(2) Plücker transfer ladder:** $\mathrm{Pl}(K) \to \mathrm{Pl}(C) \to \mathrm{Pl}(F)$ lifts in steps $(1,8,10) = (N_\Phi, \operatorname{rank} E_8, A_\Lambda)$ then $(1,8,16) = (N_\Phi, \operatorname{rank} E_8, \dim S^+)$ — the decuple then the full generation (identity **[E]**, source→pole reading **[C]**). **(3) Spectral ramification:** for Q, K, C, F the cubic discriminant factors as $q(r)^2 \operatorname{Disc}(q)$ with squares $(1,3,4,6)$ and kernels $(13,48,65,105)$, F carrying $105 = 3{\cdot}5{\cdot}7$. The anchor-defect spectrum and pair-sum/staircase blocks are honest *audit* fingerprints ($28{=}2\dim G_2$, $52{=}\dim F_4$ stay audit-only, not spine, as in `v94`/`v95`); F as the transfer-completion corner is a *heuristic*, not a hard filter. Ledger `DIAMOND.AXIS.01`, `DIAMOND.PLUCKER.01`, `DIAMOND.SPECTRAL.01`; Wolfram-mirrored (249/249).

2026-06-15 (QGEO: the four marks emerge from Gauss–Bonnet — K1 executed)

- **The four marks emerge from Gauss–Bonnet — count derived, not assumed (`v216_marks_gauss_bonnet`, `tfpt_research_contracts`, [E]; ledger `QGEO.MARKS.03`).** The K1 lever of the `v215` kill-test ("exactly four marks") is *executed*: if the marks are $\mathbb{Z}_2$ branch points (deficit π) on the flat seam sphere ($\chi = 2$, the same χ as the 8 in c_3), Gauss–Bonnet forces $n\pi = 2\pi\chi = 4\pi$, so $n = 2\chi = 4 = |\mu_4| = N_{\mathrm{fam}} + 1$. The closed Euclidean sphere 2-orbifolds are exactly $(2,3,6)$, $(2,4,4)$, $(3,3,3)$, $(2,2,2,2)$, and three independent criteria — all cone orders $= 2$ (the $|\mathbb{Z}_2|$ sheet branch), $\operatorname{rank} H^1 = \#\mathrm{marks} - 1 = 3 = N_{\mathrm{fam}}$ (the three generations pick the 4-mark square over the 3-mark hexagonal), and a free order-4 deck — converge on the pillowcase $(2,2,2,2)$. The numerical sibling `v217_marks_emergence_scan` ([C], ledger `QGEO.EMERGE.01`) confirms it on the actual DtN/state (number n and positions free, the 4-square config is the unique joint minimiser of clock-invariance + 3-family cohomology + gap $(2/3)^6$). The mark *count* and *equality* move from input to derived; only the square *modulus* (cross-ratio 2, the order-4 clock) stays the one carrier input, and the from-zero raw-seam emergence `QGEO.REALIZE.01` stays **[O]**. `v216` exact (Wolfram extension → 248/248); `v217` numerical (Python-only). Suite → 217 modules.

2026-06-15 (QGEO: the bedrock recast as a falsifiable kill-test)

- **`QGEO.SYM.01` as a kill-test, not a proof-promise (`v215_seam_deck_killtest`, `tfpt_research_contracts`, [E]/[O]; ledger `QGEO.KILL.01`).** A foundational symmetry cannot be derived from nothing (Bisognano–Wichmann would presuppose the covariance it should produce), so the bedrock $\omega \circ \rho = \omega$ is recast as four independently-falsifiable predictions about the raw seam DtN. The non-circular reduction (`v198`/`v199`/`v201`) gives $\omega \circ \rho = \omega \Leftrightarrow [\rho, C] = 0$ with $|k|$ commuting exactly, so the residual is the bounded sub-principal M_f (equivalently the raw Gaussian bulk form A is μ_4-deck-invariant). Levers: **K1** exactly four marks ($b_1 = \#\mathrm{marks} - 1 = 3 = N_{\mathrm{fam}} \Rightarrow \#\mathrm{marks} = 4 = |\mu_4|$); **K2** the square config (cross-ratio $2 \Rightarrow j = 1728$, $\mathrm{Aut} = \mathbb{Z}/4$; order 4 selects $\mathbb{Z}/4$ not the $j = 0$ $\mathbb{Z}/6$; generic $\Rightarrow \mathbb{Z}/2$); **K3** mod-4 sub-principal support ($[\rho, M_f] = 0 \Leftrightarrow f$ $\mathbb{Z}_4$-invariant); **K4** transfer gap $(2/3)^6 = 64/729$. Freeze-bound via `freeze_file.csv` (`seam_deck_symmetry`), carrier-side **[E]** (regression guards), with the *decisive* kill deferred to `QGEO.REALIZE.01` **[O]** (the raw collar DtN must *produce* four square marks without inputting them — an emergence test). A kill-test, not a closure. Python-only (falsification layer; the exact sub-parts $j = 1728$ and $(2/3)^6$ are Wolfram-mirrored via `v214`/`v54`/`v56`). Suite → 215 modules.

2026-06-15 (QGEO: the pillowcase reduction — two residuals become one canonical metric)

- **Pillowcase reduction of `QGEO.SYM.01` (`v214_seam_pillowcase`, `tfpt_research_contracts`, [E]/[O]; ledger `QGEO.PILLOW.01`).** The two separately-tracked open QGEO residuals — `QGEO.ISO.01` (`v180`: the carrier clock is an order-4 *isometry* of the seam metric) and

QGEO.SUBPRIN.01 (v201: the DtN sub-principal symbol is *mark-local*, the seam flat away from the μ_4 marks) — are shown to be *one* statement: the seam carries the uniformising flat orbifold (*pillowcase*) metric. **(1)** The four marks make the Euclidean orbifold $S^2(2,2,2,2)$ ($\chi_{\rm orb} = 2 - 4(1-\frac{1}{2}) = 0$), so by Troyanov uniformisation the metric is flat (unique up to scale) with curvature only at the cone points (Gauss–Bonnet $4\pi = 2\pi\chi$) — this *is* the v201 "flat away from the marks". **(2)** New link: cross-ratio(μ_4) = 2 (v168) $\Rightarrow$ $j = 1728$ ($j(\lambda) = 256(\lambda^2-\lambda+1)^3/(\lambda^2(\lambda-1)^2)$; all six harmonic cross-ratios give 1728) $\Rightarrow$ the *square* modulus $\tau = i$, whose CM by $\mathbb{Z}[i]$ *derives* the order-4 clock $z \mapsto iz$ (explicit $(x,y) \mapsto (-x, iy)$ on $y^2 = x^3 - x$); generic cross-ratio gives $j \notin \{0, 1728\}$ and only $\mathbb{Z}/2$. **(3)** Unification: "seam = uniformising flat pillowcase metric" implies *both* v201 and v180, so two residuals collapse to one canonical-metric premise. **[O]** It does *not* close QGEO.SYM.01: the choice "RP seam metric = the constant-curvature representative" stays open, milder and more canonical than the bare isometry premise. Wolfram-mirrored (the exact orbifold/j-invariant/CM arithmetic); Klein-J values mpmath-numerical. Suite $\to$ 214 modules.

2026-06-15 (the F_transfer functor contract CONTRACT.F.01)

- $F_{\rm transfer}$ **formalised as a typed functor with four axioms (v213_ftransfer_functor, tfpt_research_contracts, [C]).** The four frontier transfers are consolidated into ONE functor $F_{\rm transfer} = F_{\rm observable} \circ F_{\rm threshold} \circ F_{\rm RG}$, each instance a discrete compiler kernel **[E]** composed with an external continuous solver **[C]**: **(1)** μ_4-deck equivariance (the Koide multiplier $\lambda_2{=}(2/3)^6{=}64/729$ is the deck transfer eigenvalue); **(2)** Plücker preservation ($53{=}a^T(R{+}Q)\mathbf{1}$, $\mathrm{Pl}(F){=}(1,22,30)$, $\|\mathrm{Pl}(K)\|_1{=}11$); **(3)** positivity/stochasticity (spec T positive, $\kappa_f \in (0,1)$); **(4)** external modules explicit ($b_3{=}{-7}$ a carrier output). The four instances are $F_{\rm pole}$ (v183), $F_{\rm Boltzmann}$ (v212), $F_{\rm relic}$ (v211), $F_{\rm QCD}$ (v164). CONTRACT.F.01 is the third research contract alongside ($U_{\rm wall}$) and ($G_{\rm metric}$), the structural complement of the v187 typing guard — an architectural consolidation, *not* a closure of any frontier number. Ledger CONTRACT.F.01.

2026-06-15 (frontier: two sharper [C] scenario branches — axion angle + leptogenesis)

- **Axion DM spine-angle branch $\theta_i = \pi N_{\rm fam}/g_{\rm car} = 3\pi/5$ (v211_axion_spine_angle, tfpt_4_frontier, [C]).** A more *robust* misalignment angle than the determinant-line hilltop $\theta_i \approx 170°$ (v185, which over-produces $\Omega_a h^2 \approx 0.66$): the central spine quotient gives $\theta_i = 3\pi/5 = 108°$ exactly (no fit), the finite-T solver reaches $\Omega_{\rm DM}$ at $\approx$106°, and 108° sits in the *mild*-anharmonic regime (62° below the hill-top) — not exponentially sensitive. An alternative ansatz to $\theta_i = \pi(1-\varphi_\Sigma)$ (mutually exclusive, the full solver decides, DM.AXION.SPINE.01); **[X]** $\Omega_a h^2$ outside $\sim[0.08, 0.16]$ demotes it. A sharper scenario, not a derivation.
- **Leptogenesis scalaron-decuple branch (v212_leptogenesis_decuple, tfpt_4_frontier, [C]).** Both Boltzmann inputs share the decuple $A_\Lambda = 10 = |E(K_5)|$: $M_1 = M_{\rm scal}(\varphi_0^{\rm ret})^2/A_\Lambda \approx 8.65 \times 10^9$ GeV and $\tilde{m}_1 = m_3/A_\Lambda \approx 5$ meV. M_1 uses *only* $\{M_{\rm scal}, \varphi_0^{\rm ret}, A_\Lambda\}$ — no hidden seesaw scale, cleaner than v184's $M_R\varphi_0^4$ — and lands in the thermal window where $\eta_B \approx 1.2 \times 10^{-9}$ brackets the observed 6.1×10^{-10}. The coupling mechanism is posited not derived, so η_B stays **[C]**; **[X]** a precise Boltzmann/RGE solve outside the band falls the route, not the theory (FR.ETAB.04; Route A independent).

2026-06-15 (Lean: QGEO.COHOM.01 character grading + MODULE parity machine-proved)

- **The cohomology character grading is now Lean-formalised** (CohomologyGrading.lean, ledger FORM.QGEO.03, **[O]**). A new module machine-proves the COHOM node of the QGEO proof tree (v177; AUDIT: PASS, no sorry/admit, axioms propext, Classical.choice, Quot.sound only): the three $H^1(\mathbb{P} \setminus \mu_4)$ eigenforms $\omega_k = z^{k-1}/(z^4-1)$ ($k{=}1,2,3$) have pullback character $\rho^*\omega_k = i^k\omega_k$ under the clock $\rho : z \mapsto iz$ (each an exact rational-function identity, the denominator clock-invariant since $i^4{=}1$), so the grading is $(i, -1, -i)$ with weights $(1, 2, 3)$ = the A_3 exponents = $\mathrm{Spec}(Q_+)$, rank $3 = N_{\mathrm{fam}}$. The MODULE *parity* is also proved: the reflection $\sigma : z \mapsto 1/z$ satisfies $\sigma^*\omega_1 = \omega_3$, $\sigma^*\omega_2 = \omega_2$, $\sigma^*\omega_3 = \omega_1$ (swap $\omega_1 \leftrightarrow \omega_3$, ω_2 fixed). Signature-locked in `AuditContract.lean`. The geometric COHOM/MODULE-parity nodes are now **[E]**; the MARKS/KERNEL obligations and the MODULE *uniqueness* stay **[O]**.

2026-06-15 (Lean: QGEO.UNIFORM.01 geometric normal form machine-proved)

- **The Möbius uniformisation normal form is now Lean-formalised** (`MobiusUniformisation.lean`, ledger `FORM.QGEO.02`, **[O]**). A new module machine-proves the constructive UNIFORM node of the QGEO proof tree (`v177`; AUDIT: PASS, no `sorry`/`admit`, axioms `propext, Classical.choice, Quot.sound` only): the clock $\rho : z \mapsto iz$ has $\rho^4{=}\mathrm{id}$ and $\rho^2{\neq}\mathrm{id}$ (order exactly 4); the reflection $\sigma : z \mapsto 1/z$ is an involution with $\sigma\rho\sigma = \rho^{-1}$ (so $\langle\rho, \sigma\rangle$ is the dihedral D_4 of order 8); a non-fixed orbit $\{a, ia, -a, -ia\}$ scales to $\mu_4 = \{1, i, -1, -i\}$; σ permutes μ_4 (fixes $1, -1$, swaps $i, -i$); and the multiplier classification "$z \mapsto \zeta z$ has order exactly $4 \Leftrightarrow \zeta = \pm i$". Signature-locked in `AuditContract.lean`. This formalises the geometric half of the seam realisation *given* the four marks and the clock; the raw-seam marking obligation `QGEO.MARKS.01` stays **[O]**, *not* closed.

2026-06-15 (Lean: the QGEO.SYM.01 conditional theorem machine-proved)

- **The mark-local $\Rightarrow \omega{\circ}\rho = \omega$ implication is now Lean-formalised** (`SeamDeckClosure.lean`, ledger `FORM.QGEO.01`, **[O]**). A new module in the carrier-rigidity Lean project machine-proves the algebraic core of `v201/v210` (AUDIT: PASS, no `sorry/admit`, no domain axioms — `#print axioms = propext, Classical.choice, Quot.sound` only): (i) the 4th-root character orthogonality $\sum_{j<4}\zeta^j$ = (if $\zeta{=}1$ then 4 else 0) for $\zeta^4{=}1$ (so a μ_4-mark sum is supported only on modes $\equiv 0 \bmod 4$); (ii) the clock generator $-i$ has order 4; (iii) `markLocal_blockDiagonal`: a mark-local Toeplitz symbol connects only equal clock-characters, $[\rho, M_f] = 0$; (iv) the premise is a typed `structure SeamDeckPremise` (the physical seam DtN *is* mark-local) — consumed, *not* proved, exactly as `CalderonProjector` encodes the Paper-1 analytic input; (v) `SeamDeckPremise.clock_invariant`: *given* the premise, the clock commutes with the DtN, whence $\omega \circ \rho = \omega$. So the *implication* is now **[E]** (formally proved); the *premise* (the physical seam being mark-local) stays **[O]** — the one fundamental seam-identification postulate, *not* closed.

2026-06-15 (QGEO sharpening: mark-local DtN certified on realistic profiles)

- **Mark-local DtN $\Rightarrow \omega \circ \rho = \omega$, certified on realistic Steklov profiles and at the state level (`v210_mark_local_dtn`, `tfpt_research_contracts`, [O]).** A numerical sharpening of `QGEO.SUBPRIN.01/v201`: a real von-Mises curvature bump summed over the four μ_4 marks, $f(\theta) = \sum_{j=0}^{3} g(\theta - j\pi/2)$, builds the Steklov DtN $\Lambda = |D_\theta| + M_f$ whose off-(mod 4) Fourier support vanishes to $< 10^{-16}$, $\|[\rho, \Lambda]\| < 10^{-15}$, and — the genuinely new step — the quasi-free covariance $C = \frac{1}{2}(1 + \mathrm{sgn}\, H_1)$ is clock-invariant ($\rho C \rho^\dagger = C$ to $< 10^{-13}$), i.e. the actual $\omega{\circ}\rho = \omega$. Negative controls (single off-centre bump, $\mathbb{Z}_3$ source, four generic marks) break both by $O(1)$; convergence stable for $N \in \{16, 32, 64\}$. This certifies the *implication*; the premise that the physical seam *is* mark-local stays **[O]** (it does *not* close `QGEO.SYM.01`; net existence and full-cone RP remain the **[E]** of `v175`). Ledger `QGEO.MARKLOCAL.01`. Python-only (the exact mark-sum identity is Wolfram-mirrored via `v201`).

2026-06-15 (archive integration #5: six dormant results revived from the old papers)

- **Muon $g-2$ as a seam vertex (`v204_muon_seam_g2`, `tfpt_4_frontier`, [C]).** The carrier's second-order topological defect $\delta_2 = \frac{5}{4}\delta_{\text{top}}^2$ projected through the seam-loop phase gives $a_\mu^{\text{seam}} = \delta_2/(2\pi) = 45/(524288\,\pi^9) \approx 2.879 \times 10^{-9}$ (0.81σ vs the dispersive Δa_μ; $\sim 1.5\sigma$ vs lattice/CMD-3). The value is exact **[E]**; the vertex identification is the **[C]** bridge. Ledger `FR.MUONG2.01`; Wolfram-mirrored.
- **An independent gravitational $3/4$ (`v205_xi_threequarter`, `tfpt_4_frontier`, [E]/[C]).** $\xi = c_3/\varphi_{\text{tree}} = 3/4$ exactly (Einstein limit of $\kappa^2 = \xi\varphi_0^{\text{ret}}/c_3^2$) — the same $3/4 = q(A_3) = \ln(m/\mu)$ as the seam-determinant replica (`v152`), an over-determination. Ledger `GRAV.XI.01`; Wolfram-mirrored.
- **Quantitative H_0 from the Λ branch (`v206_h0_lambda_branch`, `tfpt_4_frontier`, [C]).** $\delta_\Sigma = 48\,e^{-2\pi\alpha^{-1}/3} \approx 1.085 \times 10^{-123}$, the $(8\pi)^2$ Planck-convention split, and $H_0 = 66.5$–67.1 km/s/Mpc (below Planck, far below SH0ES — the Hubble tension is *not* relieved). Ledger `GRAV.H0.01`.
- **Asymptotic Safety as a second QG route (`v207_asymptotic_safety`, `tfpt_4_frontier`, [O]).** A complementary continuum-FRG argument (a non-Gaussian UV fixed point from the same axioms; $y^2 = 16c_3^2 = 1/(4\pi^2)$) — a plausibility cross-check, *not* load-bearing, does *not* close G_{metric}. Ledger `GRAV.ASYMP.01`.
- **Black-hole thermodynamics from the seam** (`v208_bh_thermodynamics`, `tfpt_horizon_readouts`, **[E]**/**[C]**). Modular $T_H = \kappa/(2\pi)$ (the $2\pi = 1/(4c_3)$ seam unit, ties to `v198`/`v199`) and the scalaron-corrected Wald entropy $S_W = (A/4G)(1 + R_h/3M_s^2)$ (exact from `v28`). Ledger `HOR.BHTHERMO.01`; Wolfram-mirrored.
- **The black hole as a seam fixed point** (`v209_bh_regular_core`, `tfpt_horizon_readouts`, **[C]**). No singularity ($\varphi \to \varphi_\star$ at the gapped attractor $(2/3)^6$); the maximal BH = the anchor (Nariai roots $(1, 1, -2)$); information via Page recovery; a Planck-scale holographic floor. The superseded RN/torsion metric is *not* resurrected. Ledger `HOR.BHCORE.01`.

2026-06-15 (archive integration #4: Möbius $\cong$ Lorentz foundation citation)

- **The Möbius seam is the boundary Lorentz structure (`tfpt_3`, [O]).** Added a paragraph to the "Möbius origin of π" section: $\text{Möb}(\hat{\mathbb{C}}) \cong \text{PSL}(2,\mathbb{C}) \cong \text{SO}^+(3,1)$ (Penrose & Rindler, *Spinors and Space-time*, Vol. 1, §1.2–1.4), the celestial sphere of null directions via stereographic projection. This gives the self-consistency loop a spacetime meaning — the carrier clock $z \mapsto iz$ is an elliptic $\text{PSL}(2,\mathbb{C})$ rotation (`v180`) and the RP→OS causal cone is the same Lorentz structure — so "Möbius origin of π" and "one Lorentzian cone" are two faces of one boundary $\text{PSL}(2,\mathbb{C})$. A foundation citation, not a new claim (π stays primitive).

2026-06-15 (archive integration #3: axion coupling $g_{a\gamma\gamma} = -4c_3$ + retired small-angle reading)

- **Haloscope coupling tied to c_3 (`tfpt_4_frontier`, [C]).** Made explicit: in the determinant-line normalization the axion–photon anomaly coefficient is $g_{a\gamma\gamma} = -4c_3 = -1/(2\pi)$ ($y^2 = 16c_3^2 = 1/(4\pi^2) \approx 0.0253$), so the haloscope $F\tilde{F}$ coupling is set by the *same* c_3 that fixes α and $\beta_{\text{rad}} = \varphi_0/4\pi$ — a **[C]** structural relation (the coefficient, not a parameter-free physical $g_{a\gamma\gamma}$). The earlier small-angle $\theta_i = \varphi_0$ reading (old determinant-line note, a much higher axion mass) is *superseded* by the closed near-hilltop $\theta_i = \pi(1 - \varphi_{\text{seam}}) = 170.4°$, recorded as a retired reading and guarded by `v188` (a new sentinel forbids that stale axion mass from re-entering the active docs).

2026-06-15 (archive integration #2: the EHT achromatic polarization intercept — v203)

- **`HOR.EHT.01` (v203, [E]/[C]/[X]).** The surviving core of the old UFE/black-hole notes (*not* the RN-type metric — superseded by the Nariai/seam=horizon readouts `v101`–`v104`/`v190`; only the polarization signature survives): a local achromatic polarization-rotation intercept around a horizon-scale black hole, $\beta_{\rm BH}(r) = 16c_3^4\, Q_e^{\rm eff} Q_m^{\rm eff}/r^2$. The coupling $16c_3^4 = 1/(256\pi^4) = \delta_{\rm top}/3$ is *exact* ([**E**], Wolfram-mirrored) — the *same* top-form coefficient $\delta_{\rm top} = 48c_3^4$ that fixes the α-kernel precision-zone correction, one row from the cosmic-birefringence seed $\beta_{\rm rad} = \varphi_0/4\pi$. TFPT fixes the $1/r^2$ shape, achromaticity and sign-flip ([**C**]); the amplitude Q_eQ_m is an MHD/GR weight, never a pixel prediction. **Dated kill test** [**X**]: the residual intercept must pass three nulls (frequency, spatial $1/r^2$, sign-flip) after honest GRMHD subtraction. Integrated into `tfpt_horizon_readouts` (new EHT section), the ledger, registry, Wolfram (243/243), and the website (`predictions.ts`). Suite 202 modules.

2026-06-15 (archive integration #1: the rare kaon sector $K \to \pi\nu\bar\nu$ — v202)

- **`FR.RAREKAON.01` (v202, [C]).** The closed TFPT CKM point ($s_{12}{=}\lambda_C$, $s_{23}{=}\varphi_0/(1{+}\lambda_C){=}|V_{cb}|$, $s_{13}{=}\lambda_C^3/3$, $\delta{=}\pi/3{+}3\lambda_C^2{=}1.19823$ rad; `v18`/`v88`, no flavor fit) feeds the cleanest FCNC probe. With standard external short-distance input (Brod–Gorbahn–Stamou $X_t, P_c, \kappa_\pm$) it gives $\mathrm{BR}(K^+ \to \pi^+\nu\bar\nu) = 9.45 \times 10^{-11}$ and $\mathrm{BR}(K_L \to \pi^0\nu\bar\nu) = 3.33 \times 10^{-11}$ — a [**C**] downstream flavor readout, *not* a compiler power (the SD functions are external). Recomputed from the *current* CKM point (an earlier archive scaffold quoted $\mathrm{BR}(K_L) = 3.47 \times 10^{-11}$ from an $\Im(\lambda_t)/\lambda^5$ slip, corrected here). Grossman–Nir ratio $0.352 \ll 4.3$; NA62 $(13.0^{+3.3}_{-3.0}) \times 10^{-11}$ is $\sim 1.2\sigma$ above. **Dated kill test** [**X**]: a stable NA62 $\mathrm{BR}(K^+)$ outside $[7, 12] \times 10^{-11}$, or a KOTO-II $\mathrm{BR}(K_L)$ off the GN point, breaks the flavor bridge (core untouched). Integrated into `tfpt_2_standard_model` (§rare kaon), the ledger, `v187` guard (new `FR.RAREKAON.` family), registry, and the website (`predictions.ts`). Python-only. Suite 201 modules.

2026-06-15 (bedrock: the $\omega \circ \rho = \omega$ residual reduced once more — v201)

- **`QGEO.SUBPRIN.01` (v201, [E]/[O]).** The `v199` bedrock residual — "the bounded sub-principal symbol of the raw seam DtN has no off-character (mod 4) matrix elements" — is reduced one genuine step further: block-diagonality is *not* an independent postulate. Writing the DtN as $\Lambda = |k| + M_f$ with M_f the bounded sub-principal piece = multiplication by a curvature $f(\theta)$ (standard Steklov structure), M_f is μ_4-character-block-diagonal iff f is $\mathbb{Z}_4$-invariant ([**E**]; principal $|k|$ already commutes, `v198`); and a μ_4-mark sum $f = \sum_{j=0}^{3} g(\theta - 2\pi j/4)$ has $f_m = 4g_m[m \equiv 0 \bmod 4]$ for any profile g, hence is automatically $\mathbb{Z}_4$-invariant ([**E**]). So the μ_4-mark orbit (forced by `v195`) *forces* the sub-principal symbol block-diagonal; 3 marks ($\mathbb{Z}_3$) and 4 generic marks break it (negative controls). The residual collapses to "the DtN sub-principal symbol is mark-local (seam flat away from the μ_4 marks = conformal deck, `v177`)", structurally definitional — the narrowest form yet of `QGEO.SYM.01`, [**O**]. Registered in `run_all.py`, the ledger, `tfpt_research_contracts`, `origin_theory`; Wolfram-mirrored (the mark-sum Fourier identity is exact; extension now 242/242). Suite 200 modules.

2026-06-15 (F__transfer workshop: the axion relic solver — an honest over-production tension)

- **Axion relic solver (`experiments/ftransfer/axion_relic/relic_solver.py`, [C]).** The first real $F_{\rm transfer}$ pipeline computation (work package C / review §6.2): a standard misalignment relic with a numerically-computed anharmonic factor $F(\theta_i) \approx 4$ at the hilltop. Honest finding: at the *predicted* $\theta_i \approx 170°$ the estimate *over*-produces dark matter, $\Omega_a h^2 \sim 0.6$–2.3 (robustly > 0.12), because the large $\theta_i^2 \approx 8.8$ times F overshoots. So the determinant-line axion as the *dominant* DM is in *mild tension* (it would prefer $\theta_i \sim 120$–$130°$ or extra dilution)

— this *refines* `v185`'s optimistic "can be all-DM" toward an over-production tension. The near-hilltop regime is O(1)-uncertain, so a full finite-T solve decides; over-production kills only the axion-as-dominant-DM *branch*, not the compiler. Reflected in `tfpt_4_frontier` (dark-matter section) and the `v185` docstring; experiments-only, not a suite/ledger claim. No refitted exponents; $\theta_i = \pi(1 - \varphi_{\text{seam}})$ only.

- **Full finite-T solve confirms it (`axion_relic/full_finiteT_solve.py`).** A converged nonlinear misalignment solve ($\theta'' + (3 + \mathrm{d}\ln H/\mathrm{d}N)\theta' + (m_a(T)/H)^2 \sin\theta = 0$, lattice $\chi(T) \propto T^{-8.16}$, realistic $g_*(T)$; normalised so $\theta_i{=}1 \to \Omega_a h^2 \approx 0.03$, the standard value) gives $\Omega_a h^2 \approx 0.66$ at the predicted $\theta_i \approx 170°$ — $\sim$5.5× above $\Omega_{\text{DM}} = 0.12$, reached only at $\theta_i \approx 106°$. The over-production is thus *confirmed* (not the optimistic "all-DM"); `tfpt_4_frontier`, `v185` docstring and the website updated accordingly. Stays [**C**]; kills only the axion-as-dominant-DM branch.

2026-06-14 (work packages A+B: attacking $\omega \circ \rho = \omega$ + the variational scan — v199, v200)

- **`v199_seam_state_invariance.py` [E]/[O] (claim `QGEO.STATE.01`, work package A).** Attacking $\omega \circ \rho = \omega$ directly on the *raw* seam. (1) [**E**] the setup is non-circular: ρ is the Coxeter element of $W(A_3) = S_4$ ($\rho^4 = 1$, `v117`), an automorphism of the raw CAR algebra (16 Majoranas) — both carrier-side, no seam geometry. (2) [**E**] for a quasi-free RP state $C_\Sigma = \frac{1}{2}(1{+}\operatorname{sgn} H_1)$, so $\omega \circ \rho = \omega \Leftrightarrow [\rho, H_1] = 0$. (3) [**E**] $[\rho, H_1] = 0 \Leftrightarrow H_1$ is block-diagonal in the four μ_4-character classes $\{n{=}r \bmod 4\}$ (verified). (4) [**O**] the residual is sharpened to "the bounded sub-principal symbol has no off-character matrix elements" — a bounded, finite-character condition, not a diffuse geometry; not a closure. Cited in `tfpt_research_contracts`; Wolfram-mirrored.
- **`v200_seam_variational_scan.py` [C]/[O] (claim `QGEO.VARI.02`, work package B).** The discretised variational test: with the clock angle free, $E_{\text{fail}}(\theta)$ has its unique minimum at $\theta = \pi/2$ (the μ_4 clock $z \mapsto iz$) — order-4 *and* the three distinct characters $i, -1, -i$ = the $(1,2,3)$ grading; decoys $(0, \pi, \pi/3, 2\pi/3)$ all lose. A numerical sign that the variational principle selects μ_4; the full operator-valued minimisation stays the `v199` residual [**O**]. Cited in `tfpt_research_contracts`.
- *Also (this pass, `experiments/` only, not the ledger): the F_{transfer} four-pipeline scaffold (`experiments/ftransfer/`) with one CONTRACT per interface, and confirmation that the FRB preregistration (`frb_tfpt_v1.yaml`) and its status semantics already exist.* Suite now 199 modules, highest ID `v200`; Wolfram extension 241/241.

2026-06-14 (cracking the bedrock to a state-invariance: principal symbol + Tomita–Takesaki — v198)

- **`v198_modular_commutator_reduction.py` [O] (claim `QGEO.MODULAR.01`).** The decisive crack on the last residual. (1) [**E**] the DtN principal symbol $|k| = \sqrt{-\partial_\theta^2} = \operatorname{diag}(|n|)$ and the clock $\rho{:}z \mapsto iz = \operatorname{diag}(i^n)$ are both diagonal in the Fourier basis, so $[\rho, |k|] = 0$ *exactly* on all of L^2 (verified on 33 modes) — the leading-order commutation is free on the whole boundary, never the open part. (2) [**E**] by Tomita–Takesaki the modular operator is intrinsic to (M, Ω), so a state-preserving symmetry ($\rho\Omega = \Omega$) commutes with $\log\Delta \sim \Lambda_\Sigma$: hence $[\rho, \Lambda_\Sigma] = 0$ *follows from* $\omega \circ \rho = \omega$, using only the state + reflection (RP) and *no* conformal covariance — which **removes the v194 Bisognano–Wichmann circularity worry**. (3) [**E**] the finite H^1 block is already μ_4-invariant (`v177`). So the entire residual collapses to the single *state-invariance* "the raw quasi-free seam state is μ_4-invariant" ($\omega \circ \rho = \omega \Leftarrow$ the Gaussian bulk measure is deck-invariant) — the maximally-operational, non-circular form of `QGEO.SYM.01`, [**O**]. *Not* a full closure (a foundational symmetry cannot be derived from nothing, like $c = \text{const}$), but the sharpest falsifiable form, with the circularity gone. Cited in `tfpt_research_contracts`; `OpenGates` updated. Suite now 197 modules, highest ID `v198`; Wolfram extension 240/240.

2026-06-14 (three review levers: Marks-via-Lefschetz, E__fail functional, RR→D5 — v195–v197)

- **`v195_marks_lefschetz_character.py` [E]/[O] (claim `QGEO.MARKS.02`).** The four seam marks are *forced* (not posited): $\rho{:}z \mapsto iz$ fixes only $\{0, \infty\}$, $H^1 = \chi_1 \oplus \chi_2 \oplus \chi_3$ (the A_3 exponents, $\mathrm{Tr}(\rho|H^1) = i + i^2 + i^3 = -1$) has no trivial component ⇒ no puncture at a fixed point, and $\operatorname{rank} H^1 = n-1 = 3 \Rightarrow n = 4 \Rightarrow$ a single free μ_4 orbit (cross-ratio 2). So Marks reduces from the geometric posit "D_4 marks" to the milder premise "H^1 carries the A_3-exponent rep" — less circular, still **[O]**. Cited in `tfpt_research_contracts`.
- **`v196_seam_energy_functional.py` [E]/[O] (claim `QGEO.VARI.01`).** The failure functional $E_{\text{fail}} = \|[\rho, \Lambda_\Sigma]\|_{HS}^2 + \|\rho^4 - 1\|^2 + \|\Theta\rho\Theta - \rho^{-1}\|^2$, zero locus = the `QGEO.SYM.01` conditions; on the finite H^1 block it vanishes at the μ_4 config **[E]** and is > 0 for any μ_4-breaking perturbation, so μ_4 is a true minimiser. The full-operator minimisation is the `v194` Bisognano–Wichmann residual — a concrete discretisable *target* on the open bedrock, **[O]**. Cited in `tfpt_research_contracts`.
- **`v197_rr_carrier_clifford_d5.py` [E]/[C] (claim `ARCH.RRCAR.02`).** Hardens the Riemann–Roch carrier from g_{car} to D_5 itself: $\Lambda^{\text{even}}(C_{\text{car}}) = \binom{5}{0} + \binom{5}{2} + \binom{5}{4} = 16 = 2^{g_{\text{car}}-1} = \dim S^+$, the $\mathfrak{so}(10) = D_5$ half-spinor — so D_5 is the Clifford spinor of the 5-dim mode space, closing $\mu_4 \to g_{\text{car}} \to D_5$. **[E]** arithmetic, **[C]** identification (as `v189`). Cited in `origin_theory`.
- All three are validated external-review levers (the axion-hilltop "$\pi - 3\phi_0$" proposal was *rejected* as a $\pi \approx 3$ coincidence, not built). Suite now 196 modules, highest ID `v197`; Wolfram extension 239/239.

2026-06-14 (subclaim 2 of ENERGY.02 tackled: raw-seam-DtN RP-definability — v194)

- **`v194_raw_seam_dtn_rp.py` [O] (claim `QGEO.DTN.01`).** The next hard lever — "is the raw RP-seam DtN definable from RP data alone?" (sub-claim 2 of `QGEO.ENERGY.02`) — was tackled, and the honest result is a *reduction*, not a closure. (1) **[E]** the commutator $[\rho, \Lambda_\Sigma] = 0$ closes on the finite cohomology H^1 ($\rho^* w_k = i^k w_k$, distinct μ_4 characters; `v177`). (2) **[E]** the *hinge* is met: the DtN/transfer operator is RP-canonical (Osterwalder–Schrader, `v54`) on a quasi-free seam state (`v155`), so Λ_Σ is RP-definable without naming $\mathbb{P}^1 \setminus \mu_4$. (3) **[O]** the residual relocates: the full-L^2 commutation ⇔ Bisognano–Wichmann geometric modular flow of the quasi-free seam state (which must be intrinsic, else it re-circulates). So `QGEO.SYM.01` reduces from a definitional postulate to "intrinsic BW geometric modular covariance" — one notch sharper, still **[O]**; the last structural fog point sharpens, it does *not* close to **[E]**. Cited in `tfpt_research_contracts`; `OpenGates` updated. Suite now 193 modules, highest ID `v194`.

2026-06-14 (QGEO.ENERGY.02 energy-commutator + QFT-wording hardening — v193)

- **`v193_qgeo_energy_commutator.py` [O] (claim `QGEO.ENERGY.02`).** The non-circular sharpening of `QGEO.ENERGY.01`: the energy commutator $[\rho, \Lambda_\Sigma] = 0$ on the rank-8 Calderón polarisation, with three sub-claims — (1) **[E]** ρ is carrier-defined (Coxeter of $W(A_3) = S_4$, `v117`), not imported from the seam; (2) **[O]** the non-circularity hinge: Λ_Σ must be the *raw* RP-seam DtN, not the μ_4 normal form; (3) **[E]** the commutator forces the $(1, 2, 3)$ grading on H^1 (`QGEO.COHOM.01`). Exact **[E]** rider (Wolfram-mirrored): the induced EH coefficient

$k = (\ln m)/(12\pi)$ (v150) reproduces $c_3/2$ iff $\ln m = q(A_3) = \frac{3}{4}$ (*family*), not $q(D_5) = \frac{5}{4}$ (carrier, off by 5/3) — gravity is family-geometry-induced. A *proof target*; if sub-claim (2) holds, QGEO.SYM.01 becomes an energy-rigidity theorem. Cited in tfpt_research_contracts. Suite now 192 modules, highest ID v193; Wolfram extension 236/236.

- **QFT-wording hardening (review point 7).** tfpt_2_standard_model §(4) was retitled to "Constructive QFT closure of the admissible physical sector", and its standalone opening over-claim replaced by an explicitly scoped sentence (the unprojected ambient metric measure is not constructed; G_{metric} frontier). The two superseded standalone phrasings were added to the v188 prose guard so a frozen release cannot re-introduce them.

2026-06-14 (geometry round: Riemann-Roch carrier, Nariai bound, branch line, energy clock — v189–v192)

- **v189_riemann_roch_carrier.py [E]/[C] (claim ARCH.RRCAR.01).** The pair $(g_{\text{car}}, N_{\text{fam}}) = (5, 3)$ are the two canonical invariants of *one* object, the four-point seam divisor $D = \mu_4$ on $\mathbb{P}^1$: the cycle side rank $H_1(\mathbb{P}^1 \setminus \mu_4) = \deg -1 = 3 = N_{\text{fam}}$ (already QGEO.COHOM.01) and the function side $h^0(\mathbb{P}^1, \mathcal{O}(\mu_4)) = \deg +1 = 5 = g_{\text{car}}$, matched by $\text{rank}(D_5) = 5$. The carrier-as-mode-space reading is **[C]** (geometric, does not displace the over-determined $g_{\text{car}} = 5$). Cited in origin_theory; Wolfram-mirrored.
- **v190_nariai_entropy_bound.py [E] (claim HOR.NARIAI.02).** A variation-free one-line proof of the SdS entropy floor: $3(x^2{+}1) - 2\Phi_3(x) = (x{-}1)^2 \geq 0$, so $S_{\text{tot}} \geq \frac{2}{3} S_{dS}$ with equality iff $x = 1$ (the Nariai merge). Cited in tfpt_horizon_readouts; Wolfram-mirrored.
- **v191_universal_branch_line.py [C] (claim HOR.BRANCHLINE.01).** The affine map $q = \frac{7}{2} + \frac{N_{\text{fam}}^2}{2} m$ carries the SdS branch points $\pm 1/N_{\text{fam}}$ onto the flavor labels $\{2, 5\}$. *Honestly typed [C]* — an exact *relabeling*, not a theorem (a decoy pair $\{3, 4\}$ admits an equally exact map; the shared content is the known 2/3 ramification). Cited in tfpt_horizon_readouts; Wolfram-mirrored.
- **v192_qgeo_energy_clock.py [O] (claim QGEO.ENERGY.01).** An operator-checkable restatement of the bedrock: $\rho^* \Lambda_\Sigma \rho = \Lambda_\Sigma$ (the clock preserves the DtN energy form). *Honestly typed:* it *relocates* QGEO.SYM.01 to a more falsifiable surface but does *not* eliminate it (plausibly equivalent unless ρ is independently defined and the invariance proven). Cited in tfpt_research_contracts. Suite now 191 modules, highest ID v192 (v186 skipped).
- *All four are validated external-review proposals (problem_b); each is built with the honest typing determined on review — the branch line is recorded as an alignment, not a theorem, and the energy clock as a relocation, not a closure.*

2026-06-14 (Zenodo release 5.1 (rev 120) — F_transfer firewall, v184–v188)

- **Published to Zenodo.** Version 5.1 (rev 120) of the ten-PDF document set was published as a new version of the TFPT deposit — record 20687564, DOI 10.5281/zenodo.20687564. This version carries the F_transfer-firewall round (v184–v188): the honest η_B anchored-Boltzmann test (sharper scenario, not a closure), the axion hilltop-relic typing, the ledger v187 and prose v188 guards, and the Route B/Koide/dark-matter wording fixes plus the P1/P2-vs-QGEO.SYM.01 two-layer clarification. The uploader's DEFAULT_RECORD_ID was advanced to the new record for the next release. Suite 187 modules (highest ID v188; v186 skipped). run_all.py green, audit clean, website built.

2026-06-14 (F_transfer round: eta_B honest test v184, axion relic v185, discipline guard v187)

- **`v184_etaB_anchored_boltzmann.py` [C] (claim `FR.ETAB.03`).** An honest test of the external-review η_B proposal ($M_1 = M_R\varphi_0^4$, $\tilde{m}_1 = m_3/A_\Lambda$). Firewall verdict: *sharper scenario, not a closure.* The washout anchors plausibly ($\tilde{m}_1 = m_3/10 \approx 5$ meV, $A_\Lambda = 10$ atom, in the strong-washout window) [**C**]; but M_1 does *not* — M_R is the seesaw scale $\sim v^2/m_3$ and the nearest clean TFPT powers of $\bar{M}_{\mathrm{Pl}}$ both miss it (c_3-/φ_0-powers off ∼75%/∼40%), so $M_1 = M_R\varphi_0^4$ merely relocates the free input. η_B stays [**C**], the route viable but with one (not zero) free input. Cited in `tfpt_4_frontier`.
- **`v185_axion_relic_solver.py` [C] (claim `FR.DM.03`).** Honest misalignment estimate: the determinant-line axion $f_a = M_{\mathrm{scal}}/128 \approx 2.39\times10^{11}$ GeV ($m_a \approx 23.8\,\mu$eV) CAN be all dark matter, but the harmonic misalignment under-produces (∼21% at $\theta \sim O(1)$), so the $\theta_i \approx 170°$ hilltop anharmonic enhancement is *required* — where the relic is exponentially sensitive. Hence a [**C**] scenario, not a sharp prediction; the relic contract is a kill test for the BRANCH, not the theory. Cited in `tfpt_4_frontier`.
- **`v187_ftransfer_laws.py` [E] (claim `FR.TRANSFER.01`).** A CI-style firewall guard: the four continuous-transfer frontier observables (Koide, η_B, axion, m_p/m_e) are read from the ledger and required to carry a [**C**]/[**O**] marker — never a primitive [**E**] compiler prediction (exact sub-parts like the Koide 53/54 factor or $b_3 = -7$ may be [**E**], the physical prediction never is). Records the four interfaces $F_{\mathrm{pole}}/F_{\mathrm{Boltzmann}}/F_{\mathrm{relic}}/F_{\mathrm{QCD}}$; prevents any future edit from quietly promoting a frontier number to a closed output. Cited in `tfpt_4_frontier`.
- **`v188_frontier_wording_guard.py` [E] (claim `AUDIT.WORDING.01`).** A prose sentinel (no new physics): `v187` protects the ledger *typing*, this guard protects the *prose*. It scans the 10 active documents and forbids five stale phrasings whose semantics earlier rounds superseded (the old [**E**]-typed Route B leptogenesis claim and its heavy-scale wording → v184 [**C**]; the old "open relic scale" dark-matter line → v185; the old "near, not exact" Koide line → v183; and the module-count/ID conflation), so a frozen Zenodo release can never re-introduce wording that was true yesterday and is half-true today. The same pass updated the `tfpt_4_frontier` Route B (to [**C**]), the Koide and dark-matter summary lines, and added the P1/P2-vs-`QGEO.SYM.01` two-layer clarification to the introduction. Suite now has **187 modules**, highest verification ID `v188` (v186 was intentionally skipped as redundant — m_p/m_e is already typed [**O**] as a QCD matching contract, `QCD.LAMBDA.01`).
- *Review framing points (P1/P2 as projections of the seam-deck postulate, v_{geo} as unit gauge, G_{net} a corollary of `QGEO.SYM.01`, grammar tuning = data) were validated as already implemented in the prior rounds; m_p/m_e is already typed [**O**] as a QCD matching contract (`QCD.LAMBDA.01`), so no redundant module was added.*

2026-06-14 (operator origin of the Koide 53/54 factor: the missing Sheet-Diamond corner, v183)

- **`v183_koide_f_corner_transfer.py` [E]/[C] (claim `FR.KOIDE.07`).** An external-review proposal, validated exactly: the Koide source→pole factor $\frac{53}{54}$ is not a bare arithmetic guess but an *operator* identity on the carrier, $u_{\mathrm{pole}}/u_{\mathrm{source}} = a^T(R+Q)\mathbf{1}/(2\,\mathbf{1}^TRa) = 53/(2{\cdot}27) = \frac{53}{54}$. Here $\mathbf{1}^TRa = 27$ is the $E_6\times A_2$ cubic family block ($248 = \dim E_6 + \det R + 2(\mathbf{1}^TRa)N_{\mathrm{fam}} = 78+8+2{\cdot}27{\cdot}3$) and $a^T(R+Q)\mathbf{1} = 53 = 52+1$, where $F = R+Q$ is the *missing* Sheet-Diamond corner with $\det B_F = 52 = \dim F_4$ (`v80`). Hard negative control: $a^TM\mathbf{1}$ for $M \in \{R,Q,K,L\}$ is $\{32,21,35,56\}$ — only the absent corner F gives 53. This upgrades `FR.KOIDE.03` from "near miss + conjecture" to "operator-sourced source→pole transfer": the *factor* is [**E**] (exact, mirrored in Wolfram, 232/232); the *mechanism* (the leptonic source→pole transfer reads the F corner) stays [**C**], an F_{transfer} special case. The prediction itself stays [**C**]. Cited in `tfpt_4_frontier` (Koide section). Suite now 183 modules.

- **Review point 2 noted as already-present:** the claim that flavor and Nariai share one double-cover ClockFunctor (flavor rate $(2/3)^{2N_{\rm fam}}$ vs gravity curvature $(2/3)^{N_{\rm fam}}$, exponent ratio $|\mathbb{Z}_2|$, "one clock, two geometries") is exactly `HOR.TRISECT.01/v103` — a rediscovery of an existing result, no new module.

2026-06-14 (review recommendations 1/3/4 + the four concerns A–D mapped to the named residuals)

- **`v182_reviewer_residual_map.py` [E]/[C] (claim `REVIEW.MAP.01`).** A careful external review raised four concerns (A mapping $2D \to 4D$, B UV-gravity abstractness, C grammar-tuning/meta-look-elsewhere, D Koide Möbius flow). This module shows three of them *reduce*, by the same discipline as `v175`–`v181`, onto the *two already-named* residuals $\{$`QGEO.SYM.01`$, F_{\rm transfer}\}$: A (Plücker-11 = QBL boundary count `v174` + holographic reduction), B ($\equiv$ `QGEO.SYM.01`), D (Möbius forced by $\mathrm{Aut}(\mathbb{P}) = \mathrm{PSL}(2,\mathbb{C})$ on the deck; the missing generator = $F_{\rm transfer}$). Only C is genuinely *experiment-only* (frozen + minimal + over-determined grammar; residual falls to JUNO/CMB-S4). A unification of the concern *structure*, not a closure. Cited in `tfpt_5_redteam`. Suite now 182 modules.
- **Review recommendation #3 — a "Rosetta" translation lexicon** (website `RosettaLexicon`): TFPT's compiler-speak (seam, deck, readout, microcode, audit hull, gap, anchor, $F_{\rm transfer}$, $v_{\rm geo}$, `QGEO.SYM.01`) mapped onto standard QFT / mathematical-physics language (Wilsonian boundary CFT, orbifold deck, index/intersection number, RG irrelevance rate, renormalization condition, fundamental postulate) — a reading aid for mainstream physicists, not a new claim.
- **Review recommendation #1 — kill-tests up front** (website `TrustContract`): the frozen pre-data predictions ($\sin^2\theta_{12} = 0.3067$, JUNO; $r \approx 0.004$, CMB-S4) and the null model ($P \le 10^{-30.7}$) are now a prominent strip directly under the hero.
- **Review recommendation #4 — the bedrock as a postulate.** `QGEO.SYM.01` is now framed confidently as TFPT's *one fundamental postulate* (the role "c = const" plays in relativity), not a gap — in the `tfpt_research_contracts` box and the website "what is open" card; the achievement is that the whole theory is compressed onto exactly one sharply-located, falsifiable premise.

2026-06-14 (external-review response: CSV fix, G_net 3-level, QGEO.SYM.01 page, claim detox)

- **Ledger CSV bug fixed + guarded.** Three rows (`AX.P1.01`, `AX.P2.01`, `QGEO.ISO.01`) had *unquoted commas* in a status/external field (e.g. "a=(1,1,2)", "PSL(2,C)"), so a strict CSV parser read 11–12 columns instead of 10 — a real machine-readability defect in the single source of truth. All offending fields are now quoted (every row parses to exactly 10 columns), and `audit_sync.py` gained a `check_csv_wellformed` guard (ledger, registry, clusters, freeze must all parse to constant width) so it cannot regress.
- $G_{\rm net}$ **typed in three explicit levels** (website "What is open" card): (1) *algebra* **[E]** $(D_5)_1 \otimes (A_3)_1 \rtimes \langle(1,1)\rangle \cong (E_8)_1$; (2) *AQFT machinery* **[E]** (net existence + full-cone RP, CAR functor, `v175`); (3) *seam instantiation* **[O]** (`QGEO.SYM.01`). The target object's mathematics is closed; only the physical coupling of the raw seam is open.
- **`QGEO.SYM.01` now has its own one-page box** in `tfpt_research_contracts`: what is identified, why it is weaker than `CONF/ISO`, what follows automatically (the conditional theorem), and *what would falsify it* (genus > 0 double; non-deck transport; $N_{\rm fam} \neq 3$); with the explicit conditional framing "*given* `QGEO.SYM.01`, the closure follows" rather than "the theory derives the seam geometry".

- **Claim-language detox.** “no free fundamental number” softened to “no free *dimensionless compiler dial* beyond the anchor and π (dimensionful scale + transfer physics stay typed)” (`origin_theory`, `introduction`, website); the site title softened from “the Standard Model Derived” to “the Standard-Model *Skeleton* Derived”.
- **External-reviewer map** added to the website verification page: four boxes (exact kernel [**E**], conditional physics [**C**], open premises [**O**], kill tests [**X**]) so a reviewer sees the attack surface without reading 181 scripts. Suite unchanged at 181.

2026-06-14 (Zenodo release 5.1 (rev 114) — v175–v181 bedrock + figures + P1/P2)

- **Published to Zenodo.** Version `5.1 (rev 114)` of the ten-PDF document set was published as a new version of the TFPT deposit — record `20686284`, DOI `10.5281/zenodo.20686284`. This version carries the AQFT-closure-to-bedrock chain (`v175`–`v181`, the structural residual reduced to the single definitional premise `QGEO.SYM.01`), the two overview figures (`residual_chain`, `script_timeline`), and the P1/P2 anchor-reduction provenance on the axiom surfaces. The `README` and the Zenodo description were refreshed (181 modules), and the uploader’s `DEFAULT_RECORD_ID` was advanced to the new record for the next release.

2026-06-14 (overview figures + P1/P2 reduction reflected on the axiom surfaces)

- **Two overview figures** (`make_figures.py`; PDF + website PNG). (i) `residual_chain` — the structural-residual reduction chain `v175`–`v181` as a descending staircase from “build a quantum-gravity measure” to the single definitional bedrock `QGEO.SYM.01`; embedded in `tfpt_research_contracts`. (ii) `script_timeline` — the eight-phase journey of the ∼181 scripts (foundations → SM readouts → seam= horizon → horizon/flavor geometry → R1–R5/premise-(A) → PyR@TE cross-checks → AQFT bridges → AQFT closure), what each did mathematically and physically; embedded in `introduction` ahead of the master script index, and both shown on the website verification page.
- **P1/P2 reduction now reflected on the axiom surfaces.** The reduction of the two axioms to the single parabolic anchor $a = (1, 1, 2)$ plus π (with $g_{\mathrm{car}} = 5$ an over-determined bootstrap fixed point — forced three ways, `v6`, Pascal-unique and Lean-formalised, `FORM.LADDER.01`) was already established (`ANCHOR.GEN.01/v23`, `ARCH.CORE.01/v53`) and stated in the papers/glossary, but the *axiom surfaces* still read as bare “declared inputs”. Fixed: the ledger rows `AX.P1.01/AX.P2.01` now carry the anchor/bootstrap reduction and point to it, and the website dependency-graph nodes P1/P2 now show the anchor input ($c_3 = 1/(2e_1(a)\pi)$; $g_{\mathrm{car}} = e_2(a)$, bootstrap-forced) rather than “declared axiom”. No marker change (still declared inputs), only honest provenance.
- Manifests refreshed (two new figures added to the `FIG` list). Suite unchanged at 181.

2026-06-14 (the final reduction to bedrock v181 + full non-changelog status sweep)

- **`v181_clock_is_conformal_symmetry.py` [E]/[O] (claim `QGEO.SYM.01`).** The isometry premise `QGEO.ISO.01` (`v180`) is weakened one more genuine step — to a conformal-*symmetry* premise — via *equivariant uniformisation* (Nielsen realisation; for cyclic groups Kerékjártó + uniformisation): a *conformal* automorphism (strictly weaker than an isometry — every isometry is conformal, conformal allows any positive scale) already suffices to put the order-4 clock in the form $z \mapsto iz$. Since the clock is the Coxeter element of $W(A_3) = S_4$ (`v117`), the μ_4 deck, and a deck transformation preserves the pulled-back conformal structure by definition, the residual collapses to the *definitional* identification `QGEO.SYM.01`: “the seam’s conformal structure *is* the μ_4-deck structure of the carrier clock”. This is bedrock — a physical/definitional statement tying P2 to the seam's conformal geometry, *not* a finite computation and not reducible further without relabeling. The chain `REALIZE(v175)`$\to \cdots \to$`SYM.01(v181)` ends here; we stop honestly. Python-only. Suite now 181 modules.

- **Full non-changelog status sweep.** The current bedrock framing was propagated to every live status surface (not just the changelog): the `introduction` "latest reductions" prose, `tfpt_5_redteam` Target A, the `tfpt_research_contracts` central-theorem keybox, `origin_theory`; and on the website `OpenGates`, `VerificationDag`, `papers.ts` (Target A $\times 2$, G_{net}), the `glossary` G_{net} entry and the `faq` live-residual answer — all now end at `QGEO.SYM.01`.

2026-06-14 (the conformal premise reduces to a milder isometry premise v180)

- **`v180_clock_is_mobius.py` [E]/[O] (claim `QGEO.ISO.01`).** Cracks `QGEO.CONF.01` one level further: the conformal-realisation premise is *replaced*, via three classical theorems, by a strictly *milder, non-circular* premise. (1) *Uniformisation* (Poincaré–Koebe): a genus-0 Riemann surface is conformally $\mathbb{P}$, so the genus-0 seam double (P1, `v179`) with its RP-metric conformal structure *is* $\mathbb{P}$ — the target is *produced*, not assumed; (2) *Kerékjártó* (1919; Constantin–Kolev 2003): a finite-order orientation-preserving homeomorphism of S^2 is conjugate to a rotation, so the order-4 clock ($h(A_3)$=4) is topologically $z \mapsto iz$; (3) *isometry⇒ conformal⇒Möbius*: an orientation-preserving isometry of a Riemannian surface is holomorphic, $\mathrm{Aut}(\mathbb{P}) = \mathrm{PSL}(2,\mathbb{C})$; (4) an order-4 Möbius map is $z \mapsto iz$ (verified: projective order 4, fixed $\{0,\infty\}$, multiplier i, free orbit μ_4). Hence `QGEO.CONF.01` is *implied* by the milder premise `QGEO.ISO.01`: "the carrier clock is an order-4 orientation-preserving *isometry* of the RP seam metric" — which does not name $\mathbb{P}/\mu_4$ (uniformisation produces them) and is the natural statement that the seam transport is metric-compatible (a holonomy preserving the RP inner product). That milder premise is the single, now milder, structural residual of the whole theory; its surface realisation from the raw seam stays honestly **[O]**. Cited in `tfpt_research_contracts`; Python-only. Suite now 180 modules.

2026-06-14 (the two obligations collapse to ONE geometric premise v179)

- **`v179_conformal_realisation.py` [E]/[O] (claim `QGEO.CONF.01`).** Investigating the two residual premises left by `v178` shows they are *not* independent — they collapse onto a single geometric premise (honest unification; the premise itself stays **[O]**). Marks's residual is not three independent assumptions: (1) genus-0 *is* P1 — the one-sided Gauss–Bonnet $c_3 = 1/(|\mathbb{Z}_2|\, 2\pi\, \chi(S^2)) = 1/(8\pi)$ uses $\chi(S^2) = 2$ and $\chi = 2 - 2g \Rightarrow g = 0$, so "genus-0" is the same $\chi = 2$ that gives the "8" in c_3 (`v58/v73`); (2) the order-4 clock *is* the carrier — the Coxeter element of $W(A_3) = S_4$ (`v117`), order $h(A_3) = 4 = |\mu_4|$; (3) marks = one orbit is *forced* (the parabolic marks are not the two elliptic fixed points, a free order-4 orbit has exactly $4 = e_1(a)$ points). Kernel then *follows* from the same geometry (DtN symbol $|k|$, Lee–Uhlmann `v156`; $c = 8$ rigidity `v158`; the cusped-surface residual $= H^1 = \mathbb{C}^3 = N_{\mathrm{fam}}$). So the *entire* structural residual of the theory is the *single* geometric premise `QGEO.CONF.01`: "the raw RP seam normal double is conformally $(\mathbb{P}, \mu_4)$ with the carrier clock as the order-4 Möbius automorphism". The two doors of `v177/v178` are one geometric realisation, left honestly **[O]**. Cited in `tfpt_research_contracts`; Python-only. Suite now 179 modules.

2026-06-14 (an honest attempt at the two obligations v178 — deeper reduction, not closure)

- **`v178_marks_kernel_attempt.py` [E]/[O] (claim `QGEO.REDUCE.01`).** An honest attempt at `QGEO.MARKS.01` and `QGEO.KERNEL.01`. These are genuine constructive-geometry/AQFT statements, *not* finite computations — neither is closed. What the module does is push each as far as computation allows: it closes the finite **[E]** core of each and reduces each to *one* *sharper* premise. *Marks core* [**E**]: given a genus-0 double with an order-4 clock ρ (fixed points $\{0,\infty\}$) and reflection τ, the marks are forced to be a generic ρ-orbit $\{1,i,-1,-i\}=\mu_4$ (*not* the fixed points), distinct iff $b_1=4-1=3=N_{\mathrm{fam}}$ (any collision drops b_1), with $\tau\rho\tau=\rho^{-1}$ giving a faithful D_4 of order 8 — so MARKS reduces to the single topological/clock premise. *Kernel core* [**E**]: on the 3-dim multiplicity-free H^1 the μ_4 characters $(1,2,3)$ are distinct, so by Schur a μ_4-equivariant operator is forced *diagonal* and completely determined by its eigenvalue per character; two such with the forced transfer spectrum $\{1,(2/3)^6,(1/3)^6\}$ (`v162`) and the unique residue-normalised basis (`v177`) are *equal as operators*, not merely isospectral — the spectrum-vs-operator worry *vanishes* on the finite block. So KERNEL reduces to the single full-operator-reduction premise (principal symbol $|k|$, Lee–Uhlmann/`v156`; no drift `v158`). Net: neither obligation closed; both sharpened to milder premises with their finite cores [**E**]. Cited in `tfpt_research_contracts`; Python-only (Möbius/Schur symbolic + numeric). Suite now 178 modules.

2026-06-14 (QGEO proof tree v177 — the residual sharpened into two named obligations)

- **`v177_seam_marking_kernel.py` [E]/[O] (claims `QGEO.TREE.01`, `QGEO.MARKS.01`, `QGEO.KERNEL.01`).** A second external residual-class audit pointed out that the `v176` statement takes the marks/D_4 as a *hypothesis* — a near-circular trap. This module factors the central theorem honestly as REALIZE = MARKS · UNIFORM · COHOM · MODULE · KERNEL · NET and closes *four* nodes *constructively* (all validated symbolically before adoption): UNIFORM [**E**] — an order-4 Möbius map conjugates to $z\mapsto iz$, a non-fixed orbit scales to μ_4, and $\sigma\rho\sigma=\rho^{-1}$ for $\sigma: z\mapsto 1/z$ gives a faithful D_4 (order 8), so a genus-0 four-marked faithful-D_4 boundary *is* $(\mathbb{P},\mu_4)$ (strengthening `v168`'s cross-ratio to the full uniformisation); COHOM [**E**] — $\rho^*\omega_k=i^k\omega_k$, grading $(1,2,3)=A_3$ exponents; MODULE [**E**] — a *unique* μ_4-equivariant iso (multiplicity-free + residue normalisation; reflection $\omega_1\leftrightarrow\omega_3$, ω_2 fixed); NET [**E**] (`v154`/`v175`). The structural residual is thereby sharpened from one diffuse premise into *exactly two* named open obligations, neither a finite computation: `QGEO.MARKS.01` (the raw RP seam collar canonically produces the genus-0 four-marked D_4 boundary) and `QGEO.KERNEL.01` (the raw seam Calderón operator *is* the μ_4-equivariant free gapped contraction, as an operator). Cited in `tfpt_research_contracts` (the central-theorem keybox); Python-only (Möbius/cohomology symbolic; numbers mirrored via `v168`/`v137`/`v162`/`v154`/`v175`). Suite now 177 modules.

2026-06-13 (Seam Collar Realisation Theorem v176 — the one central proof obligation)

- **`v176_seam_collar_realisation.py` [E]/[O] (claim `QGEO.REALIZE.02`).** Following an external residual-class audit, the single remaining structural item is formulated as one central theorem and certified as a *reduction* (not a fabricated proof). *Theorem:* given an oriented one-sided RP seam collar with a sheet-odd Calderón involution, faithful D_4 marks, four parabolic marks with μ_4 decomposition and admissible c=8 data, its conformal boundary is Möbius-equivalent to $\mathbb{P}\setminus\mu_4$ with H^1 grading $(1,2,3)$, the Calderón contraction is the rank-8 K_Σ polarisation and the index-4 extension is $(E_8)_1$. The proof decomposes into six steps, *five already* [**E**]: geometry/uniformisation (`v168`), Calderón DtN symbol $|k|$ (`v156`), H^1 character = generation grading $(1,2,3)=A_3$ exponents (`v137`/`v168`), μ_4-equivariant contraction with gap $(2/3)^6$ (`v162`), AQFT closure $(D_5)_1\otimes(A_3)_1\rtimes\mu_4=(E_8)_1$ + full-cone RP all m (`v154`/`v175`). The whole structural residual thus reduces to the *one* open premise `QGEO.REALIZE.01`: that the physical seam collar's boundary *is* this $\mathbb{P}\setminus\mu_4$ — a constructive-geometry statement, left honestly [**O**]. Cited in `tfpt_research_contracts` (the central theorem keybox); assembly/reduction certificate, Python-only (its exact identities are mirrored via `v168`/`v156`/`v162`/`v154`/`v175`). Suite now 176 modules. *Audit note:* the metrology residual the same review flags is already discharged — `v153` (No-Unit Theorem) is the metrology-line typing ($v_{\rm geo} \mapsto \lambda^{-1} v_{\rm geo}$, $1/G \mapsto v_{\rm geo}^2$, dimensionless data invariant), and the Koide $u \to \frac{53}{54}u$ source→pole transfer is already typed **[C]** (`FR.KOIDE.03`); neither is re-derived.

2026-06-13 (Zenodo release 5.1 (rev 105) — v174 + v175 + doc refresh)

- **Published to Zenodo.** Version `5.1 (rev 105)` of the ten-PDF document set (introduction, origin_theory, tfpt_1–5, horizon, research_contracts, changelog) was published as a new version of the TFPT deposit — record `20681451`, DOI `10.5281/zenodo.20681451`. This version carries the AQFT closure round (v170–v175): the seam Fock-space readings and the heavy-artillery discharge of net existence + full-cone reflection positivity to **[E]**. The `README` and the Zenodo description were refreshed to the current state (175 modules, Wolfram $116/116 + 231/231$), and the uploader's `DEFAULT_RECORD_ID` was advanced to the new record for the next release.

2026-06-13 (the heavy artillery v175: net existence + full-cone RP discharged to [E])

- **`v175_net_existence_full_cone.py` [E]/[O] (claim `QFT.NETRP.01`).** The two structural residuals that the premise-(A) chain had relocated to *already-open* items — A_2 net existence and full-cone reflection positivity — are now *discharged to a theorem*, leaving the seam realisation as the single irreducible open premise (nothing fabricated). (1) *Full-cone RP for all m*: the CAR second-quantisation functor $\Gamma(t) = \bigoplus_m \Lambda^m(t)$ lifts the one-particle seam contraction t to the complete Fock space $\Lambda^\bullet(\mathbb{R}^{16})$ ($\dim 2^{16} = 65536$); by the exterior-power spectrum theorem every eigenvalue is a subset product of $\mathrm{spec}(t)$, so all 2^{16} products lie in $[0, 1]$ (a contraction = full-cone RP), with eigenvalue-1 multiplicity $2^8 = 256$ (wedges of the rank-8 K_Σ polarisation) and sub-leading = the one-particle gap $(2/3)^6$ — so full-cone RP reduces *for every m* (not only $m \leq 6$, `v161`) to the one-particle contraction (Shale–Stinespring), discharging the `v160` scope premise. (2) *A_2 assembled + verified*: the $(E_8)_1$ character $E_4/\eta^8 = 1 + 248q + 4124q^2 + 34752q^3 + 213126q^4 + 1057504q^5$ (level-1 = 248, extends the order-4 `v156` check by one order), the embedding $248 = 120 + 128$, and the E_8 Cartan matrix even with det 1 (the unique rank-8 even unimodular lattice, `v83`); the net *exists* by cited theorems (free-fermion net, lattice VOA, index-4 Q-system, `v125`). (3) Both then need the *same* input — the seam realisation `QGEO.REALIZE.01` (finite half proven, `v168`) — which is a constructive-geometry/AQFT statement, *not* closeable by a finite computation, and is left honestly **[O]**. **Net:** net existence and full-cone RP become **[E]**; the one irreducible structural premise is the seam realisation. Cited in `tfpt_research_contracts` (premise (A) closure) and `tfpt_5_redteam` (Target A); the exact parts (Cartan unimodular, character order 5, functoriality integers) mirrored in the Wolfram extension (231/231). Suite now 175 modules.

2026-06-13 (seam Fock-space readings v174: CAR cone, Witten index, g-theorem)

- **`v174_seam_fock_readings.py` [E] (claim `QFT.FOCK.01`).** Three more exact audit bridges from the same source note. (1) *CAR cone compression*: the even CAR algebra of the 16 seam Majoranas has $\dim \Lambda^{\rm even}(\mathbb{R}^{16}) = 2^{15} = 32768$ directions, but a quasi-free Bogoliubov transport reduces the whole cone to a 16-dim one-particle problem ($2^{15}/16 = 2^{11}$) — the explicit count behind `v161`. (2) *Witten index = the Plücker norm* 11: the four μ_4-corner fermions span a $2^4 = 16 = \dim S^+$ Fock space; QBL (deg ≤ 2) keeps $\sum_{k \leq 2} \binom{4}{k} = 11 = \dim S^+ - g_{\rm car}$, so $c_u/c_d = 55/117$ reads a topological state-space dimension. (3) *Affleck–Ludwig g-theorem*: $c_{UV} = 5 + 3 = 8 = c_{IR}((E_8)_1)$, so $\Delta c = 0$ forces an exact isometry — the boundary-entropy form of the `v157`/`v158` rigid fixed point. Cited in `tfpt_2` (Exterior Leg Lemma); mirrored in the Wolfram extension (230/230). Suite now 174 modules. (The categorical reframings in the source note remain framing, not asserted claims.)

2026-06-13 (CFT/QFT bridges: slice compression v170, OS moment v171, trace-anomaly seed v172, Pfaffian CP v173)

- **`v170_diamond_slice_compression.py` [E] (claim `E8.SLICE.01`).** E8 Slice Compression Lemma: the seven E_8 audit slices are *one* projection of two alphabets — anchor power sums $P = (3, 4, 6, 10)$ ($p_n = 2 + 2^n$) and Sheet-Diamond determinants $(3, 4, 8, 14, 20, 32)$ summing to $81 = N_{\text{fam}}^4$. All seven 248-slices, the K_4 edge graph, and the row-budget cross $(7, 11, 13) + s(3, 3, 3) + t(1, 2, 3)$ follow; $78 = \dim E_6 = p_2(p_0 + p_3)$. Cited in `tfpt_3` (slice atlas). Exact; reading is audit (anti-numerology).
- **`v171_os_moment_cluster.py` [E]/[C] (claim `QFT.OSMOMENT.01`).** Atomic OS Moment Lemma: $\text{spec}(T) = \{1, 64/729, 1/729\}$ makes every correlator a positive moment sequence, so the OS Hankel matrices factorise as Vandermonde Grams (a clean RP certificate); cluster 729/665, $\xi = 0.4111$. Sugawara Gap Safety: $31 = 1 + h^\vee(E_8)$, $c((E_8)_1) = 248/31 = 8$, $\Delta_{\text{eff}} = 6\log\frac{3}{2} - 31/(4\pi^2) > 0$. Cited in `tfpt_research_contracts` (G5).
- **`v172_trace_anomaly_seed.py` [E] (claim `SEED.ANOMALY.01`).** The seed prefactor $\frac{4}{3}$ is the halved $(E_8)_1$ Weyl anomaly: over the seam S^2 ($\chi = 2$) the $c = 8$ trace anomaly is $c\chi/6 = \frac{8}{3}$, halved by the one-sided $|\mathbb{Z}_2|$ to $\frac{4}{3} = 16/12$. Plus QCD $b_3 = 7 =$ scalaron exponent $48 - 41$ (confinement $\leftrightarrow$ inflation), and the Volkov–Wipf $-98/45 = -2 \cdot 7^2/\dim(D_5)$ factorisation. Cited in `tfpt_2` (seed).
- **`v173_pfaffian_cp_car.py` [E] (claim `FLAV.STRONGCP.02`).** Strong CP $\theta_{\text{eff}} = 0$ as Pfaffian reality in the self-dual 16-Majorana CAR model: $\{D, \Sigma\} = 0$ pairs the spectrum, γ_5-Hermiticity makes the Pfaffian real, and RP picks the positive branch. Cited in `tfpt_2` (Strong CP section).
- All four validated computationally before adoption; the exact identities (v170/v171/v172) are mirrored in the Wolfram extension (229/229). Suite now 173 modules. (The categorical reframings in the source note — compiler-as-single-functor, $E_8 = K_0$, GIT/monadic/Langlands — are recorded as framing, not asserted as machine-checked claims.)

2026-06-13 (Zenodo release 5.1 (rev 97))

- **Published to Zenodo.** Version `5.1 (rev 97)` of the ten-PDF document set (introduction, origin_theory, tfpt_1–5, horizon, research_contracts, changelog) was published as a new version of the TFPT deposit — record `20678568`, DOI `10.5281/zenodo.20678568`. The uploader's `DEFAULT_RECORD_ID` was advanced to the new record for the next release. Also fixed `build.sh zenodo` on macOS bash 3.2 (empty-array expansion under `set -u`).

2026-06-13 (QGEO rigidity theorem v168 + η_B leptogenesis interface v169)

- **`v168_qgeo_rigidity.py` [E]/[C] (claims `QGEO.RIGID.01`, `QGEO.REALIZE.01`).** Hardens the *finite* half of the one remaining Tier-1 hinge `GATE.QGEO` (the seam = flavour = horizon identification). Exact, machine-checked: $\mu_4 = \{1, i, -1, -i\}$ has cross-ratio 2 and a faithful Möbius stabiliser of order $8 = |D_4|$; $H^1(\mathbb{P}^1 \backslash \mu_4)$ has rank $4 - 1 = N_{\text{fam}} = 3$; and the forms $\omega_k = z^{k-1}dz/(z^4 - 1)$ ($k = 1, 2, 3$) are μ_4-eigenforms with characters χ_1, χ_2, χ_3 of weights $(1, 2, 3) = \text{A}_3$ exponents $= \text{Spec}(Q_+)$. So a genus-0 boundary with faithful D_4, four parabolic marks and this μ_4-decomposition is Möbius-equivalent to $\mathbb{P}^1\backslash\mu_4$ — the QGEO Rigidity Theorem (`QGEO.RIGID.01`, **[E]**). The seam-collar realisation stays the one premise (`QGEO.REALIZE.01`, **[C]**). Mirrored in the Wolfram extension (226/226). Cited in `tfpt_research_contracts` (U0). *Not* a new structural class — it hardens the existing hinge (consistent with v167's completeness claim).
- **`v169_etaB_boltzmann_interface.py` [C] (claim `FR.ETAB.02`).** Operationalises the Tier-3 F_{transfer} leptogenesis path. Type-I thermal leptogenesis $\eta_B \sim 0.96 \times 10^{-2}\varepsilon_1\kappa_f$ (sphaleron

28/79), fed by TFPT's normal-ordered neutrino spectrum and the predicted $\delta_{CP} = 240°$. Over natural $M_1 \in [3 \times 10^9, 3 \times 10^{10}]$ GeV and washout, η_B brackets the observed 6.1×10^{-10} (a canonical point gives 6.0×10^{-10}, untuned) — the route is *viable*. But M_1/washout are scenario inputs, so η_B stays **[C]**; if a precise solve excluded the window the leptogenesis *route* falls, not the theory (the downstream Ω_b readout is independent). Cited in `tfpt_4_frontier` (Route B). Python-only.

2026-06-13 (Higgs quartic from the free seam: SM near-criticality explained, v166)

- **`v166_higgs_free_seam.py` [E]/[C] (claim `HIGGS.FREESEAM.01`).** A new prediction tying the Higgs mass to premise (A). The seam UV is the free chiral c=8 fixed point (v158, Gaussian, no relevant/marginal interactions), so the one marginal SM scalar coupling vanishes there: $\lambda(M_{\rm seam}) = 0$ and $\beta_\lambda(M_{\rm seam}) = 0$ — the Shaposhnikov–Wetterich double-criticality, here *derived* from the free seam, not assumed. Integrating the PyR@TE-confirmed *two-loop* SM RGEs from M_Z up with the measured (m_H, m_t) gives $\lambda(\bar{M}_{\rm Pl}) \approx 0.002$ and $\beta_\lambda(\bar{M}_{\rm Pl}) \approx 0$: the famous SM near-criticality is a *consequence* of the free seam (2-loop sharpens $\lambda(\bar{M}_{\rm Pl})$ from $\sim$0.022 at one loop to $\sim$0.002). The double condition predicts $m_H \sim 129$–134 GeV; the same condition at the scalaron scale gives $\sim$107 GeV (too low), so the boundary condition lives at the reduced Planck scale (seam = horizon = Planck). Fills the Higgs-sector gap (was only $N_\Phi = 1$); cited in `tfpt_4_frontier`.
- PyR@TE-sourced: the reproducer's SM run supplies the two-loop β_λ, reduced to top-only (`verification/pyrate/sm_higgs_betas.txt`). Suite now 166 modules. Python-only (numerical 2-loop ODE).

2026-06-13 (PyR@TE $F_{\rm transfer}$ follow-ups: flavor scale-tagging v163, QCD scale v164)

- **`v163_rg_stability_flavor.py` [E]/[C] (claim `FLAV.RGSTAB.01`).** Scale-tagging of the flavor sector. The lepton-mixing seeds ($\sin^2\theta_{12} = \frac{1}{3} - \frac{\varphi_0}{2} = 0.3067$, $\sin^2\theta_{13} = \varphi_0 e^{-5/6} = 0.0231$) are *RG-stable*: the PMNS running is y_τ^2-suppressed (the only mixing-rotating Yukawa term is $\frac{3}{2}Y_e Y_e^\dagger Y_e$, PyR@TE SM RGEs), so $\kappa_\tau = y_\tau^2/(16\pi^2)\ln(M_{\rm scal}/M_Z) \sim 1.8 \times 10^{-5}$ and $|\Delta \sin^2\theta_{ij}| \lesssim 10^{-4}$ — two to three orders below precision. Seam value = measured value; the y_t^2-driven quark mass ratios ($m_t/m_b \sim 41$) by contrast carry a scale tag. Cited in `tfpt_2` (solar/reactor angle box).
- **`v164_qcd_scale.py` [E]/[O] (claim `QCD.LAMBDA.01`).** The QCD confinement scale is parameter-free from the carrier $b_3 = -7$ (v159): running $\alpha_s(M_Z) = 0.1179$ down (two-loop, n_f thresholds) reproduces $\alpha_s(m_b) \simeq 0.22$, $\alpha_s(m_c) \simeq 0.38$ and confinement at ~ 0.5 GeV by dimensional transmutation — so the QCD-scale *numerator* of m_p/m_e is independently sourced. The $O(1)$ proton/Λ factor is lattice, so $m_p/m_e = 1836$ stays the honest "**[O]** — not forced" frontier ratio. Cited in `tfpt_4_frontier`.
- Both are PyR@TE-backed (the reproducer now also extracts the SM Yukawa β's, `verification/pyrate/sm_yukawa_betas.txt`). Suite now 164 modules. Python-only (no Wolfram mirror: magnitude bound / numerical running).

2026-06-13 (PyR@TE external cross-check of the $F_{\rm transfer}$ gauge inputs — v159)

- **New module `v159_pyrate_gauge_crosscheck.py` [E]/[C] (claim `EM.BUDGET.02`).** The one-loop gauge coefficients used by the transfer functor are confirmed by an *independent* third-party RGE generator. Feeding the carrier / Standard-Model field content into the textbook one-loop formula (GUT normalisation) gives $(b_1, b_2, b_3) = (\frac{41}{10}, -\frac{19}{6}, -7)$, and **PyR@TE 3** (`arXiv:2007.12700`, `github.com/LSartore/pyrate`) writes $\beta_{g_1} = (\frac{41}{10})g_1^3$, $\beta_{g_2} = -\frac{19}{6}g_2^3$,

$\beta_{g_3} = -7g_3^3$ verbatim (plus the full standard 2-loop matrix). So $b_1 = 41/10$ is pinned *three* independent ways — carrier algebra $10b_1 = g_{\rm car}2^{g_{\rm car}-2}+1 = 41$, the $U(1)$ hypercharge index $\sum \frac{3}{5}Y^2$, and PyR@TE — and the split $10b_1 = 40_{\rm (ferm.)} + 1_{\rm (Higgs)} = 41$ reproduces the EM-budget Gate 1 of `tfpt_2`. Cited there with `\veri`; the gauge sector of $F_{\rm transfer}$ is thus not a free knob.

- **PyR@TE reproducer (not vendored).** `verification/pyrate/reproduce.sh` clones PyR@TE on demand into `experiments/pyrate` (git-ignored), neutralises its interactive `pdflatex` end-command, runs the SM at one and two loops, and re-extracts the gauge β functions; the committed evidence is `verification/pyrate/sm_gauge_betas.txt`. PyR@TE is the right external tool for the transfer/RGE gates (gauge running, and — with a seesaw model — the neutrino-Yukawa running behind η_B); it is *not* a tool for premise (A) (a 2d boundary-CFT question). Mirrored in the Wolfram extension; suite now 159 modules.

2026-06-13 (terminal residual inventory: (A) no longer a structural class; one hinge + F_transfer + irreducible core, v167)

- **New module `v167_inventory_post_closure.py` [E]/[C].** The terminal residual inventory (line `v105`→`v123`→`v167`), re-pinned after the (A)-chain. With (A) discharged (`GATE.METRIC.16-19`) the `v123` *five* structural classes collapse: the seam clock (R1), the index-4 net (R2) and the Q-realisation (R5) all merge into *one* Tier-1 hinge — the seam=flavour=horizon identification = A_2 net existence (assembly of established net constructions) + `GATE.QGEO` (seam boundary = $\mathbb{P} \setminus \mu_4$, cohomology b_1=$N_{\rm fam}$=3); the EH step (R3) folds into $v_{\rm geo}$ (`v152`) and the ambient measure into $G_{\rm net}$ (`v76`). **Terminal structure:** Tier 0 = the irreducible core $\{\pi, v_{\rm geo}\}$ (a theorem, No-Unit `v153`); Tier 1 = one hinge; Tier 2 = folded; Tier 3 = $F_{\rm transfer}$, one functor with four typed conditional interfaces (Koide, η_B, axion, m_p/m_e), η_B carrying the most open computational room. Completeness: a sixth independent structural class — or a new irreducible — fails the script (ledger `SYNTH.INVENTORY.03`). A unification + re-typing, NOT an unconditional proof. Python-only (reads the ledger).

- **Bookkeeping.** Suite at 167 modules, all green; Wolfram extension unchanged at 224/224; `origin_theory` (residual-inventory keybox) and `next.txt` moved together.

2026-06-13 (premise A maximal honest closure: A2 by assembly, R1 = GATE.QGEO, zero independent open gates, v165)

- **New module `v165_premise_a_closure.py` [C]/[O].** Pins the two residual gates of the `v160`–`v162` (A)-chain to their floor. A_2 **(net existence) closes by assembly** of established mathematics **[C]**: the 16 free Majoranas give a free-fermion conformal net (Buchholz–Mack–Todorov), the holomorphic c=8 lattice net is $(E_8)_1$ (Frenkel–Kac–Segal / Dong–Xu / Kawahigashi–Longo), the μ_4 extension is a Longo Q-system of index 4 (`v125`), $\mu(B)$=16/16=1, 248=120+128, character E_4/η^8=$j^{1/3}$ (`v156`); the one TFPT-specific input (seam Calderón kernel = free-fermion two-point function) is done via DtN = $|k|$ (`v156/v157`). R_1 **(seam clock) reduces to `GATE.QGEO` [C]**: a μ_4-equivariant flat gapped generator is *unique* (= $A_0^\star$, `v115/v116`), so the gap $(2/3)^6$ is forced and the residual is the one geometric identification "seam boundary = $\mathbb{P} \setminus \mu_4$" = `GATE.QGEO` (cohomology established, `v137`, b_1=3=$N_{\rm fam}$). **Final accounting:** by the No-Unit Theorem (`v153`) the irreducibles stay $\{\pi, v_{\rm geo}\}$; premise (A) = (A_2 assembly) + (R_1=`GATE.QGEO`) + the $\{\pi, v_{\rm geo}\}$ core, so it carries *zero independent open gates* and ceases to be its own gate — a unification and re-typing, *not* an unconditional proof (ledger `GATE.METRIC.19`). Python-only (numpy/sympy + stdlib).

- **Bookkeeping.** Suite at 165 modules, all green; Wolfram extension unchanged at 224/224; `tfpt_research_contracts` (premise-A keybox) and `next.txt` moved together.

2026-06-13 (the final identification: premise A factors into the already-open A2 + R1, no new open content, `v162`)

- **New module `v162_seam_transport_identification.py` [E]/[O].** Pushes the `v161` residual as far as it rigorously goes and shows it carries *no new open content.* The one-particle symbol splits into a gap value (β) and a fixed space (α). (β) **is forced:** a μ_4-equivariant generator is diagonal in the cusp basis (the deck average is the diagonal projection, $\sum_k U^k X U^{-k} = |\mu_4| \operatorname{diag} X$ for $U{=}\operatorname{diag}(1, i, -i)$; the commutant of U is exactly the diagonal algebra), so its spectrum is the cusp weights $\operatorname{spec}(A_0^\star){=}\{0, \frac{1}{3}, \frac{2}{3}\}$ (`v115`) and the transfer eigenvalue $(1{-}\alpha)^{p_2}$ with $p_2{=}6{=}|R_+(A_3)|$ gives $\{1, (2/3)^6, (1/3)^6\}$, gap $6 \log \frac{3}{2}$ — all carrier data; the lift to the 16 Majoranas is the A_3 subnet grading (`v137`). (α) is the rank-8 Calderón polarisation of $\omega_k{=}|k|$ (`v113`/`v156`). **Closure:** with `v160`+`v161`, (A) closes given only μ_4-equivariance + admissibility, whose two non-derived inputs are the already-open A2 (net existence, Kawahigashi–Longo) and R1 (seam clock, `HOR.CLOCK`). So premise (A) factors exactly into $A_2 + R_1$ — it adds *no* independent open item and is closed *conditionally* on them (a unification, not an unconditional proof; ledger `GATE.METRIC.18`). Python-only (numpy/sympy + stdlib).
- **Bookkeeping.** Suite at 162 modules, all green; Wolfram extension unchanged at 224/224; `tfpt_research_contracts` (premise-A keybox) and `next.txt` moved together.

2026-06-13 (the cone reduces to one particle: premise A's scope premise discharged to a 16-dim statement, `v161`)

- **New module `v161_one_particle_reduction.py` [E]/[O].** *Discharges* the scope premise of `v160` ("the transport is gapped on the *full* Schwinger cone") via Bogoliubov second quantisation. A quasi-free transport is $T_\Sigma{=}\Gamma(t)$, the second quantisation of a one-particle contraction t on the 16-dim Majorana space; $\Gamma(t)$ acts on the degree-m correlator sector as the exterior power $\Lambda^m(t)$. Machine-checked: (1) $\operatorname{spec}(\Gamma(t)|_{\deg m}) =$ products of m one-particle eigenvalues (compound-matrix theorem, all m=0..6); (2) **the cone gap equals the one-particle gap** — the sub-leading eigenvalue over the whole cone is $(2/3)^6$ exactly, so premise 5 on the cumulant space *is* premise 5 on the 16-dim space; (3) the eigenvalue-1 sector is Λ^* of the fixed subspace (disconnected Wick powers), with uniqueness closed by `v113` (one polarisation $\Leftrightarrow$ one vacuum); (4) quasi-freeness is *forced* — the $120{=}\dim \mathfrak{so}(16)$ chiral currents are the Bogoliubov generators and `v158` makes every non-Gaussian deformation irrelevant. **Consequence:** `v160`'s three full-cone premises collapse to ONE finite (16-dim) one-particle statement (seam symbol = gapped Calderón Bogoliubov map, fixed = rank-8 K_Σ, gap $(2/3)^6$); all numbers supplied, only the physical identification (Kawahigashi–Longo class = the A2 net residual) stays open — the infinite-dimensional cone is eliminated (ledger `GATE.METRIC.17`). Python-only (numpy + stdlib).
- **Bookkeeping.** Suite at 161 modules, all green; Wolfram extension unchanged at 224/224; `tfpt_research_contracts` (premise-A keybox) and `next.txt` moved together.

2026-06-13 (premise A as a conditional fixed-point theorem; the load relocates to one scope premise, `v160`)

- **New module `v160_seam_gaussianity_from_pf.py` [E]/[O].** Formalises the proposed closure of premise (A) ("the seam bulk is a reflection-positive free field") as a fixed-point theorem and types it honestly. The *exact* parts: (1) a quasi-free state has *all* higher connected cumulants $\kappa_{2n}{=}0$ — verified by the *signed* set-partition/Pfaffian moment$\leftrightarrow$cumulant inversion on a concrete pure Majorana covariance (the `v113` "one kernel = net" property at the cumulant level); (2) a kernel-preserving transport fixes the whole quasi-free state by Wick functoriality; (3) the Perron–Frobenius dichotomy (a *fixed* κ_{2n} is a second fixed ray $\Rightarrow$ breaks uniqueness; a *non-fixed* one decays by the gap) forces Gaussianity; (4) the qualitative claim needs only gap>0, the value $(2/3)^6$ only sets the rate. **The honest residual:** `v56`'s gapped PF uniqueness lives on the *three-dimensional* scalar transfer spectrum $\{1, (2/3)^6, (1/3)^6\}$, while the 16-Majorana seam already carries $\binom{16}{4}$=1820 and $\binom{16}{6}$=8008 higher-cumulant directions — so (A) reduces to the single internal, exact-testable statement "the admissible TFPT seam transport is primitive + spectrally gapped on the *full* Schwinger cone, not only the readout spectrum of `v56`", which the suite does *not* yet establish (ledger `GATE.METRIC.16`). Python-only (numpy + stdlib); no new exact-identity content for the Wolfram mirror.

- **Bookkeeping.** Suite at 160 modules, all green; Wolfram extension unchanged at 224/224 (`v160` is numerical, Python-only); `tfpt_research_contracts` (the premise-A keybox) and `next.txt` moved together.

2026-06-13 (changelog date-order audit + reorder pass)

- **Changelog sort enforced.** `audit_sync.py` now checks that every dated `\subsection` × `{YYYY-MM-DD...}` block in this file is non-increasing (newest first; range titles such as `2026-06-07 / 2026-06-08` sort by the later date). A manual prepend had left five `2026-06-12` entries above seven `2026-06-13` blocks — reordered; future mis-sorts fail `build.sh audit` as `[B.changelog]`.

2026-06-13 (premise A: the destination fixed point is provably stable, `v158`)

- **The free chiral c=8 fixed point is provably stable (`v158`, exact dimension count).** The finite core of (A)'s "reaches-the-fixed-point" residual: the chiral Majorana has $h=\frac{1}{2}$, the bilinear current h=1, the quartic h=2. The relevant window $0 < h < 1$ for bosonic deformations is *empty*, the h=1 currents are chiral (`v157`, not $(1,1)$-marginal), and the lowest interaction (quartic, h=2) is irrelevant — so the fixed point is isolated and stable against all interactions. Premise (A) reduces to a basin-of-attraction statement with a *proven* stable target (ledger `GATE.METRIC.15`). *Tooling note:* PyR@TE (4d gauge-Yukawa RGEs) is the wrong tool for this 2d boundary-CFT residual, but the right tool for the F_{transfer} interfaces (η_B leptogenesis RGEs, gauge-coupling running, the b_1=41/10 cross-check).

- **Bookkeeping.** Suite at 158 modules, all green; Wolfram extension 224/224; contracts / `origin_theory` / `next.txt` / website moved together.

2026-06-13 (premise A reframed: freeness is a rigid boundary fixed point, `v157`)

- **The free-bulk premise becomes a fixed-point property (`v157`, simplicity-first).** Instead of postulating Gaussianity, three facts click: (i) the DtN/Calderón symbol is *universally* $|k|$ (Lee–Uhlmann — order-1 ΨDO, principal symbol $|\xi|_g$; interactions live in the irrelevant lower-order symbol), so the free dispersion is bulk-detail-independent; (ii) a holomorphic c=8 theory is *rigid* — every field has $\bar{h}$=0, so no marginal $(1,1)$ field exists and the fixed point is isolated, with no knob for an interaction; (iii) the same $|\mathbb{Z}_2|$ that halves 8π in $c_3 = \frac{1}{8\pi}$ is the Ramond/GSO projection giving μ=1 ($248=120_{\text{NS}}+128_{\text{R}}$). With $(E_8)_1$ unique (`v83`), premise (A) shrinks from "prove the seam is Gaussian" to "the gapped ($\Delta=6\log\frac{3}{2}$) boundary flow reaches the holomorphic fixed point" — freeness then forced by rigidity, not fine-tuned (ledger `GATE.METRIC.14`).

- **Bookkeeping.** Suite at 157 modules, all green; Wolfram extension 223/223; contracts / `origin_theory` / `next.txt` / website moved together.

2026-06-13 (Route 3: the seam net constructed and $(E_8)_1$ verified, `v156`)

- **The constructive route carried to its exact endpoint (`v156`).** "$B \cong (E_8)_1$" is no longer an assertion: the chiral seam net is built explicitly and the identification *checked.* (a) The

Dirichlet-to-Neumann (Calderón) operator of the 2d Laplacian is the free chiral dispersion $\omega_k = |k|$ (harmonic extension $e^{ikx-|k|y}$); (b) 16 free Majoranas give $c = 8 = 5+3$; (c) the weight-1 currents are $248 = 120_{\rm NS} + 128_{\rm R}$ ($SO(16)$ bilinears + Ramond spinor, Frenkel–Kac); (d) the holomorphic character $E_4/\eta^8 = q^{-1/3}(1 + 248q + 4124q^2 + 34752q^3 + 213126q^4) = j^{1/3}$ (verified by q-series) — the 248 at level 1 is $\dim E_8$, so the net *is* $(E_8)_1$. *Residual:* exact given (i) the free-bulk premise (DtN $= |k|$, `v155`) and (ii) the operator-algebraic existence of the net from the seam kernel (a Kawahigashi–Longo-type theorem, not a finite computation) — where TFPT meets constructive QFT, now sharply located (ledger `GATE.METRIC.13`).

- **Bookkeeping.** Suite at 156 modules, all green; Wolfram extension 222/222 (the DtN $= |k|$ identity, the $(E_8)_1$ character $E_4/\eta^8 = j^{1/3}$ and the 248=120+128 split mirrored); contracts / redteam (Target A) / `origin_theory` / `next.txt` / website moved together.

2026-06-13 (the seam-side identification reduced to one shared premise, `v155`)

- **$G_{\rm net}$'s last premise reduces to a single shared physical premise (`v155`, Python-only).** The seam-side identification of the Simple-Current Extension Theorem (`v154`) splits (`v110`) into (a) "the Calderón involution is sheet-odd" (the double-cover deck, structural) and (b) "the seam 2-point kernel is quasi-free". Part (b) is *not* independent: the boundary marginal of a reflection-positive *Gaussian* bulk is the compression $P\Gamma P$ of the covariance, and the compression of a contraction is a contraction — so the seam state is automatically quasi-free (Wick inherited). Hence (b) *follows* from "the seam bulk is a reflection-positive free field", the *same* premise already load-bearing in the area law (`v59`) and the EH mechanism (`v150`/`v151`). **The entire seam-side residual is therefore one physical premise**, shared by $G_{\rm net}$, the area law and R3 — not reducible by a finite computation, but no longer three separate items (ledger `GATE.METRIC.12`).

- **Bookkeeping.** Suite at 155 modules, all green; Wolfram unchanged at 221/221 (`v155` is numerical/numpy, Python-only); contracts / `origin_theory` / `next.txt` / website moved together.

2026-06-13 (external review formalised: No-Unit Theorem + Simple-Current Extension Theorem, `v153`–`v154`)

- **$v_{\rm geo}$ re-typed: the No-Unit Theorem (`v153`).** Every load-bearing compiler datum is mass-dimension 0 and invariant under a unit rescaling $L \mapsto \lambda L$, whereas a mass / $1/G$ is not — so a dimensionless boundary compiler *provably cannot* select an absolute scale. $v_{\rm geo}$ is therefore an *irreducible metrology primitive*, not an open gap, and the three apparent residuals collapse onto it ($U_{\rm point} \sim v_{\rm geo}$, $1/G \sim v_{\rm geo}^2$, $m/\mu = e^{3/4}$ a pure ratio); the irreducibles stay $\{$one unit, $\pi\}$ (ledger `ANCHOR.VGEO.02`).

- **$G_{\rm net}$ stated as the central closing theorem (`v154`).** The Simple-Current Extension Theorem: $A{=}(D_5)_1{\otimes}(A_3)_1$ extended by the isotropic glue $L{=}\langle(1,1)\rangle$ has $[B{:}A]{=}|L|{=}4$, $c{=}5{+}3{=}8$, $\mu(B){=}\mu(A)/|L|^2{=}16/16{=}1 \Rightarrow$ holomorphic $\Rightarrow B \cong (E_8)_1$ ($SO(16)_1$ excluded). Every algebraic ingredient is machine-checked (`v89`/`v92`/`v125`/`v143`/`v148`); the only residue is the seam-side identification. Pulled to the front of `tfpt_research_contracts`, `tfpt_5_redteam` (Target A final form) and `origin_theory` (ledger `GATE.METRIC.11`).

- **Status surfaces re-typed** (review): the canonical status card now reads $v_{\rm geo}$ as a metrology *primitive*, $G_{\rm net}$ as the simple-current extension $\cong (E_8)_1$ (**[E]**/**[C]**), and $F_{\rm transfer}$ as one functor with four typed interfaces — "not structural gaps". The final one-line framing (dimensionless boundary compiler; irreducibles $\{\pi, v_{\rm geo}\}$; one seam-net theorem; frontier $= F_{\rm transfer}$) is in `origin_theory`, the introduction, the README and `next.txt`.

- **Bookkeeping.** Suite at 154 modules, all green; Wolfram extension 221/221; intro/README/`origin_theory`/contracts/redteam/status-card/website moved together.

2026-06-13 (currency sweep: remaining old-series "Paper N" cross-references removed)

- **No old-version framing left in the active docs.** A consistency sweep found a residual layer of old-series "Paper N" attributions and removed them: four literal "Paper 6" references (`tfpt_4_frontier` leptogenesis/axion, `tfpt_2` seam determinant), the old "Paper 4" (OS/admissibility) and "Paper 5" (APS/Hodge) references in `tfpt_2`, the old "Paper 3" transport-kernel attributions in `tfpt_2`, and the internal "Paper 1/2/4" cross-references in `tfpt_3`, `tfpt_4` and `tfpt_horizon_readouts` — all rewritten as content-based phrasing (the flavor sector, the architecture document, the E_8 decoder, the anchor characteristic polynomial, etc.). The active documents now attribute results to the current documents / axioms / scripts only, as the workflow rule requires; the machine-checked sync (scripts $\leftrightarrow$ papers $\leftrightarrow$ ledger $\leftrightarrow$ website) was already current (152 scripts, AUDIT OK).

2026-06-13 (fifth round: the R3 normalisation is the dimensionful anchor, `v152`)

- **R3: the $q(A_3)$ normalisation merges into the one anchor (`v152`).** The replica EH coefficient is a *log-ratio* $k = \ln(m/\mu)/(12\pi)$ ($\ln m$ alone is scale-ambiguous, only m/μ is physical); pinning $k = c_3/2$ fixes the dimensionless ratio $m/\mu = e^{3/4}$, and in d=2 that ratio *is* the induced Newton constant $1/G$ (`v68`). So v_{geo} (`v78`), $1/G$ (`v68`) and m/μ are *one* dimensionful anchor in three readings — the irreducibles stay {one scale, π}, and `SEAM.THEOREM.01`'s residual reduces to the kernel-identification premise alone. *Audit (not promoted):* the log-ratio is numerically $\frac{3}{4} = q(A_3)$, the target value the anchor takes in seam units — not a derivation (ledger `SEAM.EHMODEL.03`).
- **Bookkeeping.** Suite at 152 modules, all green; Wolfram extension 219/219; intro/README/`origin_theory/next.txt`/website moved together.

2026-06-12 (Zenodo version label: semantic + git rev)

- **Release version string.** `build.sh` now writes `tex-artefacts/release-version.txt` as `{TFPTversion} (rev {git count})` (matches `\TFPTdatestamp` without the date). `scripts/zenodo_upload.py` and `build.sh zenodo/zenodo-publish` use this label on Zenodo; cursor rules extended for when `zenodo_description.html` must move with deposit-facing changes.

2026-06-12 (Zenodo API upload workflow)

- **Automated Zenodo versioning.** Added `scripts/zenodo_upload.py` and `.github/workflows/zenodo-release.yml`: creates a new draft version of record 20579275 (DOI `10.5281/zenodo.20579275`), uploads the ten active paper PDFs, refreshes `zenodo_description.html`, bumps the version from `tex-artefacts/version.tex`, and optionally publishes via GitHub Actions (`ZENODO_TOKEN` secret).

2026-06-12 (Overleaf shadow mirror: tfpt5-shadow)

- **One-way GitHub mirror for Overleaf sync.** Added `scripts/export-shadow.sh` and `.github/workflows/shadow-sync.yml`: on every push to `main`, a filtered copy is pushed to `sthamann/tfpt5-shadow` (papers, `tex-artefacts/`, `figures/`, `verification/`, `experiments/`; excludes `_archive/`, `website/`, all `*.pdf`, `.cursor/`). ~270 files / ~3 MB — within Overleaf GitHub-sync limits.

2026-06-12 (origin_theory style alignment + box reduction)

- **Fewer boxes, embedded in text.** `origin_theory` from 22 to 16 boxes: the narrative/interpretation callouts ("Why the interpretation is internally consistent", "Dependency chain of the birefringence test", "The precise reformulation", "The three theses honestly graded", "The whole story", "One-line summary") become run-in bold prose; the boxed reformulation becomes a `keyeq`. The exact result keyboxes (`v53`–`v56`, `v101`, `v105`, `v113`, ...) and the master-principle / Seam–Horizon target boxes are kept.
- **Colour-marked module references + marker hygiene.** `\vref` applied to the inline `vN` references; stale literal `[A]`/`[I]`/`[L]` markers in running text replaced by the 4-class [**O**]/[**E**].

2026-06-12 (tfpt_5 / horizon / research-contracts pass + build hardening)

- **Forked document-set box removed (horizon).** `tfpt_horizon_readouts` carried a handwritten, *stale* copy of the document-set card ("five short documents", missing `tfpt_5`) *and* the canonical `\input{tex-artefacts/tfpt_docset}`; the fork is deleted so the single-source card (all five papers + three companions) appears once.
- **Fewer boxes, embedded in text.** Narrative/result callouts converted to run-in bold prose (with the `\veri{}` citation moved out of the bold title into the body): `tfpt_horizon_readouts` from 22 to 7 boxes (the ten-box "clock" wall becomes prose); `tfpt_research_contracts` from 19 to 10 (the nine progress/result winboxes become prose, the named-theorem keyboxes kept); `tfpt_5_redteam` from 10 to 9 (the outcome summary; the per-target verdict boxes are kept as the structured red-team output).
- **Colour-marked module references + marker hygiene.** `\vref` applied to the inline `vN` references in all three documents; the horizon "Scope/typing" marker line and a stale literal `[A]` in the research contracts updated to the 4-class markers.
- **Build hardening.** `build.sh` now removes a document's `.aux`/`.toc`/`.out` *on failure*, so a half-written cross-reference file from a crashed compile cannot poison the next build; artefacts are still kept on success.

2026-06-12 (fourth round: the Calderón transfer answered — the BFK split, `v151`)

- **R3: the Calderón/DtN kernel is conically clean (`v151`).** Reflection doubling derives that the Kac corner constant is boundary-condition independent ($C_N = C_D$), so by the Burghelea–Friedlander–Kappeler gluing ledger the conical deficit of the two-sided Calderón jump determinant *vanishes identically* ($C_{\mathrm{cone}}(\gamma) - 2C_D(\gamma/2) = 0$): the seam-reduced effective action inherits the `v150` EH form *verbatim*, with all of it localised in the *local* half-space determinants — the "Calderón version" demanded by `v150` needs no separate derivation. `SEAM.THEOREM.01` narrows to the $q(A_3)$ normalisation plus the standing kernel premise; the gate stays [**O**] (ledger `SEAM.EHMODEL.02`).
- **Bookkeeping.** Suite at 151 modules, all green; Wolfram extension 218/218; intro/README/`origin_theory`/`next.txt` moved together.

2026-06-12 (third round: both normals anchor data; the R3 mechanism exists, `v149`–`v150`)

- **R4′: both dual normals are anchor data (`v149`).** In the cusp frame the torsion normal pairs to $(6, 3, 5) = (p_2, p_0, e_2)(a)$ — one anchor invariant per Q_+ line (the cusp matrix is unimodular, so this determines n uniquely); with $d = \frac{3}{2}a - 2 \cdot \mathbf{1}$ the dual normal pair is anchor data through and through. Equivalences to the $(2, 8, 121)$ frame data and the w_0-lift exact. R4′ residue = *one* discrete assignment (ledger `GATE.UWALL.14`).

- **R3: the mechanism exists at the gapped-model level (`v150`) — the first movement on `SEAM.THEOREM.01`.** The conical heat-trace deficit is exact and t-independent (Cheeger image sum $(N^2-1)/(12N)$); for a *gapped* operator the ζ-regularised replica variation is *finite and cutoff-independent*, $\Delta \log \det' = 2C(\gamma) \ln m$, and its linearisation is the Einstein–Hilbert form $(\ln m/12\pi) \int \sqrt{g}R$. The `v73` normalisation becomes one exact target equation: $k = c_3/2 \Leftrightarrow \ln m = \frac{3}{4} = q(A_3)$ (audit, not asserted). Remaining: the Calderón (boundary) version and that normalisation — the gate narrows but stays **[O]** (ledger `SEAM.EHMODEL.01`).
- **Bookkeeping.** Suite at 150 modules, all green; Wolfram extension 217/217; status surfaces (intro reductions + card, `origin_theory`, contracts, `next.txt`, website) moved together.

2026-06-12 (R1–R5 second round: every class at its floor, `v145`–`v148`)

- **R4′: the pairing values are atom identities (`v145`).** Reading the `v139` lift structurally ($n = w_0(\sigma)+|\mu_4|e_3$, w_0 = the A_3 exponent duality), all three pairings become atom arithmetic — including the *new* closure $|\mu_4| + g_{\mathrm{car}} = N_{\mathrm{fam}}^2$ (4+5=9, $\sigma \perp w_0(a)$) and $\|\sigma\|^2 = 110 = |\mathbb{Z}_2|g_{\mathrm{car}}\|\mathrm{Pl}(K)\|_1$. R4′ = derive *one* map (ledger `GATE.UWALL.13`).
- **R5: the Möbius D_4 realisation (`v146`).** The *full* dihedral symmetry $\langle z{\mapsto}iz,\, z{\mapsto}1/z\rangle$ of the seam curve acts on H^1 exactly as the integer model: ι^* is the exponent duality with parity +1 on the self-conjugate line (= T_A in the cusp basis, glue-swap parity), and Σ is the $\delta\iota$ class — the premise reduces to the module identification itself (ledger `FLAV.QGEO.07`).
- **R1: the clock is a Gaussian zero-mode integral, and the bend is det′-clean (`v147`).** Variance ratio $(1-\alpha)$ (forced by norm = area) gives the Born-squared ratio $(1-\alpha)^{p_2}$, the ln series *is* the `v127` ring sum; the two quantum weights share *one* Nariai geometry, so the bend $\log_{3/2} 3$ carries no determinant correction — the `v144` obstruction is localised to the $\alpha = 0$ reference (ledger `HOR.CLOCK.13`).
- **R2: the NS/R sector census (`v148`).** The untwisted (Neveu–Schwarz) module carries only the *even* discriminant classes (integer weights), so the odd μ_4 simple currents have zero NS support — they are Ramond modules; the R zero-mode module (256) splits 128+128 into the odd sectors of the *two* Lagrangian glues: choosing the glue *is* choosing the R-projection $(248 = 120_{\mathrm{NS}}+128_{\mathrm{R}})$; the one remaining net statement is irreducibly twisted-sector (ledger `GATE.METRIC.10`). *Correction note (same day):* the first version of `v148` graded the Ramond labels by the sum q_D+q_A (not the glue label) and called that module untwisted; the census was rewritten as above — conclusion unchanged, support corrected, the R-sector sheet split is new.
- **Bookkeeping.** Suite at 148 modules, all green; Wolfram extension 215/215 (README + `GATE.WOLFRAM.02` + website counter in lock-step); status surfaces (intro card, `tfpt_1`, `origin_theory` third update, `next.txt`) moved together.

2026-06-12 (external review integrated: Λ typing, marker migration, website parity)

- **Λ normalisation made unambiguous.** The external review flagged the adjacent reduced/unreduced displays in `origin_theory` as a type trap (the formulas were individually correct — $\bar{M}_{\mathrm{Pl}}$ vs M_{Pl} — but easy to misread). Both normalisations are now shown explicitly side by side with their order counts ($3/(4\pi^2) \Rightarrow 120.147$ reduced; $3/(256\pi^4) \Rightarrow 122.948 = 119.028 + 3.920$ unreduced) plus a typing note.
- **Stale references cleaned.** "How each of the seven papers simplifies" → "How the legacy layers simplify (bridge map)" with the lead-in "(Paper 6)" reference replaced by the scalaron-reheating chain (`v86`); "(Paper~6/7)" in the `tfpt_3` bridge table reworded; the `tfpt_1` "single remaining geometric input (H2)" passage and the `tfpt_2` "single remaining input (U)" passage

carry dated status updates pointing at the current decomposition (`v118`–`v122`, `v139`, `v141`, `v142`, `v75`).

- **Marker migration completed in the shared figures.** The claim stack, anchor cockpit, E_8 glue, 2/3 motif and K_5 figures (`tex-artefacts/tfpt_figures.tex`) now show the four public classes **[E]**/**[C]**/**[O]** instead of the legacy [A]/[I]/[L]/[B]/[P]/[R] badges.
- **Red-team front table pulled to the final state.** The Target-A residual column now states the one remaining statement (boundary-net holomorphy + c=8 ⇔ index-4 inclusion; `v83/v87/v89`, Lie-level realisation `v143`); the historical three-residual form is kept below, dated.
- **Website parity.** The Red Team document is now a first-class entry (`papers.ts` number 5, slug `redteam`) and the changelog PDF a download row; Appendix H / Origin Theory / Research Contracts are labelled *companions* (never "Paper 5–7"); the marker system on every website surface migrated to [E]/[C]/[O]/[X] (fine types named in prose; the script index keeps quoting the scripts' internal fine-grained typing); the verification page counters are live (144 checks generated from the registry via `lib/suite.ts`, Wolfram 116/116 + 211/211 — now guarded by the sync audit) and the reproduce block matches the current pipeline. The `papers.ts` section bodies of the affected papers carry the `v141`–`v144` outcomes (sheet question: deck derived; G_{net}: Lie-level realisation; resummed clock: in-family det-ratio cancellation; selector triangle: two line pairings).
- **Not adopted** (recorded for transparency): the review's narrative reframings (anchor-algebra trilogy, "one seam clock" framing, one-page structure) and the front-matter/status-card layout changes are editorial decisions left to the authors; the claimed Λ *error* was in fact a correct-but-treacherous notation switch (see above).

2026-06-12 (R1–R5 attack round: four residual classes sharpened, `v141`–`v144`)

- **R5 closed at the discrete level (`v141`, deck selection theorem).** The `v140` $\mathbb{Z}_3$ choice is *derived*: the established integer deck $G = T_A\Sigma$ (`v97/v98`) pairs the Q_+=1 cusp line with the self-conjugate character 2, so only the sheet-twisted assignment $(2, 3, 1) = \mathrm{chars}(-U)$ survives; the cusp exponential i^{Q_+} is excluded (same spectrum, wrong grading pairing). Explicit conjugacy constructed; under $k \to -k$ only the established sheet $\mathbb{Z}_2$ flips. Consequence: Euler grading $= Q_+ \circ \rho$. `GATE.QGEO` keeps only its realisation premise — no discrete freedom left (ledger `FLAV.QGEO.06`).
- **R4′ narrowed: three pairings → two (`v142`, frame integrality).** Integer covectors in the $(\mathbf{1}, a, \sigma)$ dual frame form an index-11 sublattice ($x-3y+z \equiv 0 \bmod 11$; the index *is* $\|\mathrm{Pl}(K)\|_1$); with $(x, y) = (|\mathbb{Z}_2|, \mathrm{rank}\, E_8)$ the σ-pairing is forced $\equiv 0 \bmod 11$, and primitivity forces the line parameter even. Cramer reductions for both line pairings recorded as restructuring (ledger `GATE.UWALL.12`).
- **R2 realised at the finite Lie level (`v143`, graded Frobenius).** The $\mathbb{Z}_4$-graded hull carries exact coset duality ($-C_1 = C_3$; Killing pairing nondegenerate per $g_k \times g_{-k}$), the glue average is exactly the carrier projector (index 4), and each glue sector is one Weyl orbit (simple currents, fusion = $\mathbb{C}[\mathbb{Z}_4]$) — the `v125` Q-system realised by the hull; residue = one conformal-net statement (ledger `GATE.METRIC.09`).
- **R1's det-ratio step derived in-family (`v144`).** e_2-rigidity of the traceless SdS cubic gives $r_b r_c = 1 - \Delta^2/3$ exactly; with the `v132` anomaly the non-zero-mode determinant ratio is $(1 - \Delta^2/3)^{4/3}$ — no first-order term in the horizon split (the `v131` cancellation derived, not assumed); deficit coefficient $\frac{32}{27} = |\mu_4|(\frac{2}{3})^3$ (audit). Finite-weight absorption stays **[C]** with the $6 \to \frac{14}{3}$ obstruction stated sharply (ledger `HOR.CLOCK.12`).
- **R3 attempted, honestly unchanged.** No defensible computation landed for the seam-determinant→EH step (`SEAM.THEOREM.01`); the gate keeps its **[O]** typing untouched.

- **Wolfram mirror extended** to v141–v144: extension file now 211/211 (GATE.WOLFRAM.02 and the wolfram README updated in lock-step); Python suite at 144 modules, all green.

2026-06-12 (sync infrastructure: single-source script index, content maps, one audit)

- **Single-source script index.** The master script→check table (tex-artefacts/verification.tex) and the website ScriptIndex.tsx are now *generated* from one registry (script_registry.csv + script_clusters.csv in verification/) by make_script_index.py; both targets carry a generated-file header and are never edited by hand.
- **Content maps without splitting the papers.** verification/make_docs_map.py generates docs_map.csv (every paper section with line range, the vN scripts cited there, a content hash and a last-changed date) and website_map.csv (which website file mentions which scripts/documents) — the machine-readable enumeration of all sync surfaces.
- **One sync audit.** verification/audit_sync.py bundles and extends the previous loose shell checks, now in *both* directions: suite ↔ run_all.py ↔ registry ↔ ledger; every script cited in a paper *body* (the master index alone no longer counts); no stale \veri/\vref targets; every new module mentioned in this changelog; website mirror byte-identical (PDFs, scripts, release.ts hashes, version stamps); wolfram counts; overfull boxes. Frozen exceptions live in audit_baseline.json (remove-only).
- **Build pipeline.** build.sh gains gen / website / audit / release steps; notes now regenerates the single-source surfaces first; website copies all active PDFs (now incl. tfpt_5_redteam.pdf and changelog.pdf, with new release.ts entries) and the vN scripts, and stamps version, date and git revision into website/lib/version.ts (shown in the site header) and release.ts.
- **Citation gaps closed.** The audit immediately found three scripts cited only in the master index: v17 and v85 are now cited in their tfpt_2 sections (hexagonal resolvent; master cover), and two short \veri{v19} citations were expanded to the full script name. v91 (spine tetrahedron) had no paper section at all — it is now integrated: a keybox in tfpt_3 (“Three views of one spine”: anchor closure, edge/face products, volume 120, K_6 negative control, the tautology/sub-grammar caveats) and a closing note in the tfpt_1 Spine Quotient Lemma; the ARCH.SPINE.01 ledger location is corrected to tfpt_1;tfpt_3 and the baseline exception list is empty again.
- **Rules.** .cursor/rules updated (tfpt-workflow, website-sync) and a new sync-maps rule added describing the agentic procedure: *regenerate* the maps first, enumerate the affected surfaces from them, audit as the exit gate. The mirror map (website_map.csv) also covers the root README.md and next.txt (bare vN ids resolved to full script names), and both files are named explicitly as status surfaces that move with every finding.

2026-06-12 (tfpt_3 / tfpt_4 style alignment + box reduction)

- **Shared header/footer on tfpt_3.** tfpt_3_e8_audit_bootstrap dropped its custom \footmarkers footer (the post-collapse four-**[E]** artefact) and inherits the shared tfpt_style header/footer with the version stamp; the box-orphan needspace guards are kept.
- **Fewer boxes, embedded in text.** Narrative/commentary callouts converted to run-in bold paragraphs (boxed one-line formulas to keyeq): tfpt_3 from 39 to 27 boxes (e.g. “Purpose and discipline”, the five “(i)–(v)” audit-lemma boxes, “Net”, “The connection in one sentence”, “The unification”, “The question and the honest answer”, “Net: two axioms”); tfpt_4 from 18 to 7 (the seven-box Koide stack and the two dark-matter conjecture boxes become prose). The per-item “Honest status of . . . ” keyboxes are kept — tfpt_4 is the status authority for the frontier.

- **Colour-marked module references.** `\vref` applied to the inline `vN` references in tfpt_3 and tfpt_4 (TikZ node names excluded).
- **Marker hygiene.** A stale literal `[P]` in tfpt_4 (Koide flow-time) replaced by the 4-class **[C]**; status tables checked against the ledger.

2026-06-12 (tfpt_1 / tfpt_2 style alignment + box reduction)

- **Shared header/footer everywhere.** `tfpt_1_architecture_e8` dropped its custom `\footmarkers` footer (which after the marker collapse showed four redundant **[E]**) and now inherits the shared `tfpt_style` header/footer with the version stamp, identical to every other document.
- **Fewer boxes, embedded in text.** The narrative/commentary callouts of both documents are converted to run-in bold paragraphs (and the boxed one-line formulas to the colour-marked `keyeq`): tfpt_1 from 21 to 14 loud boxes (+3 `keyeq`); tfpt_2 from 52 to 43 (e.g. "In one sentence", "The one-paragraph version", the four "Sharpening" notes, "What the simplification means net", "The disciplined main statement", "What improves...", "Scope and honesty"). Only genuine results / theorems / gates keep a box.
- **Colour-marked module references.** `\vref` now also colours the inline `vN` references throughout tfpt_1 and tfpt_2 (TikZ node names accidentally matching the pattern were excluded).
- **Status currency.** tfpt_2's inflation-pivot table gains the `v86` scalaron-reheating point ($N_\star$=51.4 $\Rightarrow$ n_s=0.9611, r=0.0045, A_s-disfavoured) and states the band-of-record explicitly, matching `COSMO.NSTAR.01` and the introduction; the box is re-typed **[C]**. The other status tables were checked against the ledger and are current under the 4-class markers.

2026-06-12 (marker simplification to 4 classes + status reconciliation)

- **Four-class display markers.** The reader-facing marker system is collapsed from eleven symbols to four: **[E]** exact / machine-proven (identity, Lie/lattice, formalised, numerical FP), **[C]** conditional (physical / bridge / readout under named hypotheses), **[O]** open / axiom, and **[X]** kill test. `tex-artefacts/tfpt_style.tex` defines `\mE/\mC/\mO/\mX` and keeps the legacy `\tI ...\tX` names as aliases that render their class. All marker call-sites across the nine documents and the shared fragments were rewritten, collapsing same-class combinations (e.g. `[I]/[L]` $\rightarrow$ **[E]**, `[N]/[P]` $\rightarrow$ **[E]**/**[C]**). The fine-grained per-claim type (Axiom / Formal / Lattice / Numerical / Identity / Physical) is unchanged in `status_ledger.csv` — the single source of truth — so no fidelity is lost. The marker key, badge bar, README marker table and the workflow rule were updated to match.
- **Status tables reconciled against the ledger.** The introduction's inflation/$N_\star$ rows are made consistent with `v86/COSMO.NSTAR.01`: r and n_s are shown as the frozen *bands* over $N_\star \in [50, 60]$ with the scalaron-reheating conditional point $N_\star$=51.4 (n_s=0.9611, r=0.0045), replacing the stale point values $N_\star$=55 (predictions table) and $N_\star \simeq 57$ (residual card); the closure-ledger inflation row is re-typed **[E]** $\rightarrow$ **[C]**(conditional on M_{Star}=M_{scal} + reheating), matching the other two tables and the ledger `[P]` typing.

2026-06-12 (version system, predictions/K5, readability pass B3)

- **Authors, auto-date and auto-version on every paper.** New single source `tex-artefacts/version.tex` defines `\TFPTauthors` (Stefan Hamann, Alessandro Rizzo), a curated `\TFPTversion`, and a title/footer date stamp (`\today` + version + revision). `build.sh` writes the auto build revision (git commit count) into the gitignored `tex-artefacts/version-auto.tex`, so every document's title page and page footer carry author, date and `v5.2 (rev N)` automatically. All nine active documents and `changelog.tex` now set `\author{\TFPTauthors}`.

- **Builder keeps build artefacts.** `build.sh` no longer deletes the `.aux/.log/.out/.toc` after a successful build (the `.log` is needed for the overfull-box audit and the `.aux/.toc` for correct cross-references on the next incremental build).
- **Predictions table outsourced.** The running/upcoming-experiment predictions table is moved from `introduction.tex` into the shared fragment `tex-artefacts/predictions.tex` (`\input` in the predictions section).
- **K5 figure fixed.** The `\TFPTactionkfive` mnemonic (K_5 on the five carrier slots) is redrawn so the complete graph and the Pascal-row reading list sit side by side instead of overlapping.
- **Colour-marked script references.** New `\vref` macro colours inline module references (e.g. `v108`–`v113`, `v49/v71`) in the introduction, predictions and verification fragments, matching the blue of the `\veri` citation, so machine-checked references are visible at a glance.
- **Lighter, non-breaking, embedded boxes.** The `tcolorbox` families are restyled to a light tint + thin frame + light title band with dark coloured title (no heavy white-on-saturated bars); a neutral `navbox` carries the document map and a colour-marked `keyeq` sets off load-bearing display formulas. The introduction's callouts use the non-breaking variants (`keyboxnb/winboxnb/gapboxnb`) so no box splits across a page, and the shared status card is non-breaking.
- **Readability / sectioning.** The dense run-in prose of the introduction is broken into `\subsection*` headings (In plain words; one anchor and E_8 as a compiler hull; the companion documents; the compact status formula; the hard reduction; the Pascal action grammar; the closure ledger) with added whitespace.
- **Orphan results linked to scripts.** The Glue theorem, the "Reduction in one line" and the fermion-spectrum callouts now carry inline `\veri{}` citations (`v1`, `v6/v14/v23`, `v18/v20/v46`).

2026-06-12 (tex-artefacts refactor + introduction visual pass B2)

- **Shared imports moved to `tex-artefacts/`.** The shared, imported-only TeX fragments (`tfpt_style.tex`, `tfpt_figures.tex`, `tfpt_docset.tex`, `tfpt_status.tex`) now live in a dedicated `tex-artefacts/` folder; all nine active documents `\input` them via `tex-artefacts/<name>` (and `tfpt_style` loads `tex-artefacts/tfpt_figures`). `changelog.tex` stays at the repo root because it is also a standalone `build.sh notes` deliverable. The `make_manifest.py TEX` list and the workflow rule were updated to the new paths.
- **Master script index outsourced (`tex-artefacts/verification.tex`).** The long `vN`→check table is moved out of `introduction.tex` into the shared fragment `tex-artefacts/verification.tex` (`\input` in the verification appendix); the paper-consistency audit now also reads that file, so every registered script stays cited exactly once.
- **Introduction box reduction (B2).** The introduction's eleven `keybox`es are reduced to the single headline "In one sentence" card; the explanatory keyboxes (*In plain words*, *Sharper still*, *compact status formula*, *hard reduction*, *Cosmology Pascal*, $E_6 \times A_2$, *closure ledger*, *Plausibility balance*) are converted to inline run-in paragraphs, the *Glue theorem* is re-typed as a `winbox` (a result, not a claim), and the explanatory *plausible/follows next* `winbox`es become prose. The loud boxes now carry only genuinely load-bearing callouts (one `keybox`, five `winbox`es, one `gapbox`) plus the two shared orientation cards.
- **Document-count consistency.** The introduction's document map gained the missing `tfpt_5_redteam` row; "seven/eight companion documents" and the ledger "six documents"

wording are corrected to the true count (nine active documents); `README.md` ("10 ok", 140 scripts) and the workflow rule ("9 docs") are reconciled.

2026-06-12 (visual pass: box reduction B1)

- **Box reduction (B1).** The 26 non-load-bearing aside boxes (audit / recorded / interpretation: `auditbox/audbox/intbox/resbox/roadbox`) across tfpt_1, tfpt_2, tfpt_3 and `origin_theory` are converted to inline bold run-in paragraphs — the reviewer's prescription that an audit fingerprint must not carry the same visual volume as a theorem. The loud box families are now only `keybox` (claim), `winbox` (result) and `gapbox` (open/caveat).

2026-06-12 (visual pass: shared figures, badges, marker typology)

- **Shared figure library `tfpt_figures.tex`** (`\input` by `tfpt_style`): reusable TikZ macros for the architecture *claim stack* (`\TFPTclaimstack[zone]`, B3), the *anchor cockpit* $a = (1, 1, 2)$ (B4), the E_8 *glue* diagram (B5), the 2/3 *motif map* (B6) and the K_5 *action lattice* (B7). The claim stack and a marker *badge bar* are now shown near the front of *every* document, each highlighting that document's layer; the topical figures are placed in their natural homes (cockpit + K_5 in the introduction, cockpit + glue in tfpt_1, motif in the horizon note).
- **Marker typology (A2).** `tfpt_style` adds the sharper sub-types **[E]** (exact algebra), **[E]** (exact number), **[C]** (readout / standard physics in TFPT units) to the existing **[C]** (bridge) and **[X]** (kill test); the marker key and the new `\TFPTbadges` bar show the full typology. (Inline body markers retain **[E]** where they are genuine exact identities.)

2026-06-12 (review pass on list.txt)

- **Claim hygiene (review section A).** The introduction's one-sentence claim is softened from "derives all constants" to "constructs a discrete compiler; physical readouts run through named, status-typed bridges"; the ledger zombie in `FLAV.QRATIO.01` is removed (the statement no longer says "stays [P]" — ratios are **[E]** closed on the derived stratum, only the absolute scale stays **[O]**, with an explicit forbidden-wording note); the seam misalignment is written explicitly as $\varepsilon = \frac{3}{4}\varphi_0^{\mathrm{ret}} = c_3 + 36c_3^4$ (leading c_3, fourth-order puncture correction exact); θ_{12} has a single prediction of record 0.306747 with the seam/non-linear values typed as scheme diagnostics; JUNO's first 59.1-day result (0.3092 ± 0.0087, compatible, precision pending) is recorded and NuFIT 6.0 is marked the pre-JUNO baseline; the ACT DR6 birefringence hint carries a systematics caveat (not a validation target); CODATA-2022 is dated; the null-model figure is moved out of the main text and typed as a grammar-internal bound. "Complete solutions of the five open questions" becomes "Closure status of the five former open questions".
- **Interface language unified (review sections A5/C2/C3/C6/C7/C8).** The live residual is stated everywhere as $v_{\mathrm{geo}} \oplus G_{\mathrm{net}} \oplus F_{\mathrm{transfer}}$ (historical $U_{\mathrm{wall}}/G_{\mathrm{metric}}/F_{\mathrm{frontier}}$ kept only for ledger continuity); `tfpt_research_contracts` is retitled and its recommended order rewritten (selector-triangle pairings $\to v_{\mathrm{geo}} \to G_{\mathrm{net}}$); F_{transfer} is named as one missing functor with Koide/η_B/axion/m_p/m_e as its four instances; full QG closure is framed as a certification layer, not a prerequisite. Document numbering aligned with file names (the Red Team paper is now in the canonical set; document $N \equiv$ `tfpt_N`). Website mirrored throughout (`papers.ts`, `predictions.ts`, `faq.ts`, `glossary.ts`, `OpenGates`, `Hero`, orientation components).

2026-06-12 (later)

- **Shared style and central status artifact.** Two new single-source fragments: `tfpt_style.tex` (the canonical palette, status markers, marker key, `\veri` reference, the four tcolorbox families with back-compat aliases, and one running header/footer) is now `\input` by all eight documents — the per-paper duplicated preambles are gone; and `tfpt_status.tex` ("TFPT status at a glance") gives one canonical overall-status card imported near the front of every document, replacing the divergent per-paper status statements. Both registered in `build.sh` and the manifest `TEX` list.

2026-06-12

- **Margin theorem (v122).** The established frozen selectors (D_4 annihilator $n = (5, -9, 6)$, $\det R = 8$, $\det K = 4$) pin R uniquely among hexagon matrices ($64 \to 12 \to 1$); the atom margins become theorems — H2 introduces no new residual class.
- **Inventory update (v123).** Residual table re-pinned post v110–v122: exactly five structural classes (R1 clock, R2 index-4 net, R3 EH step, R4′ selector establishment — replacing the discharged H2 dictionary — and R5 Q realisation); R2 carries three loads (metric + carrier + QBL: one theorem, three doors).
- **Resummed clock + glue Q-system (v124/v125).** R1's bend in closed form: $\mathrm{rate}(n) = -p_2 \ln(1 - n/N_{\mathrm{fam}})$ (pole at N_{fam} forces the three-level spectrum); the index-4 μ_4 extension exists explicitly as a Longo Q-system on $\mathbb{C}[\mathbb{Z}_4]$ (all Frobenius axioms exact) — R2 sharpens from "find" to "identify".
- **Clock–wall bridge (v126) and ring resummation (v127).** The resummed-clock weights are the Mehta–Seshadri parabolic weights (spec $A_0^\star$); $\det(\mathbf{1} - A_0^\star) = \frac{2}{9}$ = the entropy curvature; the clock is a log-determinant (RPA rings, one tower per hexagon site, coupling = parabolic weight).
- **Graded hull (v128).** E_8 is a $\mathbb{Z}_4$-graded Lie algebra over the carrier (grading = glue Q-system; exact on all 6720 root-pair sums); ring multiplicity 6 = sheet-doubled Ginsparg–Perry zero modes. *Notation fix in the same round:* the clock factor 6 is $p_2(a)$, not $2p_2$ — labels corrected across modules, ledger, papers, website (numbers unchanged).
- **Entropy power law → zeta budget (v129–v133).** The clock is $\Gamma_n \propto (S_n/S_{dS})^{p_2}$ (Gibbons–Hawking form); $p_2 = 2h$ with $h = N_{\mathrm{fam}}$ from mode counting + the Born rule (v130); the zero-mode norm is the area, $\|Y_{1m}\|^2 = A/(4\pi)$ exactly (v131); the det-ratio anomaly is the Koide constant, $\zeta(0)|_{\det'} = -\frac{2}{3}$ (v132); both $\zeta(0)$ budget routes computed exactly — the reduced seam route carries pure anchor ratios ($-\frac{4}{3}$ = minus the seed gain), the naive 4d route ($-\frac{109}{45}$) carries no atom (v133).
- **Dual anchor + determinant surface (v134/v135).** $d := a^\top R^{-1} = a^\top L^{-1} = (-\frac{1}{2}, -\frac{1}{2}, 1)$ with $(1, 1, -2) = -2d$ — the inverse flavor response is the Nariai root, invariance exact via Sherman–Morrison (third algebraic flavor–horizon bridge leg); $\det M(s,t) = 3s(t{+}1)(t{+}2) + t^2 + 5t + 8$ with iso-volume walls at the $\mathbb{Z}_2/\mu_4$ atoms, winding line $(8, 14, 20)$, $\det F = 32$, row-budget axes with $\mathrm{rowsum}(V) = \mathrm{Spec}(Q_+)$; micro-identities $41 = 16 + 25$, $52 = 16 + 36$.
- **Dual-normal selector, Q_+ cohomology, Volkov–Wipf firewall (v136–v138).** (d, n) pins R *columnwise* (each column the unique lattice point of the address box; kernel $(6, 8, 7)$); the $A_0^\star$ zero mode carries the spectral normal $\sigma = (2, -9, 5)$ with a $W(A_3)$ orbit control excluding the naive lift; $H^1(\mathbb{P}^1 \setminus \mu_4) = \chi_1 \oplus \chi_2 \oplus \chi_3$ with degrees $(1, 2, 3) = \mathrm{Spec}(Q_+)$ = the A_3 exponents and cusp weights = spec $A_0^\star$; the external full-4d graviton/ghost value $-\frac{98}{45}$ is pinned (arXiv:2506.02142 = Volkov–Wipf hep-th/0003081) and its *edge* part is exactly two copies of the reduced seam budget — R1 typed closed as an edge-sector object.
- **Selector triangle + canonical map (v139/v140).** $d = \frac{3}{2}a - 2 \cdot \mathbf{1}$ is pure anchor data (first selector *derived*); the frame $(\mathbf{1}, a, \sigma)$ has volume 11 and n is the unique covector with atom pairings $(2, 8, 121)$ — the R4′ residue is three pairings; the $H^1 \to$ generation equivariant map exists and is Schur-rigid (only sign-twisted μ_4 actions match), so the `GATE.QGEO` residue collapses to one $\mathbb{Z}_3$ choice.

- **Editorial and consistency passes.** Content-currency sweep (superseded "single remaining input" claims retired across contracts, paper 3, intro, website); introduction: self-explanatory title (spells out Topological Fixed-Point Theory), the old-version comparison removed throughout, redundant diagrams dropped, the unreadable status heatmap removed, the script-index master table converted to a page-breaking `xltabular` (it had silently truncated ∼110 rows), status card extended with the v134–v140 reductions, predictions table completed (CP phase, cosmic birefringence); the canonical document-set box extracted into the shared `tfpt_docset.tex`; paper 1 cleaned of all 35 old-series references, every section now opens with its machine-check script references; smaller box fonts across all eight documents; this `changelog.tex` introduced as a dual-mode (standalone + imported) document.

2026-06-11

- **External-review integration (v83) and release hygiene.** Manifest `-check` mode and the release rule; holomorphy pins $(E_8)_1$ (the unique even unimodular rank-8 lattice theory).
- **Sheet diamond and centered form (v94/v95).** All four flavor operators are points of one two-parameter surface $M(s,t)$; centered cross $R, L = C \mp U,\ K, F = C \mp V$ with the cofactor seam normal $n = (5, -9, 6)$; documentation pass ("The Sheet Diamond and the Winding Line" in paper 3).
- **Horizon/anchor round (v101–v103).** The maximal (Nariai) black hole is the anchor: roots $(1, 1, -2)$, entropy bound $\frac{2}{3} = |\mathbb{Z}_2|/N_{\text{fam}}$; one repeller/attractor orientation in both sectors; trisection normal form (the canonical cosine coordinate).
- **Clock/ladder round (v104–v108) + Lean hardening.** The classical Nariai clock speaks anchor ($\chi_{\text{clock}} = (\lambda - 1)(\lambda + 2)$); machine-pinned residual inventory; first review validation; quantum-clock target made quantitative; Pascal Ladder Theorem ($g = 2K + 1 \Leftrightarrow$ the closure).
- **QBL theorem chain (v109–v113).** Sheet-Pairing Lemma; Calderón-sheet selection (a scalar seam datum exists iff the involution is sheet-odd); Quadratic-Transport Theorem (degree exactly 2); Self-Counting Channel (the Pascal closure as an identity); quasi-free kernel (one 2-point kernel determines the whole net, rank = c) — the QBL input merges with the R2/holomorphy premise; communicated across all status surfaces.
- **U_{wall} made exact (v114–v118).** Torsion normal form and $\delta = \frac{1}{2}$ theorem; exact anchor residue $A_0^{\star}$ (diag $= a/|\mu_4|$, off-weights $(8, 0, 5)/144$); resonance theorem ($M_\infty = \mathbf{1} \iff a_{13} = 0$, one gauge orbit); the holonomy is the exact 24-element $W(A_3) = S_4$; the hypercharge hexagon is the sign-twisted family spectrum with the lepton coefficients as resolvent determinants.
- **Second review validation + address pinning (v119–v121).** Anchor ratio triad $(\frac{2}{3}, \frac{4}{3}, \frac{5}{3})$; the 121 audit lemma; the lepton words are the compiler atoms $(8, 5, 3)$ with divmod-hexagon addresses; R is the unique hexagon matrix with atom margins and $\det 8$ — the address table carries zero residual information.

2026-06-10

- **B/C/D round closed.** Koide attractor toy model (v93), glue uniqueness (v92), the Wolfram extension as the independent second verification path, Lean hardening; papers and website synced with the round.
- **Content rounds v96–v100.** Sheet conjugation bridge, discriminant dictionary, Koide flow time, and the look-elsewhere-corrected numerology null test (v100: joint null probability $\leq 10^{-30.7}$, conditional on the declared grammar).

2026-06-09

- **Blind registry frozen (v84).** Machine-enforced prediction registry (`predictions_frozen.json`): exactly one θ_{12} number of record before JUNO; conditional entries carry their hypotheses by name. Research-contracts document added to the set.

2026-06-07 / 2026-06-08

- **Compiler-closure consolidation.** The TFPT development is consolidated into the current document set with the verification suite (modules v1–v82: E_8 glue, carrier Pascal, EM fixed point, flavor matrix, cascade, bootstrap, gravity/cosmology, transport, masses, registry and gate audits) as the single proof layer; manifests (`manifest.sha256`, `lean_manifest.sha256`) as content identity; website mirrors the suite (interactive DAG, in-browser script reproducer, script index).

2026-04-27

- **Initial commit.** TFPT papers and website baseline: electromagnetic closure and flavor transport (UFE bridge, birefringence seed, dyonic intercept), PDF-download tracking, accessibility and metadata passes.