

# TFPT — Changelog

All changes and new results, by date

Stefan Hamann

Alessandro Rizzo

June 22, 2026

This file is the canonical, dated record of every change to the TFPT theory development: new verification modules (vN), status changes, editorial passes and infrastructure. It is maintained *in the same change* as the work it records, and it is also imported at the end of the `introduction` document. Module numbers vN refer to `verification/vN_*.py`; claim IDs refer to rows of `verification/status_ledger.csv`.

**2026-06-22 (the forward kill-test board: the decisive upcoming measurements ranked, each locked to a freeze row — incl. the new Galois-CP relation: v321)**

- **v321\_killtest\_board.py** (KILL.BOARD.01, [E]). The forward companion to v307 (the current-data board): the decisive *upcoming* measurements, ranked and each locked to a `freeze_file.csv` kill row — #1 JUNO  $\sin^2 \theta_{12}=0.306747$  (fastest), #2 CMB-S4/LiteBIRD  $r$  (kill  $r>0.01$ ), #3 DESI/Euclid  $w$  (kill  $w \neq -1$ ), #4 DUNE/Hyper-K  $\delta_{\text{PMNS}}=240^\circ$  (the new v320 Galois-CP relation), #5 DUNE/LEGEND/nEXO ordering+ $m_{\beta\beta}$ , #6 PSI n2EDM, #7 JUNO  $\sin^2 \theta_{13}$  ( $\sim 2\sigma$  now), #8 LiteBIRD  $\beta$ . A forward decision ledger (publicly-stated experimental reach), complementing v307; no new physics. Cited in `origin_theory`; ledger row KILL.BOARD.01.

**2026-06-22 (Lean: the SEAM.EQUIV.01 composition chain formalised — the keystone residual machine-pinned to the named cited steps: FORM.SEAMEQUIV.01)**

- **SeamEquivChain.lean** (FORM.SEAMEQUIV.01, Lean 4, [E]/[O]). A Lean 4 mirror of the v308 closing chain: the four nodes  $\text{GapPositive} \rightarrow \text{InvertibleSRE} \rightarrow \text{HolomorphicC8} \rightarrow \text{SeamIsE8}$  assembled as a well-typed composition theorem `seamEquivChain`, with the three cited literature steps (Kitaev free-fermion invertibility; Mger / Kawahigashi–Longo–Mger holomorphy; Conway–Sloane  $E_8$  uniqueness) as named `axioms` and the carrier recovery gap (the OS step) as the single open input. [E] `#print axioms seamEquivChain` confirms the residual is exactly those named steps + `recovery_gap` (no hidden assumption); [E] a `decide`-proven discriminator `primariesE8 = 1  $\neq$  primariesD8 = 4` (the  $|\det \text{Cartan}|$  that separates the holomorphic  $E_8$  from the same- $c$  rival  $D_8=SO(16)$ ). Built end-to-end (`lake build`, 3357 jobs) on Lean v4.29.1 + Mathlib. [O] The value is the machine-checked composition + axiom audit (pinning the keystone residual), *not* a from-scratch proof — it does NOT close SEAM.EQUIV.01. Ledger row FORM.SEAMEQUIV.01; mirrors v308.

**2026-06-22 (a NEW falsifiable prediction from the Galois structure: the two CP phases are locked,  $\delta_{\text{PMNS}} = \delta_{\text{CKM}}^{\text{lead}} + \pi$ : v320)**

- **v320\_galois\_cp\_relation.py** (GALOIS.CP.PREDICT.01, [E]/[C]/[X]). The v316 follow-up turned into a testable cross-prediction. [E] both leading CP phases are powers of the *one* hexagonal unit  $\rho = \zeta_6$  of the family Galois factor:  $\delta_{\text{CKM}}^{\text{lead}} = \arg \rho = \pi/3$  ( $60^\circ$ ),  $\delta_{\text{PMNS}} = \arg \rho^4 = 4\pi/3$  ( $240^\circ$ ), and  $\rho^4 = -\rho$  locks them as  $\delta_{\text{PMNS}} = \delta_{\text{CKM}}^{\text{lead}} + \pi$  (the  $\mathbb{Z}_2$  sheet flip); [C] this upgrades the previously assigned  $\delta_{\text{PMNS}} = 240^\circ$  to a Galois-forced relation to

the measured quark phase (the quark and lepton leading CP phases are not independent); [X] kill test: a  $\delta_{\text{PMNS}}$  robustly incompatible with  $240^\circ$  ( $> 3\sigma$  at DUNE/Hyper-K/JUNO) falsifies the Galois-CP organisation;  $240^\circ$  is currently within the broad NuFIT 6.0 range. A genuine new falsifiable consequence of the v313–v319 arithmetic arc (also a `freeze_file.csv` `cp_phase_relation` kill row). Cited in `origin_theory`; ledger row GALOIS.CP.PREDICT.01.

**2026-06-22 (the translation clock: the discrete $\leftrightarrow$ dynamic bridge *is* the order-30 Coxeter element, a clock with two coprime hands  $5 \times 6$ , read law-inclusive (0..5) or live-only (1..5): v319)**

- **v319\_translation\_clock.py** (TRANSLATE.CLOCK.01, [E]/[C]). A synthesis of the v313–v318 arc with v124/v55, answering the question “is the static $\leftrightarrow$ dynamic translation a clock running 0, 1, 2, 3, 4, 5 or 1, 2, 3, 4, 5?”. [E] the only object holding both the static carrier ( $\mathbb{Q}(\sqrt{5})$ ) and the dynamic family (rational) data is the order-30 Coxeter element (v314);  $30 = h(E_8) = g_{\text{car}}(2N_{\text{fam}}) = 5 \cdot 6$  and  $\gcd(5, 6) = 1 \Rightarrow \mathbb{Z}/30 = \mathbb{Z}/5 \times \mathbb{Z}/6$  (two coprime hands, v315). [E] the *dynamic* hand is  $\mathbb{Z}/6 = 2N_{\text{fam}}$  (ticks  $0, \dots, 5$ ): the recovery exponent is exactly  $6 = 2N_{\text{fam}}$ , rate  $(2/3)^6 = (|\mathbb{Z}_2|/N_{\text{fam}})^{2N_{\text{fam}}}$ , order-6 generator  $c^5$  ( $\zeta_6 = \zeta_{30}^5$ , v316). [E] position 0 is the *conserved law* — the resummed clock rate( $n$ ) =  $-p_2 \ln(1 - n/N_{\text{fam}})$  (v124) has rate(0) = 0 (the attractor, eigenvalue 1, v56), the live decaying modes from  $n=1$ , and the  $E_8$  live phases (totatives of 30) start at 1 ( $\{1, 7, \dots, 29\}$ ), the 0 phase not a totative — so “0, 1, 2, 3, 4, 5” is law-inclusive, “1, 2, 3, 4, 5” live-only. [E] the *static* hand is  $\mathbb{Z}/5 = g_{\text{car}}$  (ticks  $1, \dots, 5$ ): the golden field  $\mathbb{Q}(\sqrt{5})$  ( $\varphi = 2 \cos(\pi/5)$ ), field-obstructed (no rational dynamic image, v314) — static-only;  $\zeta_5 = \zeta_{30}^6$  carries no phase. [E] one full turn =  $\text{lcm}(5, 6) = 30 = h(E_8)$ , rank  $E_8 = 8 = \varphi(30)$  live phases pairing into  $|\mu_4| = 4$  invariant planes (v55). [C] verdict: the discrete $\rightarrow$ dynamic translation *is* the order-30 clock = (static 5-ring)  $\times$  (dynamic 6-ring), the dynamic hand carrying the rate (exponent  $6 = 2N_{\text{fam}}$ ), the static hand the golden carrier (no rate), and “0 vs 1” = law-inclusive vs live-only; the arithmetic is [E], the “it is one clock” reading [C]. Python-only (sympy), like the rest of the arc. New figure `figures/translation_clock.pdf` (concentric 5- and 6-hands). Cited in `origin_theory`; ledger row TRANSLATE.CLOCK.01.

**2026-06-21 (capstone: the SM structural sector is  $\mathbb{Q}(\zeta_{30}) + \text{Galois } \mu_4 \times \mathbb{Z}_2$ , and the complete input is  $\{a, \pi, v_{\text{geo}}\}$  — zero dimensionless free parameters: v318)**

- **v318\_arithmetic\_capstone.py** (ARITH.CAPSTONE.01, [E]/[O]). The synthesis of the v313–v317 arc. [E] the SM *structural* sector (the 3 generations, the 2 CP phases, their orbit/hierarchy) is the cyclotomic field  $\mathbb{Q}(\zeta_{30})$  with Galois group  $\mu_4 \times \mathbb{Z}_2$  (degree  $\varphi(30) = 8 = \text{rank } E_8$ ,  $30 = |\mathbb{Z}_2|N_{\text{fam}}g_{\text{car}} = h(E_8)$ ), forced by the anchor atoms  $\{2, 3, 5\} = e(a)$ ; [E] the magnitude seed  $\varphi_0 = (|\mu_4|/N_{\text{fam}})c_3 + \Omega_{\text{adm}}c_3^4 = \frac{4}{3}c_3 + 48c_3^4$  ( $c_3 = 1/(8\pi)$ ) is a pure function of  $\pi$  (no free parameters, anchor-derived coefficients), so the magnitudes ( $\sin^2 \theta_{12} = \frac{1}{3} - \varphi_0/2$ ) are  $\{a, \pi\}$ -determined, not free; [E] free inventory: *zero* dimensionless free parameters,  $\pi$  the unique transcendental primitive (ARCH.CORE.01),  $v_{\text{geo}}$  the unique dimensionful input (No-Unit Theorem) — complete input  $\{a, \pi, v_{\text{geo}}\}$ . [O] honest residual: this rigidity holds *given* the axioms and does not realise the structure on the raw seam (QGEO.SYM.01/SEAM.EQUIV.01 stay [O]). Cited in `origin_theory`; ledger row ARITH.CAPSTONE.01.

**2026-06-21 (are the 3 generations a  $\mu_3$ /Galois orbit? Yes ( $\mu_3$ ), Galois-refined 1+2 with the fixed generation = the recovery attractor: v317)**

- **v317\_galois\_family.py** (GALOIS.FAMILY.01, [E]/[C]). The v316 follow-up to the generation structure. [E] the three cusp weights  $\{0, \frac{1}{3}, \frac{2}{3}\}$  (with  $\text{Spec}(Q_+) = \{1, 2, 3\}$ , the  $A_3$  exponents) are the cube roots of unity  $\{1, \zeta_3, \zeta_3^2\}$  under  $w \mapsto e^{2\pi i w}$ , and the cyclic family symmetry  $w \mapsto w + \frac{1}{3}$  is a *transitive*  $\mu_3$  orbit (the family IS the cube-root orbit); [E] the

transfer eigenvalues  $(1-w)^6 = \{1, (2/3)^6, (1/3)^6\}$  attach to the weights (attractor = eigenvalue 1 at  $w=0$ ); [E] the family Galois  $\mathbb{Z}_2$  ( $\zeta_3 \mapsto \zeta_3^2 = \bar{\zeta}_3$ , = the v316 CP conjugation) refines the orbit to 1+2 — fixing  $w=0$  (rational) and swapping  $w=\frac{1}{3} \leftrightarrow \frac{2}{3}$ ; [E] so the Galois-FIXED generation is the recovery ATTRACTOR (the law) and the Galois-conjugate pair the decaying hierarchy. [C] verdict: the family STRUCTURE is the same arithmetic as the CP phase (a  $\mu_3$  orbit, Galois-refined 1+2), the mass MAGNITUDES remaining the analytic seed. Cited in `origin_theory`; ledger row `GALOIS.FAMILY.01`.

**2026-06-21 (does the Galois  $\mu_4 \times \mathbb{Z}_2$  organize the readouts? Yes — the CP phases are the family-factor cyclotomic data, Galois  $\mathbb{Z}_2$  = CP conjugation: v316)**

- **v316\_galois\_readout.py** (`GALOIS.READOUT.01`, [E]/[C]). The v315 follow-up to phenomenology: does the Galois coupling  $\mu_4 \times \mathbb{Z}_2$  reach the physics? [E] it does, through the *family* factor — the hexagonal CP unit  $\rho = \zeta_6 = \zeta_{30}^5$  is exactly the order-6 =  $2N_{\text{fam}}$  factor  $c^5$  of v315 (the carrier being  $\zeta_5 = \zeta_{30}^6$ ); [C] the leading CP phases are its cyclotomic arguments  $\delta_{\text{CKM}}^{\text{lead}} = \pi/3 = \arg \zeta_6$  and  $\delta_{\text{PMNS}} = 4\pi/3 = \arg \zeta_6^4$  (power 4 =  $|\mu_4|$ ), with  $\zeta_6^4 = -\zeta_6$  the  $\mathbb{Z}_2$  sheet flip and  $\mu_6 = \mu_3 \times \mu_2$  (inherits v231/v233); [E] the family Galois  $\text{Gal}(\mathbb{Q}(\zeta_6)/\mathbb{Q}) = \mathbb{Z}_2$  ( $\zeta_6 \mapsto \zeta_6^5 = \bar{\zeta}_6$ ) is CP conjugation  $\delta \mapsto -\delta$ ; [E] the carrier factor  $\zeta_5$  (golden  $\sqrt{5}$ ) carries no phase ( $\mu_4$  static), and the magnitudes ( $\sin^2 \theta_{12} = \frac{1}{3} - \varphi_0/2$ , transcendental  $\varphi_0$ ) are not cyclotomic. [C] verdict: the Galois bridge reaches phenomenology in the phase sector predicted by the v314 field split. Cited in `origin_theory`; ledger row `GALOIS.READOUT.01`.

**2026-06-21 (couple or factorize? the order-30 Coxeter element couples the carrier and family sectors as a cyclotomic compositum, Galois =  $\mu_4 \times \mathbb{Z}_2$ : v315)**

- **v315\_coxeter\_coupling.py** (`COX.COUPLE.01`, [E]/[C]). Answers the v314 question — does  $30 = g_{\text{car}}(2N_{\text{fam}}) = 5 \cdot 6$  couple the carrier (5-fold, golden,  $\mathbb{Q}(\sqrt{5})$ ) and family ( $6 = 2 \cdot 3$ , rational) sectors, or just factorize? [E] the cyclic group *factorizes*:  $\gcd(5,6) = 1 \Rightarrow \mathbb{Z}/30 = \mathbb{Z}/5 \times \mathbb{Z}/6$  (direct product, group-decoupled, in line with the v314 field obstruction); [E] the  $E_8$  exponents = totatives(30) split as totatives(5)  $\times$  totatives(6),  $\varphi(30) = 4 \cdot 2 = 8 = \text{rank } E_8$ ; [E] but the *field* couples:  $\mathbb{Q}(\zeta_{30})$  is the compositum of the carrier  $\mathbb{Q}(\zeta_5) \ni \sqrt{5}$  and the family  $\mathbb{Q}(\zeta_3)$ , degree 8 = rank  $E_8$ ; [E] the Galois group is exactly  $(\mathbb{Z}/5)^\times \times (\mathbb{Z}/3)^\times = \mathbb{Z}/4 \times \mathbb{Z}/2 = \mu_4 \times \mathbb{Z}_2$  (order 8, max element order 4), so the  $\mu_4$  seam clock *is* the Galois group of the carrier's golden field and  $\mathbb{Z}_2$  that of the family field (refining v223); [E]  $\sqrt{5} = \phi + 1/\phi$  is the quadratic Gauss sum in  $\mathbb{Q}(\zeta_5)$ . [C] verdict:  $30 = 5 \cdot 6$  does not dynamically entangle the sectors — it couples them as the cyclotomic compositum, the static $\leftrightarrow$ dynamic bridge being *Galois*, not a dynamical map. Cited in `origin_theory`; ledger row `COX.COUPLE.01`.

**2026-06-21 (do the discrete-kernel and dynamic rates translate? An exact number-field split  $\mathbb{Q}$  vs  $\mathbb{Q}(\sqrt{5})$ : v314)**

- **v314\_rate\_translation.py** (`RATE.TRANSLATE.01`, [E]/[C]). Answers, exactly, whether the discrete kernel (the affine- $E_8$  network, carrying the golden ratio) and the dynamic part (the seam transfer, carrying the recovery rate  $(2/3)^6$ ) translate. [E] FIELD SPLIT: the adjacency spectrum is the rational part  $\{0, \pm 1, \pm 2\} \subset \mathbb{Q}$  plus the golden part  $\{\pm \phi, \pm 1/\phi\} \subset \mathbb{Q}(\sqrt{5})$ , while the transfer spectrum  $\{1, (2/3)^6, (1/3)^6\}$  is *entirely* rational; [E] the family/sheet rates DO translate (the rational angles  $2 \cos(\pi/2)=0 = |\mathbb{Z}_2|$  and  $2 \cos(\pi/3)=1 = N_{\text{fam}}$  build  $(2/3)^6 = (|\mathbb{Z}_2|/N_{\text{fam}})^{2N_{\text{fam}}} \in \mathbb{Q}$ , same field, same atoms), but [E] the carrier 5-fold (golden,  $\mathbb{Q}(\sqrt{5})$ ) has NO rational dynamic image – a field obstruction ( $2/3$  is neither an adjacency nor a lazy-update eigenvalue; heat-kernel  $t = \Delta/(2 - \phi) \approx 6.37$  not clean), so the carrier is *static-only*; [E] the only object holding both is the order-30 Coxeter element  $30 = g_{\text{car}}(2N_{\text{fam}}) = 5 \cdot 6$ , and the  $\phi$ -quasicrystal  $E_8 = H_4 + \phi H_4$  ( $240 = 2 \cdot 120$ ) carries the

carrier but not the (rational, 3-fold) cusp-weight family dynamics. Cited in `origin_theory`; ledger row `RATE.TRANSLATE.01`.

**2026-06-21 (the golden ratio made precise: the  $(2, 3, 5)$  atoms are the affine- $E_8$  network spectral angles,  $\phi = 2 \cos(\pi/5)$  the  $g_{\text{car}}=5$  signature: v313)**

- **v313\_golden\_atoms\_spectral.py** (`GOLD.ATOMS.01`, `[E]/[C]`). A follow-up to v312's observation, made exact. `[E]` the affine- $E_8$  adjacency characteristic polynomial factors as  $x(x^2-4)(x^2-1)(x^2-x-1)(x^2+x-1)$ , so the golden minimal polynomial  $x^2-x-1$  divides it and  $\phi = 2 \cos(\pi/5) = (1+\sqrt{5})/2$  is an *exact* eigenvalue; `[E]` the non-trivial eigenvalues are  $2 \cos(\pi/k)$  for exactly  $k \in \{2, 3, 5\} = \{|\mathbb{Z}_2|, N_{\text{fam}}, g_{\text{car}}\}$  ( $2 \cos(\pi/2)=0$ ,  $2 \cos(\pi/3)=1$ ,  $2 \cos(\pi/5)=\phi$ ,  $2 \cos(2\pi/5)=1/\phi$ ), so the golden ratio is *specifically* the  $g_{\text{car}}=5$  (5-fold) signature and  $g_{\text{car}}=5$  gains a new spectral witness distinct from Pascal/Riemann–Roch (raising the v305 multiplicity); `[E]` the  $(2, 3, 5)$  spherical excess  $1/2+1/3+1/5 = 31/30 > 1$  (the condition selecting the finite  $2I \Rightarrow E_8$ ) ties the v63/v76 gap-margin numerator  $31 = 2^{g_{\text{car}}} - 1 = 248/8 = 1+h(E_8)$  to the Coxeter  $30 = h(E_8)$  — a unification of already-anchored quantities, NOT new evidence (honest anti-numerology, v305); `[E]` honest null:  $\phi$  is a structural lattice/network quantity, not a phenomenological readout. `[C]` direction:  $\phi$  is the  $E_8$ -quasicrystal (Elser–Sloane cut-and-project) ratio, a candidate aperiodic substrate for the v312 question. Cited in `origin_theory`; ledger row `GOLD.ATOMS.01`.

**2026-06-21 (TOE-roadmap solver round: the SEAM.EQUIV.01 keystone certificate, the modular bedrock, the carrier→SM closure, the gap-decoupled measure, and the sharpened hypergraph substrate: v308–v312)**

- **v308\_seam\_equiv\_chain.py** (`SEAM.EQUIV.CHAIN.01`, `[E]/[O]`). TOE attack point 1: the keystone “the raw seam-Calderón net is the holomorphic  $c=8$  ( $E_8$ )<sub>1</sub> net” assembled into ONE well-typed logical chain  $\text{gap}>0 \rightarrow \text{invertible/SRE (Kitaev)} \rightarrow \text{holomorphic } c=8 \text{ (Müger/KLM)} \rightarrow (E_8)_1 \text{ (Conway–Sloane)}$ , with the exact discriminators  $|\det \text{Cartan}(E_8)|=1$  vs  $|\det \text{Cartan}(D_8=SO(16))|=4$ , the carrier tower  $4 \cdot 4=16 \rightarrow 4 \rightarrow 1$  and  $c=g_{\text{car}}+N_{\text{fam}}=8$  all machine-checked; the input gap is the derived recovery gap  $6 \ln(3/2)>0$ . The only undischarged premise is the cited OS step — an assembly/reduction certificate (a Lean target), not an end-to-end closure. Cited in `tfpt_research_contracts`; ledger row `SEAM.EQUIV.CHAIN.01`.
- **v309\_modular\_bedrock.py** (`QGEO.MODHAM.01`, `[E]/[O]`). TOE attack point 2: the bedrock  $\omega \circ \rho = \omega$  via an explicit modular Hamiltonian, non-circular — the four marks come from Gauss–Bonnet (v216) and the order-4 clock from cross-ratio 2 (v214), so  $\mu_4$  is derived; the quasi-free modular Hamiltonian  $K = \log((1-C)/C)$  round-trips to the seam operator and  $[\rho, K]=0 \Leftrightarrow \omega \circ \rho = \omega$  (a  $\mathbb{Z}_2$  profile breaks it). Reduces the bedrock to the Bisognano–Wichmann intrinsicality of the raw collar; not a closure of `QGEO.SYM.01`. Cited in `tfpt_research_contracts`; ledger row `QGEO.MODHAM.01`.
- **v310\_carrier\_sm\_anomaly.py** (`CAR.SM.ANOM.01`, `[E]`). TOE attack point 3: the carrier half-spinor  $16 = \Lambda^{\text{even}}(\mathbb{C}^5) = 1+10+5$  is exactly one anomaly-free Standard-Model generation ( $SU(5) \subset SO(10)$ :  $10+\bar{5}+1$ ), with  $\sum Y = \sum Y^3 = [SU(2)]^2 U(1) = [SU(3)]^2 U(1) = 0$  (exact) and the one-loop  $(b_1, b_2, b_3) = (\frac{41}{10}, -\frac{19}{6}, -7)$ ; a fourth family shifts  $b_1$ , so  $N_{\text{fam}}=3$  pins the RG. Closes the spectrum/anomaly/ $\beta$  sub-question; the interacting Epstein–Glaser  $S$ -matrix and the Yukawa sector stay `[C]/[O]`. Cited in `tfpt_research_contracts`; ledger row `CAR.SM.ANOM.01`.
- **v311\_gap\_decoupled\_measure.py** (`QGAMB.CLUSTER.01`, `[E]/[C]/[O]`). TOE attack point 4: the physical QG measure as a gap-decoupled, exponentially-clustering object — the transfer spectrum  $\{1, (2/3)^6, (1/3)^6\}$  gives geometric clustering at rate  $(2/3)^6$  (correlation length  $1/(6 \ln(3/2))$ ), finite susceptibility  $729/665$ , and the v76 margin  $6 \ln(3/2) - 31/(4\pi^2) \approx 1.648 > 0$

decouples the physical sector from the un-built ambient. **QG.AMB.01** stays **[O]** (gap-decoupled, inert). Cited in **tfpt\_research\_contracts**; ledger row **QGAMB.CLUSTER.01**.

- **v312\_hypergraph\_substrate.py** (**HYP.INJECT.01**, **[E]/[O]**). TOE attack point 5: the hypergraph substrate sharpened — the affine- $E_8$  Kac marks are the Perron eigenvector ( $Am=2m$ ) and the subleading eigenvalue is exactly  $2\cos(\pi/5)$  = the golden ratio, but the recovery rate  $(2/3)^6$  is *not* any eigenvalue and  $\varphi_0$  is not a rational edge fraction; so a full-structure rewrite must inject exactly two non-graph-spectral data — the cusp weight  $2/3=|\mathbb{Z}_2|/N_{\text{fam}}$  and the analytic seed  $\varphi_0$ . The open question is precisely delimited, not closed. Cited in **introduction**; ledger row **HYP.INJECT.01**.

## 2026-06-21 (adversarial-review follow-ups: a structural anti-numerology firewall, an out-of-sample seed cross-validation, an operational data watchdog, and the Target-A holomorphy kill test: v305–v307)

- **v305\_witness\_independence.py** (**WITNESS.ECON.01**, **[E]**). The *structural* anti-numerology firewall complementing the **v100** phenomenological null test, against the sharpest self-deception worry (“the same integer counted many times as if independent”). Every headline integer ( $|\mu_4|=4$ ,  $g_{\text{car}}=5$ ,  $|\mathbb{Z}_2|=2$ ,  $N_{\text{fam}}=3$ ,  $\dim S^+=16$ ,  $\text{rank } E_8=8$ , 240, 248,  $|2I|=120$ ,  $h(E_8)=30$ ,  $|W(D_5)|=1920$ ,  $\Omega_{\text{adm}}=48$ , the gap exponent 6) is a documented image of the single anchor  $a=(1,1,2)$  with  $\pi$  the only transcendental primitive (13 atoms from 2 free primitives,  $6.5\times$  compression made explicit), so the recurring  $2/3=|\mathbb{Z}_2|/N_{\text{fam}}$  and  $(2/3)^6$  are *one* ratio; the  $E_8$  spine is overdetermined ( $\geq 3$  structurally independent witnesses) while the pure-seed readouts are single-witness (scored jointly by **v100**, never multiplied); the negative control shows  $\alpha^{-1}$ ’s “137” is foreign to the anchor family (an independent witness via the  $F_{U(1)}$  cubic, **v3**). Cited in the **tfpt\_5\_redteam** body; ledger row **WITNESS.ECON.01**. Python-only.
- **v306\_seed\_crossval.py** (**SEED.CROSSVAL.01**, **[E]**). A leave-one-out cross-validation turning the “many observables, one seed  $\varphi_0$ ” worry into a falsifiable out-of-sample test: back-solving  $\varphi_0$  from each of the five seed-grammar observables ( $\sin^2\theta_{12}$ ,  $\sin^2\theta_{13}$ ,  $\beta$ ,  $\Omega_b$ ,  $\lambda_C$ ; NuFIT 6.0 / ACT DR6 / Planck / PDG) and error-weighted-averaging reproduces the axiom seed  $\varphi_0 = 1/(6\pi) + 48c_3^4 = 0.0531720$  to 0.04%; leave-one-out predicts every held-out observable within  $3\sigma$  out of sample (most-tensioned =  $\sin^2\theta_{13}$ ,  $\sim 2\sigma$ ); a data $\leftrightarrow$ formula shuffle explodes the  $\chi^2$  by  $> 100\times$ . Cited in **tfpt\_5\_redteam**; ledger row **SEED.CROSSVAL.01**. Python-only.
- **v307\_data\_watchdog.py** (**DATA.WATCHDOG.01**, **[E]**). The operational decision pipeline over the frozen registry (**v84**): it classifies all twenty registry entries PASS/WATCH/TENSION/KILL by live  $n_\sigma$  against the repo-documented current bests (CODATA 2022, NuFIT 6.0, ACT DR6, Planck 2018, PDG 2024, BK18). No decidable prediction is in KILL; the watch items are  $\alpha^{-1}$  ( $1.9\sigma$ ),  $s_{23}$  ( $1.8\sigma$ ) and the most-tensioned core prediction  $\sin^2\theta_{13}$  ( $2.0\sigma$ , the honest current pressure point);  $\sin^2\theta_{12} = 0.306747$  is compatible ( $0.02\sigma$ , the JUNO falsifier), the  $r \in [0.0033, 0.0048]$  band is below the BK18 limit and the kill, and  $w=-1$  is flagged as the DESI dark-energy watchdog. Cited in **origin\_theory**; ledger row **DATA.WATCHDOG.01**. Python-only.
- **Target-A holomorphy kill test (freeze\_file.csv)**. A new **seam\_holomorphy** freeze row records the sharpened *physical* kill criterion for Target A: a raw quasi-free seam bulk showing topological ground-state degeneracy on the torus ( $|\det K| > 1$ , the same- $c$  rival  $SO(16)_1$ ) would break holomorphy and kill “seam net =  $(E_8)_1$ ” — since holomorphic  $c=8 \Leftrightarrow E_8$  is machine-proven (**v83/v143**) and  $\det K=1 \Leftrightarrow$  invertible/SRE (**v237/v301/v302**).

**2026-06-19 (an infinite-derivative narrowing of the Stelle-ghost attack, the double-pushout figure, and the “constancy of  $c$ ” framing of SEAM.EQUIV.01: v304)**

- **v304\_idg\_nonlocal\_ghost.py** (QGAMB.IDG.01, [C]/[O]). A conditional, parameter-free narrowing of the red-team `rt_F/v278` Stelle-ghost attack on the perturbative gravity sector. [E] the local  $R+R^2/\text{Weyl}^2$  four-derivative propagator  $1/(p^2(p^2+M^2))$  carries a negative-residue massive spin-2 mode (the Stelle ghost) only as a *truncation artefact*; [E] for an *entire* graviton form factor  $a(p^2) = e^{p^2/M^2}$  (nowhere zero) the dressed propagator  $1/(p^2 a)$  has no extra pole (Tomboulis 1997; Biswas–Mazumdar–Siegel 2006), whereas any *polynomial* truncation has a real zero = the ghost; [C] the spectral-action cutoff is the seam KMS weight  $f(u) = e^{-u}$  (v259), so the un-truncated trace points to a nonlocal form factor with *no new parameter*. [O] It does *not* close QG.AMB.01: the trace regulator is not yet shown to resum to an entire  $a(\square)$ , and a ghost-free *perturbative* graviton is not the nonperturbative ambient measure. Cited in the red-team Target F body; ledger row QGAMB.IDG.01.
- **Double-pushout figure (tfpt\_1\_architecture\_e8)**. A new shared TikZ macro (TFPTdoublepushout in `tex-artefacts/tfpt_figures.tex`) draws the commuting square showing that the order- $|\mu_4|=4$  glue is *one* operation in two categories: the lattice pushout  $D_5 \oplus A_3 + \mu_4 \Rightarrow E_8$  (v1) and the conformal-net / anyon-condensation extension  $(D_5)_1 \otimes (A_3)_1 \rtimes \mu_4 \cong (E_8)_1$  (v92/v281/v234/v277/v260). Expository only; no new claim.
- **Framing (introduction, tfpt\_research\_contracts)**. SEAM.EQUIV.01 is now stated explicitly as the *one* irreducible structural postulate of the theory — the role the constancy of  $c$  plays in relativity (cf. v267). Prose sharpening; no status change.

**2026-06-19 (the discrete→dynamic lens on F\_transfer: one shape, one seam-rate, v303)**

- **v303\_ftransfer\_dynamics.py** asks whether the main-branch mechanism — a gapped, positivity-preserving relaxation to a *unique* attractor (the local-averaging update  $\rightarrow$  the  $E_8$  marks, gap  $6 \ln(3/2)$ ) — is also the shape of the four `F_transfer` instances, or an unrelated bolt-on. It is the *same* shape: [E] `F_pole` (Koide) *is* the seam dynamics (Möbius multiplier  $F'=(2/3)^6=\lambda_2$ , the seam-clock eigenvalue  $\Rightarrow$  a unique attractor at the seam rate, v82/v54); [C] `F_Boltzmann` ( $\eta_B$ ) is a gapped positive contraction (washout  $\kappa_f \in (0,1)$ , H-theorem); [C] `F_relic` (axion) freezes at an adiabatic fixed point; [E] `F_QCD` ( $m_p/m_e$ ) is the 1-loop RG flow with the carrier  $b_3 = -7$  (asymptotic freedom, Gaussian UV attractor). [O] Verdict: one shape underlies all four; `F_pole` has the seam rate  $(2/3)^6$  *exactly*, the other three share only the shape with external rates (thermal/cosmological/RG). So `F_transfer` is the readout end of the one discrete→dynamic principle, *not* a bolt-on; the theory’s simplicity is preserved because the external rates are honestly fenced (v187), not reduced to the seam. [E] suite v303 5/5, AUDIT OK.

**2026-06-19 (the last lever: the seam mass gap *is* the derived Recovery gap  $6 \ln(3/2)$ , v302)**

- **v302\_seam\_gap.py** closes the chain on the single statement v301 had left: “the quasi-free seam bulk is gapped”. That gap is *not* a free input — it is the established *Recovery gap* of the seam transfer operator, derived from the carrier. [E] the frozen transfer spectrum is  $\text{spec}(T) = \{1, (2/3)^6, (1/3)^6\}$  (v160/v162), a simple Perron eigenvalue 1 separated from the rest; [E] the gap is  $\Delta = -\ln((2/3)^6) = 6 \ln(3/2) = 2N_{\text{fam}} \ln(3/2) \approx 2.4328 > 0$  (multiplicative gap  $1 - (2/3)^6 = 665/729$ ;  $(2/3)^6$  the  $\mu_4$ -deck transfer eigenvalue forced by the carrier); [E] with the decoupling margin  $\Delta - 31/(4\pi^2) \approx 1.648 > 0$  (v76) it is robust, and Perron–Frobenius primitivity makes the leading mode simple; [C] by Osterwalder–Schrader / quasi-free clustering a transfer-operator gap  $\Delta > 0$  *is* a mass gap of the reconstructed Hamiltonian. [O] **Bottom line:** with v300/v301, SEAM.EQUIV.01’s entire residual is now

a composition of *standard cited theorems* (OS/quasi-free clustering + Kitaev free-fermion invertibility + the v297 AQFT stack) over *established* TFPT facts (16 quasi-free Majoranas; transfer gap  $6 \ln(3/2)$ ) — *no undischarged TFPT-internal assumption remains*. It stays [O] (not machine-proved end-to-end), but the open front is reduced to citable machinery over a spectral gap that is provably positive. [E] suite v302 5/5, AUDIT OK.

## 2026-06-19 (Route A's last hypothesis discharged: the gapped quasi-free bulk is invertible by the free-fermion classification, v301)

- **v301\_route\_a\_invertible.py** attacks the single remaining *unconditional* gap of SEAM.EQUIV.01. Since v300 collapsed Route B into Route A's rationality, that gap is Route A's open hypothesis (v297 LIT-A): “the raw quasi-free seam bulk is invertible (SRE)”. A *gapped* free-fermion (Gaussian) 2+1D bulk cannot carry intrinsic topological order — free fermions give the integer (IQHE/Chern) phases, all *invertible*; intrinsic topological order needs interactions (Kitaev's periodic table, class D). [E] the carrier is 16 Majoranas,  $c = g_{\text{car}} + N_{\text{fam}} = 8 = 16/2$  (v148); [E]  $SO(16)_1 \supset (E_8)_1$  ( $\dim \mathfrak{so}(16) = 120$  currents + 128 spinor = 248, v154); [C] so a gapped quasi-free bulk is invertible automatically; [E] the invariant  $|\det K| = \#\text{anyons}$  is 1 for  $E_8$  (invertible) vs 4 for the gauged  $D_8=SO(16)$  (anyons), which free fermions cannot produce. [O] LIT-A's ‘invertible bulk’ now *follows* from ‘gapped 16-Majorana quasi-free bulk’ (v148/v160+the mass gap), so the residual changes from a topological-order statement to a spectral one. [O] **Bottom line:** with v300, the whole open content of SEAM.EQUIV.01 reduces to the *single spectral statement* “the quasi-free seam bulk is gapped” — the topological-order obstruction (hidden anyons) is removed; the gap is not manufactured. [E] suite v301 6/6, AUDIT OK.

## 2026-06-19 (the Flat-Away attack: a hard discrete obstruction + the pin derived from $(E_8)_1$ , v300)

- **v300\_flataway\_rigid.py** attacks the single external fact the three Flat-Away routes (v291/v293/v295) left open, on two fronts. *Harden:* the flat seam was only a *soft* minimum (“the spectral mismatch grows with  $\varepsilon$ ”); here the obstruction becomes a *discrete* on/off invariant. [E] the flat fingerprint —  $\text{spec}(|D_\theta|)$  is the integer ladder with every level  $n \geq 1$  of multiplicity exactly 2; [E] the resonant mode  $4k$  splits level  $2k$  by gap  $= g_k$  (sympy  $2 \times 2$   $[[2k, g/2], [g/2, 2k]] \Rightarrow 2k \pm g/2$ , + an  $O(g^2)$  common shift), validated against the full Toeplitz operator; [E] any  $g_k \neq 0$  lifts the resonant degeneracy ( $2 \rightarrow 1+1$ ) and changes the spectral *multiset*, so preserving the flat ladder *with* its mult-2 degeneracies forces every  $g_k = 0 \Rightarrow f = 0$  — strictly stronger than the “deviation grows” scan; [E] with the v295 convexity, flat is isolated analytically *and* discretely. *Derive the pin:* [C] the  $(E_8)_1$  character  $E_4/\eta^8 = q^{-1/3}(1 + 248q + 4124q^2 + \dots)$  has integer  $q$ -coefficients (248 at level 1;  $E_8$  even unimodular  $\Rightarrow$  integer weights), so by 2d Steklov conformal rigidity the integer ladder  $\Leftrightarrow$  flat seam, i.e. the external pin *is* the  $(E_8)_1$  rationality (Route A). [O] verdict: Flat-Away carries *zero* new open content beyond Route A — the two SEAM.EQUIV.01 routes converge on one rationality fact. [E] suite v300 6/6, AUDIT OK.

## 2026-06-19 (the hypergraph/Wolfram bridge hardened: the $(2, 3, r)$ seed reaches $E_8$ as the last finite point, v299)

- **v299\_hypergraph\_0d\_autonomous.py** hardens the Wolfram/hypergraph reading into a precisely typed bridge (builds on v219/v298): [E] the icosahedron is a 3-uniform hypergraph ( $|\text{Aut}(\text{graph})| = 120 = |I_h| = |A_5 \times \mathbb{Z}_2|$ ; the McKay group is the  $SU(2)$  binary lift  $2I$ , a *different* order-120 group whose McKay graph is affine  $E_8$ ; 30 edges  $= h(E_8)$ ); [E] the  $1 \rightarrow 4$  subdivision rewrite is equivariant (all 120 symmetries at every scale); [E] the  $2I$  fusion tensor is a weighted 3-uniform hypergraph whose 2-dim slice is the affine  $E_8$  McKay graph; [E]

Smith ( $\rho \leq 2 \Leftrightarrow$  affine ADE) + Collatz–Wielandt ( $\rho \leq 2 \Leftrightarrow$  a local witness  $Am \leq 2m$ ); [E]\* the autonomous rule (diffusion-generated witness + *local* gate  $Am \leq 2m$ , Perron only as audit) runs  $E_6 \rightarrow E_7 \rightarrow E_8 \rightarrow \hat{E}_8$ ; [E] the negative controls  $\rho(A_n) = 2 \cos \frac{\pi}{n+1}$  and  $\rho(D_n) = 2 \cos \frac{\pi}{2n-2}$  are  $< 2$  for *all*  $n$  (closed form), so neither family ever reaches  $E_8$ . Honest type: [O] the  $(2, 3, \cdot)$  seed is the single irreducible input = P2 — *the rule reaches  $E_8$  as the last finite point on this seed; it is not a derivation of P2.* [E] build green, AUDIT OK.

## 2026-06-18 (E8 as a network attractor — the Wolfram-program reading, v298)

- **v298\_e8\_network\_attractor.py** is an honest audit of the “TFPT as a hypergraph/rewrite system” idea, on the v219 McKay bedrock. [E] the affine- $E_8$  Kac marks  $(1, 2, 3, 4, 5, 6, 4, 2, 3)$  are the *unique dynamical attractor* of a minimal local-averaging update  $m \leftarrow (A+2I)/4 m$  on the  $(2, 3, 5)$  McKay graph (converges from any positive start;  $Am = 2m$ , top eigenvalue 2); the spherical tower terminates at  $E_8$  and the cascade is nested-subgraph coarse-graining. [C] the Wolfram reading “ $E_8$  is the universal attractor of a minimal  $(2, 3, 5)$  network” holds at the Coxeter-skeleton level. [O] a minimal hypergraph *rewrite* reproducing the *full* structure stays open; honest negatives:  $\varphi_0^{\text{ret}}$  is the analytic seed  $\frac{4}{3}c_3 = 1/(6\pi)$ , not an edge fraction, and recovery is a 1-D Möbius fixed point, not a rewrite. [E] build green, AUDIT OK.

## 2026-06-18 ( $a_2$ closed form + Route A literature stack, v296–v297)

- **v296\_flataway\_a2\_closed.py** (FLATAWAY.A2.CLOSED.01) evaluates the exact  $a_2$  coefficient in *closed form*: the operator tails telescope geometrically ( $C_k + D_k e^{-4kt} = 4kt(1 - e^{-4kt})$ ) to  $W_k^{\text{tail}} = t(1 - e^{-4kt})/(8k(1 - e^{-t}))$ , leaving a finite  $(4k-1)$ -term middle; e.g.  $W_1(t) = t(2te^t + e^{3t} + 3e^{2t} + e^t - 1)e^{-3t}/8$ . Manifestly positive, small- $t$  law  $W_k = t/2 + O(t^3)$  (the  $t^2$  term cancels). Reproduces v295 to machine precision.
- **v297\_route\_a\_literature\_stack.py** (SEAM.EQUIV.A.LIT.01) writes Route A’s one import as a citable stack: LIT-A (Kitaev; Freed–Hopkins)  $\rightarrow$  LIT-B (Müger; Kawahigashi–Longo–Müger)  $\rightarrow$  LIT-C (Conway–Sloane; Dong–Xu) compose into “invertible bulk  $\Rightarrow (E_8)_1$ ”, all legs established; the single open hypothesis (seam-bulk invertibility) coincides with Route B’s Flat-Away, and the stack is non-circular with Route B (the v286 firewall holds). [E] build green, AUDIT OK.

## 2026-06-18 (Flat-Away heat route made exact + Lean-formalised, v295 / FORM.FLATAWAY.01)

- **v295\_flataway\_a2\_exact.py** (FLATAWAY.A2.01) upgrades the v292 positive-definiteness from a numerical scan to a *proof*: the first variation of  $\text{Tr } e^{-t\Lambda}$  vanishes (zero-mean off-mark curvature, Gauss–Bonnet), and since  $\Lambda \mapsto \text{Tr } e^{-t\Lambda}$  is convex (Klein/Peierls),  $\varepsilon=0$  is the *global* minimum — so  $\Delta \text{Tr} \geq 0$  for all deformations,  $= 0$  iff  $f = 0$ . The exact second-order coefficient is the divided-difference kernel of  $e^{-tx}$  (Duhamel), validated to rel. err  $< 10^{-6}$ .
- **Lean FORM.FLATAWAY.01** (SeamDeckClosure.lean Part 5): the formal  $\Delta=0 \Leftrightarrow$  flat step — a positive-weighted sum of squares is positive-definite (`heatDeviation_eq_zero_iff`); built and axiom-checked (only `propext`, `Classical.choice`, `Quot.sound`). So the heat route’s positive-definiteness is now both analytically proved and machine-formalised; only the single external fact (the seam fixes  $a_2$ ) remains. [E] build green, AUDIT OK.

## 2026-06-18 (Flat-Away attacked on all three routes, v292–v294)

- **v292\_flataway\_heat\_reduction.py** (FLATAWAY.HEAT.01): the heat route, made precise. The heat-trace deviation  $\Delta \text{Tr}(e^{-t\Lambda}) = c(t)\varepsilon^2 + O(\varepsilon^4)$  is a *positive-definite* quadratic form in the off-mark curvature ( $c_k(t) > 0$  for every  $\mathbb{Z}_4$  mode, positive on all combinations), leading



invariant  $\|f\|_{L^2}$  — so Flat-Away reduces to the single fact “the seam fixes the  $a_2$  heat coefficient”.

- **v293\_flataway\_spectral\_hessian.py** (**FLATAWAY.SPEC.01**): the spectral route, upgraded from one direction to the *full* smooth- $\mathbb{Z}_4$  space. Mode  $4k$  splits the degenerate Steklov level  $|2k|$  at first order; the Hessian of the spectral mismatch over modes  $\{4, 8, 12\}$  is positive-definite (eigenvalues  $\{0.497, 0.500, 0.503\}$ ), so the flat seam is a strict isolated minimum — the “only one direction” objection is answered.
- **v294\_flataway\_rp\_energy.py** (**FLATAWAY.ENERGY.01**): the variational route. With the rigid mark divisor (4 cone angles  $\pi$ , Gauss-Bonnet  $4\pi$ ), Troyanov uniqueness gives a unique flat cone metric, and the curvature energy  $\int f^2$  is strictly convex (Hessian  $2\pi I$ ) with a unique minimiser — Flat-Away reduces to “RP+gap realises the energy-minimiser”. The three routes converge on one selection principle for the flat metric; closing any one closes Route B. **[E]** build green, **AUDIT OK**.

## 2026-06-18 (Route-B red-team: the smooth $\mathbb{Z}_4$ adversary + Flat-Away as a mini-theorem, v290–v291)

- **v290\_z4\_smooth\_curvature\_adversary.py** (**SEAM.ADVERSARY.01**) is the honest red-team that  $\mathbb{Z}_4$  block-diagonality is *not* mark-locality: a smooth  $\mathbb{Z}_4$  off-mark curvature  $f = \varepsilon \cos(4\theta)$  **[E]** passes the v288 commutator ( $\|[\rho, \Lambda]\| = 0$ , same as mark-local) yet **[E]** shifts the DtN spectrum ( $\max |\Delta\lambda| = 0.155$ ) and the heat trace ( $\Delta = 0.019$ ). So the commutator is necessary, not sufficient; the modulus is excluded by the spectral data, not  $[\rho, \Lambda]=0$  — which is exactly why Flat-Away cannot be read off the commutator.
- **v291\_flataway\_contract.py** (**FLATAWAY.RP.01**) states Flat-Away as its own named mini-theorem and types three independent proof routes: **[E]** spectral-rigidity and **[E]** heat-kernel (the flat seam is the *unique* spectral/heat match of the smooth  $\mathbb{Z}_4$  family — deviation zero only at  $\varepsilon=0$ ) and **[C]** RP-energy/Troyanov (constant-curvature minimiser). Closing any one closes Route B. **[E]** build green, **AUDIT OK**.

## 2026-06-18 (Route B sharpened: raw mark-locality decomposed + reviewer firewalls, v289 / v287–v288)

- **v289\_marklocal\_raw.py** (**MARKLOCAL.RAW.01**) decomposes the one remaining Route-B residual (‘why is the raw seam sub-principal term mark-local?’) into a 5-lemma chain and isolates the *single* open analytic lemma: **[C]** L1 conic parametrix (b-calculus/Melrose, imported); **[O]** L2 **Flat-Away** — RP+gap+4 marks  $\Rightarrow$  curvature vanishes away from the marks; **[E]** L3 orbit-source (v195/v216), L4 Fourier-support on  $4\mathbb{Z}$  (v264/v288), L5 full-operator  $[\rho, \Lambda]=0$  (v288). 4/5 discharged — Route B reduces to exactly L2.
- **v288 reviewer firewall**: a SCOPE FIREWALL check makes the exact-label split explicit (Fourier lemma Formal/Exact; numerical test Numerical Exact; transfer to the raw conic DtN Conditional, v264; mark-locality from the RP seam Open Selection, v289) — so it can never be read as ‘full- $L^2$  QGEO proved’.
- **v287 literature matrix**: L3 (‘invertible bulk  $\Rightarrow$  single-sector’) is typed as a composition of citable results (LIT-A Kitaev/Freed–Hopkins, LIT-B Muger/Kawahigashi–Longo–Muger, LIT-C Kawahigashi–Longo) conditional on one open hypothesis — seam-bulk invertibility, which coincides with Route B. **[E]** build green, **AUDIT OK**.

**2026-06-18 (closing sprint: the Seam Equivalence Theorem named + both routes attacked, v286–v288)**

- **v286\_seam\_equivalence\_contract.py** (SEAM.EQUIV.01) names the one open theorem — *the raw RP seam state is the holomorphic  $(E_8)_1$  net at  $\tau=i$*  — and concentrates the whole open structure on it: four objects, six arrows (2 closed, 1 conditional v282, 1 open Gral), an **import firewall** proving the two routes (v276/v280/v284 vs v277/v281/v285) never import each other (no ‘ $E_8$  into the geometry and back’ circularity), and an exact-label taxonomy. Writes `seam_equivalence.json`.
- **v287\_free\_rp\_bulk\_to\_holomorphic\_boundary.py** (SEAM.EQUIV.A01): Route A (AQFT) dependency checker — the 5-lemma chain  $\text{RP}+\text{gap}+\text{chirality}+\text{Gaussian}+\text{invertible} \Rightarrow \mu=1 \Rightarrow \text{holomorphic} \Rightarrow (E_8)_1$  is logically complete *modulo one* standard theorem: *invertible (SRE) Gaussian bulk  $\Rightarrow$  single-sector boundary* (the AQFT form of  $\det K=1$ ). 4/5 discharged.
- **v288\_full\_l2\_subprincipal\_z4.py** (SEAM.EQUIV.B01): Route B (DtN) — *proves* the full- $L^2$  lift of the sub-principal  $\mathbb{Z}_4$  block-diagonality (a mark-sourced curvature has Fourier support only on  $m \equiv 0 \pmod{4}$ , so  $\Lambda = |n| + M_f$  commutes with  $\rho = \text{diag}(i^n)$  on the full operator,  $\|[\rho, \Lambda]\| \sim 2 \times 10^{-15}$ ; generic curvature  $\rightarrow 4.44$ ), lifting v201/v284 to  $L^2$ . The residual shrinks to one sharper question: why is the raw seam sub-principal term mark-local? [E] build green, AUDIT OK.

**2026-06-18 (the two proof routes decomposed: Route (i) and Route (ii) into lemma chains, v284/v285)**

- **v284\_route\_i\_rp\_uniqueness.py** (QGEO.ROUTEI.01) turns Route (i) (RP-state uniqueness) into a 6-lemma chain: [E] 5/6 lemmas are already discharged — L1  $\text{RP} \rightarrow \text{DtN}$  (v194), L2 marks  $\rightarrow$  pillowcase (v195/v216/v214), L3 flat Steklov  $= \sqrt{-\Delta_{\text{flat}}}$  (verified here), L4 covariance from DtN (v258), L5  $\mu_4$ -invariance (v276/Lean/v280); [C] Troyanov ( $\chi_{\text{orb}}=0 \Rightarrow$  unique flat  $\tau=i$ ) reduces the residual to one lemma. [O] the one open lemma: *the raw seam is the constant-curvature geometric state*.
- **v285\_route\_ii\_seam\_condensation.py** (QGAMB.ROUTEII.01) turns Route (ii) (seam-net condensation) into a 4-lemma chain: [E] 3/4 discharged (no abelian sector  $\Leftrightarrow \det K=1 \Leftrightarrow \text{holomorphic} \Leftrightarrow E_8$ ; the tower  $16 \rightarrow 4 \rightarrow 1$ ), and **its open lemma coincides with Route (i)’s** — both are “the raw seam is the  $(E_8)_1$ -at- $\tau=i$  object” (v282), so proving *either* route closes *both*. [O] the unified open lemma: a canonical equivalence between the raw seam KMS/DtN state and the holomorphic  $(E_8)_1$  net at  $\tau=i$ . Build green, AUDIT OK.

**2026-06-18 (self-investigation round: pillowcase DtN, modular data, the  $E_8$ -at- $\tau=i$  unification, live scorecard, v280–v283)**

- **v280\_pillowcase\_steklov.py** (QGEO.STEKLOV.01) runs the QGEO chain on the actual flat  $\tau=i$  pillowcase orbifold: the order-4 deck permutes the 4 cone points (2 fixed + 1 swap) and the geometric chain  $[\rho, \Delta]=0 \Rightarrow [\rho, H]=0 \Rightarrow [\rho, C]=0 \Rightarrow \omega \circ \rho = \omega$  is numerically exact — route-(i) evidence for QGEO.OBLIG.01; the premise stays [O].
- **v281\_holomorphy\_modular\_data.py** (QGAMB.MODULAR.01):  $\# \text{anyons} = |\det \text{Gram}|$  ( $E_8 \rightarrow 1$ ,  $\text{SO}(16) \rightarrow 4$ ), the anyon-condensation tower  $16 \rightarrow 4 \rightarrow 1$ , Gauss–Milgram  $\rightarrow c=8$ ; holomorphy ( $\det K=1$ ) is the single Tier-B discriminator.
- **v282\_e8\_tau\_i\_unification.py** (QGAMB.UNIFY.01): the candidate *simplification* —  $\chi_{E_8}=j^{1/3}$  gives  $\chi_{E_8}(i)=1728^{1/3}=12$ , so  $\tau=i$  is both the order-4 CM point (QGEO) and the  $(E_8)_1$  modulus (QG.AMB): the two obligations are two faces of one object (the seam is  $(E_8)_1$  at  $\tau=i$ ), **obligation count  $2 \rightarrow 1$** .

- **v283\_live\_killtest\_scorecard.py** (PRED.LIVE.01): the recent round's computable predictions vs current data — all consistent  $< 2\sigma$ , with two sharp near-term kill tests ( $\Sigma m_\nu$  floor 0.0586 eV; proton decay  $1.55 \times 10^{35}$  yr).
- Wolfram 275/275 (v281/v282 exact-mirrored); build green, AUDIT OK.

**2026-06-18 (the Gräl: QGEO.SYM.01 as one precise lemma + the all-orders step Lean-formalised, v279/FORM.QGEO.03)**

- **v279\_qgeo\_obligation\_lemma.py** (QGEO.OBLIG.01) writes the bedrock as **ONE precise constructive-QFT lemma**. Given the premise *the raw seam carries the flat  $\tau=i$  pillowcase metric* (Trojanov-unique,  $\Lambda_\Sigma = \sqrt{-\Delta_{\text{flat}}}$ ), then  $\omega_\Sigma \circ \rho = \omega_\Sigma \rightarrow \text{mark-locality} \rightarrow E_8$ . [E] the reduction DAG from ‘free RP seam’ has exactly *one* open leaf — ‘the raw seam state is the flat state’; [E] the geometric side is fixed (flat DtN diagonal,  $\rho$  commutes to all orders), so the obligation is a state-identification, with [C] two proof routes (RP-state uniqueness, or Trojanov + OS).
- **FORM.QGEO.03: the all-orders step is now machine-proved in Lean**. `SeamDeckClosure.lean` gains `diagonal_commutatesClock` and `flat_all_orders_clock`: any spectral function  $g(\Delta_{\text{flat}})$  of the Fourier-diagonal flat Laplacian commutes with the carrier clock  $\rho = \text{diag}(i^n)$  — so the v276 all-orders closure is a Lean theorem (only `propext`, `Classical.choice`, `Quot.sound`; no `sorry`; full lake build green, 3356 jobs). The premise (the seam *is* flat) stays the [O] QGEO.SYM.01 input. Build green, AUDIT OK.

**2026-06-18 (4D QFT: the  $S_{\text{pert}} \rightarrow S_{\text{phys}}$  LSZ bridge + one-loop unitarity, v278)**

- **v278\_lszy\_bridge\_unitarity.py** (QFT4D.SPERT.04) connects the perturbative **S-matrix to the physical asymptotic one and verifies one-loop unitarity**. [E] LSZ bridge: the EG  $T$ -products of  $S_{\text{pert}}$  (v269) are the OS Wick-rotated correlators (v240), so amputate+on-shell-residue gives  $S_{\text{pert}} \xrightarrow{\text{LSZ}} S_{\text{phys}}$ ; [C] the gap  $\Delta = 6 \log(3/2) > 0$  gives Haag–Ruelle asymptotic states. [E] *one-loop optical theorem*: the bubble discontinuity  $\text{Im } B(s)/\pi = x_+ - x_- = \sqrt{1 - 4m^2/s}$  *exactly* = the two-body phase space, so  $2 \text{Im } M = \sum \int d\Pi |M|^2$  (cutting rule) holds — the matter+gauge sector is unitary, with the cut turning on at the physical two-particle threshold. [O] the gravity sector's Stelle ghost (v269/rt\_F) is non-unitary  $\rightarrow$  QG.AMB.01. Exact core mirrored in Wolfram (273/273). Build green, AUDIT OK.

**2026-06-18 (QG.AMB.01 Tier-B made concrete: the seam-Calderón  $\rightarrow (E_8)_1$  match, v277)**

- **v277\_seam\_calderon\_e8\_match.py** (QGAMB.TIERB.01) reduces Tier-B to **ONE bit**. [E] the full  $(E_8)_1$  matching target is computed and matches:  $c=8$ ,  $\det \text{Cartan}(E_8)=1$ , the holomorphic character  $E_4/\eta^8 = j^{1/3} = q^{-1/3}(1+248q+\dots)$  with a single primary and exactly  $248 = \dim E_8$  weight-1 currents (240 roots). [E] the discriminator is holomorphy — the  $c=8$  counterexample  $(D_8)=SO(16)_1$  has  $\det \text{Cartan}=4$  (non-holomorphic), so the one condition is  $|\det K|=1$ . [C] the seam side matches via v276 (flat  $\tau=i$ ) + v260 (Kummer/K3). [O] residual = the single holomorphy bit; reduced, not closed. Exact core mirrored in Wolfram (272/272). Build green, AUDIT OK.

**2026-06-18 (QGEO.SYM.01 narrowed: the flat pillowcase closes the commutator to all orders, v276)**

- **v276\_qgeo\_flat\_closes\_commutator.py** (QGEO.SYM.03) collapses the bedrock to **ONE geometric postulate**. The state-level residual the whole bedrock rests on is the operator

equation  $[\rho, H]=0$ . [E] if  $H = f(\Delta_{\text{flat}})$  and the order-4 deck  $\rho (z \mapsto iz)$  is a flat- $\tau=i$  isometry, then  $[\rho, \Delta]=0 \Rightarrow [\rho, H]=0$  *exactly*, to all orders (verified on the discretised square torus:  $\rho^4=I$ ,  $[\rho, \Delta]=0$ ,  $[\rho, \sqrt{-\Delta}]=0$ ; generic non-isometry fails) — upgrading the leading-order v198/v201 to the full  $H$ . [C]  $\tau=i$  is forced by order-4 ( $j=1728$ ; hexagonal  $j=0$  is order-6, excluded). [O] QGEO.SYM.01 therefore collapses to the single statement “the raw seam IS the flat  $\tau=i$  pillowcase quasi-free state” — one human constructive-QFT proof, or an honest axiom. Narrows, does not close. Build green, AUDIT OK.

## 2026-06-18 (Red Team Target F — adversarial audit of the v269–v275 round, rt\_F)

- **redteam/rt\_F\_qft4d.py (REDTEAM.F.01) stress-tests the just-published round** (the perturbative  $S_{\text{pert}}$  layer, the PMNS Jarlskog, the  $\nu$ -scale, the over-determination, the QG.AMB.01 roadmap). SURVIVES (NARROWED): two attacks land and are folded in. (1) the gravity  $R^2/\text{Weyl}^2$  sub-sector is power-counting renormalizable but *non-unitary* (the Stelle ghost: the four-derivative propagator  $1/(p^2(p^2 + M^2))$  has a negative-residue massive spin-2 mode), so  $S_{\text{pert}}$  is unitary for the matter+gauge sector only — which is exactly why the non-perturbative QG.AMB.01 is the real frontier (caveat added to v269). (2) the 0.11% anchor over-determination is conditional on the  $\Lambda$ -branch readout (LAMBDA.BRANCH.01, [C]), the gravity route being unconditional (caveat added to v274). Added as Target F in `tfpt_5_redteam` + the red-team table; `run_redteam.py` green.

## 2026-06-18 (Zenodo release 5.2 (rev 191) — the perturbative 4D-QFT layer + scale closure, v269–v275)

- **Published to Zenodo.** Version 5.2 (rev 191) of the ten-PDF document set was published as a new version of the TFPT deposit — record 20743347, DOI 10.5281/zenodo.20743347. This release carries the perturbative 4D-QFT layer (the Epstein–Glaser  $S_{\text{pert}}$  skeleton v269, the concrete one-loop quartic v271 and gauge  $\beta$ -coefficients v273), the complete complex PMNS matrix and leptonic CP strength v270, the honest absolute  $\nu$ -mass-scale typing v272, the over-determination of the single mass anchor v274, and the QG.AMB.01 obligation roadmap v275. Suite 273 modules (highest ID v275; v186/v226 skipped), Wolfram 271/271, `run_all.py` green, AUDIT OK, `npm` build clean. The Zenodo description (`zenodo_description.html`) and the public website were synced in the same release.

## 2026-06-18 (scale + frontier round: $\nu$ -mass scale, EG gauge running, over-determination, QG roadmap, v272–v275)

- **v272\_nu\_mass\_scale.py (FLAV.NUSCALE.01) types the absolute neutrino-mass scale honestly** (no fabricated  $\Sigma m_\nu$  — would contradict the v184 firewall). [E] the absolute scale reduces to *one* seesaw ratio  $m_3 = (y_\nu v_{\text{EW}})^2/M_R$  (one UV input, like  $v_{\text{geo}}$ , v153); [C] the observed  $m_3=0.050$  eV with the TFPT PS→GUT window  $M_R \in [4.2 \times 10^{13}, 2.4 \times 10^{15}]$  GeV (v249) needs  $y_\nu \in [0.26, 2.0]$  —  $O(1)$ , no tuning; [O]  $M_R$  is not a clean  $\bar{M}_{\text{Pl}}$  power, so the absolute value stays open; [X] the NO floor  $\Sigma m_\nu=0.0586$  eV is the cosmological kill test. Closes the PMNS bookkeeping (the last [O] is one seesaw ratio).
- **v273\_eg\_gauge\_running.py (QFT4D.SPERT.03) derives the SM one-loop  $b_i$  via the EG gauge self-energy.** [E] the gauge 2-point is the same scaling-degree-4 extension as the quartic (v271), giving  $(b_1, b_2, b_3) = (41/10, -19/6, -7)$  from the carrier/SM content (the same 41 as the carrier algebra, v159); [O] two-loop + all-order stay open. Exact  $b_i$  mirrored in Wolfram.
- **v274\_scale\_overdetermination.py (SCALE.OVERDET.01) shows the single mass anchor is over-determined.** [E]/[C] two independent routes to  $\bar{M}_{\text{Pl}}$  agree — gravity  $(8\pi G)^{-1/2} =$

$2.4353 \times 10^{18}$  GeV and cosmology (the compiler prediction  $\rho_\Lambda / \bar{M}_{\text{Pl}}^4 = (3/4\pi^2)e^{-2\alpha^{-1}}$  with  $\rho_\Lambda^{1/4} = 2.24$  meV) =  $2.438 \times 10^{18}$  GeV, to 0.11%; the seam being a conformal  $c=8$  CFT makes “no derivable absolute scale” a theorem, not a gap. Sharpens v153/v78.

- **v275\_qgamb\_roadmap.py (QGAMB.ROADMAP.01) gives the open gate QG.AMB.01 a module.** [E] Tier A gap decoupling ( $\Delta_{\text{eff}} = 1.648 > 0$ , v36/v76); [E]/[C] Tier B reduction to the holomorphic  $(E_8)_1$  boundary net (v77); [C] the perturbative layer in hand (v269/v271/v273); [O] the nonperturbative ambient measure stays the one structural frontier.
- Suite 271/271 Wolfram, run\_all green, AUDIT OK, build green.

#### 2026-06-18 (4D QFT: a concrete Epstein–Glaser one-loop quartic renormalization, v271)

- **v271\_eg\_oneloop\_quartic.py (QFT4D.SPERT.02) takes the v269  $S_{\text{pert}}$  skeleton from “exists” to an actual EG number** (no path integral). [E] the first renormalization is the order-2 product  $T_2$ ; the massless propagator has scaling degree  $\text{sd}=2$  in  $d=4$ , the one-loop bubble has  $\text{sd}=4=d$ , so  $\omega=\text{sd}-d=0 \Rightarrow$  exactly one logarithmic local counterterm ( $C(\omega+d, d)=1$ , finite, no infinite tower); the loop factor  $\Omega_3/(2(2\pi)^4) = 1/(16\pi^2)$  exactly — the *same* factor that normalises the spectral-action  $a_4$  geometric quartic. [C] the  $\phi^4$  one-loop  $\beta_\lambda = 3\lambda^2/(16\pi^2)$  (symmetry  $3 = s, t, u$  channels), EG initial condition  $\lambda_\Phi(\text{UV}) = 1/(16\pi^2)$ . [O] order-2/one-loop only; the all-order EG construction and the nonperturbative measure QG.AMB.01 stay open. Exact core mirrored in Wolfram (270/270). [E] build green, AUDIT OK.

#### 2026-06-18 (PMNS: the complete complex matrix + the leptonic Jarlskog CP strength, v270)

- **v270\_pmns\_jarlskog\_assembly.py (FLAV.PMNS.03) assembles the four TFPT channels** ( $\sin^2 \theta_{12} = \frac{1}{3} - \frac{\varphi_0^{\text{ret}}}{2}$ ,  $\sin^2 \theta_{23} = \frac{1}{2}$ ,  $\sin^2 \theta_{13} = \varphi_0^{\text{ret}} e^{-5/6}$ ,  $\delta = 4\pi/3$ ) **into one exactly-unitary complex PMNS matrix and derives the leptonic CP strength.** [E]  $U = R_{23}U_{13}(\delta)R_{12}$  is unitary; [C] the Jarlskog  $J_{\text{PMNS}} = \Im(U_{e1}U_{\mu 2}U_{e2}^*U_{\mu 1}^*) = -0.02965$  ( $J_{\text{max}} = 0.03424$ ) is a *derived* number, the leptonic analogue of the CKM  $J$  (v88); [C] data:  $J_{\text{max}}$  vs NuFIT 5.2 0.0332 ( $\sim 3\%$ ),  $J$  vs best fit  $-0.026$ , the negative CP-violating sign reproduced. [O]  $\delta$  is the  $\mu_6$ /triality phase (assembled, not from  $M_\nu/D_F$ ) and the absolute  $\nu$ -mass scale stays open — closes the CP-*strength* readout, not the phase origin nor the scale. [E] build green, AUDIT OK.

#### 2026-06-18 (4D QFT: the perturbative S-matrix as an Epstein–Glaser / pAQFT skeleton, v269)

- **v269\_spert\_paqft\_skeleton.py (QFT4D.SPERT.01) builds the honest middle layer of the three-layer S-matrix** (the first concrete 4D-QFT step beyond the spectral-action contract), *not* a nonperturbative closure. [E] three distinct layers:  $S_{\text{top}}$  (2d DHR braiding  $|M|=1$ , statistics, v243),  $S_{\text{pert}}$  (4d Epstein–Glaser/BV S-matrix of the spectral action),  $S_{\text{phys}}$  (LSZ on the OS Wightman functions, v240). [E] the spectral-action  $a_4$  interaction is power-counting renormalizable (all operators  $\dim \leq 4$ ; 7 marginal + 3 relevant, a finite counterterm basis), so [C] by the Epstein–Glaser theorem the perturbative S-matrix exists order by order (causal factorisation + finite local extension; no path integral, no UV divergences). [C] the gap  $\Delta = 6 \log(3/2)$  gives an IR-safe adiabatic limit ( $S_{\text{pert}} \rightarrow S_{\text{phys}}$  via LSZ). [O] perturbative only — the ambient measure QG.AMB.01 stays open, the canonical 4d reading remains boundary-only (v265). [E] build green, AUDIT OK.

**2026-06-18 (PMNS: the reactor-angle exponent closed as the carrier hypercharge trace, v268)**

- **v268\_theta13\_carrier\_trace.py (FLAV.TH13.01) closes the  $\theta_{13}$  exponent origin.** The value  $\sin^2 \theta_{13} = \varphi_0^{\text{ret}} e^{-5/6} = 0.0231$  was already checked (v16); now the exponent is exact: [E]  $\gamma = 5/6 = \text{tr}_E Y^2$ , the carrier hypercharge-squared trace ( $Y = \text{diag}(-\frac{1}{3}, -\frac{1}{3}, -\frac{1}{3}, \frac{1}{2}, \frac{1}{2})$ , roots of  $6Y^2 - Y - 1 = 0$ ; complement  $\frac{1}{6}$  the neutrino ratio). [E] own channel: the  $\mu\tau$ -breaking  $\varepsilon = \frac{3}{4}\varphi_0^{\text{ret}}$  induces only  $\sim 1.6 \times 10^{-3} \ll 0.023$ , so  $\theta_{13}$  is a separate carrier-trace channel — correcting the tempting (and wrong) “ $\theta_{13}$  from  $M_\nu$ ” route flagged by the new script atlas. [O] the CP magnitude and the absolute  $\nu$ -mass scale remain the open PMNS items. Exact core mirrored in Wolfram. [E] build green, AUDIT OK.

**2026-06-18 (Infrastructure: a generated causal “script atlas” so the suite is navigable at a glance)**

- **verification/make\_script\_atlas.py generates verification/script\_atlas.md** — a single grouped, dependency-aware view fusing the existing single sources (status\_ledger.csv for claim→status→dependencies→supersedes, script\_registry.csv/script\_clusters.csv for the theme grouping, docs\_map.csv for where each script is cited). It lists every registered script by cluster with its claim(s), four-class marker, one-liner, resolved dependencies and citing papers, plus a *supersede map* (which old claim each new one replaces) and a dependency/most-depended-on overview — the antidote to duplicating work or forgetting superseded results. No new data, a re-projection only; wired into bash build.sh gen. [E] build green, AUDIT OK.

**2026-06-18 (The bedrock in its minimal-axiom form: a rigidity theorem for QGEO.SYM.01, v267)**

- **v267\_qgeo\_rigidity\_minimal\_axiom.py (QGEO.SYM.02) sharpens the one bedrock postulate to its irreducible kernel** (it does *not* close it). [E] the *single* bare statement “the seam admits the carrier order-4 clock as a conformal symmetry permuting its four marks” ( $= \omega \circ \rho = \omega$ ) forces *everything*: an order-4 Möbius orbit  $\{a, ia, -a, -ia\}$  has cross-ratio 2 independent of  $a$ ; cross-ratio 2  $\Leftrightarrow j=1728$  (only  $\lambda \in \{-1, \frac{1}{2}, 2\}$ )  $\Leftrightarrow$  the order-4 CM automorphism on  $y^2=x^3-x$ ; and the unique flat pillowcase metric, mark-locality,  $[\rho, \Lambda]=0$  and  $\omega \circ \rho = \omega$  all follow (v214/v201/v264/v198). [E] neg controls: generic config  $j \neq 1728$  ( $\mathbb{Z}_2$  only), hexagonal  $j=0$  ( $\mathbb{Z}_6$ , order 6) — only the square (order-4) realises the  $\mu_4$  clock. [C] second, independent reason:  $\{1, i, -1, -i\}$  over  $\mathbb{Q}$  with  $j=1728$  (CM by  $\mathbb{Z}[i]$ ), Belyi/dessins Galois-rigidity. [O] the bare order-4 symmetry stays the one foundational postulate (like  $c=\text{const}$ ) — the *reduction* is closed (axiom  $\Rightarrow$  everything), the axiom is not. [E] build green, AUDIT OK.

**2026-06-18 (Branch B decided: the explicit PS threshold model + proton-decay window — minimal content killed,  $+(15, 1, 1)$  survives, Hyper-K decisive, v266)**

- **v266\_ps\_threshold\_proton.py (PS.PROTON.02/PS.THRESHOLD.02) decides branch B of the v265 fork.** The explicit two-step Pati–Salam thresholds give  $d=6$   $\tau_p(p \rightarrow e^+ \pi^0)$  (writes ps\_threshold\_proton.json): [X] the minimal 16-Higgs content ( $M_{GUT} \sim 2.4 \times 10^{15}$ ) gives  $\tau_p \sim 4.4 \times 10^{33}$  yr < Super-K and is *killed* even at the high hadronic band; [C] the  $E_8$ -allowed  $(15, 1, 1)$  [the single 45] raises  $M_{GUT} \sim 5.9 \times 10^{15} \Rightarrow \tau_p \sim 1.6 \times 10^{35}$  yr, proton-safe *now*; [X] but that sits at the Hyper-K reach ( $\sim 1.4 \times 10^{35}$  yr) — a *dated* kill test decisive within the decade. So branch B is promoted from “well-mannered candidate” to *content-selected* (*must be*  $+(15, 1, 1)$ ), *Hyper-K-decisive UV branch*; [O] structurally marginal (only one 45 in the hull, v247) with an  $O(3)$   $\tau_p$  band. Branch A (boundary-only) is unchanged and canonical. [E] build green, AUDIT OK.

**2026-06-18 (The 4D-QFT fork frozen as a branch policy: boundary-only canonical, Pati–Salam a falsifiable UV branch, SM-only GUT killed, v265)**

- **v265\_qft4d\_fork\_freeze.py** (QFT4D.FORK.01) turns the 4D-QFT fork from an open ambiguity into a frozen decision tree (qft4d\_fork\_freeze.json), no new physics. **A (canonical):** boundary-only is the default 4D reading — a 4D-GUT is *not claimed by default* ( $E_8$  is the audit hull). **[X]** SM-only 4D-GUT unification is killed (1-loop: at the  $\alpha_1=\alpha_2$  scale  $\alpha_3^{-1}$  off by  $\sim 5.6$ , spread  $\sim 8.8$  at  $2 \times 10^{16}$  GeV, re-deriving v246) — the canonical expectation, not a failure. **B (conditional):** carrier-native Pati–Salam is a falsifiable UV branch only with the  $E_8$ -allowed content  $\{1, 10, 16, 45\}$  (no **126**, v247),  $\sin^2 \theta_W = 3/8$  (v248), the  $O(1)$   $\kappa = M_{PS}/M_s$  band (v249/v253), a threshold model and a proton-decay kill test (**[X]**, no fake  $\tau_p$  window; carrier gauging stays the contract). **[E]** a prose guard (QFT4D.NO\_OVERCLAIM.01) forbids bare 4D over-claims and requires the scoped policy wording. New ledger rows QFT4D.BOUNDARY.DEFAULT.01, QFT4D.SMONLYGUT.01, PS.UVBRANCH.01, PS.THRESHOLD.01, PS.PROTON.KILL.01. A fork-policy box added to tfpt\_research\_contracts; **[E]** build green, AUDIT OK.

**2026-06-18 (Three open-residual advances: the  $F_{\text{QCD}}$  solver,  $M_\nu$  from  $D_F$ , and the raw-seam $\Rightarrow$ mark-locality reduction, v262–v264)**

- **v262\_fqcd\_mp\_me.py** (FR.MPME.02) implements the one contract-only  $F_{\text{transfer}}$  pipeline. A real two-loop  $\alpha_s$  solver runs  $\alpha_s(M_Z) = 0.1179$  with  $n_f$  thresholds (carrier  $b_3 = -7$ , **[E]**) to  $\alpha_s(2 \text{ GeV}) \sim 0.30$  and  $\Lambda_{\overline{\text{MS}}}^{(3)} \sim 0.33 \text{ GeV}$ ; with the lattice bridge  $C_p$  (external  $O(1)$ ) and the closed  $m_e$  it reproduces  $m_p/m_e \sim 1824$  vs the measured 1836.15 within the  $\sim 7\%$  external budget. A **[C]** transfer reproduction (firewall: no compiler integer for 1836), advancing FR.MPME.01 (**[O]**) to FR.MPME.02 (**[C]**).
- **v263\_mnu\_from\_df.py** (FLAV.PMNS.02) makes  $M_\nu$  a seesaw operator of  $D_F$ . **[E]**  $M_\nu = -m_D M_R^{-1} m_D^\top$  is symmetric, seesaw-suppressed and (for  $\mu\tau$ -symmetric inputs)  $\mu\tau$ -symmetric; **[C]** it reproduces  $\theta_{23} = 45^\circ$  and  $\sin^2 \theta_{12} = \frac{1}{3} - \frac{\varphi_0^{\text{ret}}}{2}$  (v9) under the seam misalignment; **[O]**  $\theta_{13} = 0$  in the leading texture, the CP *magnitude* ( $240^\circ$ ) is the  $\mu_6$ /triality phase (v231/v233), and  $M_R$  is the free seesaw scale. An operator advance, not a closure of full PMNS dynamics.
- **v264\_raw\_seam\_marklocal.py** (QGEO.ENERGY.03) sharpens the bedrock. Composing v216+v201+v198 on the canonical pillowcase: the flat-pillowcase curvature lives only at the 4 marks, so the DtN sub-principal symbol is  $\mathbb{Z}_4$ -invariant (Fourier on  $4\mathbb{Z}$ , FFT-verified), block-diagonal, and  $[\rho, \Lambda] = 0 \Rightarrow \omega \circ \rho = \omega$  on this metric. So the whole bedrock collapses to the single metric statement “the raw RP seam carries the uniformising flat pillowcase metric” (=QGEO.SYM.01). A reduction/sharpening, **[O]** — it does *not* prove the seam must carry that metric (negative control: curvature off the  $\mu_4$  orbit breaks the chain). Paper citations added in tfpt\_4\_frontier, tfpt\_2\_standard\_model and tfpt\_research\_contracts. **[E]** AUDIT OK, build green.

**2026-06-18 (Paper consistency pass: the closure ledger and the status/QFT sections updated for the Modular Spectral Closure, with an explicit “what is *not* closed” line)**

- **Five paper sections that predated the v238–v261 round are brought up to date** (additive, no status marker moved). The introduction closure-ledger table and the “five questions” item now carry a *boundary QFT (Modular Spectral Closure)* row — one relative object  $\text{TFPT}_{\text{QFT}} = (\mathcal{A}_\Sigma, \omega_\Sigma, \Delta_\Sigma, \rho, A_F, H_F, D_F, J, \gamma, S_{\text{rel}})$  closed modulo QGEO.SYM.01 (v258–v261) — plus an explicit list of what the closure does *not* reach: the full measured pole masses, the absolute QCD scales ( $m_p/m_e$ ), the complete PMNS dynamics, and the real 4D interacting QFT / ambient measure. The tfpt\_2 “ambient closure” section now states

that the cutoff of its  $S_{\text{rel}}$  is the seam KMS weight ( $f_2/f_0=1$ , v259) and  $D_{\text{rel}}$  the covariance induction (v258); the `tfpt_2` “(4) Constructive QFT closure” section adds the relative-object pointer; `tfpt_4_frontier`’s full-quantum-gravity section records that the cutoff moment  $f_0$  is pinned by the seam state (v255/v259); and `origin_theory`’s honest-status keybox notes that the whole boundary QFT collapses onto the same `QGE0.SYM.01` postulate (no sixth structural class). An editorial consistency pass so every status surface agrees with the ledger. [E] build green (10 ok, 0 failed), AUDIT OK.

## 2026-06-18 (Consistency pass: the Modular Spectral Closure surfaced structurally across the website and the intro status card)

- **The v258–v261 closure is now reflected on every “what is open” surface, not just the research-contracts paper.** The homepage open-gates section and compiler-pipeline diagram, the hostile-referee FAQ, the glossary  $G_{\text{net}}$  entry, the reviewer page and the verification residual-chain caption now state that the *entire* emergent-QFT layer (Dirac, cutoff, gauging, glue, orientability) collapses onto the *same* premise `QGE0.SYM.01` via the Modular Spectral Closure — the boundary QFT is one relative object that adds *no new open item*, ambient QG separate. The introduction status card (“the structural residual is one condition”) carries the same sentence. No status marker moved; this is an editorial consistency pass so the public surfaces agree with the ledger and the paper. [E] build green, AUDIT OK.

## 2026-06-17 (The Modular Spectral Closure: Dirac as covariance induction, the modular cutoff, the Kummer/K3 unification, and the assembly certificate, v258–v261)

- **v258\_dirac\_covariance\_induction.py (PS.DIRAC.03) closes the “posited Yukawa vs derived operator” gap of v250/v252.** The finite Dirac operator  $D_F$  is the modular/covariance *induction* of the boundary seam quasi-free (KMS,  $\beta=1$ ) state: a Gaussian state is fixed by its covariance  $C$  (a positive contraction) with one-particle modular Hamiltonian  $H = \log((1-C)C^{-1})$  (Araki; Casini–Huerta), inverse to the KMS occupation  $C = (1+e^H)^{-1}$ . [E] the inversion identity holds exactly; [E]  $C_F$  is a positive contraction; [E] the induced operator is chirality-odd; [E] it is unitarily equivalent to the v252  $D_F$  (same mass spectrum); [E] the Majorana/seesaw  $m_D^2/M_R$  is an off-diagonal covariance entry. [C]  $C_F = P_F C_\Sigma P_F$ , so  $D_F$  is the Kasparov shadow  $[D_\Sigma] \hat{\otimes}_{(E_8)_1} [\mathcal{K}_{\text{car}}]$  of the boundary geometry and the v18 Yukawas are the readout of  $C_\Sigma$ .
- **v259\_modular\_cutoff\_kappa.py (PS.SPECACT.02) fixes the last open spectral-action input.** The cutoff  $f$  is the seam’s own modular/KMS weight: by Tomita–Takesaki/Bisognano–Wichmann the seam is KMS at  $\beta=1$  (v239) and  $2\pi=1/(4c_3)$  (v58) fixes  $\beta$ , so the heat-kernel cutoff  $f(u) = e^{-u}$  is *derived*. [E] its moments give  $f_2/f_0 = f_4/f_2 = 1$  exactly; [E] a generic Gaussian cutoff gives  $\sqrt{\pi}/2 \neq 1$  (the choice is non-vacuous); [E] hence  $\kappa = \sqrt{(f_2/f_0) c_{PS}/c_{\text{grav}}} = \sqrt{c_{PS}/c_{\text{grav}}}$  loses its scheme factor. [C] the open [O] cutoff freedom of v253/v255 becomes a finite trace ratio over the 96-dim  $H_F$  (the RG  $\kappa \approx 1.3$  pins  $c_{PS}/c_{\text{grav}} \approx 1.7$ ).
- **v260\_k3\_kummer\_unification.py (ARCH.K3.01) unifies seam, carrier and lattice on one surface.** The pillowcase is the elliptic-involution quotient  $T_{\tau=i}^2/(z \mapsto -z)$  (v214); squaring it gives the Kummer/K3 surface, whose three facets are three TFPT objects. [E] the  $E_8$  Cartan is even/det 1/positive-definite; [E]  $H^2(K3, \mathbb{Z}) = U^3 \oplus E_8(-1)^2$  (rank 22, det  $-1$ , even, signature  $(3, 19)$ ); [E] the seam is  $T^2/(z \mapsto -z)$  with 4 marks (orbifold Euler char 0); [E] the carrier-16 are the  $|A[2]|=2^4=16$  Kummer nodes =  $\dim S^+$  (v197),  $16=4 \times 4$ ; [E] honest note — the rank-16 Kummer lattice is *not* the  $E_8(-1)^2$  summand. [C] so the v1 “glue  $D_5 \oplus A_3 + \mu_4 \Rightarrow E_8$ ” is the lattice shadow of a single object;  $E_8$  appears both locally (du Val  $\mathbb{C}^2/2I$ , v232/v236) and globally ( $H^2$  summand). A unification, not a closure.



- **v261\_modular\_spectral\_closure.py** (QFT.MSC.01) is the assembly capstone. The whole QFT round (v238–v260) is certified as *one* relative object  $\text{TFPT}_{\text{QFT}} = (\mathcal{A}_\Sigma, \omega_\Sigma, \Delta_\Sigma, \rho, A_F, H_F, D_F, J, \gamma, S_{\text{rel}})$  reduced to *one* open premise. [E] the cross-consistency invariants agree:  $4 = [B:A] = |\mu_4| = 2\chi = |(\mathbb{Z}/2)^2|$  (index = marks = fixed points = glue order), one carrier-16 (spinor = lattice = triple), one gap  $6 \log(3/2)$  (OS = recovery = Lindblad); [E] the three closures re-derived; [E] the ten-component manifest present. [O] the QFT layer reduces to QGEO.SYM.01 (seam realisation), the ambient QG measure QG.AMB.01 kept separate. [C] the *Modular Spectral Universality* master statement: the unique RP holomorphic index-4 KMS seam state induces the 96-dim KO-6 triple whose inner fluctuations give the gauged Pati–Salam spectral action — the honest sense in which the boundary QFT is complete.

**2026-06-17 (Infrastructure: the changelog is now a public website page, generated from changelog.tex and audit-gated)**

- **The canonical changelog now also drives a public /changelog website page.** A new generator `verification/make_changelog_web.py` parses this file (dated `\subsection*` entries, `itemize` items, and the inline markup `\textbf/\emph/\texttt/\vref`, the status markers [E]/[C]/[O]/[X], inline math and accents) into the typed data file `website/lib/changelog.ts`, rendered server-side (math via KaTeX) by `website/app/changelog/page.tsx` + `website/components/Changelog.tsx`. The generator is wired into `bash build.sh gen`; its freshness is enforced by `audit_sync.py` (section A.generated), so the page can never drift from this file – editing the changelog and re-running `gen` is the only supported path (the `.ts` mirror is never hand-edited). `/changelog` is linked from the navbar, footer and sitemap. The `tfpt-workflow`, `website-sync` and `sync-maps` cursor rules were updated to record the new single-source generation step. [E] build (`npm run build` green, `/changelog` prerendered static) and `bash build.sh audit` (AUDIT OK).

**2026-06-17 (Orientability + Poincaré duality: the honest, literature-confirmed status — strict fail, weakened hold, v257)**

- **v257\_quasiorient\_modpd.py** (PS.NCG.ORIENT.02) corrects the slightly too-generous **v256 typing**. The published result (Cacic–Stephan arXiv:0902.2068; CCM07; SM-vacuum hep-th/0601192) is that the Chamseddine–Connes–Marcolli Standard-Model finite triple (KO-dimension 6, with three right-handed neutrinos — exactly the TFPT seesaw case) *genuinely fails* strict orientability and strict Poincaré duality, and instead satisfies the physically correct weakened versions. Verified on the explicit v252 triple: [E] strict orientability fails ( $\gamma \notin \text{span}\{\lambda(a)\rho(b)\}$ ); [E] *quasi-orientability* holds (the left/right  $A$ -irrep boxes are disjoint by chirality:  $L = H$  weak-doublet,  $R = \mathbb{C}$  singlet, so  $L^{\text{LR}}(\mathcal{H}^{\text{even}}, \mathcal{H}^{\text{odd}}) = \{0\}$ ); [E] strict Poincaré duality fails (KO-6 skew intersection form, corank 1, the equal- $L/R$ -neutrino case); [C] modified Poincaré duality holds (CCM), Stephan’s alternative triple (St06) restoring strict PD with identical physics. A known property of the NCG-SM model class, not a TFPT defect — no faked closure.

**2026-06-17 (Remaining NCG obligations discharged or honestly typed: inner fluctuations, spectral action, orientability/Poincaré, v254–v256)**

- **v254\_inner\_fluctuations.py** (PS.NCG.FLUCT.01) closes v250 #5 + the no-junk obligation. The inner fluctuations  $\Omega_D^1(A_F)$  of the finite Dirac operator are computed explicitly: [E] they are purely chirality-odd (scalars), and for the SM algebra sit *exactly* in the one Higgs doublet  $(1, 2)_{1/2}$  — no junk, no triplet, no  $(10, 1, 3)/\mathbf{126}$ . [E] the  $\sigma$  ( $\nu_R$  Majorana) direction is absent for the SM algebra but present for Pati–Salam (the CCvS beyond-first-order scalar), and [E]  $\sigma$  is an SM singlet  $(1, 1, 0)$  with  $B-L = 2$ . [C]  $\sigma = \text{scalaron}$ .

- **v255\_spectral\_action\_expansion.py (PS.SPECACT.01) closes the spectral-action expansion (v252 #11).** The Seeley–DeWitt expansion  $S = 2f_4\Lambda^4 a_0 + 2f_2\Lambda^2 a_2 + f_0 a_4$ : [E] structure ( $a_0$  cosmological,  $a_2$  Einstein–Hilbert+Higgs-mass,  $a_4$  Yang–Mills+Weyl<sup>2</sup> +  $R^2$ +Higgs-quartic,  $N = 96$ ); [E]  $b/a^2 = 1/3$  (top-dominated); [E]  $\sin^2 \theta_W = 3/8$ ; [E] the  $R^2$  spin-0 mode = the Starobinsky scalaron; [C] Higgs quartic  $\rightarrow \sim 125$  GeV with  $\sigma$ ; [C]  $\kappa = \sqrt{(f_2/f_0)c_{PS}/c_{\text{grav}}}$  explicit; [O] exact decimal needs the cutoff moments.
- **v256\_orientability\_poincare.py (PS.NCG.ORIENT.01) — honest status, no faked proof.** KO-dimension 6 forces the intersection form  $\text{Tr}(\gamma \pi(p) J \pi(q) J^{-1})$  to be *antisymmetric*: [E] skew form (verified), [E] rank 2, corank 1, null  $\sim (1, 1, -1)$  on the SM K-theory  $\mathbb{Z}^3$ ; [E] the orientability local condition  $[\gamma_F, \pi(a)] = 0$ . [C] the canonical hypercharge-faithful SM/PS triple satisfies orientability and Poincaré duality (van Suijlekom; CCM); [O] a self-contained machine proof needs the complete canonical bimodule.

**2026-06-17 (Full 96-dim finite spectral triple built + NCG axioms verified, and  $\kappa$  pinned to  $O(1)$ , v252–v253)**

- **v252\_full\_finite\_triple.py (PS.DIRAC.02) advances the Dirac contract v250 from a 7-obligation contract to a concrete object discharging 5 to [E].** The full 96-dim finite spectral triple  $(A_F, H_F, D_F, J, \gamma)$  —  $H_F$  the particle $\oplus$ antiparticle doubling of three  $SO(10)$  **16**-plets — is built explicitly and the NCG axioms are checked by direct computation: [E] reality ( $J^2=+1$ ,  $JD=DJ$ ), grading ( $\gamma^2=1$ ,  $[\gamma, a]=0$ ,  $J\gamma=-\gamma J$ ), KO-dimension 6, order-zero, the first-order condition (HOLDS for the SM algebra including the Majorana; VIOLATED for the Pati–Salam algebra exactly by the Majorana, localized to  $\{\nu_R, e_R\}$  — the CCvS beyond-first-order mechanism on the full triple), and the spectrum of  $D_F$  reproducing the fermion masses and the type-I seesaw  $m_{\text{light}}=m_D^2/M_R$ . [C] Poincaré duality; [O] orientability, no-junk, spectral-action expansion.
- **v253\_kappa\_scalaron\_ps.py (PS.KAPPA.01) discharges residual 6(b) of v249.**  $\kappa$  in  $M_{PS} = \kappa M_s$  ( $M_s = \kappa^{7/2} \bar{M} \approx 3.06 \times 10^{13}$  GeV, exact) is pinned by an RG scan (PDG errors  $\times$  the two  $E_8$ -allowed contents) to a tight  $O(1)$  interval ( $\approx 1.3$ ). [C] heat-kernel origin:  $\kappa = \sqrt{(f_2/f_0)c_{PS}/c_{\text{grav}}}$  is a scale-free ratio of heat-kernel traces over the 96-dim  $H_F$  ( $\Lambda$  cancels). [X] the **126**-content drives  $\kappa$  out of the  $O(1)$  window (content-selective). [O] the exact decimal needs  $f_2/f_0$  fixed.

**2026-06-17 (Spectral triple, first step: the first-order condition is violated exactly by the Majorana/ $\sigma$  — the CCvS Pati–Salam mechanism, v251)**

- **v251\_first\_order\_sigma.py (PS.DIRAC.01) advances the Dirac contract v250 from a contract to an exhibited mechanism.** On a faithful lepton-block model ( $H = H_F \oplus H_F^c$ ,  $H_F = \mathbb{C}^3$ ), the real even structure is checked ( $J^2=+1$ ,  $\gamma^2=1$ ,  $D\gamma=-\gamma D$ , KO-dim-6 signs), order-zero holds, the first-order condition HOLDS for the Yukawa block, and is VIOLATED *exactly* by the Majorana ( $\nu_R \nu_R^c = \sigma$ ) block — the Chamseddine–Connes–van Suijlekom “beyond first order” mechanism by which the inner fluctuations promote the SM to Pati–Salam and generate  $\sigma$ . Honest correction to the review:  $\sigma$  does *not* rescue the first-order condition; its controlled violation *is* the mechanism. [C]  $\sigma$  = scalaron (v249); [O] the full 96-dim triple + spectral action.

**2026-06-17 (Carrier-native Pati–Salam program:  $E_8$  forbids the 126, PS algebra, unification kill-test, Dirac contract, v247–v250)**

- **Four scripts turning the gauge-unification finding into typed claims with negative controls.** v247\_e8\_branching\_no126.py (PS.E8BRANCH.01): the  $E_8$  hull branches under  $SO(10) \times SU(4)$  as  $(45, 1) + (1, 15) + (10, 6) + (16, 4) + (\overline{16}, \bar{4})$ , so the  $SO(10)$  content is exactly

$\{1, 10, 16, 45\}$  and the **126** is *absent* — the renormalisable  $126_H$  is algebraically forbidden and  $10+16+45$  is  $E_8$ -supplied (only one  $45 \Rightarrow$  proton-marginal). `v248_ps_algebra.py` (PS.ALGEBRA.01):  $A_F = \mathbb{H}_L \oplus \mathbb{H}_R \oplus M_4(\mathbb{C}) \rightarrow SU(2)_L \times SU(2)_R \times SU(4)_c$ , exact hypercharges  $Y = T_{3R} + (B-L)/2$ , matching  $\alpha_1^{-1} = \frac{3}{5}\alpha_{2R}^{-1} + \frac{2}{5}\alpha_4^{-1}$ ,  $\sin^2 \theta_W = 3/8$  (colour  $SU(4)_c \subset D_5$ , distinct from the family  $A_3$ ). `v249_ps_unification.py` (PS.RGTEST.01): the two-step  $PS \rightarrow SO(10)$  unification kill-test with negative controls (SM-only fails; 126 breaks the scalaron match; proton decay selects content),  $M_{PS}/M_s = 1.0\text{--}1.7$ . `v250_dirac_triple_contract.py` (CONTRACT.QFT4D.DIRAC.01): the spectral-triple contract ( $H_F = 3 \times 16$ , the seven NCG axioms,  $\sigma$  = scalaron) that would turn “carrier is gauged” from a fork into a theorem. The root-level `qft.txt` carries the full analysis.

## 2026-06-17 (Honest data cross-check + emergent-QFT figures: the unification tension, v246)

- `v246_unification_data_crosscheck.py` (QFT4D.RGTEST.01) — **the first hard data confrontation of the spectral-action prediction**. TFPT’s gauge-charged content *is* the Standard Model (v159) and the theory adds no new states; the  $E_8$  cascade is an arithmetic spine (v5), not a threshold tower. So the run *is* the SM run: at one loop the couplings spread  $\sim 10^{13}\text{--}10^{17}$  GeV (residual  $\Delta\alpha^{-1} \approx 9$  at  $2 \times 10^{16}$  GeV), and at two loops (RK4) the minimal spread is  $\Delta\alpha^{-1} \approx 3.2$  at  $1.7 \times 10^{14}$  GeV — the three never meet. Typed **[X]/[O]**: with “no new state” there is *no* admissible threshold source, so the spectral-action 4d-GUT route is in genuine tension (same status as NCG-SM), likely falsified unless extended — never a confirmation, and *not* rescued by a cascade. Two new figures (`figures/qft_skeleton.pdf`, `figures/qft_unification.pdf`) added via `make_figures.py` (PDF + website PNG) and embedded in `tfpt_research_contracts.tex`; a root-level `qft.txt` summarises the emergent-QFT skeleton, what each script proves, the data status and the open questions.

## 2026-06-17 (Spectral-action matter content: the $SO(10)$ 16 = one anomaly-free SM generation, v245)

- `v245_spectral_matter_content.py` (QFT4D.MATTER.01) **discharges the computable core of the 4d contract v244**. The carrier half-spinor (the  $SO(10)$  16) is verified, in exact rational arithmetic, to be one Standard-Model generation: **16** =  $SU(5)(\mathbf{10} + \bar{\mathbf{5}} + \mathbf{1})$ , the SM multiplet dimensions sum to  $16 = \dim S^+$  (15 Weyl fermions +  $\nu_R$ ), the electric charges  $Q = T_3 + Y$  are exactly the SM values, all four gauge anomalies cancel ( $\sum Y = \sum Y^3 = [SU(2)]^2 U(1) = [SU(3)]^2 U(1) = 0$ ), the spectral-action normalisation gives  $\sin^2 \theta_W = 3/8$  ( $g_3 = g_2 = \sqrt{5/3} g_1$ ), and the Higgs is the  $(1, 2)_{1/2}$  inner fluctuation. So the matter-content + tree-relation half of CONTRACT.QFT4D.01 is now **[E]**; only the seam  $\rightarrow$  Dirac realisation and the run-down couplings stay **[O]**. Wired into `run_all.py`, the ledger, the registry, cited in `tfpt_research_contracts.tex`, mirrored to the website.

## 2026-06-17 (The QFT skeleton on the seam: thermal time, GNS/OS reconstruction, DHR sectors, the braiding S-matrix, and the 4d spectral-action contract, v239–v244)

- **Six emergent-QFT skeleton scripts (v238)**. `v239_kms_thermal_time.py` (DYN.KMS.01): the modular flow is KMS at  $\beta = 1$ , and  $2\pi = 1/(4c_3)$  fixes the modular temperature as  $T_H = c_3/M$  — thermal time = horizon time. `v240_gns_os_reconstruction.py` (DYN.GNS.01): GNS reconstructs the Hilbert space from  $(\mathcal{M}, \omega)$  and the OS Hamiltonian  $H_{OS} = -\log T = -L$  is positive with gap  $\Delta$  (the v64 mass gap). `v241_dhr_sectors.py` (DHR.SECTORS.01): particles = DHR sectors = the discriminant anyons of the Lean glue form, with the condensation tower  $16 \rightarrow 4 \rightarrow 1$  (v235/v237). `v242_spin_statistics_modular.py`

(DHR.MODULAR.01): spin-statistics, the modular  $(S, T)$  data, Verlinde fusion, and Gauss–Milgram  $c = 8$ . `v243_haag_ruelle_braiding.py` (DHR.SMATRIX.01): the 2-particle S-matrix = the braiding monodromy (factorised, crossing), with the `v238` mass gap supplying Haag–Ruelle asymptotic states. `v244_spectral_action_contract.py` (CONTRACT.QFT4D.01): the 4d Lagrangian via the Connes spectral action — the carrier half-spinor 16 is one generation, the SM gauge group sits in the carrier, gravity is `v36`; the matter Lagrangian is the open [O] contract. Net: the residual to a full 4d QFT is *one premise* (QGEO.SYM.01) plus *one contract* (CONTRACT.QFT4D.01). All wired into `run_all.py`, the ledger and registry, cited in `tfpt_research_contracts.tex`, mirrored to the website.

## 2026-06-17 (The static→dynamic flip: modular flow + a recovery Lindblad generator, `v238`)

- **New `v238_modular_lindblad_dynamics.py` (DYN.SEMIGROUP.01, cluster registry).** A companion to the modular round (`v196/v198`) and the recovery code (`v221/v64`) that reads the *same* seam objects *dynamically* rather than statically. [E] the modular flow  $\sigma_t = e^{it\Lambda_\Sigma}$  is a unitary one-parameter group (Tomita–Takesaki) whose conservation of the  $\mu_4$  clock,  $\rho\sigma_t\rho^{-1} = \sigma_t \Leftrightarrow [\rho, \Lambda_\Sigma] = 0$ , IS the `v198` state-invariance — so the static commutator is the conservation law of modular time. [E] the recovery channel’s generator  $L = \log T$  is a doubly-stochastic/CPTP-classical Markov generator ( $e^L = T$ ,  $e^{L\tau} \rightarrow$  the democratic projector = the arrow of time). [E] keystone: the dissipative gap  $= -\log((2/3)^6) = 6\log(3/2) =$  the OS mass gap  $\Delta$  (`v64`) — the static recovery bound (`v221`) and the dynamical mass gap (`v64`) are one number, one exponentiated. [E] the GKSL split  $G = i\Lambda_\Sigma + L$  (imaginary + real  $\leq 0$  spectrum). [O] the residual is the *geometric* modular flow (Connes–Rovelli “thermal time = physical time”) on the full seam algebra = QGEO.SYM.01 (`v198`) — a target, not a closure. Wired into `run_all.py`, `status_ledger.csv`, `script_registry.csv` and cited in `tfpt_research_contracts.tex`; mirrored to `website/public/verification`.

## 2026-06-17 (Experiments: black-hole-cosmology signatures, the $\eta_B$ Boltzmann solve, the Petz/baby-universe realisation, and a real-data GW-echo pipeline)

- **Three new standalone black-hole-cosmology experiments (experiments/, all data\_limited, not load-bearing).** From the `problem_b` black-hole-cosmology survey: (i) `ccbh-dark-energy` — the de Sitter seam interior ( $w_{\text{in}} = -1$ ) forces the Croker–Weiner cosmological-coupling index  $k = -3w_{\text{in}} = 3$ , hence a population  $w = -1$ ; vs. Farrah+2023  $k = 3.11 \pm 0.79$  ( $-0.14\sigma$ ), a *contested* downstream bridge and an *alternative reading* of the same  $w = -1$  the DESI watchdog tests (`alternative_group w_de_eos`, never double-counted). (ii) `gravastar-compactness` — the Nariai  $Q_{\text{geom}} = 3/8$  equals the Jampolski–Rezzolla (2026) maximum horizonless compactness  $\mathcal{C} = 3/8$  (shared de Sitter endpoint  $1/2$ ); since  $1/3 < 3/8 < 4/9 < 1/2$  this is a light-trapping ECO, yielding an echo template (round-trip delay  $\sim 0.7$  ms at  $62 M_\odot$ , amplitude  $\leq (2/3)^6$ ) — a [C] structural echo, no  $\mathcal{C} \leftrightarrow Q_{\text{geom}}$  map proven. (iii) `cosmic-handedness` — a parity watchdog (Shamir JADES  $\sim 3.3\sigma$  spin monopole, most likely a Milky-Way-aberration dipole), explicitly *not* promoted (frontier).
- **$\eta_B$  — full BDP Boltzmann ODE solve confirms the route at the frozen scale** (`experiments/ftransfer/leptogenesis_boltzmann/fboltzmann_solve.py`; `tfpt_4_frontier`, [C]). Integrating the Buchmüller–Di Bari–Plümacher Boltzmann network (integrated efficiency  $\kappa_f = 0.092$ , validating the analytic fit) at the *frozen* heavy scale  $M_1 = M_{\text{scal}}(\varphi_0^{\text{ret}})^2/A_\Lambda \approx 8.65 \times 10^9$  GeV with  $\delta_{\text{CP}} = 4\pi/3$  gives  $\eta_B = 6.5 \times 10^{-10}$  — a factor 1.07 from the observed  $6.1 \times 10^{-10}$ , with *no* free  $M_R$  dial. This moves the leptogenesis route from “solve pending” to a consistent [C] readout (the full *flavored* density-matrix solve is the next refinement); `tfpt_4_frontier` Route C synced.

- **The Petz recovery map and the rank-one baby universe, realised numerically** (`experiments/recovery-channel`; `tfpt_horizon_readouts`, [C]; companion to v221). The gapped transport contracts to a *rank-one* projector at exactly  $\|T^n - P_\infty\| = (2/3)^{6n}$  — the one-dimensional baby-universe Hilbert space (Engelhardt 2025) — and the explicit Petz map is CPTP, recovers the reference, and equals the identity only on the protected  $\lambda=1$  (Knill–Laflamme) mode; free-ratio and degenerate-spectrum negative controls hold. So the Petz identification v221 deferred is now verified at the channel level (`internal_consistency`, no new datum); the full holographic reading stays gated on the Seam–Horizon theorem.
- **GW ringdown echo — Stage-1 matched filter validated, then run on real GWOSC strain** (`experiments/gw-ringdown-echo`; `tfpt_horizon_readouts` search-targets). The Stage-1 machinery (Kerr-ringdown subtraction  $\rightarrow$  matched filter on the residual, ratio  $(2/3)^6$  frozen, lag free, + free-ratio control) classifies 3/3 synthetic injections; run on *real* GWOSC strain (GW150914, GW190521; PSD-whitening + off-source background): **no kernel-ratio echo coincident in  $\geq 2$  detectors**, consistent with the  $(2/3)^6$  *upper* bound (a single loud H1 excess has  $\hat{q} \approx 2$ , far from  $(2/3)^6$ , so the free-ratio control flags it as residual ringdown, not an echo). First pass: dominant-QNM subtraction, incoherent combination — full multi-mode + coherent stacking is the next step; no detection claim.
- **Scorecard + website synced.** `experiments/evidence_scorecard.json` now 51 rows (26 consistent, 7 null, 13 data-limited, 4 tension, 1 parked); the website `EXPERIMENTS_AUDIT` mirror and the  $\eta_B$  prediction entry are updated to match. These are standalone `experiments/` surfaces (not in the verification suite or ledger); the `tfpt_4_frontier/tfpt_horizon_readouts` and `papers.ts/predictions.ts` edits are the in-same-change sync.

**2026-06-17 (Red-team layer re-synced to the paper; shadow export mirrors figures/)**

- **Red Team Target A re-synced to `tfpt_5_redteam` (`rt_A_e8net.py`, `redteam_table.txt`, `redteam/README.md`, `infrastructure`).** The Python red-team surface still emitted the historical *three-residual* “A reduced, not closed” form, lagging the reader-facing note. It now encodes the sharper narrowing already in the paper: the residual collapses to the *single* statement “the seam–Calderón boundary net is holomorphic with  $c = 8$ ” ( $\Leftrightarrow$  the index-4 simple-current extension), with the index-4  $(D5)_1 \times (A3)_1 \rightarrow (E8)_1$  glue realised at Lie level (v143) and its odd sectors twisted/Ramond ( $E_8 = 120_{\text{NS}} + 128_{\text{R}}$ , v148), while the  $q(A_3)$  normalisation collapses into the one declared anchor (v152). Two exact adversarial checks added ( $120+128 = 248$ ; glue index  $= |\mu_4| = N_{\text{fam}}+1 = 4$ ); status stays [C]/[O] (reduced, not closed).
- **Shadow export now mirrors figures/ but not website/ (`scripts/export-shadow.sh`, `verification/make_script_index.py`, `infrastructure`).** `export-shadow.sh` ships `figures/*.pdf` (so `make_manifest.py --check` passes literally on the exported tree) while still excluding `website/` and the compiled paper PDFs; the `SHADOW_MIRROR.md` table is corrected accordingly. `make_script_index.py` now detects a missing `website/` and skips its `ScriptIndex.tsx` mirror, so `build.sh` notes runs on the subset without crashing.

**2026-06-17 (CP phases as  $\mu_6$  powers — a reduction of red-team Target D)**

- **Both CP phases are  $\mu_6$  powers of one hexagonal CM unit, split by the sheet** (`v231_cp_mu6_phases`, `tfpt_5_redteam`, [E]/[C]). Sharper than v220/v225 (which only *located* the CP residual). With  $\rho = e^{i\pi/3}$  the primitive 6th root (the  $j=0$  Eisenstein CM unit):  $\delta_{\text{CKM}}^{\text{leading}} = \arg(\rho^1) = \pi/3$  (quark) and  $\delta_{\text{PMNS}} = \arg(\rho^4) = 4\pi/3$  (lepton, the phase lattice), with  $\rho^4 = -\rho$ , so  $\delta_{\text{PMNS}} = \delta_{\text{CKM,lead}} + \pi = (\text{CM unit}) \times (\mathbb{Z}_2 \text{ sheet}, \rho^3 = -1)$ . The two CP phases are *one* hexagonal unit on the two sheets, not two independent inputs; the dual-frame Jarlskog orientations are sheet-flipped ( $\pm 21 \sin(\pi/3)$ ). A structural reduction of

Target D (removes one of its two phase inputs); the quark seam correction  $3\lambda_C^2$  stays the v88 misalignment, the deck stays  $\mathbb{Z}/4$ , and the physical CP derivation stays [C] (CP.MU6.01).

- **The seam as the  $E_8$  Kleinian singularity** (v232\_e8\_kleinian\_seam, origin\_theory, [E]/[C]). The du Val side of the McKay correspondence (v219) gives the open seam-realisation premise QGEO.REALIZE.01 a canonical algebraic-geometric model: dropping the trivial-rep node of the affine- $E_8$  McKay graph of  $2I$  leaves the finite  $E_8$  Dynkin = the dual intersection graph of the eight exceptional  $\mathbb{P}^1$ 's of the minimal resolution of  $\mathbb{C}^2/2I$ ; the eight curves = rank  $E_8 = g_{\text{car}} + N_{\text{fam}}$  (a fourth reading of the 8), their negated intersection form is the  $E_8$  Cartan (det 1, even,  $(-2)$ -curves), and the link is the Poincaré homology 3-sphere  $S^3/2I$  ( $2I$  perfect  $\Rightarrow H_1=0$ ,  $\pi_1=2I$  order 120). The raw seam ( $\mathbb{P}^1$  with marks) is canonically a du Val exceptional curve — a model for the bedrock, not a P2 proof (it presupposes  $E_8$ ; TOP0.E8.01, bedrock stays [O]).
- **CP is the universal family/triality phase, only sheet-split** (v233\_cp\_triality\_phase, tfpt\_5\_redteam, [E]/[C]). One step past v231 in the  $\mu_6 = \mu_3(\text{family/triality}) \times \mu_2(\text{sheet})$  factorisation:  $\rho = \omega^2(-1)$  with  $\omega = e^{2\pi i/3}$  the  $\mathbb{Z}_3$  triality centre (the  $2/3$  cusp weight). Since  $\rho^4 = \rho^1 \rho^3$  with  $\rho^3 \in \mu_2$ , the quark ( $\rho^1$ ) and lepton ( $\rho^4$ ) CP phases share the *same* family/triality class and differ only by the sheet — so CP *is* the universal triality phase, sheet-split, not a free power choice (CP.TRIALITY.01).
- **The Seam-Holomorphy selection certificate: the structural residual is one gate** (v234\_seam\_holomorphy\_selection, tfpt\_research\_contracts, [E]/[O]). The whole structural residual is *one* condition — “the seam carries no nontrivial abelian sector” — with three provably-equivalent faces, all forcing  $E_8$ : (i) holomorphy ( $\mu$ -index 1; Target A), (ii) the seam link is a homology 3-sphere ( $\Gamma$  perfect  $\Leftrightarrow 2I$ ; v232), (iii) exactly one 1-dim irrep (v219). All equal  $\#(\text{mark-1}) = |\Gamma^{\text{ab}}| = |H_1|$ , which is 1 only for  $E_8$ ; and holomorphic  $c=8=g_{\text{car}}+N_{\text{fam}}$  gives the unique even unimodular rank-8 lattice  $E_8$ . So P2,  $G_{\text{net}}$ , Target A and the Kleinian seam are one gate. The stated closing theorem ([O]): RP+gap+chirality  $\Rightarrow$  quasi-free bulk (v160)  $\Rightarrow$  holomorphic boundary  $\Rightarrow E_8$ ; the single residual analytic step is “free bulk  $\Rightarrow$  holomorphic boundary” (GATE.HOLO.01).
- **The closing step in Chern–Simons language: holomorphic  $\Leftrightarrow \det K=1$**  (v235\_seam\_chern\_simons, tfpt\_research\_contracts, [E]/[O]). A genuine reduction (not a closure) of GATE.HOLO.01 into standard anyon-condensation physics: a free gapped bosonic 2+1d bulk is an even integer  $K$ -matrix with  $\#\text{anyons} = |\det K|$ , edge  $c = \text{signature}(K)$ , and the edge net holomorphic  $\Leftrightarrow |\det K|=1$ . The TFPT extension tower (v92) *is* the condensation tower read by determinant: carrier  $D_5 \oplus A_3$  (det 16, 16 anyons)  $\rightarrow SO(16)_1 = D_8$  (det 4)  $\rightarrow (E_8)_1$  (det 1, holomorphic) — all rank 8,  $c=8=g_{\text{car}}+N_{\text{fam}}$  — so holomorphic =  $E_8$  = the Kitaev  $E_8$  quantum-Hall state. Holomorphy  $\Leftrightarrow$  condensing the order- $|\mu_4|$  Lagrangian glue (det 16  $\rightarrow$  1, vs. a partial order-2 isotropic  $\rightarrow 4=D_8$ ). The residual narrows to one integer condition “the free RP seam condenses the Lagrangian glue (det=1)” = the sheet/QGEO selection, now with holomorphy  $\Leftrightarrow \det 1$  a theorem (GATE.HOLO.02).
- **The  $(2, 3, 5)$  Brieskorn singularity is the one generator of the skeleton** (v236\_brieskorn\_capstone, origin\_theory, [E]). Capstone of the icosahedral round: the singularity  $x^2+y^3+z^5$ , whose exponents are the atoms ( $|\mathbb{Z}_2|, N_{\text{fam}}, g_{\text{car}})=(2, 3, 5)$ , has Milnor number  $\mu=(2-1)(3-1)(5-1)=8=\text{rank } E_8$  (a *fifth* origin of the “8”), Milnor monodromy = the order-30  $E_8$  Coxeter element (eigenvalues the primitive 30th roots = the  $E_8$  exponents, charpoly  $\Phi_{30}$ ), Milnor lattice  $E_8$ , link the Poincaré sphere; the two clocks are facets of this one monodromy — the  $\mu_3$  triality (CP, v233) is  $h^{10}$  in  $\langle h \rangle = \mathbb{Z}/30$ , the  $\mu_4$  clock (v223) is the order-4 Galois automorphism of  $\mathbb{Q}(\zeta_{30})$  (TOP0.BRIESKORN.01).
- **The closing step as a physical condition: no topological degeneracy  $\Leftrightarrow \det K=1 \Leftrightarrow$  the seam is SRE** (v237\_seam\_sre\_closure, tfpt\_research\_contracts, [E]/[O]). Sharpens GATE.HOLO.02's residual from definitional to falsifiable: the  $K$ -matrix ground-state

degeneracy on a genus- $g$  surface is  $|\det K|^g$  (torus: carrier 16,  $D_8$  4,  $E_8$  1), so “no topological degeneracy on any closed surface”  $\Leftrightarrow \det K=1$ ; among rank-8 even positive-definite  $K$  ( $c=8=g_{\text{car}}+N_{\text{fam}}$ ) only  $E_8$  is short-range-entangled (the Kitaev  $E_8$  phase). A unique vacuum on the plane (RP+gap+cluster) is necessary but not sufficient (the plane cannot see  $\det K$ ); so the one open step is the physical statement “the free RP seam is SRE (no topological order)” (GATE.HOLO.03).

## 2026-06-16 (the icosahedral bedrock, CM-norm duality, and a structural-finds round)

- **McKay bedrock: why the atoms are  $\{2, 3, 5\}$  (v219\_icosahedral\_mckay, origin\_theory, [E]).**  $E_8$  is the exceptional *top* of the McKay tower of finite  $SU(2)$  subgroups ( $2T \rightarrow \hat{E}_6$ ,  $2O \rightarrow \hat{E}_7$ ,  $2I \rightarrow \hat{E}_8$ ). Built *from the group*: the 120 unit-quaternion icosians close to the binary icosahedral group  $2I$  (element orders  $\{1, 2, 3, 4, 5, 6, 10\}$  — it contains the 2, 3, 5 rotation-axis orders), 9 conjugacy classes; the 9 irreducible character degrees (Dixon, from the class algebra) are  $\{1, 2, 2, 3, 3, 4, 4, 5, 6\}$ , sum  $30=h(E_8)$ , sum of squares  $120=|R^+(E_8)|$ ; the McKay adjacency from the natural 2-dim rep *is* the affine  $E_8$  graph with Kac marks = the degrees. A backward certificate of the closed  $E_8$ , not a P2 proof (MCKAY.E8.01).
- **CM-norm duality: 41 (square) and 7 (hex) (v222\_cm\_norm\_duality, origin\_theory, [E]).** The square seam (Gaussian  $\mathbb{Z}[i]$ ,  $j=1728$ ) gives  $N(g_{\text{car}}+i|\mu_4|)=5^2+4^2=41=10b_1$  (the EM index *is* the Gaussian norm of the carrier-glue vector) and  $N(3+2i)=13=\Delta_Q$ ; the hexagonal partner (Eisenstein  $\mathbb{Z}[\omega]$ ,  $j=0$ ) gives  $N(3+2\omega)=7=\text{scalaron}$ . The  $(3, 2)$  split generates  $(5, 6, 7, 13)$  by sum/product/Eisenstein/Gauss norm; rings rigid (CMNORM.DUAL.01).
- **The  $\mu_4$  clock is the order-4 character of the  $E_8$  Coxeter cycle (v223\_coxeter\_totative\_clock, origin\_theory, [E]).**  $(\mathbb{Z}/30)^\times$  are the  $E_8$  exponents; the order-4 generator 7 ( $\langle 7 \rangle = \{1, 7, 13, 19\}$ ) is a literal  $\mu_4$  clock permuting the four conjugate planes; only  $E_8$  has  $\varphi(h)=\text{rank}$  and  $h=2 \cdot 3 \cdot 5$  (COX.CLOCK.01).
- **248=120+128 as a magnitude/phase channel typing (v227\_degree\_exponent\_channel\_split, tfpt\_5\_redteam, [E]).** Exponents sum  $120=|R^+(E_8)|$  (magnitude channel), degrees sum  $128=\text{rank} \cdot \dim S^+$  (phase/glue channel); the red-team Target D magnitude bijection lives in 120, the un-covered CP phases in 128; the dark-sector reading of 128 stays Frontier (replaces the over-strong  $S^-$  reading; E8.CHAN.01).
- **P2 as the mode space of a degree-4 seam divisor (v228\_rr\_index\_gate, origin\_theory, [E]/[C]/[O]).** A Riemann–Roch index gate:  $\deg D=4=|\mu_4|$  on  $\mathbb{P}^1$  forces  $h^0=5=g_{\text{car}}$ ,  $\text{rank } H_1=3=N_{\text{fam}}$ ,  $h^0+H_1=8=\text{rank } E_8$ ,  $\Lambda^{\text{even}}(\mathbb{C}^5)=16=\dim S^+$  — bedrock language for P2, conditional on the seam producing the degree-4 divisor (QGEO.RR.01).
- **The seam as a finite recoverability code (v221\_seam\_qecc, origin\_theory, [E]/[C]).** Code dimension  $\dim S^+=16$ ; the gapped transport is a CPTP doubly-stochastic contraction with spectrum  $\{1, (2/3)^6, (1/3)^6\}$ , recovery bound  $\|T^n \delta\| \leq (2/3)^{6n} \|\delta\|$  (Knill–Laflamme type); free ratio breaks it. Holographic/Petz reading  $[C]$ , gated on the Seam–Horizon theorem (QEC.SEAM.01).
- **CP lives in the hexagonal phase fiber (v220\_cp\_hexagonal\_modulus, tfpt\_5\_redteam, [E]/[C]).** The seam deck is the square modulus  $j=1728$  ( $\mathbb{Z}/4$ ); its partner is the hexagonal  $j=0$  ( $\mathbb{Z}/6$ ,  $\arg \rho = \pi/3$ ). The frozen  $\delta = \pi/3 + 3\lambda_C^2 = 68.654^\circ$  has leading term  $\pi/3 = \arg \rho$ ; the deck stays  $\mathbb{Z}/4$ , CP is the  $\mathbb{Z}/6$  fiber (CP.MOD.01).
- **The dual normal frame  $(d, n)$  with CP as orientation (v225\_dual\_normal\_frame, tfpt\_5\_redteam, [E]/[C]).**  $d = a^\top R^{-1} = (-\frac{1}{2}, -\frac{1}{2}, 1) = -\frac{1}{2}$  Nariai;  $n = (5, -9, 6)$  reads  $\det$  on the first-generation column;  $\det(\mathbf{1}, d, n) = 21 = 3 \cdot 7$ ;  $\text{Im } \det(\mathbf{1}, d, \rho n) = 21 \sin(\pi/3)$  — CP as orientation (DUAL.FRAME.01).

- $F_{\text{transfer}}$  as one path on the Sheet Diamond (v224\_diamond\_ftransfer\_path, tfpt\_2\_standard\_model, [E]/[C]).  $M(s, t) = R + Q \text{diag}(s, t, t)$ :  $K, C, F$  on the sheet axis (curved, 2nd diff 8), the winding axis flat (slope 6), Plücker steps (1, 8, 10), (1, 8, 16); the Koide source  $\rightarrow$  pole is the 1-D projection (FTR.PATH.01).
- The charged leptons as an étale Frobenius algebra (v229\_lepton\_frobenius\_algebra, tfpt\_2\_standard\_model, [E]/[C]).  $(c_e, c_\mu, c_\tau) = (\frac{16}{7}, \frac{4}{3}, \frac{7}{6})$ , ring closure  $c_e c_\tau = \frac{8}{3} = |\mathbb{Z}_2| c_\mu$ , product  $\frac{32}{9}$ ;  $A = \mathbb{Q}[t]/(m)$  is étale (trace-form Gram nondegenerate), a commutative Frobenius algebra over the  $\mu_6$  resolvent (LEP.FROB.01).
- The center budget (7, 11, 13) as three local norms (v230\_center\_budget\_norms, tfpt\_2\_standard\_model, [E]).  $C = R + Q \text{diag}(1, 0, 0)$  row sums (7, 11, 13):  $7 = N_{\mathbb{Z}[\omega]}(3 + 2\omega)$  (hex),  $13 = N_{\mathbb{Z}[i]}(3 + 2i)$  (square),  $11 = \binom{4}{0} + \binom{4}{1} + \binom{4}{2}$  (QBL Fock count); the two CM rings and the boundary count meet in one operator center (CENTER.NORM.01).

## 2026-06-15 (the diamond axis geometry — two axes + the transfer corner)

- The Sheet Diamond is a discrete geometry with two axes (v218\_diamond\_axis\_geometry, tfpt\_2\_standard\_model, [E]). Sharpens v94/v95 with three exact [E] lemmas (no new numbers). (1) **Axis curvature:** along the centered cross the determinant is linear on the winding axis  $\det(C + xU) = 14 + 6x$  (slope  $6 = |R^+(A_3)|$ ) and quadratic on the sheet axis  $\det(C + yV) = 14 + 14y + 4y^2$  (2nd difference  $8 = \text{rank } E_8$ ); the anchor block has  $\det B(C + xU) = 2 \det(C + xU)$  and sheet curvature  $6 = |R^+(A_3)|$  — two curvatures  $(8, 6) = (\text{rank } E_8, |R^+(A_3)|)$ . (2) **Plücker transfer ladder:**  $\text{Pl}(K) \rightarrow \text{Pl}(C) \rightarrow \text{Pl}(F)$  lifts in steps  $(1, 8, 10) = (N_\Phi, \text{rank } E_8, A_\Lambda)$  then  $(1, 8, 16) = (N_\Phi, \text{rank } E_8, \dim S^+)$  — the decouple then the full generation (identity [E], source  $\rightarrow$  pole reading [C]). (3) **Spectral ramification:** for  $Q, K, C, F$  the cubic discriminant factors as  $q(r)^2 \text{Disc}(q)$  with squares  $(1, 3, 4, 6)$  and kernels  $(13, 48, 65, 105)$ ,  $F$  carrying  $105 = 3 \cdot 5 \cdot 7$ . The anchor-defect spectrum and pair-sum/staircase blocks are honest *audit* fingerprints ( $28 = 2 \dim G_2$ ,  $52 = \dim F_4$  stay audit-only, not spine, as in v94/v95);  $F$  as the transfer-completion corner is a *heuristic*, not a hard filter. Ledger DIAMOND.AXIS.01, DIAMOND.PLUCKER.01, DIAMOND.SPECTRAL.01; Wolfram-mirrored (249/249).

## 2026-06-15 (QGEO: the four marks emerge from Gauss–Bonnet — K1 executed)

- The four marks emerge from Gauss–Bonnet — count derived, not assumed (v216\_marks\_gauss\_bonnet, tfpt\_research\_contracts, [E]; ledger QGEO.MARKS.03). The K1 lever of the v215 kill-test (“exactly four marks”) is *executed*: if the marks are  $\mathbb{Z}_2$  branch points (deficit  $\pi$ ) on the flat seam sphere ( $\chi = 2$ , the same  $\chi$  as the 8 in  $c_3$ ), Gauss–Bonnet forces  $n\pi = 2\pi\chi = 4\pi$ , so  $n = 2\chi = 4 = |\mu_4| = N_{\text{fam}} + 1$ . The closed Euclidean sphere 2-orbifolds are exactly  $(2, 3, 6)$ ,  $(2, 4, 4)$ ,  $(3, 3, 3)$ ,  $(2, 2, 2, 2)$ , and three independent criteria — all cone orders = 2 (the  $|\mathbb{Z}_2|$  sheet branch),  $\text{rank } H^1 = \# \text{marks} - 1 = 3 = N_{\text{fam}}$  (the three generations pick the 4-mark square over the 3-mark hexagonal), and a free order-4 deck — converge on the pillowcase  $(2, 2, 2, 2)$ . The numerical sibling v217\_marks\_emergence\_scan ([C], ledger QGEO.EMERGE.01) confirms it on the actual DtN/state (number  $n$  and positions free, the 4-square config is the unique joint minimiser of clock-invariance + 3-family cohomology + gap  $(2/3)^6$ ). The mark *count* and *equality* move from input to derived; only the square *modulus* (cross-ratio 2, the order-4 clock) stays the one carrier input, and the from-zero raw-seam emergence QGEO.REALIZE.01 stays [O]. v216 exact (Wolfram extension  $\rightarrow 248/248$ ); v217 numerical (Python-only). Suite  $\rightarrow$  217 modules.

## 2026-06-15 (QGEO: the bedrock recast as a falsifiable kill-test)

- QGEO.SYM.01 as a kill-test, not a proof-promise (v215\_seam\_deck\_killtest, tfpt\_research\_contracts, [E]/[O]; ledger QGEO.KILL.01). A foundational symmetry



cannot be derived from nothing (Bisognano–Wichmann would presuppose the covariance it should produce), so the bedrock  $\omega \circ \rho = \omega$  is recast as four independently-falsifiable predictions about the raw seam DtN. The non-circular reduction (v198/v199/v201) gives  $\omega \circ \rho = \omega \Leftrightarrow [\rho, C] = 0$  with  $|k|$  commuting exactly, so the residual is the bounded sub-principal  $M_f$  (equivalently the raw Gaussian bulk form  $A$  is  $\mu_4$ -deck-invariant). Levers: **K1** exactly four marks ( $b_1 = \#\text{marks} - 1 = 3 = N_{\text{fam}} \Rightarrow \#\text{marks} = 4 = |\mu_4|$ ); **K2** the square config (cross-ratio  $2 \Rightarrow j = 1728$ ,  $\text{Aut} = \mathbb{Z}/4$ ; order 4 selects  $\mathbb{Z}/4$  not the  $j = 0 \mathbb{Z}/6$ ; generic  $\Rightarrow \mathbb{Z}/2$ ); **K3** mod-4 sub-principal support ( $[\rho, M_f] = 0 \Leftrightarrow f \mathbb{Z}_4$ -invariant); **K4** transfer gap  $(2/3)^6 = 64/729$ . Freeze-bound via `freeze_file.csv` (`seam_deck_symmetry`), carrier-side **[E]** (regression guards), with the *decisive* kill deferred to QGEO.REALIZE.01 **[O]** (the raw collar DtN must *produce* four square marks without inputting them — an emergence test). A kill-test, not a closure. Python-only (falsification layer; the exact sub-parts  $j = 1728$  and  $(2/3)^6$  are Wolfram-mirrored via v214/v54/v56). Suite  $\rightarrow$  215 modules.

## 2026-06-15 (QGEO: the pillowcase reduction — two residuals become one canonical metric)

- **Pillowcase reduction of QGEO.SYM.01 (v214\_seam\_pillowcase, tfpt\_research\_contracts, [E]/[O]; ledger QGEO.PILLOW.01).** The two separately-tracked open QGEO residuals — QGEO.ISO.01 (v180: the carrier clock is an order-4 *isometry* of the seam metric) and QGEO.SUBPRIN.01 (v201: the DtN sub-principal symbol is *mark-local*, the seam flat away from the  $\mu_4$  marks) — are shown to be *one* statement: the seam carries the uniformising flat orbifold (*pillowcase*) metric. **(1)** The four marks make the Euclidean orbifold  $S^2(2, 2, 2, 2)$  ( $\chi_{\text{orb}} = 2 - 4(1 - \frac{1}{2}) = 0$ ), so by Troyanov uniformisation the metric is flat (unique up to scale) with curvature only at the cone points (Gauss–Bonnet  $4\pi = 2\pi\chi$ ) — this *is* the v201 “flat away from the marks”. **(2)** New link:  $\text{cross-ratio}(\mu_4) = 2$  (v168)  $\Rightarrow j = 1728$  ( $j(\lambda) = 256(\lambda^2 - \lambda + 1)^3/(\lambda^2(\lambda - 1)^2)$ ; all six harmonic cross-ratios give 1728)  $\Rightarrow$  the *square* modulus  $\tau = i$ , whose CM by  $\mathbb{Z}[i]$  *derives* the order-4 clock  $z \mapsto iz$  (explicit  $(x, y) \mapsto (-x, iy)$  on  $y^2 = x^3 - x$ ); generic cross-ratio gives  $j \notin \{0, 1728\}$  and only  $\mathbb{Z}/2$ . **(3)** Unification: “seam = uniformising flat pillowcase metric” implies *both* v201 and v180, so two residuals collapse to one canonical-metric premise. **[O]** It does *not* close QGEO.SYM.01: the choice “RP seam metric = the constant-curvature representative” stays open, milder and more canonical than the bare isometry premise. Wolfram-mirrored (the exact orbifold/ $j$ -invariant/CM arithmetic); Klein- $J$  values mpmath-numerical. Suite  $\rightarrow$  214 modules.

## 2026-06-15 (the $F_{\text{transfer}}$ transfer functor contract CONTRACT.F.01)

- **$F_{\text{transfer}}$  formalised as a typed functor with four axioms (v213\_ftransfer\_functor, tfpt\_research\_contracts, [C]).** The four frontier transfers are consolidated into ONE functor  $F_{\text{transfer}} = F_{\text{observable}} \circ F_{\text{threshold}} \circ F_{\text{RG}}$ , each instance a discrete compiler kernel **[E]** composed with an external continuous solver **[C]**: **(1)**  $\mu_4$ -deck equivariance (the Koide multiplier  $\lambda_2 = (2/3)^6 = 64/729$  is the deck transfer eigenvalue); **(2)** Plücker preservation ( $53 = a^T(R+Q)\mathbf{1}$ ,  $\text{Pl}(F) = (1, 22, 30)$ ,  $\|\text{Pl}(K)\|_1 = 11$ ); **(3)** positivity/stochasticity ( $\text{spec } T$  positive,  $\kappa_f \in (0, 1)$ ); **(4)** external modules explicit ( $b_3 = -7$  a carrier output). The four instances are  $F_{\text{pole}}$  (v183),  $F_{\text{Boltzmann}}$  (v212),  $F_{\text{relic}}$  (v211),  $F_{\text{QCD}}$  (v164). CONTRACT.F.01 is the third research contract alongside ( $U_{\text{wall}}$ ) and ( $G_{\text{metric}}$ ), the structural complement of the v187 typing guard — an architectural consolidation, *not* a closure of any frontier number. Ledger CONTRACT.F.01.

## 2026-06-15 (frontier: two sharper [C] scenario branches — axion angle + leptogenesis)

- **Axion DM spine-angle branch  $\theta_i = \pi N_{\text{fam}}/g_{\text{car}} = 3\pi/5$  (v211\_axion\_spine\_angle, tfpt\_4\_frontier, [C]).** A more *robust* misalignment angle than the determinant-line hilltop

$\theta_i \approx 170^\circ$  (v185, which over-produces  $\Omega_a h^2 \approx 0.66$ ): the central spine quotient gives  $\theta_i = 3\pi/5 = 108^\circ$  exactly (no fit), the finite- $T$  solver reaches  $\Omega_{\text{DM}}$  at  $\approx 106^\circ$ , and  $108^\circ$  sits in the *mild*-anharmonic regime ( $62^\circ$  below the hill-top) — not exponentially sensitive. An alternative ansatz to  $\theta_i = \pi(1 - \varphi_\Sigma)$  (mutually exclusive, the full solver decides, DM.AXION.SPINE.01); [X]  $\Omega_a h^2$  outside  $\sim [0.08, 0.16]$  demotes it. A sharper scenario, not a derivation.

- **Leptogenesis scalaron-decouple branch (v212\_leptogenesis\_decouple, tfpt\_4\_frontier, [C]).** Both Boltzmann inputs share the decouple  $A_\Lambda = 10 = |E(K_5)|$ :  $M_1 = M_{\text{scal}}(\varphi_0^{\text{ret}})^2/A_\Lambda \approx 8.65 \times 10^9$  GeV and  $\tilde{m}_1 = m_3/A_\Lambda \approx 5$  meV.  $M_1$  uses *only*  $\{M_{\text{scal}}, \varphi_0^{\text{ret}}, A_\Lambda\}$  — no hidden seesaw scale, cleaner than v184's  $M_R \varphi_0^4$  — and lands in the thermal window where  $\eta_B \approx 1.2 \times 10^{-9}$  brackets the observed  $6.1 \times 10^{-10}$ . The coupling mechanism is posited not derived, so  $\eta_B$  stays [C]; [X] a precise Boltzmann/RGE solve outside the band falls the route, not the theory (FR.ETAB.04; Route A independent).

## 2026-06-15 (Lean: QGEO.COHO.M.01 character grading + MODULE parity machine-proved)

- **The cohomology character grading is now Lean-formalised (CohomologyGrading.lean, ledger FORM.QGEO.03, [O]).** A new module machine-proves the COHO node of the QGEO proof tree (v177; AUDIT: PASS, no sorry/admit, axioms propext, Classical.choice, Quot.sound only): the three  $H^1(\mathbb{P} \setminus \mu_4)$  eigenforms  $\omega_k = z^{k-1}/(z^4 - 1)$  ( $k=1, 2, 3$ ) have pullback character  $\rho^* \omega_k = i^k \omega_k$  under the clock  $\rho : z \mapsto iz$  (each an exact rational-function identity, the denominator clock-invariant since  $i^4=1$ ), so the grading is  $(i, -1, -i)$  with weights  $(1, 2, 3) =$  the  $A_3$  exponents  $= \text{Spec}(Q_+)$ , rank  $3 = N_{\text{fam}}$ . The MODULE *parity* is also proved: the reflection  $\sigma : z \mapsto 1/z$  satisfies  $\sigma^* \omega_1 = \omega_3$ ,  $\sigma^* \omega_2 = \omega_2$ ,  $\sigma^* \omega_3 = \omega_1$  (swap  $\omega_1 \leftrightarrow \omega_3$ ,  $\omega_2$  fixed). Signature-locked in AuditContract.lean. The geometric COHO/MODULE-parity nodes are now [E]; the MARKS/KERNEL obligations and the MODULE *uniqueness* stay [O].

## 2026-06-15 (Lean: QGEO.UNIFORM.01 geometric normal form machine-proved)

- **The Möbius uniformisation normal form is now Lean-formalised (Möbius Uniformisation.lean, ledger FORM.QGEO.02, [O]).** A new module machine-proves the constructive UNIFORM node of the QGEO proof tree (v177; AUDIT: PASS, no sorry/admit, axioms propext, Classical.choice, Quot.sound only): the clock  $\rho : z \mapsto iz$  has  $\rho^4 = \text{id}$  and  $\rho^2 \neq \text{id}$  (order exactly 4); the reflection  $\sigma : z \mapsto 1/z$  is an involution with  $\sigma \rho \sigma = \rho^{-1}$  (so  $\langle \rho, \sigma \rangle$  is the dihedral  $D_4$  of order 8); a non-fixed orbit  $\{a, ia, -a, -ia\}$  scales to  $\mu_4 = \{1, i, -1, -i\}$ ;  $\sigma$  permutes  $\mu_4$  (fixes 1,  $-1$ , swaps  $i, -i$ ); and the multiplier classification “ $z \mapsto \zeta z$  has order exactly 4  $\Leftrightarrow \zeta = \pm i$ ”. Signature-locked in AuditContract.lean. This formalises the geometric half of the seam realisation *given* the four marks and the clock; the raw-seam marking obligation QGEO.MARKS.01 stays [O], *not* closed.

## 2026-06-15 (Lean: the QGEO.SYM.01 conditional theorem machine-proved)

- **The mark-local  $\Rightarrow \omega \circ \rho = \omega$  implication is now Lean-formalised (SeamDeckClosure.lean, ledger FORM.QGEO.01, [O]).** A new module in the carrier-rigidity Lean project machine-proves the algebraic core of v201/v210 (AUDIT: PASS, no sorry/admit, no domain axioms — #print axioms = propext, Classical.choice, Quot.sound only): (i) the 4th-root character orthogonality  $\sum_{j < 4} \zeta^j = (\text{if } \zeta=1 \text{ then } 4 \text{ else } 0)$  for  $\zeta^4=1$  (so a  $\mu_4$ -mark sum is supported only on modes  $\equiv 0 \pmod{4}$ ); (ii) the clock generator  $-i$  has order 4; (iii) markLocal\_blockDiagonal: a mark-local Toeplitz symbol connects only equal clock-characters,  $[\rho, M_f] = 0$ ; (iv) the premise is a typed structure SeamDeckPremise (the physical seam DtN *is* mark-local) — consumed, *not* proved, exactly as CalderonProjector encodes the Paper-1 analytic input; (v) SeamDeckPremise.clock\_invariant: *given* the premise, the clock commutes with the DtN, whence  $\omega \circ \rho = \omega$ . So the *implication* is now [E] (formally proved); the *premise*

(the physical seam being mark-local) stays [O] — the one fundamental seam-identification postulate, *not* closed.

## 2026-06-15 (QGEO sharpening: mark-local DtN certified on realistic profiles)

- **Mark-local DtN  $\Rightarrow \omega \circ \rho = \omega$ , certified on realistic Steklov profiles and at the state level (v210\_mark\_local\_dtn, tfpt\_research\_contracts, [O]).** A numerical sharpening of QGEO.SUBPRIN.01/v201: a real von-Mises curvature bump summed over the four  $\mu_4$  marks,  $f(\theta) = \sum_{j=0}^3 g(\theta - j\pi/2)$ , builds the Steklov DtN  $\Lambda = |D_\theta| + M_f$  whose off-(mod 4) Fourier support vanishes to  $< 10^{-16}$ ,  $\|[\rho, \Lambda]\| < 10^{-15}$ , and — the genuinely new step — the quasi-free covariance  $C = \frac{1}{2}(1 + \text{sgn } H_1)$  is clock-invariant ( $\rho C \rho^\dagger = C$  to  $< 10^{-13}$ ), i.e. the actual  $\omega \circ \rho = \omega$ . Negative controls (single off-centre bump,  $\mathbb{Z}_3$  source, four generic marks) break both by  $O(1)$ ; convergence stable for  $N \in \{16, 32, 64\}$ . This certifies the *implication*; the premise that the physical seam *is* mark-local stays [O] (it does *not* close QGEO.SYM.01; net existence and full-cone RP remain the [E] of v175). Ledger QGEO.MARKLOCAL.01. Python-only (the exact mark-sum identity is Wolfram-mirrored via v201).

## 2026-06-15 (archive integration #5: six dormant results revived from the old papers)

- **Muon  $g-2$  as a seam vertex (v204\_muon\_seam\_g2, tfpt\_4\_frontier, [C]).** The carrier's second-order topological defect  $\delta_2 = \frac{5}{4}\delta_{\text{top}}^2$  projected through the seam-loop phase gives  $a_\mu^{\text{seam}} = \delta_2/(2\pi) = 45/(524288\pi^9) \approx 2.879 \times 10^{-9}$  ( $0.81\sigma$  vs the dispersive  $\Delta a_\mu$ ;  $\sim 1.5\sigma$  vs lattice/CMD-3). The value is exact [E]; the vertex identification is the [C] bridge. Ledger FR.MUONG2.01; Wolfram-mirrored.
- **An independent gravitational  $3/4$  (v205\_xi\_threequarter, tfpt\_4\_frontier, [E]/[C]).**  $\xi = c_3/\varphi_{\text{tree}} = 3/4$  exactly (Einstein limit of  $\kappa^2 = \xi\varphi_0^{\text{ret}}/c_3^2$ ) — the same  $3/4 = q(A_3) = \ln(m/\mu)$  as the seam-determinant replica (v152), an over-determination. Ledger GRAV.XI.01; Wolfram-mirrored.
- **Quantitative  $H_0$  from the  $\Lambda$  branch (v206\_h0\_lambda\_branch, tfpt\_4\_frontier, [C]).**  $\delta_\Sigma = 48 e^{-2\pi\alpha^{-1}/3} \approx 1.085 \times 10^{-123}$ , the  $(8\pi)^2$  Planck-convention split, and  $H_0 = 66.5\text{--}67.1$  km/s/Mpc (below Planck, far below SH0ES — the Hubble tension is *not* relieved). Ledger GRAV.H0.01.
- **Asymptotic Safety as a second QG route (v207\_asymptotic\_safety, tfpt\_4\_frontier, [O]).** A complementary continuum-FRG argument (a non-Gaussian UV fixed point from the same axioms;  $y^2 = 16c_3^2 = 1/(4\pi^2)$ ) — a plausibility cross-check, *not* load-bearing, does *not* close  $G_{\text{metric}}$ . Ledger GRAV.ASYMP.01.
- **Black-hole thermodynamics from the seam (v208\_bh\_thermodynamics, tfpt\_horizon\_readouts, [E]/[C]).** Modular  $T_H = \kappa/(2\pi)$  (the  $2\pi = 1/(4c_3)$  seam unit, ties to v198/v199) and the scalaron-corrected Wald entropy  $S_W = (A/4G)(1 + R_h/3M_s^2)$  (exact from v28). Ledger HOR.BHTHERMO.01; Wolfram-mirrored.
- **The black hole as a seam fixed point (v209\_bh\_regular\_core, tfpt\_horizon\_readouts, [C]).** No singularity ( $\varphi \rightarrow \varphi_\star$  at the gapped attractor  $(2/3)^6$ ); the maximal BH = the anchor (Nariai roots  $(1, 1, -2)$ ); information via Page recovery; a Planck-scale holographic floor. The superseded RN/torsion metric is *not* resurrected. Ledger HOR.BHCORE.01.

## 2026-06-15 (archive integration #4: Möbius $\cong$ Lorentz foundation citation)

- **The Möbius seam is the boundary Lorentz structure (tfpt\_3, [O]).** Added a paragraph to the “Möbius origin of  $\pi$ ” section:  $\text{Möb}(\hat{\mathbb{C}}) \cong \text{PSL}(2, \mathbb{C}) \cong \text{SO}^+(3, 1)$  (Penrose & Rindler, *Spinors and Space-time*, Vol. 1, §1.2–1.4), the celestial sphere of null directions via

stereographic projection. This gives the self-consistency loop a spacetime meaning — the carrier clock  $z \mapsto iz$  is an elliptic  $\text{PSL}(2, \mathbb{C})$  rotation (v180) and the  $\text{RP} \rightarrow \text{OS}$  causal cone is the same Lorentz structure — so “Möbius origin of  $\pi$ ” and “one Lorentzian cone” are two faces of one boundary  $\text{PSL}(2, \mathbb{C})$ . A foundation citation, not a new claim ( $\pi$  stays primitive).

### 2026-06-15 (archive integration #3: axion coupling $g_{a\gamma\gamma} = -4c_3 +$ retired small-angle reading)

- **Haloscope coupling tied to  $c_3$  (tfpt\_4\_frontier, [C]).** Made explicit: in the determinant-line normalization the axion–photon anomaly coefficient is  $g_{a\gamma\gamma} = -4c_3 = -1/(2\pi)$  ( $y^2 = 16c_3^2 = 1/(4\pi^2) \approx 0.0253$ ), so the haloscope  $F\tilde{F}$  coupling is set by the *same*  $c_3$  that fixes  $\alpha$  and  $\beta_{\text{rad}} = \varphi_0/4\pi$  — a [C] structural relation (the coefficient, not a parameter-free physical  $g_{a\gamma\gamma}$ ). The earlier small-angle  $\theta_i = \varphi_0$  reading (old determinant-line note, a much higher axion mass) is *superseded* by the closed near-hilltop  $\theta_i = \pi(1 - \varphi_{\text{seam}}) = 170.4^\circ$ , recorded as a retired reading and guarded by v188 (a new sentinel forbids that stale axion mass from re-entering the active docs).

### 2026-06-15 (archive integration #2: the EHT achromatic polarization intercept — v203)

- **HOR.EHT.01 (v203, [E]/[C]/[X]).** The surviving core of the old UFE/black-hole notes (*not* the RN-type metric — superseded by the Nariai/seam=horizon readouts v101–v104/v190; only the polarization signature survives): a local achromatic polarization-rotation intercept around a horizon-scale black hole,  $\beta_{\text{BH}}(r) = 16c_3^4 Q_e^{\text{eff}} Q_m^{\text{eff}} / r^2$ . The coupling  $16c_3^4 = 1/(256\pi^4) = \delta_{\text{top}}/3$  is *exact* ([E], Wolfram-mirrored) — the *same* top-form coefficient  $\delta_{\text{top}} = 48c_3^4$  that fixes the  $\alpha$ -kernel precision-zone correction, one row from the cosmic-birefringence seed  $\beta_{\text{rad}} = \varphi_0/4\pi$ . TFPT fixes the  $1/r^2$  shape, achromaticity and sign-flip ([C]); the amplitude  $Q_e Q_m$  is an MHD/GR weight, never a pixel prediction. **Dated kill test [X]:** the residual intercept must pass three nulls (frequency, spatial  $1/r^2$ , sign-flip) after honest GRMHD subtraction. Integrated into `tfpt_horizon_readouts` (new EHT section), the ledger, registry, Wolfram (243/243), and the website (`predictions.ts`). Suite 202 modules.

### 2026-06-15 (archive integration #1: the rare kaon sector $K \rightarrow \pi\nu\bar{\nu}$ — v202)

- **FR.RAREKAON.01 (v202, [C]).** The closed TFPT CKM point ( $s_{12}=\lambda_C$ ,  $s_{23}=\varphi_0/(1+\lambda_C)=|V_{cb}|$ ,  $s_{13}=\lambda_C^3/3$ ,  $\delta=\pi/3+3\lambda_C^2=1.19823$  rad; v18/v88, no flavor fit) feeds the cleanest FCNC probe. With standard external short-distance input (Brod–Gorbahn–Stamou  $X_t, P_c, \kappa_\pm$ ) it gives  $\text{BR}(K^+ \rightarrow \pi^+ \nu\bar{\nu}) = 9.45 \times 10^{-11}$  and  $\text{BR}(K_L \rightarrow \pi^0 \nu\bar{\nu}) = 3.33 \times 10^{-11}$  — a [C] downstream flavor readout, *not* a compiler power (the SD functions are external). Recomputed from the *current* CKM point (an earlier archive scaffold quoted  $\text{BR}(K_L) = 3.47 \times 10^{-11}$  from an  $\Im(\lambda_t)/\lambda^5$  slip, corrected here). Grossman–Nir ratio  $0.352 \ll 4.3$ ; NA62  $(13.0_{-3.0}^{+3.3}) \times 10^{-11}$  is  $\sim 1.2\sigma$  above. **Dated kill test [X]:** a stable NA62  $\text{BR}(K^+)$  outside  $[7, 12] \times 10^{-11}$ , or a KOTO-II  $\text{BR}(K_L)$  off the GN point, breaks the flavor bridge (core untouched). Integrated into `tfpt_2_standard_model` (§rare kaon), the ledger, v187 guard (new FR.RAREKAON. family), registry, and the website (`predictions.ts`). Python-only. Suite 201 modules.

### 2026-06-15 (bedrock: the $\omega \circ \rho = \omega$ residual reduced once more — v201)

- **QGE0.SUBPRIN.01 (v201, [E]/[O]).** The v199 bedrock residual — “the bounded sub-principal symbol of the raw seam DtN has no off-character (mod 4) matrix elements” — is reduced one genuine step further: block-diagonality is *not* an independent postulate. Writing the DtN as  $\Lambda = |k| + M_f$  with  $M_f$  the bounded sub-principal piece = multiplication by a curvature  $f(\theta)$  (standard Steklov structure),  $M_f$  is  $\mu_4$ -character-block-diagonal iff  $f$  is  $\mathbb{Z}_4$ -invariant ([E]; principal  $|k|$  already commutes, v198); and a  $\mu_4$ -mark sum  $f = \sum_{j=0}^3 g(\theta - 2\pi j/4)$

has  $f_m = 4g_m[m \equiv 0 \bmod 4]$  for any profile  $g$ , hence is automatically  $\mathbb{Z}_4$ -invariant ([E]). So the  $\mu_4$ -mark orbit (forced by v195) *forces* the sub-principal symbol block-diagonal; 3 marks ( $\mathbb{Z}_3$ ) and 4 generic marks break it (negative controls). The residual collapses to “the DtN sub-principal symbol is mark-local (seam flat away from the  $\mu_4$  marks = conformal deck, v177)”, structurally definitional — the narrowest form yet of QGEO.SYM.01, [O]. Registered in `run_all.py`, the ledger, `tfpt_research_contracts`, `origin_theory`; Wolfram-mirrored (the mark-sum Fourier identity is exact; extension now 242/242). Suite 200 modules.

## 2026-06-15 (F\_transfer workshop: the axion relic solver — an honest over-production tension)

- **Axion relic solver (experiments/ftransfer/axion\_relic/relic\_solver.py, [C]).** The first real  $F_{\text{transfer}}$  pipeline computation (work package C / review §6.2): a standard misalignment relic with a numerically-computed anharmonic factor  $F(\theta_i) \approx 4$  at the hilltop. Honest finding: at the *predicted*  $\theta_i \approx 170^\circ$  the estimate *over*-produces dark matter,  $\Omega_a h^2 \sim 0.6\text{--}2.3$  (robustly  $> 0.12$ ), because the large  $\theta_i^2 \approx 8.8$  times  $F$  overshoots. So the determinant-line axion as the *dominant* DM is in *mild tension* (it would prefer  $\theta_i \sim 120\text{--}130^\circ$  or extra dilution) — this *refines* v185’s optimistic “can be all-DM” toward an over-production tension. The near-hilltop regime is  $O(1)$ -uncertain, so a full finite- $T$  solve decides; over-production kills only the axion-as-dominant-DM *branch*, not the compiler. Reflected in `tfpt_4_frontier` (dark-matter section) and the v185 docstring; experiments-only, not a suite/ledger claim. No refitted exponents;  $\theta_i = \pi(1 - \varphi_{\text{seam}})$  only.
- **Full finite- $T$  solve confirms it (axion\_relic/full\_finiteT\_solve.py).** A converged nonlinear misalignment solve ( $\theta'' + (3 + d \ln H / dN)\theta' + (m_a(T)/H)^2 \sin \theta = 0$ , lattice  $\chi(T) \propto T^{-8.16}$ , realistic  $g_*(T)$ ; normalised so  $\theta_i=1 \rightarrow \Omega_a h^2 \approx 0.03$ , the standard value) gives  $\Omega_a h^2 \approx 0.66$  at the predicted  $\theta_i \approx 170^\circ$  —  $\sim 5.5\times$  above  $\Omega_{\text{DM}} = 0.12$ , reached only at  $\theta_i \approx 106^\circ$ . The over-production is thus *confirmed* (not the optimistic “all-DM”); `tfpt_4_frontier`, v185 docstring and the website updated accordingly. Stays [C]; kills only the axion-as-dominant-DM branch.

## 2026-06-14 (work packages A+B: attacking $\omega \circ \rho = \omega$ + the variational scan — v199, v200)

- **v199\_seam\_state\_invariance.py [E]/[O] (claim QGEO.STATE.01, work package A).** Attacking  $\omega \circ \rho = \omega$  directly on the *raw* seam. (1) [E] the setup is non-circular:  $\rho$  is the Coxeter element of  $W(A_3) = S_4$  ( $\rho^4 = 1$ , v117), an automorphism of the raw CAR algebra (16 Majoranas) — both carrier-side, no seam geometry. (2) [E] for a quasi-free RP state  $C_\Sigma = \frac{1}{2}(1 + \text{sgn } H_1)$ , so  $\omega \circ \rho = \omega \Leftrightarrow [\rho, H_1] = 0$ . (3) [E]  $[\rho, H_1] = 0 \Leftrightarrow H_1$  is block-diagonal in the four  $\mu_4$ -character classes  $\{n=r \bmod 4\}$  (verified). (4) [O] the residual is sharpened to “the bounded sub-principal symbol has no off-character matrix elements” — a bounded, finite-character condition, not a diffuse geometry; not a closure. Cited in `tfpt_research_contracts`; Wolfram-mirrored.
- **v200\_seam\_variational\_scan.py [C]/[O] (claim QGEO.VARI.02, work package B).** The discretised variational test: with the clock angle free,  $E_{\text{fail}}(\theta)$  has its unique minimum at  $\theta = \pi/2$  (the  $\mu_4$  clock  $z \mapsto iz$ ) — order-4 *and* the three distinct characters  $i, -1, -i =$  the  $(1, 2, 3)$  grading; decoys  $(0, \pi, \pi/3, 2\pi/3)$  all lose. A numerical sign that the variational principle selects  $\mu_4$ ; the full operator-valued minimisation stays the v199 residual [O]. Cited in `tfpt_research_contracts`.
- *Also (this pass, experiments/ only, not the ledger): the  $F_{\text{transfer}}$  four-pipeline scaffold (experiments/ftransfer/) with one CONTRACT per interface, and confirmation that the FRB preregistration (frb\_tfpt\_v1.yaml) and its status semantics already exist.* Suite now 199 modules, highest ID v200; Wolfram extension 241/241.

## 2026-06-14 (cracking the bedrock to a state-invariance: principal symbol + Tomita–Takesaki — v198)

- **v198\_modular\_commutator\_reduction.py** [O] (claim QGEO.MODULAR.01). The decisive crack on the last residual. (1) [E] the DtN principal symbol  $|k| = \sqrt{-\partial_\theta^2} = \text{diag}(|n|)$  and the clock  $\rho: z \mapsto iz = \text{diag}(i^n)$  are both diagonal in the Fourier basis, so  $[\rho, |k|] = 0$  *exactly* on all of  $L^2$  (verified on 33 modes) — the leading-order commutation is free on the whole boundary, never the open part. (2) [E] by Tomita–Takesaki the modular operator is intrinsic to  $(M, \Omega)$ , so a state-preserving symmetry ( $\rho\Omega = \Omega$ ) commutes with  $\log \Delta \sim \Lambda_\Sigma$ : hence  $[\rho, \Lambda_\Sigma] = 0$  *follows from*  $\omega \circ \rho = \omega$ , using only the state + reflection (RP) and *no* conformal covariance — which **removes the v194 Bisognano–Wichmann circularity worry**. (3) [E] the finite  $H^1$  block is already  $\mu_4$ -invariant (v177). So the entire residual collapses to the single *state-invariance* “the raw quasi-free seam state is  $\mu_4$ -invariant” ( $\omega \circ \rho = \omega \Leftarrow$  the Gaussian bulk measure is deck-invariant) — the maximally-operational, non-circular form of QGEO.SYM.01, [O]. *Not* a full closure (a foundational symmetry cannot be derived from nothing, like  $c = \text{const}$ ), but the sharpest falsifiable form, with the circularity gone. Cited in **tftpt\_research\_contracts**; OpenGates updated. Suite now 197 modules, highest ID v198; Wolfram extension 240/240.

## 2026-06-14 (three review levers: Marks-via-Lefschetz, E\_fail functional, RR→D5 — v195–v197)

- **v195\_marks\_lefschetz\_character.py** [E]/[O] (claim QGEO.MARKS.02). The four seam marks are *forced* (not posited):  $\rho: z \mapsto iz$  fixes only  $\{0, \infty\}$ ,  $H^1 = \chi_1 \oplus \chi_2 \oplus \chi_3$  (the  $A_3$  exponents,  $\text{Tr}(\rho|H^1) = i + i^2 + i^3 = -1$ ) has no trivial component  $\Rightarrow$  no puncture at a fixed point, and  $\text{rank } H^1 = n-1 = 3 \Rightarrow n = 4 \Rightarrow$  a single free  $\mu_4$  orbit (cross-ratio 2). So MARKS reduces from the geometric posit “ $D_4$  marks” to the milder premise “ $H^1$  carries the  $A_3$ -exponent rep” — less circular, still [O]. Cited in **tftpt\_research\_contracts**.
- **v196\_seam\_energy\_functional.py** [E]/[O] (claim QGEO.VARI.01). The failure functional  $E_{\text{fail}} = \|[\rho, \Lambda_\Sigma]\|_{HS}^2 + \|\rho^4 - 1\|^2 + \|\Theta\rho\Theta - \rho^{-1}\|^2$ , zero locus = the QGEO.SYM.01 conditions; on the finite  $H^1$  block it vanishes at the  $\mu_4$  config [E] and is  $> 0$  for any  $\mu_4$ -breaking perturbation, so  $\mu_4$  is a true minimiser. The full-operator minimisation is the v194 Bisognano–Wichmann residual — a concrete discretisable *target* on the open bedrock, [O]. Cited in **tftpt\_research\_contracts**.
- **v197\_rr\_carrier\_clifford\_d5.py** [E]/[C] (claim ARCH.RRCAR.02). Hardens the Riemann–Roch carrier from  $g_{\text{car}}$  to  $D_5$  itself:  $\Lambda^{\text{even}}(C_{\text{car}}) = \binom{5}{0} + \binom{5}{2} + \binom{5}{4} = 16 = 2^{g_{\text{car}}-1} = \dim S^+$ , the  $\mathfrak{so}(10) = D_5$  half-spinor — so  $D_5$  is the Clifford spinor of the 5-dim mode space, closing  $\mu_4 \rightarrow g_{\text{car}} \rightarrow D_5$ . [E] arithmetic, [C] identification (as v189). Cited in **origin\_theory**.
- All three are validated external-review levers (the axion-hilltop “ $\pi - 3\phi_0$ ” proposal was *rejected* as a  $\pi \approx 3$  coincidence, not built). Suite now 196 modules, highest ID v197; Wolfram extension 239/239.

## 2026-06-14 (subclaim 2 of ENERGY.02 tackled: raw-seam-DtN RP-definability — v194)

- **v194\_raw\_seam\_dtn\_rp.py** [O] (claim QGEO.DTN.01). The next hard lever — “is the raw RP-seam DtN definable from RP data alone?” (sub-claim 2 of QGEO.ENERGY.02) — was tackled, and the honest result is a *reduction*, not a closure. (1) [E] the commutator  $[\rho, \Lambda_\Sigma] = 0$  closes on the finite cohomology  $H^1$  ( $\rho^* w_k = i^k w_k$ , distinct  $\mu_4$  characters; v177). (2) [E] the *hinge* is met: the DtN/transfer operator is RP-canonical (Osterwalder–Schrader, v54) on a quasi-free seam state (v155), so  $\Lambda_\Sigma$  is RP-definable without naming  $\mathbb{P}^1 \setminus \mu_4$ . (3) [O] the residual relocates: the full- $L^2$  commutation  $\Leftrightarrow$  Bisognano–Wichmann geometric modular flow

of the quasi-free seam state (which must be intrinsic, else it re-circulates). So QGEO.SYM.01 reduces from a definitional postulate to “intrinsic BW geometric modular covariance” — one notch sharper, still [O]; the last structural fog point sharpens, it does *not* close to [E]. Cited in `tfpt_research_contracts`; OpenGates updated. Suite now 193 modules, highest ID v194.

## 2026-06-14 (QGEO.ENERGY.02 energy-commutator + QFT-wording hardening — v193)

- **v193\_qgeo\_energy\_commutator.py** [O] (claim QGEO.ENERGY.02). The non-circular sharpening of QGEO.ENERGY.01: the energy commutator  $[\rho, \Lambda_\Sigma] = 0$  on the rank-8 Calderón polarisation, with three sub-claims — (1) [E]  $\rho$  is carrier-defined (Coxeter of  $W(A_3)=S_4$ , v117), not imported from the seam; (2) [O] the non-circularity hinge:  $\Lambda_\Sigma$  must be the *raw* RP-seam DtN, not the  $\mu_4$  normal form; (3) [E] the commutator forces the  $(1, 2, 3)$  grading on  $H^1$  (QGEO.COHOH.01). Exact [E] rider (Wolfram-mirrored): the induced EH coefficient  $k = (\ln m)/(12\pi)$  (v150) reproduces  $c_3/2$  iff  $\ln m = q(A_3) = \frac{3}{4}$  (*family*), not  $q(D_5) = \frac{5}{4}$  (carrier, off by  $5/3$ ) — gravity is family-geometry-induced. A *proof target*; if sub-claim (2) holds, QGEO.SYM.01 becomes an energy-rigidity theorem. Cited in `tfpt_research_contracts`. Suite now 192 modules, highest ID v193; Wolfram extension 236/236.
- **QFT-wording hardening (review point 7)**. `tfpt_2_standard_model` §(4) was retitled to “Constructive QFT closure of the admissible physical sector”, and its standalone opening over-claim replaced by an explicitly scoped sentence (the unprojected ambient metric measure is not constructed;  $G_{\text{metric}}$  frontier). The two superseded standalone phrasings were added to the v188 prose guard so a frozen release cannot re-introduce them.

## 2026-06-14 (geometry round: Riemann-Roch carrier, Nariai bound, branch line, energy clock — v189–v192)

- **v189\_riemann\_roch\_carrier.py** [E]/[C] (claim ARCH.RRCAR.01). The pair  $(g_{\text{car}}, N_{\text{fam}}) = (5, 3)$  are the two canonical invariants of *one* object, the four-point seam divisor  $D = \mu_4$  on  $\mathbb{P}^1$ : the cycle side rank  $H_1(\mathbb{P}^1 \setminus \mu_4) = \deg -1 = 3 = N_{\text{fam}}$  (already QGEO.COHOH.01) and the function side  $h^0(\mathbb{P}^1, \mathcal{O}(\mu_4)) = \deg +1 = 5 = g_{\text{car}}$ , matched by rank( $D_5$ ) = 5. The carrier-as-mode-space reading is [C] (geometric, does not displace the over-determined  $g_{\text{car}} = 5$ ). Cited in `origin_theory`; Wolfram-mirrored.
- **v190\_nariai\_entropy\_bound.py** [E] (claim HOR.NARIAI.02). A variation-free one-line proof of the SdS entropy floor:  $3(x^2+1) - 2\Phi_3(x) = (x-1)^2 \geq 0$ , so  $S_{\text{tot}} \geq \frac{2}{3}S_{\text{dS}}$  with equality iff  $x = 1$  (the Nariai merge). Cited in `tfpt_horizon_readouts`; Wolfram-mirrored.
- **v191\_universal\_branch\_line.py** [C] (claim HOR.BRANCHLINE.01). The affine map  $q = \frac{7}{2} + \frac{N_{\text{fam}}^2}{2}m$  carries the SdS branch points  $\pm 1/N_{\text{fam}}$  onto the flavor labels  $\{2, 5\}$ . *Honestly typed* [C] — an exact *relabeling*, not a theorem (a decoy pair  $\{3, 4\}$  admits an equally exact map; the shared content is the known  $2/3$  ramification). Cited in `tfpt_horizon_readouts`; Wolfram-mirrored.
- **v192\_qgeo\_energy\_clock.py** [O] (claim QGEO.ENERGY.01). An operator-checkable restatement of the bedrock:  $\rho^* \Lambda_\Sigma \rho = \Lambda_\Sigma$  (the clock preserves the DtN energy form). *Honestly typed*: it *relocates* QGEO.SYM.01 to a more falsifiable surface but does *not* eliminate it (plausibly equivalent unless  $\rho$  is independently defined and the invariance proven). Cited in `tfpt_research_contracts`. Suite now 191 modules, highest ID v192 (v186 skipped).
- *All four are validated external-review proposals (problem\_b); each is built with the honest typing determined on review — the branch line is recorded as an alignment, not a theorem, and the energy clock as a relocation, not a closure.*

## 2026-06-14 (Zenodo release 5.1 (rev 120) — F\_transfer firewall, v184–v188)

- **Published to Zenodo.** Version 5.1 (rev 120) of the ten-PDF document set was published as a new version of the TFPT deposit — record 20687564, DOI 10.5281/zenodo.20687564. This version carries the F\_transfer-firewall round (v184–v188): the honest  $\eta_B$  anchored-Boltzmann test (sharper scenario, not a closure), the axion hilltop-relic typing, the ledger v187 and prose v188 guards, and the Route B/Koide/dark-matter wording fixes plus the P1/P2-vs-QGEO.SYM.01 two-layer clarification. The uploader’s DEFAULT\_RECORD\_ID was advanced to the new record for the next release. Suite 187 modules (highest ID v188; v186 skipped). run\_all.py green, audit clean, website built.

## 2026-06-14 (F\_transfer round: eta\_B honest test v184, axion relic v185, discipline guard v187)

- **v184\_etaB\_anchored\_boltzmann.py [C] (claim FR.ETAB.03).** An honest test of the external-review  $\eta_B$  proposal ( $M_1 = M_R \varphi_0^4$ ,  $\tilde{m}_1 = m_3/A_\Lambda$ ). Firewall verdict: *sharper scenario, not a closure*. The washout anchors plausibly ( $\tilde{m}_1 = m_3/10 \approx 5$  meV,  $A_\Lambda = 10$  atom, in the strong-washout window) [C]; but  $M_1$  does *not* —  $M_R$  is the seesaw scale  $\sim v^2/m_3$  and the nearest clean TFPT powers of  $\bar{M}_{P1}$  both miss it ( $c_3/\varphi_0$ -powers off  $\sim 75\%/ \sim 40\%$ ), so  $M_1 = M_R \varphi_0^4$  merely relocates the free input.  $\eta_B$  stays [C], the route viable but with one (not zero) free input. Cited in tfpt\_4\_frontier.
- **v185\_axion\_relic\_solver.py [C] (claim FR.DM.03).** Honest misalignment estimate: the determinant-line axion  $f_a = M_{\text{scal}}/128 \approx 2.39 \times 10^{11}$  GeV ( $m_a \approx 23.8 \mu\text{eV}$ ) CAN be all dark matter, but the harmonic misalignment under-produces ( $\sim 21\%$  at  $\theta \sim O(1)$ ), so the  $\theta_i \approx 170^\circ$  hilltop anharmonic enhancement is *required* — where the relic is exponentially sensitive. Hence a [C] scenario, not a sharp prediction; the relic contract is a kill test for the BRANCH, not the theory. Cited in tfpt\_4\_frontier.
- **v187\_ftransfer\_laws.py [E] (claim FR.TRANSFER.01).** A CI-style firewall guard: the four continuous-transfer frontier observables (Koide,  $\eta_B$ , axion,  $m_p/m_e$ ) are read from the ledger and required to carry a [C]/[O] marker — never a primitive [E] compiler prediction (exact sub-parts like the Koide 53/54 factor or  $b_3 = -7$  may be [E], the physical prediction never is). Records the four interfaces  $F_{\text{pole}}/F_{\text{Boltzmann}}/F_{\text{relic}}/F_{\text{QCD}}$ ; prevents any future edit from quietly promoting a frontier number to a closed output. Cited in tfpt\_4\_frontier.
- **v188\_frontier\_wording\_guard.py [E] (claim AUDIT.WORDING.01).** A prose sentinel (no new physics): v187 protects the ledger *typing*, this guard protects the *prose*. It scans the 10 active documents and forbids five stale phrasings whose semantics earlier rounds superseded (the old [E]-typed Route B leptogenesis claim and its heavy-scale wording  $\rightarrow$  v184 [C]; the old “open relic scale” dark-matter line  $\rightarrow$  v185; the old “near, not exact” Koide line  $\rightarrow$  v183; and the module-count/ID conflation), so a frozen Zenodo release can never re-introduce wording that was true yesterday and is half-true today. The same pass updated the tfpt\_4\_frontier Route B (to [C]), the Koide and dark-matter summary lines, and added the P1/P2-vs-QGEO.SYM.01 two-layer clarification to the introduction. Suite now has **187 modules**, highest verification ID v188 (v186 was intentionally skipped as redundant —  $m_p/m_e$  is already typed [O] as a QCD matching contract, QCD.LAMBDA.01).
- *Review framing points (P1/P2 as projections of the seam-deck postulate,  $v_{\text{geo}}$  as unit gauge,  $G_{\text{net}}$  a corollary of QGEO.SYM.01, grammar tuning = data) were validated as already implemented in the prior rounds;  $m_p/m_e$  is already typed [O] as a QCD matching contract (QCD.LAMBDA.01), so no redundant module was added.*



## 2026-06-14 (operator origin of the Koide 53/54 factor: the missing Sheet-Diamond corner, v183)

- **v183\_koide\_f\_corner\_transfer.py** [E]/[C] (claim FR.KOIDE.07). An external-review proposal, validated exactly: the Koide source→pole factor  $\frac{53}{54}$  is not a bare arithmetic guess but an *operator* identity on the carrier,  $u_{\text{pole}}/u_{\text{source}} = a^T(R+Q)\mathbf{1}/(2\mathbf{1}^T Ra) = 53/(2\cdot 27) = \frac{53}{54}$ . Here  $\mathbf{1}^T Ra = 27$  is the  $E_6 \times A_2$  cubic family block ( $248 = \dim E_6 + \det R + 2(\mathbf{1}^T Ra)N_{\text{fam}} = 78 + 8 + 2\cdot 27\cdot 3$ ) and  $a^T(R+Q)\mathbf{1} = 53 = 52 + 1$ , where  $F = R+Q$  is the *missing* Sheet-Diamond corner with  $\det B_F = 52 = \dim F_4$  (v80). Hard negative control:  $a^T M \mathbf{1}$  for  $M \in \{R, Q, K, L\}$  is  $\{32, 21, 35, 56\}$  — only the absent corner  $F$  gives 53. This upgrades FR.KOIDE.03 from “near miss + conjecture” to “operator-sourced source→pole transfer”: the *factor* is [E] (exact, mirrored in Wolfram, 232/232); the *mechanism* (the leptonic source→pole transfer reads the  $F$  corner) stays [C], an  $F_{\text{transfer}}$  special case. The prediction itself stays [C]. Cited in `tfpt_4_frontier` (Koide section). Suite now 183 modules.
- **Review point 2 noted as already-present:** the claim that flavor and Nariai share one double-cover ClockFunctor (flavor rate  $(2/3)^{2N_{\text{fam}}}$  vs gravity curvature  $(2/3)^{N_{\text{fam}}}$ , exponent ratio  $|\mathbb{Z}_2|$ , “one clock, two geometries”) is exactly HOR.TRISECT.01/v103 — a rediscovery of an existing result, no new module.

## 2026-06-14 (review recommendations 1/3/4 + the four concerns A–D mapped to the named residuals)

- **v182\_reviewer\_residual\_map.py** [E]/[C] (claim REVIEW.MAP.01). A careful external review raised four concerns (A mapping  $2D \rightarrow 4D$ , B UV-gravity abstractness, C grammar-tuning/meta-look-elsewhere, D Koide Möbius flow). This module shows three of them *reduce*, by the same discipline as v175–v181, onto the *two already-named* residuals  $\{\text{QGEO.SYM.01}, F_{\text{transfer}}\}$ : A (Plücker-11 = QBL boundary count v174 + holographic reduction), B ( $\equiv \text{QGEO.SYM.01}$ ), D (Möbius forced by  $\text{Aut}(\mathbb{P}) = \text{PSL}(2, \mathbb{C})$  on the deck; the missing generator =  $F_{\text{transfer}}$ ). Only C is genuinely *experiment-only* (frozen + minimal + over-determined grammar; residual falls to JUNO/CMB-S4). A unification of the concern *structure*, not a closure. Cited in `tfpt_5_redteam`. Suite now 182 modules.
- **Review recommendation #3 — a “Rosetta” translation lexicon** (website RosettaLexicon): TFPT’s compiler-speak (seam, deck, readout, microcode, audit hull, gap, anchor,  $F_{\text{transfer}}$ ,  $v_{\text{geo}}$ , QGEO.SYM.01) mapped onto standard QFT / mathematical-physics language (Wilsonian boundary CFT, orbifold deck, index/intersection number, RG irrelevance rate, renormalization condition, fundamental postulate) — a reading aid for mainstream physicists, not a new claim.
- **Review recommendation #1 — kill-tests up front** (website TrustContract): the frozen pre-data predictions ( $\sin^2 \theta_{12} = 0.3067$ , JUNO;  $r \approx 0.004$ , CMB-S4) and the null model ( $P \leq 10^{-30.7}$ ) are now a prominent strip directly under the hero.
- **Review recommendation #4 — the bedrock as a postulate.** QGEO.SYM.01 is now framed confidently as TFPT’s *one fundamental postulate* (the role “ $c = \text{const}$ ” plays in relativity), not a gap — in the `tfpt_research_contracts` box and the website “what is open” card; the achievement is that the whole theory is compressed onto exactly one sharply-located, falsifiable premise.

## 2026-06-14 (external-review response: CSV fix, G\_net 3-level, QGEO.SYM.01 page, claim detox)

- **Ledger CSV bug fixed + guarded.** Three rows (AX.P1.01, AX.P2.01, QGEO.IS0.01) had *unquoted commas* in a status/external field (e.g. “a=(1,1,2)”, “PSL(2,C)” ), so a strict CSV parser read 11–12 columns instead of 10 — a real machine-readability defect in the single

source of truth. All offending fields are now quoted (every row parses to exactly 10 columns), and `audit_sync.py` gained a `check_csv_wellformed` guard (ledger, registry, clusters, freeze must all parse to constant width) so it cannot regress.

- **$G_{\text{net}}$  typed in three explicit levels** (website “What is open” card): (1) *algebra* [E]  $(D_5)_1 \otimes (A_3)_1 \rtimes \langle (1, 1) \rangle \cong (E_8)_1$ ; (2) *AQFT machinery* [E] (net existence + full-cone RP, CAR functor, v175); (3) *seam instantiation* [O] (QGEO.SYM.01). The target object’s mathematics is closed; only the physical coupling of the raw seam is open.
- **QGEO.SYM.01 now has its own one-page box** in `tfpt_research_contracts`: what is identified, why it is weaker than CONF/ISO, what follows automatically (the conditional theorem), and *what would falsify it* (genus  $> 0$  double; non-deck transport;  $N_{\text{fam}} \neq 3$ ); with the explicit conditional framing “*given* QGEO.SYM.01, the closure follows” rather than “the theory derives the seam geometry”.
- **Claim-language detox.** “no free fundamental number” softened to “no free *dimensionless compiler dial* beyond the anchor and  $\pi$  (dimensionful scale + transfer physics stay typed)” (`origin_theory`, `introduction`, website); the site title softened from “the Standard Model Derived” to “the Standard-Model *Skeleton* Derived”.
- **External-reviewer map** added to the website verification page: four boxes (exact kernel [E], conditional physics [C], open premises [O], kill tests [X]) so a reviewer sees the attack surface without reading 181 scripts. Suite unchanged at 181.

## 2026-06-14 (Zenodo release 5.1 (rev 114) — v175–v181 bedrock + figures + P1/P2)

- **Published to Zenodo.** Version 5.1 (rev 114) of the ten-PDF document set was published as a new version of the TFPT deposit — record 20686284, DOI 10.5281/zenodo.20686284. This version carries the AQFT-closure-to-bedrock chain (v175–v181, the structural residual reduced to the single definitional premise QGEO.SYM.01), the two overview figures (`residual_chain`, `script_timeline`), and the P1/P2 anchor-reduction provenance on the axiom surfaces. The README and the Zenodo description were refreshed (181 modules), and the uploader’s `DEFAULT_RECORD_ID` was advanced to the new record for the next release.

## 2026-06-14 (overview figures + P1/P2 reduction reflected on the axiom surfaces)

- **Two overview figures** (`make_figures.py`; PDF + website PNG). (i) `residual_chain` — the structural-residual reduction chain v175–v181 as a descending staircase from “build a quantum-gravity measure” to the single definitional bedrock QGEO.SYM.01; embedded in `tfpt_research_contracts`. (ii) `script_timeline` — the eight-phase journey of the  $\sim 181$  scripts (foundations  $\rightarrow$  SM readouts  $\rightarrow$  seam = horizon  $\rightarrow$  horizon/flavor geometry  $\rightarrow$  R1–R5/premise-(A)  $\rightarrow$  PyR@TE cross-checks  $\rightarrow$  AQFT bridges  $\rightarrow$  AQFT closure), what each did mathematically and physically; embedded in `introduction` ahead of the master script index, and both shown on the website verification page.
- **P1/P2 reduction now reflected on the axiom surfaces.** The reduction of the two axioms to the single parabolic anchor  $a = (1, 1, 2)$  plus  $\pi$  (with  $g_{\text{car}} = 5$  an over-determined bootstrap fixed point — forced three ways, v6, Pascal-unique and Lean-formalised, FORM.LADDER.01) was already established (ANCHOR.GEN.01/v23, ARCH.CORE.01/v53) and stated in the papers/glossary, but the *axiom surfaces* still read as bare “declared inputs”. Fixed: the ledger rows `AX.P1.01/AX.P2.01` now carry the anchor/bootstrap reduction and point to it, and the website dependency-graph nodes P1/P2 now show the anchor input ( $c_3 = 1/(2e_1(a)\pi)$ ;  $g_{\text{car}} = e_2(a)$ , bootstrap-forced) rather than “declared axiom”. No marker change (still declared inputs), only honest provenance.
- Manifests refreshed (two new figures added to the FIG list). Suite unchanged at 181.

## 2026-06-14 (the final reduction to bedrock v181 + full non-changelog status sweep)

- **v181\_clock\_is\_conformal\_symmetry.py [E]/[O] (claim QGEO.SYM.01).** The isometry premise QGEO.ISO.01 (v180) is weakened one more genuine step — to a conformal-*symmetry* premise — via *equivariant uniformisation* (Nielsen realisation; for cyclic groups Kerékjártó + uniformisation): a *conformal* automorphism (strictly weaker than an isometry — every isometry is conformal, conformal allows any positive scale) already suffices to put the order-4 clock in the form  $z \mapsto iz$ . Since the clock is the Coxeter element of  $W(A_3) = S_4$  (v117), the  $\mu_4$  deck, and a deck transformation preserves the pulled-back conformal structure by definition, the residual collapses to the *definitional* identification QGEO.SYM.01: “the seam’s conformal structure *is* the  $\mu_4$ -deck structure of the carrier clock”. This is bedrock — a physical/definitional statement tying P2 to the seam’s conformal geometry, *not* a finite computation and not reducible further without relabeling. The chain **REALIZE(v175)** →  $\dots$  → **SYM.01(v181)** ends here; we stop honestly. Python-only. Suite now 181 modules.
- **Full non-changelog status sweep.** The current bedrock framing was propagated to every live status surface (not just the changelog): the introduction “latest reductions” prose, **tfpt\_5\_redteam** Target A, the **tfpt\_research\_contracts** central-theorem keybox, **origin\_theory**; and on the website **OpenGates**, **VerificationDag**, **papers.ts** (Target A  $\times 2$ ,  $G_{\text{net}}$ ), the **glossary**  $G_{\text{net}}$  entry and the **faq** live-residual answer — all now end at QGEO.SYM.01.

## 2026-06-14 (the conformal premise reduces to a milder isometry premise v180)

- **v180\_clock\_is\_möbius.py [E]/[O] (claim QGEO.ISO.01).** Cracks QGEO.CONF.01 one level further: the conformal-realisation premise is *replaced*, via three classical theorems, by a strictly *milder*, *non-circular* premise. (1) *Uniformisation* (Poincaré–Koebe): a genus-0 Riemann surface is conformally  $\mathbb{P}$ , so the genus-0 seam double (P1, v179) with its RP-metric conformal structure *is*  $\mathbb{P}$  — the target is *produced*, not assumed; (2) *Kerékjártó* (1919; Constantin–Kolev 2003): a finite-order orientation-preserving homeomorphism of  $S^2$  is conjugate to a rotation, so the order-4 clock ( $h(A_3)=4$ ) is topologically  $z \mapsto iz$ ; (3) *isometry*  $\Rightarrow$  *conformal*  $\Rightarrow$  *Möbius*: an orientation-preserving isometry of a Riemannian surface is holomorphic,  $\text{Aut}(\mathbb{P}) = \text{PSL}(2, \mathbb{C})$ ; (4) an order-4 Möbius map is  $z \mapsto iz$  (verified: projective order 4, fixed  $\{0, \infty\}$ , multiplier  $i$ , free orbit  $\mu_4$ ). Hence QGEO.CONF.01 is *implied* by the milder premise QGEO.ISO.01: “the carrier clock is an order-4 orientation-preserving *isometry* of the RP seam metric” — which does not name  $\mathbb{P}/\mu_4$  (uniformisation produces them) and is the natural statement that the seam transport is metric-compatible (a holonomy preserving the RP inner product). That milder premise is the single, now milder, structural residual of the whole theory; its surface realisation from the raw seam stays honestly [O]. Cited in **tfpt\_research\_contracts**; Python-only. Suite now 180 modules.

## 2026-06-14 (the two obligations collapse to ONE geometric premise v179)

- **v179\_conformal\_realisation.py [E]/[O] (claim QGEO.CONF.01).** Investigating the two residual premises left by v178 shows they are *not* independent — they collapse onto a single geometric premise (honest unification; the premise itself stays [O]). MARKS’s residual is not three independent assumptions: (1) genus-0 *is* P1 — the one-sided Gauss–Bonnet  $c_3 = 1/(|\mathbb{Z}_2| 2\pi \chi(S^2)) = 1/(8\pi)$  uses  $\chi(S^2) = 2$  and  $\chi = 2 - 2g \Rightarrow g = 0$ , so “genus-0” is the same  $\chi = 2$  that gives the “8” in  $c_3$  (v58/v73); (2) the order-4 clock *is* the carrier — the Coxeter element of  $W(A_3) = S_4$  (v117), order  $h(A_3) = 4 = |\mu_4|$ ; (3) marks = one orbit is *forced* (the parabolic marks are not the two elliptic fixed points, a free order-4 orbit has exactly  $4 = e_1(a)$  points). **KERNEL** then *follows* from the same geometry (DtN symbol  $|k|$ , Lee–Uhlmann v156;  $c = 8$  rigidity v158; the cusped-surface residual  $= H^1 = \mathbb{C}^3 = N_{\text{fam}}$ ). So

the *entire* structural residual of the theory is the *single* geometric premise `QGEO.CONF.01`: “the raw RP seam normal double is conformally  $(\mathbb{P}, \mu_4)$  with the carrier clock as the order-4 Möbius automorphism”. The two doors of `v177/v178` are one geometric realisation, left honestly `[O]`. Cited in `tfpt_research_contracts`; Python-only. Suite now 179 modules.

## 2026-06-14 (an honest attempt at the two obligations `v178` — deeper reduction, not closure)

- `v178_marks_kernel_attempt.py` `[E]/[O]` (claim `QGEO.REDUCE.01`). An honest attempt at `QGEO.MARKS.01` and `QGEO.KERNEL.01`. These are genuine constructive-geometry/AQFT statements, *not* finite computations — neither is closed. What the module does is push each as far as computation allows: it closes the finite `[E]` core of each and reduces each to *one sharper* premise. *Marks core* `[E]`: given a genus-0 double with an order-4 clock  $\rho$  (fixed points  $\{0, \infty\}$ ) and reflection  $\tau$ , the marks are forced to be a generic  $\rho$ -orbit  $\{1, i, -1, -i\} = \mu_4$  (*not* the fixed points), distinct iff  $b_1 = 4 - 1 = 3 = N_{\text{fam}}$  (any collision drops  $b_1$ ), with  $\tau\rho\tau = \rho^{-1}$  giving a faithful  $D_4$  of order 8 — so `MARKS` reduces to the single topological/clock premise. *Kernel core* `[E]`: on the 3-dim multiplicity-free  $H^1$  the  $\mu_4$  characters  $(1, 2, 3)$  are distinct, so by Schur a  $\mu_4$ -equivariant operator is forced *diagonal* and completely determined by its eigenvalue per character; two such with the forced transfer spectrum  $\{1, (2/3)^6, (1/3)^6\}$  (`v162`) and the unique residue-normalised basis (`v177`) are *equal as operators*, not merely isospectral — the spectrum-vs-operator worry *vanishes* on the finite block. So `KERNEL` reduces to the single full-operator-reduction premise (principal symbol  $|k|$ , Lee–Uhlmann/`v156`; no drift `v158`). Net: neither obligation closed; both sharpened to milder premises with their finite cores `[E]`. Cited in `tfpt_research_contracts`; Python-only (Möbius/Schur symbolic + numeric). Suite now 178 modules.

## 2026-06-14 (QGEO proof tree `v177` — the residual sharpened into two named obligations)

- `v177_seam_marking_kernel.py` `[E]/[O]` (claims `QGEO.TREE.01`, `QGEO.MARKS.01`, `QGEO.KERNEL.01`). A second external residual-class audit pointed out that the `v176` statement takes the marks/ $D_4$  as a *hypothesis* — a near-circular trap. This module factors the central theorem honestly as `REALIZE = MARKS · UNIFORM · COHOM · MODULE · KERNEL · NET` and closes *four* nodes *constructively* (all validated symbolically before adoption): `UNIFORM` `[E]` — an order-4 Möbius map conjugates to  $z \mapsto iz$ , a non-fixed orbit scales to  $\mu_4$ , and  $\sigma\rho\sigma = \rho^{-1}$  for  $\sigma : z \mapsto 1/z$  gives a faithful  $D_4$  (order 8), so a genus-0 four-marked faithful- $D_4$  boundary *is*  $(\mathbb{P}, \mu_4)$  (strengthening `v168`’s cross-ratio to the full uniformisation); `COHOM` `[E]` —  $\rho^*\omega_k = i^k\omega_k$ , grading  $(1, 2, 3) = A_3$  exponents; `MODULE` `[E]` — a *unique*  $\mu_4$ -equivariant iso (multiplicity-free + residue normalisation; reflection  $\omega_1 \leftrightarrow \omega_3$ ,  $\omega_2$  fixed); `NET` `[E]` (`v154/v175`). The structural residual is thereby sharpened from one diffuse premise into *exactly two* named open obligations, neither a finite computation: `QGEO.MARKS.01` (the raw RP seam collar canonically produces the genus-0 four-marked  $D_4$  boundary) and `QGEO.KERNEL.01` (the raw seam Calderón operator *is* the  $\mu_4$ -equivariant free gapped contraction, as an operator). Cited in `tfpt_research_contracts` (the central-theorem keybox); Python-only (Möbius/cohomology symbolic; numbers mirrored via `v168/v137/v162/v154/v175`). Suite now 177 modules.

## 2026-06-13 (Seam Collar Realisation Theorem `v176` — the one central proof obligation)

- `v176_seam_collar_realisation.py` `[E]/[O]` (claim `QGEO.REALIZE.02`). Following an external residual-class audit, the single remaining structural item is formulated as one central theorem and certified as a *reduction* (not a fabricated proof). *Theorem*: given an oriented

one-sided RP seam collar with a sheet-odd Calderón involution, faithful  $D_4$  marks, four parabolic marks with  $\mu_4$  decomposition and admissible  $c=8$  data, its conformal boundary is Möbius-equivalent to  $\mathbb{P} \setminus \mu_4$  with  $H^1$  grading  $(1, 2, 3)$ , the Calderón contraction is the rank-8  $K_\Sigma$  polarisation and the index-4 extension is  $(E_8)_1$ . The proof decomposes into six steps, *five already* [E]: geometry/uniformisation (v168), Calderón DtN symbol  $|k|$  (v156),  $H^1$  character = generation grading  $(1, 2, 3) = A_3$  exponents (v137/v168),  $\mu_4$ -equivariant contraction with gap  $(2/3)^6$  (v162), AQFT closure  $(D_5)_1 \otimes (A_3)_1 \rtimes \mu_4 = (E_8)_1 + \text{full-cone RP all } m$  (v154/v175). The whole structural residual thus reduces to the *one* open premise QGEO.REALIZE.01: that the physical seam collar's boundary *is* this  $\mathbb{P} \setminus \mu_4$  — a constructive-geometry statement, left honestly [O]. Cited in `tfpt_research_contracts` (the central theorem keybox); assembly/reduction certificate, Python-only (its exact identities are mirrored via v168/v156/v162/v154/v175). Suite now 176 modules. *Audit note:* the metrology residual the same review flags is already discharged — v153 (No-Unit Theorem) is the metrology-line typing ( $v_{\text{geo}} \mapsto \lambda^{-1}v_{\text{geo}}$ ,  $1/G \mapsto v_{\text{geo}}^2$ , dimensionless data invariant), and the Koide  $u \rightarrow \frac{53}{54}u$  source→pole transfer is already typed [C] (FR.KOIDE.03); neither is re-derived.

## 2026-06-13 (Zenodo release 5.1 (rev 105) — v174 + v175 + doc refresh)

- **Published to Zenodo.** Version 5.1 (rev 105) of the ten-PDF document set (introduction, origin\_theory, tfpt\_1–5, horizon, research\_contracts, changelog) was published as a new version of the TFPT deposit — record 20681451, DOI 10.5281/zenodo.20681451. This version carries the AQFT closure round (v170–v175): the seam Fock-space readings and the heavy-artillery discharge of net existence + full-cone reflection positivity to [E]. The README and the Zenodo description were refreshed to the current state (175 modules, Wolfram 116/116 + 231/231), and the uploader's DEFAULT\_RECORD\_ID was advanced to the new record for the next release.

## 2026-06-13 (the heavy artillery v175: net existence + full-cone RP discharged to [E])

- **v175\_net\_existence\_full\_cone.py** [E]/[O] (claim QFT.NETRP.01). The two structural residuals that the premise-(A) chain had relocated to *already-open* items —  $A_2$  net existence and full-cone reflection positivity — are now *discharged to a theorem*, leaving the seam realisation as the single irreducible open premise (nothing fabricated). (1) *Full-cone RP for all  $m$* : the CAR second-quantisation functor  $\Gamma(t) = \bigoplus_m \Lambda^m(t)$  lifts the one-particle seam contraction  $t$  to the complete Fock space  $\Lambda^\bullet(\mathbb{R}^{16})$  ( $\dim 2^{16} = 65536$ ); by the exterior-power spectrum theorem every eigenvalue is a subset product of  $\text{spec}(t)$ , so all  $2^{16}$  products lie in  $[0, 1]$  (a contraction = full-cone RP), with eigenvalue-1 multiplicity  $2^8 = 256$  (wedges of the rank-8  $K_\Sigma$  polarisation) and sub-leading = the one-particle gap  $(2/3)^6$  — so full-cone RP reduces *for every  $m$*  (not only  $m \leq 6$ , v161) to the one-particle contraction (Shale–Stinespring), discharging the v160 scope premise. (2)  $A_2$  *assembled + verified*: the  $(E_8)_1$  character  $E_4/\eta^8 = 1 + 248q + 4124q^2 + 34752q^3 + 213126q^4 + 1057504q^5$  (level-1 = 248, extends the order-4 v156 check by one order), the embedding  $248 = 120 + 128$ , and the  $E_8$  Cartan matrix even with  $\det 1$  (the unique rank-8 even unimodular lattice, v83); the net *exists* by cited theorems (free-fermion net, lattice VOA, index-4 Q-system, v125). (3) Both then need the *same* input — the seam realisation QGEO.REALIZE.01 (finite half proven, v168) — which is a constructive-geometry/AQFT statement, *not* closeable by a finite computation, and is left honestly [O]. **Net:** net existence and full-cone RP become [E]; the one irreducible structural premise is the seam realisation. Cited in `tfpt_research_contracts` (premise (A) closure) and `tfpt_5_redteam` (Target A); the exact parts (Cartan unimodular, character order 5, functoriality integers) mirrored in the Wolfram extension (231/231). Suite now 175 modules.

## 2026-06-13 (seam Fock-space readings v174: CAR cone, Witten index, g-theorem)

- **v174\_seam\_fock\_readings.py** [E] (**claim QFT.FOCK.01**). Three more exact audit bridges from the same source note. (1) *CAR cone compression*: the even CAR algebra of the 16 seam Majoranas has  $\dim \Lambda^{\text{even}}(\mathbb{R}^{16}) = 2^{15} = 32768$  directions, but a quasi-free Bogoliubov transport reduces the whole cone to a 16-dim one-particle problem ( $2^{15}/16 = 2^{11}$ ) — the explicit count behind v161. (2) *Witten index = the Plücker norm 11*: the four  $\mu_4$ -corner fermions span a  $2^4 = 16 = \dim S^+$  Fock space; QBL ( $\deg \leq 2$ ) keeps  $\sum_{k \leq 2} \binom{4}{k} = 11 = \dim S^+ - g_{\text{car}}$ , so  $c_u/c_d = 55/117$  reads a topological state-space dimension. (3) *Affleck–Ludwig g-theorem*:  $c_{UV} = 5 + 3 = 8 = c_{IR}((E_8)_1)$ , so  $\Delta c = 0$  forces an exact isometry — the boundary-entropy form of the v157/v158 rigid fixed point. Cited in **tfpt\_2** (Exterior Leg Lemma); mirrored in the Wolfram extension (230/230). Suite now 174 modules. (The categorical reframings in the source note remain framing, not asserted claims.)

## 2026-06-13 (CFT/QFT bridges: slice compression v170, OS moment v171, trace-anomaly seed v172, Pfaffian CP v173)

- **v170\_diamond\_slice\_compression.py** [E] (**claim E8.SLICE.01**). E8 Slice Compression Lemma: the seven  $E_8$  audit slices are *one* projection of two alphabets — anchor power sums  $P = (3, 4, 6, 10)$  ( $p_n = 2 + 2^n$ ) and Sheet-Diamond determinants  $(3, 4, 8, 14, 20, 32)$  summing to  $81 = N_{\text{fam}}^4$ . All seven 248-slices, the  $K_4$  edge graph, and the row-budget cross  $(7, 11, 13) + s(3, 3, 3) + t(1, 2, 3)$  follow;  $78 = \dim E_6 = p_2(p_0 + p_3)$ . Cited in **tfpt\_3** (slice atlas). Exact; reading is audit (anti-numerology).
- **v171\_os\_moment\_cluster.py** [E]/[C] (**claim QFT.OSMOMENT.01**). Atomic OS Moment Lemma:  $\text{spec}(T) = \{1, 64/729, 1/729\}$  makes every correlator a positive moment sequence, so the OS Hankel matrices factorise as Vandermonde Grams (a clean RP certificate); cluster  $729/665$ ,  $\xi = 0.4111$ . Sugawara Gap Safety:  $31 = 1 + h^\vee(E_8)$ ,  $c((E_8)_1) = 248/31 = 8$ ,  $\Delta_{\text{eff}} = 6 \log \frac{3}{2} - 31/(4\pi^2) > 0$ . Cited in **tfpt\_research\_contracts** (G5).
- **v172\_trace\_anomaly\_seed.py** [E] (**claim SEED.ANOMALY.01**). The seed prefactor  $\frac{4}{3}$  is the halved  $(E_8)_1$  Weyl anomaly: over the seam  $S^2$  ( $\chi = 2$ ) the  $c = 8$  trace anomaly is  $c\chi/6 = \frac{8}{3}$ , halved by the one-sided  $|\mathbb{Z}_2|$  to  $\frac{4}{3} = 16/12$ . Plus QCD  $b_3 = 7 = \text{scalaron exponent } 48 - 41$  (confinement  $\leftrightarrow$  inflation), and the Volkov–Wipf  $-98/45 = -2 \cdot 7^2 / \dim(D_5)$  factorisation. Cited in **tfpt\_2** (seed).
- **v173\_pfaffian\_cp\_car.py** [E] (**claim FLAV.STRONGCP.02**). Strong CP  $\theta_{\text{eff}} = 0$  as Pfaffian reality in the self-dual 16-Majorana CAR model:  $\{D, \Sigma\} = 0$  pairs the spectrum,  $\gamma_5$ -Hermiticity makes the Pfaffian real, and RP picks the positive branch. Cited in **tfpt\_2** (Strong CP section).
- All four validated computationally before adoption; the exact identities (v170/v171/v172) are mirrored in the Wolfram extension (229/229). Suite now 173 modules. (The categorical reframings in the source note — compiler-as-single-functor,  $E_8 = K_0$ , GIT/monadic/Langlands — are recorded as framing, not asserted as machine-checked claims.)

## 2026-06-13 (Zenodo release 5.1 (rev 97))

- **Published to Zenodo**. Version 5.1 (rev 97) of the ten-PDF document set (introduction, origin\_theory, tfpt\_1–5, horizon, research\_contracts, changelog) was published as a new version of the TFPT deposit — record 20678568, DOI 10.5281/zenodo.20678568. The uploader’s DEFAULT\_RECORD\_ID was advanced to the new record for the next release. Also fixed **build.sh zenodo** on macOS bash 3.2 (empty-array expansion under **set -u**).

## 2026-06-13 (QGEO rigidity theorem v168 + $\eta_B$ leptogenesis interface v169)

- **v168\_qgeo\_rigidity.py** [E]/[C] (**claims QGEO.RIGID.01, QGEO.REALIZE.01**). Hardens the *finite* half of the one remaining Tier-1 hinge **GATE.QGEO** (the seam = flavour = horizon identification). Exact, machine-checked:  $\mu_4 = \{1, i, -1, -i\}$  has cross-ratio 2 and a faithful Möbius stabiliser of order  $8 = |D_4|$ ;  $H^1(\mathbb{P}^1 \setminus \mu_4)$  has rank  $4 - 1 = N_{\text{fam}} = 3$ ; and the forms  $\omega_k = z^{k-1} dz / (z^4 - 1)$  ( $k = 1, 2, 3$ ) are  $\mu_4$ -eigenforms with characters  $\chi_1, \chi_2, \chi_3$  of weights  $(1, 2, 3) = A_3$  exponents =  $\text{Spec}(Q_+)$ . So a genus-0 boundary with faithful  $D_4$ , four parabolic marks and this  $\mu_4$ -decomposition is Möbius-equivalent to  $\mathbb{P}^1 \setminus \mu_4$  — the QGEO Rigidity Theorem (**QGEO.RIGID.01**, [E]). The seam-collar realisation stays the one premise (**QGEO.REALIZE.01**, [C]). Mirrored in the Wolfram extension (226/226). Cited in **tfpt\_research\_contracts** (U0). *Not* a new structural class — it hardens the existing hinge (consistent with v167's completeness claim).
- **v169\_etaB\_boltzmann\_interface.py** [C] (**claim FR.ETAB.02**). Operationalises the Tier-3  $F_{\text{transfer}}$  leptogenesis path. Type-I thermal leptogenesis  $\eta_B \sim 0.96 \times 10^{-2} \varepsilon_1 \kappa_f$  (sphaleron 28/79), fed by TFPT's normal-ordered neutrino spectrum and the predicted  $\delta_{CP} = 240^\circ$ . Over natural  $M_1 \in [3 \times 10^9, 3 \times 10^{10}]$  GeV and washout,  $\eta_B$  brackets the observed  $6.1 \times 10^{-10}$  (a canonical point gives  $6.0 \times 10^{-10}$ , untuned) — the route is *viable*. But  $M_1$ /washout are scenario inputs, so  $\eta_B$  stays [C]; if a precise solve excluded the window the leptogenesis *route* falls, not the theory (the downstream  $\Omega_b$  readout is independent). Cited in **tfpt\_4\_frontier** (Route B). Python-only.

## 2026-06-13 (Higgs quartic from the free seam: SM near-criticality explained, v166)

- **v166\_higgs\_free\_seam.py** [E]/[C] (**claim HIGGS.FREESEAM.01**). A new prediction tying the Higgs mass to premise (A). The seam UV is the free chiral  $c=8$  fixed point (v158, Gaussian, no relevant/marginal interactions), so the one marginal SM scalar coupling vanishes there:  $\lambda(M_{\text{seam}}) = 0$  and  $\beta_\lambda(M_{\text{seam}}) = 0$  — the Shaposhnikov–Wetterich double-criticality, here *derived* from the free seam, not assumed. Integrating the PyR@TE-confirmed *two-loop* SM RGEs from  $M_Z$  up with the measured  $(m_H, m_t)$  gives  $\lambda(\bar{M}_{\text{Pl}}) \approx 0.002$  and  $\beta_\lambda(\bar{M}_{\text{Pl}}) \approx 0$ : the famous SM near-criticality is a *consequence* of the free seam (2-loop sharpens  $\lambda(\bar{M}_{\text{Pl}})$  from  $\sim 0.022$  at one loop to  $\sim 0.002$ ). The double condition predicts  $m_H \sim 129\text{--}134$  GeV; the same condition at the scalaron scale gives  $\sim 107$  GeV (too low), so the boundary condition lives at the reduced Planck scale (seam = horizon = Planck). Fills the Higgs-sector gap (was only  $N_\Phi = 1$ ); cited in **tfpt\_4\_frontier**.
- PyR@TE-sourced: the reproducer's SM run supplies the two-loop  $\beta_\lambda$ , reduced to top-only (**verification/pyrate/sm\_higgs\_betas.txt**). Suite now 166 modules. Python-only (numerical 2-loop ODE).

## 2026-06-13 (PyR@TE $F_{\text{transfer}}$ follow-ups: flavor scale-tagging v163, QCD scale v164)

- **v163\_rg\_stability\_flavor.py** [E]/[C] (**claim FLAV.RGSTAB.01**). Scale-tagging of the flavor sector. The lepton-mixing seeds ( $\sin^2 \theta_{12} = \frac{1}{3} - \frac{\varphi_0}{2} = 0.3067$ ,  $\sin^2 \theta_{13} = \varphi_0 e^{-5/6} = 0.0231$ ) are *RG-stable*: the PMNS running is  $y_\tau^2$ -suppressed (the only mixing-rotating Yukawa term is  $\frac{3}{2} Y_e Y_e^\dagger Y_e$ , PyR@TE SM RGEs), so  $\kappa_\tau = y_\tau^2 / (16\pi^2) \ln(M_{\text{scal}}/M_Z) \sim 1.8 \times 10^{-5}$  and  $|\Delta \sin^2 \theta_{ij}| \lesssim 10^{-4}$  — two to three orders below precision. Seam value = measured value; the  $y_t^2$ -driven quark mass ratios ( $m_t/m_b \sim 41$ ) by contrast carry a scale tag. Cited in **tfpt\_2** (solar/reactor angle box).
- **v164\_qcd\_scale.py** [E]/[O] (**claim QCD.LAMBDA.01**). The QCD confinement scale is parameter-free from the carrier  $b_3 = -7$  (v159): running  $\alpha_s(M_Z) = 0.1179$  down (two-loop,

$n_f$  thresholds) reproduces  $\alpha_s(m_b) \simeq 0.22$ ,  $\alpha_s(m_c) \simeq 0.38$  and confinement at  $\sim 0.5$  GeV by dimensional transmutation — so the QCD-scale *numerator* of  $m_p/m_e$  is independently sourced. The  $O(1)$  proton/ $\Lambda$  factor is lattice, so  $m_p/m_e = 1836$  stays the honest “[O] — not forced” frontier ratio. Cited in `tfpt_4_frontier`.

- Both are PyR@TE-backed (the reproducer now also extracts the SM Yukawa  $\beta$ ’s, `verification/pyrate/sm_yukawa_betas.txt`). Suite now 164 modules. Python-only (no Wolfram mirror: magnitude bound / numerical running).

## 2026-06-13 (PyR@TE external cross-check of the $F_{\text{transfer}}$ gauge inputs — v159)

- **New module v159\_pyrate\_gauge\_crosscheck.py [E]/[C] (claim EM.BUDGET.02).** The one-loop gauge coefficients used by the transfer functor are confirmed by an *independent* third-party RGE generator. Feeding the carrier / Standard-Model field content into the textbook one-loop formula (GUT normalisation) gives  $(b_1, b_2, b_3) = (\frac{41}{10}, -\frac{19}{6}, -7)$ , and **PyR@TE 3** (`arXiv:2007.12700`, `github.com/LSartore/pyrate`) writes  $\beta_{g_1} = (\frac{41}{10})g_1^3$ ,  $\beta_{g_2} = -\frac{19}{6}g_2^3$ ,  $\beta_{g_3} = -7g_3^3$  verbatim (plus the full standard 2-loop matrix). So  $b_1 = 41/10$  is pinned *three* independent ways — carrier algebra  $10b_1 = g_{\text{car}}2^{g_{\text{car}}-2}+1 = 41$ , the  $U(1)$  hypercharge index  $\sum \frac{3}{5}Y^2$ , and PyR@TE — and the split  $10b_1 = 40_{(\text{ferm.})} + 1_{(\text{Higgs})} = 41$  reproduces the EM-budget Gate 1 of `tfpt_2`. Cited there with `\veri`; the gauge sector of  $F_{\text{transfer}}$  is thus not a free knob.
- **PyR@TE reproducer (not vendored).** `verification/pyrate/reproduce.sh` clones PyR@TE on demand into `experiments/pyrate` (git-ignored), neutralises its interactive `pdflatex` end-command, runs the SM at one and two loops, and re-extracts the gauge  $\beta$  functions; the committed evidence is `verification/pyrate/sm_gauge_betas.txt`. PyR@TE is the right external tool for the transfer/RGE gates (gauge running, and — with a seesaw model — the neutrino-Yukawa running behind  $\eta_B$ ); it is *not* a tool for premise (A) (a 2d boundary-CFT question). Mirrored in the Wolfram extension; suite now 159 modules.

## 2026-06-13 (terminal residual inventory: (A) no longer a structural class; one hinge + $F_{\text{transfer}}$ + irreducible core, v167)

- **New module v167\_inventory\_post\_closure.py [E]/[C].** The terminal residual inventory (line v105→v123→v167), re-pinned after the (A)-chain. With (A) discharged (GATE.METRIC.16–19) the v123 *five* structural classes collapse: the seam clock (R1), the index-4 net (R2) and the  $Q$ -realisation (R5) all merge into *one* Tier-1 hinge — the seam=flavour=horizon identification =  $A_2$  net existence (assembly of established net constructions) + GATE.QGEO (seam boundary =  $\mathbb{P} \setminus \mu_4$ , cohomology  $b_1=N_{\text{fam}}=3$ ); the EH step (R3) folds into  $v_{\text{geo}}$  (v152) and the ambient measure into  $G_{\text{net}}$  (v76). **Terminal structure:** Tier 0 = the irreducible core  $\{\pi, v_{\text{geo}}\}$  (a theorem, No-Unit v153); Tier 1 = one hinge; Tier 2 = folded; Tier 3 =  $F_{\text{transfer}}$ , one functor with four typed conditional interfaces (Koide,  $\eta_B$ , axion,  $m_p/m_e$ ),  $\eta_B$  carrying the most open computational room. Completeness: a sixth independent structural class — or a new irreducible — fails the script (ledger SYNTH.INVENTORY.03). A unification + re-typing, NOT an unconditional proof. Python-only (reads the ledger).
- **Bookkeeping.** Suite at 167 modules, all green; Wolfram extension unchanged at 224/224; `origin_theory` (residual-inventory keybox) and `next.txt` moved together.

## 2026-06-13 (premise A maximal honest closure: $A_2$ by assembly, R1 = GATE.QGEO, zero independent open gates, v165)

- **New module v165\_premise\_a\_closure.py [C]/[O].** Pins the two residual gates of the v160–v162 (A)-chain to their floor.  $A_2$  (net existence) closes by assembly of estab-



lished mathematics [C]: the 16 free Majoranas give a free-fermion conformal net (Buchholz–Mack–Todorov), the holomorphic  $c=8$  lattice net is  $(E_8)_1$  (Frenkel–Kac–Segal / Dong–Xu / Kawahigashi–Longo), the  $\mu_4$  extension is a Longo Q-system of index 4 (v125),  $\mu(B)=16/16=1$ ,  $248=120+128$ , character  $E_4/\eta^8=j^{1/3}$  (v156); the one TFPT-specific input (seam Calderón kernel = free-fermion two-point function) is done via  $DtN = |k|$  (v156/v157).  $R_1$  (**seam clock**) **reduces to GATE.QGEO** [C]: a  $\mu_4$ -equivariant flat gapped generator is *unique* ( $= A_0^*$ , v115/v116), so the gap  $(2/3)^6$  is forced and the residual is the one geometric identification “seam boundary  $= \mathbb{P} \setminus \mu_4$ ” = **GATE.QGEO** (cohomology established, v137,  $b_1=3=N_{\text{fam}}$ ). **Final accounting:** by the No-Unit Theorem (v153) the irreducibles stay  $\{\pi, v_{\text{geo}}\}$ ; premise (A) = ( $A_2$  assembly) + ( $R_1=\text{GATE.QGEO}$ ) + the  $\{\pi, v_{\text{geo}}\}$  core, so it carries *zero independent open gates* and ceases to be its own gate — a unification and re-typing, *not* an unconditional proof (ledger **GATE.METRIC.19**). Python-only (numpy/sympy + stdlib).

- **Bookkeeping.** Suite at 165 modules, all green; Wolfram extension unchanged at 224/224; `tfpt_research_contracts` (premise-A keybox) and `next.txt` moved together.

**2026-06-13 (the final identification: premise A factors into the already-open A2 + R1, no new open content, v162)**

- **New module v162\_seam\_transport\_identification.py** [E]/[O]. Pushes the v161 residual as far as it rigorously goes and shows it carries *no new open content*. The one-particle symbol splits into a gap value ( $\beta$ ) and a fixed space ( $\alpha$ ). ( $\beta$ ) **is forced:** a  $\mu_4$ -equivariant generator is diagonal in the cusp basis (the deck average is the diagonal projection,  $\sum_k U^k X U^{-k} = |\mu_4| \text{diag } X$  for  $U = \text{diag}(1, i, -i)$ ; the commutant of  $U$  is exactly the diagonal algebra), so its spectrum is the cusp weights  $\text{spec}(A_0^*) = \{0, \frac{1}{3}, \frac{2}{3}\}$  (v115) and the transfer eigenvalue  $(1-\alpha)^{p_2}$  with  $p_2=6=|R_+(A_3)|$  gives  $\{1, (2/3)^6, (1/3)^6\}$ , gap  $6 \log \frac{3}{2}$  — all carrier data; the lift to the 16 Majoranas is the  $A_3$  subnet grading (v137). ( $\alpha$ ) is the rank-8 Calderón polarisation of  $\omega_k=|k|$  (v113/v156). **Closure:** with v160+v161, (A) closes given only  $\mu_4$ -equivariance + admissibility, whose two non-derived inputs are the already-open A2 (net existence, Kawahigashi–Longo) and R1 (seam clock, **HOR.CLOCK**). So premise (A) factors exactly into  $A_2 + R_1$  — it adds *no* independent open item and is closed *conditionally* on them (a unification, not an unconditional proof; ledger **GATE.METRIC.18**). Python-only (numpy/sympy + stdlib).
- **Bookkeeping.** Suite at 162 modules, all green; Wolfram extension unchanged at 224/224; `tfpt_research_contracts` (premise-A keybox) and `next.txt` moved together.

**2026-06-13 (the cone reduces to one particle: premise A’s scope premise discharged to a 16-dim statement, v161)**

- **New module v161\_one\_particle\_reduction.py** [E]/[O]. *Discharges* the scope premise of v160 (“the transport is gapped on the *full* Schwinger cone”) via Bogoliubov second quantisation. A quasi-free transport is  $T_\Sigma = \Gamma(t)$ , the second quantisation of a one-particle contraction  $t$  on the 16-dim Majorana space;  $\Gamma(t)$  acts on the degree- $m$  correlator sector as the exterior power  $\Lambda^m(t)$ . Machine-checked: (1)  $\text{spec}(\Gamma(t)|_{\text{deg } m}) =$  products of  $m$  one-particle eigenvalues (compound-matrix theorem, all  $m=0..6$ ); (2) **the cone gap equals the one-particle gap** — the sub-leading eigenvalue over the whole cone is  $(2/3)^6$  exactly, so premise 5 on the cumulant space *is* premise 5 on the 16-dim space; (3) the eigenvalue-1 sector is  $\Lambda^*$  of the fixed subspace (disconnected Wick powers), with uniqueness closed by v113 (one polarisation  $\Leftrightarrow$  one vacuum); (4) quasi-freeness is *forced* — the  $120 = \dim \mathfrak{so}(16)$  chiral currents are the Bogoliubov generators and v158 makes every non-Gaussian deformation irrelevant. **Consequence:** v160’s three full-cone premises collapse to ONE finite (16-dim) one-particle statement (seam symbol = gapped Calderón Bogoliubov map, fixed = rank-8  $K_\Sigma$ , gap  $(2/3)^6$ ); all numbers supplied, only the physical identification (Kawahigashi–Longo

class = the A2 net residual) stays open — the infinite-dimensional cone is eliminated (ledger GATE.METRIC.17). Python-only (numpy + stdlib).

- **Bookkeeping.** Suite at 161 modules, all green; Wolfram extension unchanged at 224/224; `tfpt_research_contracts` (premise-A keybox) and `next.txt` moved together.

## 2026-06-13 (premise A as a conditional fixed-point theorem; the load relocates to one scope premise, v160)

- **New module `v160_seam_gaussianity_from_pf.py` [E]/[O].** Formalises the proposed closure of premise (A) (“the seam bulk is a reflection-positive free field”) as a fixed-point theorem and types it honestly. The *exact* parts: (1) a quasi-free state has *all* higher connected cumulants  $\kappa_{2n}=0$  — verified by the *signed* set-partition/Pfaffian moment $\leftrightarrow$ cumulant inversion on a concrete pure Majorana covariance (the v113 “one kernel = net” property at the cumulant level); (2) a kernel-preserving transport fixes the whole quasi-free state by Wick functoriality; (3) the Perron–Frobenius dichotomy (a *fixed*  $\kappa_{2n}$  is a second fixed ray  $\Rightarrow$  breaks uniqueness; a *non-fixed* one decays by the gap) forces Gaussianity; (4) the qualitative claim needs only  $\text{gap}>0$ , the value  $(2/3)^6$  only sets the rate. **The honest residual:** v56’s gapped PF uniqueness lives on the *three-dimensional* scalar transfer spectrum  $\{1, (2/3)^6, (1/3)^6\}$ , while the 16-Majorana seam already carries  $\binom{16}{4}=1820$  and  $\binom{16}{6}=8008$  higher-cumulant directions — so (A) reduces to the single internal, exact-testable statement “the admissible TFPT seam transport is primitive + spectrally gapped on the *full* Schwinger cone, not only the readout spectrum of v56”, which the suite does *not* yet establish (ledger GATE.METRIC.16). Python-only (numpy + stdlib); no new exact-identity content for the Wolfram mirror.
- **Bookkeeping.** Suite at 160 modules, all green; Wolfram extension unchanged at 224/224 (v160 is numerical, Python-only); `tfpt_research_contracts` (the premise-A keybox) and `next.txt` moved together.

## 2026-06-13 (changelog date-order audit + reorder pass)

- **Changelog sort enforced.** `audit_sync.py` now checks that every dated `\subsection \times \{YYYY-MM-DD...\}` block in this file is non-increasing (newest first; range titles such as 2026-06-07 / 2026-06-08 sort by the later date). A manual prepend had left five 2026-06-12 entries above seven 2026-06-13 blocks — reordered; future mis-sorts fail `build.sh audit` as `[B.changelog]`.

## 2026-06-13 (premise A: the destination fixed point is provably stable, v158)

- **The free chiral  $c=8$  fixed point is provably stable (v158, exact dimension count).** The finite core of (A)’s “reaches-the-fixed-point” residual: the chiral Majorana has  $h=\frac{1}{2}$ , the bilinear current  $h=1$ , the quartic  $h=2$ . The relevant window  $0 < h < 1$  for bosonic deformations is *empty*, the  $h=1$  currents are chiral (v157, not  $(1,1)$ -marginal), and the lowest interaction (quartic,  $h=2$ ) is irrelevant — so the fixed point is isolated and stable against all interactions. Premise (A) reduces to a basin-of-attraction statement with a *proven* stable target (ledger GATE.METRIC.15). *Tooling note:* PyR@TE (4d gauge-Yukawa RGEs) is the wrong tool for this 2d boundary-CFT residual, but the right tool for the  $F_{\text{transfer}}$  interfaces ( $\eta_B$  leptogenesis RGEs, gauge-coupling running, the  $b_1=41/10$  cross-check).
- **Bookkeeping.** Suite at 158 modules, all green; Wolfram extension 224/224; `contracts / origin_theory / next.txt / website` moved together.

## 2026-06-13 (premise A reframed: freeness is a rigid boundary fixed point, v157)

- **The free-bulk premise becomes a fixed-point property (v157, simplicity-first).** Instead of postulating Gaussianity, three facts click: (i) the DtN/Calderón symbol is *universally*

$|k|$  (Lee–Uhlmann — order-1  $\Psi$ DO, principal symbol  $|\xi|_g$ ; interactions live in the irrelevant lower-order symbol), so the free dispersion is bulk-detail-independent; (ii) a holomorphic  $c=8$  theory is *rigid* — every field has  $\bar{h}=0$ , so no marginal  $(1,1)$  field exists and the fixed point is isolated, with no knob for an interaction; (iii) the same  $|\mathbb{Z}_2|$  that halves  $8\pi$  in  $c_3 = \frac{1}{8\pi}$  is the Ramond/GSO projection giving  $\mu=1$  ( $248=120_{\text{NS}}+128_{\text{R}}$ ). With  $(E_8)_1$  unique (v83), premise (A) shrinks from “prove the seam is Gaussian” to “the gapped ( $\Delta=6\log\frac{3}{2}$ ) boundary flow reaches the holomorphic fixed point” — freeness then forced by rigidity, not fine-tuned (ledger GATE.METRIC.14).

- **Bookkeeping.** Suite at 157 modules, all green; Wolfram extension 223/223; contracts / `origin_theory` / `next.txt` / website moved together.

### 2026-06-13 (Route 3: the seam net constructed and $(E_8)_1$ verified, v156)

- **The constructive route carried to its exact endpoint (v156).** “ $B \cong (E_8)_1$ ” is no longer an assertion: the chiral seam net is built explicitly and the identification *checked*. (a) The Dirichlet-to-Neumann (Calderón) operator of the 2d Laplacian is the free chiral dispersion  $\omega_k = |k|$  (harmonic extension  $e^{ikx-|k|y}$ ); (b) 16 free Majoranas give  $c = 8 = 5+3$ ; (c) the weight-1 currents are  $248 = 120_{\text{NS}} + 128_{\text{R}}$  ( $SO(16)$  bilinears + Ramond spinor, Frenkel–Kac); (d) the holomorphic character  $E_4/\eta^8 = q^{-1/3}(1 + 248q + 4124q^2 + 34752q^3 + 213126q^4) = j^{1/3}$  (verified by  $q$ -series) — the 248 at level 1 is  $\dim E_8$ , so the net *is*  $(E_8)_1$ . *Residual*: exact given (i) the free-bulk premise (DtN =  $|k|$ , v155) and (ii) the operator-algebraic existence of the net from the seam kernel (a Kawahigashi–Longo-type theorem, not a finite computation) — where TFPT meets constructive QFT, now sharply located (ledger GATE.METRIC.13).
- **Bookkeeping.** Suite at 156 modules, all green; Wolfram extension 222/222 (the DtN =  $|k|$  identity, the  $(E_8)_1$  character  $E_4/\eta^8 = j^{1/3}$  and the  $248=120+128$  split mirrored); contracts / redteam (Target A) / `origin_theory` / `next.txt` / website moved together.

### 2026-06-13 (the seam-side identification reduced to one shared premise, v155)

- $G_{\text{net}}$ ’s last premise reduces to a single shared physical premise (v155, Python-only). The seam-side identification of the Simple-Current Extension Theorem (v154) splits (v110) into (a) “the Calderón involution is sheet-odd” (the double-cover deck, structural) and (b) “the seam 2-point kernel is quasi-free”. Part (b) is *not* independent: the boundary marginal of a reflection-positive *Gaussian* bulk is the compression  $PTP$  of the covariance, and the compression of a contraction is a contraction — so the seam state is automatically quasi-free (Wick inherited). Hence (b) *follows* from “the seam bulk is a reflection-positive free field”, the *same* premise already load-bearing in the area law (v59) and the EH mechanism (v150/v151). **The entire seam-side residual is therefore one physical premise**, shared by  $G_{\text{net}}$ , the area law and R3 — not reducible by a finite computation, but no longer three separate items (ledger GATE.METRIC.12).
- **Bookkeeping.** Suite at 155 modules, all green; Wolfram unchanged at 221/221 (v155 is numerical/numpy, Python-only); contracts / `origin_theory` / `next.txt` / website moved together.

### 2026-06-13 (external review formalised: No-Unit Theorem + Simple-Current Extension Theorem, v153–v154)

- $v_{\text{geo}}$  re-typed: the No-Unit Theorem (v153). Every load-bearing compiler datum is mass-dimension 0 and invariant under a unit rescaling  $L \mapsto \lambda L$ , whereas a mass /  $1/G$  is not — so a dimensionless boundary compiler *provably cannot* select an absolute scale.  $v_{\text{geo}}$  is therefore an *irreducible metrology primitive*, not an open gap, and the three apparent residuals

collapse onto it ( $U_{\text{point}} \sim v_{\text{geo}}$ ,  $1/G \sim v_{\text{geo}}^2$ ,  $m/\mu = e^{3/4}$  a pure ratio); the irreducibles stay {one unit,  $\pi$ } (ledger `ANCHOR.VGEO.02`).

- **$G_{\text{net}}$  stated as the central closing theorem (v154).** The Simple-Current Extension Theorem:  $A=(D_5)_1 \otimes (A_3)_1$  extended by the isotropic glue  $L=\langle(1,1)\rangle$  has  $[B:A]=|L|=4$ ,  $c=5+3=8$ ,  $\mu(B)=\mu(A)/|L|^2=16/16=1 \Rightarrow$  holomorphic  $\Rightarrow B \cong (E_8)_1$  ( $SO(16)_1$  excluded). Every algebraic ingredient is machine-checked (v89/v92/v125/v143/v148); the only residue is the seam-side identification. Pulled to the front of `tfpt_research_contracts`, `tfpt_5_redteam` (Target A final form) and `origin_theory` (ledger `GATE.METRIC.11`).
- **Status surfaces re-typed** (review): the canonical status card now reads  $v_{\text{geo}}$  as a metrology *primitive*,  $G_{\text{net}}$  as the simple-current extension  $\cong (E_8)_1$  ( $[\mathbf{E}]/[\mathbf{C}]$ ), and  $F_{\text{transfer}}$  as one functor with four typed interfaces — “not structural gaps”. The final one-line framing (dimensionless boundary compiler; irreducibles  $\{\pi, v_{\text{geo}}\}$ ; one seam-net theorem; frontier =  $F_{\text{transfer}}$ ) is in `origin_theory`, the introduction, the README and `next.txt`.
- **Bookkeeping.** Suite at 154 modules, all green; Wolfram extension 221/221; intro/README/origin\_theory/contracts/redteam/status-card/website moved together.

## 2026-06-13 (currency sweep: remaining old-series “Paper N” cross-references removed)

- **No old-version framing left in the active docs.** A consistency sweep found a residual layer of old-series “Paper N” attributions and removed them: four literal “Paper 6” references (`tfpt_4_frontier` leptogenesis/axion, `tfpt_2` seam determinant), the old “Paper 4” (OS/admissibility) and “Paper 5” (APS/Hodge) references in `tfpt_2`, the old “Paper 3” transport-kernel attributions in `tfpt_2`, and the internal “Paper 1/2/4” cross-references in `tfpt_3`, `tfpt_4` and `tfpt_horizon_readouts` — all rewritten as content-based phrasing (the flavor sector, the architecture document, the  $E_8$  decoder, the anchor characteristic polynomial, etc.). The active documents now attribute results to the current documents / axioms / scripts only, as the workflow rule requires; the machine-checked sync (scripts  $\leftrightarrow$  papers  $\leftrightarrow$  ledger  $\leftrightarrow$  website) was already current (152 scripts, AUDIT OK).

## 2026-06-13 (fifth round: the R3 normalisation is the dimensionful anchor, v152)

- **R3: the  $q(A_3)$  normalisation merges into the one anchor (v152).** The replica EH coefficient is a *log-ratio*  $k = \ln(m/\mu)/(12\pi)$  ( $\ln m$  alone is scale-ambiguous, only  $m/\mu$  is physical); pinning  $k = c_3/2$  fixes the dimensionless ratio  $m/\mu = e^{3/4}$ , and in  $d=2$  that ratio *is* the induced Newton constant  $1/G$  (v68). So  $v_{\text{geo}}$  (v78),  $1/G$  (v68) and  $m/\mu$  are *one* dimensionful anchor in three readings — the irreducibles stay {one scale,  $\pi$ }, and `SEAM.THEOREM.01`’s residual reduces to the kernel-identification premise alone. *Audit (not promoted)*: the log-ratio is numerically  $\frac{3}{4} = q(A_3)$ , the target value the anchor takes in seam units — not a derivation (ledger `SEAM.EHMODEL.03`).
- **Bookkeeping.** Suite at 152 modules, all green; Wolfram extension 219/219; intro/README/origin\_theory/next.txt/website moved together.

## 2026-06-12 (Zenodo version label: semantic + git rev)

- **Release version string.** `build.sh` now writes `tex-artefacts/release-version.txt` as `{TFPTversion} (rev {git count})` (matches `\TFPTdatestamp` without the date). `scripts/zenodo_upload.py` and `build.sh zenodo/zenodo-publish` use this label on Zenodo; cursor rules extended for when `zenodo_description.html` must move with deposit-facing changes.

## 2026-06-12 (Zenodo API upload workflow)

- **Automated Zenodo versioning.** Added `scripts/zenodo_upload.py` and `.github/workflows/zenodo-release.yml`: creates a new draft version of record 20579275 (DOI 10.5281/zenodo.20579275), uploads the ten active paper PDFs, refreshes `zenodo_description.html`, bumps the version from `tex-artefacts/version.tex`, and optionally publishes via GitHub Actions (ZENODO\_TOKEN secret).

## 2026-06-12 (Overleaf shadow mirror: tfpt5-shadow)

- **One-way GitHub mirror for Overleaf sync.** Added `scripts/export-shadow.sh` and `.github/workflows/shadow-sync.yml`: on every push to `main`, a filtered copy is pushed to `sthamann/tfpt5-shadow` (papers, `tex-artefacts/`, `figures/`, `verification/`, `experiments/`; excludes `_archive/`, `website/`, all `*.pdf`, `.cursor/`). ~270 files / ~3 MB — within Overleaf GitHub-sync limits.

## 2026-06-12 (origin\_theory style alignment + box reduction)

- **Fewer boxes, embedded in text.** `origin_theory` from 22 to 16 boxes: the narrative/interpretation callouts (“Why the interpretation is internally consistent”, “Dependency chain of the birefringence test”, “The precise reformulation”, “The three theses honestly graded”, “The whole story”, “One-line summary”) become run-in bold prose; the boxed reformulation becomes a `keyeq`. The exact result keyboxes (v53–v56, v101, v105, v113, ...) and the master-principle / Seam–Horizon target boxes are kept.
- **Colour-marked module references + marker hygiene.** `\vref` applied to the inline vN references; stale literal [A]/[I]/[L] markers in running text replaced by the 4-class [O]/[E].

## 2026-06-12 (tfpt\_5 / horizon / research-contracts pass + build hardening)

- **Forked document-set box removed (horizon).** `tfpt_horizon_readouts` carried a hand-written, *stale* copy of the document-set card (“five short documents”, missing `tfpt_5`) and the canonical `\input{tex-artefacts/tfpt_docset}`; the fork is deleted so the single-source card (all five papers + three companions) appears once.
- **Fewer boxes, embedded in text.** Narrative/result callouts converted to run-in bold prose (with the `\veri{}` citation moved out of the bold title into the body): `tfpt_horizon_readouts` from 22 to 7 boxes (the ten-box “clock” wall becomes prose); `tfpt_research_contracts` from 19 to 10 (the nine progress/result winboxes become prose, the named-theorem keyboxes kept); `tfpt_5_redteam` from 10 to 9 (the outcome summary; the per-target verdict boxes are kept as the structured red-team output).
- **Colour-marked module references + marker hygiene.** `\vref` applied to the inline vN references in all three documents; the horizon “Scope/typing” marker line and a stale literal [A] in the research contracts updated to the 4-class markers.
- **Build hardening.** `build.sh` now removes a document’s `.aux/.toc/.out` on failure, so a half-written cross-reference file from a crashed compile cannot poison the next build; artefacts are still kept on success.

## 2026-06-12 (fourth round: the Calderón transfer answered — the BFK split, v151)

- **R3: the Calderón/DtN kernel is conically clean (v151).** Reflection doubling derives that the Kac corner constant is boundary-condition independent ( $C_N = C_D$ ), so by the Burghilea–Friedlander–Kappeler gluing ledger the conical deficit of the two-sided Calderón

jump determinant *vanishes identically* ( $C_{\text{cone}}(\gamma) - 2C_D(\gamma/2) = 0$ ): the seam-reduced effective action inherits the v150 EH form *verbatim*, with all of it localised in the *local* half-space determinants — the “Calderón version” demanded by v150 needs no separate derivation. SEAM.THEOREM.01 narrows to the  $q(A_3)$  normalisation plus the standing kernel premise; the gate stays [O] (ledger SEAM.EHMODEL.02).

- **Bookkeeping.** Suite at 151 modules, all green; Wolfram extension 218/218; intro/README/origin\_theory/next.txt moved together.

## 2026-06-12 (third round: both normals anchor data; the R3 mechanism exists, v149–v150)

- **R4': both dual normals are anchor data (v149).** In the cusp frame the torsion normal pairs to  $(6, 3, 5) = (p_2, p_0, e_2)(a)$  — one anchor invariant per  $Q_+$  line (the cusp matrix is unimodular, so this determines  $n$  uniquely); with  $d = \frac{3}{2}a - 2 \cdot 1$  the dual normal pair is anchor data through and through. Equivalences to the  $(2, 8, 121)$  frame data and the  $w_0$ -lift exact. R4' residue = *one* discrete assignment (ledger GATE.UWALL.14).
- **R3: the mechanism exists at the gapped-model level (v150) — the first movement on SEAM.THEOREM.01.** The conical heat-trace deficit is exact and  $t$ -independent (Cheeger image sum  $(N^2 - 1)/(12N)$ ); for a *gapped* operator the  $\zeta$ -regularised replica variation is *finite and cutoff-independent*,  $\Delta \log \det' = 2C(\gamma) \ln m$ , and its linearisation is the Einstein–Hilbert form  $(\ln m / 12\pi) \int \sqrt{g} R$ . The v73 normalisation becomes one exact target equation:  $k = c_3/2 \Leftrightarrow \ln m = \frac{3}{4} = q(A_3)$  (audit, not asserted). Remaining: the Calderón (boundary) version and that normalisation — the gate narrows but stays [O] (ledger SEAM.EHMODEL.01).
- **Bookkeeping.** Suite at 150 modules, all green; Wolfram extension 217/217; status surfaces (intro reductions + card, origin\_theory, contracts, next.txt, website) moved together.

## 2026-06-12 (R1–R5 second round: every class at its floor, v145–v148)

- **R4': the pairing values are atom identities (v145).** Reading the v139 lift structurally ( $n = w_0(\sigma) + |\mu_4|e_3$ ,  $w_0$  = the  $A_3$  exponent duality), all three pairings become atom arithmetic — including the *new* closure  $|\mu_4| + g_{\text{car}} = N_{\text{fam}}^2 (4+5=9, \sigma \perp w_0(a))$  and  $\|\sigma\|^2 = 110 = |\mathbb{Z}_2|g_{\text{car}}\|\text{PI}(K)\|_1$ . R4' = derive *one* map (ledger GATE.UWALL.13).
- **R5: the Möbius  $D_4$  realisation (v146).** The *full* dihedral symmetry  $\langle z \mapsto iz, z \mapsto 1/z \rangle$  of the seam curve acts on  $H^1$  exactly as the integer model:  $\iota^*$  is the exponent duality with parity +1 on the self-conjugate line (=  $T_A$  in the cusp basis, glue-swap parity), and  $\Sigma$  is the  $\delta\iota$  class — the premise reduces to the module identification itself (ledger FLAV.QGEO.07).
- **R1: the clock is a Gaussian zero-mode integral, and the bend is  $\det'$ -clean (v147).** Variance ratio  $(1 - \alpha)$  (forced by norm = area) gives the Born-squared ratio  $(1 - \alpha)^{p_2}$ , the  $\ln$  series *is* the v127 ring sum; the two quantum weights share *one* Nariai geometry, so the bend  $\log_{3/2} 3$  carries no determinant correction — the v144 obstruction is localised to the  $\alpha = 0$  reference (ledger HOR.CLOCK.13).
- **R2: the NS/R sector census (v148).** The untwisted (Neveu–Schwarz) module carries only the *even* discriminant classes (integer weights), so the odd  $\mu_4$  simple currents have zero NS support — they are Ramond modules; the R zero-mode module (256) splits 128+128 into the odd sectors of the *two* Lagrangian glues: choosing the glue *is* choosing the R-projection ( $248 = 120_{\text{NS}} + 128_{\text{R}}$ ); the one remaining net statement is irreducibly twisted-sector (ledger GATE.METRIC.10). *Correction note (same day):* the first version of v148 graded the Ramond labels by the sum  $q_D + q_A$  (not the glue label) and called that module untwisted; the census was rewritten as above — conclusion unchanged, support corrected, the R-sector sheet split is new.

- **Bookkeeping.** Suite at 148 modules, all green; Wolfram extension 215/215 (README + GATE.WOLFRAM.02 + website counter in lock-step); status surfaces (intro card, `tfpt_1`, `origin_theory` third update, `next.txt`) moved together.

## 2026-06-12 (external review integrated: $\Lambda$ typing, marker migration, website parity)

- **$\Lambda$  normalisation made unambiguous.** The external review flagged the adjacent reduced/unreduced displays in `origin_theory` as a type trap (the formulas were individually correct —  $\bar{M}_{P1}$  vs  $M_{P1}$  — but easy to misread). Both normalisations are now shown explicitly side by side with their order counts ( $3/(4\pi^2) \Rightarrow 120.147$  reduced;  $3/(256\pi^4) \Rightarrow 122.948 = 119.028 + 3.920$  unreduced) plus a typing note.
- **Stale references cleaned.** “How each of the seven papers simplifies”  $\rightarrow$  “How the legacy layers simplify (bridge map)” with the lead-in “(Paper 6)” reference replaced by the scalaron-reheating chain (v86); “(Paper~6/7)” in the `tfpt_3` bridge table reworded; the `tfpt_1` “single remaining geometric input (H2)” passage and the `tfpt_2` “single remaining input (U)” passage carry dated status updates pointing at the current decomposition (v118–v122, v139, v141, v142, v75).
- **Marker migration completed in the shared figures.** The claim stack, anchor cockpit,  $E_8$  glue,  $2/3$  motif and  $K_5$  figures (`tex-artefacts/tfpt_figures.tex`) now show the four public classes  $[E]/[C]/[O]$  instead of the legacy  $[A]/[I]/[L]/[B]/[P]/[R]$  badges.
- **Red-team front table pulled to the final state.** The Target-A residual column now states the one remaining statement (boundary-net holomorphy +  $c=8 \Leftrightarrow$  index-4 inclusion; v83/v87/v89, Lie-level realisation v143); the historical three-residual form is kept below, dated.
- **Website parity.** The Red Team document is now a first-class entry (`papers.ts` number 5, slug `redteam`) and the changelog PDF a download row; Appendix H / Origin Theory / Research Contracts are labelled *companions* (never “Paper 5–7”); the marker system on every website surface migrated to  $[E]/[C]/[O]/[X]$  (fine types named in prose; the script index keeps quoting the scripts’ internal fine-grained typing); the verification page counters are live (144 checks generated from the registry via `lib/suite.ts`, Wolfram 116/116 + 211/211 — now guarded by the sync audit) and the reproduce block matches the current pipeline. The `papers.ts` section bodies of the affected papers carry the v141–v144 outcomes (sheet question: deck derived;  $G_{net}$ : Lie-level realisation; resummed clock: in-family det-ratio cancellation; selector triangle: two line pairings).
- **Not adopted** (recorded for transparency): the review’s narrative reframings (anchor-algebra trilogy, “one seam clock” framing, one-page structure) and the front-matter/status-card layout changes are editorial decisions left to the authors; the claimed  $\Lambda$  *error* was in fact a correct-but-treacherous notation switch (see above).

## 2026-06-12 (R1–R5 attack round: four residual classes sharpened, v141–v144)

- **R5 closed at the discrete level (v141, deck selection theorem).** The v140  $\mathbb{Z}_3$  choice is *derived*: the established integer deck  $G = T_A \Sigma$  (v97/v98) pairs the  $Q_+=1$  cusp line with the self-conjugate character 2, so only the sheet-twisted assignment  $(2, 3, 1) = \text{chars}(-U)$  survives; the cusp exponential  $i^{Q_+}$  is excluded (same spectrum, wrong grading pairing). Explicit conjugacy constructed; under  $k \rightarrow -k$  only the established sheet  $\mathbb{Z}_2$  flips. Consequence: Euler grading =  $Q_+ \circ \rho$ . GATE.QGEO keeps only its realisation premise — no discrete freedom left (ledger FLAV.QGEO.06).
- **R4’ narrowed: three pairings  $\rightarrow$  two (v142, frame integrality).** Integer covectors in the  $(1, a, \sigma)$  dual frame form an index-11 sublattice ( $x - 3y + z \equiv 0 \pmod{11}$ ; the index is  $\|\text{Pl}(K)\|_1$ );

with  $(x, y) = (|\mathbb{Z}_2|, \text{rank } E_8)$  the  $\sigma$ -pairing is forced  $\equiv 0 \pmod{11}$ , and primitivity forces the line parameter even. Cramer reductions for both line pairings recorded as restructuring (ledger `GATE.UWALL.12`).

- **R2 realised at the finite Lie level (v143, graded Frobenius).** The  $\mathbb{Z}_4$ -graded hull carries exact coset duality ( $-C_1 = C_3$ ; Killing pairing nondegenerate per  $g_k \times g_{-k}$ ), the glue average is exactly the carrier projector (index 4), and each glue sector is one Weyl orbit (simple currents, fusion  $= \mathbb{C}[\mathbb{Z}_4]$ ) — the v125 Q-system realised by the hull; residue = one conformal-net statement (ledger `GATE.METRIC.09`).
- **R1’s det-ratio step derived in-family (v144).**  $e_2$ -rigidity of the traceless SdS cubic gives  $r_{br_c} = 1 - \Delta^2/3$  exactly; with the v132 anomaly the non-zero-mode determinant ratio is  $(1 - \Delta^2/3)^{4/3}$  — no first-order term in the horizon split (the v131 cancellation derived, not assumed); deficit coefficient  $\frac{32}{27} = |\mu_4|(\frac{2}{3})^3$  (audit). Finite-weight absorption stays `[C]` with the  $6 \rightarrow \frac{14}{3}$  obstruction stated sharply (ledger `HOR.CLOCK.12`).
- **R3 attempted, honestly unchanged.** No defensible computation landed for the seam-determinant $\rightarrow$ EH step (`SEAM.THEOREM.01`); the gate keeps its `[O]` typing untouched.
- **Wolfram mirror extended** to v141–v144: extension file now 211/211 (`GATE.WOLFRAM.02` and the wolfram README updated in lock-step); Python suite at 144 modules, all green.

## 2026-06-12 (sync infrastructure: single-source script index, content maps, one audit)

- **Single-source script index.** The master script $\rightarrow$ check table (`tex-artefacts/verification.tex`) and the website `ScriptIndex.tsx` are now *generated* from one registry (`script_registry.csv` + `script_clusters.csv` in `verification/`) by `make_script_index.py`; both targets carry a generated-file header and are never edited by hand.
- **Content maps without splitting the papers.** `verification/make_docs_map.py` generates `docs_map.csv` (every paper section with line range, the vN scripts cited there, a content hash and a last-changed date) and `website_map.csv` (which website file mentions which scripts/documents) — the machine-readable enumeration of all sync surfaces.
- **One sync audit.** `verification/audit_sync.py` bundles and extends the previous loose shell checks, now in *both* directions: suite  $\leftrightarrow$  `run_all.py`  $\leftrightarrow$  registry  $\leftrightarrow$  ledger; every script cited in a paper *body* (the master index alone no longer counts); no stale `\veri/\vref` targets; every new module mentioned in this changelog; website mirror byte-identical (PDFs, scripts, `release.ts` hashes, version stamps); wolfram counts; overfull boxes. Frozen exceptions live in `audit_baseline.json` (remove-only).
- **Build pipeline.** `build.sh` gains `gen` / `website` / `audit` / `release` steps; `notes` now regenerates the single-source surfaces first; `website` copies all active PDFs (now incl. `tfpt_5_redteam.pdf` and `changelog.pdf`, with new `release.ts` entries) and the vN scripts, and stamps version, date and git revision into `website/lib/version.ts` (shown in the site header) and `release.ts`.
- **Citation gaps closed.** The audit immediately found three scripts cited only in the master index: v17 and v85 are now cited in their `tfpt_2` sections (hexagonal resolvent; master cover), and two short `\veri{v19}` citations were expanded to the full script name. v91 (spine tetrahedron) had no paper section at all — it is now integrated: a keybox in `tfpt_3` (“Three views of one spine”: anchor closure, edge/face products, volume 120,  $K_6$  negative control, the tautology/sub-grammar caveats) and a closing note in the `tfpt_1` Spine Quotient Lemma; the `ARCH.SPINE.01` ledger location is corrected to `tfpt_1;tfpt_3` and the baseline exception list is empty again.



- **Rules.** `.cursor/rules` updated (`tfpt-workflow`, `website-sync`) and a new `sync-maps` rule added describing the agentic procedure: *regenerate* the maps first, enumerate the affected surfaces from them, audit as the exit gate. The mirror map (`website_map.csv`) also covers the root `README.md` and `next.txt` (bare `vN` ids resolved to full script names), and both files are named explicitly as status surfaces that move with every finding.

## 2026-06-12 (tfpt\_3 / tfpt\_4 style alignment + box reduction)

- **Shared header/footer on tfpt\_3.** `tfpt_3_e8_audit_bootstrap` dropped its custom `\footmarkers` footer (the post-collapse four-[E] artefact) and inherits the shared `tfpt_style` header/footer with the version stamp; the box-orphan `needspace` guards are kept.
- **Fewer boxes, embedded in text.** Narrative/commentary callouts converted to run-in bold paragraphs (boxed one-line formulas to `keyeq`): `tfpt_3` from 39 to 27 boxes (e.g. “Purpose and discipline”, the five “(i)–(v)” audit-lemma boxes, “Net”, “The connection in one sentence”, “The unification”, “The question and the honest answer”, “Net: two axioms”); `tfpt_4` from 18 to 7 (the seven-box Koide stack and the two dark-matter conjecture boxes become prose). The per-item “Honest status of ...” keyboxes are kept — `tfpt_4` is the status authority for the frontier.
- **Colour-marked module references.** `\vref` applied to the inline `vN` references in `tfpt_3` and `tfpt_4` (TikZ node names excluded).
- **Marker hygiene.** A stale literal [P] in `tfpt_4` (Koide flow-time) replaced by the 4-class [C]; status tables checked against the ledger.

## 2026-06-12 (tfpt\_1 / tfpt\_2 style alignment + box reduction)

- **Shared header/footer everywhere.** `tfpt_1_architecture_e8` dropped its custom `\footmarkers` footer (which after the marker collapse showed four redundant [E]) and now inherits the shared `tfpt_style` header/footer with the version stamp, identical to every other document.
- **Fewer boxes, embedded in text.** The narrative/commentary callouts of both documents are converted to run-in bold paragraphs (and the boxed one-line formulas to the colour-marked `keyeq`): `tfpt_1` from 21 to 14 loud boxes (+3 `keyeq`); `tfpt_2` from 52 to 43 (e.g. “In one sentence”, “The one-paragraph version”, the four “Sharpening” notes, “What the simplification means net”, “The disciplined main statement”, “What improves...”, “Scope and honesty”). Only genuine results / theorems / gates keep a box.
- **Colour-marked module references.** `\vref` now also colours the inline `vN` references throughout `tfpt_1` and `tfpt_2` (TikZ node names accidentally matching the pattern were excluded).
- **Status currency.** `tfpt_2`’s inflation-pivot table gains the `v86` scalaron-reheating point ( $N_\star=51.4 \Rightarrow n_s=0.9611$ ,  $r=0.0045$ ,  $A_s$ -disfavoured) and states the band-of-record explicitly, matching `COSMO.NSTAR.01` and the introduction; the box is re-typed [C]. The other status tables were checked against the ledger and are current under the 4-class markers.

## 2026-06-12 (marker simplification to 4 classes + status reconciliation)

- **Four-class display markers.** The reader-facing marker system is collapsed from eleven symbols to four: [E] exact / machine-proven (identity, Lie/lattice, formalised, numerical FP), [C] conditional (physical / bridge / readout under named hypotheses), [O] open / axiom, and [X] kill test. `tex-artefacts/tfpt_style.tex` defines `\mE/\mC/\mO/\mX` and keeps the legacy `\tI ... \tX` names as aliases that render their class. All marker call-sites across the nine documents and the shared fragments were rewritten, collapsing same-class combinations

(e.g.  $[I]/[L] \rightarrow [E]$ ,  $[N]/[P] \rightarrow [E]/[C]$ ). The fine-grained per-claim type (Axiom / Formal / Lattice / Numerical / Identity / Physical) is unchanged in `status_ledger.csv` — the single source of truth — so no fidelity is lost. The marker key, badge bar, README marker table and the workflow rule were updated to match.

- **Status tables reconciled against the ledger.** The introduction’s inflation/ $N_\star$  rows are made consistent with `v86/COSMO.NSTAR.01`:  $r$  and  $n_s$  are shown as the frozen *bands* over  $N_\star \in [50, 60]$  with the scalaron-reheating conditional point  $N_\star=51.4$  ( $n_s=0.9611$ ,  $r=0.0045$ ), replacing the stale point values  $N_\star=55$  (predictions table) and  $N_\star \simeq 57$  (residual card); the closure-ledger inflation row is re-typed  $[E] \rightarrow [C]$  (conditional on  $M_{\text{Star}}=M_{\text{scal}} + \text{reheating}$ ), matching the other two tables and the ledger  $[P]$  typing.

## 2026-06-12 (version system, predictions/K5, readability pass B3)

- **Authors, auto-date and auto-version on every paper.** New single source `tex-artefacts/version.tex` defines `\TFPTauthors` (Stefan Hamann, Alessandro Rizzo), a curated `\TFPTversion`, and a title/footer date stamp (`\today + version + revision`). `build.sh` writes the auto build revision (git commit count) into the gitignored `tex-artefacts/version-auto.tex`, so every document’s title page and page footer carry author, date and `v5.2 (rev N)` automatically. All nine active documents and `changelog.tex` now set `\author{\TFPTauthors}`.
- **Builder keeps build artefacts.** `build.sh` no longer deletes the `.aux/.log/.out/.toc` after a successful build (the `.log` is needed for the overfull-box audit and the `.aux/.toc` for correct cross-references on the next incremental build).
- **Predictions table outsourced.** The running/upcoming-experiment predictions table is moved from `introduction.tex` into the shared fragment `tex-artefacts/predictions.tex` (`\input` in the predictions section).
- **K5 figure fixed.** The `\TFPTactionkfive` mnemonic ( $K_5$  on the five carrier slots) is redrawn so the complete graph and the Pascal-row reading list sit side by side instead of overlapping.
- **Colour-marked script references.** New `\vref` macro colours inline module references (e.g. `v108–v113`, `v49/v71`) in the introduction, predictions and verification fragments, matching the blue of the `\veri` citation, so machine-checked references are visible at a glance.
- **Lighter, non-breaking, embedded boxes.** The `tcolorbox` families are restyled to a light tint + thin frame + light title band with dark coloured title (no heavy white-on-saturated bars); a neutral `navbox` carries the document map and a colour-marked `keyeq` sets off load-bearing display formulas. The introduction’s callouts use the non-breaking variants (`keyboxnb/winboxnb/gapboxnb`) so no box splits across a page, and the shared status card is non-breaking.
- **Readability / sectioning.** The dense run-in prose of the introduction is broken into `\subsection*` headings (In plain words; one anchor and  $E_8$  as a compiler hull; the companion documents; the compact status formula; the hard reduction; the Pascal action grammar; the closure ledger) with added whitespace.
- **Orphan results linked to scripts.** The Glue theorem, the “Reduction in one line” and the fermion-spectrum callouts now carry inline `\veri{}` citations (`v1`, `v6/v14/v23`, `v18/v20/v46`).

## 2026-06-12 (tex-artefacts refactor + introduction visual pass B2)

- **Shared imports moved to tex-artefacts/.** The shared, imported-only TeX fragments (`tfpt_style.tex`, `tfpt_figures.tex`, `tfpt_docset.tex`, `tfpt_status.tex`) now live in a dedicated `tex-artefacts/` folder; all nine active documents `\input` them via `tex-artefacts/<name>` (and `tfpt_style` loads `tex-artefacts/tfpt_figures`).

`changelog.tex` stays at the repo root because it is also a standalone `build.sh` notes deliverable. The `make_manifest.py` TEX list and the workflow rule were updated to the new paths.

- **Master script index outsourced (`tex-artefacts/verification.tex`).** The long `vN→check` table is moved out of `introduction.tex` into the shared fragment `tex-artefacts/verification.tex` (`\input` in the verification appendix); the paper-consistency audit now also reads that file, so every registered script stays cited exactly once.
- **Introduction box reduction (B2).** The introduction’s eleven **keyboxes** are reduced to the single headline “In one sentence” card; the explanatory keyboxes (*In plain words*, *Sharper still*, *compact status formula*, *hard reduction*, *Cosmology Pascal*,  $E_6 \times A_2$ , *closure ledger*, *Plausibility balance*) are converted to inline run-in paragraphs, the *Glue theorem* is re-typed as a **winbox** (a result, not a claim), and the explanatory *plausible/follows next* **winboxes** become prose. The loud boxes now carry only genuinely load-bearing callouts (one **keybox**, five **winboxes**, one **gapbox**) plus the two shared orientation cards.
- **Document-count consistency.** The introduction’s document map gained the missing `tfpt_5_redteam` row; “seven/eight companion documents” and the ledger “six documents” wording are corrected to the true count (nine active documents); `README.md` (“10 ok”, 140 scripts) and the workflow rule (“9 docs”) are reconciled.

## 2026-06-12 (visual pass: box reduction B1)

- **Box reduction (B1).** The 26 non-load-bearing aside boxes (audit / recorded / interpretation: `auditbox/audbox/intbox/resbox/roadbox`) across `tfpt_1`, `tfpt_2`, `tfpt_3` and `origin_theory` are converted to inline bold run-in paragraphs — the reviewer’s prescription that an audit fingerprint must not carry the same visual volume as a theorem. The loud box families are now only **keybox** (claim), **winbox** (result) and **gapbox** (open/caveat).

## 2026-06-12 (visual pass: shared figures, badges, marker typology)

- **Shared figure library `tfpt_figures.tex` (`\input` by `tfpt_style`).** reusable TikZ macros for the architecture *claim stack* (`\TFPTclaimstack[zone]`, B3), the *anchor cockpit*  $a = (1, 1, 2)$  (B4), the  $E_8$  *glue* diagram (B5), the  $2/3$  *motif map* (B6) and the  $K_5$  *action lattice* (B7). The claim stack and a marker *badge bar* are now shown near the front of *every* document, each highlighting that document’s layer; the topical figures are placed in their natural homes (cockpit +  $K_5$  in the introduction, cockpit + glue in `tfpt_1`, motif in the horizon note).
- **Marker typology (A2).** `tfpt_style` adds the sharper sub-types **[E]** (exact algebra), **[E]** (exact number), **[C]** (readout / standard physics in TFPT units) to the existing **[C]** (bridge) and **[X]** (kill test); the marker key and the new `\TFPTbadges` bar show the full typology. (Inline body markers retain **[E]** where they are genuine exact identities.)

## 2026-06-12 (review pass on list.txt)

- **Claim hygiene (review section A).** The introduction’s one-sentence claim is softened from “derives all constants” to “constructs a discrete compiler; physical readouts run through named, status-typed bridges”; the ledger zombie in `FLAV.QRATIO.01` is removed (the statement no longer says “stays [P]” — ratios are **[E]** closed on the derived stratum, only the absolute scale stays **[O]**, with an explicit forbidden-wording note); the seam misalignment is written explicitly as  $\varepsilon = \frac{3}{4}\varphi_0^{\text{ret}} = c_3 + 36c_3^4$  (leading  $c_3$ , fourth-order puncture correction exact);  $\theta_{12}$  has a single prediction of record  $0.306747$  with the seam/non-linear values typed as scheme diagnostics; JUNE’s first 59.1-day result ( $0.3092 \pm 0.0087$ , compatible, precision pending) is recorded and NuFIT 6.0 is marked the pre-JUNE baseline; the ACT DR6 birefringence

hint carries a systematics caveat (not a validation target); CODATA-2022 is dated; the null-model figure is moved out of the main text and typed as a grammar-internal bound. “Complete solutions of the five open questions” becomes “Closure status of the five former open questions”.

- **Interface language unified (review sections A5/C2/C3/C6/C7/C8).** The live residual is stated everywhere as  $v_{\text{geo}} \oplus G_{\text{net}} \oplus F_{\text{transfer}}$  (historical  $U_{\text{wall}}/G_{\text{metric}}/F_{\text{frontier}}$  kept only for ledger continuity); `tfpt_research_contracts` is retitled and its recommended order rewritten (selector-triangle pairings  $\rightarrow v_{\text{geo}} \rightarrow G_{\text{net}}$ );  $F_{\text{transfer}}$  is named as one missing functor with Koide/ $\eta_B$ /axion/ $m_p/m_e$  as its four instances; full QG closure is framed as a certification layer, not a prerequisite. Document numbering aligned with file names (the Red Team paper is now in the canonical set; document  $N \equiv \text{tfpt\_N}$ ). Website mirrored throughout (`papers.ts`, `predictions.ts`, `faq.ts`, `glossary.ts`, `OpenGates`, `Hero`, orientation components).

## 2026-06-12 (later)

- **Shared style and central status artifact.** Two new single-source fragments: `tfpt_style.tex` (the canonical palette, status markers, marker key, `\veri` reference, the four `tcolorbox` families with back-compat aliases, and one running header/footer) is now `\input` by all eight documents — the per-paper duplicated preambles are gone; and `tfpt_status.tex` (“TFPT status at a glance”) gives one canonical overall-status card imported near the front of every document, replacing the divergent per-paper status statements. Both registered in `build.sh` and the manifest `TEX` list.

## 2026-06-12

- **Margin theorem (v122).** The established frozen selectors ( $D_4$  annihilator  $n = (5, -9, 6)$ ,  $\det R = 8$ ,  $\det K = 4$ ) pin  $R$  uniquely among hexagon matrices ( $64 \rightarrow 12 \rightarrow 1$ ); the atom margins become theorems — H2 introduces no new residual class.
- **Inventory update (v123).** Residual table re-pinned post v110–v122: exactly five structural classes (R1 clock, R2 index-4 net, R3 EH step, R4' selector establishment — replacing the discharged H2 dictionary — and R5  $Q$  realisation); R2 carries three loads (metric + carrier + QBL: one theorem, three doors).
- **Resummed clock + glue Q-system (v124/v125).** R1's bend in closed form:  $\text{rate}(n) = -p_2 \ln(1 - n/N_{\text{fam}})$  (pole at  $N_{\text{fam}}$  forces the three-level spectrum); the index-4  $\mu_4$  extension exists explicitly as a Longo  $Q$ -system on  $\mathbb{C}[\mathbb{Z}_4]$  (all Frobenius axioms exact) — R2 sharpens from “find” to “identify”.
- **Clock–wall bridge (v126) and ring resummation (v127).** The resummed-clock weights are the Mehta–Seshadri parabolic weights ( $\text{spec } A_0^*$ );  $\det(\mathbf{1} - A_0^*) = \frac{2}{9}$  = the entropy curvature; the clock is a log-determinant (RPA rings, one tower per hexagon site, coupling = parabolic weight).
- **Graded hull (v128).**  $E_8$  is a  $\mathbb{Z}_4$ -graded Lie algebra over the carrier (grading = glue  $Q$ -system; exact on all 6720 root-pair sums); ring multiplicity 6 = sheet-doubled Ginsparg–Perry zero modes. *Notation fix in the same round:* the clock factor 6 is  $p_2(a)$ , not  $2p_2$  — labels corrected across modules, ledger, papers, website (numbers unchanged).
- **Entropy power law  $\rightarrow$  zeta budget (v129–v133).** The clock is  $\Gamma_n \propto (S_n/S_{dS})^{p_2}$  (Gibbons–Hawking form);  $p_2 = 2h$  with  $h = N_{\text{fam}}$  from mode counting + the Born rule (v130); the zero-mode norm is the area,  $\|Y_{1m}\|^2 = A/(4\pi)$  exactly (v131); the det-ratio anomaly is the Koide constant,  $\zeta(0)|_{\det'} = -\frac{2}{3}$  (v132); both  $\zeta(0)$  budget routes computed exactly — the reduced seam route carries pure anchor ratios ( $-\frac{4}{3}$  = minus the seed gain), the naive 4d route ( $-\frac{109}{45}$ ) carries no atom (v133).

- **Dual anchor + determinant surface (v134/v135).**  $d := a^\top R^{-1} = a^\top L^{-1} = (-\frac{1}{2}, -\frac{1}{2}, 1)$  with  $(1, 1, -2) = -2d$  — the inverse flavor response is the Nariai root, invariance exact via Sherman–Morrison (third algebraic flavor–horizon bridge leg);  $\det M(s, t) = 3s(t+1)(t+2) + t^2 + 5t + 8$  with iso-volume walls at the  $\mathbb{Z}_2/\mu_4$  atoms, winding line  $(8, 14, 20)$ ,  $\det F = 32$ , row-budget axes with  $\text{rowsum}(V) = \text{Spec}(Q_+)$ ; micro-identities  $41 = 16 + 25$ ,  $52 = 16 + 36$ .
- **Dual-normal selector,  $Q_+$  cohomology, Volkov–Wipf firewall (v136–v138).**  $(d, n)$  pins  $R$  *columnwise* (each column the unique lattice point of the address box; kernel  $(6, 8, 7)$ ); the  $A_0^*$  zero mode carries the spectral normal  $\sigma = (2, -9, 5)$  with a  $W(A_3)$  orbit control excluding the naive lift;  $H^1(\mathbb{P}^1 \setminus \mu_4) = \chi_1 \oplus \chi_2 \oplus \chi_3$  with degrees  $(1, 2, 3) = \text{Spec}(Q_+) =$  the  $A_3$  exponents and cusp weights  $= \text{spec } A_0^*$ ; the external full-4d graviton/ghost value  $-\frac{98}{45}$  is pinned (arXiv:2506.02142 = Volkov–Wipf hep-th/0003081) and its *edge* part is exactly two copies of the reduced seam budget — R1 typed closed as an edge-sector object.
- **Selector triangle + canonical map (v139/v140).**  $d = \frac{3}{2}a - 2 \cdot \mathbf{1}$  is pure anchor data (first selector *derived*); the frame  $(\mathbf{1}, a, \sigma)$  has volume 11 and  $n$  is the unique covector with atom pairings  $(2, 8, 121)$  — the  $R4'$  residue is three pairings; the  $H^1 \rightarrow$  generation equivariant map exists and is Schur-rigid (only sign-twisted  $\mu_4$  actions match), so the GATE.QGEO residue collapses to one  $\mathbb{Z}_3$  choice.
- **Editorial and consistency passes.** Content-currency sweep (superseded “single remaining input” claims retired across contracts, paper 3, intro, website); introduction: self-explanatory title (spells out Topological Fixed-Point Theory), the old-version comparison removed throughout, redundant diagrams dropped, the unreadable status heatmap removed, the script-index master table converted to a page-breaking `xltabular` (it had silently truncated  $\sim 110$  rows), status card extended with the v134–v140 reductions, predictions table completed (CP phase, cosmic birefringence); the canonical document-set box extracted into the shared `tftpt_docset.tex`; paper 1 cleaned of all 35 old-series references, every section now opens with its machine-check script references; smaller box fonts across all eight documents; this `changelog.tex` introduced as a dual-mode (standalone + imported) document.

## 2026-06-11

- **External-review integration (v83) and release hygiene.** Manifest `-check` mode and the release rule; holomorphy pins  $(E_8)_1$  (the unique even unimodular rank-8 lattice theory).
- **Sheet diamond and centered form (v94/v95).** All four flavor operators are points of one two-parameter surface  $M(s, t)$ ; centered cross  $R, L = C \mp U$ ,  $K, F = C \mp V$  with the cofactor seam normal  $n = (5, -9, 6)$ ; documentation pass (“The Sheet Diamond and the Winding Line” in paper 3).
- **Horizon/anchor round (v101–v103).** The maximal (Nariai) black hole is the anchor: roots  $(1, 1, -2)$ , entropy bound  $\frac{2}{3} = |\mathbb{Z}_2|/N_{\text{fam}}$ ; one repeller/attractor orientation in both sectors; trisection normal form (the canonical cosine coordinate).
- **Clock/ladder round (v104–v108) + Lean hardening.** The classical Nariai clock speaks anchor ( $\chi_{\text{clock}} = (\lambda - 1)(\lambda + 2)$ ); machine-pinned residual inventory; first review validation; quantum-clock target made quantitative; Pascal Ladder Theorem ( $g = 2K + 1 \Leftrightarrow$  the closure).
- **QBL theorem chain (v109–v113).** Sheet-Pairing Lemma; Calderón-sheet selection (a scalar seam datum exists iff the involution is sheet-odd); Quadratic-Transport Theorem (degree exactly 2); Self-Counting Channel (the Pascal closure as an identity); quasi-free kernel (one 2-point kernel determines the whole net,  $\text{rank} = c$ ) — the QBL input merges with the  $R2$ /holomorphy premise; communicated across all status surfaces.
- **$U_{\text{wall}}$  made exact (v114–v118).** Torsion normal form and  $\delta = \frac{1}{2}$  theorem; exact anchor residue  $A_0^*$  ( $\text{diag} = a/|\mu_4|$ , off-weights  $(8, 0, 5)/144$ ); resonance theorem ( $M_\infty = \mathbf{1} \iff$

$a_{13} = 0$ , one gauge orbit); the holonomy is the exact 24-element  $W(A_3) = S_4$ ; the hypercharge hexagon is the sign-twisted family spectrum with the lepton coefficients as resolvent determinants.

- **Second review validation + address pinning (v119–v121).** Anchor ratio triad  $(\frac{2}{3}, \frac{4}{3}, \frac{5}{3})$ ; the 121 audit lemma; the lepton words are the compiler atoms  $(8, 5, 3)$  with divmod-hexagon addresses;  $R$  is the unique hexagon matrix with atom margins and  $\det 8$  — the address table carries zero residual information.

## 2026-06-10

- **B/C/D round closed.** Koide attractor toy model (v93), glue uniqueness (v92), the Wolfram extension as the independent second verification path, Lean hardening; papers and website synced with the round.
- **Content rounds v96–v100.** Sheet conjugation bridge, discriminant dictionary, Koide flow time, and the look-elsewhere-corrected numerology null test (v100: joint null probability  $\leq 10^{-30.7}$ , conditional on the declared grammar).

## 2026-06-09

- **Blind registry frozen (v84).** Machine-enforced prediction registry (`predictions_frozen.json`): exactly one  $\theta_{12}$  number of record before JUNO; conditional entries carry their hypotheses by name. Research-contracts document added to the set.

## 2026-06-07 / 2026-06-08

- **Compiler-closure consolidation.** The TFPT development is consolidated into the current document set with the verification suite (modules v1–v82:  $E_8$  glue, carrier Pascal, EM fixed point, flavor matrix, cascade, bootstrap, gravity/cosmology, transport, masses, registry and gate audits) as the single proof layer; manifests (`manifest.sha256`, `lean_manifest.sha256`) as content identity; website mirrors the suite (interactive DAG, in-browser script reproducer, script index).

## 2026-04-27

- **Initial commit.** TFPT papers and website baseline: electromagnetic closure and flavor transport (UFE bridge, birefringence seed, dyonic intercept), PDF-download tracking, accessibility and metadata passes.