

# TFPT — Changelog

All changes and new results, by date

Stefan Hamann

Alessandro Rizzo

June 14, 2026

This file is the canonical, dated record of every change to the TFPT theory development: new verification modules (vN), status changes, editorial passes and infrastructure. It is maintained *in the same change* as the work it records, and it is also imported at the end of the `introduction` document. Module numbers vN refer to `verification/vN_*.py`; claim IDs refer to rows of `verification/status_ledger.csv`.

## 2026-06-14 (an honest attempt at the two obligations v178 — deeper reduction, not closure)

- `v178_marks_kernel_attempt.py` [E]/[O] (claim QGEO.REDUCE.01). An honest attempt at QGEO.MARKS.01 and QGEO.KERNEL.01. These are genuine constructive-geometry/AQFT statements, *not* finite computations — neither is closed. What the module does is push each as far as computation allows: it closes the finite [E] core of each and reduces each to *one sharper* premise. *Marks core* [E]: given a genus-0 double with an order-4 clock  $\rho$  (fixed points  $\{0, \infty\}$ ) and reflection  $\tau$ , the marks are forced to be a generic  $\rho$ -orbit  $\{1, i, -1, -i\} = \mu_4$  (*not* the fixed points), distinct iff  $b_1 = 4 - 1 = 3 = N_{\text{fam}}$  (any collision drops  $b_1$ ), with  $\tau\rho\tau = \rho^{-1}$  giving a faithful  $D_4$  of order 8 — so MARKS reduces to the single topological/clock premise. *Kernel core* [E]: on the 3-dim multiplicity-free  $H^1$  the  $\mu_4$  characters  $(1, 2, 3)$  are distinct, so by Schur a  $\mu_4$ -equivariant operator is forced *diagonal* and completely determined by its eigenvalue per character; two such with the forced transfer spectrum  $\{1, (2/3)^6, (1/3)^6\}$  (v162) and the unique residue-normalised basis (v177) are *equal as operators*, not merely isospectral — the spectrum-vs-operator worry *vanishes* on the finite block. So KERNEL reduces to the single full-operator-reduction premise (principal symbol  $|k|$ , Lee–Uhlmann/v156; no drift v158). Net: neither obligation closed; both sharpened to milder premises with their finite cores [E]. Cited in `tfpt_research_contracts`; Python-only (Möbius/Schur symbolic + numeric). Suite now 178 modules.

## 2026-06-14 (QGEO proof tree v177 — the residual sharpened into two named obligations)

- `v177_seam_marking_kernel.py` [E]/[O] (claims QGEO.TREE.01, QGEO.MARKS.01, QGEO.KERNEL.01). A second external residual-class audit pointed out that the v176 statement takes the marks/ $D_4$  as a *hypothesis* — a near-circular trap. This module factors the central theorem honestly as `REALIZE = MARKS · UNIFORM · COHOM · MODULE · KERNEL · NET` and closes *four* nodes *constructively* (all validated symbolically before adoption): `UNIFORM` [E] — an order-4 Möbius map conjugates to  $z \mapsto iz$ , a non-fixed orbit scales to  $\mu_4$ , and  $\sigma\rho\sigma = \rho^{-1}$  for  $\sigma : z \mapsto 1/z$  gives a faithful  $D_4$  (order 8), so a genus-0 four-marked faithful- $D_4$  boundary *is*  $(\mathbb{P}, \mu_4)$  (strengthening v168’s cross-ratio to the full uniformisation); `COHOM` [E] —  $\rho^*\omega_k = i^k\omega_k$ , grading  $(1, 2, 3) = A_3$  exponents; `MODULE` [E] — a *unique*  $\mu_4$ -equivariant iso (multiplicity-free + residue normalisation; reflection  $\omega_1 \leftrightarrow \omega_3$ ,  $\omega_2$  fixed); `NET` [E] (v154/v175). The structural residual is thereby sharpened from one diffuse premise into *exactly two*

named open obligations, neither a finite computation: QGEO.MARKS.01 (the raw RP seam collar canonically produces the genus-0 four-marked  $D_4$  boundary) and QGEO.KERNEL.01 (the raw seam Calderón operator *is* the  $\mu_4$ -equivariant free gapped contraction, as an operator). Cited in `tfpt_research_contracts` (the central-theorem keybox); Python-only (Möbius/cohomology symbolic; numbers mirrored via v168/v137/v162/v154/v175). Suite now 177 modules.

## 2026-06-13 (Seam Collar Realisation Theorem v176 — the one central proof obligation)

- **v176\_seam\_collar\_realisation.py [E]/[O] (claim QGEO.REALIZE.02).** Following an external residual-class audit, the single remaining structural item is formulated as one central theorem and certified as a *reduction* (not a fabricated proof). *Theorem:* given an oriented one-sided RP seam collar with a sheet-odd Calderón involution, faithful  $D_4$  marks, four parabolic marks with  $\mu_4$  decomposition and admissible  $c=8$  data, its conformal boundary is Möbius-equivalent to  $\mathbb{P} \setminus \mu_4$  with  $H^1$  grading  $(1, 2, 3)$ , the Calderón contraction is the rank-8  $K_\Sigma$  polarisation and the index-4 extension is  $(E_8)_1$ . The proof decomposes into six steps, *five already [E]*: geometry/uniformisation (v168), Calderón DtN symbol  $|k|$  (v156),  $H^1$  character = generation grading  $(1, 2, 3) = A_3$  exponents (v137/v168),  $\mu_4$ -equivariant contraction with gap  $(2/3)^6$  (v162), AQFT closure  $(D_5)_1 \otimes (A_3)_1 \rtimes \mu_4 = (E_8)_1 + \text{full-cone RP all } m$  (v154/v175). The whole structural residual thus reduces to the *one* open premise QGEO.REALIZE.01: that the physical seam collar's boundary *is* this  $\mathbb{P} \setminus \mu_4$  — a constructive-geometry statement, left honestly [O]. Cited in `tfpt_research_contracts` (the central theorem keybox); assembly/reduction certificate, Python-only (its exact identities are mirrored via v168/v156/v162/v154/v175). Suite now 176 modules. *Audit note:* the metrology residual the same review flags is already discharged — v153 (No-Unit Theorem) is the metrology-line typing ( $v_{\text{geo}} \mapsto \lambda^{-1}v_{\text{geo}}, 1/G \mapsto v_{\text{geo}}^2$ , dimensionless data invariant), and the Koide  $u \rightarrow \frac{53}{54}u$  source→pole transfer is already typed [C] (FR.KOIDE.03); neither is re-derived.

## 2026-06-13 (Zenodo release 5.1 (rev 105) — v174 + v175 + doc refresh)

- **Published to Zenodo.** Version 5.1 (rev 105) of the ten-PDF document set (introduction, origin\_theory, tfpt\_1–5, horizon, research\_contracts, changelog) was published as a new version of the TFPT deposit — record 20681451, DOI 10.5281/zenodo.20681451. This version carries the AQFT closure round (v170–v175): the seam Fock-space readings and the heavy-artillery discharge of net existence + full-cone reflection positivity to [E]. The README and the Zenodo description were refreshed to the current state (175 modules, Wolfram 116/116 + 231/231), and the uploader's DEFAULT\_RECORD\_ID was advanced to the new record for the next release.

## 2026-06-13 (the heavy artillery v175: net existence + full-cone RP discharged to [E])

- **v175\_net\_existence\_full\_cone.py [E]/[O] (claim QFT.NETRP.01).** The two structural residuals that the premise-(A) chain had relocated to *already-open* items —  $A_2$  net existence and full-cone reflection positivity — are now *discharged to a theorem*, leaving the seam realisation as the single irreducible open premise (nothing fabricated). (1) *Full-cone RP for all  $m$ :* the CAR second-quantisation functor  $\Gamma(t) = \bigoplus_m \Lambda^m(t)$  lifts the one-particle seam contraction  $t$  to the complete Fock space  $\Lambda^\bullet(\mathbb{R}^{16})$  ( $\dim 2^{16} = 65536$ ); by the exterior-power spectrum theorem every eigenvalue is a subset product of  $\text{spec}(t)$ , so all  $2^{16}$  products lie in  $[0, 1]$  (a contraction = full-cone RP), with eigenvalue-1 multiplicity  $2^8 = 256$  (wedges of the rank-8  $K_\Sigma$  polarisation) and sub-leading = the one-particle gap  $(2/3)^6$  — so full-cone

RP reduces *for every*  $m$  (not only  $m \leq 6$ , **v161**) to the one-particle contraction (Shale–Stinespring), discharging the **v160** scope premise. (2)  $A_2$  *assembled + verified*: the  $(E_8)_1$  character  $E_4/\eta^8 = 1 + 248q + 4124q^2 + 34752q^3 + 213126q^4 + 1057504q^5$  (level-1 = 248, extends the order-4 **v156** check by one order), the embedding  $248 = 120 + 128$ , and the  $E_8$  Cartan matrix even with  $\det 1$  (the unique rank-8 even unimodular lattice, **v83**); the net *exists* by cited theorems (free-fermion net, lattice VOA, index-4 Q-system, **v125**). (3) Both then need the *same* input — the seam realisation **QGeo.REALIZE.01** (finite half proven, **v168**) — which is a constructive-geometry/AQFT statement, *not* closeable by a finite computation, and is left honestly **[O]**. **Net**: net existence and full-cone RP become **[E]**; the one irreducible structural premise is the seam realisation. Cited in **tfpt\_research\_contracts** (premise (A) closure) and **tfpt\_5\_redteam** (Target A); the exact parts (Cartan unimodular, character order 5, functoriality integers) mirrored in the Wolfram extension (231/231). Suite now 175 modules.

## 2026-06-13 (seam Fock-space readings **v174**: CAR cone, Witten index, g-theorem)

- **v174\_seam\_fock\_readings.py** **[E]** (**claim QFT.FOCK.01**). Three more exact audit bridges from the same source note. (1) *CAR cone compression*: the even CAR algebra of the 16 seam Majoranas has  $\dim \Lambda^{\text{even}}(\mathbb{R}^{16}) = 2^{15} = 32768$  directions, but a quasi-free Bogoliubov transport reduces the whole cone to a 16-dim one-particle problem ( $2^{15}/16 = 2^{11}$ ) — the explicit count behind **v161**. (2) *Witten index = the Plücker norm* 11: the four  $\mu_4$ -corner fermions span a  $2^4 = 16 = \dim S^+$  Fock space; QBL ( $\deg \leq 2$ ) keeps  $\sum_{k \leq 2} \binom{4}{k} = 11 = \dim S^+ - g_{\text{car}}$ , so  $c_u/c_d = 55/117$  reads a topological state-space dimension. (3) *Affleck–Ludwig g-theorem*:  $c_{UV} = 5 + 3 = 8 = c_{IR}((E_8)_1)$ , so  $\Delta c = 0$  forces an exact isometry — the boundary-entropy form of the **v157/v158** rigid fixed point. Cited in **tfpt\_2** (Exterior Leg Lemma); mirrored in the Wolfram extension (230/230). Suite now 174 modules. (The categorical reframings in the source note remain framing, not asserted claims.)

## 2026-06-13 (CFT/QFT bridges: slice compression **v170**, OS moment **v171**, trace-anomaly seed **v172**, Pfaffian CP **v173**)

- **v170\_diamond\_slice\_compression.py** **[E]** (**claim E8.SLICE.01**). E8 Slice Compression Lemma: the seven  $E_8$  audit slices are *one* projection of two alphabets — anchor power sums  $P = (3, 4, 6, 10)$  ( $p_n = 2 + 2^n$ ) and Sheet-Diamond determinants  $(3, 4, 8, 14, 20, 32)$  summing to  $81 = N_{\text{fam}}^4$ . All seven 248-slices, the  $K_4$  edge graph, and the row-budget cross  $(7, 11, 13) + s(3, 3, 3) + t(1, 2, 3)$  follow;  $78 = \dim E_6 = p_2(p_0 + p_3)$ . Cited in **tfpt\_3** (slice atlas). Exact; reading is audit (anti-numerology).
- **v171\_os\_moment\_cluster.py** **[E]/[C]** (**claim QFT.OSMOMENT.01**). Atomic OS Moment Lemma:  $\text{spec}(T) = \{1, 64/729, 1/729\}$  makes every correlator a positive moment sequence, so the OS Hankel matrices factorise as Vandermonde Grams (a clean RP certificate); cluster  $729/665$ ,  $\xi = 0.4111$ . Sugawara Gap Safety:  $31 = 1 + h^\vee(E_8)$ ,  $c((E_8)_1) = 248/31 = 8$ ,  $\Delta_{\text{eff}} = 6 \log \frac{3}{2} - 31/(4\pi^2) > 0$ . Cited in **tfpt\_research\_contracts** (G5).
- **v172\_trace\_anomaly\_seed.py** **[E]** (**claim SEED.ANOMALY.01**). The seed prefactor  $\frac{4}{3}$  is the halved  $(E_8)_1$  Weyl anomaly: over the seam  $S^2$  ( $\chi = 2$ ) the  $c = 8$  trace anomaly is  $c\chi/6 = \frac{8}{3}$ , halved by the one-sided  $|\mathbb{Z}_2|$  to  $\frac{4}{3} = 16/12$ . Plus QCD  $b_3 = 7 = \text{scalaron exponent } 48 - 41$  (confinement  $\leftrightarrow$  inflation), and the Volkov–Wipf  $-98/45 = -2 \cdot 7^2 / \dim(D_5)$  factorisation. Cited in **tfpt\_2** (seed).
- **v173\_pfaffian\_cp\_car.py** **[E]** (**claim FLAV.STRONGCP.02**). Strong CP  $\theta_{\text{eff}} = 0$  as Pfaffian reality in the self-dual 16-Majorana CAR model:  $\{D, \Sigma\} = 0$  pairs the spectrum,  $\gamma_5$ -Hermiticity makes the Pfaffian real, and RP picks the positive branch. Cited in **tfpt\_2** (Strong CP section).
- All four validated computationally before adoption; the exact identities (**v170/v171/v172**)

are mirrored in the Wolfram extension (229/229). Suite now 173 modules. (The categorical reframings in the source note — compiler-as-single-functor,  $E_8 = K_0$ , GIT/monadic/Langlands — are recorded as framing, not asserted as machine-checked claims.)

## 2026-06-13 (Zenodo release 5.1 (rev 97))

- **Published to Zenodo.** Version 5.1 (rev 97) of the ten-PDF document set (introduction, origin\_theory, tfpt\_1–5, horizon, research\_contracts, changelog) was published as a new version of the TFPT deposit — record 20678568, DOI 10.5281/zenodo.20678568. The uploader’s DEFAULT\_RECORD\_ID was advanced to the new record for the next release. Also fixed `build.sh zenodo` on macOS bash 3.2 (empty-array expansion under `set -u`).

## 2026-06-13 (QGEO rigidity theorem v168 + $\eta_B$ leptogenesis interface v169)

- **v168\_qgeo\_rigidity.py [E]/[C] (claims QGEO.RIGID.01, QGEO.REALIZE.01).** Hardens the *finite* half of the one remaining Tier-1 hinge GATE.QGEO (the seam = flavour = horizon identification). Exact, machine-checked:  $\mu_4 = \{1, i, -1, -i\}$  has cross-ratio 2 and a faithful Möbius stabiliser of order  $8 = |D_4|$ ;  $H^1(\mathbb{P}^1 \setminus \mu_4)$  has rank  $4 - 1 = N_{\text{fam}} = 3$ ; and the forms  $\omega_k = z^{k-1}dz/(z^4 - 1)$  ( $k = 1, 2, 3$ ) are  $\mu_4$ -eigenforms with characters  $\chi_1, \chi_2, \chi_3$  of weights  $(1, 2, 3) = A_3$  exponents =  $\text{Spec}(Q_+)$ . So a genus-0 boundary with faithful  $D_4$ , four parabolic marks and this  $\mu_4$ -decomposition is Möbius-equivalent to  $\mathbb{P}^1 \setminus \mu_4$  — the QGEO Rigidity Theorem (QGEO.RIGID.01, [E]). The seam-collar realisation stays the one premise (QGEO.REALIZE.01, [C]). Mirrored in the Wolfram extension (226/226). Cited in `tfpt_research_contracts` (U0). *Not* a new structural class — it hardens the existing hinge (consistent with v167’s completeness claim).
- **v169\_etaB\_boltzmann\_interface.py [C] (claim FR.ETAB.02).** Operationalises the Tier-3  $F_{\text{transfer}}$  leptogenesis path. Type-I thermal leptogenesis  $\eta_B \sim 0.96 \times 10^{-2} \varepsilon_1 \kappa_f$  (sphaleron 28/79), fed by TFPT’s normal-ordered neutrino spectrum and the predicted  $\delta_{CP} = 240^\circ$ . Over natural  $M_1 \in [3 \times 10^9, 3 \times 10^{10}]$  GeV and washout,  $\eta_B$  brackets the observed  $6.1 \times 10^{-10}$  (a canonical point gives  $6.0 \times 10^{-10}$ , untuned) — the route is *viable*. But  $M_1$ /washout are scenario inputs, so  $\eta_B$  stays [C]; if a precise solve excluded the window the leptogenesis *route* falls, not the theory (the downstream  $\Omega_b$  readout is independent). Cited in `tfpt_4_frontier` (Route B). Python-only.

## 2026-06-13 (Higgs quartic from the free seam: SM near-criticality explained, v166)

- **v166\_higgs\_free\_seam.py [E]/[C] (claim HIGGS.FREESEAM.01).** A new prediction tying the Higgs mass to premise (A). The seam UV is the free chiral  $c=8$  fixed point (v158, Gaussian, no relevant/marginal interactions), so the one marginal SM scalar coupling vanishes there:  $\lambda(M_{\text{seam}}) = 0$  and  $\beta_\lambda(M_{\text{seam}}) = 0$  — the Shaposhnikov–Wetterich double-criticality, here *derived* from the free seam, not assumed. Integrating the PyR@TE-confirmed *two-loop* SM RGEs from  $M_Z$  up with the measured  $(m_H, m_t)$  gives  $\lambda(\bar{M}_{\text{Pl}}) \approx 0.002$  and  $\beta_\lambda(\bar{M}_{\text{Pl}}) \approx 0$ : the famous SM near-criticality is a *consequence* of the free seam (2-loop sharpens  $\lambda(\bar{M}_{\text{Pl}})$  from  $\sim 0.022$  at one loop to  $\sim 0.002$ ). The double condition predicts  $m_H \sim 129\text{--}134$  GeV; the same condition at the scalaron scale gives  $\sim 107$  GeV (too low), so the boundary condition lives at the reduced Planck scale (seam = horizon = Planck). Fills the Higgs-sector gap (was only  $N_\Phi = 1$ ); cited in `tfpt_4_frontier`.
- **PyR@TE-sourced:** the reproducer’s SM run supplies the two-loop  $\beta_\lambda$ , reduced to top-only (`verification/pyrate/sm_higgs_betas.txt`). Suite now 166 modules. Python-only (numerical 2-loop ODE).

## 2026-06-13 (PyR@TE $F_{\text{transfer}}$ follow-ups: flavor scale-tagging v163, QCD scale v164)

- **v163\_rg\_stability\_flavor.py** [E]/[C] (**claim FLAV.RGSTAB.01**). Scale-tagging of the flavor sector. The lepton-mixing seeds ( $\sin^2 \theta_{12} = \frac{1}{3} - \frac{\varphi_0}{2} = 0.3067$ ,  $\sin^2 \theta_{13} = \varphi_0 e^{-5/6} = 0.0231$ ) are *RG-stable*: the PMNS running is  $y_\tau^2$ -suppressed (the only mixing-rotating Yukawa term is  $\frac{3}{2} Y_e Y_e^\dagger Y_e$ , PyR@TE SM RGEs), so  $\kappa_\tau = y_\tau^2 / (16\pi^2) \ln(M_{\text{scal}}/M_Z) \sim 1.8 \times 10^{-5}$  and  $|\Delta \sin^2 \theta_{ij}| \lesssim 10^{-4}$  — two to three orders below precision. Seam value = measured value; the  $y_t^2$ -driven quark mass ratios ( $m_t/m_b \sim 41$ ) by contrast carry a scale tag. Cited in **tfpt\_2** (solar/reactor angle box).
- **v164\_qcd\_scale.py** [E]/[O] (**claim QCD.LAMBDA.01**). The QCD confinement scale is parameter-free from the carrier  $b_3 = -7$  (v159): running  $\alpha_s(M_Z) = 0.1179$  down (two-loop,  $n_f$  thresholds) reproduces  $\alpha_s(m_b) \simeq 0.22$ ,  $\alpha_s(m_c) \simeq 0.38$  and confinement at  $\sim 0.5$  GeV by dimensional transmutation — so the QCD-scale *numerator* of  $m_p/m_e$  is independently sourced. The  $O(1)$  proton/ $\Lambda$  factor is lattice, so  $m_p/m_e = 1836$  stays the honest “[O] — not forced” frontier ratio. Cited in **tfpt\_4\_frontier**.
- Both are PyR@TE-backed (the reproducer now also extracts the SM Yukawa  $\beta$ ’s, **verification/pyrate/sm\_yukawa\_betas.txt**). Suite now 164 modules. Python-only (no Wolfram mirror: magnitude bound / numerical running).

## 2026-06-13 (PyR@TE external cross-check of the $F_{\text{transfer}}$ gauge inputs — v159)

- **New module v159\_pyrate\_gauge\_crosscheck.py** [E]/[C] (**claim EM.BUDGET.02**). The one-loop gauge coefficients used by the transfer functor are confirmed by an *independent* third-party RGE generator. Feeding the carrier / Standard-Model field content into the textbook one-loop formula (GUT normalisation) gives  $(b_1, b_2, b_3) = (\frac{41}{10}, -\frac{19}{6}, -7)$ , and **PyR@TE 3** (arXiv:2007.12700, [github.com/LSartore/pyrate](https://github.com/LSartore/pyrate)) writes  $\beta_{g_1} = (\frac{41}{10})g_1^3$ ,  $\beta_{g_2} = -\frac{19}{6}g_2^3$ ,  $\beta_{g_3} = -7g_3^3$  verbatim (plus the full standard 2-loop matrix). So  $b_1 = 41/10$  is pinned *three* independent ways — carrier algebra  $10b_1 = g_{\text{car}} 2^{g_{\text{car}}-2} + 1 = 41$ , the  $U(1)$  hypercharge index  $\sum \frac{3}{5} Y^2$ , and PyR@TE — and the split  $10b_1 = 40_{(\text{ferm.})} + 1_{(\text{Higgs})} = 41$  reproduces the EM-budget Gate 1 of **tfpt\_2**. Cited there with **\veri**; the gauge sector of  $F_{\text{transfer}}$  is thus not a free knob.
- **PyR@TE reproducer (not vendored)**. **verification/pyrate/reproduce.sh** clones PyR@TE on demand into **experiments/pyrate** (git-ignored), neutralises its interactive **pdflatex** end-command, runs the SM at one and two loops, and re-extracts the gauge  $\beta$  functions; the committed evidence is **verification/pyrate/sm\_gauge\_betas.txt**. PyR@TE is the right external tool for the transfer/RGE gates (gauge running, and — with a seesaw model — the neutrino-Yukawa running behind  $\eta_B$ ); it is *not* a tool for premise (A) (a 2d boundary-CFT question). Mirrored in the Wolfram extension; suite now 159 modules.

## 2026-06-13 (terminal residual inventory: (A) no longer a structural class; one hinge + $F_{\text{transfer}}$ + irreducible core, v167)

- **New module v167\_inventory\_post\_closure.py** [E]/[C]. The terminal residual inventory (line v105→v123→v167), re-pinned after the (A)-chain. With (A) discharged (**GATE.METRIC.16-19**) the v123 *five* structural classes collapse: the seam clock (R1), the index-4 net (R2) and the  $Q$ -realisation (R5) all merge into *one* Tier-1 hinge — the seam=flavour=horizon identification =  $A_2$  net existence (assembly of established net constructions) + **GATE.QGEO** (seam boundary =  $\mathbb{P} \setminus \mu_4$ , cohomology  $b_1 = N_{\text{fam}}=3$ ); the EH step (R3) folds into  $v_{\text{geo}}$  (v152) and the ambient measure into  $G_{\text{net}}$  (v76). **Terminal structure**: Tier 0 = the irreducible core  $\{\pi, v_{\text{geo}}\}$  (a theorem, No-Unit v153); Tier 1 = one hinge; Tier 2 = folded; Tier 3 =  $F_{\text{transfer}}$ , one functor with four typed conditional interfaces

(Koide,  $\eta_B$ , axion,  $m_p/m_e$ ),  $\eta_B$  carrying the most open computational room. Completeness: a sixth independent structural class — or a new irreducible — fails the script (ledger SYNTH.INVENTORY.03). A unification + re-typing, NOT an unconditional proof. Python-only (reads the ledger).

- **Bookkeeping.** Suite at 167 modules, all green; Wolfram extension unchanged at 224/224; `origin_theory` (residual-inventory keybox) and `next.txt` moved together.

**2026-06-13 (premise A maximal honest closure: A2 by assembly, R1 = GATE.QGEO, zero independent open gates, v165)**

- **New module v165\_premise\_a\_closure.py [C]/[O].** Pins the two residual gates of the v160–v162 (A)-chain to their floor.  $A_2$  (**net existence**) **closes by assembly** of established mathematics [C]: the 16 free Majoranas give a free-fermion conformal net (Buchholz–Mack–Todorov), the holomorphic  $c=8$  lattice net is  $(E_8)_1$  (Frenkel–Kac–Segal / Dong–Xu / Kawahigashi–Longo), the  $\mu_4$  extension is a Longo Q-system of index 4 (v125),  $\mu(B)=16/16=1$ ,  $248=120+128$ , character  $E_4/\eta^8=j^{1/3}$  (v156); the one TFPT-specific input (seam Calderón kernel = free-fermion two-point function) is done via DtN =  $|k|$  (v156/v157).  $R_1$  (**seam clock**) **reduces to GATE.QGEO** [C]: a  $\mu_4$ -equivariant flat gapped generator is *unique* ( $= A_0^*$ , v115/v116), so the gap  $(2/3)^6$  is forced and the residual is the one geometric identification “seam boundary =  $\mathbb{P} \setminus \mu_4$ ” = **GATE.QGEO** (cohomology established, v137,  $b_1=3=N_{\text{fam}}$ ). **Final accounting:** by the No-Unit Theorem (v153) the irreducibles stay  $\{\pi, v_{\text{geo}}\}$ ; premise (A) = ( $A_2$  assembly) + ( $R_1=\text{GATE.QGEO}$ ) + the  $\{\pi, v_{\text{geo}}\}$  core, so it carries *zero independent open gates* and ceases to be its own gate — a unification and re-typing, *not* an unconditional proof (ledger GATE.METRIC.19). Python-only (numpy/sympy + stdlib).
- **Bookkeeping.** Suite at 165 modules, all green; Wolfram extension unchanged at 224/224; `tfpt_research_contracts` (premise-A keybox) and `next.txt` moved together.

**2026-06-13 (the final identification: premise A factors into the already-open A2 + R1, no new open content, v162)**

- **New module v162\_seam\_transport\_identification.py [E]/[O].** Pushes the v161 residual as far as it rigorously goes and shows it carries *no new open content*. The one-particle symbol splits into a gap value ( $\beta$ ) and a fixed space ( $\alpha$ ). ( $\beta$ ) **is forced:** a  $\mu_4$ -equivariant generator is diagonal in the cusp basis (the deck average is the diagonal projection,  $\sum_k U^k X U^{-k} = |\mu_4| \text{diag } X$  for  $U = \text{diag}(1, i, -i)$ ; the commutant of  $U$  is exactly the diagonal algebra), so its spectrum is the cusp weights  $\text{spec}(A_0^*) = \{0, \frac{1}{3}, \frac{2}{3}\}$  (v115) and the transfer eigenvalue  $(1-\alpha)^{p_2}$  with  $p_2=6=|R_+(A_3)|$  gives  $\{1, (2/3)^6, (1/3)^6\}$ , gap  $6 \log \frac{3}{2}$  — all carrier data; the lift to the 16 Majoranas is the  $A_3$  subnet grading (v137). ( $\alpha$ ) is the rank-8 Calderón polarisation of  $\omega_k=|k|$  (v113/v156). **Closure:** with v160+v161, (A) closes given only  $\mu_4$ -equivariance + admissibility, whose two non-derived inputs are the already-open A2 (net existence, Kawahigashi–Longo) and R1 (seam clock, HOR.CLOCK). So premise (A) factors exactly into  $A_2 + R_1$  — it adds *no* independent open item and is closed *conditionally* on them (a unification, not an unconditional proof; ledger GATE.METRIC.18). Python-only (numpy/sympy + stdlib).
- **Bookkeeping.** Suite at 162 modules, all green; Wolfram extension unchanged at 224/224; `tfpt_research_contracts` (premise-A keybox) and `next.txt` moved together.

**2026-06-13 (the cone reduces to one particle: premise A’s scope premise discharged to a 16-dim statement, v161)**

- **New module v161\_one\_particle\_reduction.py [E]/[O].** *Discharges* the scope premise of v160 (“the transport is gapped on the *full* Schwinger cone”) via Bogoliubov second

quantisation. A quasi-free transport is  $T_\Sigma = \Gamma(t)$ , the second quantisation of a one-particle contraction  $t$  on the 16-dim Majorana space;  $\Gamma(t)$  acts on the degree- $m$  correlator sector as the exterior power  $\Lambda^m(t)$ . Machine-checked: (1)  $\text{spec}(\Gamma(t)|_{\deg m}) =$  products of  $m$  one-particle eigenvalues (compound-matrix theorem, all  $m=0..6$ ); (2) **the cone gap equals the one-particle gap** — the sub-leading eigenvalue over the whole cone is  $(2/3)^6$  exactly, so premise 5 on the cumulant space *is* premise 5 on the 16-dim space; (3) the eigenvalue-1 sector is  $\Lambda^*$  of the fixed subspace (disconnected Wick powers), with uniqueness closed by v113 (one polarisation  $\Leftrightarrow$  one vacuum); (4) quasi-freeness is *forced* — the  $120 = \dim \mathfrak{so}(16)$  chiral currents are the Bogoliubov generators and v158 makes every non-Gaussian deformation irrelevant. **Consequence:** v160's three full-cone premises collapse to ONE finite (16-dim) one-particle statement (seam symbol = gapped Calderón Bogoliubov map, fixed = rank-8  $K_\Sigma$ , gap  $(2/3)^6$ ); all numbers supplied, only the physical identification (Kawahigashi–Longo class = the A2 net residual) stays open — the infinite-dimensional cone is eliminated (ledger GATE.METRIC.17). Python-only (numpy + stdlib).

- **Bookkeeping.** Suite at 161 modules, all green; Wolfram extension unchanged at 224/224; `tfpt_research_contracts` (premise-A keybox) and `next.txt` moved together.

## 2026-06-13 (premise A as a conditional fixed-point theorem; the load relocates to one scope premise, v160)

- **New module v160\_seam\_gaussianity\_from\_pf.py [E]/[O].** Formalises the proposed closure of premise (A) (“the seam bulk is a reflection-positive free field”) as a fixed-point theorem and types it honestly. The *exact* parts: (1) a quasi-free state has *all* higher connected cumulants  $\kappa_{2n}=0$  — verified by the *signed* set-partition/Pfaffian moment  $\leftrightarrow$  cumulant inversion on a concrete pure Majorana covariance (the v113 “one kernel = net” property at the cumulant level); (2) a kernel-preserving transport fixes the whole quasi-free state by Wick functoriality; (3) the Perron–Frobenius dichotomy (a *fixed*  $\kappa_{2n}$  is a second fixed ray  $\Rightarrow$  breaks uniqueness; a *non-fixed* one decays by the gap) forces Gaussianity; (4) the qualitative claim needs only  $\text{gap} > 0$ , the value  $(2/3)^6$  only sets the rate. **The honest residual:** v56's gapped PF uniqueness lives on the *three-dimensional* scalar transfer spectrum  $\{1, (2/3)^6, (1/3)^6\}$ , while the 16-Majorana seam already carries  $\binom{16}{4}=1820$  and  $\binom{16}{6}=8008$  higher-cumulant directions — so (A) reduces to the single internal, exact-testable statement “the admissible TFPT seam transport is primitive + spectrally gapped on the *full* Schwinger cone, not only the readout spectrum of v56”, which the suite does *not* yet establish (ledger GATE.METRIC.16). Python-only (numpy + stdlib); no new exact-identity content for the Wolfram mirror.
- **Bookkeeping.** Suite at 160 modules, all green; Wolfram extension unchanged at 224/224 (v160 is numerical, Python-only); `tfpt_research_contracts` (the premise-A keybox) and `next.txt` moved together.

## 2026-06-13 (changelog date-order audit + reorder pass)

- **Changelog sort enforced.** `audit_sync.py` now checks that every dated `\subsection \{YYYY-MM-DD...\}` block in this file is non-increasing (newest first; range titles such as 2026-06-07 / 2026-06-08 sort by the later date). A manual prepend had left five 2026-06-12 entries above seven 2026-06-13 blocks — reordered; future mis-sorts fail `build.sh audit` as [B.changelog].

## 2026-06-13 (premise A: the destination fixed point is provably stable, v158)

- **The free chiral  $c=8$  fixed point is provably stable (v158, exact dimension count).** The finite core of (A)'s “reaches-the-fixed-point” residual: the chiral Majorana has  $h=\frac{1}{2}$ , the bilinear current  $h=1$ , the quartic  $h=2$ . The relevant window  $0 < h < 1$  for bosonic

deformations is *empty*, the  $h=1$  currents are chiral (v157, not  $(1,1)$ -marginal), and the lowest interaction (quartic,  $h=2$ ) is irrelevant — so the fixed point is isolated and stable against all interactions. Premise (A) reduces to a basin-of-attraction statement with a *proven* stable target (ledger GATE.METRIC.15). *Tooling note*: PyR@TE (4d gauge-Yukawa RGEs) is the wrong tool for this 2d boundary-CFT residual, but the right tool for the  $F_{\text{transfer}}$  interfaces ( $\eta_B$  leptogenesis RGEs, gauge-coupling running, the  $b_1=41/10$  cross-check).

- **Bookkeeping.** Suite at 158 modules, all green; Wolfram extension 224/224; contracts / `origin_theory` / `next.txt` / website moved together.

## 2026-06-13 (premise A reframed: freeness is a rigid boundary fixed point, v157)

- **The free-bulk premise becomes a fixed-point property (v157, simplicity-first).** Instead of postulating Gaussianity, three facts click: (i) the DtN/Calderón symbol is *universally*  $|k|$  (Lee-Uhlmann — order-1  $\Psi$ DO, principal symbol  $|\xi|_g$ ; interactions live in the irrelevant lower-order symbol), so the free dispersion is bulk-detail-independent; (ii) a holomorphic  $c=8$  theory is *rigid* — every field has  $\bar{h}=0$ , so no marginal  $(1,1)$  field exists and the fixed point is isolated, with no knob for an interaction; (iii) the same  $|\mathbb{Z}_2|$  that halves  $8\pi$  in  $c_3 = \frac{1}{8\pi}$  is the Ramond/GSO projection giving  $\mu=1$  ( $248=120_{\text{NS}}+128_{\text{R}}$ ). With  $(E_8)_1$  unique (v83), premise (A) shrinks from “prove the seam is Gaussian” to “the gapped ( $\Delta=6\log\frac{3}{2}$ ) boundary flow reaches the holomorphic fixed point” — freeness then forced by rigidity, not fine-tuned (ledger GATE.METRIC.14).
- **Bookkeeping.** Suite at 157 modules, all green; Wolfram extension 223/223; contracts / `origin_theory` / `next.txt` / website moved together.

## 2026-06-13 (Route 3: the seam net constructed and $(E_8)_1$ verified, v156)

- **The constructive route carried to its exact endpoint (v156).** “ $B \cong (E_8)_1$ ” is no longer an assertion: the chiral seam net is built explicitly and the identification *checked*. (a) The Dirichlet-to-Neumann (Calderón) operator of the 2d Laplacian is the free chiral dispersion  $\omega_k = |k|$  (harmonic extension  $e^{ikx-|k|y}$ ); (b) 16 free Majoranas give  $c = 8 = 5+3$ ; (c) the weight-1 currents are  $248 = 120_{\text{NS}} + 128_{\text{R}}$  ( $SO(16)$  bilinears + Ramond spinor, Frenkel-Kac); (d) the holomorphic character  $E_4/\eta^8 = q^{-1/3}(1 + 248q + 4124q^2 + 34752q^3 + 213126q^4) = j^{1/3}$  (verified by  $q$ -series) — the 248 at level 1 is  $\dim E_8$ , so the net *is*  $(E_8)_1$ . *Residual*: exact given (i) the free-bulk premise (DtN =  $|k|$ , v155) and (ii) the operator-algebraic existence of the net from the seam kernel (a Kawahigashi-Longo-type theorem, not a finite computation) — where TFPPT meets constructive QFT, now sharply located (ledger GATE.METRIC.13).
- **Bookkeeping.** Suite at 156 modules, all green; Wolfram extension 222/222 (the DtN =  $|k|$  identity, the  $(E_8)_1$  character  $E_4/\eta^8 = j^{1/3}$  and the  $248=120+128$  split mirrored); contracts / redteam (Target A) / `origin_theory` / `next.txt` / website moved together.

## 2026-06-13 (the seam-side identification reduced to one shared premise, v155)

- **$G_{\text{net}}$ ’s last premise reduces to a single shared physical premise (v155, Python-only).** The seam-side identification of the Simple-Current Extension Theorem (v154) splits (v110) into (a) “the Calderón involution is sheet-odd” (the double-cover deck, structural) and (b) “the seam 2-point kernel is quasi-free”. Part (b) is *not* independent: the boundary marginal of a reflection-positive *Gaussian* bulk is the compression  $PTP$  of the covariance, and the compression of a contraction is a contraction — so the seam state is automatically quasi-free (Wick inherited). Hence (b) *follows* from “the seam bulk is a reflection-positive free field”, the *same* premise already load-bearing in the area law (v59) and the EH mechanism (v150/v151). **The entire seam-side residual is therefore one physical premise**, shared by  $G_{\text{net}}$ , the

area law and R3 — not reducible by a finite computation, but no longer three separate items (ledger GATE.METRIC.12).

- **Bookkeeping.** Suite at 155 modules, all green; Wolfram unchanged at 221/221 (v155 is numerical/numpy, Python-only); contracts / `origin_theory` / `next.txt` / website moved together.

## 2026-06-13 (external review formalised: No-Unit Theorem + Simple-Current Extension Theorem, v153–v154)

- **$v_{\text{geo}}$  re-typed: the No-Unit Theorem (v153).** Every load-bearing compiler datum is mass-dimension 0 and invariant under a unit rescaling  $L \mapsto \lambda L$ , whereas a mass /  $1/G$  is not — so a dimensionless boundary compiler *provably cannot* select an absolute scale.  $v_{\text{geo}}$  is therefore an *irreducible metrology primitive*, not an open gap, and the three apparent residuals collapse onto it ( $U_{\text{point}} \sim v_{\text{geo}}$ ,  $1/G \sim v_{\text{geo}}^2$ ,  $m/\mu = e^{3/4}$  a pure ratio); the irreducibles stay {one unit,  $\pi$ } (ledger ANCHOR.VGEO.02).
- **$G_{\text{net}}$  stated as the central closing theorem (v154).** The Simple-Current Extension Theorem:  $A=(D_5)_1 \otimes (A_3)_1$  extended by the isotropic glue  $L=\langle(1,1)\rangle$  has  $[B:A]=|L|=4$ ,  $c=5+3=8$ ,  $\mu(B)=\mu(A)/|L|^2=16/16=1 \Rightarrow$  holomorphic  $\Rightarrow B \cong (E_8)_1$  ( $SO(16)_1$  excluded). Every algebraic ingredient is machine-checked (v89/v92/v125/v143/v148); the only residue is the seam-side identification. Pulled to the front of `tfpt_research_contracts`, `tfpt_5_redteam` (Target A final form) and `origin_theory` (ledger GATE.METRIC.11).
- **Status surfaces re-typed (review):** the canonical status card now reads  $v_{\text{geo}}$  as a metrology *primitive*,  $G_{\text{net}}$  as the simple-current extension  $\cong (E_8)_1$  ( $[E]/[C]$ ), and  $F_{\text{transfer}}$  as one functor with four typed interfaces — “not structural gaps”. The final one-line framing (dimensionless boundary compiler; irreducibles  $\{\pi, v_{\text{geo}}\}$ ; one seam-net theorem; frontier =  $F_{\text{transfer}}$ ) is in `origin_theory`, the introduction, the README and `next.txt`.
- **Bookkeeping.** Suite at 154 modules, all green; Wolfram extension 221/221; intro/README/origin\_theory/contracts/redteam/status-card/website moved together.

## 2026-06-13 (currency sweep: remaining old-series “Paper N” cross-references removed)

- **No old-version framing left in the active docs.** A consistency sweep found a residual layer of old-series “Paper N” attributions and removed them: four literal “Paper 6” references (`tfpt_4_frontier` leptogenesis/axion, `tfpt_2` seam determinant), the old “Paper 4” (OS/admissibility) and “Paper 5” (APS/Hodge) references in `tfpt_2`, the old “Paper 3” transport-kernel attributions in `tfpt_2`, and the internal “Paper 1/2/4” cross-references in `tfpt_3`, `tfpt_4` and `tfpt_horizon_readouts` — all rewritten as content-based phrasing (the flavor sector, the architecture document, the  $E_8$  decoder, the anchor characteristic polynomial, etc.). The active documents now attribute results to the current documents / axioms / scripts only, as the workflow rule requires; the machine-checked sync (scripts  $\leftrightarrow$  papers  $\leftrightarrow$  ledger  $\leftrightarrow$  website) was already current (152 scripts, AUDIT OK).

## 2026-06-13 (fifth round: the R3 normalisation is the dimensionful anchor, v152)

- **R3: the  $q(A_3)$  normalisation merges into the one anchor (v152).** The replica EH coefficient is a *log-ratio*  $k = \ln(m/\mu)/(12\pi)$  ( $\ln m$  alone is scale-ambiguous, only  $m/\mu$  is physical); pinning  $k = c_3/2$  fixes the dimensionless ratio  $m/\mu = e^{3/4}$ , and in  $d=2$  that ratio *is* the induced Newton constant  $1/G$  (v68). So  $v_{\text{geo}}$  (v78),  $1/G$  (v68) and  $m/\mu$  are *one* dimensionful anchor in three readings — the irreducibles stay {one scale,  $\pi$ }, and SEAM.THEOREM.01’s residual reduces to the kernel-identification premise alone. *Audit (not*

*promoted*): the log-ratio is numerically  $\frac{3}{4} = q(A_3)$ , the target value the anchor takes in seam units — not a derivation (ledger SEAM.EHMODEL.03).

- **Bookkeeping.** Suite at 152 modules, all green; Wolfram extension 219/219; intro/README/origin\_theory/next.txt/website moved together.

## 2026-06-12 (Zenodo version label: semantic + git rev)

- **Release version string.** build.sh now writes tex-artefacts/release-version.txt as {TFPTversion} (rev {git count}) (matches \TFPTdatestamp without the date). scripts/zenodo\_upload.py and build.sh zenodo/zenodo-publish use this label on Zenodo; cursor rules extended for when zenodo\_description.html must move with deposit-facing changes.

## 2026-06-12 (Zenodo API upload workflow)

- **Automated Zenodo versioning.** Added scripts/zenodo\_upload.py and .github/workflows/zenodo-release.yml: creates a new draft version of record 20579275 (DOI 10.5281/zenodo.20579275), uploads the ten active paper PDFs, refreshes zenodo\_description.html, bumps the version from tex-artefacts/version.tex, and optionally publishes via GitHub Actions (ZENODO\_TOKEN secret).

## 2026-06-12 (Overleaf shadow mirror: tfpt5-shadow)

- **One-way GitHub mirror for Overleaf sync.** Added scripts/export-shadow.sh and .github/workflows/shadow-sync.yml: on every push to main, a filtered copy is pushed to sthamann/tfpt5-shadow (papers, tex-artefacts/, figures/, verification/, experiments/; excludes \_archive/, website/, all \*.pdf, .cursor/). ~270 files / ~3 MB — within Overleaf GitHub-sync limits.

## 2026-06-12 (origin\_theory style alignment + box reduction)

- **Fewer boxes, embedded in text.** origin\_theory from 22 to 16 boxes: the narrative/interpretation callouts (“Why the interpretation is internally consistent”, “Dependency chain of the birefringence test”, “The precise reformulation”, “The three theses honestly graded”, “The whole story”, “One-line summary”) become run-in bold prose; the boxed reformulation becomes a keyeq. The exact result keyboxes (v53–v56, v101, v105, v113, ...) and the master-principle / Seam–Horizon target boxes are kept.
- **Colour-marked module references + marker hygiene.** \vref applied to the inline vN references; stale literal [A]/[I]/[L] markers in running text replaced by the 4-class [O]/[E].

## 2026-06-12 (tfpt\_5 / horizon / research-contracts pass + build hardening)

- **Forked document-set box removed (horizon).** tfpt\_horizon\_readouts carried a hand-written, *stale* copy of the document-set card (“five short documents”, missing tfpt\_5) and the canonical \input{tex-artefacts/tfpt\_docset}; the fork is deleted so the single-source card (all five papers + three companions) appears once.
- **Fewer boxes, embedded in text.** Narrative/result callouts converted to run-in bold prose (with the \veri{} citation moved out of the bold title into the body): tfpt\_horizon\_readouts from 22 to 7 boxes (the ten-box “clock” wall becomes prose); tfpt\_research\_contracts from 19 to 10 (the nine progress/result winboxes become prose, the named-theorem keyboxes kept); tfpt\_5\_redteam from 10 to 9 (the outcome summary; the per-target verdict boxes are kept as the structured red-team output).

- **Colour-marked module references + marker hygiene.** `\vref` applied to the inline `vN` references in all three documents; the horizon “Scope/typing” marker line and a stale literal `[A]` in the research contracts updated to the 4-class markers.
- **Build hardening.** `build.sh` now removes a document’s `.aux/.toc/.out` on failure, so a half-written cross-reference file from a crashed compile cannot poison the next build; artefacts are still kept on success.

## 2026-06-12 (fourth round: the Calderón transfer answered — the BFK split, v151)

- **R3: the Calderón/DtN kernel is conically clean (v151).** Reflection doubling derives that the Kac corner constant is boundary-condition independent ( $C_N = C_D$ ), so by the Burghlea–Friedlander–Kappeler gluing ledger the conical deficit of the two-sided Calderón jump determinant *vanishes identically* ( $C_{\text{cone}}(\gamma) - 2C_D(\gamma/2) = 0$ ): the seam-reduced effective action inherits the v150 EH form *verbatim*, with all of it localised in the *local* half-space determinants — the “Calderón version” demanded by v150 needs no separate derivation. SEAM.THEOREM.01 narrows to the  $q(A_3)$  normalisation plus the standing kernel premise; the gate stays [O] (ledger SEAM.EHMODEL.02).
- **Bookkeeping.** Suite at 151 modules, all green; Wolfram extension 218/218; intro/README/origin\_theory/next.txt moved together.

## 2026-06-12 (third round: both normals anchor data; the R3 mechanism exists, v149–v150)

- **R4': both dual normals are anchor data (v149).** In the cusp frame the torsion normal pairs to  $(6, 3, 5) = (p_2, p_0, e_2)(a)$  — one anchor invariant per  $Q_+$  line (the cusp matrix is unimodular, so this determines  $n$  uniquely); with  $d = \frac{3}{2}a - 2 \cdot 1$  the dual normal pair is anchor data through and through. Equivalences to the  $(2, 8, 121)$  frame data and the  $w_0$ -lift exact. R4' residue = *one* discrete assignment (ledger GATE.UWALL.14).
- **R3: the mechanism exists at the gapped-model level (v150) — the first movement on SEAM.THEOREM.01.** The conical heat-trace deficit is exact and  $t$ -independent (Cheeger image sum  $(N^2 - 1)/(12N)$ ); for a *gapped* operator the  $\zeta$ -regularised replica variation is *finite and cutoff-independent*,  $\Delta \log \det' = 2C(\gamma) \ln m$ , and its linearisation is the Einstein–Hilbert form  $(\ln m / 12\pi) \int \sqrt{g} R$ . The v73 normalisation becomes one exact target equation:  $k = c_3/2 \Leftrightarrow \ln m = \frac{3}{4} = q(A_3)$  (audit, not asserted). Remaining: the Calderón (boundary) version and that normalisation — the gate narrows but stays [O] (ledger SEAM.EHMODEL.01).
- **Bookkeeping.** Suite at 150 modules, all green; Wolfram extension 217/217; status surfaces (intro reductions + card, origin\_theory, contracts, next.txt, website) moved together.

## 2026-06-12 (R1–R5 second round: every class at its floor, v145–v148)

- **R4': the pairing values are atom identities (v145).** Reading the v139 lift structurally ( $n = w_0(\sigma) + |\mu_4|e_3$ ,  $w_0 =$  the  $A_3$  exponent duality), all three pairings become atom arithmetic — including the *new* closure  $|\mu_4| + g_{\text{car}} = N_{\text{fam}}^2 (4+5=9, \sigma \perp w_0(a))$  and  $\|\sigma\|^2 = 110 = |\mathbb{Z}_2|g_{\text{car}}\|\text{Pl}(K)\|_1$ . R4' = derive *one* map (ledger GATE.UWALL.13).
- **R5: the Möbius  $D_4$  realisation (v146).** The *full* dihedral symmetry  $\langle z \mapsto iz, z \mapsto 1/z \rangle$  of the seam curve acts on  $H^1$  exactly as the integer model:  $\iota^*$  is the exponent duality with parity +1 on the self-conjugate line ( $= T_A$  in the cusp basis, glue-swap parity), and  $\Sigma$  is the  $\delta\iota$  class — the premise reduces to the module identification itself (ledger FLAV.QGEO.07).
- **R1: the clock is a Gaussian zero-mode integral, and the bend is  $\det'$ -clean (v147).** Variance ratio  $(1 - \alpha)$  (forced by norm = area) gives the Born-squared ratio  $(1 - \alpha)^{p_2}$ , the  $\ln$

series *is* the v127 ring sum; the two quantum weights share *one* Nariai geometry, so the bend  $\log_{3/2} 3$  carries no determinant correction — the v144 obstruction is localised to the  $\alpha = 0$  reference (ledger HOR.CLOCK.13).

- **R2: the NS/R sector census (v148).** The untwisted (Neveu–Schwarz) module carries only the *even* discriminant classes (integer weights), so the odd  $\mu_4$  simple currents have zero NS support — they are Ramond modules; the R zero-mode module (256) splits 128+128 into the odd sectors of the *two* Lagrangian glues: choosing the glue *is* choosing the R-projection ( $248 = 120_{\text{NS}} + 128_{\text{R}}$ ); the one remaining net statement is irreducibly twisted-sector (ledger GATE.METRIC.10). *Correction note (same day):* the first version of v148 graded the Ramond labels by the sum  $q_D + q_A$  (not the glue label) and called that module untwisted; the census was rewritten as above — conclusion unchanged, support corrected, the R-sector sheet split is new.
- **Bookkeeping.** Suite at 148 modules, all green; Wolfram extension 215/215 (README + GATE.WOLFRAM.02 + website counter in lock-step); status surfaces (intro card, tfpt\_1, origin\_theory third update, next.txt) moved together.

## 2026-06-12 (external review integrated: $\Lambda$ typing, marker migration, website parity)

- **$\Lambda$  normalisation made unambiguous.** The external review flagged the adjacent reduced/unreduced displays in `origin_theory` as a type trap (the formulas were individually correct —  $\bar{M}_{\text{P1}}$  vs  $M_{\text{P1}}$  — but easy to misread). Both normalisations are now shown explicitly side by side with their order counts ( $3/(4\pi^2) \Rightarrow 120.147$  reduced;  $3/(256\pi^4) \Rightarrow 122.948 = 119.028 + 3.920$  unreduced) plus a typing note.
- **Stale references cleaned.** “How each of the seven papers simplifies”  $\rightarrow$  “How the legacy layers simplify (bridge map)” with the lead-in “(Paper 6)” reference replaced by the scalaron-reheating chain (v86); “(Paper~6/7)” in the `tfpt_3` bridge table reworded; the `tfpt_1` “single remaining geometric input (H2)” passage and the `tfpt_2` “single remaining input (U)” passage carry dated status updates pointing at the current decomposition (v118–v122, v139, v141, v142, v75).
- **Marker migration completed in the shared figures.** The claim stack, anchor cockpit,  $E_8$  glue, 2/3 motif and  $K_5$  figures (`tex-artefacts/tfpt_figures.tex`) now show the four public classes `[E]/[C]/[O]` instead of the legacy `[A]/[I]/[L]/[B]/[P]/[R]` badges.
- **Red-team front table pulled to the final state.** The Target-A residual column now states the one remaining statement (boundary-net holomorphy +  $c=8 \Leftrightarrow$  index-4 inclusion; v83/v87/v89, Lie-level realisation v143); the historical three-residual form is kept below, dated.
- **Website parity.** The Red Team document is now a first-class entry (`papers.ts` number 5, slug `redteam`) and the changelog PDF a download row; Appendix H / Origin Theory / Research Contracts are labelled *companions* (never “Paper 5–7”); the marker system on every website surface migrated to `[E]/[C]/[O]/[X]` (fine types named in prose; the script index keeps quoting the scripts’ internal fine-grained typing); the verification page counters are live (144 checks generated from the registry via `lib/suite.ts`, Wolfram 116/116 + 211/211 — now guarded by the sync audit) and the reproduce block matches the current pipeline. The `papers.ts` section bodies of the affected papers carry the v141–v144 outcomes (sheet question: deck derived;  $G_{\text{net}}$ : Lie-level realisation; resummed clock: in-family det-ratio cancellation; selector triangle: two line pairings).
- **Not adopted** (recorded for transparency): the review’s narrative reframings (anchor-algebra trilogy, “one seam clock” framing, one-page structure) and the front-matter/status-card

layout changes are editorial decisions left to the authors; the claimed  $\Lambda$  *error* was in fact a correct-but-treacherous notation switch (see above).

## 2026-06-12 (R1–R5 attack round: four residual classes sharpened, v141–v144)

- **R5 closed at the discrete level (v141, deck selection theorem).** The v140  $\mathbb{Z}_3$  choice is *derived*: the established integer deck  $G = T_A \Sigma$  (v97/v98) pairs the  $Q_+=1$  cusp line with the self-conjugate character 2, so only the sheet-twisted assignment  $(2, 3, 1) = \text{chars}(-U)$  survives; the cusp exponential  $i^{Q_+}$  is excluded (same spectrum, wrong grading pairing). Explicit conjugacy constructed; under  $k \rightarrow -k$  only the established sheet  $\mathbb{Z}_2$  flips. Consequence: Euler grading  $= Q_+ \circ \rho$ . GATE.QGEO keeps only its realisation premise — no discrete freedom left (ledger FLAV.QGEO.06).
- **R4' narrowed: three pairings  $\rightarrow$  two (v142, frame integrality).** Integer covectors in the  $(1, a, \sigma)$  dual frame form an index-11 sublattice ( $x - 3y + z \equiv 0 \pmod{11}$ ; the index is  $\|\text{Pl}(K)\|_1$ ); with  $(x, y) = (|\mathbb{Z}_2|, \text{rank } E_8)$  the  $\sigma$ -pairing is forced  $\equiv 0 \pmod{11}$ , and primitivity forces the line parameter even. Cramer reductions for both line pairings recorded as restructuring (ledger GATE.UWALL.12).
- **R2 realised at the finite Lie level (v143, graded Frobenius).** The  $\mathbb{Z}_4$ -graded hull carries exact coset duality ( $-C_1 = C_3$ ; Killing pairing nondegenerate per  $g_k \times g_{-k}$ ), the glue average is exactly the carrier projector (index 4), and each glue sector is one Weyl orbit (simple currents, fusion  $= \mathbb{C}[\mathbb{Z}_4]$ ) — the v125 Q-system realised by the hull; residue = one conformal-net statement (ledger GATE.METRIC.09).
- **R1's det-ratio step derived in-family (v144).**  $e_2$ -rigidity of the traceless SdS cubic gives  $r_b r_c = 1 - \Delta^2/3$  exactly; with the v132 anomaly the non-zero-mode determinant ratio is  $(1 - \Delta^2/3)^{4/3}$  — no first-order term in the horizon split (the v131 cancellation derived, not assumed); deficit coefficient  $\frac{32}{27} = |\mu_4|(\frac{2}{3})^3$  (audit). Finite-weight absorption stays  $[\mathbf{C}]$  with the  $6 \rightarrow \frac{14}{3}$  obstruction stated sharply (ledger HOR.CLOCK.12).
- **R3 attempted, honestly unchanged.** No defensible computation landed for the seam-determinant $\rightarrow$ EH step (SEAM.THEOREM.01); the gate keeps its  $[\mathbf{O}]$  typing untouched.
- **Wolfram mirror extended to v141–v144:** extension file now 211/211 (GATE.WOLFRAM.02 and the wolfram README updated in lock-step); Python suite at 144 modules, all green.

## 2026-06-12 (sync infrastructure: single-source script index, content maps, one audit)

- **Single-source script index.** The master script $\rightarrow$ check table (`tex-artefacts/verification.tex`) and the website `ScriptIndex.tsx` are now *generated* from one registry (`script_registry.csv` + `script_clusters.csv` in `verification/`) by `make_script_index.py`; both targets carry a generated-file header and are never edited by hand.
- **Content maps without splitting the papers.** `verification/make_docs_map.py` generates `docs_map.csv` (every paper section with line range, the vN scripts cited there, a content hash and a last-changed date) and `website_map.csv` (which website file mentions which scripts/documents) — the machine-readable enumeration of all sync surfaces.
- **One sync audit.** `verification/audit_sync.py` bundles and extends the previous loose shell checks, now in *both* directions: suite  $\leftrightarrow$  `run_all.py`  $\leftrightarrow$  registry  $\leftrightarrow$  ledger; every script cited in a paper *body* (the master index alone no longer counts); no stale `\veri/\vref` targets; every new module mentioned in this changelog; website mirror byte-identical (PDFs, scripts, `release.ts` hashes, version stamps); wolfram counts; overfull boxes. Frozen exceptions live in `audit_baseline.json` (remove-only).

- **Build pipeline.** `build.sh` gains `gen / website / audit / release` steps; `notes` now regenerates the single-source surfaces first; `website` copies all active PDFs (now incl. `tfpt_5_redteam.pdf` and `changelog.pdf`, with new `release.ts` entries) and the `vN` scripts, and stamps version, date and git revision into `website/lib/version.ts` (shown in the site header) and `release.ts`.
- **Citation gaps closed.** The audit immediately found three scripts cited only in the master index: `v17` and `v85` are now cited in their `tfpt_2` sections (hexagonal resolvent; master cover), and two short `\veri{v19}` citations were expanded to the full script name. `v91` (spine tetrahedron) had no paper section at all — it is now integrated: a keybox in `tfpt_3` (“Three views of one spine”: anchor closure, edge/face products, volume 120,  $K_6$  negative control, the tautology/sub-grammar caveats) and a closing note in the `tfpt_1` Spine Quotient Lemma; the `ARCH.SPINE.01` ledger location is corrected to `tfpt_1;tfpt_3` and the baseline exception list is empty again.
- **Rules.** `.cursor/rules` updated (`tfpt-workflow`, `website-sync`) and a new `sync-maps` rule added describing the agentic procedure: *regenerate* the maps first, enumerate the affected surfaces from them, audit as the exit gate. The mirror map (`website_map.csv`) also covers the root `README.md` and `next.txt` (bare `vN` ids resolved to full script names), and both files are named explicitly as status surfaces that move with every finding.

## 2026-06-12 (tfpt\_3 / tfpt\_4 style alignment + box reduction)

- **Shared header/footer on tfpt\_3.** `tfpt_3_e8_audit_bootstrap` dropped its custom `\footmarkers` footer (the post-collapse four-[E] artefact) and inherits the shared `tfpt_style` header/footer with the version stamp; the box-orphan `needspace` guards are kept.
- **Fewer boxes, embedded in text.** Narrative/commentary callouts converted to run-in bold paragraphs (boxed one-line formulas to `keyeq`): `tfpt_3` from 39 to 27 boxes (e.g. “Purpose and discipline”, the five “(i)–(v)” audit-lemma boxes, “Net”, “The connection in one sentence”, “The unification”, “The question and the honest answer”, “Net: two axioms”); `tfpt_4` from 18 to 7 (the seven-box Koide stack and the two dark-matter conjecture boxes become prose). The per-item “Honest status of ...” keyboxes are kept — `tfpt_4` is the status authority for the frontier.
- **Colour-marked module references.** `\vref` applied to the inline `vN` references in `tfpt_3` and `tfpt_4` (TikZ node names excluded).
- **Marker hygiene.** A stale literal [P] in `tfpt_4` (Koide flow-time) replaced by the 4-class [C]; status tables checked against the ledger.

## 2026-06-12 (tfpt\_1 / tfpt\_2 style alignment + box reduction)

- **Shared header/footer everywhere.** `tfpt_1_architecture_e8` dropped its custom `\footmarkers` footer (which after the marker collapse showed four redundant [E]) and now inherits the shared `tfpt_style` header/footer with the version stamp, identical to every other document.
- **Fewer boxes, embedded in text.** The narrative/commentary callouts of both documents are converted to run-in bold paragraphs (and the boxed one-line formulas to the colour-marked `keyeq`): `tfpt_1` from 21 to 14 loud boxes (+3 `keyeq`); `tfpt_2` from 52 to 43 (e.g. “In one sentence”, “The one-paragraph version”, the four “Sharpening” notes, “What the simplification means net”, “The disciplined main statement”, “What improves...”, “Scope and honesty”). Only genuine results / theorems / gates keep a box.
- **Colour-marked module references.** `\vref` now also colours the inline `vN` references throughout `tfpt_1` and `tfpt_2` (TikZ node names accidentally matching the pattern were

excluded).

- **Status currency.** `tfpt_2`'s inflation-pivot table gains the `v86` scalaron-reheating point ( $N_\star=51.4 \Rightarrow n_s=0.9611, r=0.0045$ ,  $A_s$ -disfavoured) and states the band-of-record explicitly, matching `COSMO.NSTAR.01` and the introduction; the box is re-typed `[C]`. The other status tables were checked against the ledger and are current under the 4-class markers.

## 2026-06-12 (marker simplification to 4 classes + status reconciliation)

- **Four-class display markers.** The reader-facing marker system is collapsed from eleven symbols to four: `[E]` exact / machine-proven (identity, Lie/lattice, formalised, numerical FP), `[C]` conditional (physical / bridge / readout under named hypotheses), `[O]` open / axiom, and `[X]` kill test. `tex-artefacts/tfpt_style.tex` defines `\mE/\mC/\mO/\mX` and keeps the legacy `\tI ... \tX` names as aliases that render their class. All marker call-sites across the nine documents and the shared fragments were rewritten, collapsing same-class combinations (e.g. `[I]/[L] \rightarrow [E]`, `[N]/[P] \rightarrow [E]/[C]`). The fine-grained per-claim type (Axiom / Formal / Lattice / Numerical / Identity / Physical) is unchanged in `status_ledger.csv` — the single source of truth — so no fidelity is lost. The marker key, badge bar, README marker table and the workflow rule were updated to match.
- **Status tables reconciled against the ledger.** The introduction's inflation/ $N_\star$  rows are made consistent with `v86/COSMO.NSTAR.01`:  $r$  and  $n_s$  are shown as the frozen *bands* over  $N_\star \in [50, 60]$  with the scalaron-reheating conditional point  $N_\star=51.4$  ( $n_s=0.9611, r=0.0045$ ), replacing the stale point values  $N_\star=55$  (predictions table) and  $N_\star \simeq 57$  (residual card); the closure-ledger inflation row is re-typed `[E] \rightarrow [C]` (conditional on  $M_{\text{Star}}=M_{\text{scal}} + \text{reheating}$ ), matching the other two tables and the ledger `[P]` typing.

## 2026-06-12 (version system, predictions/K5, readability pass B3)

- **Authors, auto-date and auto-version on every paper.** New single source `tex-artefacts/version.tex` defines `\TFPTauthors` (Stefan Hamann, Alessandro Rizzo), a curated `\TFPTversion`, and a title/footer date stamp (`\today + version + revision`). `build.sh` writes the auto build revision (git commit count) into the gitignored `tex-artefacts/version-auto.tex`, so every document's title page and page footer carry author, date and `v5.1 (rev N)` automatically. All nine active documents and `changelog.tex` now set `\author{\TFPTauthors}`.
- **Builder keeps build artefacts.** `build.sh` no longer deletes the `.aux/.log/.out/.toc` after a successful build (the `.log` is needed for the overfull-box audit and the `.aux/.toc` for correct cross-references on the next incremental build).
- **Predictions table outsourced.** The running/upcoming-experiment predictions table is moved from `introduction.tex` into the shared fragment `tex-artefacts/predictions.tex` (`\input` in the predictions section).
- **K5 figure fixed.** The `\TFPTactionkfive` mnemonic ( $K_5$  on the five carrier slots) is redrawn so the complete graph and the Pascal-row reading list sit side by side instead of overlapping.
- **Colour-marked script references.** New `\vref` macro colours inline module references (e.g. `v108-v113`, `v49/v71`) in the introduction, predictions and verification fragments, matching the blue of the `\veri` citation, so machine-checked references are visible at a glance.
- **Lighter, non-breaking, embedded boxes.** The `tcolorbox` families are restyled to a light tint + thin frame + light title band with dark coloured title (no heavy white-on-saturated bars); a neutral `navbox` carries the document map and a colour-marked `keyeq` sets off load-bearing display formulas. The introduction's callouts use the non-breaking variants

(keyboxnb/winboxnb/gapboxnb) so no box splits across a page, and the shared status card is non-breaking.

- **Readability / sectioning.** The dense run-in prose of the introduction is broken into `\subsection*` headings (In plain words; one anchor and  $E_8$  as a compiler hull; the companion documents; the compact status formula; the hard reduction; the Pascal action grammar; the closure ledger) with added whitespace.
- **Orphan results linked to scripts.** The Glue theorem, the “Reduction in one line” and the fermion-spectrum callouts now carry inline `\veri{}` citations (v1, v6/v14/v23, v18/v20/v46).

## 2026-06-12 (tex-artefacts refactor + introduction visual pass B2)

- **Shared imports moved to tex-artefacts/.** The shared, imported-only TeX fragments (`tfpt_style.tex`, `tfpt_figures.tex`, `tfpt_docset.tex`, `tfpt_status.tex`) now live in a dedicated `tex-artefacts/` folder; all nine active documents `\input` them via `tex-artefacts/<name>` (and `tfpt_style` loads `tex-artefacts/tfpt_figures`). `changelog.tex` stays at the repo root because it is also a standalone `build.sh` notes deliverable. The `make_manifest.py` TEX list and the workflow rule were updated to the new paths.
- **Master script index outsourced (tex-artefacts/verification.tex).** The long `vN`→check table is moved out of `introduction.tex` into the shared fragment `tex-artefacts/verification.tex` (`\input` in the verification appendix); the paper-consistency audit now also reads that file, so every registered script stays cited exactly once.
- **Introduction box reduction (B2).** The introduction’s eleven **keyboxes** are reduced to the single headline “In one sentence” card; the explanatory keyboxes (*In plain words*, *Sharper still*, *compact status formula*, *hard reduction*, *Cosmology Pascal*,  $E_6 \times A_2$ , *closure ledger*, *Plausibility balance*) are converted to inline run-in paragraphs, the *Glue theorem* is re-typed as a **winbox** (a result, not a claim), and the explanatory *plausible/follows next* **winboxes** become prose. The loud boxes now carry only genuinely load-bearing callouts (one **keybox**, five **winboxes**, one **gapbox**) plus the two shared orientation cards.
- **Document-count consistency.** The introduction’s document map gained the missing `tfpt_5_redteam` row; “seven/eight companion documents” and the ledger “six documents” wording are corrected to the true count (nine active documents); `README.md` (“10 ok”, 140 scripts) and the workflow rule (“9 docs”) are reconciled.

## 2026-06-12 (visual pass: box reduction B1)

- **Box reduction (B1).** The 26 non-load-bearing aside boxes (audit / recorded / interpretation: `auditbox/audbox/intbox/resbox/roadbox`) across `tfpt_1`, `tfpt_2`, `tfpt_3` and `origin_theory` are converted to inline bold run-in paragraphs — the reviewer’s prescription that an audit fingerprint must not carry the same visual volume as a theorem. The loud box families are now only **keybox** (claim), **winbox** (result) and **gapbox** (open/caveat).

## 2026-06-12 (visual pass: shared figures, badges, marker typology)

- **Shared figure library `tfpt_figures.tex`** (`\input` by `tfpt_style`): reusable TikZ macros for the architecture *claim stack* (`\TFPTclaimstack[zone]`, B3), the *anchor cockpit*  $a = (1, 1, 2)$  (B4), the  $E_8$  *glue* diagram (B5), the  $2/3$  *motif map* (B6) and the  $K_5$  *action lattice* (B7). The claim stack and a marker *badge bar* are now shown near the front of *every* document, each highlighting that document’s layer; the topical figures are placed in their natural homes (cockpit +  $K_5$  in the introduction, cockpit + glue in `tfpt_1`, motif in the horizon note).

- **Marker typology (A2).** `tfpt_style` adds the sharper sub-types `[E]` (exact algebra), `[E]` (exact number), `[C]` (readout / standard physics in TFPT units) to the existing `[C]` (bridge) and `[X]` (kill test); the marker key and the new `\TFPTbadges` bar show the full typology. (Inline body markers retain `[E]` where they are genuine exact identities.)

## 2026-06-12 (review pass on list.txt)

- **Claim hygiene (review section A).** The introduction’s one-sentence claim is softened from “derives all constants” to “constructs a discrete compiler; physical readouts run through named, status-typed bridges”; the ledger zombie in `FLAV.QRATIO.01` is removed (the statement no longer says “stays `[P]`” — ratios are `[E]` closed on the derived stratum, only the absolute scale stays `[O]`, with an explicit forbidden-wording note); the seam misalignment is written explicitly as  $\varepsilon = \frac{3}{4}\varphi_0^{\text{ret}} = c_3 + 36c_3^4$  (leading  $c_3$ , fourth-order puncture correction exact);  $\theta_{12}$  has a single prediction of record  $0.306747$  with the seam/non-linear values typed as scheme diagnostics; JUNO’s first 59.1-day result ( $0.3092 \pm 0.0087$ , compatible, precision pending) is recorded and NuFIT 6.0 is marked the pre-JUNO baseline; the ACT DR6 birefringence hint carries a systematics caveat (not a validation target); CODATA-2022 is dated; the null-model figure is moved out of the main text and typed as a grammar-internal bound. “Complete solutions of the five open questions” becomes “Closure status of the five former open questions”.
- **Interface language unified (review sections A5/C2/C3/C6/C7/C8).** The live residual is stated everywhere as  $v_{\text{geo}} \oplus G_{\text{net}} \oplus F_{\text{transfer}}$  (historical  $U_{\text{wall}}/G_{\text{metric}}/F_{\text{frontier}}$  kept only for ledger continuity); `tfpt_research_contracts` is retitled and its recommended order rewritten (selector-triangle pairings  $\rightarrow v_{\text{geo}} \rightarrow G_{\text{net}}$ );  $F_{\text{transfer}}$  is named as one missing functor with  $\text{Koide}/\eta_B/\text{axion}/m_p/m_e$  as its four instances; full QG closure is framed as a certification layer, not a prerequisite. Document numbering aligned with file names (the Red Team paper is now in the canonical set; document  $N \equiv \text{tfpt\_N}$ ). Website mirrored throughout (`papers.ts`, `predictions.ts`, `faq.ts`, `glossary.ts`, `OpenGates`, `Hero`, orientation components).

## 2026-06-12 (later)

- **Shared style and central status artifact.** Two new single-source fragments: `tfpt_style.tex` (the canonical palette, status markers, marker key, `\veri` reference, the four `tcolorbox` families with back-compat aliases, and one running header/footer) is now `\input` by all eight documents — the per-paper duplicated preambles are gone; and `tfpt_status.tex` (“TFPT status at a glance”) gives one canonical overall-status card imported near the front of every document, replacing the divergent per-paper status statements. Both registered in `build.sh` and the manifest `TEX` list.

## 2026-06-12

- **Margin theorem (v122).** The established frozen selectors ( $D_4$  annihilator  $n = (5, -9, 6)$ ,  $\det R = 8$ ,  $\det K = 4$ ) pin  $R$  uniquely among hexagon matrices ( $64 \rightarrow 12 \rightarrow 1$ ); the atom margins become theorems — H2 introduces no new residual class.
- **Inventory update (v123).** Residual table re-pinned post v110–v122: exactly five structural classes (R1 clock, R2 index-4 net, R3 EH step, R4’ selector establishment — replacing the discharged H2 dictionary — and R5  $Q$  realisation); R2 carries three loads (metric + carrier + QBL: one theorem, three doors).
- **Resummed clock + glue Q-system (v124/v125).** R1’s bend in closed form:  $\text{rate}(n) = -p_2 \ln(1 - n/N_{\text{fam}})$  (pole at  $N_{\text{fam}}$  forces the three-level spectrum); the index-4  $\mu_4$  extension exists explicitly as a Longo  $Q$ -system on  $\mathbb{C}[\mathbb{Z}_4]$  (all Frobenius axioms exact) — R2 sharpens from “find” to “identify”.

- **Clock–wall bridge (v126) and ring resummation (v127).** The resummed-clock weights are the Mehta–Seshadri parabolic weights ( $\text{spec } A_0^*$ );  $\det(\mathbf{1} - A_0^*) = \frac{2}{9}$  = the entropy curvature; the clock is a log-determinant (RPA rings, one tower per hexagon site, coupling = parabolic weight).
- **Graded hull (v128).**  $E_8$  is a  $\mathbb{Z}_4$ -graded Lie algebra over the carrier (grading = glue Q-system; exact on all 6720 root-pair sums); ring multiplicity 6 = sheet-doubled Ginsparg–Perry zero modes. *Notation fix in the same round:* the clock factor 6 is  $p_2(a)$ , not  $2p_2$  — labels corrected across modules, ledger, papers, website (numbers unchanged).
- **Entropy power law  $\rightarrow$  zeta budget (v129–v133).** The clock is  $\Gamma_n \propto (S_n/S_{dS})^{p_2}$  (Gibbons–Hawking form);  $p_2 = 2h$  with  $h = N_{\text{fam}}$  from mode counting + the Born rule (v130); the zero-mode norm is the area,  $\|Y_{1m}\|^2 = A/(4\pi)$  exactly (v131); the det-ratio anomaly is the Koide constant,  $\zeta(0)|_{\det'} = -\frac{2}{3}$  (v132); both  $\zeta(0)$  budget routes computed exactly — the reduced seam route carries pure anchor ratios ( $-\frac{4}{3}$  = minus the seed gain), the naive 4d route ( $-\frac{109}{45}$ ) carries no atom (v133).
- **Dual anchor + determinant surface (v134/v135).**  $d := a^\top R^{-1} = a^\top L^{-1} = (-\frac{1}{2}, -\frac{1}{2}, 1)$  with  $(1, 1, -2) = -2d$  — the inverse flavor response is the Nariai root, invariance exact via Sherman–Morrison (third algebraic flavor–horizon bridge leg);  $\det M(s, t) = 3s(t+1)(t+2) + t^2 + 5t + 8$  with iso-volume walls at the  $\mathbb{Z}_2/\mu_4$  atoms, winding line  $(8, 14, 20)$ ,  $\det F = 32$ , row-budget axes with  $\text{rowsum}(V) = \text{Spec}(Q_+)$ ; micro-identities  $41 = 16 + 25$ ,  $52 = 16 + 36$ .
- **Dual-normal selector,  $Q_+$  cohomology, Volkov–Wipf firewall (v136–v138).**  $(d, n)$  pins  $R$  *columnwise* (each column the unique lattice point of the address box; kernel  $(6, 8, 7)$ ); the  $A_0^*$  zero mode carries the spectral normal  $\sigma = (2, -9, 5)$  with a  $W(A_3)$  orbit control excluding the naive lift;  $H^1(\mathbb{P}^1 \setminus \mu_4) = \chi_1 \oplus \chi_2 \oplus \chi_3$  with degrees  $(1, 2, 3) = \text{Spec}(Q_+) =$  the  $A_3$  exponents and cusp weights =  $\text{spec } A_0^*$ ; the external full-4d graviton/ghost value  $-\frac{98}{45}$  is pinned ( $\text{arXiv:2506.02142} = \text{Volkov–Wipf hep-th/0003081}$ ) and its *edge* part is exactly two copies of the reduced seam budget — R1 typed closed as an edge-sector object.
- **Selector triangle + canonical map (v139/v140).**  $d = \frac{3}{2}a - 2 \cdot \mathbf{1}$  is pure anchor data (first selector *derived*); the frame  $(\mathbf{1}, a, \sigma)$  has volume 11 and  $n$  is the unique covector with atom pairings  $(2, 8, 121)$  — the  $R4'$  residue is three pairings; the  $H^1 \rightarrow$  generation equivariant map exists and is Schur-rigid (only sign-twisted  $\mu_4$  actions match), so the **GATE.QGEO** residue collapses to one  $\mathbb{Z}_3$  choice.
- **Editorial and consistency passes.** Content-currency sweep (superseded “single remaining input” claims retired across contracts, paper 3, intro, website); introduction: self-explanatory title (spells out Topological Fixed-Point Theory), the old-version comparison removed through-out, redundant diagrams dropped, the unreadable status heatmap removed, the script-index master table converted to a page-breaking **xltabular** (it had silently truncated  $\sim 110$  rows), status card extended with the v134–v140 reductions, predictions table completed (CP phase, cosmic birefringence); the canonical document-set box extracted into the shared **tfpt\_docset.tex**; paper 1 cleaned of all 35 old-series references, every section now opens with its machine-check script references; smaller box fonts across all eight documents; this **changelog.tex** introduced as a dual-mode (standalone + imported) document.

2026-06-11

- **External-review integration (v83) and release hygiene.** Manifest **-check** mode and the release rule; holomorphy pins  $(E_8)_1$  (the unique even unimodular rank-8 lattice theory).
- **Sheet diamond and centered form (v94/v95).** All four flavor operators are points of one two-parameter surface  $M(s, t)$ ; centered cross  $R, L = C \mp U$ ,  $K, F = C \mp V$  with the cofactor seam normal  $n = (5, -9, 6)$ ; documentation pass (“The Sheet Diamond and the Winding Line” in paper 3).

- **Horizon/anchor round (v101–v103).** The maximal (Nariai) black hole is the anchor: roots  $(1, 1, -2)$ , entropy bound  $\frac{2}{3} = |\mathbb{Z}_2|/N_{\text{fam}}$ ; one repeller/attractor orientation in both sectors; trisection normal form (the canonical cosine coordinate).
- **Clock/ladder round (v104–v108) + Lean hardening.** The classical Nariai clock speaks anchor ( $\chi_{\text{clock}} = (\lambda - 1)(\lambda + 2)$ ); machine-pinned residual inventory; first review validation; quantum-clock target made quantitative; Pascal Ladder Theorem ( $g = 2K + 1 \Leftrightarrow$  the closure).
- **QBL theorem chain (v109–v113).** Sheet-Pairing Lemma; Calderón-sheet selection (a scalar seam datum exists iff the involution is sheet-odd); Quadratic-Transport Theorem (degree exactly 2); Self-Counting Channel (the Pascal closure as an identity); quasi-free kernel (one 2-point kernel determines the whole net, rank =  $c$ ) — the QBL input merges with the R2/holomorphy premise; communicated across all status surfaces.
- $U_{\text{wall}}$  **made exact (v114–v118).** Torsion normal form and  $\delta = \frac{1}{2}$  theorem; exact anchor residue  $A_0^*$  (diag =  $a/|\mu_4|$ , off-weights  $(8, 0, 5)/144$ ); resonance theorem ( $M_\infty = \mathbf{1} \iff a_{13} = 0$ , one gauge orbit); the holonomy is the exact 24-element  $W(A_3) = S_4$ ; the hypercharge hexagon is the sign-twisted family spectrum with the lepton coefficients as resolvent determinants.
- **Second review validation + address pinning (v119–v121).** Anchor ratio triad  $(\frac{2}{3}, \frac{4}{3}, \frac{5}{3})$ ; the 121 audit lemma; the lepton words are the compiler atoms  $(8, 5, 3)$  with divmod-hexagon addresses;  $R$  is the unique hexagon matrix with atom margins and  $\det 8$  — the address table carries zero residual information.

## 2026-06-10

- **B/C/D round closed.** Koide attractor toy model (v93), glue uniqueness (v92), the Wolfram extension as the independent second verification path, Lean hardening; papers and website synced with the round.
- **Content rounds v96–v100.** Sheet conjugation bridge, discriminant dictionary, Koide flow time, and the look-elsewhere-corrected numerology null test (v100: joint null probability  $\leq 10^{-30.7}$ , conditional on the declared grammar).

## 2026-06-09

- **Blind registry frozen (v84).** Machine-enforced prediction registry (`predictions_frozen.json`): exactly one  $\theta_{12}$  number of record before JUNO; conditional entries carry their hypotheses by name. Research-contracts document added to the set.

## 2026-06-07 / 2026-06-08

- **Compiler-closure consolidation.** The TFPT development is consolidated into the current document set with the verification suite (modules v1–v82:  $E_8$  glue, carrier Pascal, EM fixed point, flavor matrix, cascade, bootstrap, gravity/cosmology, transport, masses, registry and gate audits) as the single proof layer; manifests (`manifest.sha256`, `lean_manifest.sha256`) as content identity; website mirrors the suite (interactive DAG, in-browser script reproducer, script index).

## 2026-04-27

- **Initial commit.** TFPT papers and website baseline: electromagnetic closure and flavor transport (UFE bridge, birefringence seed, dyonic intercept), PDF-download tracking, accessibility and metadata passes.