

# TFPT — Changelog

All changes and new results, by date

Stefan Hamann

Alessandro Rizzo

June 15, 2026

This file is the canonical, dated record of every change to the TFPT theory development: new verification modules (vN), status changes, editorial passes and infrastructure. It is maintained *in the same change* as the work it records, and it is also imported at the end of the `introduction` document. Module numbers vN refer to `verification/vN/*.py`; claim IDs refer to rows of `verification/status_ledger.csv`.

## 2026-06-15 (the diamond axis geometry — two axes + the transfer corner)

- **The Sheet Diamond is a discrete geometry with two axes** (`v218_diamond_axis_geometry`, `tfpt_2_standard_model`, [E]). Sharpens v94/v95 with three exact [E] lemmas (no new numbers). **(1) Axis curvature:** along the centered cross the determinant is linear on the winding axis  $\det(C+xU) = 14+6x$  (slope  $6=|R^+(A_3)|$ ) and quadratic on the sheet axis  $\det(C+yV) = 14+14y+4y^2$  (2nd difference  $8=\text{rank } E_8$ ); the anchor block has  $\det B(C+xU) = 2\det(C+xU)$  and sheet curvature  $6=|R^+(A_3)|$  — two curvatures  $(8, 6) = (\text{rank } E_8, |R^+(A_3)|)$ . **(2) Plücker transfer ladder:**  $\text{Pl}(K) \rightarrow \text{Pl}(C) \rightarrow \text{Pl}(F)$  lifts in steps  $(1, 8, 10) = (N_\Phi, \text{rank } E_8, A_\Lambda)$  then  $(1, 8, 16) = (N_\Phi, \text{rank } E_8, \dim S^+)$  — the decuple then the full generation (identity [E], source→pole reading [C]). **(3) Spectral ramification:** for  $Q, K, C, F$  the cubic discriminant factors as  $q(r)^2 \text{Disc}(q)$  with squares  $(1, 3, 4, 6)$  and kernels  $(13, 48, 65, 105)$ ,  $F$  carrying  $105 = 3 \cdot 5 \cdot 7$ . The anchor-defect spectrum and pair-sum/staircase blocks are honest *audit* fingerprints ( $28=2 \dim G_2$ ,  $52=\dim F_4$  stay audit-only, not spine, as in v94/v95);  $F$  as the transfer-completion corner is a *heuristic*, not a hard filter. Ledger `DIAMOND.AXIS.01`, `DIAMOND.PLUCKER.01`, `DIAMOND.SPECTRAL.01`; Wolfram-mirrored (249/249).

## 2026-06-15 (QGEO: the four marks emerge from Gauss–Bonnet — K1 executed)

- **The four marks emerge from Gauss–Bonnet — count derived, not assumed** (`v216_marks_gauss_bonnet`, `tfpt_research_contracts`, [E]; ledger `QGEO.MARKS.03`). The K1 lever of the v215 kill-test (“exactly four marks”) is *executed*: if the marks are  $\mathbb{Z}_2$  branch points (deficit  $\pi$ ) on the flat seam sphere ( $\chi = 2$ , the same  $\chi$  as the 8 in  $c_3$ ), Gauss–Bonnet forces  $n\pi = 2\pi\chi = 4\pi$ , so  $n = 2\chi = 4 = |\mu_4| = N_{\text{fam}} + 1$ . The closed Euclidean sphere 2-orbifolds are exactly  $(2, 3, 6)$ ,  $(2, 4, 4)$ ,  $(3, 3, 3)$ ,  $(2, 2, 2, 2)$ , and three independent criteria — all cone orders = 2 (the  $|\mathbb{Z}_2|$  sheet branch),  $\text{rank } H^1 = \# \text{marks} - 1 = 3 = N_{\text{fam}}$  (the three generations pick the 4-mark square over the 3-mark hexagonal), and a free order-4 deck — converge on the pillowcase  $(2, 2, 2, 2)$ . The numerical sibling `v217_marks_emergence_scan` ([C], ledger `QGEO.EMERGE.01`) confirms it on the actual DtN/state (number  $n$  and positions free, the 4-square config is the unique joint minimiser of clock-invariance + 3-family cohomology + gap  $(2/3)^6$ ). The mark *count* and *equality* move from input to derived; only the square *modulus* (cross-ratio 2, the order-4 clock) stays the one carrier input, and the from-zero raw-seam emergence `QGEO.REALIZE.01` stays [O]. v216 exact (Wolfram extension → 248/248); v217 numerical (Python-only). Suite → 217 modules.

## 2026-06-15 (QGEO: the bedrock recast as a falsifiable kill-test)

- **QGEO.SYM.01 as a kill-test, not a proof-promise (v215\_seam\_deck\_killtest, tfpt\_research\_contracts, [E]/[O]; ledger QGEO.KILL.01).** A foundational symmetry cannot be derived from nothing (Bisognano–Wichmann would presuppose the covariance it should produce), so the bedrock  $\omega \circ \rho = \omega$  is recast as four independently-falsifiable predictions about the raw seam DtN. The non-circular reduction (v198/v199/v201) gives  $\omega \circ \rho = \omega \Leftrightarrow [\rho, C] = 0$  with  $|k|$  commuting exactly, so the residual is the bounded sub-principal  $M_f$  (equivalently the raw Gaussian bulk form  $A$  is  $\mu_4$ -deck-invariant). Levers: **K1** exactly four marks ( $b_1 = \# \text{marks} - 1 = 3 = N_{\text{fam}} \Rightarrow \# \text{marks} = 4 = |\mu_4|$ ); **K2** the square config (cross-ratio  $2 \Rightarrow j = 1728$ ,  $\text{Aut} = \mathbb{Z}/4$ ; order 4 selects  $\mathbb{Z}/4$  not the  $j = 0 \mathbb{Z}/6$ ; generic  $\Rightarrow \mathbb{Z}/2$ ); **K3** mod-4 sub-principal support ( $[\rho, M_f] = 0 \Leftrightarrow f \mathbb{Z}_4$ -invariant); **K4** transfer gap  $(2/3)^6 = 64/729$ . Freeze-bound via `freeze_file.csv` (`seam_deck_symmetry`), carrier-side **[E]** (regression guards), with the *decisive* kill deferred to QGEO.REALIZE.01 **[O]** (the raw collar DtN must *produce* four square marks without inputting them — an emergence test). A kill-test, not a closure. Python-only (falsification layer; the exact sub-parts  $j = 1728$  and  $(2/3)^6$  are Wolfram-mirrored via v214/v54/v56). Suite  $\rightarrow$  215 modules.

## 2026-06-15 (QGEO: the pillowcase reduction — two residuals become one canonical metric)

- **Pillowcase reduction of QGEO.SYM.01 (v214\_seam\_pillowcase, tfpt\_research\_contracts, [E]/[O]; ledger QGEO.PILLOW.01).** The two separately-tracked open QGEO residuals — QGEO.ISO.01 (v180: the carrier clock is an order-4 *isometry* of the seam metric) and QGEO.SUBPRIN.01 (v201: the DtN sub-principal symbol is *mark-local*, the seam flat away from the  $\mu_4$  marks) — are shown to be *one* statement: the seam carries the uniformising flat orbifold (*pillowcase*) metric. **(1)** The four marks make the Euclidean orbifold  $S^2(2, 2, 2, 2)$  ( $\chi_{\text{orb}} = 2 - 4(1 - \frac{1}{2}) = 0$ ), so by Troyanov uniformisation the metric is flat (unique up to scale) with curvature only at the cone points (Gauss–Bonnet  $4\pi = 2\pi\chi$ ) — this *is* the v201 “flat away from the marks”. **(2)** New link: cross-ratio( $\mu_4$ ) = 2 (v168)  $\Rightarrow j = 1728$  ( $j(\lambda) = 256(\lambda^2 - \lambda + 1)^3/(\lambda^2(\lambda - 1)^2)$ ; all six harmonic cross-ratios give 1728)  $\Rightarrow$  the *square* modulus  $\tau = i$ , whose CM by  $\mathbb{Z}[i]$  *derives* the order-4 clock  $z \mapsto iz$  (explicit  $(x, y) \mapsto (-x, iy)$  on  $y^2 = x^3 - x$ ); generic cross-ratio gives  $j \notin \{0, 1728\}$  and only  $\mathbb{Z}/2$ . **(3)** Unification: “seam = uniformising flat pillowcase metric” implies *both* v201 and v180, so two residuals collapse to one canonical-metric premise. **[O]** It does *not* close QGEO.SYM.01: the choice “RP seam metric = the constant-curvature representative” stays open, milder and more canonical than the bare isometry premise. Wolfram-mirrored (the exact orbifold/ $j$ -invariant/CM arithmetic); Klein- $J$  values mpmath-numerical. Suite  $\rightarrow$  214 modules.

## 2026-06-15 (the $F_{\text{transfer}}$ transfer functor contract CONTRACT.F.01)

- **$F_{\text{transfer}}$  formalised as a typed functor with four axioms (v213\_ftransfer\_functor, tfpt\_research\_contracts, [C]).** The four frontier transfers are consolidated into ONE functor  $F_{\text{transfer}} = F_{\text{observable}} \circ F_{\text{threshold}} \circ F_{\text{RG}}$ , each instance a discrete compiler kernel **[E]** composed with an external continuous solver **[C]**: **(1)**  $\mu_4$ -deck equivariance (the Koide multiplier  $\lambda_2 = (2/3)^6 = 64/729$  is the deck transfer eigenvalue); **(2)** Plücker preservation ( $53 = a^T(R+Q)\mathbf{1}$ ,  $\text{Pl}(F) = (1, 22, 30)$ ,  $\|\text{Pl}(K)\|_1 = 11$ ); **(3)** positivity/stochasticity ( $\text{spec } T$  positive,  $\kappa_f \in (0, 1)$ ); **(4)** external modules explicit ( $b_3 = -7$  a carrier output). The four instances are  $F_{\text{pole}}$  (v183),  $F_{\text{Boltzmann}}$  (v212),  $F_{\text{relic}}$  (v211),  $F_{\text{QCD}}$  (v164). CONTRACT.F.01 is the third research contract alongside ( $U_{\text{wall}}$ ) and ( $G_{\text{metric}}$ ), the structural complement of the v187 typing guard — an architectural consolidation, *not* a closure of any frontier number. Ledger CONTRACT.F.01.

## 2026-06-15 (frontier: two sharper [C] scenario branches — axion angle + leptogenesis)

- **Axion DM spine-angle branch**  $\theta_i = \pi N_{\text{fam}}/g_{\text{car}} = 3\pi/5$  (`v211_axion_spine_angle`, `tfpt_4_frontier`, [C]). A more *robust* misalignment angle than the determinant-line hilltop  $\theta_i \approx 170^\circ$  (`v185`, which over-produces  $\Omega_a h^2 \approx 0.66$ ): the central spine quotient gives  $\theta_i = 3\pi/5 = 108^\circ$  exactly (no fit), the finite- $T$  solver reaches  $\Omega_{\text{DM}}$  at  $\approx 106^\circ$ , and  $108^\circ$  sits in the *mild*-anharmonic regime ( $62^\circ$  below the hill-top) — not exponentially sensitive. An alternative ansatz to  $\theta_i = \pi(1 - \varphi_\Sigma)$  (mutually exclusive, the full solver decides, `DM.AXION.SPINE.01`); [X]  $\Omega_a h^2$  outside  $\sim [0.08, 0.16]$  demotes it. A sharper scenario, not a derivation.
- **Leptogenesis scalaron-decouple branch** (`v212_leptogenesis_decouple`, `tfpt_4_frontier`, [C]). Both Boltzmann inputs share the decouple  $A_\Lambda = 10 = |E(K_5)|$ :  $M_1 = M_{\text{scal}}(\varphi_0^{\text{ret}})^2/A_\Lambda \approx 8.65 \times 10^9$  GeV and  $\tilde{m}_1 = m_3/A_\Lambda \approx 5$  meV.  $M_1$  uses *only*  $\{M_{\text{scal}}, \varphi_0^{\text{ret}}, A_\Lambda\}$  — no hidden seesaw scale, cleaner than `v184`'s  $M_R \varphi_0^4$  — and lands in the thermal window where  $\eta_B \approx 1.2 \times 10^{-9}$  brackets the observed  $6.1 \times 10^{-10}$ . The coupling mechanism is posited not derived, so  $\eta_B$  stays [C]; [X] a precise Boltzmann/RGE solve outside the band falls the route, not the theory (`FR.ETAB.04`; Route A independent).

## 2026-06-15 (Lean: QGEO.COHO.M.01 character grading + MODULE parity machine-proved)

- **The cohomology character grading is now Lean-formalised** (`CohomologyGrading.lean`, ledger `FORM.QGEO.03`, [O]). A new module machine-proves the COHO node of the QGEO proof tree (`v177`; AUDIT: PASS, no `sorry/admit`, axioms `propext`, `Classical.choice`, `Quot.sound` only): the three  $H^1(\mathbb{P} \setminus \mu_4)$  eigenforms  $\omega_k = z^{k-1}/(z^4 - 1)$  ( $k=1,2,3$ ) have pullback character  $\rho^* \omega_k = i^k \omega_k$  under the clock  $\rho : z \mapsto iz$  (each an exact rational-function identity, the denominator clock-invariant since  $i^4=1$ ), so the grading is  $(i, -1, -i)$  with weights  $(1, 2, 3) =$  the  $A_3$  exponents  $= \text{Spec}(Q_+)$ , rank  $3 = N_{\text{fam}}$ . The MODULE *parity* is also proved: the reflection  $\sigma : z \mapsto 1/z$  satisfies  $\sigma^* \omega_1 = \omega_3$ ,  $\sigma^* \omega_2 = \omega_2$ ,  $\sigma^* \omega_3 = \omega_1$  (swap  $\omega_1 \leftrightarrow \omega_3$ ,  $\omega_2$  fixed). Signature-locked in `AuditContract.lean`. The geometric COHO/MODULE-parity nodes are now [E]; the MARKS/KERNEL obligations and the MODULE *uniqueness* stay [O].

## 2026-06-15 (Lean: QGEO.UNIFORM.01 geometric normal form machine-proved)

- **The Möbius uniformisation normal form is now Lean-formalised** (`MöbiusUniformisation.lean`, ledger `FORM.QGEO.02`, [O]). A new module machine-proves the constructive UNIFORM node of the QGEO proof tree (`v177`; AUDIT: PASS, no `sorry/admit`, axioms `propext`, `Classical.choice`, `Quot.sound` only): the clock  $\rho : z \mapsto iz$  has  $\rho^4 = \text{id}$  and  $\rho^2 \neq \text{id}$  (order exactly 4); the reflection  $\sigma : z \mapsto 1/z$  is an involution with  $\sigma \rho \sigma = \rho^{-1}$  (so  $\langle \rho, \sigma \rangle$  is the dihedral  $D_4$  of order 8); a non-fixed orbit  $\{a, ia, -a, -ia\}$  scales to  $\mu_4 = \{1, i, -1, -i\}$ ;  $\sigma$  permutes  $\mu_4$  (fixes  $1, -1$ , swaps  $i, -i$ ); and the multiplier classification “ $z \mapsto \zeta z$  has order exactly 4  $\Leftrightarrow \zeta = \pm i$ ”. Signature-locked in `AuditContract.lean`. This formalises the geometric half of the seam realisation *given* the four marks and the clock; the raw-seam marking obligation `QGEO.MARKS.01` stays [O], *not* closed.

## 2026-06-15 (Lean: the QGEO.SYM.01 conditional theorem machine-proved)

- **The mark-local  $\Rightarrow \omega \circ \rho = \omega$  implication is now Lean-formalised** (`SeamDeckClosure.lean`, ledger `FORM.QGEO.01`, [O]). A new module in the carrier-rigidity Lean project machine-proves the algebraic core of `v201/v210` (AUDIT: PASS, no `sorry/admit`, no domain axioms — `#print axioms = propext`, `Classical.choice`, `Quot.sound` only): (i) the 4th-root character orthogonality  $\sum_{j < 4} \zeta^j = (\text{if } \zeta=1 \text{ then } 4 \text{ else } 0)$  for  $\zeta^4=1$  (so a  $\mu_4$ -mark sum is supported only on modes  $\equiv 0 \pmod{4}$ ); (ii) the clock generator  $-i$  has order 4; (iii) `markLocal_blockDiagonal`:

a mark-local Toeplitz symbol connects only equal clock-characters,  $[\rho, M_f] = 0$ ; (iv) the premise is a typed `SeamDeckPremise` (the physical seam DtN *is* mark-local) — consumed, *not* proved, exactly as `CalderonProjector` encodes the Paper-1 analytic input; (v) `SeamDeckPremise.clock_invariant`: *given* the premise, the clock commutes with the DtN, whence  $\omega \circ \rho = \omega$ . So the *implication* is now **[E]** (formally proved); the *premise* (the physical seam being mark-local) stays **[O]** — the one fundamental seam-identification postulate, *not* closed.

## 2026-06-15 (QGEO sharpening: mark-local DtN certified on realistic profiles)

- **Mark-local DtN  $\Rightarrow \omega \circ \rho = \omega$ , certified on realistic Steklov profiles and at the state level (v210\_mark\_local\_dtn, tfpt\_research\_contracts, [O]).** A numerical sharpening of QGEO.SUBPRIN.01/v201: a real von-Mises curvature bump summed over the four  $\mu_4$  marks,  $f(\theta) = \sum_{j=0}^3 g(\theta - j\pi/2)$ , builds the Steklov DtN  $\Lambda = |D_\theta| + M_f$  whose off-(mod 4) Fourier support vanishes to  $< 10^{-16}$ ,  $\|[\rho, \Lambda]\| < 10^{-15}$ , and — the genuinely new step — the quasi-free covariance  $C = \frac{1}{2}(1 + \text{sgn } H_1)$  is clock-invariant ( $\rho C \rho^\dagger = C$  to  $< 10^{-13}$ ), i.e. the actual  $\omega \circ \rho = \omega$ . Negative controls (single off-centre bump,  $\mathbb{Z}_3$  source, four generic marks) break both by  $O(1)$ ; convergence stable for  $N \in \{16, 32, 64\}$ . This certifies the *implication*; the premise that the physical seam *is* mark-local stays **[O]** (it does *not* close QGEO.SYM.01; net existence and full-cone RP remain the **[E]** of v175). Ledger QGEO.MARKLOCAL.01. Python-only (the exact mark-sum identity is Wolfram-mirrored via v201).

## 2026-06-15 (archive integration #5: six dormant results revived from the old papers)

- **Muon  $g-2$  as a seam vertex (v204\_muon\_seam\_g2, tfpt\_4\_frontier, [C]).** The carrier's second-order topological defect  $\delta_2 = \frac{5}{4}\delta_{\text{top}}^2$  projected through the seam-loop phase gives  $a_\mu^{\text{seam}} = \delta_2/(2\pi) = 45/(524288\pi^9) \approx 2.879 \times 10^{-9}$  ( $0.81\sigma$  vs the dispersive  $\Delta a_\mu$ ;  $\sim 1.5\sigma$  vs lattice/CMD-3). The value is exact **[E]**; the vertex identification is the **[C]** bridge. Ledger FR.MUONG2.01; Wolfram-mirrored.
- **An independent gravitational  $3/4$  (v205\_xi\_threequarter, tfpt\_4\_frontier, [E]/[C]).**  $\xi = c_3/\varphi_{\text{tree}} = 3/4$  exactly (Einstein limit of  $\kappa^2 = \xi\varphi_0^{\text{ret}}/c_3^2$ ) — the same  $3/4 = q(A_3) = \ln(m/\mu)$  as the seam-determinant replica (v152), an over-determination. Ledger GRAV.XI.01; Wolfram-mirrored.
- **Quantitative  $H_0$  from the  $\Lambda$  branch (v206\_h0\_lambda\_branch, tfpt\_4\_frontier, [C]).**  $\delta_\Sigma = 48 e^{-2\pi\alpha^{-1}/3} \approx 1.085 \times 10^{-123}$ , the  $(8\pi)^2$  Planck-convention split, and  $H_0 = 66.5\text{--}67.1$  km/s/Mpc (below Planck, far below SH0ES — the Hubble tension is *not* relieved). Ledger GRAV.H0.01.
- **Asymptotic Safety as a second QG route (v207\_asymptotic\_safety, tfpt\_4\_frontier, [O]).** A complementary continuum-FRG argument (a non-Gaussian UV fixed point from the same axioms;  $y^2 = 16c_3^2 = 1/(4\pi^2)$ ) — a plausibility cross-check, *not* load-bearing, does *not* close  $G_{\text{metric}}$ . Ledger GRAV.ASYMP.01.
- **Black-hole thermodynamics from the seam (v208\_bh\_thermodynamics, tfpt\_horizon\_readouts, [E]/[C]).** Modular  $T_H = \kappa/(2\pi)$  (the  $2\pi = 1/(4c_3)$  seam unit, ties to v198/v199) and the scalaron-corrected Wald entropy  $S_W = (A/4G)(1 + R_h/3M_s^2)$  (exact from v28). Ledger HOR.BHTHERMO.01; Wolfram-mirrored.
- **The black hole as a seam fixed point (v209\_bh\_regular\_core, tfpt\_horizon\_readouts, [C]).** No singularity ( $\varphi \rightarrow \varphi_\star$  at the gapped attractor  $(2/3)^6$ ); the maximal BH = the anchor (Nariai roots  $(1, 1, -2)$ ); information via Page recovery; a Planck-scale holographic floor. The superseded RN/torsion metric is *not* resurrected. Ledger HOR.BHCORE.01.

## 2026-06-15 (archive integration #4: Möbius $\cong$ Lorentz foundation citation)

- **The Möbius seam is the boundary Lorentz structure (tfpt\_3, [O]).** Added a paragraph to the “Möbius origin of  $\pi$ ” section:  $\text{Möb}(\hat{\mathbb{C}}) \cong \text{PSL}(2, \mathbb{C}) \cong \text{SO}^+(3, 1)$  (Penrose & Rindler, *Spinors and Space-time*, Vol. 1, §1.2–1.4), the celestial sphere of null directions via stereographic projection. This gives the self-consistency loop a spacetime meaning — the carrier clock  $z \mapsto iz$  is an elliptic  $\text{PSL}(2, \mathbb{C})$  rotation (v180) and the  $\text{RP} \rightarrow \text{OS}$  causal cone is the same Lorentz structure — so “Möbius origin of  $\pi$ ” and “one Lorentzian cone” are two faces of one boundary  $\text{PSL}(2, \mathbb{C})$ . A foundation citation, not a new claim ( $\pi$  stays primitive).

## 2026-06-15 (archive integration #3: axion coupling $g_{a\gamma\gamma} = -4c_3 +$ retired small-angle reading)

- **Haloscope coupling tied to  $c_3$  (tfpt\_4\_frontier, [C]).** Made explicit: in the determinant-line normalization the axion–photon anomaly coefficient is  $g_{a\gamma\gamma} = -4c_3 = -1/(2\pi)$  ( $y^2 = 16c_3^2 = 1/(4\pi^2) \approx 0.0253$ ), so the haloscope  $F\tilde{F}$  coupling is set by the *same*  $c_3$  that fixes  $\alpha$  and  $\beta_{\text{rad}} = \varphi_0/4\pi$  — a [C] structural relation (the coefficient, not a parameter-free physical  $g_{a\gamma\gamma}$ ). The earlier small-angle  $\theta_i = \varphi_0$  reading (old determinant-line note, a much higher axion mass) is *superseded* by the closed near-hilltop  $\theta_i = \pi(1 - \varphi_{\text{seam}}) = 170.4^\circ$ , recorded as a retired reading and guarded by v188 (a new sentinel forbids that stale axion mass from re-entering the active docs).

## 2026-06-15 (archive integration #2: the EHT achromatic polarization intercept — v203)

- **HOR.EHT.01 (v203, [E]/[C]/[X]).** The surviving core of the old UFE/black-hole notes (*not* the RN-type metric — superseded by the Nariai/seam=horizon readouts v101–v104/v190; only the polarization signature survives): a local achromatic polarization-rotation intercept around a horizon-scale black hole,  $\beta_{\text{BH}}(r) = 16c_3^4 Q_e^{\text{eff}} Q_m^{\text{eff}}/r^2$ . The coupling  $16c_3^4 = 1/(256\pi^4) = \delta_{\text{top}}/3$  is *exact* ([E], Wolfram-mirrored) — the *same* top-form coefficient  $\delta_{\text{top}} = 48c_3^4$  that fixes the  $\alpha$ -kernel precision-zone correction, one row from the cosmic-birefringence seed  $\beta_{\text{rad}} = \varphi_0/4\pi$ . TFPT fixes the  $1/r^2$  shape, achromaticity and sign-flip ([C]); the amplitude  $Q_e Q_m$  is an MHD/GR weight, never a pixel prediction. **Dated kill test [X]:** the residual intercept must pass three nulls (frequency, spatial  $1/r^2$ , sign-flip) after honest GRMHD subtraction. Integrated into `tfpt_horizon_readouts` (new EHT section), the ledger, registry, Wolfram (243/243), and the website (`predictions.ts`). Suite 202 modules.

## 2026-06-15 (archive integration #1: the rare kaon sector $K \rightarrow \pi\nu\bar{\nu}$ — v202)

- **FR.RAREKAON.01 (v202, [C]).** The closed TFPT CKM point ( $s_{12}=\lambda_C$ ,  $s_{23}=\varphi_0/(1+\lambda_C)=|V_{cb}|$ ,  $s_{13}=\lambda_C^3/3$ ,  $\delta=\pi/3+3\lambda_C^2=1.19823$  rad; v18/v88, no flavor fit) feeds the cleanest FCNC probe. With standard external short-distance input (Brod–Gorbahn–Stamou  $X_t, P_c, \kappa_\pm$ ) it gives  $\text{BR}(K^+ \rightarrow \pi^+ \nu\bar{\nu}) = 9.45 \times 10^{-11}$  and  $\text{BR}(K_L \rightarrow \pi^0 \nu\bar{\nu}) = 3.33 \times 10^{-11}$  — a [C] downstream flavor readout, *not* a compiler power (the SD functions are external). Recomputed from the *current* CKM point (an earlier archive scaffold quoted  $\text{BR}(K_L) = 3.47 \times 10^{-11}$  from an  $\Im(\lambda_t)/\lambda^5$  slip, corrected here). Grossman–Nir ratio  $0.352 \ll 4.3$ ; NA62  $(13.0^{+3.3}_{-3.0}) \times 10^{-11}$  is  $\sim 1.2\sigma$  above. **Dated kill test [X]:** a stable NA62  $\text{BR}(K^+)$  outside  $[7, 12] \times 10^{-11}$ , or a KOTO-II  $\text{BR}(K_L)$  off the GN point, breaks the flavor bridge (core untouched). Integrated into `tfpt_2_standard_model` (§rare kaon), the ledger, v187 guard (new FR.RAREKAON. family), registry, and the website (`predictions.ts`). Python-only. Suite 201 modules.

## 2026-06-15 (bedrock: the $\omega \circ \rho = \omega$ residual reduced once more — v201)

- **QGE0.SUBPRIN.01 (v201, [E]/[O]).** The v199 bedrock residual — “the bounded sub-principal symbol of the raw seam DtN has no off-character (mod 4) matrix elements” — is reduced one genuine step further: block-diagonality is *not* an independent postulate. Writing the DtN as  $\Lambda = |k| + M_f$  with  $M_f$  the bounded sub-principal piece = multiplication by a curvature  $f(\theta)$  (standard Steklov structure),  $M_f$  is  $\mu_4$ -character-block-diagonal iff  $f$  is  $\mathbb{Z}_4$ -invariant ([E]; principal  $|k|$  already commutes, v198); and a  $\mu_4$ -mark sum  $f = \sum_{j=0}^3 g(\theta - 2\pi j/4)$  has  $f_m = 4g_m[m \equiv 0 \pmod{4}]$  for any profile  $g$ , hence is automatically  $\mathbb{Z}_4$ -invariant ([E]). So the  $\mu_4$ -mark orbit (forced by v195) *forces* the sub-principal symbol block-diagonal; 3 marks ( $\mathbb{Z}_3$ ) and 4 generic marks break it (negative controls). The residual collapses to “the DtN sub-principal symbol is mark-local (seam flat away from the  $\mu_4$  marks = conformal deck, v177)”, structurally definitional — the narrowest form yet of QGE0.SYM.01, [O]. Registered in `run_all.py`, the ledger, `tfpt_research_contracts`, `origin_theory`; Wolfram-mirrored (the mark-sum Fourier identity is exact; extension now 242/242). Suite 200 modules.

## 2026-06-15 (F\_transfer workshop: the axion relic solver — an honest over-production tension)

- **Axion relic solver (experiments/ftransfer/axion\_relic/relic\_solver.py, [C]).** The first real  $F_{\text{transfer}}$  pipeline computation (work package C / review §6.2): a standard misalignment relic with a numerically-computed anharmonic factor  $F(\theta_i) \approx 4$  at the hilltop. Honest finding: at the *predicted*  $\theta_i \approx 170^\circ$  the estimate *over*-produces dark matter,  $\Omega_a h^2 \sim 0.6\text{--}2.3$  (robustly  $> 0.12$ ), because the large  $\theta_i^2 \approx 8.8$  times  $F$  overshoots. So the determinant-line axion as the *dominant* DM is in *mild tension* (it would prefer  $\theta_i \sim 120\text{--}130^\circ$  or extra dilution) — this *refines* v185’s optimistic “can be all-DM” toward an over-production tension. The near-hilltop regime is  $O(1)$ -uncertain, so a full finite- $T$  solve decides; over-production kills only the axion-as-dominant-DM *branch*, not the compiler. Reflected in `tfpt_4_frontier` (dark-matter section) and the v185 docstring; experiments-only, not a suite/ledger claim. No refitted exponents;  $\theta_i = \pi(1 - \varphi_{\text{seam}})$  only.
- **Full finite- $T$  solve confirms it (axion\_relic/full\_finiteT\_solve.py).** A converged nonlinear misalignment solve  $(\theta'' + (3 + d \ln H/dN)\theta' + (m_a(T)/H)^2 \sin \theta = 0$ , lattice  $\chi(T) \propto T^{-8.16}$ , realistic  $g_*(T)$ ; normalised so  $\theta_i=1 \rightarrow \Omega_a h^2 \approx 0.03$ , the standard value) gives  $\Omega_a h^2 \approx 0.66$  at the predicted  $\theta_i \approx 170^\circ$  —  $\sim 5.5\times$  above  $\Omega_{\text{DM}} = 0.12$ , reached only at  $\theta_i \approx 106^\circ$ . The over-production is thus *confirmed* (not the optimistic “all-DM”); `tfpt_4_frontier`, v185 docstring and the website updated accordingly. Stays [C]; kills only the axion-as-dominant-DM branch.

## 2026-06-14 (work packages A+B: attacking $\omega \circ \rho = \omega$ + the variational scan — v199, v200)

- **v199\_seam\_state\_invariance.py [E]/[O] (claim QGE0.STATE.01, work package A).** Attacking  $\omega \circ \rho = \omega$  directly on the *raw* seam. (1) [E] the setup is non-circular:  $\rho$  is the Coxeter element of  $W(A_3) = S_4$  ( $\rho^4 = 1$ , v117), an automorphism of the raw CAR algebra (16 Majoranas) — both carrier-side, no seam geometry. (2) [E] for a quasi-free RP state  $C_\Sigma = \frac{1}{2}(1 + \text{sgn } H_1)$ , so  $\omega \circ \rho = \omega \Leftrightarrow [\rho, H_1] = 0$ . (3) [E]  $[\rho, H_1] = 0 \Leftrightarrow H_1$  is block-diagonal in the four  $\mu_4$ -character classes  $\{n=r \pmod{4}\}$  (verified). (4) [O] the residual is sharpened to “the bounded sub-principal symbol has no off-character matrix elements” — a bounded, finite-character condition, not a diffuse geometry; not a closure. Cited in `tfpt_research_contracts`; Wolfram-mirrored.
- **v200\_seam\_variational\_scan.py [C]/[O] (claim QGE0.VARI.02, work package B).** The discretised variational test: with the clock angle free,  $E_{\text{fail}}(\theta)$  has its unique minimum at  $\theta = \pi/2$  (the  $\mu_4$  clock  $z \mapsto iz$ ) — order-4 *and* the three distinct characters  $i, -1, -i$  =

the  $(1, 2, 3)$  grading; decoys  $(0, \pi, \pi/3, 2\pi/3)$  all lose. A numerical sign that the variational principle selects  $\mu_4$ ; the full operator-valued minimisation stays the v199 residual [O]. Cited in `tfpt_research_contracts`.

- Also (this pass, *experiments/* only, not the ledger): the  $F_{\text{transfer}}$  four-pipeline scaffold (*experiments/ftransfer/*) with one CONTRACT per interface, and confirmation that the FRB preregistration (*frb\_tfpt\_v1.yaml*) and its status semantics already exist. Suite now 199 modules, highest ID v200; Wolfram extension 241/241.

## 2026-06-14 (cracking the bedrock to a state-invariance: principal symbol + Tomita–Takesaki — v198)

- `v198_modular_commutator_reduction.py` [O] (claim QGEO.MODULAR.01). The decisive crack on the last residual. (1) [E] the DtN principal symbol  $|k| = \sqrt{-\partial_\theta^2} = \text{diag}(|n|)$  and the clock  $\rho: z \mapsto iz = \text{diag}(i^n)$  are both diagonal in the Fourier basis, so  $[\rho, |k|] = 0$  *exactly* on all of  $L^2$  (verified on 33 modes) — the leading-order commutation is free on the whole boundary, never the open part. (2) [E] by Tomita–Takesaki the modular operator is intrinsic to  $(M, \Omega)$ , so a state-preserving symmetry ( $\rho\Omega = \Omega$ ) commutes with  $\log \Delta \sim \Lambda_\Sigma$ : hence  $[\rho, \Lambda_\Sigma] = 0$  *follows from*  $\omega \circ \rho = \omega$ , using only the state + reflection (RP) and *no* conformal covariance — which **removes the v194 Bisognano–Wichmann circularity worry**. (3) [E] the finite  $H^1$  block is already  $\mu_4$ -invariant (v177). So the entire residual collapses to the single *state-invariance* “the raw quasi-free seam state is  $\mu_4$ -invariant” ( $\omega \circ \rho = \omega \Leftarrow$  the Gaussian bulk measure is deck-invariant) — the maximally-operational, non-circular form of QGEO.SYM.01, [O]. *Not* a full closure (a foundational symmetry cannot be derived from nothing, like  $c = \text{const}$ ), but the sharpest falsifiable form, with the circularity gone. Cited in `tfpt_research_contracts`; OpenGates updated. Suite now 197 modules, highest ID v198; Wolfram extension 240/240.

## 2026-06-14 (three review levers: Marks-via-Lefschetz, E\_fail functional, $\text{RR} \rightarrow D_5$ — v195–v197)

- `v195_marks_lefschetz_character.py` [E]/[O] (claim QGEO.MARKS.02). The four seam marks are *forced* (not posited):  $\rho: z \mapsto iz$  fixes only  $\{0, \infty\}$ ,  $H^1 = \chi_1 \oplus \chi_2 \oplus \chi_3$  (the  $A_3$  exponents,  $\text{Tr}(\rho|H^1) = i + i^2 + i^3 = -1$ ) has no trivial component  $\Rightarrow$  no puncture at a fixed point, and  $\text{rank } H^1 = n-1 = 3 \Rightarrow n = 4 \Rightarrow$  a single free  $\mu_4$  orbit (cross-ratio 2). So MARKS reduces from the geometric posit “ $D_4$  marks” to the milder premise “ $H^1$  carries the  $A_3$ -exponent rep” — less circular, still [O]. Cited in `tfpt_research_contracts`.
- `v196_seam_energy_functional.py` [E]/[O] (claim QGEO.VARI.01). The failure functional  $E_{\text{fail}} = \|[\rho, \Lambda_\Sigma]\|_{HS}^2 + \|\rho^4 - 1\|^2 + \|\Theta\rho\Theta - \rho^{-1}\|^2$ , zero locus = the QGEO.SYM.01 conditions; on the finite  $H^1$  block it vanishes at the  $\mu_4$  config [E] and is  $> 0$  for any  $\mu_4$ -breaking perturbation, so  $\mu_4$  is a true minimiser. The full-operator minimisation is the v194 Bisognano–Wichmann residual — a concrete discretisable *target* on the open bedrock, [O]. Cited in `tfpt_research_contracts`.
- `v197_rr_carrier_clifford_d5.py` [E]/[C] (claim ARCH.RRCAR.02). Hardens the Riemann–Roch carrier from  $g_{\text{car}}$  to  $D_5$  itself:  $\Lambda^{\text{even}}(C_{\text{car}}) = \binom{5}{0} + \binom{5}{2} + \binom{5}{4} = 16 = 2^{g_{\text{car}}-1} = \dim S^+$ , the  $\mathfrak{so}(10) = D_5$  half-spinor — so  $D_5$  is the Clifford spinor of the 5-dim mode space, closing  $\mu_4 \rightarrow g_{\text{car}} \rightarrow D_5$ . [E] arithmetic, [C] identification (as v189). Cited in `origin_theory`.
- All three are validated external-review levers (the axion-hilltop “ $\pi - 3\phi_0$ ” proposal was *rejected* as a  $\pi \approx 3$  coincidence, not built). Suite now 196 modules, highest ID v197; Wolfram extension 239/239.

**2026-06-14 (subclaim 2 of ENERGY.02 tackled: raw-seam-DtN RP-definability — v194)**

- **v194\_raw\_seam\_dtn\_rp.py [O] (claim QGEO.DTN.01).** The next hard lever — “is the raw RP-seam DtN definable from RP data alone?” (sub-claim 2 of QGEO.ENERGY.02) — was tackled, and the honest result is a *reduction*, not a closure. (1) [E] the commutator  $[\rho, \Lambda_\Sigma] = 0$  closes on the finite cohomology  $H^1$  ( $\rho^* w_k = i^k w_k$ , distinct  $\mu_4$  characters; v177). (2) [E] the *hinge* is met: the DtN/transfer operator is RP-canonical (Osterwalder–Schrader, v54) on a quasi-free seam state (v155), so  $\Lambda_\Sigma$  is RP-definable without naming  $\mathbb{P}^1 \setminus \mu_4$ . (3) [O] the residual relocates: the full- $L^2$  commutation  $\Leftrightarrow$  Bisognano–Wichmann geometric modular flow of the quasi-free seam state (which must be intrinsic, else it re-circulates). So QGEO.SYM.01 reduces from a definitional postulate to “intrinsic BW geometric modular covariance” — one notch sharper, still [O]; the last structural fog point sharpens, it does *not* close to [E]. Cited in `tfpt_research_contracts`; `OpenGates` updated. Suite now 193 modules, highest ID v194.

**2026-06-14 (QGEO.ENERGY.02 energy-commutator + QFT-wording hardening — v193)**

- **v193\_qgeo\_energy\_commutator.py [O] (claim QGEO.ENERGY.02).** The non-circular sharpening of QGEO.ENERGY.01: the energy commutator  $[\rho, \Lambda_\Sigma] = 0$  on the rank-8 Calderón polarisation, with three sub-claims — (1) [E]  $\rho$  is carrier-defined (Coxeter of  $W(A_3)=S_4$ , v117), not imported from the seam; (2) [O] the non-circularity hinge:  $\Lambda_\Sigma$  must be the *raw* RP-seam DtN, not the  $\mu_4$  normal form; (3) [E] the commutator forces the  $(1, 2, 3)$  grading on  $H^1$  (QGEO.COHO.01). Exact [E] rider (Wolfram-mirrored): the induced EH coefficient  $k = (\ln m)/(12\pi)$  (v150) reproduces  $c_3/2$  iff  $\ln m = q(A_3) = \frac{3}{4}$  (*family*), not  $q(D_5) = \frac{5}{4}$  (carrier, off by  $5/3$ ) — gravity is family-geometry-induced. A *proof target*; if sub-claim (2) holds, QGEO.SYM.01 becomes an energy-rigidity theorem. Cited in `tfpt_research_contracts`. Suite now 192 modules, highest ID v193; Wolfram extension 236/236.
- **QFT-wording hardening (review point 7).** `tfpt_2_standard_model` §(4) was retitled to “Constructive QFT closure of the admissible physical sector”, and its standalone opening over-claim replaced by an explicitly scoped sentence (the unprojected ambient metric measure is not constructed;  $G_{\text{metric}}$  frontier). The two superseded standalone phrasings were added to the v188 prose guard so a frozen release cannot re-introduce them.

**2026-06-14 (geometry round: Riemann-Roch carrier, Nariai bound, branch line, energy clock — v189–v192)**

- **v189\_riemann\_roch\_carrier.py [E]/[C] (claim ARCH.RRCAR.01).** The pair  $(g_{\text{car}}, N_{\text{fam}}) = (5, 3)$  are the two canonical invariants of *one* object, the four-point seam divisor  $D = \mu_4$  on  $\mathbb{P}^1$ : the cycle side rank  $H_1(\mathbb{P}^1 \setminus \mu_4) = \deg -1 = 3 = N_{\text{fam}}$  (already QGEO.COHO.01) and the function side  $h^0(\mathbb{P}^1, \mathcal{O}(\mu_4)) = \deg +1 = 5 = g_{\text{car}}$ , matched by  $\text{rank}(D_5) = 5$ . The carrier-as-mode-space reading is [C] (geometric, does not displace the over-determined  $g_{\text{car}} = 5$ ). Cited in `origin_theory`; Wolfram-mirrored.
- **v190\_nariai\_entropy\_bound.py [E] (claim HOR.NARIAI.02).** A variation-free one-line proof of the SdS entropy floor:  $3(x^2+1) - 2\Phi_3(x) = (x-1)^2 \geq 0$ , so  $S_{\text{tot}} \geq \frac{2}{3}S_{dS}$  with equality iff  $x = 1$  (the Nariai merge). Cited in `tfpt_horizon_readouts`; Wolfram-mirrored.
- **v191\_universal\_branch\_line.py [C] (claim HOR.BRANCHLINE.01).** The affine map  $q = \frac{7}{2} + \frac{N_{\text{fam}}^2}{2}m$  carries the SdS branch points  $\pm 1/N_{\text{fam}}$  onto the flavor labels  $\{2, 5\}$ . *Honestly typed [C]* — an exact *relabeling*, not a theorem (a decoy pair  $\{3, 4\}$  admits an equally exact map; the shared content is the known  $2/3$  ramification). Cited in `tfpt_horizon_readouts`; Wolfram-mirrored.



- **v192\_qgeo\_energy\_clock.py [O] (claim QGEO.ENERGY.01).** An operator-checkable restatement of the bedrock:  $\rho^* \Lambda_\Sigma \rho = \Lambda_\Sigma$  (the clock preserves the DtN energy form). *Honestly typed*: it *relocates* QGEO.SYM.01 to a more falsifiable surface but does *not* eliminate it (plausibly equivalent unless  $\rho$  is independently defined and the invariance proven). Cited in `tfpt_research_contracts`. Suite now 191 modules, highest ID v192 (v186 skipped).
- *All four are validated external-review proposals (problem\_b); each is built with the honest typing determined on review — the branch line is recorded as an alignment, not a theorem, and the energy clock as a relocation, not a closure.*

## 2026-06-14 (Zenodo release 5.1 (rev 120) — F\_transfer firewall, v184–v188)

- **Published to Zenodo.** Version 5.1 (rev 120) of the ten-PDF document set was published as a new version of the TFPT deposit — record 20687564, DOI 10.5281/zenodo.20687564. This version carries the F\_transfer-firewall round (v184–v188): the honest  $\eta_B$  anchored-Boltzmann test (sharper scenario, not a closure), the axion hilltop-relic typing, the ledger v187 and prose v188 guards, and the Route B/Koide/dark-matter wording fixes plus the P1/P2-vs-QGEO.SYM.01 two-layer clarification. The uploader’s DEFAULT\_RECORD\_ID was advanced to the new record for the next release. Suite 187 modules (highest ID v188; v186 skipped). `run_all.py` green, audit clean, website built.

## 2026-06-14 (F\_transfer round: eta\_B honest test v184, axion relic v185, discipline guard v187)

- **v184\_etaB\_anchored\_boltzmann.py [C] (claim FR.ETAB.03).** An honest test of the external-review  $\eta_B$  proposal ( $M_1 = M_R \varphi_0^4$ ,  $\tilde{m}_1 = m_3/A_\Lambda$ ). Firewall verdict: *sharper scenario, not a closure*. The washout anchors plausibly ( $\tilde{m}_1 = m_3/10 \approx 5$  meV,  $A_\Lambda = 10$  atom, in the strong-washout window) [C]; but  $M_1$  does *not* —  $M_R$  is the seesaw scale  $\sim v^2/m_3$  and the nearest clean TFPT powers of  $\bar{M}_{P1}$  both miss it ( $c_3/\varphi_0$ -powers off  $\sim 75\%/ \sim 40\%$ ), so  $M_1 = M_R \varphi_0^4$  merely relocates the free input.  $\eta_B$  stays [C], the route viable but with one (not zero) free input. Cited in `tfpt_4_frontier`.
- **v185\_axion\_relic\_solver.py [C] (claim FR.DM.03).** Honest misalignment estimate: the determinant-line axion  $f_a = M_{\text{scal}}/128 \approx 2.39 \times 10^{11}$  GeV ( $m_a \approx 23.8 \mu\text{eV}$ ) CAN be all dark matter, but the harmonic misalignment under-produces ( $\sim 21\%$  at  $\theta \sim O(1)$ ), so the  $\theta_i \approx 170^\circ$  hilltop anharmonic enhancement is *required* — where the relic is exponentially sensitive. Hence a [C] scenario, not a sharp prediction; the relic contract is a kill test for the BRANCH, not the theory. Cited in `tfpt_4_frontier`.
- **v187\_ftransfer\_laws.py [E] (claim FR.TRANSFER.01).** A CI-style firewall guard: the four continuous-transfer frontier observables (Koide,  $\eta_B$ , axion,  $m_p/m_e$ ) are read from the ledger and required to carry a [C]/[O] marker — never a primitive [E] compiler prediction (exact sub-parts like the Koide 53/54 factor or  $b_3 = -7$  may be [E], the physical prediction never is). Records the four interfaces  $F_{\text{pole}}/F_{\text{Boltzmann}}/F_{\text{relic}}/F_{\text{QCD}}$ ; prevents any future edit from quietly promoting a frontier number to a closed output. Cited in `tfpt_4_frontier`.
- **v188\_frontier\_wording\_guard.py [E] (claim AUDIT.WORDING.01).** A prose sentinel (no new physics): v187 protects the ledger *typing*, this guard protects the *prose*. It scans the 10 active documents and forbids five stale phrasings whose semantics earlier rounds superseded (the old [E]-typed Route B leptogenesis claim and its heavy-scale wording  $\rightarrow$  v184 [C]; the old “open relic scale” dark-matter line  $\rightarrow$  v185; the old “near, not exact” Koide line  $\rightarrow$  v183; and the module-count/ID conflation), so a frozen Zenodo release can never re-introduce wording that was true yesterday and is half-true today. The same pass updated the `tfpt_4_frontier` Route B (to [C]), the Koide and dark-matter summary lines, and added the P1/P2-vs-QGEO.SYM.01 two-layer clarification to the introduction. Suite now has **187 modules**, highest

verification ID v188 (v186 was intentionally skipped as redundant —  $m_p/m_e$  is already typed [O] as a QCD matching contract, QCD.LAMBDA.01).

- *Review framing points (P1/P2 as projections of the seam-deck postulate,  $v_{\text{geo}}$  as unit gauge,  $G_{\text{net}}$  a corollary of QGEO.SYM.01, grammar tuning = data) were validated as already implemented in the prior rounds;  $m_p/m_e$  is already typed [O] as a QCD matching contract (QCD.LAMBDA.01), so no redundant module was added.*

## 2026-06-14 (operator origin of the Koide 53/54 factor: the missing Sheet-Diamond corner, v183)

- **v183\_koide\_f\_corner\_transfer.py [E]/[C] (claim FR.KOIDE.07).** An external-review proposal, validated exactly: the Koide source→pole factor  $\frac{53}{54}$  is not a bare arithmetic guess but an *operator* identity on the carrier,  $u_{\text{pole}}/u_{\text{source}} = a^T(R+Q)\mathbf{1}/(2\mathbf{1}^T Ra) = 53/(2\cdot 27) = \frac{53}{54}$ . Here  $\mathbf{1}^T Ra = 27$  is the  $E_6 \times A_2$  cubic family block ( $248 = \dim E_6 + \det R + 2(\mathbf{1}^T Ra)N_{\text{fam}} = 78 + 8 + 2\cdot 27\cdot 3$ ) and  $a^T(R+Q)\mathbf{1} = 53 = 52 + 1$ , where  $F = R+Q$  is the *missing* Sheet-Diamond corner with  $\det B_F = 52 = \dim F_4$  (v80). Hard negative control:  $a^T M\mathbf{1}$  for  $M \in \{R, Q, K, L\}$  is  $\{32, 21, 35, 56\}$  — only the absent corner  $F$  gives 53. This upgrades FR.KOIDE.03 from “near miss + conjecture” to “operator-sourced source→pole transfer”: the *factor* is [E] (exact, mirrored in Wolfram, 232/232); the *mechanism* (the leptonic source→pole transfer reads the  $F$  corner) stays [C], an  $F_{\text{transfer}}$  special case. The prediction itself stays [C]. Cited in tfpt\_4\_frontier (Koide section). Suite now 183 modules.
- **Review point 2 noted as already-present:** the claim that flavor and Nariai share one double-cover ClockFunctor (flavor rate  $(2/3)^{2N_{\text{fam}}}$  vs gravity curvature  $(2/3)^{N_{\text{fam}}}$ , exponent ratio  $|\mathbb{Z}_2|$ , “one clock, two geometries”) is exactly HOR.TRISECT.01/v103 — a rediscovery of an existing result, no new module.

## 2026-06-14 (review recommendations 1/3/4 + the four concerns A–D mapped to the named residuals)

- **v182\_reviewer\_residual\_map.py [E]/[C] (claim REVIEW.MAP.01).** A careful external review raised four concerns (A mapping  $2D \rightarrow 4D$ , B UV-gravity abstractness, C grammar-tuning/meta-look-elsewhere, D Koide Möbius flow). This module shows three of them *reduce*, by the same discipline as v175–v181, onto the *two already-named* residuals  $\{\text{QGEO.SYM.01}, F_{\text{transfer}}\}$ : A (Plücker-11 = QBL boundary count v174 + holographic reduction), B ( $\equiv \text{QGEO.SYM.01}$ ), D (Möbius forced by  $\text{Aut}(\mathbb{P}) = \text{PSL}(2, \mathbb{C})$  on the deck; the missing generator =  $F_{\text{transfer}}$ ). Only C is genuinely *experiment-only* (frozen + minimal + over-determined grammar; residual falls to JUNO/CMB-S4). A unification of the concern *structure*, not a closure. Cited in tfpt\_5\_redteam. Suite now 182 modules.
- **Review recommendation #3 — a “Rosetta” translation lexicon** (website RosettaLexicon): TFPT’s compiler-speak (seam, deck, readout, microcode, audit hull, gap, anchor,  $F_{\text{transfer}}$ ,  $v_{\text{geo}}$ , QGEO.SYM.01) mapped onto standard QFT / mathematical-physics language (Wilsonian boundary CFT, orbifold deck, index/intersection number, RG irrelevance rate, renormalization condition, fundamental postulate) — a reading aid for mainstream physicists, not a new claim.
- **Review recommendation #1 — kill-tests up front** (website TrustContract): the frozen pre-data predictions ( $\sin^2\theta_{12} = 0.3067$ , JUNO;  $r \approx 0.004$ , CMB-S4) and the null model ( $P \leq 10^{-30.7}$ ) are now a prominent strip directly under the hero.
- **Review recommendation #4 — the bedrock as a postulate.** QGEO.SYM.01 is now framed confidently as TFPT’s *one fundamental postulate* (the role “ $c = \text{const}$ ” plays in relativity), not a gap — in the tfpt\_research\_contracts box and the website “what

is open” card; the achievement is that the whole theory is compressed onto exactly one sharply-located, falsifiable premise.

## 2026-06-14 (external-review response: CSV fix, G<sub>net</sub> 3-level, QGEO.SYM.01 page, claim detox)

- **Ledger CSV bug fixed + guarded.** Three rows (AX.P1.01, AX.P2.01, QGEO.ISO.01) had *unquoted commas* in a status/external field (e.g. “a=(1,1,2)”, “PSL(2,C)”), so a strict CSV parser read 11–12 columns instead of 10 — a real machine-readability defect in the single source of truth. All offending fields are now quoted (every row parses to exactly 10 columns), and `audit_sync.py` gained a `check_csv_wellformed` guard (ledger, registry, clusters, freeze must all parse to constant width) so it cannot regress.
- **G<sub>net</sub> typed in three explicit levels** (website “What is open” card): (1) *algebra* [E]  $(D_5)_1 \otimes (A_3)_1 \rtimes \langle (1,1) \rangle \cong (E_8)_1$ ; (2) *AQFT machinery* [E] (net existence + full-cone RP, CAR functor, v175); (3) *seam instantiation* [O] (QGEO.SYM.01). The target object’s mathematics is closed; only the physical coupling of the raw seam is open.
- **QGEO.SYM.01 now has its own one-page box** in `tfpt_research_contracts`: what is identified, why it is weaker than CONF/ISO, what follows automatically (the conditional theorem), and *what would falsify it* (genus > 0 double; non-deck transport;  $N_{\text{fam}} \neq 3$ ); with the explicit conditional framing “*given* QGEO.SYM.01, the closure follows” rather than “the theory derives the seam geometry”.
- **Claim-language detox.** “no free fundamental number” softened to “no free *dimensionless compiler dial* beyond the anchor and  $\pi$  (dimensionful scale + transfer physics stay typed)” (`origin_theory`, `introduction`, website); the site title softened from “the Standard Model Derived” to “the Standard-Model *Skeleton* Derived”.
- **External-reviewer map** added to the website verification page: four boxes (exact kernel [E], conditional physics [C], open premises [O], kill tests [X]) so a reviewer sees the attack surface without reading 181 scripts. Suite unchanged at 181.

## 2026-06-14 (Zenodo release 5.1 (rev 114) — v175–v181 bedrock + figures + P1/P2)

- **Published to Zenodo.** Version 5.1 (rev 114) of the ten-PDF document set was published as a new version of the TFPT deposit — record 20686284, DOI 10.5281/zenodo.20686284. This version carries the AQFT-closure-to-bedrock chain (v175–v181, the structural residual reduced to the single definitional premise QGEO.SYM.01), the two overview figures (`residual_chain`, `script_timeline`), and the P1/P2 anchor-reduction provenance on the axiom surfaces. The README and the Zenodo description were refreshed (181 modules), and the uploader’s `DEFAULT_RECORD_ID` was advanced to the new record for the next release.

## 2026-06-14 (overview figures + P1/P2 reduction reflected on the axiom surfaces)

- **Two overview figures** (`make_figures.py`; PDF + website PNG). (i) `residual_chain` — the structural-residual reduction chain v175–v181 as a descending staircase from “build a quantum-gravity measure” to the single definitional bedrock QGEO.SYM.01; embedded in `tfpt_research_contracts`. (ii) `script_timeline` — the eight-phase journey of the ~181 scripts (foundations → SM readouts → seam= horizon → horizon/flavor geometry → R1–R5/premise-(A) → PyR@TE cross-checks → AQFT bridges → AQFT closure), what each did mathematically and physically; embedded in `introduction` ahead of the master script index, and both shown on the website verification page.

- **P1/P2 reduction now reflected on the axiom surfaces.** The reduction of the two axioms to the single parabolic anchor  $a = (1, 1, 2)$  plus  $\pi$  (with  $g_{\text{car}} = 5$  an over-determined bootstrap fixed point — forced three ways, `v6`, Pascal-unique and Lean-formalised, `FORM.LADDER.01`) was already established (`ANCHOR.GEN.01/v23`, `ARCH.CORE.01/v53`) and stated in the papers/glossary, but the *axiom surfaces* still read as bare “declared inputs”. Fixed: the ledger rows `AX.P1.01/AX.P2.01` now carry the anchor/bootstrap reduction and point to it, and the website dependency-graph nodes P1/P2 now show the anchor input ( $c_3 = 1/(2e_1(a)\pi)$ ;  $g_{\text{car}} = e_2(a)$ , bootstrap-forced) rather than “declared axiom”. No marker change (still declared inputs), only honest provenance.
- Manifests refreshed (two new figures added to the `FIG` list). Suite unchanged at 181.

## 2026-06-14 (the final reduction to bedrock v181 + full non-changelog status sweep)

- **v181\_clock\_is\_conformal\_symmetry.py [E]/[O] (claim QGEO.SYM.01).** The isometry premise `QGEO.ISO.01` (v180) is weakened one more genuine step — to a conformal-*symmetry* premise — via *equivariant uniformisation* (Nielsen realisation; for cyclic groups Kerékjártó + uniformisation): a *conformal* automorphism (strictly weaker than an isometry — every isometry is conformal, conformal allows any positive scale) already suffices to put the order-4 clock in the form  $z \mapsto iz$ . Since the clock is the Coxeter element of  $W(A_3) = S_4$  (v117), the  $\mu_4$  deck, and a deck transformation preserves the pulled-back conformal structure by definition, the residual collapses to the *definitional* identification `QGEO.SYM.01`: “the seam’s conformal structure *is* the  $\mu_4$ -deck structure of the carrier clock”. This is bedrock — a physical/definitional statement tying P2 to the seam’s conformal geometry, *not* a finite computation and not reducible further without relabeling. The chain `REALIZE(v175)→...→SYM.01(v181)` ends here; we stop honestly. Python-only. Suite now 181 modules.
- **Full non-changelog status sweep.** The current bedrock framing was propagated to every live status surface (not just the changelog): the introduction “latest reductions” prose, `tfpt_5_redteam` Target A, the `tfpt_research_contracts` central-theorem keybox, `origin_theory`; and on the website `OpenGates`, `VerificationDag`, `papers.ts` (Target A  $\times 2$ ,  $G_{\text{net}}$ ), the `glossary`  $G_{\text{net}}$  entry and the `faq` live-residual answer — all now end at `QGEO.SYM.01`.

## 2026-06-14 (the conformal premise reduces to a milder isometry premise v180)

- **v180\_clock\_is\_möbius.py [E]/[O] (claim QGEO.ISO.01).** Cracks `QGEO.CONF.01` one level further: the conformal-realisation premise is *replaced*, via three classical theorems, by a strictly *milder*, *non-circular* premise. (1) *Uniformisation* (Poincaré–Koebe): a genus-0 Riemann surface is conformally  $\mathbb{P}$ , so the genus-0 seam double (P1, v179) with its RP-metric conformal structure *is*  $\mathbb{P}$  — the target is *produced*, not assumed; (2) *Kerékjártó* (1919; Constantin–Kolev 2003): a finite-order orientation-preserving homeomorphism of  $S^2$  is conjugate to a rotation, so the order-4 clock ( $h(A_3)=4$ ) is topologically  $z \mapsto iz$ ; (3) *isometry*  $\Rightarrow$  *conformal*  $\Rightarrow$  *Möbius*: an orientation-preserving isometry of a Riemannian surface is holomorphic,  $\text{Aut}(\mathbb{P}) = \text{PSL}(2, \mathbb{C})$ ; (4) an order-4 Möbius map is  $z \mapsto iz$  (verified: projective order 4, fixed  $\{0, \infty\}$ , multiplier  $i$ , free orbit  $\mu_4$ ). Hence `QGEO.CONF.01` is *implied* by the milder premise `QGEO.ISO.01`: “the carrier clock is an order-4 orientation-preserving *isometry* of the RP seam metric” — which does not name  $\mathbb{P}/\mu_4$  (uniformisation produces them) and is the natural statement that the seam transport is metric-compatible (a holonomy preserving the RP inner product). That milder premise is the single, now milder, structural residual of the whole theory; its surface realisation from the raw seam stays honestly [O]. Cited in `tfpt_research_contracts`; Python-only. Suite now 180 modules.

## 2026-06-14 (the two obligations collapse to ONE geometric premise v179)

- **v179\_conformal\_realisation.py** [E]/[O] (claim QGEO.CONF.01). Investigating the two residual premises left by v178 shows they are *not* independent — they collapse onto a single geometric premise (honest unification; the premise itself stays [O]). MARKS’s residual is not three independent assumptions: (1) genus-0 *is* P1 — the one-sided Gauss–Bonnet  $c_3 = 1/(|\mathbb{Z}_2| 2\pi \chi(S^2)) = 1/(8\pi)$  uses  $\chi(S^2) = 2$  and  $\chi = 2 - 2g \Rightarrow g = 0$ , so “genus-0” is the same  $\chi = 2$  that gives the “8” in  $c_3$  (v58/v73); (2) the order-4 clock *is* the carrier — the Coxeter element of  $W(A_3) = S_4$  (v117), order  $h(A_3) = 4 = |\mu_4|$ ; (3) marks = one orbit is *forced* (the parabolic marks are not the two elliptic fixed points, a free order-4 orbit has exactly  $4 = e_1(a)$  points). KERNEL then *follows* from the same geometry (DtN symbol  $|k|$ , Lee–Uhlmann v156;  $c = 8$  rigidity v158; the cusped-surface residual  $= H^1 = \mathbb{C}^3 = N_{\text{fam}}$ ). So the *entire* structural residual of the theory is the *single* geometric premise QGEO.CONF.01: “the raw RP seam normal double is conformally  $(\mathbb{P}, \mu_4)$  with the carrier clock as the order-4 Möbius automorphism”. The two doors of v177/v178 are one geometric realisation, left honestly [O]. Cited in `tfpt_research_contracts`; Python-only. Suite now 179 modules.

## 2026-06-14 (an honest attempt at the two obligations v178 — deeper reduction, not closure)

- **v178\_marks\_kernel\_attempt.py** [E]/[O] (claim QGEO.REDUCE.01). An honest attempt at QGEO.MARKS.01 and QGEO.KERNEL.01. These are genuine constructive-geometry/AQFT statements, *not* finite computations — neither is closed. What the module does is push each as far as computation allows: it closes the finite [E] core of each and reduces each to *one sharper* premise. *Marks core* [E]: given a genus-0 double with an order-4 clock  $\rho$  (fixed points  $\{0, \infty\}$ ) and reflection  $\tau$ , the marks are forced to be a generic  $\rho$ -orbit  $\{1, i, -1, -i\} = \mu_4$  (*not* the fixed points), distinct iff  $b_1 = 4 - 1 = 3 = N_{\text{fam}}$  (any collision drops  $b_1$ ), with  $\tau\rho\tau = \rho^{-1}$  giving a faithful  $D_4$  of order 8 — so MARKS reduces to the single topological/clock premise. *Kernel core* [E]: on the 3-dim multiplicity-free  $H^1$  the  $\mu_4$  characters  $(1, 2, 3)$  are distinct, so by Schur a  $\mu_4$ -equivariant operator is forced *diagonal* and completely determined by its eigenvalue per character; two such with the forced transfer spectrum  $\{1, (2/3)^6, (1/3)^6\}$  (v162) and the unique residue-normalised basis (v177) are *equal as operators*, not merely isospectral — the spectrum-vs-operator worry *vanishes* on the finite block. So KERNEL reduces to the single full-operator-reduction premise (principal symbol  $|k|$ , Lee–Uhlmann/v156; no drift v158). Net: neither obligation closed; both sharpened to milder premises with their finite cores [E]. Cited in `tfpt_research_contracts`; Python-only (Möbius/Schur symbolic + numeric). Suite now 178 modules.

## 2026-06-14 (QGEO proof tree v177 — the residual sharpened into two named obligations)

- **v177\_seam\_marking\_kernel.py** [E]/[O] (claims QGEO.TREE.01, QGEO.MARKS.01, QGEO.KERNEL.01). A second external residual-class audit pointed out that the v176 statement takes the marks/ $D_4$  as a *hypothesis* — a near-circular trap. This module factors the central theorem honestly as  $\text{REALIZE} = \text{MARKS} \cdot \text{UNIFORM} \cdot \text{COHOM} \cdot \text{MODULE} \cdot \text{KERNEL} \cdot \text{NET}$  and closes *four* nodes *constructively* (all validated symbolically before adoption): UNIFORM [E] — an order-4 Möbius map conjugates to  $z \mapsto iz$ , a non-fixed orbit scales to  $\mu_4$ , and  $\sigma\rho\sigma = \rho^{-1}$  for  $\sigma : z \mapsto 1/z$  gives a faithful  $D_4$  (order 8), so a genus-0 four-marked faithful- $D_4$  boundary *is*  $(\mathbb{P}, \mu_4)$  (strengthening v168’s cross-ratio to the full uniformisation); COHOM [E] —  $\rho^*\omega_k = i^k\omega_k$ , grading  $(1, 2, 3) = A_3$  exponents; MODULE [E] — a *unique*  $\mu_4$ -equivariant iso (multiplicity-free + residue normalisation; reflection  $\omega_1 \leftrightarrow \omega_3$ ,  $\omega_2$  fixed); NET [E] (v154/v175). The structural residual is thereby sharpened from one diffuse premise into *exactly two* named open obligations, neither a finite computation: QGEO.MARKS.01 (the raw RP seam

collar canonically produces the genus-0 four-marked  $D_4$  boundary) and QGEO.KERNEL.01 (the raw seam Calderón operator *is* the  $\mu_4$ -equivariant free gapped contraction, as an operator). Cited in `tfpt_research_contracts` (the central-theorem keybox); Python-only (Möbius/cohomology symbolic; numbers mirrored via `v168/v137/v162/v154/v175`). Suite now 177 modules.

## 2026-06-13 (Seam Collar Realisation Theorem v176 — the one central proof obligation)

- `v176_seam_collar_realisation.py` [E]/[O] (claim QGEO.REALIZE.02). Following an external residual-class audit, the single remaining structural item is formulated as one central theorem and certified as a *reduction* (not a fabricated proof). *Theorem*: given an oriented one-sided RP seam collar with a sheet-odd Calderón involution, faithful  $D_4$  marks, four parabolic marks with  $\mu_4$  decomposition and admissible  $c=8$  data, its conformal boundary is Möbius-equivalent to  $\mathbb{P} \setminus \mu_4$  with  $H^1$  grading  $(1, 2, 3)$ , the Calderón contraction is the rank-8  $K_\Sigma$  polarisation and the index-4 extension is  $(E_8)_1$ . The proof decomposes into six steps, *five already* [E]: geometry/uniformisation (`v168`), Calderón DtN symbol  $|k|$  (`v156`),  $H^1$  character = generation grading  $(1, 2, 3) = A_3$  exponents (`v137/v168`),  $\mu_4$ -equivariant contraction with gap  $(2/3)^6$  (`v162`), AQFT closure  $(D_5)_1 \otimes (A_3)_1 \rtimes \mu_4 = (E_8)_1 + \text{full-cone RP all } m$  (`v154/v175`). The whole structural residual thus reduces to the *one* open premise QGEO.REALIZE.01: that the physical seam collar's boundary *is* this  $\mathbb{P} \setminus \mu_4$  — a constructive-geometry statement, left honestly [O]. Cited in `tfpt_research_contracts` (the central theorem keybox); assembly/reduction certificate, Python-only (its exact identities are mirrored via `v168/v156/v162/v154/v175`). Suite now 176 modules. *Audit note*: the metrology residual the same review flags is already discharged — `v153` (No-Unit Theorem) is the metrology-line typing ( $v_{\text{geo}} \mapsto \lambda^{-1} v_{\text{geo}}, 1/G \mapsto v_{\text{geo}}^2$ , dimensionless data invariant), and the Koide  $u \rightarrow \frac{53}{54} u$  source→pole transfer is already typed [C] (FR.KOIDE.03); neither is re-derived.

## 2026-06-13 (Zenodo release 5.1 (rev 105) — v174 + v175 + doc refresh)

- **Published to Zenodo.** Version 5.1 (rev 105) of the ten-PDF document set (introduction, origin\_theory, tfpt\_1–5, horizon, research\_contracts, changelog) was published as a new version of the TFPT deposit — record 20681451, DOI 10.5281/zenodo.20681451. This version carries the AQFT closure round (`v170–v175`): the seam Fock-space readings and the heavy-artillery discharge of net existence + full-cone reflection positivity to [E]. The README and the Zenodo description were refreshed to the current state (175 modules, Wolfram 116/116 + 231/231), and the uploader's DEFAULT\_RECORD\_ID was advanced to the new record for the next release.

## 2026-06-13 (the heavy artillery v175: net existence + full-cone RP discharged to [E])

- `v175_net_existence_full_cone.py` [E]/[O] (claim QFT.NETRP.01). The two structural residuals that the premise-(A) chain had relocated to *already-open* items —  $A_2$  net existence and full-cone reflection positivity — are now *discharged to a theorem*, leaving the seam realisation as the single irreducible open premise (nothing fabricated). (1) *Full-cone RP for all  $m$* : the CAR second-quantisation functor  $\Gamma(t) = \bigoplus_m \Lambda^m(t)$  lifts the one-particle seam contraction  $t$  to the complete Fock space  $\Lambda^\bullet(\mathbb{R}^{16})$  ( $\dim 2^{16} = 65536$ ); by the exterior-power spectrum theorem every eigenvalue is a subset product of  $\text{spec}(t)$ , so all  $2^{16}$  products lie in  $[0, 1]$  (a contraction = full-cone RP), with eigenvalue-1 multiplicity  $2^8 = 256$  (wedges of the rank-8  $K_\Sigma$  polarisation) and sub-leading = the one-particle gap  $(2/3)^6$  — so full-cone RP reduces *for every  $m$*  (not only  $m \leq 6$ , `v161`) to the one-particle contraction (Shale–Stinespring), discharging the `v160` scope premise. (2)  $A_2$  *assembled + verified*: the  $(E_8)_1$

character  $E_4/\eta^8 = 1 + 248q + 4124q^2 + 34752q^3 + 213126q^4 + 1057504q^5$  (level-1 = 248, extends the order-4 **v156** check by one order), the embedding  $248 = 120 + 128$ , and the  $E_8$  Cartan matrix even with  $\det 1$  (the unique rank-8 even unimodular lattice, **v83**); the net *exists* by cited theorems (free-fermion net, lattice VOA, index-4 Q-system, **v125**). (3) Both then need the *same* input — the seam realisation **QGE0.REALIZE.01** (finite half proven, **v168**) — which is a constructive-geometry/AQFT statement, *not* closeable by a finite computation, and is left honestly **[O]**. **Net:** net existence and full-cone RP become **[E]**; the one irreducible structural premise is the seam realisation. Cited in **tfpt\_research\_contracts** (premise (A) closure) and **tfpt\_5\_redteam** (Target A); the exact parts (Cartan unimodular, character order 5, functoriality integers) mirrored in the Wolfram extension (231/231). Suite now 175 modules.

## 2026-06-13 (seam Fock-space readings **v174: CAR cone, Witten index, g-theorem**)

- **v174\_seam\_fock\_readings.py** **[E]** (**claim QFT.FOCK.01**). Three more exact audit bridges from the same source note. (1) *CAR cone compression*: the even CAR algebra of the 16 seam Majoranas has  $\dim \Lambda^{\text{even}}(\mathbb{R}^{16}) = 2^{15} = 32768$  directions, but a quasi-free Bogoliubov transport reduces the whole cone to a 16-dim one-particle problem ( $2^{15}/16 = 2^{11}$ ) — the explicit count behind **v161**. (2) *Witten index = the Plücker norm 11*: the four  $\mu_4$ -corner fermions span a  $2^4 = 16 = \dim S^+$  Fock space; QBL ( $\deg \leq 2$ ) keeps  $\sum_{k \leq 2} \binom{4}{k} = 11 = \dim S^+ - g_{\text{car}}$ , so  $c_u/c_d = 55/117$  reads a topological state-space dimension. (3) *Affleck–Ludwig g-theorem*:  $c_{UV} = 5 + 3 = 8 = c_{IR}((E_8)_1)$ , so  $\Delta c = 0$  forces an exact isometry — the boundary-entropy form of the **v157/v158** rigid fixed point. Cited in **tfpt\_2** (Exterior Leg Lemma); mirrored in the Wolfram extension (230/230). Suite now 174 modules. (The categorical reframings in the source note remain framing, not asserted claims.)

## 2026-06-13 (CFT/QFT bridges: slice compression **v170**, OS moment **v171**, trace-anomaly seed **v172**, Pfaffian CP **v173**)

- **v170\_diamond\_slice\_compression.py** **[E]** (**claim E8.SLICE.01**). E8 Slice Compression Lemma: the seven  $E_8$  audit slices are *one* projection of two alphabets — anchor power sums  $P = (3, 4, 6, 10)$  ( $p_n = 2 + 2^n$ ) and Sheet-Diamond determinants  $(3, 4, 8, 14, 20, 32)$  summing to  $81 = N_{\text{fam}}^4$ . All seven 248-slices, the  $K_4$  edge graph, and the row-budget cross  $(7, 11, 13) + s(3, 3, 3) + t(1, 2, 3)$  follow;  $78 = \dim E_6 = p_2(p_0 + p_3)$ . Cited in **tfpt\_3** (slice atlas). Exact; reading is audit (anti-numerology).
- **v171\_os\_moment\_cluster.py** **[E]/[C]** (**claim QFT.OSMOMENT.01**). Atomic OS Moment Lemma:  $\text{spec}(T) = \{1, 64/729, 1/729\}$  makes every correlator a positive moment sequence, so the OS Hankel matrices factorise as Vandermonde Grams (a clean RP certificate); cluster  $729/665$ ,  $\xi = 0.4111$ . Sugawara Gap Safety:  $31 = 1 + h^\vee(E_8)$ ,  $c((E_8)_1) = 248/31 = 8$ ,  $\Delta_{\text{eff}} = 6 \log \frac{3}{2} - 31/(4\pi^2) > 0$ . Cited in **tfpt\_research\_contracts** (G5).
- **v172\_trace\_anomaly\_seed.py** **[E]** (**claim SEED.ANOMALY.01**). The seed prefactor  $\frac{4}{3}$  is the halved  $(E_8)_1$  Weyl anomaly: over the seam  $S^2$  ( $\chi = 2$ ) the  $c = 8$  trace anomaly is  $c\chi/6 = \frac{8}{3}$ , halved by the one-sided  $|\mathbb{Z}_2|$  to  $\frac{4}{3} = 16/12$ . Plus QCD  $b_3 = 7 = \text{scalaron exponent } 48 - 41$  (confinement  $\leftrightarrow$  inflation), and the Volkov–Wipf  $-98/45 = -2 \cdot 7^2 / \dim(D_5)$  factorisation. Cited in **tfpt\_2** (seed).
- **v173\_pfaffian\_cp\_car.py** **[E]** (**claim FLAV.STRONGCP.02**). Strong CP  $\theta_{\text{eff}} = 0$  as Pfaffian reality in the self-dual 16-Majorana CAR model:  $\{D, \Sigma\} = 0$  pairs the spectrum,  $\gamma_5$ -Hermiticity makes the Pfaffian real, and RP picks the positive branch. Cited in **tfpt\_2** (Strong CP section).
- All four validated computationally before adoption; the exact identities (**v170/v171/v172**) are mirrored in the Wolfram extension (229/229). Suite now 173 modules. (The categorical

reframings in the source note — compiler-as-single-functor,  $E_8 = K_0$ , GIT/monadic/Langlands — are recorded as framing, not asserted as machine-checked claims.)

## 2026-06-13 (Zenodo release 5.1 (rev 97))

- **Published to Zenodo.** Version 5.1 (rev 97) of the ten-PDF document set (introduction, origin\_theory, tfpt\_1–5, horizon, research\_contracts, changelog) was published as a new version of the TFPT deposit — record 20678568, DOI 10.5281/zenodo.20678568. The uploader’s DEFAULT\_RECORD\_ID was advanced to the new record for the next release. Also fixed `build.sh zenodo` on macOS bash 3.2 (empty-array expansion under `set -u`).

## 2026-06-13 (QGEO rigidity theorem v168 + $\eta_B$ leptogenesis interface v169)

- **v168\_qgeo\_rigidity.py** [E]/[C] (claims QGEO.RIGID.01, QGEO.REALIZE.01). Hardens the *finite* half of the one remaining Tier-1 hinge GATE.QGEO (the seam = flavour = horizon identification). Exact, machine-checked:  $\mu_4 = \{1, i, -1, -i\}$  has cross-ratio 2 and a faithful Möbius stabiliser of order  $8 = |D_4|$ ;  $H^1(\mathbb{P}^1 \setminus \mu_4)$  has rank  $4 - 1 = N_{\text{fam}} = 3$ ; and the forms  $\omega_k = z^{k-1}dz/(z^4 - 1)$  ( $k = 1, 2, 3$ ) are  $\mu_4$ -eigenforms with characters  $\chi_1, \chi_2, \chi_3$  of weights  $(1, 2, 3) = A_3$  exponents =  $\text{Spec}(Q_+)$ . So a genus-0 boundary with faithful  $D_4$ , four parabolic marks and this  $\mu_4$ -decomposition is Möbius-equivalent to  $\mathbb{P}^1 \setminus \mu_4$  — the QGEO Rigidity Theorem (QGEO.RIGID.01, [E]). The seam-collar realisation stays the one premise (QGEO.REALIZE.01, [C]). Mirrored in the Wolfram extension (226/226). Cited in `tfpt_research_contracts` (U0). *Not* a new structural class — it hardens the existing hinge (consistent with v167’s completeness claim).
- **v169\_etaB\_boltzmann\_interface.py** [C] (claim FR.ETAB.02). Operationalises the Tier-3  $F_{\text{transfer}}$  leptogenesis path. Type-I thermal leptogenesis  $\eta_B \sim 0.96 \times 10^{-2} \varepsilon_1 \kappa_f$  (sphaleron 28/79), fed by TFPT’s normal-ordered neutrino spectrum and the predicted  $\delta_{CP} = 240^\circ$ . Over natural  $M_1 \in [3 \times 10^9, 3 \times 10^{10}]$  GeV and washout,  $\eta_B$  brackets the observed  $6.1 \times 10^{-10}$  (a canonical point gives  $6.0 \times 10^{-10}$ , untuned) — the route is *viable*. But  $M_1$ /washout are scenario inputs, so  $\eta_B$  stays [C]; if a precise solve excluded the window the leptogenesis *route* falls, not the theory (the downstream  $\Omega_b$  readout is independent). Cited in `tfpt_4_frontier` (Route B). Python-only.

## 2026-06-13 (Higgs quartic from the free seam: SM near-criticality explained, v166)

- **v166\_higgs\_free\_seam.py** [E]/[C] (claim HIGGS.FREESEAM.01). A new prediction tying the Higgs mass to premise (A). The seam UV is the free chiral  $c=8$  fixed point (v158, Gaussian, no relevant/marginal interactions), so the one marginal SM scalar coupling vanishes there:  $\lambda(M_{\text{seam}}) = 0$  and  $\beta_\lambda(M_{\text{seam}}) = 0$  — the Shaposhnikov–Wetterich double-criticality, here *derived* from the free seam, not assumed. Integrating the PyR@TE-confirmed *two-loop* SM RGEs from  $M_Z$  up with the measured  $(m_H, m_t)$  gives  $\lambda(\bar{M}_{\text{Pl}}) \approx 0.002$  and  $\beta_\lambda(\bar{M}_{\text{Pl}}) \approx 0$ : the famous SM near-criticality is a *consequence* of the free seam (2-loop sharpens  $\lambda(\bar{M}_{\text{Pl}})$  from  $\sim 0.022$  at one loop to  $\sim 0.002$ ). The double condition predicts  $m_H \sim 129\text{--}134$  GeV; the same condition at the scalaron scale gives  $\sim 107$  GeV (too low), so the boundary condition lives at the reduced Planck scale (seam = horizon = Planck). Fills the Higgs-sector gap (was only  $N_\Phi = 1$ ); cited in `tfpt_4_frontier`.
- PyR@TE-sourced: the reproducer’s SM run supplies the two-loop  $\beta_\lambda$ , reduced to top-only (`verification/pyrate/sm_higgs_betas.txt`). Suite now 166 modules. Python-only (numerical 2-loop ODE).



## 2026-06-13 (PyR@TE $F_{\text{transfer}}$ follow-ups: flavor scale-tagging v163, QCD scale v164)

- **v163\_rg\_stability\_flavor.py** [E]/[C] (**claim FLAV.RGSTAB.01**). Scale-tagging of the flavor sector. The lepton-mixing seeds ( $\sin^2 \theta_{12} = \frac{1}{3} - \frac{\varphi_0}{2} = 0.3067$ ,  $\sin^2 \theta_{13} = \varphi_0 e^{-5/6} = 0.0231$ ) are *RG-stable*: the PMNS running is  $y_\tau^2$ -suppressed (the only mixing-rotating Yukawa term is  $\frac{3}{2} Y_e Y_e^\dagger Y_e$ , PyR@TE SM RGEs), so  $\kappa_\tau = y_\tau^2 / (16\pi^2) \ln(M_{\text{scal}}/M_Z) \sim 1.8 \times 10^{-5}$  and  $|\Delta \sin^2 \theta_{ij}| \lesssim 10^{-4}$  — two to three orders below precision. Seam value = measured value; the  $y_t^2$ -driven quark mass ratios ( $m_t/m_b \sim 41$ ) by contrast carry a scale tag. Cited in **tfpt\_2** (solar/reactor angle box).
- **v164\_qcd\_scale.py** [E]/[O] (**claim QCD.LAMBDA.01**). The QCD confinement scale is parameter-free from the carrier  $b_3 = -7$  (v159): running  $\alpha_s(M_Z) = 0.1179$  down (two-loop,  $n_f$  thresholds) reproduces  $\alpha_s(m_b) \simeq 0.22$ ,  $\alpha_s(m_c) \simeq 0.38$  and confinement at  $\sim 0.5$  GeV by dimensional transmutation — so the QCD-scale *numerator* of  $m_p/m_e$  is independently sourced. The  $O(1)$  proton/ $\Lambda$  factor is lattice, so  $m_p/m_e = 1836$  stays the honest “[O] — not forced” frontier ratio. Cited in **tfpt\_4\_frontier**.
- Both are PyR@TE-backed (the reproducer now also extracts the SM Yukawa  $\beta$ ’s, **verification/pyrate/sm\_yukawa\_betas.txt**). Suite now 164 modules. Python-only (no Wolfram mirror: magnitude bound / numerical running).

## 2026-06-13 (PyR@TE external cross-check of the $F_{\text{transfer}}$ gauge inputs — v159)

- **New module v159\_pyrate\_gauge\_crosscheck.py** [E]/[C] (**claim EM.BUDGET.02**). The one-loop gauge coefficients used by the transfer functor are confirmed by an *independent* third-party RGE generator. Feeding the carrier / Standard-Model field content into the textbook one-loop formula (GUT normalisation) gives  $(b_1, b_2, b_3) = (\frac{41}{10}, -\frac{19}{6}, -7)$ , and **PyR@TE 3** (arXiv:2007.12700, [github.com/LSartore/pyrate](https://github.com/LSartore/pyrate)) writes  $\beta_{g_1} = (\frac{41}{10})g_1^3$ ,  $\beta_{g_2} = -\frac{19}{6}g_2^3$ ,  $\beta_{g_3} = -7g_3^3$  verbatim (plus the full standard 2-loop matrix). So  $b_1 = 41/10$  is pinned *three* independent ways — carrier algebra  $10b_1 = g_{\text{car}} 2^{g_{\text{car}}-2} + 1 = 41$ , the  $U(1)$  hypercharge index  $\sum \frac{3}{5} Y^2$ , and PyR@TE — and the split  $10b_1 = 40_{(\text{ferm.})} + 1_{(\text{Higgs})} = 41$  reproduces the EM-budget Gate 1 of **tfpt\_2**. Cited there with **\veri**; the gauge sector of  $F_{\text{transfer}}$  is thus not a free knob.
- **PyR@TE reproducer (not vendored)**. **verification/pyrate/reproduce.sh** clones PyR@TE on demand into **experiments/pyrate** (git-ignored), neutralises its interactive **pdflatex** end-command, runs the SM at one and two loops, and re-extracts the gauge  $\beta$  functions; the committed evidence is **verification/pyrate/sm\_gauge\_betas.txt**. PyR@TE is the right external tool for the transfer/RGE gates (gauge running, and — with a seesaw model — the neutrino-Yukawa running behind  $\eta_B$ ); it is *not* a tool for premise (A) (a 2d boundary-CFT question). Mirrored in the Wolfram extension; suite now 159 modules.

## 2026-06-13 (terminal residual inventory: (A) no longer a structural class; one hinge + $F_{\text{transfer}}$ + irreducible core, v167)

- **New module v167\_inventory\_post\_closure.py** [E]/[C]. The terminal residual inventory (line v105→v123→v167), re-pinned after the (A)-chain. With (A) discharged (**GATE.METRIC.16-19**) the v123 *five* structural classes collapse: the seam clock (R1), the index-4 net (R2) and the  $Q$ -realisation (R5) all merge into *one* Tier-1 hinge — the seam=flavour=horizon identification =  $A_2$  net existence (assembly of established net constructions) + **GATE.QGEO** (seam boundary =  $\mathbb{P} \setminus \mu_4$ , cohomology  $b_1 = N_{\text{fam}}=3$ ); the EH step (R3) folds into  $v_{\text{geo}}$  (v152) and the ambient measure into  $G_{\text{net}}$  (v76). **Terminal structure**: Tier 0 = the irreducible core  $\{\pi, v_{\text{geo}}\}$  (a theorem, No-Unit v153); Tier 1 = one hinge; Tier 2 = folded; Tier 3 =  $F_{\text{transfer}}$ , one functor with four typed conditional interfaces

(Koide,  $\eta_B$ , axion,  $m_p/m_e$ ),  $\eta_B$  carrying the most open computational room. Completeness: a sixth independent structural class — or a new irreducible — fails the script (ledger SYNTH.INVENTORY.03). A unification + re-typing, NOT an unconditional proof. Python-only (reads the ledger).

- **Bookkeeping.** Suite at 167 modules, all green; Wolfram extension unchanged at 224/224; `origin_theory` (residual-inventory keybox) and `next.txt` moved together.

**2026-06-13 (premise A maximal honest closure: A2 by assembly, R1 = GATE.QGEO, zero independent open gates, v165)**

- **New module v165\_premise\_a\_closure.py [C]/[O].** Pins the two residual gates of the v160–v162 (A)-chain to their floor.  $A_2$  (**net existence**) **closes by assembly** of established mathematics [C]: the 16 free Majoranas give a free-fermion conformal net (Buchholz–Mack–Todorov), the holomorphic  $c=8$  lattice net is  $(E_8)_1$  (Frenkel–Kac–Segal / Dong–Xu / Kawahigashi–Longo), the  $\mu_4$  extension is a Longo Q-system of index 4 (v125),  $\mu(B)=16/16=1$ ,  $248=120+128$ , character  $E_4/\eta^8=j^{1/3}$  (v156); the one TFPT-specific input (seam Calderón kernel = free-fermion two-point function) is done via DtN =  $|k|$  (v156/v157).  $R_1$  (**seam clock**) **reduces to GATE.QGEO** [C]: a  $\mu_4$ -equivariant flat gapped generator is *unique* ( $= A_0^*$ , v115/v116), so the gap  $(2/3)^6$  is forced and the residual is the one geometric identification “seam boundary =  $\mathbb{P} \setminus \mu_4$ ” = GATE.QGEO (cohomology established, v137,  $b_1=3=N_{\text{fam}}$ ). **Final accounting:** by the No-Unit Theorem (v153) the irreducibles stay  $\{\pi, v_{\text{geo}}\}$ ; premise (A) = ( $A_2$  assembly) + ( $R_1$ =GATE.QGEO) + the  $\{\pi, v_{\text{geo}}\}$  core, so it carries *zero independent open gates* and ceases to be its own gate — a unification and re-typing, *not* an unconditional proof (ledger GATE.METRIC.19). Python-only (numpy/sympy + stdlib).
- **Bookkeeping.** Suite at 165 modules, all green; Wolfram extension unchanged at 224/224; `tfpt_research_contracts` (premise-A keybox) and `next.txt` moved together.

**2026-06-13 (the final identification: premise A factors into the already-open A2 + R1, no new open content, v162)**

- **New module v162\_seam\_transport\_identification.py [E]/[O].** Pushes the v161 residual as far as it rigorously goes and shows it carries *no new open content*. The one-particle symbol splits into a gap value ( $\beta$ ) and a fixed space ( $\alpha$ ). ( $\beta$ ) **is forced:** a  $\mu_4$ -equivariant generator is diagonal in the cusp basis (the deck average is the diagonal projection,  $\sum_k U^k X U^{-k} = |\mu_4| \text{diag } X$  for  $U = \text{diag}(1, i, -i)$ ; the commutant of  $U$  is exactly the diagonal algebra), so its spectrum is the cusp weights  $\text{spec}(A_0^*) = \{0, \frac{1}{3}, \frac{2}{3}\}$  (v115) and the transfer eigenvalue  $(1-\alpha)^{p_2}$  with  $p_2=6=|R_+(A_3)|$  gives  $\{1, (2/3)^6, (1/3)^6\}$ , gap  $6 \log \frac{3}{2}$  — all carrier data; the lift to the 16 Majoranas is the  $A_3$  subnet grading (v137). ( $\alpha$ ) is the rank-8 Calderón polarisation of  $\omega_k=|k|$  (v113/v156). **Closure:** with v160+v161, (A) closes given only  $\mu_4$ -equivariance + admissibility, whose two non-derived inputs are the already-open A2 (net existence, Kawahigashi–Longo) and R1 (seam clock, HOR.CLOCK). So premise (A) factors exactly into  $A_2 + R_1$  — it adds *no* independent open item and is closed *conditionally* on them (a unification, not an unconditional proof; ledger GATE.METRIC.18). Python-only (numpy/sympy + stdlib).
- **Bookkeeping.** Suite at 162 modules, all green; Wolfram extension unchanged at 224/224; `tfpt_research_contracts` (premise-A keybox) and `next.txt` moved together.

**2026-06-13 (the cone reduces to one particle: premise A’s scope premise discharged to a 16-dim statement, v161)**

- **New module v161\_one\_particle\_reduction.py [E]/[O].** *Discharges* the scope premise of v160 (“the transport is gapped on the *full* Schwinger cone”) via Bogoliubov second

quantisation. A quasi-free transport is  $T_\Sigma = \Gamma(t)$ , the second quantisation of a one-particle contraction  $t$  on the 16-dim Majorana space;  $\Gamma(t)$  acts on the degree- $m$  correlator sector as the exterior power  $\Lambda^m(t)$ . Machine-checked: (1)  $\text{spec}(\Gamma(t)|_{\deg m}) =$  products of  $m$  one-particle eigenvalues (compound-matrix theorem, all  $m=0..6$ ); (2) **the cone gap equals the one-particle gap** — the sub-leading eigenvalue over the whole cone is  $(2/3)^6$  exactly, so premise 5 on the cumulant space *is* premise 5 on the 16-dim space; (3) the eigenvalue-1 sector is  $\Lambda^*$  of the fixed subspace (disconnected Wick powers), with uniqueness closed by v113 (one polarisation  $\Leftrightarrow$  one vacuum); (4) quasi-freeness is *forced* — the  $120 = \dim \mathfrak{so}(16)$  chiral currents are the Bogoliubov generators and v158 makes every non-Gaussian deformation irrelevant. **Consequence:** v160's three full-cone premises collapse to ONE finite (16-dim) one-particle statement (seam symbol = gapped Calderón Bogoliubov map, fixed = rank-8  $K_\Sigma$ , gap  $(2/3)^6$ ); all numbers supplied, only the physical identification (Kawahigashi–Longo class = the A2 net residual) stays open — the infinite-dimensional cone is eliminated (ledger GATE.METRIC.17). Python-only (numpy + stdlib).

- **Bookkeeping.** Suite at 161 modules, all green; Wolfram extension unchanged at 224/224; `tfpt_research_contracts` (premise-A keybox) and `next.txt` moved together.

## 2026-06-13 (premise A as a conditional fixed-point theorem; the load relocates to one scope premise, v160)

- **New module v160\_seam\_gaussianity\_from\_pf.py [E]/[O].** Formalises the proposed closure of premise (A) (“the seam bulk is a reflection-positive free field”) as a fixed-point theorem and types it honestly. The *exact* parts: (1) a quasi-free state has *all* higher connected cumulants  $\kappa_{2n}=0$  — verified by the *signed* set-partition/Pfaffian moment  $\leftrightarrow$  cumulant inversion on a concrete pure Majorana covariance (the v113 “one kernel = net” property at the cumulant level); (2) a kernel-preserving transport fixes the whole quasi-free state by Wick functoriality; (3) the Perron–Frobenius dichotomy (a *fixed*  $\kappa_{2n}$  is a second fixed ray  $\Rightarrow$  breaks uniqueness; a *non-fixed* one decays by the gap) forces Gaussianity; (4) the qualitative claim needs only  $\text{gap} > 0$ , the value  $(2/3)^6$  only sets the rate. **The honest residual:** v56's gapped PF uniqueness lives on the *three-dimensional* scalar transfer spectrum  $\{1, (2/3)^6, (1/3)^6\}$ , while the 16-Majorana seam already carries  $\binom{16}{4}=1820$  and  $\binom{16}{6}=8008$  higher-cumulant directions — so (A) reduces to the single internal, exact-testable statement “the admissible TFPT seam transport is primitive + spectrally gapped on the *full* Schwinger cone, not only the readout spectrum of v56”, which the suite does *not* yet establish (ledger GATE.METRIC.16). Python-only (numpy + stdlib); no new exact-identity content for the Wolfram mirror.
- **Bookkeeping.** Suite at 160 modules, all green; Wolfram extension unchanged at 224/224 (v160 is numerical, Python-only); `tfpt_research_contracts` (the premise-A keybox) and `next.txt` moved together.

## 2026-06-13 (changelog date-order audit + reorder pass)

- **Changelog sort enforced.** `audit_sync.py` now checks that every dated `\subsection \{YYYY-MM-DD...\}` block in this file is non-increasing (newest first; range titles such as 2026-06-07 / 2026-06-08 sort by the later date). A manual prepend had left five 2026-06-12 entries above seven 2026-06-13 blocks — reordered; future mis-sorts fail `build.sh audit` as [B.changelog].

## 2026-06-13 (premise A: the destination fixed point is provably stable, v158)

- **The free chiral  $c=8$  fixed point is provably stable (v158, exact dimension count).** The finite core of (A)'s “reaches-the-fixed-point” residual: the chiral Majorana has  $h=\frac{1}{2}$ , the bilinear current  $h=1$ , the quartic  $h=2$ . The relevant window  $0 < h < 1$  for bosonic

deformations is *empty*, the  $h=1$  currents are chiral (v157, not  $(1,1)$ -marginal), and the lowest interaction (quartic,  $h=2$ ) is irrelevant — so the fixed point is isolated and stable against all interactions. Premise (A) reduces to a basin-of-attraction statement with a *proven* stable target (ledger GATE.METRIC.15). *Tooling note:* PyR@TE (4d gauge-Yukawa RGEs) is the wrong tool for this 2d boundary-CFT residual, but the right tool for the  $F_{\text{transfer}}$  interfaces ( $\eta_B$  leptogenesis RGEs, gauge-coupling running, the  $b_1=41/10$  cross-check).

- **Bookkeeping.** Suite at 158 modules, all green; Wolfram extension 224/224; contracts / `origin_theory` / `next.txt` / website moved together.

## 2026-06-13 (premise A reframed: freeness is a rigid boundary fixed point, v157)

- **The free-bulk premise becomes a fixed-point property (v157, simplicity-first).** Instead of postulating Gaussianity, three facts click: (i) the DtN/Calderón symbol is *universally*  $|k|$  (Lee–Uhlmann — order-1  $\Psi$ DO, principal symbol  $|\xi|_g$ ; interactions live in the irrelevant lower-order symbol), so the free dispersion is bulk-detail-independent; (ii) a holomorphic  $c=8$  theory is *rigid* — every field has  $\bar{h}=0$ , so no marginal  $(1,1)$  field exists and the fixed point is isolated, with no knob for an interaction; (iii) the same  $|\mathbb{Z}_2|$  that halves  $8\pi$  in  $c_3 = \frac{1}{8\pi}$  is the Ramond/GSO projection giving  $\mu=1$  ( $248=120_{\text{NS}}+128_{\text{R}}$ ). With  $(E_8)_1$  unique (v83), premise (A) shrinks from “prove the seam is Gaussian” to “the gapped ( $\Delta=6\log\frac{3}{2}$ ) boundary flow reaches the holomorphic fixed point” — freeness then forced by rigidity, not fine-tuned (ledger GATE.METRIC.14).
- **Bookkeeping.** Suite at 157 modules, all green; Wolfram extension 223/223; contracts / `origin_theory` / `next.txt` / website moved together.

## 2026-06-13 (Route 3: the seam net constructed and $(E_8)_1$ verified, v156)

- **The constructive route carried to its exact endpoint (v156).** “ $B \cong (E_8)_1$ ” is no longer an assertion: the chiral seam net is built explicitly and the identification *checked*. (a) The Dirichlet-to-Neumann (Calderón) operator of the 2d Laplacian is the free chiral dispersion  $\omega_k = |k|$  (harmonic extension  $e^{ikx-|k|y}$ ); (b) 16 free Majoranas give  $c = 8 = 5+3$ ; (c) the weight-1 currents are  $248 = 120_{\text{NS}} + 128_{\text{R}}$  ( $SO(16)$  bilinears + Ramond spinor, Frenkel–Kac); (d) the holomorphic character  $E_4/\eta^8 = q^{-1/3}(1 + 248q + 4124q^2 + 34752q^3 + 213126q^4) = j^{1/3}$  (verified by  $q$ -series) — the 248 at level 1 is  $\dim E_8$ , so the net *is*  $(E_8)_1$ . *Residual:* exact given (i) the free-bulk premise (DtN =  $|k|$ , v155) and (ii) the operator-algebraic existence of the net from the seam kernel (a Kawahigashi–Longo-type theorem, not a finite computation) — where TFPT meets constructive QFT, now sharply located (ledger GATE.METRIC.13).
- **Bookkeeping.** Suite at 156 modules, all green; Wolfram extension 222/222 (the DtN =  $|k|$  identity, the  $(E_8)_1$  character  $E_4/\eta^8 = j^{1/3}$  and the  $248=120+128$  split mirrored); contracts / redteam (Target A) / `origin_theory` / `next.txt` / website moved together.

## 2026-06-13 (the seam-side identification reduced to one shared premise, v155)

- **$G_{\text{net}}$ ’s last premise reduces to a single shared physical premise (v155, Python-only).** The seam-side identification of the Simple-Current Extension Theorem (v154) splits (v110) into (a) “the Calderón involution is sheet-odd” (the double-cover deck, structural) and (b) “the seam 2-point kernel is quasi-free”. Part (b) is *not* independent: the boundary marginal of a reflection-positive *Gaussian* bulk is the compression  $PTP$  of the covariance, and the compression of a contraction is a contraction — so the seam state is automatically quasi-free (Wick inherited). Hence (b) *follows* from “the seam bulk is a reflection-positive free field”, the *same* premise already load-bearing in the area law (v59) and the EH mechanism (v150/v151). **The entire seam-side residual is therefore one physical premise**, shared by  $G_{\text{net}}$ , the

area law and R3 — not reducible by a finite computation, but no longer three separate items (ledger GATE.METRIC.12).

- **Bookkeeping.** Suite at 155 modules, all green; Wolfram unchanged at 221/221 (v155 is numerical/numpy, Python-only); contracts / `origin_theory` / `next.txt` / website moved together.

## 2026-06-13 (external review formalised: No-Unit Theorem + Simple-Current Extension Theorem, v153–v154)

- **$v_{\text{geo}}$  re-typed: the No-Unit Theorem (v153).** Every load-bearing compiler datum is mass-dimension 0 and invariant under a unit rescaling  $L \mapsto \lambda L$ , whereas a mass /  $1/G$  is not — so a dimensionless boundary compiler *provably cannot* select an absolute scale.  $v_{\text{geo}}$  is therefore an *irreducible metrology primitive*, not an open gap, and the three apparent residuals collapse onto it ( $U_{\text{point}} \sim v_{\text{geo}}$ ,  $1/G \sim v_{\text{geo}}^2$ ,  $m/\mu = e^{3/4}$  a pure ratio); the irreducibles stay {one unit,  $\pi$ } (ledger ANCHOR.VGEO.02).
- **$G_{\text{net}}$  stated as the central closing theorem (v154).** The Simple-Current Extension Theorem:  $A=(D_5)_1 \otimes (A_3)_1$  extended by the isotropic glue  $L=\langle(1,1)\rangle$  has  $[B:A]=|L|=4$ ,  $c=5+3=8$ ,  $\mu(B)=\mu(A)/|L|^2=16/16=1 \Rightarrow$  holomorphic  $\Rightarrow B \cong (E_8)_1$  ( $SO(16)_1$  excluded). Every algebraic ingredient is machine-checked (v89/v92/v125/v143/v148); the only residue is the seam-side identification. Pulled to the front of `tfpt_research_contracts`, `tfpt_5_redteam` (Target A final form) and `origin_theory` (ledger GATE.METRIC.11).
- **Status surfaces re-typed (review):** the canonical status card now reads  $v_{\text{geo}}$  as a metrology *primitive*,  $G_{\text{net}}$  as the simple-current extension  $\cong (E_8)_1$  ( $[E]/[C]$ ), and  $F_{\text{transfer}}$  as one functor with four typed interfaces — “not structural gaps”. The final one-line framing (dimensionless boundary compiler; irreducibles  $\{\pi, v_{\text{geo}}\}$ ; one seam-net theorem; frontier  $= F_{\text{transfer}}$ ) is in `origin_theory`, the introduction, the README and `next.txt`.
- **Bookkeeping.** Suite at 154 modules, all green; Wolfram extension 221/221; intro/README/origin\_theory/contracts/redteam/status-card/website moved together.

## 2026-06-13 (currency sweep: remaining old-series “Paper N” cross-references removed)

- **No old-version framing left in the active docs.** A consistency sweep found a residual layer of old-series “Paper N” attributions and removed them: four literal “Paper 6” references (`tfpt_4_frontier` leptogenesis/axion, `tfpt_2` seam determinant), the old “Paper 4” (OS/admissibility) and “Paper 5” (APS/Hodge) references in `tfpt_2`, the old “Paper 3” transport-kernel attributions in `tfpt_2`, and the internal “Paper 1/2/4” cross-references in `tfpt_3`, `tfpt_4` and `tfpt_horizon_readouts` — all rewritten as content-based phrasing (the flavor sector, the architecture document, the  $E_8$  decoder, the anchor characteristic polynomial, etc.). The active documents now attribute results to the current documents / axioms / scripts only, as the workflow rule requires; the machine-checked sync (scripts  $\leftrightarrow$  papers  $\leftrightarrow$  ledger  $\leftrightarrow$  website) was already current (152 scripts, AUDIT OK).

## 2026-06-13 (fifth round: the R3 normalisation is the dimensionful anchor, v152)

- **R3: the  $q(A_3)$  normalisation merges into the one anchor (v152).** The replica EH coefficient is a *log-ratio*  $k = \ln(m/\mu)/(12\pi)$  ( $\ln m$  alone is scale-ambiguous, only  $m/\mu$  is physical); pinning  $k = c_3/2$  fixes the dimensionless ratio  $m/\mu = e^{3/4}$ , and in  $d=2$  that ratio *is* the induced Newton constant  $1/G$  (v68). So  $v_{\text{geo}}$  (v78),  $1/G$  (v68) and  $m/\mu$  are *one* dimensionful anchor in three readings — the irreducibles stay {one scale,  $\pi$ }, and SEAM.THEOREM.01’s residual reduces to the kernel-identification premise alone. *Audit (not*

*promoted*): the log-ratio is numerically  $\frac{3}{4} = q(A_3)$ , the target value the anchor takes in seam units — not a derivation (ledger SEAM.EHMODEL.03).

- **Bookkeeping.** Suite at 152 modules, all green; Wolfram extension 219/219; intro/README/origin\_theory/next.txt/website moved together.

## 2026-06-12 (Zenodo version label: semantic + git rev)

- **Release version string.** build.sh now writes tex-artefacts/release-version.txt as {TFPTversion} (rev {git count}) (matches \TFPTdatestamp without the date). scripts/zenodo\_upload.py and build.sh zenodo/zenodo-publish use this label on Zenodo; cursor rules extended for when zenodo\_description.html must move with deposit-facing changes.

## 2026-06-12 (Zenodo API upload workflow)

- **Automated Zenodo versioning.** Added scripts/zenodo\_upload.py and .github/workflows/zenodo-release.yml: creates a new draft version of record 20579275 (DOI 10.5281/zenodo.20579275), uploads the ten active paper PDFs, refreshes zenodo\_description.html, bumps the version from tex-artefacts/version.tex, and optionally publishes via GitHub Actions (ZENODO\_TOKEN secret).

## 2026-06-12 (Overleaf shadow mirror: tfpt5-shadow)

- **One-way GitHub mirror for Overleaf sync.** Added scripts/export-shadow.sh and .github/workflows/shadow-sync.yml: on every push to main, a filtered copy is pushed to sthamann/tfpt5-shadow (papers, tex-artefacts/, figures/, verification/, experiments/; excludes \_archive/, website/, all \*.pdf, .cursor/). ~270 files / ~3 MB — within Overleaf GitHub-sync limits.

## 2026-06-12 (origin\_theory style alignment + box reduction)

- **Fewer boxes, embedded in text.** origin\_theory from 22 to 16 boxes: the narrative/interpretation callouts (“Why the interpretation is internally consistent”, “Dependency chain of the birefringence test”, “The precise reformulation”, “The three theses honestly graded”, “The whole story”, “One-line summary”) become run-in bold prose; the boxed reformulation becomes a keyeq. The exact result keyboxes (v53–v56, v101, v105, v113, ...) and the master-principle / Seam–Horizon target boxes are kept.
- **Colour-marked module references + marker hygiene.** \vref applied to the inline vN references; stale literal [A]/[I]/[L] markers in running text replaced by the 4-class [O]/[E].

## 2026-06-12 (tfpt\_5 / horizon / research-contracts pass + build hardening)

- **Forked document-set box removed (horizon).** tfpt\_horizon\_readouts carried a hand-written, *stale* copy of the document-set card (“five short documents”, missing tfpt\_5) and the canonical \input{tex-artefacts/tfpt\_docset}; the fork is deleted so the single-source card (all five papers + three companions) appears once.
- **Fewer boxes, embedded in text.** Narrative/result callouts converted to run-in bold prose (with the \veri{} citation moved out of the bold title into the body): tfpt\_horizon\_readouts from 22 to 7 boxes (the ten-box “clock” wall becomes prose); tfpt\_research\_contracts from 19 to 10 (the nine progress/result winboxes become prose, the named-theorem keyboxes kept); tfpt\_5\_redteam from 10 to 9 (the outcome summary; the per-target verdict boxes are kept as the structured red-team output).

- **Colour-marked module references + marker hygiene.** `\vref` applied to the inline `vN` references in all three documents; the horizon “Scope/typing” marker line and a stale literal `[A]` in the research contracts updated to the 4-class markers.
- **Build hardening.** `build.sh` now removes a document’s `.aux/.toc/.out` on failure, so a half-written cross-reference file from a crashed compile cannot poison the next build; artefacts are still kept on success.

## 2026-06-12 (fourth round: the Calderón transfer answered — the BFK split, v151)

- **R3: the Calderón/DtN kernel is conically clean (v151).** Reflection doubling derives that the Kac corner constant is boundary-condition independent ( $C_N = C_D$ ), so by the Burghlea–Friedlander–Kappeler gluing ledger the conical deficit of the two-sided Calderón jump determinant *vanishes identically* ( $C_{\text{cone}}(\gamma) - 2C_D(\gamma/2) = 0$ ): the seam-reduced effective action inherits the v150 EH form *verbatim*, with all of it localised in the *local* half-space determinants — the “Calderón version” demanded by v150 needs no separate derivation. SEAM.THEOREM.01 narrows to the  $q(A_3)$  normalisation plus the standing kernel premise; the gate stays [O] (ledger SEAM.EHMODEL.02).
- **Bookkeeping.** Suite at 151 modules, all green; Wolfram extension 218/218; intro/README/origin\_theory/next.txt moved together.

## 2026-06-12 (third round: both normals anchor data; the R3 mechanism exists, v149–v150)

- **R4': both dual normals are anchor data (v149).** In the cusp frame the torsion normal pairs to  $(6, 3, 5) = (p_2, p_0, e_2)(a)$  — one anchor invariant per  $Q_+$  line (the cusp matrix is unimodular, so this determines  $n$  uniquely); with  $d = \frac{3}{2}a - 2 \cdot 1$  the dual normal pair is anchor data through and through. Equivalences to the  $(2, 8, 121)$  frame data and the  $w_0$ -lift exact. R4' residue = *one* discrete assignment (ledger GATE.UWALL.14).
- **R3: the mechanism exists at the gapped-model level (v150) — the first movement on SEAM.THEOREM.01.** The conical heat-trace deficit is exact and  $t$ -independent (Cheeger image sum  $(N^2 - 1)/(12N)$ ); for a *gapped* operator the  $\zeta$ -regularised replica variation is *finite and cutoff-independent*,  $\Delta \log \det' = 2C(\gamma) \ln m$ , and its linearisation is the Einstein–Hilbert form  $(\ln m / 12\pi) \int \sqrt{g} R$ . The v73 normalisation becomes one exact target equation:  $k = c_3/2 \Leftrightarrow \ln m = \frac{3}{4} = q(A_3)$  (audit, not asserted). Remaining: the Calderón (boundary) version and that normalisation — the gate narrows but stays [O] (ledger SEAM.EHMODEL.01).
- **Bookkeeping.** Suite at 150 modules, all green; Wolfram extension 217/217; status surfaces (intro reductions + card, origin\_theory, contracts, next.txt, website) moved together.

## 2026-06-12 (R1–R5 second round: every class at its floor, v145–v148)

- **R4': the pairing values are atom identities (v145).** Reading the v139 lift structurally ( $n = w_0(\sigma) + |\mu_4|e_3$ ,  $w_0$  = the  $A_3$  exponent duality), all three pairings become atom arithmetic — including the *new* closure  $|\mu_4| + g_{\text{car}} = N_{\text{fam}}^2 (4+5=9, \sigma \perp w_0(a))$  and  $\|\sigma\|^2 = 110 = |\mathbb{Z}_2|g_{\text{car}}\|\text{Pl}(K)\|_1$ . R4' = derive *one* map (ledger GATE.UWALL.13).
- **R5: the Möbius  $D_4$  realisation (v146).** The *full* dihedral symmetry  $\langle z \mapsto iz, z \mapsto 1/z \rangle$  of the seam curve acts on  $H^1$  exactly as the integer model:  $\iota^*$  is the exponent duality with parity +1 on the self-conjugate line (=  $T_A$  in the cusp basis, glue-swap parity), and  $\Sigma$  is the  $\delta\iota$  class — the premise reduces to the module identification itself (ledger FLAV.QGEO.07).
- **R1: the clock is a Gaussian zero-mode integral, and the bend is  $\det'$ -clean (v147).** Variance ratio  $(1 - \alpha)$  (forced by norm = area) gives the Born-squared ratio  $(1 - \alpha)^{p_2}$ , the  $\ln$

series *is* the v127 ring sum; the two quantum weights share *one* Nariai geometry, so the bend  $\log_{3/2} 3$  carries no determinant correction — the v144 obstruction is localised to the  $\alpha = 0$  reference (ledger HOR.CLOCK.13).

- **R2: the NS/R sector census (v148).** The untwisted (Neveu–Schwarz) module carries only the *even* discriminant classes (integer weights), so the odd  $\mu_4$  simple currents have zero NS support — they are Ramond modules; the R zero-mode module (256) splits 128+128 into the odd sectors of the *two* Lagrangian glues: choosing the glue *is* choosing the R-projection ( $248 = 120_{\text{NS}} + 128_{\text{R}}$ ); the one remaining net statement is irreducibly twisted-sector (ledger GATE.METRIC.10). *Correction note (same day):* the first version of v148 graded the Ramond labels by the sum  $q_D + q_A$  (not the glue label) and called that module untwisted; the census was rewritten as above — conclusion unchanged, support corrected, the R-sector sheet split is new.
- **Bookkeeping.** Suite at 148 modules, all green; Wolfram extension 215/215 (README + GATE.WOLFRAM.02 + website counter in lock-step); status surfaces (intro card, tfpt\_1, origin\_theory third update, next.txt) moved together.

## 2026-06-12 (external review integrated: $\Lambda$ typing, marker migration, website parity)

- **$\Lambda$  normalisation made unambiguous.** The external review flagged the adjacent reduced/unreduced displays in `origin_theory` as a type trap (the formulas were individually correct —  $\bar{M}_{\text{PI}}$  vs  $M_{\text{PI}}$  — but easy to misread). Both normalisations are now shown explicitly side by side with their order counts ( $3/(4\pi^2) \Rightarrow 120.147$  reduced;  $3/(256\pi^4) \Rightarrow 122.948 = 119.028 + 3.920$  unreduced) plus a typing note.
- **Stale references cleaned.** “How each of the seven papers simplifies”  $\rightarrow$  “How the legacy layers simplify (bridge map)” with the lead-in “(Paper 6)” reference replaced by the scalaron-reheating chain (v86); “(Paper~6/7)” in the `tfpt_3` bridge table reworded; the `tfpt_1` “single remaining geometric input (H2)” passage and the `tfpt_2` “single remaining input (U)” passage carry dated status updates pointing at the current decomposition (v118–v122, v139, v141, v142, v75).
- **Marker migration completed in the shared figures.** The claim stack, anchor cockpit,  $E_8$  glue, 2/3 motif and  $K_5$  figures (`tex-artefacts/tfpt_figures.tex`) now show the four public classes `[E]/[C]/[O]` instead of the legacy `[A]/[I]/[L]/[B]/[P]/[R]` badges.
- **Red-team front table pulled to the final state.** The Target-A residual column now states the one remaining statement (boundary-net holomorphy +  $c=8 \Leftrightarrow$  index-4 inclusion; v83/v87/v89, Lie-level realisation v143); the historical three-residual form is kept below, dated.
- **Website parity.** The Red Team document is now a first-class entry (`papers.ts` number 5, slug `redteam`) and the changelog PDF a download row; Appendix H / Origin Theory / Research Contracts are labelled *companions* (never “Paper 5–7”); the marker system on every website surface migrated to `[E]/[C]/[O]/[X]` (fine types named in prose; the script index keeps quoting the scripts’ internal fine-grained typing); the verification page counters are live (144 checks generated from the registry via `lib/suite.ts`, Wolfram 116/116 + 211/211 — now guarded by the sync audit) and the reproduce block matches the current pipeline. The `papers.ts` section bodies of the affected papers carry the v141–v144 outcomes (sheet question: deck derived;  $G_{\text{net}}$ : Lie-level realisation; resummed clock: in-family det-ratio cancellation; selector triangle: two line pairings).
- **Not adopted** (recorded for transparency): the review’s narrative reframings (anchor-algebra trilogy, “one seam clock” framing, one-page structure) and the front-matter/status-card



layout changes are editorial decisions left to the authors; the claimed  $\Lambda$  *error* was in fact a correct-but-treacherous notation switch (see above).

## 2026-06-12 (R1–R5 attack round: four residual classes sharpened, v141–v144)

- **R5 closed at the discrete level (v141, deck selection theorem).** The v140  $\mathbb{Z}_3$  choice is *derived*: the established integer deck  $G = T_A \Sigma$  (v97/v98) pairs the  $Q_+=1$  cusp line with the self-conjugate character 2, so only the sheet-twisted assignment  $(2, 3, 1) = \text{chars}(-U)$  survives; the cusp exponential  $i^{Q_+}$  is excluded (same spectrum, wrong grading pairing). Explicit conjugacy constructed; under  $k \rightarrow -k$  only the established sheet  $\mathbb{Z}_2$  flips. Consequence: Euler grading  $= Q_+ \circ \rho$ . GATE.QGEO keeps only its realisation premise — no discrete freedom left (ledger FLAV.QGEO.06).
- **R4' narrowed: three pairings  $\rightarrow$  two (v142, frame integrality).** Integer covectors in the  $(1, a, \sigma)$  dual frame form an index-11 sublattice ( $x - 3y + z \equiv 0 \pmod{11}$ ; the index is  $\|\text{Pl}(K)\|_1$ ); with  $(x, y) = (|\mathbb{Z}_2|, \text{rank } E_8)$  the  $\sigma$ -pairing is forced  $\equiv 0 \pmod{11}$ , and primitivity forces the line parameter even. Cramer reductions for both line pairings recorded as restructuring (ledger GATE.UWALL.12).
- **R2 realised at the finite Lie level (v143, graded Frobenius).** The  $\mathbb{Z}_4$ -graded hull carries exact coset duality ( $-C_1 = C_3$ ; Killing pairing nondegenerate per  $g_k \times g_{-k}$ ), the glue average is exactly the carrier projector (index 4), and each glue sector is one Weyl orbit (simple currents, fusion  $= \mathbb{C}[\mathbb{Z}_4]$ ) — the v125 Q-system realised by the hull; residue = one conformal-net statement (ledger GATE.METRIC.09).
- **R1's det-ratio step derived in-family (v144).**  $e_2$ -rigidity of the traceless SdS cubic gives  $r_b r_c = 1 - \Delta^2/3$  exactly; with the v132 anomaly the non-zero-mode determinant ratio is  $(1 - \Delta^2/3)^{4/3}$  — no first-order term in the horizon split (the v131 cancellation derived, not assumed); deficit coefficient  $\frac{32}{27} = |\mu_4|(\frac{2}{3})^3$  (audit). Finite-weight absorption stays [C] with the  $6 \rightarrow \frac{14}{3}$  obstruction stated sharply (ledger HOR.CLOCK.12).
- **R3 attempted, honestly unchanged.** No defensible computation landed for the seam-determinant $\rightarrow$ EH step (SEAM.THEOREM.01); the gate keeps its [O] typing untouched.
- **Wolfram mirror extended to v141–v144:** extension file now 211/211 (GATE.WOLFRAM.02 and the wolfram README updated in lock-step); Python suite at 144 modules, all green.

## 2026-06-12 (sync infrastructure: single-source script index, content maps, one audit)

- **Single-source script index.** The master script $\rightarrow$ check table (`tex-artefacts/verification.tex`) and the website `ScriptIndex.tsx` are now *generated* from one registry (`script_registry.csv` + `script_clusters.csv` in `verification/`) by `make_script_index.py`; both targets carry a generated-file header and are never edited by hand.
- **Content maps without splitting the papers.** `verification/make_docs_map.py` generates `docs_map.csv` (every paper section with line range, the vN scripts cited there, a content hash and a last-changed date) and `website_map.csv` (which website file mentions which scripts/documents) — the machine-readable enumeration of all sync surfaces.
- **One sync audit.** `verification/audit_sync.py` bundles and extends the previous loose shell checks, now in *both* directions: suite  $\leftrightarrow$  `run_all.py`  $\leftrightarrow$  registry  $\leftrightarrow$  ledger; every script cited in a paper *body* (the master index alone no longer counts); no stale `\veri/\vref` targets; every new module mentioned in this changelog; website mirror byte-identical (PDFs, scripts, `release.ts` hashes, version stamps); wolfram counts; overfull boxes. Frozen exceptions live in `audit_baseline.json` (remove-only).

- **Build pipeline.** `build.sh` gains `gen / website / audit / release` steps; `notes` now regenerates the single-source surfaces first; `website` copies all active PDFs (now incl. `tfpt_5_redteam.pdf` and `changelog.pdf`, with new `release.ts` entries) and the `vN` scripts, and stamps version, date and git revision into `website/lib/version.ts` (shown in the site header) and `release.ts`.
- **Citation gaps closed.** The audit immediately found three scripts cited only in the master index: `v17` and `v85` are now cited in their `tfpt_2` sections (hexagonal resolvent; master cover), and two short `\veri{v19}` citations were expanded to the full script name. `v91` (spine tetrahedron) had no paper section at all — it is now integrated: a keybox in `tfpt_3` (“Three views of one spine”: anchor closure, edge/face products, volume 120,  $K_6$  negative control, the tautology/sub-grammar caveats) and a closing note in the `tfpt_1` Spine Quotient Lemma; the `ARCH.SPINE.01` ledger location is corrected to `tfpt_1;tfpt_3` and the baseline exception list is empty again.
- **Rules.** `.cursor/rules` updated (`tfpt-workflow`, `website-sync`) and a new `sync-maps` rule added describing the agentic procedure: *regenerate* the maps first, enumerate the affected surfaces from them, audit as the exit gate. The mirror map (`website_map.csv`) also covers the root `README.md` and `next.txt` (bare `vN` ids resolved to full script names), and both files are named explicitly as status surfaces that move with every finding.

## 2026-06-12 (tfpt\_3 / tfpt\_4 style alignment + box reduction)

- **Shared header/footer on tfpt\_3.** `tfpt_3_e8_audit_bootstrap` dropped its custom `\footmarkers` footer (the post-collapse four-[E] artefact) and inherits the shared `tfpt_style` header/footer with the version stamp; the box-orphan `needspace` guards are kept.
- **Fewer boxes, embedded in text.** Narrative/commentary callouts converted to run-in bold paragraphs (boxed one-line formulas to `keyeq`): `tfpt_3` from 39 to 27 boxes (e.g. “Purpose and discipline”, the five “(i)–(v)” audit-lemma boxes, “Net”, “The connection in one sentence”, “The unification”, “The question and the honest answer”, “Net: two axioms”); `tfpt_4` from 18 to 7 (the seven-box Koide stack and the two dark-matter conjecture boxes become prose). The per-item “Honest status of ...” keyboxes are kept — `tfpt_4` is the status authority for the frontier.
- **Colour-marked module references.** `\vref` applied to the inline `vN` references in `tfpt_3` and `tfpt_4` (TikZ node names excluded).
- **Marker hygiene.** A stale literal [P] in `tfpt_4` (Koide flow-time) replaced by the 4-class [C]; status tables checked against the ledger.

## 2026-06-12 (tfpt\_1 / tfpt\_2 style alignment + box reduction)

- **Shared header/footer everywhere.** `tfpt_1_architecture_e8` dropped its custom `\footmarkers` footer (which after the marker collapse showed four redundant [E]) and now inherits the shared `tfpt_style` header/footer with the version stamp, identical to every other document.
- **Fewer boxes, embedded in text.** The narrative/commentary callouts of both documents are converted to run-in bold paragraphs (and the boxed one-line formulas to the colour-marked `keyeq`): `tfpt_1` from 21 to 14 loud boxes (+3 `keyeq`); `tfpt_2` from 52 to 43 (e.g. “In one sentence”, “The one-paragraph version”, the four “Sharpening” notes, “What the simplification means net”, “The disciplined main statement”, “What improves...”, “Scope and honesty”). Only genuine results / theorems / gates keep a box.
- **Colour-marked module references.** `\vref` now also colours the inline `vN` references throughout `tfpt_1` and `tfpt_2` (TikZ node names accidentally matching the pattern were

excluded).

- **Status currency.** `tfpt_2`'s inflation-pivot table gains the `v86` scalaron-reheating point ( $N_\star=51.4 \Rightarrow n_s=0.9611, r=0.0045$ ,  $A_s$ -disfavoured) and states the band-of-record explicitly, matching `COSMO.NSTAR.01` and the introduction; the box is re-typed `[C]`. The other status tables were checked against the ledger and are current under the 4-class markers.

## 2026-06-12 (marker simplification to 4 classes + status reconciliation)

- **Four-class display markers.** The reader-facing marker system is collapsed from eleven symbols to four: `[E]` exact / machine-proven (identity, Lie/lattice, formalised, numerical FP), `[C]` conditional (physical / bridge / readout under named hypotheses), `[O]` open / axiom, and `[X]` kill test. `tex-artefacts/tfpt_style.tex` defines `\mE/\mC/\mO/\mX` and keeps the legacy `\tI ... \tX` names as aliases that render their class. All marker call-sites across the nine documents and the shared fragments were rewritten, collapsing same-class combinations (e.g. `[I]/[L] \rightarrow [E]`, `[N]/[P] \rightarrow [E]/[C]`). The fine-grained per-claim type (Axiom / Formal / Lattice / Numerical / Identity / Physical) is unchanged in `status_ledger.csv` — the single source of truth — so no fidelity is lost. The marker key, badge bar, README marker table and the workflow rule were updated to match.
- **Status tables reconciled against the ledger.** The introduction's inflation/ $N_\star$  rows are made consistent with `v86/COSMO.NSTAR.01`:  $r$  and  $n_s$  are shown as the frozen *bands* over  $N_\star \in [50, 60]$  with the scalaron-reheating conditional point  $N_\star=51.4$  ( $n_s=0.9611, r=0.0045$ ), replacing the stale point values  $N_\star=55$  (predictions table) and  $N_\star \simeq 57$  (residual card); the closure-ledger inflation row is re-typed `[E] \rightarrow [C]` (conditional on  $M_{\text{Star}}=M_{\text{scal}} + \text{reheating}$ ), matching the other two tables and the ledger `[P]` typing.

## 2026-06-12 (version system, predictions/K5, readability pass B3)

- **Authors, auto-date and auto-version on every paper.** New single source `tex-artefacts/version.tex` defines `\TFPTauthors` (Stefan Hamann, Alessandro Rizzo), a curated `\TFPTversion`, and a title/footer date stamp (`\today + version + revision`). `build.sh` writes the auto build revision (git commit count) into the gitignored `tex-artefacts/version-auto.tex`, so every document's title page and page footer carry author, date and `v5.1 (rev N)` automatically. All nine active documents and `changelog.tex` now set `\author{\TFPTauthors}`.
- **Builder keeps build artefacts.** `build.sh` no longer deletes the `.aux/.log/.out/.toc` after a successful build (the `.log` is needed for the overfull-box audit and the `.aux/.toc` for correct cross-references on the next incremental build).
- **Predictions table outsourced.** The running/upcoming-experiment predictions table is moved from `introduction.tex` into the shared fragment `tex-artefacts/predictions.tex` (`\input` in the predictions section).
- **K5 figure fixed.** The `\TFPTactionkfive` mnemonic ( $K_5$  on the five carrier slots) is redrawn so the complete graph and the Pascal-row reading list sit side by side instead of overlapping.
- **Colour-marked script references.** New `\vref` macro colours inline module references (e.g. `v108-v113`, `v49/v71`) in the introduction, predictions and verification fragments, matching the blue of the `\veri` citation, so machine-checked references are visible at a glance.
- **Lighter, non-breaking, embedded boxes.** The `tcolorbox` families are restyled to a light tint + thin frame + light title band with dark coloured title (no heavy white-on-saturated bars); a neutral `navbox` carries the document map and a colour-marked `keyeq` sets off load-bearing display formulas. The introduction's callouts use the non-breaking variants

(keyboxnb/winboxnb/gapboxnb) so no box splits across a page, and the shared status card is non-breaking.

- **Readability / sectioning.** The dense run-in prose of the introduction is broken into `\subsection*` headings (In plain words; one anchor and  $E_8$  as a compiler hull; the companion documents; the compact status formula; the hard reduction; the Pascal action grammar; the closure ledger) with added whitespace.
- **Orphan results linked to scripts.** The Glue theorem, the “Reduction in one line” and the fermion-spectrum callouts now carry inline `\veri{}` citations (v1, v6/v14/v23, v18/v20/v46).

## 2026-06-12 (tex-artefacts refactor + introduction visual pass B2)

- **Shared imports moved to tex-artefacts/.** The shared, imported-only TeX fragments (`tfpt_style.tex`, `tfpt_figures.tex`, `tfpt_docset.tex`, `tfpt_status.tex`) now live in a dedicated `tex-artefacts/` folder; all nine active documents `\input` them via `tex-artefacts/<name>` (and `tfpt_style` loads `tex-artefacts/tfpt_figures`). `changelog.tex` stays at the repo root because it is also a standalone `build.sh` notes deliverable. The `make_manifest.py` TEX list and the workflow rule were updated to the new paths.
- **Master script index outsourced (tex-artefacts/verification.tex).** The long `vN→check` table is moved out of `introduction.tex` into the shared fragment `tex-artefacts/verification.tex` (`\input` in the verification appendix); the paper-consistency audit now also reads that file, so every registered script stays cited exactly once.
- **Introduction box reduction (B2).** The introduction’s eleven **keyboxes** are reduced to the single headline “In one sentence” card; the explanatory keyboxes (*In plain words*, *Sharper still*, *compact status formula*, *hard reduction*, *Cosmology Pascal*,  $E_6 \times A_2$ , *closure ledger*, *Plausibility balance*) are converted to inline run-in paragraphs, the *Glue theorem* is re-typed as a **winbox** (a result, not a claim), and the explanatory *plausible/follows next* **winboxes** become prose. The loud boxes now carry only genuinely load-bearing callouts (one **keybox**, five **winboxes**, one **gapbox**) plus the two shared orientation cards.
- **Document-count consistency.** The introduction’s document map gained the missing `tfpt_5_redteam` row; “seven/eight companion documents” and the ledger “six documents” wording are corrected to the true count (nine active documents); `README.md` (“10 ok”, 140 scripts) and the workflow rule (“9 docs”) are reconciled.

## 2026-06-12 (visual pass: box reduction B1)

- **Box reduction (B1).** The 26 non-load-bearing aside boxes (audit / recorded / interpretation: `auditbox/audbox/intbox/resbox/roadbox`) across `tfpt_1`, `tfpt_2`, `tfpt_3` and `origin_theory` are converted to inline bold run-in paragraphs — the reviewer’s prescription that an audit fingerprint must not carry the same visual volume as a theorem. The loud box families are now only **keybox** (claim), **winbox** (result) and **gapbox** (open/caveat).

## 2026-06-12 (visual pass: shared figures, badges, marker typography)

- **Shared figure library `tfpt_figures.tex`** (`\input` by `tfpt_style`): reusable TikZ macros for the architecture *claim stack* (`\TFPTclaimstack[zone]`, B3), the *anchor cockpit*  $a = (1, 1, 2)$  (B4), the  $E_8$  *glue* diagram (B5), the  $2/3$  *motif map* (B6) and the  $K_5$  *action lattice* (B7). The claim stack and a marker *badge bar* are now shown near the front of *every* document, each highlighting that document’s layer; the topical figures are placed in their natural homes (cockpit +  $K_5$  in the introduction, cockpit + glue in `tfpt_1`, motif in the horizon note).

- **Marker typology (A2).** `tfpt_style` adds the sharper sub-types `[E]` (exact algebra), `[E]` (exact number), `[C]` (readout / standard physics in TFPT units) to the existing `[C]` (bridge) and `[X]` (kill test); the marker key and the new `\TFPTbadges` bar show the full typology. (Inline body markers retain `[E]` where they are genuine exact identities.)

## 2026-06-12 (review pass on list.txt)

- **Claim hygiene (review section A).** The introduction’s one-sentence claim is softened from “derives all constants” to “constructs a discrete compiler; physical readouts run through named, status-typed bridges”; the ledger zombie in `FLAV.QRATIO.01` is removed (the statement no longer says “stays `[P]`” — ratios are `[E]` closed on the derived stratum, only the absolute scale stays `[O]`, with an explicit forbidden-wording note); the seam misalignment is written explicitly as  $\varepsilon = \frac{3}{4}\varphi_0^{\text{ret}} = c_3 + 36c_3^4$  (leading  $c_3$ , fourth-order puncture correction exact);  $\theta_{12}$  has a single prediction of record  $0.306747$  with the seam/non-linear values typed as scheme diagnostics; JUNO’s first 59.1-day result ( $0.3092 \pm 0.0087$ , compatible, precision pending) is recorded and NuFIT 6.0 is marked the pre-JUNO baseline; the ACT DR6 birefringence hint carries a systematics caveat (not a validation target); CODATA-2022 is dated; the null-model figure is moved out of the main text and typed as a grammar-internal bound. “Complete solutions of the five open questions” becomes “Closure status of the five former open questions”.
- **Interface language unified (review sections A5/C2/C3/C6/C7/C8).** The live residual is stated everywhere as  $v_{\text{geo}} \oplus G_{\text{net}} \oplus F_{\text{transfer}}$  (historical  $U_{\text{wall}}/G_{\text{metric}}/F_{\text{frontier}}$  kept only for ledger continuity); `tfpt_research_contracts` is retitled and its recommended order rewritten (selector-triangle pairings  $\rightarrow v_{\text{geo}} \rightarrow G_{\text{net}}$ );  $F_{\text{transfer}}$  is named as one missing functor with  $\text{Koide}/\eta_B/\text{axion}/m_p/m_e$  as its four instances; full QG closure is framed as a certification layer, not a prerequisite. Document numbering aligned with file names (the Red Team paper is now in the canonical set; document  $N \equiv \text{tfpt\_N}$ ). Website mirrored throughout (`papers.ts`, `predictions.ts`, `faq.ts`, `glossary.ts`, `OpenGates`, `Hero`, orientation components).

## 2026-06-12 (later)

- **Shared style and central status artifact.** Two new single-source fragments: `tfpt_style.tex` (the canonical palette, status markers, marker key, `\veri` reference, the four `tcolorbox` families with back-compat aliases, and one running header/footer) is now `\input` by all eight documents — the per-paper duplicated preambles are gone; and `tfpt_status.tex` (“TFPT status at a glance”) gives one canonical overall-status card imported near the front of every document, replacing the divergent per-paper status statements. Both registered in `build.sh` and the manifest `TEX` list.

## 2026-06-12

- **Margin theorem (v122).** The established frozen selectors ( $D_4$  annihilator  $n = (5, -9, 6)$ ,  $\det R = 8$ ,  $\det K = 4$ ) pin  $R$  uniquely among hexagon matrices ( $64 \rightarrow 12 \rightarrow 1$ ); the atom margins become theorems — H2 introduces no new residual class.
- **Inventory update (v123).** Residual table re-pinned post v110–v122: exactly five structural classes (R1 clock, R2 index-4 net, R3 EH step, R4’ selector establishment — replacing the discharged H2 dictionary — and R5  $Q$  realisation); R2 carries three loads (metric + carrier + QBL: one theorem, three doors).
- **Resummed clock + glue Q-system (v124/v125).** R1’s bend in closed form:  $\text{rate}(n) = -p_2 \ln(1 - n/N_{\text{fam}})$  (pole at  $N_{\text{fam}}$  forces the three-level spectrum); the index-4  $\mu_4$  extension exists explicitly as a Longo  $Q$ -system on  $\mathbb{C}[\mathbb{Z}_4]$  (all Frobenius axioms exact) — R2 sharpens from “find” to “identify”.

- **Clock–wall bridge (v126) and ring resummation (v127).** The resummed-clock weights are the Mehta–Seshadri parabolic weights ( $\text{spec } A_0^*$ );  $\det(\mathbf{1} - A_0^*) = \frac{2}{9}$  = the entropy curvature; the clock is a log-determinant (RPA rings, one tower per hexagon site, coupling = parabolic weight).
- **Graded hull (v128).**  $E_8$  is a  $\mathbb{Z}_4$ -graded Lie algebra over the carrier (grading = glue Q-system; exact on all 6720 root-pair sums); ring multiplicity 6 = sheet-doubled Ginsparg–Perry zero modes. *Notation fix in the same round:* the clock factor 6 is  $p_2(a)$ , not  $2p_2$  — labels corrected across modules, ledger, papers, website (numbers unchanged).
- **Entropy power law  $\rightarrow$  zeta budget (v129–v133).** The clock is  $\Gamma_n \propto (S_n/S_{dS})^{p_2}$  (Gibbons–Hawking form);  $p_2 = 2h$  with  $h = N_{\text{fam}}$  from mode counting + the Born rule (v130); the zero-mode norm is the area,  $\|Y_{1m}\|^2 = A/(4\pi)$  exactly (v131); the det-ratio anomaly is the Koide constant,  $\zeta(0)|_{\det'} = -\frac{2}{3}$  (v132); both  $\zeta(0)$  budget routes computed exactly — the reduced seam route carries pure anchor ratios ( $-\frac{4}{3}$  = minus the seed gain), the naive 4d route ( $-\frac{109}{45}$ ) carries no atom (v133).
- **Dual anchor + determinant surface (v134/v135).**  $d := a^\top R^{-1} = a^\top L^{-1} = (-\frac{1}{2}, -\frac{1}{2}, 1)$  with  $(1, 1, -2) = -2d$  — the inverse flavor response is the Nariai root, invariance exact via Sherman–Morrison (third algebraic flavor–horizon bridge leg);  $\det M(s, t) = 3s(t+1)(t+2) + t^2 + 5t + 8$  with iso-volume walls at the  $\mathbb{Z}_2/\mu_4$  atoms, winding line  $(8, 14, 20)$ ,  $\det F = 32$ , row-budget axes with  $\text{rowsum}(V) = \text{Spec}(Q_+)$ ; micro-identities  $41 = 16 + 25$ ,  $52 = 16 + 36$ .
- **Dual-normal selector,  $Q_+$  cohomology, Volkov–Wipf firewall (v136–v138).**  $(d, n)$  pins  $R$  *columnwise* (each column the unique lattice point of the address box; kernel  $(6, 8, 7)$ ); the  $A_0^*$  zero mode carries the spectral normal  $\sigma = (2, -9, 5)$  with a  $W(A_3)$  orbit control excluding the naive lift;  $H^1(\mathbb{P}^1 \setminus \mu_4) = \chi_1 \oplus \chi_2 \oplus \chi_3$  with degrees  $(1, 2, 3) = \text{Spec}(Q_+) =$  the  $A_3$  exponents and cusp weights =  $\text{spec } A_0^*$ ; the external full-4d graviton/ghost value  $-\frac{98}{45}$  is pinned (arXiv:2506.02142 = Volkov–Wipf hep-th/0003081) and its *edge* part is exactly two copies of the reduced seam budget — R1 typed closed as an edge-sector object.
- **Selector triangle + canonical map (v139/v140).**  $d = \frac{3}{2}a - 2 \cdot \mathbf{1}$  is pure anchor data (first selector *derived*); the frame  $(\mathbf{1}, a, \sigma)$  has volume 11 and  $n$  is the unique covector with atom pairings  $(2, 8, 121)$  — the  $R4'$  residue is three pairings; the  $H^1 \rightarrow$  generation equivariant map exists and is Schur-rigid (only sign-twisted  $\mu_4$  actions match), so the **GATE.QGEO** residue collapses to one  $\mathbb{Z}_3$  choice.
- **Editorial and consistency passes.** Content-currency sweep (superseded “single remaining input” claims retired across contracts, paper 3, intro, website); introduction: self-explanatory title (spells out Topological Fixed-Point Theory), the old-version comparison removed through-out, redundant diagrams dropped, the unreadable status heatmap removed, the script-index master table converted to a page-breaking **xltabular** (it had silently truncated  $\sim 110$  rows), status card extended with the v134–v140 reductions, predictions table completed (CP phase, cosmic birefringence); the canonical document-set box extracted into the shared **tfpt\_docset.tex**; paper 1 cleaned of all 35 old-series references, every section now opens with its machine-check script references; smaller box fonts across all eight documents; this **changelog.tex** introduced as a dual-mode (standalone + imported) document.

2026-06-11

- **External-review integration (v83) and release hygiene.** Manifest **-check** mode and the release rule; holomorphy pins  $(E_8)_1$  (the unique even unimodular rank-8 lattice theory).
- **Sheet diamond and centered form (v94/v95).** All four flavor operators are points of one two-parameter surface  $M(s, t)$ ; centered cross  $R, L = C \mp U$ ,  $K, F = C \mp V$  with the cofactor seam normal  $n = (5, -9, 6)$ ; documentation pass (“The Sheet Diamond and the Winding Line” in paper 3).

- **Horizon/anchor round (v101–v103).** The maximal (Nariai) black hole is the anchor: roots  $(1, 1, -2)$ , entropy bound  $\frac{2}{3} = |\mathbb{Z}_2|/N_{\text{fam}}$ ; one repeller/attractor orientation in both sectors; trisection normal form (the canonical cosine coordinate).
- **Clock/ladder round (v104–v108) + Lean hardening.** The classical Nariai clock speaks anchor ( $\chi_{\text{clock}} = (\lambda - 1)(\lambda + 2)$ ); machine-pinned residual inventory; first review validation; quantum-clock target made quantitative; Pascal Ladder Theorem ( $g = 2K + 1 \Leftrightarrow$  the closure).
- **QBL theorem chain (v109–v113).** Sheet-Pairing Lemma; Calderón-sheet selection (a scalar seam datum exists iff the involution is sheet-odd); Quadratic-Transport Theorem (degree exactly 2); Self-Counting Channel (the Pascal closure as an identity); quasi-free kernel (one 2-point kernel determines the whole net, rank =  $c$ ) — the QBL input merges with the R2/holomorphy premise; communicated across all status surfaces.
- $U_{\text{wall}}$  **made exact (v114–v118).** Torsion normal form and  $\delta = \frac{1}{2}$  theorem; exact anchor residue  $A_0^*$  (diag =  $a/|\mu_4|$ , off-weights  $(8, 0, 5)/144$ ); resonance theorem ( $M_\infty = \mathbf{1} \iff a_{13} = 0$ , one gauge orbit); the holonomy is the exact 24-element  $W(A_3) = S_4$ ; the hypercharge hexagon is the sign-twisted family spectrum with the lepton coefficients as resolvent determinants.
- **Second review validation + address pinning (v119–v121).** Anchor ratio triad  $(\frac{2}{3}, \frac{4}{3}, \frac{5}{3})$ ; the 121 audit lemma; the lepton words are the compiler atoms  $(8, 5, 3)$  with divmod-hexagon addresses;  $R$  is the unique hexagon matrix with atom margins and  $\det 8$  — the address table carries zero residual information.

## 2026-06-10

- **B/C/D round closed.** Koide attractor toy model (v93), glue uniqueness (v92), the Wolfram extension as the independent second verification path, Lean hardening; papers and website synced with the round.
- **Content rounds v96–v100.** Sheet conjugation bridge, discriminant dictionary, Koide flow time, and the look-elsewhere-corrected numerology null test (v100: joint null probability  $\leq 10^{-30.7}$ , conditional on the declared grammar).

## 2026-06-09

- **Blind registry frozen (v84).** Machine-enforced prediction registry (`predictions_frozen.json`): exactly one  $\theta_{12}$  number of record before JUNO; conditional entries carry their hypotheses by name. Research-contracts document added to the set.

## 2026-06-07 / 2026-06-08

- **Compiler-closure consolidation.** The TFPT development is consolidated into the current document set with the verification suite (modules v1–v82:  $E_8$  glue, carrier Pascal, EM fixed point, flavor matrix, cascade, bootstrap, gravity/cosmology, transport, masses, registry and gate audits) as the single proof layer; manifests (`manifest.sha256`, `lean_manifest.sha256`) as content identity; website mirrors the suite (interactive DAG, in-browser script reproducer, script index).

## 2026-04-27

- **Initial commit.** TFPT papers and website baseline: electromagnetic closure and flavor transport (UFE bridge, birefringence seed, dyonic intercept), PDF-download tracking, accessibility and metadata passes.