
Healthcare Analytics Challenges: A Three-Pillar Framework Connecting Analytics Maturity, Workforce Agility, and Technical Enablement

Samuel T Harrold, Yuimedi, Inc.

June 2026

Healthcare organizations face a “Triple Threat” of low analytics maturity, high workforce instability, and semantic technical barriers that together produce a crisis of “Institutional Amnesia.” High leadership turnover, persistent digital health workforce shortages, and widespread intent to leave among informatics specialists systematically erase the tacit knowledge required to navigate complex clinical data schemas, trapping organizations in a cycle of low maturity where the rate of knowledge loss exceeds the rate of knowledge capture.

Viewed through Nonaka’s SECI model of knowledge creation, the root cause is a “Socialization Failure”: high turnover fractures the social networks required for mentorship, rendering the traditional apprenticeship model of informatics unsustainable. To address this failure, we employ a Design Science Research (DSR) approach, synthesizing evidence from healthcare informatics, knowledge management, and natural language processing (2024-2026 workforce and NL2SQL literature) to develop a socio-technical framework called Human-in-the-Loop Knowledge Governance (HITL-KG).

HITL-KG is designed to shift the locus of organizational knowledge from volatile human memory to durable semantic artifacts called “Validated Query Triples,” each comprising a natural language intent, executable SQL, and rationale metadata. By embedding knowledge capture into the daily workflow of query generation, the framework aims to convert the ephemeral act of analytics into permanent institutional assets. The accompanying Three-Pillar Assessment Rubric provides a structured self-assessment tool that enables organizations to identify compounding vulnerabilities across analytics maturity, workforce agility, and technical enablement.

A critical objection, the “Validator Paradox” (who validates the AI when experts leave?), is addressed by reframing validation through Lean “Standard Work”: each validated query establishes the current known standard rather than eternal truth, functioning as a “knowledge ratchet” that prevents regression. By decoupling analytical capability from individual tenure, healthcare systems can ensure that analytics maturity advances even as the workforce evolves. This paper proposes and theoretically motivates the framework; empirical validation is deferred to a companion study.

The Triple Threat: Institutional Amnesia in Healthcare Analytics

The healthcare analytics landscape is currently paralyzed by a “Triple Threat” of compounding failures: (1) persistently *Low Analytics Maturity*, where despite decades of investment, as of late 2024 only 39 organizations globally had reached the top tiers of the Healthcare Information and Management Systems Society (HIMSS) Adoption Model for Analytics Maturity (AMAM), 26 at Stage 6 and 13 at Stage 7 [1,2]; (2) a *Semantic Gap* between clinical intent and technical schema implementation [3,4]; and (3) a profound crisis of *Workforce Instability* that creates “Institutional Amnesia” [5].

While technical barriers and maturity models are well-documented, the workforce dimension has shifted from a management concern to an existential threat. Modern longitudinal data on analytics staff is fragmented, but the available signals are alarming. As of 2024, 53% of healthcare chief information officers (CIOs) have held their roles for less than three years [6], creating a strategic vacuum at the top. At the operational level, the situation is equally precarious: global nurse turnover runs at 16% to 18% annually [7,8], and a 2025 study found that 55% of public health informatics specialists intend to leave their

positions [9].

This turnover creates what public administration scholars term *institutional amnesia* [10,11] and organization science studies as *organizational forgetting* [12,13]: in healthcare analytics, the systematic erasure of the tacit knowledge required to interpret complex health data. In healthcare, “data” is never raw; it is wrapped in layers of institutional context (billing rules, workflow workarounds, and unwritten exclusions) [14]. When the analyst who knows that “exclusion code 99” actually means “hospice transfer” leaves, that knowledge evaporates. The organization does not just lose an employee; it loses the ability to accurately measure its own performance.

Current literature approaches these problems in isolation. Analytics maturity models (e.g., HIMSS AMAM) assume a stable workforce capable of linear progression [1]. Technical solutions (e.g., natural language to SQL, or NL2SQL) assume a stable schema and clear intent [15]. Neither accounts for the reality of the “Great Resignation,” where the rate of knowledge loss (“organizational forgetting”) often exceeds the rate of knowledge capture [13].

Traditional knowledge management strategies (wikis, data dictionaries, and documentation) have failed because they are *passive* [16]. They require overworked staff to stop working and write down what they know. In a high-burnout environment, this documentation is the first casualty. As a result, healthcare systems are trapped in a Sisyphus-like cycle: hiring new analysts who spend their limited tenure relearning the same institutional secrets, only to leave just as they become productive [17,18]. A foundational 2004 study established that technical IT staff in organizations where IT is a support function, as in healthcare delivery, had the lowest expected tenure of any organizational category at just 2.9 years [19]. That this two-decade-old study remains a key benchmark is itself evidence of the crisis: the industry lacks the stability to track its own attrition. Contemporary signals suggest the situation has worsened, as detailed in the following section.

This viewpoint article addresses a critical socio-technical gap: *How can health systems maintain analytics maturity when workforce turnover exceeds the speed of documentation?*

As a Viewpoint, this paper deliberately advances a prescriptive position: that healthcare organizations should shift from passive knowledge management to active, artifact-based governance. The analysis below is grounded in descriptive evidence of why current approaches fail, but the architectural recommendations are intentionally directive.

We propose that the solution lies not in better documentation, but in a fundamental architectural shift: moving from *passive* knowledge management to *Human-in-the-Loop Knowledge Governance (HITL-KG)*.

Theoretical Grounding: SECI and the Unstable Workforce

We ground our analysis in Nonaka’s SECI model of knowledge creation [20], informed by a narrative review of the literature across healthcare analytics maturity, workforce turnover dynamics, and natural language processing, with grey literature assessed using the AACODS (Authority, Accuracy, Coverage, Objectivity, Date, Significance) checklist [21]. Grey literature sources were retained only when no peer-reviewed equivalent was available or when the source provided unique industry data not captured in

academic literature. The SECI model describes organizational knowledge as emerging through a continuous cycle of four conversion modes:

1. *Socialization* (tacit to tacit): Knowledge transfers through shared experience and co-located practice, as when a senior analyst teaches a junior colleague the unwritten rules of a clinical dataset.
2. *Externalization* (tacit to explicit): Individuals articulate tacit know-how into explicit forms such as documents or coded artifacts, as when an analyst records why a specific exclusion code maps to hospice transfers.
3. *Combination* (explicit to explicit): Separately documented knowledge is integrated and systematized into broader structures, as when data dictionary entries are consolidated into a governed analytics catalog.
4. *Internalization* (explicit to tacit): Individuals learn from documented knowledge and convert it into personal expertise through practice, as when a new analyst studies validated query libraries.

In a healthy organization, these four modes form a self-reinforcing spiral: tacit insights become documented, documentation becomes systematized, and systematized knowledge is internalized by new members who then generate fresh tacit insights [20]. When any mode breaks down, the spiral stalls. In healthcare analytics, the breakdown is at the very first stage.

The three-pillar structure aligns with established models across healthcare informatics and knowledge management (Table 1):

Table 1: Framework alignment with established models.

Pillar	HIMSS AMAM Alignment	DIKW Hierarchy	Knowledge Management
Analytics Maturity	Stages 0-7 progression	Data → Information	Organizational Learning
Workforce Agility	Implicit in advanced stages	Knowledge (tacit) → Wisdom	Tacit Knowledge Transfer
Technical Enablement	Stages 6-7 requirements	Information → Knowledge	Knowledge Codification

HIMSS AMAM provides organizational benchmarks but does not address workforce knowledge retention. The Data, Information, Knowledge, Wisdom (DIKW) hierarchy explains progression from raw data to actionable insight but does not account for institutional memory loss. The three-pillar framework synthesizes these perspectives, positioning workforce dynamics as the critical enabler connecting data access (analytics maturity) with organizational wisdom (knowledge preservation) [13,20].

The Broken Cycle: Socialization Failure

In Nonaka’s model, *Socialization* is the foundational conversion mode: the primary channel through which newcomers absorb tacit context that formal training cannot convey [20]. Socialization depends on two preconditions: sustained interaction and sufficient temporal overlap between knowledge holders and receivers [22]. It is, in effect, an apprenticeship model requiring years of shared practice.

In the current healthcare environment, this mechanism has collapsed. The leadership and operational turnover documented above reveals an “apprenticeship window” shorter than the knowledge transfer cycle it must support: 30% of new employees depart within their first year [23], while specialized informatics roles require 18 to 24 months to reach fluency [17]. The arithmetic is unforgiving: by the time a new analyst has absorbed enough tacit context to be productive, their mentor may already be gone, and the new analyst is themselves halfway through an average tenure.

High turnover rates fracture the social networks required for mentorship [7,8]. The resulting knowledge loss is compounding: each departure removes a node from the organization’s informal knowledge network, making subsequent Socialization attempts less effective because fewer experienced practitioners remain to serve as mentors [24]. Socialization is no longer a viable strategy for resilience.

The Solution: Externalization via Socio-Technical Artifacts

To survive, organizations must shift reliance from Socialization to *Externalization*: converting tacit knowledge into explicit, durable artifacts [25]. However, traditional Externalization (writing wikis, maintaining data dictionaries, composing runbooks) suffers from two critical weaknesses. First, it is passive: it requires overworked staff to interrupt their workflow and perform a separate documentation task [26]. In a high-burnout environment where organizations face persistent attrition and talent shortages [27], this discretionary documentation is the first casualty. Second, it is low-fidelity: the act of writing down tacit knowledge inevitably loses nuance, context, and the conditional logic that makes institutional knowledge valuable [22]. The result is documentation that exists but does not adequately capture what the departing expert actually knew.

We propose a form of *active* Externalization: one that captures tacit knowledge as a byproduct of the daily workflow of analytics rather than as a separate documentation burden. The mechanism is a new socio-technical artifact: the *Validated Query Triple* (see Multimedia Appendix 1 for worked examples). This artifact consists of: 1. *Natural Language Intent*: The clinical business question (e.g., “Hypertension readmissions excluding planned transfers”). 2. *Executable SQL*: The technical implementation. 3. *Rationale Metadata*: The “why” behind the logic (e.g., “Excluding status 02 per Centers for Medicare and Medicaid Services (CMS) 2025 rule”).

By capturing these three components *during the act of analytics*, we transform the ephemeral work of query generation into a permanent institutional asset [28].

Human-in-the-Loop Knowledge Governance

We propose *Human-in-the-Loop Knowledge Governance (HITL-KG)* as the overarching governance framework, extending the knowledge governance approach [29] with the Validated Query Cycle as its core operational process. This framing reflects that the system serves as a governance mechanism, not just a productivity tool.

The HITL-KG Architecture

The HITL-KG architecture (Figure 1) functions as a *Governance Forcing Function*. It inserts a mandatory validation step into the analytics workflow, preventing the “laundering” of hallucinations while simultaneously capturing expert knowledge.




Figure 1: Human-in-the-Loop Knowledge Governance (HITL-KG) Architecture. A Clinical User submits a natural language query (step 1) to a Conversational AI with NLP Engine and SQL Generation, which generates SQL and queries the Healthcare Data Warehouse (steps 2-3). The system then presents its logic to an Expert Validation decision point (step 4), which either confirms and delivers insights back to the user (steps 5-6) or loops back for correction. On confirmation, the validated query triple is stored in Organizational Memory (step 7, dashed line), which both informs future queries and curates the Knowledge Base of ontologies and best practices (step 8), closing a continuous-learning loop so that best practices evolve as new knowledge is validated rather than remaining static.

The corresponding six-step Validated Query Cycle is summarized in Figure 2, which shows how queries

move from initial clinical intent through expert validation into durable organizational memory.




Figure 2: Flowchart of the six-step Validated Query Cycle for Human-in-the-Loop Knowledge Governance. Step 1 (Query): analyst asks a natural language question. Step 2 (Generation): system generates candidate SQL. Step 3 (Validation): AI explains SQL logic and results; analyst confirms intent. If incorrect, the cycle loops back to Generation. If correct, Step 4 (Storage): validated triple is stored in organizational memory. Step 5 (Retrieval): future queries match against validated triples. Step 6 (Persistence): knowledge survives staff turnover, and new analysts reuse validated queries. Dashed arrows connect the cycle to three outcome pillars: Storage advances Analytics Maturity, Persistence stabilizes Workforce Agility, and Retrieval increases Technical Enablement.

The Process of Externalization

The cycle proceeds from AI query generation [30] through semantic translation to *Expert Validation*, the critical moment of Externalization, where the domain expert confirms or corrects the AI's interpretation and thereby captures tacit knowledge [31,32]. The validated triple is hashed and stored in organizational memory [33], then retrieved ahead of future probabilistic generation [34]. Multimedia Appendix 1 details each step alongside worked examples.

Comparison with Existing Approaches

Organizations have addressed institutional memory loss through several strategies, each with limitations HITL-KG overcomes.

Code-based semantic layers (e.g., dbt, LookML) encode business logic in version-controlled repositories, but suffer “schema rot” where electronic medical record (EMR) data models change frequently and maintenance exceeds high-turnover teams' capacity, misaligning the layer from the underlying data [35]. HITL-KG's validated query triples share the version-control principle but add the rationale metadata semantic layers lack: not just *what* a query does, but *why*.

Traditional knowledge management (wikis, data dictionaries, runbooks) relies on passive capture where users must stop working to document, which reduces participation and produces inaccurate records under cognitive load [16,26]. Such documentation might suffice for a small, stable query set, but real workloads are neither: more than half of analytical queries recur in large production workloads [36], yet even small databases log hundreds to thousands of distinct query strings [37], so a fixed set of documented queries captures neither the large recurring core nor the evolving ad-hoc tail. HITL-KG instead implements active capture across both regimes: the query itself is the documentation, validated at the point of use [28].

Unsupervised AI querying removes human oversight entirely; current NL2SQL accuracy makes this unsafe for clinical analytics [38]. HITL-KG occupies the middle ground: AI generates, humans validate.

The Evidence Base: Three Pillars

The evidence presented below supports the existence and severity of the problem HITL-KG addresses, and the maturity of the technologies it requires. It does not constitute empirical validation of the framework itself, which remains a theoretically grounded, testable proposition whose empirical evaluation is the subject of future work.

The HITL-KG framework is supported by three pillars of empirical evidence synthesized from the literature cited throughout this article.

Pillar 1: Analytics Maturity Evidence

Analytics maturity describes an organization's progression in using data and quantitative models for fact-based decisions [39], a construct operationalized by staged maturity models that extend beyond the HIMSS AMAM [40,41]. Healthcare maturity remains chronically low. Assessments reveal only 26 organizations achieved Stage 6 and 13 reached Stage 7 by late 2024 [1,2]. Because AMAM assessment is voluntary and self-selected, these figures likely overrepresent analytics-committed organizations, so low maturity may be even more widespread than the counts suggest [42,43]. The corollary is that the vast majority of organizations remain at the lower stages, characterized by fragmented data and limited predictive capabilities [44]. However, maturity is not merely an IT metric; it is a clinical safety predictor. In HIMSS's companion Electronic Medical Record Adoption Model (EMRAM), which measures the EMR adoption underlying analytics capability, levels 6-7 correlate with 3.25 times higher odds of better Leapfrog Safety Grades [45]. Low maturity creates a "low-maturity trap" where data quality issues (such as the 39-71% missing data rates in cancer databases [46]) remain uncorrected because the experts who understand the context are leaving.

Critically, low maturity is not simply a status; it is a self-reinforcing trap. Organizations at Stages 0-3 lack the automated monitoring and data governance infrastructure needed to detect their own deficiencies, creating a vicious cycle in which poor data quality goes unrecognized because no systems exist to measure it. The clinical consequences of this trap are measurable: one Medicare accountable care organization (ACO) that implemented analytics to overcome electronic health record (EHR) fragmentation reduced readmission rates from 24% to 17.8% and achieved \$1.6 million in cost savings [47], demonstrating what becomes possible when organizations escape this cycle. Yet data interoperability remains a leading obstacle to analytics adoption [3,4]. Barriers including employee resistance to change and lack of organizational readiness further stall data-driven initiatives [48,49]. The low-maturity trap thus compounds over time: each year of delayed investment widens the gap between what the organization could know and what it actually knows.

Pillar 2: Workforce Agility Evidence

Workforce agility is a workforce's capacity for proactivity, adaptability, and resilience under change [50,51]. In healthcare analytics, the evidence below documents the instability that systematically erodes this capacity. The cost of turnover in informatics is higher than standard IT. Knowledge loss can cost up to three times annual salary [24,52]. In clinical informatics specifically, replacement costs range from \$50,000 to \$230,000 per departing employee, with a single department losing 39 staff in one year at a total cost of up to \$8.97 million [53]. With 30% of new employees leaving within their first year [23], healthcare IT professionals spend a limited portion of their employment at full productivity, as specialized roles require 18-24 months to reach fluency [17]. This "revolving door" prevents the accumulation of the "Collective Knowledge Structures" required for complex task performance [13].

The workforce crisis operates at multiple reinforcing levels, as detailed in the Theoretical Grounding section: leadership churn, operational shortages, and foundational attrition collectively prevent the sus-

tained mentorship that Socialization requires. This multi-level instability ensures that the temporal overlap between experienced practitioners and newcomers rarely materializes.

Pillar 3: Technical Enablement Evidence

Technical enablement denotes the technologies and practices that let non-specialist domain users access and analyze data without heavy reliance on central IT [54,55]. NL2SQL technology has matured along a clear accuracy gradient: general-purpose models achieve approximately 65% execution accuracy on healthcare-specific benchmarks such as MIMICS SQL [56]; domain-adapted systems like MedT5SQL reach 80% [57]; and architecturally specialized approaches combining large language models (LLMs) with structured knowledge representations achieve 94% on the same benchmarks [58]. While insufficient for unsupervised clinical deployment [38], this gradient demonstrates that the generation engine required for HITL-KG is viable within a human-validated workflow. Notably, high benchmark accuracy does not guarantee real-world generalization: evaluation on more challenging dataset splits reveals accuracy drops from 92% to 28% [59], reinforcing the necessity of the human-in-the-loop architecture. Healthcare-specific natural language interfaces such as Criteria2Query achieve fully automated cohort query formulation in 1.22 seconds per criterion [60], with over 80% of clinical users indicating willingness to adopt such tools.

However, NL2SQL is an enabler, not a solution in itself. Its deeper significance lies in the organizational prerequisites it demands. For an AI system to translate a natural language question into a correct SQL query, the organization must first establish validated data models, explicit business logic definitions, and codified domain terminology [3,4]. In other words, the technology forces organizational discipline as a precondition for functioning, making it a governance forcing function even before considering the query results. This reframes NL2SQL from a convenience tool into a catalyst for the kind of systematic knowledge externalization that the HITL-KG framework requires. The interface bridges the semantic gap between clinical experts and technical schema, allowing non-technical domain experts to interact with data alongside broader modernization efforts [61–64]. The technical barrier thus becomes, paradoxically, a governance opportunity: the very difficulty of making NL2SQL work correctly compels organizations to surface and formalize the tacit knowledge that would otherwise remain trapped in departing experts.

Organizational Self-Assessment

To operationalize the framework, we propose a *Three-Pillar Assessment Rubric* (Table 2) that enables healthcare organizations to evaluate their current position across each pillar and identify compounding vulnerabilities.

Why Assessment, Not Just Maturity

Existing maturity models such as AMAM, the DIKW hierarchy, and established knowledge management frameworks (see Table 1) assume linear progression and implicitly presuppose a stable workforce [1]. In

practice, an organization that reaches AMAM Stage 5 but regresses to Stage 3 after the departure of two senior analysts has not failed to mature; it has failed to be *resilient*. A recent systematic review of organizational resilience measurement in healthcare found no consensus on what to measure [65]. Only four instruments have been developed specifically for healthcare, and only two have been validated [66]. The Three-Pillar Assessment addresses this gap by organizing evidence-based indicators around the specific domains where institutional amnesia operates, measuring not just where an organization stands but how vulnerable it is to the compounding effects identified at the outset of this article.

The Three-Pillar Rubric

Each indicator is scored as Low, Medium, or High Strength using evidence-based anchors from the literature reviewed in the preceding Evidence Base section. Organizations scoring predominantly “Low Strength” across multiple pillars face the self-reinforcing degradation cycle that the framework identifies as the central threat.

Pillar 1: Analytics Maturity

Indicator	Low Strength	Med. Strength	High Strength	Evidence
HIMSS AMAM Stage	Stages 0-2: Fragmented data, limited reporting	Stages 3-4: Integrated warehouse, standardized definitions	Stages 5-7: Predictive analytics, AI integration	[1,2]
Self-service analytics	None; all analytics require IT intervention	Partial; BI tools available but underutilized	Widespread; clinical staff access data directly	[44,48]
AI/NL interface	No NL2SQL or conversational analytics	Pilot programs or evaluation underway	Natural language query capability deployed	[38,60]

Pillar 2: Workforce Agility

Indicator	Low Strength	Med. Strength	High Strength	Evidence
First-year analytics staff turnover	>30% (High instability)	15-30%	<15% (High stability)	[23,53]
Avg. leadership tenure	< 3 years	3-5 years	> 5 years	[6]
Knowledge concentration	Critical expertise held by 3 or fewer individuals	Partial documentation; some cross-training	Distributed expertise; documented processes	[24,29]

Pillar 3: Technical Enablement

Table 4: Three-Pillar Organizational Assessment Rubric.

Indicator	Low Strength	Med. Strength	High Strength	Evidence
Data access	SQL/technical expertise required for all queries	IT queue for complex queries; basic self-service	Natural language or visual query interfaces	[48,60]
Interoperability	Fragmented systems; manual reconciliation	Partial integration; some automated feeds	Unified data platform; real-time integration	[3,4]
Schema coupling	Hard-coded reports break on schema change	Partial semantic layer; some automated feeds	Semantic layer adapts; CI/CD detects drift	[35,67]

The “Schema Coupling” indicator can be operationalized through *Continuous Analytic Integration*: treating validated query triples as software assets within a CI/CD pipeline [68]. When a data warehouse schema is updated, the system automatically re-runs stored queries and flags failures, transforming institutional memory into a living test suite [69,70].

The rubric complements rather than replaces AMAM. Where AMAM measures the sophistication of analytical capabilities at a point in time, the Three-Pillar Assessment reveals how vulnerable those capabilities are to the compounding effects of turnover, low maturity, and technical barriers. Used together, they provide a two-dimensional view of analytics health.

The Validator Paradox and Standard Work

A critical objection to HITL-KG is circular: if the framework requires domain experts to validate AI-generated queries, and the core problem is that domain experts are leaving, then the framework fails precisely when it is most needed. This *Validator Paradox* represents the strongest counterargument to the approach proposed here, and addressing it requires moving beyond simplistic reassurance.

The resolution draws on Lean management’s concept of “Standard Work” [71]. In this framing, validation is not the establishment of *eternal truth* but the documentation of the *current known standard*. Each time an analyst validates a query triple, they record the best available understanding of how a business question maps to a data operation at that moment in time. The validation is time-stamped and contextual, not permanent. Critically, as Alukal and Manos [71] establish, standard work is the prerequisite for Kaizen (continuous improvement): without a documented baseline, there is no foundation to improve upon. Each validated query therefore establishes a floor, not a ceiling. When the next expert arrives (whether a seasoned veteran or a competent mid-career hire), they inherit a baseline and can refine it rather than reconstructing institutional knowledge from scratch.

This mechanism functions as what we term a *Knowledge Ratchet*, consistent with findings on collective knowledge structures [13]. Each validated triple prevents regression below the last confirmed state. Even if a subsequent validator is less experienced than their predecessor, the organization cannot slide below the previously validated standard. The analogy to version control is instructive: each commit preserves a known-good state that future contributors build upon. The ratchet does not guarantee forward progress, but it prevents the catastrophic backsliding that is the central failure mode of institutional amnesia.

Real-world evidence supports this mechanism. UC Davis Health moved from AMAM Stage 0 to Stage 6 by establishing standardized “S.M.A.R.T.” definitions for its analytics metrics [72]. Those codified standards survived staff turnover precisely because they existed as organizational artifacts rather than as knowledge held solely by the individuals who created them. The HITL-KG validated query library serves an analogous function: it encodes analytical decisions into durable, retrievable structures that persist independent of any single analyst’s tenure.

However, the Validator Paradox is not fully resolved. There exists a minimum viable expertise threshold below which validation becomes meaningless. A junior analyst rubber-stamping AI-generated output without genuine comprehension provides no knowledge ratchet; the validation artifact exists, but its epistemic value is nil. Identifying this threshold remains an open empirical question; future work should measure it via controlled hallucination injection studies, in which AI-generated queries containing deliberate errors are presented to validators of varying experience levels.

We propose a provisional three-tier governance model, informed by risk-stratified AI oversight frameworks [73,74], to degrade gracefully when expertise is scarce. *Full validation*: a domain expert with schema-level knowledge reviews the query triple and confirms semantic alignment; this is the default mode. *Constrained validation*: when no fully qualified validator is available, a less experienced analyst reviews the triple against previously validated queries for the same data domain, flagging deviations for deferred expert review; the triple is stored with “provisional” status. *Automated matching*: for queries that match an existing validated triple with high semantic similarity, the system accepts the match without human review but logs it for periodic audit.

At the organizational level, governance requirements include defining who can validate queries (domain expertise thresholds), establishing review workflows for high-stakes queries, managing query versioning as schemas evolve, and implementing retrieval policies. Drawing on established master data governance practice [75], organizations can designate specific validated triples as “Golden Queries,” certified by a governance committee as the authoritative source of truth for key metrics. While many users can create and validate queries, only these certified triples serve as official standards, mitigating Shadow IT risks [76] while preserving analytical agility.

Safety as Cognitive Forcing

HITL-KG is fundamentally a *safety mechanism*, not a productivity tool. The central risk of unsupervised AI in clinical analytics is what we term “laundering hallucinations”: a plausible-sounding but factually incorrect query result that enters the decision pipeline undetected and influences clinical or operational

choices. Because large language models generate fluent, confident output regardless of correctness, the absence of a structured validation step means that errors arrive dressed in the language of expertise, making them harder to catch than obviously malformed output.

HITL-KG mitigates this risk through *Cognitive Forcing Functions* [38], a design pattern borrowed from clinical decision-making and safety engineering. By requiring the AI to explain its reasoning *before* presenting results, the architecture forces the human validator into System 2 (analytical, deliberate) thinking rather than allowing System 1 (fast, heuristic) acceptance of superficially plausible output. User studies confirm the practical benefit: structured explanation reduces error recovery time by 30 to 40 seconds compared to unstructured output review [77].

Critically, the human validator’s value is not merely assumed. Recent studies show that human oversight measurably improves AI-generated analytics: large-language-model output verified by a reviewer outperformed a human-only workflow (91.0% versus 89.0% accuracy) across six systematic reviews [78], and a text-to-SQL validation gate in which experts correct generated queries improved semantic correctness by 28.4% over end-to-end model output [79]. These gains are conditional on well-designed interaction [80]; the comparative effectiveness of HITL-KG itself remains the subject of the planned empirical validation.

The parallel to aviation safety is instructive: checklists and mandatory call-outs made commercial aviation one of the safest modes of transportation not by eliminating human error but by surfacing errors before they propagate. HITL-KG applies the same principle: the mandatory validation step is an analytical “call-out” that interrupts uncritical acceptance, so the friction of validation is not a cost but the mechanism of safety itself.

Structural Barriers: Why the Problem Persists

Failed standardization approaches (e.g., IBM Watson Health [81,82], Haven [83,84]) demonstrate that centralized models fail clinical reality. Metadata uncertainties and “messy” institution-specific business logic require localized solutions [3,82]. HITL-KG addresses this by capturing *local* logic rather than enforcing *global* standards.

Limitations

This work is a narrative, design science informed framework rather than a systematic review or multi-site empirical evaluation. The literature base is concentrated on English-language sources and recent (2024-2026) workforce and NL2SQL studies, so findings may not capture all regional, specialty-specific, or technological contexts. The HITL-KG architecture and the proposed Three-Pillar Assessment Rubric are conceptual artifacts that require future implementation and validation in diverse health systems before their effectiveness and generalizability can be fully established.

HITL-KG also complements rather than replaces workforce development: it decouples institutional knowledge from individual tenure, but still presumes investment in the training and analytics literacy through which staff learn to pose, validate, and interpret queries [17]. This complementarity also bounds the framework. Where data models and business rules change continually, no approach is self-maintaining; precisely because retained expertise cannot manually keep pace with constant change, knowledge must be externalized into curated artifacts, yet the validated query library must itself be actively maintained, a burden the Continuous Analytic Integration mechanism mitigates but does not remove.

Implications and Future Research

The crisis of Institutional Amnesia in healthcare requires a structural shift. As long as analytical maturity is tied to individual tenure, organizations will remain fragile. By implementing *Human-in-the-Loop Knowledge Governance*, health systems can decouple intelligence from turnover, building a library of validated knowledge that ensures maturity advances even as the workforce evolves.

Future research should empirically validate and refine the HITL-KG framework and the proposed Three-Pillar Assessment Rubric. Priority questions include: how pillar scores correlate with observed continuity of analytics performance during leadership and staff turnover; whether HITL-KG mediated natural language to SQL workflows reduce error rates, recovery time, and rework compared to baseline tooling; and which governance patterns most effectively balance safety, transparency, and equity when human validators operate at scale. Prospective multi-site implementation studies, controlled user experiments, and qualitative implementation research across diverse health systems will be needed to test these claims and adapt the framework to varying organizational, regulatory, and data environments.

Acknowledgments

The author (S.T.H.) is the sole author and takes full responsibility for the manuscript's content. Generative AI disclosure: generative AI was used to assist this work, specifically Gemini CLI (Gemini 3, Google) and Claude Code (Claude 5, Anthropic) for manuscript editing, language refinement, and literature search. Generative AI was not used to generate research findings, data, or conclusions; the author conducted the research and verified all claims, citations, and AI-assisted text. Figures were generated using the Mermaid graph language.

Author Contributions

S.T.H.: Conceptualization, Investigation, Methodology, Writing (Original Draft), Writing (Review and Editing), Visualization.

Conflicts of Interest

The author declares the following competing interests: Samuel T Harrold is a contract product advisor at Yuimedi, Inc., which develops healthcare analytics software including conversational AI platforms relevant to this review's subject matter. The author is also employed as a Data Scientist at Indiana University Health. This paper presents an analytical framework derived from published literature and does not evaluate or recommend specific commercial products, including those of the author's affiliated organizations. The views expressed are the author's own and do not represent the official positions of Indiana University Health or Yuimedi, Inc.

Data Availability

This is a narrative review synthesizing existing literature. No primary datasets were generated or analyzed. All data cited are from publicly available peer-reviewed publications, industry reports, and academic theses, referenced in the bibliography. The manuscript source, build pipeline, and literature review tool are available at <https://doi.org/10.5281/zenodo.18264359>

Funding

Yuimedi, Inc. provided financial support for the author's time researching and writing this manuscript.

Abbreviations

AACODS: Authority, Accuracy, Coverage, Objectivity, Date, Significance ACO: Accountable Care Organization AI: Artificial Intelligence AMAM: Adoption Model for Analytics Maturity BI: Business Intelligence CI/CD: Continuous Integration and Continuous Delivery CIO: Chief Information Officer CMS: Centers for Medicare and Medicaid Services DIKW: Data, Information, Knowledge, Wisdom DSR: Design Science Research EHR: Electronic Health Record EMR: Electronic Medical Record EMRAM: Electronic Medical Record Adoption Model HIMSS: Healthcare Information and Management Systems Society HITL: Human-in-the-Loop HITL-KG: Human-in-the-Loop Knowledge Governance IT: Information Technology LLM: Large Language Model NL2SQL: Natural Language to SQL NLP: Natural Language Processing SECI: Socialization, Externalization, Combination, Internalization SQL: Structured Query Language

References

1. HIMSS Analytics. *Analytics maturity assessment model (AMAM) global report*. Healthcare Information and Management Systems Society. HIMSS Analytics; 2024. <https://www.himss.org/maturity-models/amam/>

2. Healthcare IT News. HIMSS launches modernised Analytics Maturity Assessment Model. Published online 2024. <https://www.healthcareitnews.com/news/asia/himss24-apac-adoption-model-analytics-maturity-gets-facelift>
3. Michal S. Gal, Daniel L. Rubinfeld. Data Standardization. *NYU Law Review*. 2019;94(4):737-770. <https://www.nyulawreview.org/issues/volume-94-number-4/data-standardization/>
4. Yue Zhang, Jennifer A Callaghan-Koru, Gunes Koru. The challenges and opportunities of continuous data quality improvement for healthcare administration data. *JAMIA Open*. 2024;7(3):ooae058. doi:10.1093/jamiaopen/ooae058
5. Ji Hyeun Hong. When does employee turnover matter? Analyzing the role of organizational memory in the federal IT workforce. *Journal of Public Administration Research and Theory*. 2025;35(4):434-451. doi:10.1093/jopart/muaf019
6. WittKieffer. *CIO Insights: The State of Healthcare IT Leadership*. WittKieffer; 2024. <https://api.wittkieffer.com/wp-content/uploads/2012/10/cio-insights-the-state-of-healthcare-it-leadership-wittkieffer-october-2024.pdf>
7. Hui Ren, Pan Li, Yingchun Xue, Wenhao Xin, Xin Yin, Hongyan Li. Global prevalence of nurse turnover rates: A meta-analysis of 21 studies from 14 countries. *Journal of Nursing Management*. 2024;2024(1). doi:10.1155/2024/5063998
8. Lao Wu F., L. Li. Worldwide prevalence and associated factors of nursing staff turnover: A systematic review and meta-analysis. *Nursing Open*. 2024;11:e2097. doi:10.1002/nop2.2097
9. Sripriya Rajamani, Jonathon P. Leider, Divya Rupini Gunashekar, Brian E. Dixon. Public health informatics specialists in state and local public health workforce: Insights from public health workforce interests and needs survey. *Journal of the American Medical Informatics Association*. 2025;32(4):748-754. doi:10.1093/jamia/ocaf019
10. Christopher Pollitt. Institutional Amnesia: A Paradox of the 'Information Age'? *Prometheus*. 2000;18(1):5-16. doi:10.1080/08109020050000627
11. Alastair Stark, Brian Head. Institutional amnesia and public policy. *Journal of European Public Policy*. 2019;26(10):1521-1539. doi:10.1080/13501763.2018.1535612
12. Pablo Martin de Holan, Nelson Phillips. Remembrance of Things Past? The Dynamics of Organizational Forgetting. *Management Science*. 2004;50(11):1603-1613. doi:10.1287/mnsc.1040.0273

13. R. D. Rao, L. Argote. Organizational learning and forgetting: The effects of turnover and structure. *European Management Review*. 2006;3(2):77-85. doi:[10.1057/palgrave.emr.1500057](https://doi.org/10.1057/palgrave.emr.1500057)
14. , ed.Lisa Gitelman. "Raw Data" Is an Oxymoron. MIT Press; 2013. doi:[10.7551/mitpress/9302.001.0001](https://doi.org/10.7551/mitpress/9302.001.0001)
15. Shi Wang P. Text-to-SQL generation for question answering on electronic medical records. In: *Proceedings of the Web Conference 2020*. 2020. doi:[10.1145/3366423.3380120](https://doi.org/10.1145/3366423.3380120)
16. Charles S. Mayo, Joseph O. Deasy, Bhishamjit S. Chera, John Freymann, Justin S. Kirby, Patricia H. Hardenberg. How can we effect culture change toward data-driven medicine? *International Journal of Radiation Oncology, Biology, Physics*. 2016;95(3):916-921. doi:[10.1016/j.ijrobp.2015.12.355](https://doi.org/10.1016/j.ijrobp.2015.12.355)
17. Reason Ledikwe J. H. Establishing a health information workforce: Innovation for low- and middle-income countries. *Human Resources for Health*. 2013;11(1). doi:[10.1186/1478-4491-11-35](https://doi.org/10.1186/1478-4491-11-35)
18. Ammenwerth Mantas J. Recommendations of the International Medical Informatics Association (IMIA) on education in biomedical and health informatics: First revision. *Methods of Information in Medicine*. 2010;49(2):105-120. doi:[10.3414/ME5119](https://doi.org/10.3414/ME5119)
19. S. Ang, S. Slaughter. Turnover of information technology professionals: The effects of internal labor market strategies. *ACM SIGMIS Database: The DATABASE for Advances in Information Systems*. 2004;35(3):11-27. doi:[10.1145/1017114.1017118](https://doi.org/10.1145/1017114.1017118)
20. Barbieri Farnese M. L. Managing knowledge in organizations: A Nonaka's SECI model operationalization. *Frontiers in Psychology*. 2019;10. doi:[10.3389/fpsyg.2019.02730](https://doi.org/10.3389/fpsyg.2019.02730)
21. J Tyndall. AACODS Checklist. Flinders University. Published online 2010. <https://fac.flinders.edu.au/dspace/api/core/bitstreams/e94a96eb-0334-4300-8880-c836d4d9a676/content>
22. Ted Foos, Gary Schum, Sandra Rothenberg. Tacit knowledge transfer and the knowledge disconnect. *Journal of Knowledge Management*. 2006;10(1):6-18. doi:[10.1108/13673270610650067](https://doi.org/10.1108/13673270610650067)
23. NSI Nursing Solutions. 2025 National Health Care Retention & RN Staffing Report. NSI Nursing Solutions; 2024. https://www.nsinursingsolutions.com/documents/library/nsi_national_health_care_retention_report.pdf
24. P. R Massingham. Measuring the impact of knowledge loss: A longitudinal study. *Journal of Knowledge Management*. 2018;22(4):721-758. doi:[10.1108/JKM-08-2016-0338](https://doi.org/10.1108/JKM-08-2016-0338)

25. Wenyao Zhang, Wei Zhang, Tugrul Daim, Haydar Yalçın. AI challenges conventional knowledge management: Light the way for reframing SECI model and Ba theory. *Journal of Knowledge Management*. 2025;29(5):1618-1654. doi:[10.1108/JKM-02-2024-0203](https://doi.org/10.1108/JKM-02-2024-0203)
26. Keith Goffin, Ursula Koners. Tacit knowledge, lessons learnt, and new product development. *Journal of Product Innovation Management*. 2011;28(2):300-318. doi:[10.1111/j.1540-5885.2010.00798.x](https://doi.org/10.1111/j.1540-5885.2010.00798.x)
27. HIMSS. *The Future of Workforce: HIMSS25 Europe Outcomes Report*. Healthcare Information; Management Systems Society; 2025. <https://www.himss.org/resources/the-future-of-workforce/>
28. D. Moore, others. ActiveNavigator: Toward real-time knowledge capture and feedback in active learning spaces. *International Journal of Engineering Education*. 2018;34(2):1-12. https://wendyju.com/publications/18_ijee3593.pdf
29. Nicolai J. Foss. The emerging knowledge governance approach: Challenges and characteristics. *Organization*. 2007;14(1):29-52. doi:[10.1177/1350508407071859](https://doi.org/10.1177/1350508407071859)
30. et al Lee G. EHRSQL: A practical text-to-SQL benchmark for electronic health records. In: *Proceedings of NeurIPS 2022*. 2023. <https://arxiv.org/abs/2301.07695>
31. Gusseppe Bravo Rocca. *Human-on-the-Loop Continual Learning: Data, Knowledge and Agents for Model Adaptation*. PhD thesis. Universitat Politècnica de Catalunya; 2023. <https://www.tdx.cat/bitstream/handle/10803/695722/TGJBR1de1.pdf?sequence=1>
32. Eduardo Mosqueira-Rey, Elena Hernández-Pereira, David Alonso-Ríos, José Bobes-Bascarán, Ángel Fernández-Leal. Human-in-the-loop machine learning: A state of the art. *Artificial Intelligence Review*. 2023;56:3005-3054. doi:[10.1007/s10462-022-10246-w](https://doi.org/10.1007/s10462-022-10246-w)
33. Passiante Benbya H. Corporate portal: A tool for knowledge management synchronization. *International Journal of Information Management*. 2004;24(3):201-220. doi:[10.1016/j.ijinfomgt.2003.12.012](https://doi.org/10.1016/j.ijinfomgt.2003.12.012)
34. Steve Whittaker, Simon Tucker, Kumutha Swampillai, Rachel Laban. Design and evaluation of systems to support interaction capture and retrieval. *Personal and Ubiquitous Computing*. 2008;12(3):197-221. doi:[10.1007/s00779-007-0146-3](https://doi.org/10.1007/s00779-007-0146-3)
35. Sai Kiran Yadav Battula. Adaptive Data Quality Management for Multi-Cloud Healthcare Warehouses: FHIR-Aware Semantics and Unsupervised Thresholding. *International Journal of Artificial Intelligence, Data Science, and Machine Learning*. 2025;6(4):218-226. doi:[10.63282/3050-9262.IJAIDSML-V6I4P130](https://doi.org/10.63282/3050-9262.IJAIDSML-V6I4P130)

36. A. Jindal, H. Patel, A. Roy, S. Qiao, Z. Yin, R. Sen, S. Krishnan. Peregrine: Workload Optimization for Cloud Query Engines. In: *Proceedings of the ACM Symposium on Cloud Computing (SoCC)*. 2019:416-427. doi:[10.1145/3357223.3362726](https://doi.org/10.1145/3357223.3362726)
37. G. Kul, D. T. A. Luong, T. Xie, V. Chandola, O. Kennedy, S. Upadhyaya. Similarity Metrics for SQL Query Clustering. *IEEE Transactions on Knowledge and Data Engineering*. 2018;30(12):2408-2420. doi:[10.1109/TKDE.2018.2831214](https://doi.org/10.1109/TKDE.2018.2831214)
38. & D'Ambrosi Ziletti A. Retrieval augmented text-to-SQL generation for epidemiological question answering using electronic health records. *NAACL 2024 Clinical NLP Workshop*. Published online 2024. <https://arxiv.org/abs/2403.09226>
39. T. H. Davenport, J. G. Harris. *Competing on Analytics: The New Science of Winning*. Harvard Business School Press; 2007.
40. R. L. Grossman. A framework for evaluating the analytic maturity of an organization. *International Journal of Information Management*. 2018;38(1):45-51. doi:[10.1016/j.ijinfomgt.2017.08.005](https://doi.org/10.1016/j.ijinfomgt.2017.08.005)
41. B. Langer. Understanding Data & Analytics Maturity: A Systematic Review of Maturity Model Composition. *Schmalenbach Journal of Business Research*. 2025;77(2):205-227. doi:[10.1007/s41471-024-00205-2](https://doi.org/10.1007/s41471-024-00205-2)
42. J. R. B. Halbesleben, M. V. Whitman. Evaluating Survey Quality in Health Services Research: A Decision Framework for Assessing Nonresponse Bias. *Health Services Research*. 2013;48(3):913-930. doi:[10.1111/1475-6773.12002](https://doi.org/10.1111/1475-6773.12002)
43. D. Tomaskovic-Devey, J. Leiter, S. Thompson. Organizational Survey Nonresponse. *Administrative Science Quarterly*. 1994;39(3):439-457. doi:[10.2307/2393298](https://doi.org/10.2307/2393298)
44. Health Catalyst. The healthcare analytics adoption model: A roadmap to analytic maturity. Published online 2020. <https://www.healthcatalyst.com/learn/insights/healthcare-analytics-adoption-model-roadmap-analytic-maturity>
45. Hussein Snowdon A., A. Wright. Digital maturity as a predictor of quality and safety outcomes in US hospitals: Cross-sectional observational study. *Journal of Medical Internet Research*. 2024;26:e56316. doi:[10.2196/56316](https://doi.org/10.2196/56316)
46. David X Yang, Rohan Khera, Joseph A Miccio, Vikram Jairam, others. Prevalence of missing data in the national cancer database and association with overall survival. *JAMA Network Open*. 2021;4(3):e211793. doi:[10.1001/jamanetworkopen.2021.1793](https://doi.org/10.1001/jamanetworkopen.2021.1793)

47. & Baldasare Latrella M. Improving patient outcomes while reducing readmissions with data analytics. *Management in Healthcare*. 2024;8(3):212. doi:[10.69554/RITW9729](https://doi.org/10.69554/RITW9729)
48. Gao Shahbaz M. Investigating the adoption of big data analytics in healthcare: The moderating role of resistance to change. *Journal of Big Data*. 2019;6(1). doi:[10.1186/s40537-019-0170-y](https://doi.org/10.1186/s40537-019-0170-y)
49. Sachin S. Kamble, Angappa Gunasekaran, Milind Goswami, Jaswant Manda. A systematic perspective on the applications of big data analytics in healthcare management. *International Journal of Healthcare Management*. 2019;12(3):226-240. doi:[10.1080/20479700.2018.1531606](https://doi.org/10.1080/20479700.2018.1531606)
50. K. Breu, C. J. Hemingway, M. Strathern, D. Bridger. Workforce Agility: The New Employee Strategy for the Knowledge Economy. *Journal of Information Technology*. 2002;17(1):21-31. doi:[10.1080/02683960110132070](https://doi.org/10.1080/02683960110132070)
51. G. Tessarini Junior, P. Saltorato. Workforce agility: a systematic literature review and a research agenda proposal. *Innovar*. 2021;31(81):155-167. doi:[10.15446/innovar.v31n81.95582](https://doi.org/10.15446/innovar.v31n81.95582)
52. Herlinde Wynendaele, Els Clays, Ellen Peeters, Yannai DeJonghe, Ann Van Hecke, Jeroen Trybou. Understanding turnover in healthcare and welfare sectors of high-income countries: an umbrella review. *BMC Health Services Research*. 2025;25(1). doi:[10.1186/s12913-025-12966-5](https://doi.org/10.1186/s12913-025-12966-5)
53. A. Hackney. *Onboarding New Hires in the Clinical Informatics and Practice Support (CIPS) Department With the Tiered Skills Acquisition Model (TSAM): A Program Evaluation*. PhD thesis. ProQuest Dissertations; 2024. <https://search.proquest.com/openview/9a3a9ef301c01ff0129d07f685b8643f/1>
54. P. Alpar, M. Schulz. Self-Service Business Intelligence. *Business and Information Systems Engineering*. 2016;58(2):151-155. doi:[10.1007/s12599-016-0424-6](https://doi.org/10.1007/s12599-016-0424-6)
55. I. Bani-Hani, O. Tona, S. Carlsson. Patterns of Resource Integration in the Self-service Approach to Business Analytics. In: *Proceedings of the 53rd Hawaii International Conference on System Sciences (HICSS)*. 2020. doi:[10.24251/HICSS.2020.659](https://doi.org/10.24251/HICSS.2020.659)
56. Luka Blašković, Nikola Tanković, Ivan Lorencin, Sandi Baressi Šegota. Robust Clinical Querying with Local LLMs: Lexical Challenges in NL2SQL and Retrieval-Augmented QA on EHRs. *Big Data and Cognitive Computing*. 2025;9(10):256. doi:[10.3390/bdcc9100256](https://doi.org/10.3390/bdcc9100256)
57. Almutairi Marshan A. MedT5SQL: a transformers-based large language model for text-to-SQL conversion in the healthcare domain. *Frontiers in Big Data*. 2024;7. doi:[10.3389/fdata.2024.1371680](https://doi.org/10.3389/fdata.2024.1371680)

58. Qian Chen, Jun Peng, Baiyang Song, Yiyi Zhou, Rongrong Ji. Graph-empowered Text-to-SQL generation on Electronic Medical Records. *Pattern Recognition*. 2026;169:111800. doi:[10.1016/j.patcog.2025.111800](https://doi.org/10.1016/j.patcog.2025.111800)
59. R. Tarbell, K. K. R. Choo, G. Dietrich, others. Towards understanding the generalization of medical text-to-SQL models and datasets. In: *AMIA Annual Symposium Proceedings*. 2024. <https://pmc.ncbi.nlm.nih.gov/articles/PMC10785918/>
60. Chi Yuan, Patrick B. Ryan, Casey Ta, Yixuan Guo, Ziran Li, Jill Hardin, Rupa Makadia, Peng Jin, Ning Shang, Tian Kang, Chunhua Weng. Criteria2Query: a natural language interface to clinical databases for cohort definition. *Journal of the American Medical Informatics Association*. 2019;26(4):294-305. doi:[10.1093/jamia/ocy178](https://doi.org/10.1093/jamia/ocy178)
61. Anthropic. Code modernization playbook: A practical guide to modernizing legacy systems with AI. Published online 2025. <https://resources.anthropic.com/code-modernization-playbook>
62. Gary G. Hendrix, Earl D. Sacerdoti, Daniel Sagalowicz, Jonathan Slocum. Developing a natural language interface to complex data. *ACM Transactions on Database Systems*. 1978;3(2):105-147. doi:[10.1145/320251.320253](https://doi.org/10.1145/320251.320253)
63. & Onukwulu Ogunwole O. Modernizing legacy systems: A scalable approach to next-generation data architectures and seamless integration. *International Journal of Multidisciplinary Research*. Published online 2023. https://www.allmultidisciplinaryjournal.com/uploads/archives/20250306182550_MGE-2025-2-018.1.pdf
64. A Arora. Challenges of Integrating Artificial Intelligence in Legacy Systems and Potential Solutions for Seamless Integration. *SSRN*. Published online 2025. doi:[10.2139/ssrn.5268176](https://doi.org/10.2139/ssrn.5268176)
65. Agnieszka Ignatowicz, Carolyn Tarrant, Russell Mannion, Dalia El-Sawy, others. Organizational resilience in healthcare: a review and descriptive narrative synthesis of approaches to resilience measurement and assessment in empirical studies. *BMC Health Services Research*. 2023;23:376. doi:[10.1186/s12913-023-09242-9](https://doi.org/10.1186/s12913-023-09242-9)
66. Hannah C. Ratliff, Kathryn A. Lee, Mara Buchbinder, Lesly A. Kelly, Olga Yakusheva, Deena Kelly Costa. Organizational resilience in healthcare: a scoping review. *Journal of Healthcare Management*. 2025;70(3):165-188. doi:[10.1097/JHM-D-24-00084](https://doi.org/10.1097/JHM-D-24-00084)
67. Sandeep Bharadwaj Mannapur. Understanding data drift and concept drift in machine learning systems. *International Journal of Scientific Research in Computer Science, Engineering and Information Technology*. 2025;11(1):318-330. doi:[10.32628/CSEIT25111239](https://doi.org/10.32628/CSEIT25111239)

68. D. Valiaiev. *Implementing DataOps: A Scalable Framework for Modern Data Warehousing*. PhD thesis. ProQuest Dissertations; 2025. <https://search.proquest.com/openview/aa9acce88c488cb8c6b3c8339062319/1>
69. R. Betha. Data Observability and Data Quality Automation: Building Self-Healing Data Pipelines. *International Journal of Artificial Intelligence and Data Research*. Published online 2023. <https://www.ijaidr.com/papers/2023/1/1299.pdf>
70. Supriya Kottam, Sony Annem, Yingcheng Sun. Error-Aware Text-to-SQL Generation for Clinical Trial Eligibility Criteria Querying in EHR Databases. In: *2025 IEEE International Conference on Big Data (BigData)*. 2025:3265-3274. doi:[10.1109/BigData66926.2025.11402102](https://doi.org/10.1109/BigData66926.2025.11402102)
71. V. G. Alukal, A. Manos. *Lean Kaizen: A Simplified Approach to Process Improvements*. ASQ Quality Press; 2006. <https://books.google.com/books?id=9uqiEAAAQBAJ>
72. HIMSS. UC Davis Health: From Stage 0 to AI Heroes. Published online 2025. <https://pages.himss.org/LP-HA-Case-Study-UC-Davis.html>
73. Rahul Kumar, Kyle Sporn, Ethan Waisberg, Joshua Ong, Phani Paladugu, others. Navigating healthcare AI governance: the comprehensive algorithmic oversight and stewardship framework for risk and equity. *Health Care Analysis*. Published online 2025. doi:[10.1007/s10728-025-00537-y](https://doi.org/10.1007/s10728-025-00537-y)
74. Steven Labkoff, Bilikis Oladimeji, Joseph Kannry, others. Toward a responsible future: recommendations for AI-enabled clinical decision support. *Journal of the American Medical Informatics Association*. 2024;31(11):2730-2739. doi:[10.1093/jamia/ocae209](https://doi.org/10.1093/jamia/ocae209)
75. David Loshin. *Master Data Management*. Morgan Kaufmann; 2009. <https://books.google.com/books?id=dJtmVz3nrOUC>
76. Stephan Zimmermann, Christopher Rentrop, Carsten Felden. A Multiple Case Study on the Nature and Management of Shadow Information Technology. *Journal of Information Systems*. 2017;31(1):79-101. doi:[10.2308/isys-51579](https://doi.org/10.2308/isys-51579)
77. & Zheng Ipeirotis P. Natural Language Interfaces for Databases: What Do Users Think? *arXiv preprint arXiv:251114718*. Published online 2025. <https://arxiv.org/abs/2511.14718>
78. G. Gartlehner, S. Kugley, K. Crotty, M. Viswanathan, A. Dobrescu, B. Nussbaumer-Streit, G. Booth, J. R. Treadwell. Artificial Intelligence-Assisted Data Extraction With a Large Language Model: A Study Within Reviews. *Annals of Internal Medicine*. 2025;178(12):1763-1771. doi:[10.7326/ANNALS-25-00739](https://doi.org/10.7326/ANNALS-25-00739)

79. S. Benzarti, C. Berrabah. Generative AI for Intelligent Data Extraction: A Case Study in Automated Excel-to-SQL with Human Oversight. In: *Lecture Notes of the Institute for Computer Sciences, Social Informatics and Telecommunications Engineering (LNICST)*. Springer; 2026:151-164. doi:[10.1007/978-3-032-16638-8_11](https://doi.org/10.1007/978-3-032-16638-8_11)
80. Zheng Ning, Yuan Tian, Zheng Zhang, Tianyi Zhang, Toby Jia-Jun Li. Insights into Natural Language Database Query Errors: From Attention Misalignment to User Handling Strategies. *ACM Transactions on Interactive Intelligent Systems*. 2024;14(4):25:1-25:32. doi:[10.1145/3650114](https://doi.org/10.1145/3650114)
81. IBM. Francisco Partners to Acquire IBM's Healthcare Data and Analytics Assets. *IBM Newsroom*. Published online 2022. <https://newsroom.ibm.com/2022-01-21-Francisco-Partners-to-Acquire-IBMs-Healthcare-Data-and-Analytics-Assets>
82. E. Strickland. IBM Watson, heal thyself: How IBM overpromised and underdelivered on AI health care. *IEEE Spectrum*. 2019;56(4):24-31. doi:[10.1109/MSPEC.2019.8678513](https://doi.org/10.1109/MSPEC.2019.8678513)
83. Hugh Son. Haven, the Amazon-Berkshire-JPMorgan venture to disrupt health care, is disbanding after 3 years. *CNBC*. Published online 2021. <https://www.cnbc.com/2021/01/04/haven-the-amazon-berkshire-jpmorgan-venture-to-disrupt-healthcare-is-disbanding-after-3-years.html>
84. J. M. Acchiardo, R. B. Gunderman. The Failure of Haven Healthcare: Lessons for Radiology Learners. *Academic Radiology*. 2021;28(7):1029-1031. doi:[10.1016/j.acra.2021.03.020](https://doi.org/10.1016/j.acra.2021.03.020)