

Table 6: Simulation IX: Empirical power and Monte Carlo standard error for linear contiguous alternative $h_1(x) = 2x - 1$, $c = 0.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0492 (0.0031)	0.0518 (0.0031)	50	0.0000 (0.0000)	0.0496 (0.0031)	0.0558 (0.0032)	50	0.0000 (0.0000)	0.0454 (0.0029)	0.0536 (0.0032)
100	0.0000 (0.0000)	0.0454 (0.0029)	0.0408 (0.0028)	100	0.0000 (0.0000)	0.0498 (0.0031)	0.0524 (0.0032)	100	0.0000 (0.0000)	0.0492 (0.0031)	0.0560 (0.0033)
200	0.0000 (0.0000)	0.0468 (0.0030)	0.0432 (0.0029)	200	0.0000 (0.0000)	0.0490 (0.0031)	0.0508 (0.0031)	200	0.0000 (0.0000)	0.0542 (0.0032)	0.0482 (0.0030)
500	0.0000 (0.0000)	0.0500 (0.0031)	0.0514 (0.0031)	500	0.0000 (0.0000)	0.0522 (0.0031)	0.0480 (0.0030)	500	0.0000 (0.0000)	0.0532 (0.0032)	0.0582 (0.0033)
1000	0.0000 (0.0000)	0.0480 (0.0030)	0.0512 (0.0031)	1000	0.0000 (0.0000)	0.0488 (0.0030)	0.0516 (0.0031)	1000	0.0000 (0.0000)	0.0526 (0.0032)	0.0490 (0.0033)

Table 7: Simulation IX: Empirical power and Monte Carlo standard error for linear contiguous alternative $h_1(x) = 2x - 1$, $c = 1$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0434 (0.0029)	0.0454 (0.0029)	50	0.0000 (0.0000)	0.0412 (0.0028)	0.0574 (0.0033)	50	0.0000 (0.0000)	0.0386 (0.0027)	0.0526 (0.0032)
100	0.0000 (0.0000)	0.0480 (0.0030)	0.0450 (0.0029)	100	0.0000 (0.0000)	0.0406 (0.0028)	0.0496 (0.0031)	100	0.0000 (0.0000)	0.0494 (0.0031)	0.0656 (0.0035)
200	0.0000 (0.0000)	0.0420 (0.0028)	0.0434 (0.0029)	200	0.0000 (0.0000)	0.0430 (0.0029)	0.0486 (0.0030)	200	0.0000 (0.0000)	0.0460 (0.0030)	0.0612 (0.0034)
500	0.0000 (0.0000)	0.0476 (0.0030)	0.0582 (0.0033)	500	0.0000 (0.0000)	0.0540 (0.0032)	0.0532 (0.0032)	500	0.0000 (0.0000)	0.0482 (0.0030)	0.0644 (0.0035)
1000	0.0000 (0.0000)	0.0498 (0.0031)	0.0534 (0.0032)	1000	0.0000 (0.0000)	0.0468 (0.0030)	0.0584 (0.0033)	1000	0.0000 (0.0000)	0.0480 (0.0030)	0.0582 (0.0033)

Table 8: Simulation IX: Empirical power and Monte Carlo standard error for linear contiguous alternative $h_1(x) = 2x - 1$, $c = 1.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0488 (0.0030)	0.0516 (0.0031)	50	0.0000 (0.0000)	0.0358 (0.0026)	0.0634 (0.0034)	50	0.0000 (0.0000)	0.0422 (0.0028)	0.0618 (0.0034)
100	0.0000 (0.0000)	0.0462 (0.0030)	0.0540 (0.0032)	100	0.0000 (0.0000)	0.0432 (0.0029)	0.0648 (0.0035)	100	0.0000 (0.0000)	0.0486 (0.0030)	0.0724 (0.0037)
200	0.0000 (0.0000)	0.0432 (0.0029)	0.0506 (0.0031)	200	0.0000 (0.0000)	0.0412 (0.0028)	0.0638 (0.0035)	200	0.0000 (0.0000)	0.0406 (0.0028)	0.0642 (0.0035)
500	0.0000 (0.0000)	0.0476 (0.0030)	0.0606 (0.0034)	500	0.0000 (0.0000)	0.0428 (0.0029)	0.0536 (0.0032)	500	0.0000 (0.0000)	0.0474 (0.0030)	0.0624 (0.0034)
1000	0.0000 (0.0000)	0.0520 (0.0031)	0.0510 (0.0031)	1000	0.0000 (0.0000)	0.0424 (0.0028)	0.0548 (0.0032)	1000	0.0000 (0.0000)	0.0490 (0.0031)	0.0584 (0.0033)

Table 9: Simulation IX: Empirical power and Monte Carlo standard error for linear contiguous alternative $h_1(x) = 2x - 1$, $c = 2$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0446 (0.0029)	0.0638 (0.0035)	50	0.0000 (0.0000)	0.0398 (0.0028)	0.0614 (0.0034)	50	0.0000 (0.0000)	0.0338 (0.0026)	0.0684 (0.0036)
100	0.0000 (0.0000)	0.0418 (0.0028)	0.0626 (0.0034)	100	0.0000 (0.0000)	0.0352 (0.0026)	0.0796 (0.0038)	100	0.0000 (0.0000)	0.0426 (0.0029)	0.0832 (0.0039)
200	0.0000 (0.0000)	0.0388 (0.0027)	0.0520 (0.0031)	200	0.0000 (0.0000)	0.0340 (0.0026)	0.0674 (0.0035)	200	0.0000 (0.0000)	0.0340 (0.0026)	0.0778 (0.0038)
500	0.0000 (0.0000)	0.0436 (0.0029)	0.0596 (0.0033)	500	0.0000 (0.0000)	0.0410 (0.0028)	0.0594 (0.0033)	500	0.0000 (0.0000)	0.0432 (0.0029)	0.0736 (0.0037)
1000	0.0000 (0.0000)	0.0528 (0.0032)	0.0588 (0.0033)	1000	0.0000 (0.0000)	0.0412 (0.0028)	0.0546 (0.0032)	1000	0.0000 (0.0000)	0.0424 (0.0028)	0.0664 (0.0035)

Table 10: Simulation IX: Empirical power and Monte Carlo standard error for quadratic contiguous alternative $h_2(x) = 6x^2 - 6x + 1$, $c = 0.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0554 (0.0032)	0.0476 (0.0030)	50	0.0000 (0.0000)	0.0504 (0.0031)	0.0572 (0.0033)	50	0.0000 (0.0000)	0.0432 (0.0029)	0.0580 (0.0033)
100	0.0000 (0.0000)	0.0536 (0.0032)	0.0418 (0.0028)	100	0.0000 (0.0000)	0.0440 (0.0029)	0.0452 (0.0029)	100	0.0000 (0.0000)	0.0524 (0.0032)	0.0560 (0.0033)
200	0.0000 (0.0000)	0.0520 (0.0031)	0.0392 (0.0027)	200	0.0000 (0.0000)	0.0462 (0.0030)	0.0418 (0.0028)	200	0.0000 (0.0000)	0.0490 (0.0031)	0.0458 (0.0030)
500	0.0000 (0.0000)	0.0504 (0.0031)	0.0498 (0.0031)	500	0.0000 (0.0000)	0.0612 (0.0034)	0.0400 (0.0028)	500	0.0000 (0.0000)	0.0570 (0.0033)	0.0482 (0.0030)
1000	0.0000 (0.0000)	0.0648 (0.0035)	0.0430 (0.0029)	1000	0.0000 (0.0000)	0.0546 (0.0032)	0.0434 (0.0029)	1000	0.0000 (0.0000)	0.0518 (0.0031)	0.0446 (0.0029)

Table 11: Simulation IX: Empirical power and Monte Carlo standard error for quadratic contiguous alternative $h_2(x) = 6x^2 - 6x + 1$, $c = 1$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0480 (0.0030)	0.0386 (0.0027)	50	0.0000 (0.0000)	0.0480 (0.0030)	0.0688 (0.0036)	50	0.0000 (0.0000)	0.0422 (0.0028)	0.0708 (0.0036)
100	0.0000 (0.0000)	0.0630 (0.0034)	0.0312 (0.0025)	100	0.0000 (0.0000)	0.0466 (0.0030)	0.0454 (0.0029)	100	0.0000 (0.0000)	0.0530 (0.0032)	0.0640 (0.0035)
200	0.0000 (0.0000)	0.0542 (0.0032)	0.0256 (0.0022)	200	0.0000 (0.0000)	0.0498 (0.0031)	0.0424 (0.0028)	200	0.0000 (0.0000)	0.0508 (0.0031)	0.0466 (0.0030)
500	0.0000 (0.0000)	0.0624 (0.0034)	0.0374 (0.0027)	500	0.0000 (0.0000)	0.0618 (0.0034)	0.0330 (0.0025)	500	0.0000 (0.0000)	0.0624 (0.0034)	0.0432 (0.0029)
1000	0.0000 (0.0000)	0.0660 (0.0035)	0.0394 (0.0028)	1000	0.0000 (0.0000)	0.0624 (0.0034)	0.0396 (0.0028)	1000	0.0000 (0.0000)	0.0618 (0.0034)	0.0404 (0.0028)

Table 12: Simulation IX: Empirical power and Monte Carlo standard error for quadratic contiguous alternative $h_2(x) = 6x^2 - 6x + 1$, $c = 1.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0614 (0.0034)	0.0448 (0.0029)	50	0.0000 (0.0000)	0.0364 (0.0026)	0.0744 (0.0037)	50	0.0000 (0.0000)	0.0328 (0.0025)	0.0860 (0.0040)
100	0.0000 (0.0000)	0.0622 (0.0034)	0.0302 (0.0024)	100	0.0000 (0.0000)	0.0474 (0.0030)	0.0492 (0.0031)	100	0.0000 (0.0000)	0.0512 (0.0031)	0.0696 (0.0036)
200	0.0000 (0.0000)	0.0690 (0.0036)	0.0234 (0.0021)	200	0.0000 (0.0000)	0.0522 (0.0031)	0.0358 (0.0026)	200	0.0000 (0.0000)	0.0572 (0.0033)	0.0422 (0.0028)
500	0.0000 (0.0000)	0.0764 (0.0038)	0.0298 (0.0024)	500	0.0000 (0.0000)	0.0644 (0.0035)	0.0332 (0.0025)	500	0.0000 (0.0000)	0.0586 (0.0033)	0.0414 (0.0028)
1000	0.0000 (0.0000)	0.0764 (0.0038)	0.0280 (0.0023)	1000	0.0000 (0.0000)	0.0690 (0.0036)	0.0354 (0.0026)	1000	0.0000 (0.0000)	0.0658 (0.0035)	0.0368 (0.0027)

Table 13: Simulation IX: Empirical power and Monte Carlo standard error for quadratic contiguous alternative $h_2(x) = 6x^2 - 6x + 1$, $c = 2$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0672 (0.0035)	0.0374 (0.0027)	50	0.0000 (0.0000)	0.0428 (0.0029)	0.0858 (0.0040)	50	0.0000 (0.0000)	0.0314 (0.0025)	0.1064 (0.0044)
100	0.0000 (0.0000)	0.0746 (0.0037)	0.0256 (0.0022)	100	0.0000 (0.0000)	0.0514 (0.0031)	0.0478 (0.0030)	100	0.0000 (0.0000)	0.0520 (0.0031)	0.0768 (0.0038)
200	0.0000 (0.0000)	0.0778 (0.0038)	0.0216 (0.0021)	200	0.0000 (0.0000)	0.0546 (0.0032)	0.0340 (0.0026)	200	0.0000 (0.0000)	0.0558 (0.0032)	0.0440 (0.0029)
500	0.0000 (0.0000)	0.0872 (0.0040)	0.0200 (0.0020)	500	0.0000 (0.0000)	0.0722 (0.0037)	0.0288 (0.0024)	500	0.0000 (0.0000)	0.0638 (0.0035)	0.0414 (0.0028)
1000	0.0000 (0.0000)	0.0876 (0.0040)	0.0224 (0.0021)	1000	0.0000 (0.0000)	0.0728 (0.0037)	0.0306 (0.0024)	1000	0.0000 (0.0000)	0.0642 (0.0035)	0.0340 (0.0026)

Table 14: Simulation IX: Empirical power and Monte Carlo standard error for oscillatory contiguous alternative $h_3(x) = \sin(2\pi x)$, $c = 0.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0532 (0.0032)	0.0466 (0.0030)	50	0.0000 (0.0000)	0.0434 (0.0029)	0.0508 (0.0031)	50	0.0000 (0.0000)	0.0438 (0.0029)	0.0420 (0.0028)
100	0.0000 (0.0000)	0.0500 (0.0031)	0.0464 (0.0030)	100	0.0000 (0.0000)	0.0434 (0.0029)	0.0486 (0.0030)	100	0.0000 (0.0000)	0.0510 (0.0031)	0.0514 (0.0031)
200	0.0000 (0.0000)	0.0430 (0.0029)	0.0434 (0.0029)	200	0.0000 (0.0000)	0.0430 (0.0029)	0.0510 (0.0031)	200	0.0000 (0.0000)	0.0542 (0.0032)	0.0526 (0.0032)
500	0.0000 (0.0000)	0.0522 (0.0031)	0.0568 (0.0033)	500	0.0000 (0.0000)	0.0480 (0.0030)	0.0438 (0.0029)	500	0.0000 (0.0000)	0.0572 (0.0033)	0.0488 (0.0030)
1000	0.0000 (0.0000)	0.0516 (0.0031)	0.0514 (0.0031)	1000	0.0000 (0.0000)	0.0490 (0.0031)	0.0502 (0.0031)	1000	0.0000 (0.0000)	0.0538 (0.0032)	0.0494 (0.0031)

Table 15: Simulation IX: Empirical power and Monte Carlo standard error for oscillatory contiguous alternative $h_3(x) = \sin(2\pi x)$, $c = 1$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0460 (0.0030)	0.0424 (0.0028)	50	0.0000 (0.0000)	0.0452 (0.0029)	0.0506 (0.0031)	50	0.0000 (0.0000)	0.0458 (0.0030)	0.0444 (0.0029)
100	0.0000 (0.0000)	0.0464 (0.0030)	0.0444 (0.0029)	100	0.0000 (0.0000)	0.0432 (0.0029)	0.0510 (0.0031)	100	0.0000 (0.0000)	0.0530 (0.0032)	0.0500 (0.0031)
200	0.0000 (0.0000)	0.0420 (0.0028)	0.0444 (0.0029)	200	0.0000 (0.0000)	0.0454 (0.0029)	0.0518 (0.0031)	200	0.0000 (0.0000)	0.0486 (0.0030)	0.0498 (0.0031)
500	0.0000 (0.0000)	0.0562 (0.0033)	0.0544 (0.0032)	500	0.0000 (0.0000)	0.0472 (0.0030)	0.0466 (0.0030)	500	0.0000 (0.0000)	0.0538 (0.0032)	0.0582 (0.0033)
1000	0.0000 (0.0000)	0.0492 (0.0031)	0.0548 (0.0032)	1000	0.0000 (0.0000)	0.0478 (0.0030)	0.0452 (0.0029)	1000	0.0000 (0.0000)	0.0518 (0.0031)	0.0480 (0.0030)

Table 16: Simulation IX: Empirical power and Monte Carlo standard error for oscillatory contiguous alternative $h_3(x) = \sin(2\pi x)$, $c = 1.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0504 (0.0031)	0.0416 (0.0028)	50	0.0000 (0.0000)	0.0444 (0.0029)	0.0476 (0.0030)	50	0.0000 (0.0000)	0.0386 (0.0027)	0.0404 (0.0028)
100	0.0000 (0.0000)	0.0490 (0.0031)	0.0430 (0.0029)	100	0.0000 (0.0000)	0.0400 (0.0028)	0.0494 (0.0031)	100	0.0000 (0.0000)	0.0526 (0.0032)	0.0500 (0.0031)
200	0.0000 (0.0000)	0.0442 (0.0029)	0.0424 (0.0028)	200	0.0000 (0.0000)	0.0472 (0.0030)	0.0480 (0.0030)	200	0.0000 (0.0000)	0.0482 (0.0030)	0.0474 (0.0030)
500	0.0000 (0.0000)	0.0530 (0.0032)	0.0540 (0.0032)	500	0.0000 (0.0000)	0.0500 (0.0031)	0.0498 (0.0031)	500	0.0000 (0.0000)	0.0592 (0.0033)	0.0592 (0.0033)
1000	0.0000 (0.0000)	0.0550 (0.0032)	0.0584 (0.0033)	1000	0.0000 (0.0000)	0.0494 (0.0031)	0.0508 (0.0031)	1000	0.0000 (0.0000)	0.0536 (0.0032)	0.0492 (0.0031)

Table 17: Simulation IX: Empirical power and Monte Carlo standard error for oscillatory contiguous alternative $h_3(x) = \sin(2\pi x)$, $c = 2$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0500 (0.0031)	0.0490 (0.0031)	50	0.0000 (0.0000)	0.0470 (0.0030)	0.0438 (0.0029)	50	0.0000 (0.0000)	0.0390 (0.0027)	0.0402 (0.0028)
100	0.0000 (0.0000)	0.0498 (0.0031)	0.0442 (0.0029)	100	0.0000 (0.0000)	0.0422 (0.0028)	0.0458 (0.0030)	100	0.0000 (0.0000)	0.0476 (0.0030)	0.0548 (0.0032)
200	0.0000 (0.0000)	0.0450 (0.0029)	0.0402 (0.0028)	200	0.0000 (0.0000)	0.0528 (0.0032)	0.0498 (0.0031)	200	0.0000 (0.0000)	0.0484 (0.0030)	0.0482 (0.0030)
500	0.0000 (0.0000)	0.0490 (0.0031)	0.0580 (0.0033)	500	0.0000 (0.0000)	0.0484 (0.0030)	0.0442 (0.0029)	500	0.0000 (0.0000)	0.0570 (0.0033)	0.0544 (0.0032)
1000	0.0000 (0.0000)	0.0526 (0.0032)	0.0542 (0.0032)	1000	0.0000 (0.0000)	0.0496 (0.0031)	0.0508 (0.0031)	1000	0.0000 (0.0000)	0.0564 (0.0033)	0.0484 (0.0030)

Table 18: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.25$, $\eta = 0.05$, $c = 0.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0480 (0.0030)	0.0524 (0.0032)	50	0.0000 (0.0000)	0.0472 (0.0030)	0.0498 (0.0031)	50	0.0000 (0.0000)	0.0422 (0.0028)	0.0496 (0.0031)
100	0.0000 (0.0000)	0.0484 (0.0030)	0.0458 (0.0030)	100	0.0000 (0.0000)	0.0428 (0.0029)	0.0522 (0.0031)	100	0.0000 (0.0000)	0.0574 (0.0033)	0.0478 (0.0030)
200	0.0000 (0.0000)	0.0468 (0.0030)	0.0474 (0.0030)	200	0.0000 (0.0000)	0.0394 (0.0028)	0.0478 (0.0030)	200	0.0000 (0.0000)	0.0488 (0.0030)	0.0520 (0.0031)
500	0.0000 (0.0000)	0.0500 (0.0031)	0.0626 (0.0034)	500	0.0000 (0.0000)	0.0552 (0.0032)	0.0482 (0.0030)	500	0.0000 (0.0000)	0.0510 (0.0031)	0.0542 (0.0032)
1000	0.0000 (0.0000)	0.0526 (0.0032)	0.0536 (0.0032)	1000	0.0000 (0.0000)	0.0514 (0.0031)	0.0502 (0.0031)	1000	0.0000 (0.0000)	0.0548 (0.0032)	0.0512 (0.0031)

Table 19: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.25$, $\eta = 0.05$, $c = 1$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0564 (0.0033)	0.0484 (0.0030)	50	0.0000 (0.0000)	0.0436 (0.0029)	0.0456 (0.0030)	50	0.0000 (0.0000)	0.0516 (0.0031)	0.0442 (0.0029)
100	0.0000 (0.0000)	0.0568 (0.0033)	0.0480 (0.0030)	100	0.0000 (0.0000)	0.0408 (0.0028)	0.0482 (0.0030)	100	0.0000 (0.0000)	0.0554 (0.0032)	0.0496 (0.0031)
200	0.0000 (0.0000)	0.0464 (0.0030)	0.0430 (0.0029)	200	0.0000 (0.0000)	0.0498 (0.0031)	0.0474 (0.0030)	200	0.0000 (0.0000)	0.0516 (0.0031)	0.0534 (0.0032)
500	0.0000 (0.0000)	0.0486 (0.0030)	0.0588 (0.0033)	500	0.0000 (0.0000)	0.0508 (0.0031)	0.0502 (0.0031)	500	0.0000 (0.0000)	0.0520 (0.0031)	0.0568 (0.0033)
1000	0.0000 (0.0000)	0.0436 (0.0029)	0.0538 (0.0032)	1000	0.0000 (0.0000)	0.0486 (0.0030)	0.0512 (0.0031)	1000	0.0000 (0.0000)	0.0550 (0.0032)	0.0610 (0.0034)

Table 20: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.25$, $\eta = 0.05$, $c = 1.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0562 (0.0033)	0.0454 (0.0029)	50	0.0000 (0.0000)	0.0534 (0.0032)	0.0416 (0.0028)	50	0.0000 (0.0000)	0.0510 (0.0031)	0.0388 (0.0027)
100	0.0000 (0.0000)	0.0542 (0.0032)	0.0470 (0.0030)	100	0.0000 (0.0000)	0.0438 (0.0029)	0.0514 (0.0031)	100	0.0000 (0.0000)	0.0554 (0.0032)	0.0516 (0.0031)
200	0.0000 (0.0000)	0.0506 (0.0031)	0.0480 (0.0030)	200	0.0000 (0.0000)	0.0482 (0.0030)	0.0534 (0.0032)	200	0.0000 (0.0000)	0.0540 (0.0032)	0.0556 (0.0032)
500	0.0000 (0.0000)	0.0490 (0.0031)	0.0620 (0.0034)	500	0.0000 (0.0000)	0.0500 (0.0031)	0.0484 (0.0030)	500	0.0000 (0.0000)	0.0596 (0.0033)	0.0576 (0.0033)
1000	0.0000 (0.0000)	0.0534 (0.0032)	0.0612 (0.0034)	1000	0.0000 (0.0000)	0.0482 (0.0030)	0.0560 (0.0033)	1000	0.0000 (0.0000)	0.0566 (0.0033)	0.0544 (0.0032)

Table 21: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.25$, $\eta = 0.05$, $c = 2$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0598 (0.0034)	0.0526 (0.0032)	50	0.0000 (0.0000)	0.0594 (0.0033)	0.0428 (0.0029)	50	0.0000 (0.0000)	0.0474 (0.0030)	0.0360 (0.0026)
100	0.0000 (0.0000)	0.0552 (0.0032)	0.0516 (0.0031)	100	0.0000 (0.0000)	0.0480 (0.0030)	0.0534 (0.0032)	100	0.0000 (0.0000)	0.0564 (0.0033)	0.0466 (0.0030)
200	0.0000 (0.0000)	0.0472 (0.0030)	0.0432 (0.0029)	200	0.0000 (0.0000)	0.0508 (0.0031)	0.0468 (0.0030)	200	0.0000 (0.0000)	0.0592 (0.0033)	0.0526 (0.0032)
500	0.0000 (0.0000)	0.0484 (0.0030)	0.0604 (0.0034)	500	0.0000 (0.0000)	0.0576 (0.0033)	0.0456 (0.0030)	500	0.0000 (0.0000)	0.0570 (0.0033)	0.0590 (0.0033)
1000	0.0000 (0.0000)	0.0492 (0.0031)	0.0564 (0.0033)	1000	0.0000 (0.0000)	0.0490 (0.0031)	0.0550 (0.0032)	1000	0.0000 (0.0000)	0.0612 (0.0034)	0.0486 (0.0030)

Table 22: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.25$, $\eta = 0.1$, $c = 0.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0524 (0.0032)	0.0500 (0.0031)	50	0.0000 (0.0000)	0.0472 (0.0030)	0.0464 (0.0030)	50	0.0000 (0.0000)	0.0474 (0.0030)	0.0460 (0.0030)
100	0.0000 (0.0000)	0.0526 (0.0032)	0.0520 (0.0031)	100	0.0000 (0.0000)	0.0448 (0.0029)	0.0450 (0.0029)	100	0.0000 (0.0000)	0.0558 (0.0032)	0.0532 (0.0032)
200	0.0000 (0.0000)	0.0398 (0.0028)	0.0436 (0.0029)	200	0.0000 (0.0000)	0.0470 (0.0030)	0.0492 (0.0031)	200	0.0000 (0.0000)	0.0464 (0.0030)	0.0556 (0.0032)
500	0.0000 (0.0000)	0.0416 (0.0028)	0.0584 (0.0033)	500	0.0000 (0.0000)	0.0484 (0.0030)	0.0586 (0.0033)	500	0.0000 (0.0000)	0.0490 (0.0031)	0.0598 (0.0034)
1000	0.0000 (0.0000)	0.0546 (0.0032)	0.0570 (0.0033)	1000	0.0000 (0.0000)	0.0440 (0.0029)	0.0504 (0.0031)	1000	0.0000 (0.0000)	0.0518 (0.0031)	0.0566 (0.0033)

Table 23: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.25$, $\eta = 0.1$, $c = 1$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0546 (0.0032)	0.0394 (0.0028)	50	0.0000 (0.0000)	0.0520 (0.0031)	0.0496 (0.0031)	50	0.0000 (0.0000)	0.0492 (0.0031)	0.0392 (0.0027)
100	0.0000 (0.0000)	0.0516 (0.0031)	0.0464 (0.0030)	100	0.0000 (0.0000)	0.0448 (0.0029)	0.0480 (0.0030)	100	0.0000 (0.0000)	0.0514 (0.0031)	0.0416 (0.0028)
200	0.0000 (0.0000)	0.0494 (0.0031)	0.0440 (0.0029)	200	0.0000 (0.0000)	0.0480 (0.0030)	0.0476 (0.0030)	200	0.0000 (0.0000)	0.0538 (0.0032)	0.0484 (0.0030)
500	0.0000 (0.0000)	0.0508 (0.0031)	0.0566 (0.0033)	500	0.0000 (0.0000)	0.0500 (0.0031)	0.0550 (0.0032)	500	0.0000 (0.0000)	0.0558 (0.0032)	0.0628 (0.0034)
1000	0.0000 (0.0000)	0.0470 (0.0030)	0.0526 (0.0032)	1000	0.0000 (0.0000)	0.0534 (0.0032)	0.0554 (0.0032)	1000	0.0000 (0.0000)	0.0500 (0.0031)	0.0566 (0.0033)

Table 24: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.25$, $\eta = 0.1$, $c = 1.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0564 (0.0033)	0.0434 (0.0029)	50	0.0000 (0.0000)	0.0580 (0.0033)	0.0372 (0.0027)	50	0.0000 (0.0000)	0.0468 (0.0030)	0.0364 (0.0026)
100	0.0000 (0.0000)	0.0592 (0.0033)	0.0498 (0.0031)	100	0.0000 (0.0000)	0.0536 (0.0032)	0.0444 (0.0029)	100	0.0000 (0.0000)	0.0554 (0.0032)	0.0450 (0.0029)
200	0.0000 (0.0000)	0.0494 (0.0031)	0.0478 (0.0030)	200	0.0000 (0.0000)	0.0530 (0.0032)	0.0468 (0.0030)	200	0.0000 (0.0000)	0.0542 (0.0032)	0.0500 (0.0031)
500	0.0000 (0.0000)	0.0526 (0.0032)	0.0628 (0.0034)	500	0.0000 (0.0000)	0.0548 (0.0032)	0.0506 (0.0031)	500	0.0000 (0.0000)	0.0594 (0.0033)	0.0576 (0.0033)
1000	0.0000 (0.0000)	0.0448 (0.0029)	0.0540 (0.0032)	1000	0.0000 (0.0000)	0.0478 (0.0030)	0.0600 (0.0034)	1000	0.0000 (0.0000)	0.0582 (0.0033)	0.0516 (0.0031)

Table 25: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.25$, $\eta = 0.1$, $c = 2$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0632 (0.0034)	0.0466 (0.0030)	50	0.0000 (0.0000)	0.0558 (0.0032)	0.0368 (0.0027)	50	0.0000 (0.0000)	0.0554 (0.0032)	0.0336 (0.0025)
100	0.0000 (0.0000)	0.0632 (0.0034)	0.0508 (0.0031)	100	0.0000 (0.0000)	0.0616 (0.0034)	0.0438 (0.0029)	100	0.0000 (0.0000)	0.0594 (0.0032)	0.0418 (0.0028)
200	0.0000 (0.0000)	0.0518 (0.0031)	0.0498 (0.0031)	200	0.0000 (0.0000)	0.0508 (0.0031)	0.0558 (0.0032)	200	0.0000 (0.0000)	0.0548 (0.0032)	0.0468 (0.0030)
500	0.0000 (0.0000)	0.0486 (0.0030)	0.0624 (0.0034)	500	0.0000 (0.0000)	0.0506 (0.0031)	0.0564 (0.0033)	500	0.0000 (0.0000)	0.0554 (0.0032)	0.0544 (0.0032)
1000	0.0000 (0.0000)	0.0522 (0.0031)	0.0524 (0.0032)	1000	0.0000 (0.0000)	0.0466 (0.0030)	0.0590 (0.0033)	1000	0.0000 (0.0000)	0.0542 (0.0032)	0.0566 (0.0033)

Table 26: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.25$, $\eta = 0.2$, $c = 0.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0448 (0.0029)	0.0490 (0.0031)	50	0.0000 (0.0000)	0.0496 (0.0031)	0.0540 (0.0032)	50	0.0000 (0.0000)	0.0460 (0.0030)	0.0504 (0.0031)
100	0.0000 (0.0000)	0.0476 (0.0030)	0.0442 (0.0029)	100	0.0000 (0.0000)	0.0466 (0.0030)	0.0506 (0.0031)	100	0.0000 (0.0000)	0.0536 (0.0032)	0.0514 (0.0031)
200	0.0000 (0.0000)	0.0484 (0.0030)	0.0438 (0.0029)	200	0.0000 (0.0000)	0.0484 (0.0030)	0.0556 (0.0032)	200	0.0000 (0.0000)	0.0456 (0.0030)	0.0494 (0.0031)
500	0.0000 (0.0000)	0.0474 (0.0030)	0.0542 (0.0032)	500	0.0000 (0.0000)	0.0422 (0.0028)	0.0470 (0.0030)	500	0.0000 (0.0000)	0.0544 (0.0032)	0.0538 (0.0032)
1000	0.0000 (0.0000)	0.0524 (0.0032)	0.0580 (0.0033)	1000	0.0000 (0.0000)	0.0426 (0.0029)	0.0494 (0.0031)	1000	0.0000 (0.0000)	0.0500 (0.0031)	0.0508 (0.0031)

Table 27: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.25$, $\eta = 0.2$, $c = 1$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0478 (0.0030)	0.0452 (0.0029)	50	0.0000 (0.0000)	0.0456 (0.0030)	0.0464 (0.0030)	50	0.0000 (0.0000)	0.0490 (0.0031)	0.0456 (0.0030)
100	0.0000 (0.0000)	0.0486 (0.0030)	0.0454 (0.0029)	100	0.0000 (0.0000)	0.0434 (0.0029)	0.0548 (0.0032)	100	0.0000 (0.0000)	0.0560 (0.0033)	0.0488 (0.0030)
200	0.0000 (0.0000)	0.0442 (0.0029)	0.0442 (0.0029)	200	0.0000 (0.0000)	0.0456 (0.0030)	0.0520 (0.0031)	200	0.0000 (0.0000)	0.0506 (0.0031)	0.0494 (0.0031)
500	0.0000 (0.0000)	0.0450 (0.0029)	0.0574 (0.0033)	500	0.0000 (0.0000)	0.0444 (0.0029)	0.0512 (0.0031)	500	0.0000 (0.0000)	0.0492 (0.0031)	0.0588 (0.0033)
1000	0.0000 (0.0000)	0.0500 (0.0031)	0.0578 (0.0033)	1000	0.0000 (0.0000)	0.0442 (0.0029)	0.0526 (0.0032)	1000	0.0000 (0.0000)	0.0486 (0.0030)	0.0508 (0.0031)

Table 28: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.25$, $\eta = 0.2$, $c = 1.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0552 (0.0032)	0.0518 (0.0031)	50	0.0000 (0.0000)	0.0512 (0.0031)	0.0436 (0.0029)	50	0.0000 (0.0000)	0.0500 (0.0031)	0.0388 (0.0027)
100	0.0000 (0.0000)	0.0506 (0.0031)	0.0550 (0.0032)	100	0.0000 (0.0000)	0.0466 (0.0030)	0.0558 (0.0032)	100	0.0000 (0.0000)	0.0534 (0.0032)	0.0484 (0.0030)
200	0.0000 (0.0000)	0.0512 (0.0031)	0.0430 (0.0029)	200	0.0000 (0.0000)	0.0448 (0.0029)	0.0564 (0.0033)	200	0.0000 (0.0000)	0.0484 (0.0030)	0.0550 (0.0032)
500	0.0000 (0.0000)	0.0434 (0.0029)	0.0560 (0.0033)	500	0.0000 (0.0000)	0.0456 (0.0030)	0.0548 (0.0032)	500	0.0000 (0.0000)	0.0502 (0.0031)	0.0630 (0.0034)
1000	0.0000 (0.0000)	0.0438 (0.0029)	0.0672 (0.0035)	1000	0.0000 (0.0000)	0.0386 (0.0027)	0.0554 (0.0032)	1000	0.0000 (0.0000)	0.0530 (0.0032)	0.0578 (0.0033)

Table 29: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.25$, $\eta = 0.2$, $c = 2$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0602 (0.0034)	0.0488 (0.0030)	50	0.0000 (0.0000)	0.0476 (0.0030)	0.0406 (0.0028)	50	0.0000 (0.0000)	0.0446 (0.0029)	0.0402 (0.0028)
100	0.0000 (0.0000)	0.0468 (0.0030)	0.0494 (0.0031)	100	0.0000 (0.0000)	0.0408 (0.0028)	0.0468 (0.0030)	100	0.0000 (0.0000)	0.0536 (0.0032)	0.0512 (0.0031)
200	0.0000 (0.0000)	0.0428 (0.0029)	0.0512 (0.0031)	200	0.0000 (0.0000)	0.0472 (0.0030)	0.0600 (0.0034)	200	0.0000 (0.0000)	0.0514 (0.0031)	0.0540 (0.0032)
500	0.0000 (0.0000)	0.0456 (0.0030)	0.0650 (0.0035)	500	0.0000 (0.0000)	0.0506 (0.0031)	0.0554 (0.0032)	500	0.0000 (0.0000)	0.0484 (0.0030)	0.0576 (0.0033)
1000	0.0000 (0.0000)	0.0470 (0.0030)	0.0562 (0.0033)	1000	0.0000 (0.0000)	0.0448 (0.0029)	0.0590 (0.0033)	1000	0.0000 (0.0000)	0.0486 (0.0030)	0.0538 (0.0032)

Table 30: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.5$, $\eta = 0.05$, $c = 0.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0404 (0.0028)	0.0460 (0.0030)	50	0.0000 (0.0000)	0.0448 (0.0029)	0.0500 (0.0031)	50	0.0000 (0.0000)	0.0440 (0.0029)	0.0496 (0.0031)
100	0.0000 (0.0000)	0.0442 (0.0029)	0.0470 (0.0030)	100	0.0000 (0.0000)	0.0422 (0.0028)	0.0500 (0.0031)	100	0.0000 (0.0000)	0.0512 (0.0031)	0.0520 (0.0030)
200	0.0000 (0.0000)	0.0444 (0.0029)	0.0490 (0.0031)	200	0.0000 (0.0000)	0.0390 (0.0027)	0.0498 (0.0031)	200	0.0000 (0.0000)	0.0428 (0.0029)	0.0470 (0.0030)
500	0.0000 (0.0000)	0.0486 (0.0030)	0.0628 (0.0034)	500	0.0000 (0.0000)	0.0520 (0.0031)	0.0462 (0.0030)	500	0.0000 (0.0000)	0.0516 (0.0031)	0.0580 (0.0033)
1000	0.0000 (0.0000)	0.0462 (0.0030)	0.0570 (0.0033)	1000	0.0000 (0.0000)	0.0448 (0.0029)	0.0500 (0.0031)	1000	0.0000 (0.0000)	0.0472 (0.0030)	0.0538 (0.0032)

Table 31: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.5$, $\eta = 0.05$, $c = 1$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0406 (0.0028)	0.0462 (0.0030)	50	0.0000 (0.0000)	0.0444 (0.0029)	0.0482 (0.0030)	50	0.0000 (0.0000)	0.0458 (0.0030)	0.0450 (0.0029)
100	0.0000 (0.0000)	0.0416 (0.0028)	0.0524 (0.0032)	100	0.0000 (0.0000)	0.0408 (0.0028)	0.0502 (0.0031)	100	0.0000 (0.0000)	0.0522 (0.0031)	0.0614 (0.0034)
200	0.0000 (0.0000)	0.0386 (0.0027)	0.0452 (0.0029)	200	0.0000 (0.0000)	0.0394 (0.0028)	0.0526 (0.0032)	200	0.0000 (0.0000)	0.0456 (0.0030)	0.0514 (0.0031)
500	0.0000 (0.0000)	0.0442 (0.0029)	0.0548 (0.0032)	500	0.0000 (0.0000)	0.0406 (0.0028)	0.0514 (0.0031)	500	0.0000 (0.0000)	0.0492 (0.0031)	0.0622 (0.0034)
1000	0.0000 (0.0000)	0.0452 (0.0029)	0.0628 (0.0034)	1000	0.0000 (0.0000)	0.0418 (0.0028)	0.0606 (0.0034)	1000	0.0000 (0.0000)	0.0444 (0.0029)	0.0548 (0.0032)

Table 32: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.5$, $\eta = 0.05$, $c = 1.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0426 (0.0029)	0.0490 (0.0031)	50	0.0000 (0.0000)	0.0342 (0.0026)	0.0452 (0.0029)	50	0.0000 (0.0000)	0.0404 (0.0028)	0.0380 (0.0027)
100	0.0000 (0.0000)	0.0392 (0.0027)	0.0444 (0.0029)	100	0.0000 (0.0000)	0.0364 (0.0026)	0.0486 (0.0030)	100	0.0000 (0.0000)	0.0510 (0.0031)	0.0538 (0.0032)
200	0.0000 (0.0000)	0.0364 (0.0026)	0.0464 (0.0030)	200	0.0000 (0.0000)	0.0446 (0.0029)	0.0482 (0.0030)	200	0.0000 (0.0000)	0.0432 (0.0029)	0.0518 (0.0031)
500	0.0000 (0.0000)	0.0392 (0.0027)	0.0596 (0.0033)	500	0.0000 (0.0000)	0.0412 (0.0028)	0.0500 (0.0031)	500	0.0000 (0.0000)	0.0420 (0.0028)	0.0642 (0.0035)
1000	0.0000 (0.0000)	0.0452 (0.0029)	0.0658 (0.0035)	1000	0.0000 (0.0000)	0.0430 (0.0029)	0.0508 (0.0031)	1000	0.0000 (0.0000)	0.0482 (0.0030)	0.0616 (0.0034)

Table 33: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.5$, $\eta = 0.05$, $c = 2$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0402 (0.0028)	0.0520 (0.0031)	50	0.0000 (0.0000)	0.0426 (0.0029)	0.0456 (0.0030)	50	0.0000 (0.0000)	0.0474 (0.0030)	0.0420 (0.0028)
100	0.0000 (0.0000)	0.0406 (0.0028)	0.0502 (0.0031)	100	0.0000 (0.0000)	0.0374 (0.0027)	0.0466 (0.0030)	100	0.0000 (0.0000)	0.0532 (0.0032)	0.0440 (0.0029)
200	0.0000 (0.0000)	0.0386 (0.0027)	0.0464 (0.0030)	200	0.0000 (0.0000)	0.0454 (0.0029)	0.0516 (0.0031)	200	0.0000 (0.0000)	0.0478 (0.0030)	0.0520 (0.0031)
500	0.0000 (0.0000)	0.0428 (0.0029)	0.0664 (0.0035)	500	0.0000 (0.0000)	0.0412 (0.0028)	0.0564 (0.0033)	500	0.0000 (0.0000)	0.0448 (0.0029)	0.0600 (0.0034)
1000	0.0000 (0.0000)	0.0342 (0.0026)	0.0644 (0.0035)	1000	0.0000 (0.0000)	0.0388 (0.0027)	0.0558 (0.0032)	1000	0.0000 (0.0000)	0.0494 (0.0031)	0.0582 (0.0033)

Table 34: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.5$, $\eta = 0.1$, $c = 0.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0452 (0.0029)	0.0556 (0.0032)	50	0.0000 (0.0000)	0.0426 (0.0029)	0.0472 (0.0030)	50	0.0000 (0.0000)	0.0472 (0.0030)	0.0512 (0.0031)
100	0.0000 (0.0000)	0.0396 (0.0028)	0.0510 (0.0031)	100	0.0000 (0.0000)	0.0430 (0.0029)	0.0474 (0.0030)	100	0.0000 (0.0000)	0.0528 (0.0032)	0.0526 (0.0032)
200	0.0000 (0.0000)	0.0370 (0.0027)	0.0414 (0.0028)	200	0.0000 (0.0000)	0.0392 (0.0027)	0.0510 (0.0031)	200	0.0000 (0.0000)	0.0446 (0.0029)	0.0526 (0.0032)
500	0.0000 (0.0000)	0.0474 (0.0030)	0.0622 (0.0034)	500	0.0000 (0.0000)	0.0450 (0.0029)	0.0522 (0.0031)	500	0.0000 (0.0000)	0.0512 (0.0031)	0.0590 (0.0033)
1000	0.0000 (0.0000)	0.0442 (0.0029)	0.0638 (0.0035)	1000	0.0000 (0.0000)	0.0454 (0.0029)	0.0514 (0.0031)	1000	0.0000 (0.0000)	0.0508 (0.0031)	0.0522 (0.0031)

Table 35: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.5$, $\eta = 0.1$, $c = 1$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0390 (0.0027)	0.0478 (0.0030)	50	0.0000 (0.0000)	0.0402 (0.0028)	0.0412 (0.0028)	50	0.0000 (0.0000)	0.0424 (0.0028)	0.0366 (0.0027)
100	0.0000 (0.0000)	0.0416 (0.0028)	0.0540 (0.0032)	100	0.0000 (0.0000)	0.0364 (0.0026)	0.0500 (0.0031)	100	0.0000 (0.0000)	0.0510 (0.0031)	0.0554 (0.0032)
200	0.0000 (0.0000)	0.0422 (0.0028)	0.0524 (0.0032)	200	0.0000 (0.0000)	0.0378 (0.0027)	0.0534 (0.0032)	200	0.0000 (0.0000)	0.0400 (0.0028)	0.0570 (0.0033)
500	0.0000 (0.0000)	0.0384 (0.0027)	0.0588 (0.0033)	500	0.0000 (0.0000)	0.0406 (0.0028)	0.0540 (0.0032)	500	0.0000 (0.0000)	0.0414 (0.0028)	0.0602 (0.0034)
1000	0.0000 (0.0000)	0.0398 (0.0028)	0.0660 (0.0035)	1000	0.0000 (0.0000)	0.0396 (0.0028)	0.0568 (0.0033)	1000	0.0000 (0.0000)	0.0458 (0.0030)	0.0616 (0.0034)

Table 36: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.5$, $\eta = 0.1$, $c = 1.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0336 (0.0025)	0.0534 (0.0032)	50	0.0000 (0.0000)	0.0340 (0.0026)	0.0492 (0.0031)	50	0.0000 (0.0000)	0.0452 (0.0029)	0.0354 (0.0026)
100	0.0000 (0.0000)	0.0338 (0.0026)	0.0554 (0.0032)	100	0.0000 (0.0000)	0.0340 (0.0026)	0.0530 (0.0032)	100	0.0000 (0.0000)	0.0436 (0.0029)	0.0480 (0.0030)
200	0.0000 (0.0000)	0.0308 (0.0024)	0.0532 (0.0032)	200	0.0000 (0.0000)	0.0356 (0.0026)	0.0592 (0.0033)	200	0.0000 (0.0000)	0.0398 (0.0028)	0.0492 (0.0031)
500	0.0000 (0.0000)	0.0328 (0.0025)	0.0726 (0.0037)	500	0.0000 (0.0000)	0.0358 (0.0026)	0.0528 (0.0032)	500	0.0000 (0.0000)	0.0432 (0.0029)	0.0692 (0.0036)
1000	0.0000 (0.0000)	0.0404 (0.0028)	0.0712 (0.0036)	1000	0.0000 (0.0000)	0.0376 (0.0027)	0.0644 (0.0035)	1000	0.0000 (0.0000)	0.0376 (0.0027)	0.0626 (0.0034)

Table 37: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.5$, $\eta = 0.1$, $c = 2$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0320 (0.0025)	0.0570 (0.0033)	50	0.0000 (0.0000)	0.0396 (0.0028)	0.0366 (0.0027)	50	0.0000 (0.0000)	0.0356 (0.0026)	0.0346 (0.0026)
100	0.0000 (0.0000)	0.0344 (0.0026)	0.0572 (0.0033)	100	0.0000 (0.0000)	0.0298 (0.0024)	0.0520 (0.0031)	100	0.0000 (0.0000)	0.0452 (0.0029)	0.0454 (0.0029)
200	0.0000 (0.0000)	0.0288 (0.0024)	0.0542 (0.0032)	200	0.0000 (0.0000)	0.0362 (0.0026)	0.0606 (0.0034)	200	0.0000 (0.0000)	0.0392 (0.0027)	0.0542 (0.0032)
500	0.0000 (0.0000)	0.0296 (0.0024)	0.0742 (0.0037)	500	0.0000 (0.0000)	0.0302 (0.0024)	0.0576 (0.0033)	500	0.0000 (0.0000)	0.0414 (0.0028)	0.0564 (0.0033)
1000	0.0000 (0.0000)	0.0376 (0.0027)	0.0724 (0.0037)	1000	0.0000 (0.0000)	0.0354 (0.0026)	0.0600 (0.0034)	1000	0.0000 (0.0000)	0.0364 (0.0026)	0.0642 (0.0035)

Table 38: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.5$, $\eta = 0.2$, $c = 0.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0406 (0.0028)	0.0532 (0.0032)	50	0.0000 (0.0000)	0.0464 (0.0030)	0.0468 (0.0030)	50	0.0000 (0.0000)	0.0502 (0.0031)	0.0422 (0.0028)
100	0.0000 (0.0000)	0.0412 (0.0028)	0.0444 (0.0029)	100	0.0000 (0.0000)	0.0374 (0.0027)	0.0556 (0.0032)	100	0.0000 (0.0000)	0.0532 (0.0032)	0.0506 (0.0031)
200	0.0000 (0.0000)	0.0444 (0.0029)	0.0492 (0.0031)	200	0.0000 (0.0000)	0.0466 (0.0030)	0.0578 (0.0033)	200	0.0000 (0.0000)	0.0452 (0.0029)	0.0516 (0.0031)
500	0.0000 (0.0000)	0.0396 (0.0028)	0.0638 (0.0035)	500	0.0000 (0.0000)	0.0450 (0.0029)	0.0538 (0.0032)	500	0.0000 (0.0000)	0.0506 (0.0031)	0.0570 (0.0033)
1000	0.0000 (0.0000)	0.0384 (0.0027)	0.0618 (0.0034)	1000	0.0000 (0.0000)	0.0482 (0.0030)	0.0502 (0.0031)	1000	0.0000 (0.0000)	0.0436 (0.0029)	0.0614 (0.0034)

Table 39: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.5$, $\eta = 0.2$, $c = 1$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0414 (0.0028)	0.0570 (0.0033)	50	0.0000 (0.0000)	0.0440 (0.0029)	0.0468 (0.0030)	50	0.0000 (0.0000)	0.0456 (0.0030)	0.0372 (0.0027)
100	0.0000 (0.0000)	0.0380 (0.0027)	0.0584 (0.0033)	100	0.0000 (0.0000)	0.0360 (0.0026)	0.0512 (0.0031)	100	0.0000 (0.0000)	0.0454 (0.0029)	0.0488 (0.0030)
200	0.0000 (0.0000)	0.0346 (0.0026)	0.0562 (0.0033)	200	0.0000 (0.0000)	0.0424 (0.0028)	0.0574 (0.0033)	200	0.0000 (0.0000)	0.0476 (0.0030)	0.0544 (0.0032)
500	0.0000 (0.0000)	0.0370 (0.0027)	0.0738 (0.0037)	500	0.0000 (0.0000)	0.0366 (0.0027)	0.0630 (0.0034)	500	0.0000 (0.0000)	0.0438 (0.0029)	0.0612 (0.0034)
1000	0.0000 (0.0000)	0.0440 (0.0029)	0.0600 (0.0034)	1000	0.0000 (0.0000)	0.0344 (0.0026)	0.0630 (0.0034)	1000	0.0000 (0.0000)	0.0388 (0.0027)	0.0646 (0.0035)

Table 40: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.5$, $\eta = 0.2$, $c = 1.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0406 (0.0028)	0.0586 (0.0033)	50	0.0000 (0.0000)	0.0430 (0.0029)	0.0418 (0.0028)	50	0.0000 (0.0000)	0.0440 (0.0029)	0.0288 (0.0024)
100	0.0000 (0.0000)	0.0324 (0.0025)	0.0630 (0.0034)	100	0.0000 (0.0000)	0.0336 (0.0025)	0.0532 (0.0032)	100	0.0000 (0.0000)	0.0490 (0.0031)	0.0470 (0.0030)
200	0.0000 (0.0000)	0.0328 (0.0025)	0.0576 (0.0033)	200	0.0000 (0.0000)	0.0344 (0.0026)	0.0522 (0.0031)	200	0.0000 (0.0000)	0.0384 (0.0027)	0.0570 (0.0033)
500	0.0000 (0.0000)	0.0302 (0.0024)	0.0776 (0.0038)	500	0.0000 (0.0000)	0.0360 (0.0026)	0.0632 (0.0034)	500	0.0000 (0.0000)	0.0382 (0.0027)	0.0668 (0.0035)
1000	0.0000 (0.0000)	0.0346 (0.0026)	0.0796 (0.0038)	1000	0.0000 (0.0000)	0.0368 (0.0027)	0.0676 (0.0036)	1000	0.0000 (0.0000)	0.0386 (0.0027)	0.0650 (0.0035)

Table 41: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.5$, $\eta = 0.2$, $c = 2$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0336 (0.0025)	0.0672 (0.0035)	50	0.0000 (0.0000)	0.0404 (0.0028)	0.0412 (0.0028)	50	0.0000 (0.0000)	0.0504 (0.0031)	0.0246 (0.0022)
100	0.0000 (0.0000)	0.0302 (0.0024)	0.0612 (0.0034)	100	0.0000 (0.0000)	0.0326 (0.0025)	0.0604 (0.0034)	100	0.0000 (0.0000)	0.0486 (0.0030)	0.0516 (0.0031)
200	0.0000 (0.0000)	0.0288 (0.0024)	0.0688 (0.0036)	200	0.0000 (0.0000)	0.0300 (0.0024)	0.0718 (0.0037)	200	0.0000 (0.0000)	0.0368 (0.0027)	0.0622 (0.0034)
500	0.0000 (0.0000)	0.0282 (0.0023)	0.0904 (0.0041)	500	0.0000 (0.0000)	0.0322 (0.0025)	0.0704 (0.0036)	500	0.0000 (0.0000)	0.0388 (0.0027)	0.0706 (0.0036)
1000	0.0000 (0.0000)	0.0304 (0.0024)	0.0860 (0.0040)	1000	0.0000 (0.0000)	0.0328 (0.0025)	0.0618 (0.0034)	1000	0.0000 (0.0000)	0.0370 (0.0027)	0.0658 (0.0035)

Table 42: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.75$, $\eta = 0.05$, $c = 0.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0528 (0.0032)	0.0476 (0.0030)	50	0.0000 (0.0000)	0.0490 (0.0031)	0.0498 (0.0031)	50	0.0000 (0.0000)	0.0492 (0.0031)	0.0470 (0.0030)
100	0.0000 (0.0000)	0.0502 (0.0031)	0.0456 (0.0030)	100	0.0000 (0.0000)	0.0438 (0.0029)	0.0516 (0.0031)	100	0.0000 (0.0000)	0.0508 (0.0031)	0.0544 (0.0032)
200	0.0000 (0.0000)	0.0450 (0.0029)	0.0426 (0.0029)	200	0.0000 (0.0000)	0.0476 (0.0030)	0.0482 (0.0030)	200	0.0000 (0.0000)	0.0514 (0.0031)	0.0534 (0.0032)
500	0.0000 (0.0000)	0.0454 (0.0029)	0.0536 (0.0032)	500	0.0000 (0.0000)	0.0524 (0.0032)	0.0504 (0.0031)	500	0.0000 (0.0000)	0.0498 (0.0031)	0.0548 (0.0032)
1000	0.0000 (0.0000)	0.0580 (0.0033)	0.0554 (0.0032)	1000	0.0000 (0.0000)	0.0446 (0.0029)	0.0516 (0.0031)	1000	0.0000 (0.0000)	0.0496 (0.0031)	0.0566 (0.0033)

Table 43: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.75$, $\eta = 0.05$, $c = 1$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0478 (0.0030)	0.0490 (0.0031)	50	0.0000 (0.0000)	0.0520 (0.0031)	0.0474 (0.0030)	50	0.0000 (0.0000)	0.0476 (0.0030)	0.0422 (0.0028)
100	0.0000 (0.0000)	0.0502 (0.0031)	0.0518 (0.0031)	100	0.0000 (0.0000)	0.0476 (0.0030)	0.0502 (0.0031)	100	0.0000 (0.0000)	0.0590 (0.0033)	0.0558 (0.0032)
200	0.0000 (0.0000)	0.0456 (0.0030)	0.0432 (0.0029)	200	0.0000 (0.0000)	0.0500 (0.0031)	0.0518 (0.0031)	200	0.0000 (0.0000)	0.0542 (0.0032)	0.0506 (0.0031)
500	0.0000 (0.0000)	0.0458 (0.0030)	0.0602 (0.0034)	500	0.0000 (0.0000)	0.0544 (0.0032)	0.0470 (0.0030)	500	0.0000 (0.0000)	0.0552 (0.0032)	0.0538 (0.0032)
1000	0.0000 (0.0000)	0.0480 (0.0030)	0.0572 (0.0033)	1000	0.0000 (0.0000)	0.0530 (0.0032)	0.0480 (0.0030)	1000	0.0000 (0.0000)	0.0484 (0.0030)	0.0542 (0.0032)

Table 44: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.75$, $\eta = 0.05$, $c = 1.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0598 (0.0034)	0.0504 (0.0031)	50	0.0000 (0.0000)	0.0488 (0.0030)	0.0434 (0.0029)	50	0.0000 (0.0000)	0.0496 (0.0031)	0.0374 (0.0027)
100	0.0000 (0.0000)	0.0534 (0.0032)	0.0528 (0.0032)	100	0.0000 (0.0000)	0.0458 (0.0030)	0.0494 (0.0031)	100	0.0000 (0.0000)	0.0598 (0.0034)	0.0470 (0.0030)
200	0.0000 (0.0000)	0.0548 (0.0032)	0.0422 (0.0028)	200	0.0000 (0.0000)	0.0478 (0.0030)	0.0512 (0.0031)	200	0.0000 (0.0000)	0.0490 (0.0031)	0.0490 (0.0031)
500	0.0000 (0.0000)	0.0460 (0.0030)	0.0540 (0.0032)	500	0.0000 (0.0000)	0.0484 (0.0030)	0.0508 (0.0031)	500	0.0000 (0.0000)	0.0580 (0.0033)	0.0530 (0.0032)
1000	0.0000 (0.0000)	0.0506 (0.0031)	0.0638 (0.0035)	1000	0.0000 (0.0000)	0.0478 (0.0030)	0.0504 (0.0031)	1000	0.0000 (0.0000)	0.0518 (0.0031)	0.0488 (0.0030)

Table 45: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.75$, $\eta = 0.05$, $c = 2$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0592 (0.0033)	0.0516 (0.0031)	50	0.0000 (0.0000)	0.0564 (0.0033)	0.0436 (0.0029)	50	0.0000 (0.0000)	0.0536 (0.0032)	0.0376 (0.0027)
100	0.0000 (0.0000)	0.0572 (0.0033)	0.0474 (0.0030)	100	0.0000 (0.0000)	0.0516 (0.0031)	0.0450 (0.0029)	100	0.0000 (0.0000)	0.0634 (0.0034)	0.0474 (0.0030)
200	0.0000 (0.0000)	0.0492 (0.0031)	0.0470 (0.0030)	200	0.0000 (0.0000)	0.0480 (0.0030)	0.0552 (0.0032)	200	0.0000 (0.0000)	0.0532 (0.0032)	0.0558 (0.0032)
500	0.0000 (0.0000)	0.0458 (0.0030)	0.0674 (0.0035)	500	0.0000 (0.0000)	0.0500 (0.0031)	0.0520 (0.0031)	500	0.0000 (0.0000)	0.0584 (0.0033)	0.0610 (0.0034)
1000	0.0000 (0.0000)	0.0522 (0.0031)	0.0588 (0.0033)	1000	0.0000 (0.0000)	0.0518 (0.0031)	0.0590 (0.0033)	1000	0.0000 (0.0000)	0.0506 (0.0031)	0.0544 (0.0032)

Table 46: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.75$, $\eta = 0.1$, $c = 0.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0494 (0.0031)	0.0496 (0.0031)	50	0.0000 (0.0000)	0.0468 (0.0030)	0.0462 (0.0030)	50	0.0000 (0.0000)	0.0470 (0.0030)	0.0434 (0.0029)
100	0.0000 (0.0000)	0.0534 (0.0032)	0.0428 (0.0029)	100	0.0000 (0.0000)	0.0442 (0.0029)	0.0510 (0.0031)	100	0.0000 (0.0000)	0.0594 (0.0033)	0.0528 (0.0032)
200	0.0000 (0.0000)	0.0530 (0.0032)	0.0408 (0.0028)	200	0.0000 (0.0000)	0.0576 (0.0033)	0.0508 (0.0031)	200	0.0000 (0.0000)	0.0536 (0.0032)	0.0596 (0.0033)
500	0.0000 (0.0000)	0.0510 (0.0031)	0.0546 (0.0032)	500	0.0000 (0.0000)	0.0532 (0.0032)	0.0520 (0.0031)	500	0.0000 (0.0000)	0.0526 (0.0032)	0.0554 (0.0032)
1000	0.0000 (0.0000)	0.0480 (0.0030)	0.0548 (0.0032)	1000	0.0000 (0.0000)	0.0492 (0.0031)	0.0520 (0.0031)	1000	0.0000 (0.0000)	0.0470 (0.0030)	0.0554 (0.0032)

Table 47: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.75$, $\eta = 0.1$, $c = 1$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0544 (0.0032)	0.0464 (0.0030)	50	0.0000 (0.0000)	0.0482 (0.0030)	0.0450 (0.0029)	50	0.0000 (0.0000)	0.0494 (0.0031)	0.0402 (0.0028)
100	0.0000 (0.0000)	0.0576 (0.0033)	0.0464 (0.0030)	100	0.0000 (0.0000)	0.0518 (0.0031)	0.0482 (0.0030)	100	0.0000 (0.0000)	0.0468 (0.0030)	0.0546 (0.0032)
200	0.0000 (0.0000)	0.0512 (0.0031)	0.0514 (0.0031)	200	0.0000 (0.0000)	0.0508 (0.0031)	0.0532 (0.0032)	200	0.0000 (0.0000)	0.0510 (0.0031)	0.0516 (0.0031)
500	0.0000 (0.0000)	0.0456 (0.0030)	0.0632 (0.0034)	500	0.0000 (0.0000)	0.0506 (0.0031)	0.0486 (0.0030)	500	0.0000 (0.0000)	0.0576 (0.0033)	0.0636 (0.0035)
1000	0.0000 (0.0000)	0.0478 (0.0030)	0.0530 (0.0032)	1000	0.0000 (0.0000)	0.0512 (0.0031)	0.0532 (0.0032)	1000	0.0000 (0.0000)	0.0562 (0.0033)	0.0578 (0.0033)

Table 48: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.75$, $\eta = 0.1$, $c = 1.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0570 (0.0033)	0.0482 (0.0030)	50	0.0000 (0.0000)	0.0604 (0.0034)	0.0374 (0.0027)	50	0.0000 (0.0000)	0.0522 (0.0031)	0.0356 (0.0026)
100	0.0000 (0.0000)	0.0532 (0.0032)	0.0514 (0.0031)	100	0.0000 (0.0000)	0.0538 (0.0032)	0.0544 (0.0032)	100	0.0000 (0.0000)	0.0564 (0.0033)	0.0470 (0.0030)
200	0.0000 (0.0000)	0.0554 (0.0032)	0.0428 (0.0029)	200	0.0000 (0.0000)	0.0490 (0.0031)	0.0474 (0.0030)	200	0.0000 (0.0000)	0.0604 (0.0034)	0.0502 (0.0031)
500	0.0000 (0.0000)	0.0528 (0.0032)	0.0598 (0.0034)	500	0.0000 (0.0000)	0.0506 (0.0031)	0.0508 (0.0031)	500	0.0000 (0.0000)	0.0538 (0.0032)	0.0574 (0.0033)
1000	0.0000 (0.0000)	0.0514 (0.0031)	0.0558 (0.0032)	1000	0.0000 (0.0000)	0.0532 (0.0032)	0.0550 (0.0032)	1000	0.0000 (0.0000)	0.0514 (0.0031)	0.0490 (0.0031)

Table 49: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.75$, $\eta = 0.1$, $c = 2$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0672 (0.0035)	0.0428 (0.0029)	50	0.0000 (0.0000)	0.0546 (0.0032)	0.0348 (0.0026)	50	0.0000 (0.0000)	0.0520 (0.0031)	0.0350 (0.0026)
100	0.0000 (0.0000)	0.0540 (0.0032)	0.0462 (0.0030)	100	0.0000 (0.0000)	0.0588 (0.0033)	0.0462 (0.0030)	100	0.0000 (0.0000)	0.0614 (0.0034)	0.0442 (0.0029)
200	0.0000 (0.0000)	0.0518 (0.0031)	0.0452 (0.0029)	200	0.0000 (0.0000)	0.0494 (0.0031)	0.0542 (0.0032)	200	0.0000 (0.0000)	0.0556 (0.0032)	0.0484 (0.0030)
500	0.0000 (0.0000)	0.0570 (0.0033)	0.0620 (0.0034)	500	0.0000 (0.0000)	0.0534 (0.0032)	0.0488 (0.0030)	500	0.0000 (0.0000)	0.0616 (0.0034)	0.0584 (0.0033)
1000	0.0000 (0.0000)	0.0536 (0.0032)	0.0608 (0.0034)	1000	0.0000 (0.0000)	0.0502 (0.0031)	0.0532 (0.0032)	1000	0.0000 (0.0000)	0.0532 (0.0032)	0.0570 (0.0033)

Table 50: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.75$, $\eta = 0.2$, $c = 0.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0490 (0.0031)	0.0504 (0.0031)	50	0.0000 (0.0000)	0.0498 (0.0031)	0.0484 (0.0030)	50	0.0000 (0.0000)	0.0466 (0.0030)	0.0472 (0.0030)
100	0.0000 (0.0000)	0.0526 (0.0032)	0.0476 (0.0030)	100	0.0000 (0.0000)	0.0454 (0.0029)	0.0520 (0.0031)	100	0.0000 (0.0000)	0.0554 (0.0032)	0.0536 (0.0032)
200	0.0000 (0.0000)	0.0426 (0.0029)	0.0424 (0.0028)	200	0.0000 (0.0000)	0.0480 (0.0030)	0.0530 (0.0032)	200	0.0000 (0.0000)	0.0494 (0.0031)	0.0540 (0.0032)
500	0.0000 (0.0000)	0.0476 (0.0030)	0.0566 (0.0033)	500	0.0000 (0.0000)	0.0520 (0.0031)	0.0510 (0.0031)	500	0.0000 (0.0000)	0.0566 (0.0033)	0.0564 (0.0033)
1000	0.0000 (0.0000)	0.0534 (0.0032)	0.0580 (0.0033)	1000	0.0000 (0.0000)	0.0412 (0.0028)	0.0462 (0.0030)	1000	0.0000 (0.0000)	0.0536 (0.0032)	0.0478 (0.0030)

Table 51: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.75$, $\eta = 0.2$, $c = 1$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0478 (0.0030)	0.0450 (0.0029)	50	0.0000 (0.0000)	0.0456 (0.0030)	0.0494 (0.0031)	50	0.0000 (0.0000)	0.0460 (0.0030)	0.0470 (0.0030)
100	0.0000 (0.0000)	0.0506 (0.0031)	0.0456 (0.0030)	100	0.0000 (0.0000)	0.0390 (0.0027)	0.0490 (0.0031)	100	0.0000 (0.0000)	0.0478 (0.0030)	0.0536 (0.0032)
200	0.0000 (0.0000)	0.0462 (0.0030)	0.0444 (0.0029)	200	0.0000 (0.0000)	0.0488 (0.0030)	0.0498 (0.0031)	200	0.0000 (0.0000)	0.0484 (0.0030)	0.0530 (0.0032)
500	0.0000 (0.0000)	0.0464 (0.0030)	0.0570 (0.0033)	500	0.0000 (0.0000)	0.0508 (0.0031)	0.0482 (0.0030)	500	0.0000 (0.0000)	0.0528 (0.0032)	0.0634 (0.0034)
1000	0.0000 (0.0000)	0.0460 (0.0030)	0.0658 (0.0035)	1000	0.0000 (0.0000)	0.0494 (0.0031)	0.0540 (0.0032)	1000	0.0000 (0.0000)	0.0530 (0.0032)	0.0504 (0.0031)

Table 52: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.75$, $\eta = 0.2$, $c = 1.5$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0482 (0.0030)	0.0498 (0.0031)	50	0.0000 (0.0000)	0.0474 (0.0030)	0.0396 (0.0028)	50	0.0000 (0.0000)	0.0500 (0.0031)	0.0446 (0.0029)
100	0.0000 (0.0000)	0.0470 (0.0030)	0.0558 (0.0032)	100	0.0000 (0.0000)	0.0448 (0.0029)	0.0494 (0.0031)	100	0.0000 (0.0000)	0.0542 (0.0032)	0.0526 (0.0032)
200	0.0000 (0.0000)	0.0426 (0.0029)	0.0426 (0.0029)	200	0.0000 (0.0000)	0.0434 (0.0029)	0.0512 (0.0031)	200	0.0000 (0.0000)	0.0500 (0.0031)	0.0548 (0.0032)
500	0.0000 (0.0000)	0.0450 (0.0029)	0.0612 (0.0034)	500	0.0000 (0.0000)	0.0524 (0.0032)	0.0518 (0.0031)	500	0.0000 (0.0000)	0.0500 (0.0031)	0.0556 (0.0032)
1000	0.0000 (0.0000)	0.0476 (0.0030)	0.0556 (0.0032)	1000	0.0000 (0.0000)	0.0476 (0.0030)	0.0562 (0.0033)	1000	0.0000 (0.0000)	0.0504 (0.0031)	0.0578 (0.0033)

Table 53: Simulation IX: Empirical power and Monte Carlo standard error for Localized alternative: $x_0 = 0.75$, $\eta = 0.2$, $c = 2$, restricted to $r = 2, 5, 8$.

$r = 2$	Uniform	Central	Tail	$r = 5$	Uniform	Central	Tail	$r = 8$	Uniform	Central	Tail
50	0.0000 (0.0000)	0.0492 (0.0031)	0.0480 (0.0030)	50	0.0000 (0.0000)	0.0464 (0.0030)	0.0484 (0.0030)	50	0.0000 (0.0000)	0.0502 (0.0031)	0.0412 (0.0028)
100	0.0000 (0.0000)	0.0506 (0.0031)	0.0518 (0.0031)	100	0.0000 (0.0000)	0.0440 (0.0029)	0.0518 (0.0031)	100	0.0000 (0.0000)	0.0504 (0.0031)	0.0484 (0.0030)
200	0.0000 (0.0000)	0.0438 (0.0029)	0.0490 (0.0031)	200	0.0000 (0.0000)	0.0470 (0.0030)	0.0514 (0.0031)	200	0.0000 (0.0000)	0.0466 (0.0030)	0.0558 (0.0032)
500	0.0000 (0.0000)	0.0490 (0.0031)	0.0674 (0.0035)	500	0.0000 (0.0000)	0.0440 (0.0029)	0.0520 (0.0031)	500	0.0000 (0.0000)	0.0546 (0.0032)	0.0602 (0.0034)
1000	0.0000 (0.0000)	0.0436 (0.0029)	0.0608 (0.0034)	1000	0.0000 (0.0000)	0.0448 (0.0029)	0.0552 (0.0032)	1000	0.0000 (0.0000)	0.0498 (0.0031)	0.0596 (0.0033)