

Hands-on lab on Hadoop Map-Reduce (20 mins)



Objectives


- Run a single-node Hadoop instance
- Perform a word count using Hadoop **Map Reduce**.

Set up Single-Node Hadoop

The steps outlined in this lab use the single-node Hadoop Version 3.3.6 **Hadoop** is most useful when deployed in a fully distributed mode on a large cluster of networked servers sharing a large volume of data. However, for basic understanding, we will configure Hadoop on a single node.

In this lab, we will run the WordCount example with an input text and see how the content of the input file is processed by WordCount.

1. Start a new terminal



2. Download hadoop-3.2.3.tar.gz to your theia environment by running the following command.

1. 1

```
1. curl https://d1cdn.apache.org/hadoop/common/hadoop-3.3.6/hadoop-3.3.6.tar.gz --output hadoop-3.3.6.tar.gz
```

Copied! Executed!

3. Extract the tar file in the currently directory.

1. 1

```
1. tar -xvf hadoop-3.3.6.tar.gz
```

Copied! Executed!

4. Navigate to the hadoop-3.3.6 directory.

1. 1

```
1. cd hadoop-3.3.6
```

Copied! Executed!

5. Check the hadoop command to see if it is setup. This will display the usage documentation for the hadoop script.

1. 1

```
1. bin/hadoop
```

Copied! Executed!

6. Run the following command to download data.txt to your current directory.

1. 1

```
1. curl https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBM-BD0225EN-SkillsNetwork/labs/data/data.txt --output data.txt
```

Copied! Executed!

7. Run the Map reduce application for wordcount on data.txt and store the output in **/user/root/output**

1. 1

```
1. bin/hadoop jar share/hadoop/mapreduce/hadoop-mapreduce-examples-3.3.6.jar wordcount data.txt output
```

Copied! Executed!

This may take some time.

8. Once the word count runs successfully, you can run the following command to see the output file it has generated.

```
1. 1
1. ls output
```

Copied! Executed!


You should see **part-r-00000** with **_SUCCESS** indicating that the wordcount has been done.

While it is still processing, you may only see ‘_temporary’ listed in the output directory. Wait for a couple of minutes and run the command again till you see output as shown above.


9. Run the following command to see the word count output.

```
1. 1
1. cat output/part-r-00000
```

Copied! Executed!



The image below shows how the MapReduce wordcount happens.



Practice Lab

1. Do a word count on a file with the following content.

```
1. 1
2. 2
3. 3

1. Italy Venice
2. Italy Pizza
3. Pizza Pasta Gelato
```


Copied!

► [Click here for a hint on how to get started](#)

- ▶ [Click here for hint on how to create a file to wordcount](#)
- ▶ [Click here for solution on how to do word count on the file](#)
- ▶ [Click here for sample output](#)

Congratulations! You have:

- Deployed Hadoop using Docker
- Copied data into HDFS
- Used MapReduce to do a word count

 [Tweet and share your achievement!](#)

Author(s)

Lavanya T S

Contributor(s)

[Aije Egwaikhide](#)

© IBM Corporation. All rights reserved.