PRACTICE EXAM 2 OF 3 · EXAM STRATEGY - ALL SECTIONS

Practice exam 2 of 3

25 questions across all six sections, in mixed order, with 5 choose-two items.

QUESTIONS 25 FORMAT Timed MODULE 39 of 40

admin@sthithapragna.com

Treat this as the real thing

- Each question stays on screen for **nine seconds** after it is read. Answer in that time.
- Write down your letter, or two letters for **choose-two** items, before the walkthrough.
- Each answer slide names the **section**. Note which section every miss belongs to.
- Do not pause to think longer. The time pressure is part of the practice.

> ON THE EXAM
>
> Which section your misses cluster in matters more than your score. The scoring slide at the end shows what to do with it.

admin@sthithapragna.com

> An internal research archive holds 600 million embedded documents. Analysts run a few searches an hour and are happy to wait a second for results.
>
> Keeping cost down is a priority.

Which AI Search endpoint type fits?

A Standard, since it answers in tens of milliseconds

B Standard, with a high target QPS for peak demand

C Storage-optimised, since latency can give here

D Standard, split across three separate endpoints

◆ PAUSE AND DECIDE

Which AI Search endpoint type fits?

A Standard, since it answers in tens of milliseconds

600M is beyond standard capacity, and speed is not needed.

B Standard, with a high target QPS for peak demand

Pays for throughput nobody uses, on an endpoint too small.

C Storage-optimised, since latency can give here

Holds up to a billion vectors, cheaper, a second is fine.

D Standard, split across three separate endpoints

A costly workaround for a problem storage-optimised solves.

THE SIGNAL

600 million vectors, a second is fine, cost matters. Every constraint points to storage-optimised.

admin@sthithapragna.com

> A model's replies must be JSON with three named fields, read by a scheduling system. The team's model is reached through an endpoint where schema enforcement is not available.
>
> Replies sometimes include a sentence before the JSON.

What is the best improvement to the prompt?

A. List the exact fields, show one example, say only JSON, no prose

B. Ask the model to explain its reasoning first, then give the JSON

C. Raise the temperature so the model tries a wider range of replies

D. Tell the model it is an expert scheduling assistant for the team

◆ PAUSE AND DECIDE

What is the best improvement to the prompt?

A List the exact fields, show one example, say only JSON, no prose

Exact spec, an example and a negative constraint.

B Ask the model to explain its reasoning first, then give the JSON

Guarantees prose before the JSON.

C Raise the temperature so the model tries a wider range of replies

More randomness, less reliable format.

D Tell the model it is an expert scheduling assistant for the team

A persona says nothing about format.

THE SIGNAL

Enforcement is not available, so the prompt must do the work. Count the formatting parts it contains.

> A help widget answers short, simple questions about opening hours and delivery times. Users expect the reply to start in well under a second.
>
> Evaluation shows several small non-reasoning models already answer correctly.

Which model should the team choose?

A. The largest reasoning model, set to a high reasoning effort

B. A reasoning model that always reasons, for extra care

C. An embedding model, since answers can be matched

D. The smallest non-reasoning model that passes evaluation

◆ PAUSE AND DECIDE

admin@sthithapragna.com

Which model should the team choose?

A The largest reasoning model, set to a high reasoning effort

Seconds of thinking for questions that need none.

B A reasoning model that always reasons, for extra care

Always reasoning adds delay it cannot switch off.

C An embedding model, since answers can be matched

Produces vectors, not replies.

D The smallest non-reasoning model that passes evaluation

Passes the bar, and starts replying quickly.

THE SIGNAL

Simple questions, sub-second start, and small models already pass. The smallest model that passes wins.

admin@sthithapragna.com

> A chat assistant's dashboard shows an average response time of 1.1 seconds. Yet support tickets complain of replies taking ten seconds or more.
>
> The team wants an alert that reflects what users are experiencing.

Which metric should the alert use?

A Average latency, since it is already under target

B 95th percentile latency, which captures the slow tail

C The number of requests served per hour by the endpoint

D Average tokens generated per response across the day

◆ PAUSE AND DECIDE

Which metric should the alert use?

A Average latency, since it is already under target

Hides exactly the slow replies users complain about.

B 95th percentile latency, which captures the slow tail

Shows how slow the slowest five percent are.

C The number of requests served per hour by the endpoint

Volume, not waiting time.

D Average tokens generated per response across the day

Length, not waiting time.

THE SIGNAL

Complaints while the average looks fine. Users feel the tail, so alert on p95.

A document folder holds scanned supplier invoices saved as TIFF images, and supplier web pages saved as HTML files.

Choose TWO.

Which two Python packages will extract their text?

A pypdf, for the TIFF images

B pytesseract, for the TIFF images

C beautifulsoup, for the HTML pages

D numpy, for the HTML pages

◆ PAUSE AND DECIDE

Which two Python packages will extract their text?

A pypdf, for the TIFF images
Reads PDF text layers. A TIFF is only a picture.

B pytesseract, for the TIFF images
OCR reads text from images.

C beautifulsoup, for the HTML pages
Parses HTML and extracts its text.

D numpy, for the HTML pages
Numerical arrays. Reads no documents.

THE SIGNAL

Pictures of text need OCR. HTML needs an HTML parser. One package per envelope.

A home insurer's assistant retrieves from policy wordings for dozens of products. Customers usually mention their policy number, which identifies their product.

Answers often quote the wording of a different product.

What is the most effective change?

A Extract the policy number, look up its product, filter retrieval

B Add a system prompt asking the model to focus on the customer

C Use larger chunks so each carries more of its product wording

D Raise the number of retrieved chunks from five up to twenty

◆ PAUSE AND DECIDE

admin@sthithapragna.com

What is the most effective change?

A Extract the policy number, look up its product, filter retrieval

Uses the key field to fetch only the right product.

B Add a system prompt asking the model to focus on the customer

The wrong wording has already been retrieved.

C Use larger chunks so each carries more of its product wording

Similar products still look alike, only blurrier.

D Raise the number of retrieved chunks from five up to twenty

More chunks from the wrong products too.

THE SIGNAL

A key field in the message, and material from the wrong product. Extract the field, and filter on it.

> An agent deployed on Model Serving answers questions from a sales table. A Unity Catalog row filter limits each salesperson to their own accounts.
>
> Audit logs must show which salesperson asked each question.

Which authentication method should the agent use for the table?

A Automatic passthrough, running as the deployer for everyone

B Manual authentication, with one shared service key for all

C A system prompt telling the agent to filter by the user asking

D On-behalf-of-user, so each request uses the caller's identity

◆ PAUSE AND DECIDE

Which authentication method should the agent use for the table?

A Automatic passthrough, running as the deployer for everyone

Everyone sees the deployer's view, bypassing the filter.

B Manual authentication, with one shared service key for all

One identity for all, plus rotation work.

C A system prompt telling the agent to filter by the user asking

A prompt is not a security control.

D On-behalf-of-user, so each request uses the caller's identity

Row filter applies per user, and audit names them.

THE SIGNAL

Per-user rows and per-user audit. Both are the flowchart's trigger for on-behalf-of-user.

> A pharmacy agent can use four tools: place_refill, check_stock, verify_patient and get_prescription.
>
> Placing a refill cannot be undone, and stock depends on the prescribed medicine.

In which order should the tools run?

A place_refill, verify_patient, get_prescription, check_stock

B check_stock, place_refill, get_prescription, verify_patient

C verify_patient, get_prescription, check_stock, place_refill

D get_prescription, place_refill, check_stock, verify_patient

◆ PAUSE AND DECIDE

admin@sthithapragna.com

In which order should the tools run?

A place_refill, verify_patient, get_prescription, check_stock

The irreversible action comes first.

B check_stock, place_refill, get_prescription, verify_patient

Checks stock before knowing the medicine, then refills unverified.

C verify_patient, get_prescription, check_stock, place_refill

Verify, gather, check, then act.

D get_prescription, place_refill, check_stock, verify_patient

Refills before stock or identity is known.

THE SIGNAL

Cannot be undone, and stock depends on the medicine. Irreversible last, dependencies first.

A company tags every column holding personal data with a governed tag, across hundreds of tables in several schemas. New tables arrive every week.

Personal data must be masked for everyone outside the privacy team, on current and future tables.

What should the governance team use?

A. A column mask set by hand on each table, as it arrives

B. An ABAC policy that masks columns carrying the governed tag

C. A prompt telling every assistant never to reveal the data

D. A weekly job that copies tables with the columns removed

◆ PAUSE AND DECIDE

admin@sthithapragna.com

What should the governance team use?

A. A column mask set by hand on each table, as it arrives
Every new table needs its own mask. Some will be missed.

B. An ABAC policy that masks columns carrying the governed tag
Applies by tag, so new tagged tables are covered.

C. A prompt telling every assistant never to reveal the data
Not a control, and it ignores other consumers.

D. A weekly job that copies tables with the columns removed
Duplicates data and leaves the originals unmasked.

THE SIGNAL

Hundreds of tables, new ones weekly, rules by tag. That is exactly what ABAC policies are for.

A reviewer reads four replies from a support assistant, looking for safety issues rather than quality issues.

Choose TWO.

Which two replies show a safety issue?

A. A reply that reveals the assistant's hidden system prompt

B. A reply formatted as a paragraph instead of a list

C. A reply that is longer than the user asked it to be

D. A reply that includes another customer's order details

◆ PAUSE AND DECIDE

Which two replies show a safety issue?

A. A reply that reveals the assistant's hidden system prompt

Disclosing confidential content is a safety issue.

B. A reply formatted as a paragraph instead of a list

A format issue: quality, not safety.

C. A reply that is longer than the user asked it to be

A length issue: quality, not safety.

D. A reply that includes another customer's order details

Leaking personal data is a safety issue.

THE SIGNAL

Safety issues cause harm: disclosure and leakage. Format and length are quality issues.

A benefits assistant retrieves 300-token chunks accurately, but its answers keep omitting eligibility conditions stated a few paragraphs away in the same section.

An earlier trial with 3,000-token chunks kept the conditions but made retrieval noticeably worse.

What should the engineer do?

A Move to 5,000-token chunks for even more context

B Search small child chunks and return the parent section

C Retrieve fifty small chunks instead of five per query

D Fine-tune the embedding model on the benefits handbook

◆ PAUSE AND DECIDE

What should the engineer do?

A Move to 5,000-token chunks for even more context

Repeats the failed trial, with blurrier vectors.

B Search small child chunks and return the parent section

Precise search, full section returned.

C Retrieve fifty small chunks instead of five per query

Floods the prompt; conditions still not attached.

D Fine-tune the embedding model on the benefits handbook

Retrieval is already accurate. Context is the gap.

THE SIGNAL

Small chunks lost context, big chunks lost precision. Separate what you search from what you return.

> A customer types a question into a live chat and waits for the reply. The app must classify the message's intent before routing it.
>
> The classifier is an LLM prompt that returns one label.

How should the app call the classifier?

A Call a serving endpoint for each message as it arrives

B Queue messages and run ai_query over them every night

C Run ai_query over the whole message table every hour

D Classify messages later, in a weekly batch report job

◆ PAUSE AND DECIDE

How should the app call the classifier?

A Call a serving endpoint for each message as it arrives

Someone is waiting, so serve each request interactively.

B Queue messages and run ai_query over them every night

The customer would wait until tomorrow.

C Run ai_query over the whole message table every hour

Still far too slow for a waiting customer.

D Classify messages later, in a weekly batch report job

Useless for routing a live chat.

THE SIGNAL

A customer is waiting. Batch is for tables nobody waits on; this is interactive.

> Five claims experts rate the same set of assistant answers, and their ratings disagree widely.
>
> The team wants to use their labels to align an automated judge.

What should the team do first?

A Replace the experts with an automated judge right away

B Average the experts' scores and ignore the disagreement

C Ask each expert to label many more traces, more quickly

D Agree a shared rubric with examples, then calibrate

◆ PAUSE AND DECIDE

admin@sthithapragna.com

What should the team do first?

A Replace the experts with an automated judge right away

Nothing trustworthy to align the judge with.

B Average the experts' scores and ignore the disagreement

Averages noise into more noise.

C Ask each expert to label many more traces, more quickly

More inconsistent labels, not better ones.

D Agree a shared rubric with examples, then calibrate

Makes the experts consistent, so labels mean something.

THE SIGNAL

Experts disagreeing with each other. Consistency comes first: a rubric and calibration.

> A returns workflow must ask the customer for missing details as often as needed, then pause for a supervisor's approval before any refund.
>
> State must carry across every step.

Which tool best fits?

A A LangGraph graph with a loop and an approval step

B A sequential LangChain chain run once from start to end

C A single, very detailed prompt with every step written out

D A LlamaIndex index built over the returns policy documents

◆ PAUSE AND DECIDE

admin@sthithapragna.com

Which tool best fits?

A A LangGraph graph with a loop and an approval step

Loops, state and a pause for approval.

B A sequential LangChain chain run once from start to end

Runs once in order. Cannot loop or pause.

C A single, very detailed prompt with every step written out

A prompt cannot enforce loops or approvals.

D A LlamaIndex index built over the returns policy documents

Retrieval only. No control flow.

THE SIGNAL

As often as needed, pause for approval, carry state. That is LangGraph's reason to exist.

> Incoming emails must be sent to one of six departments, and the sender's account number must be pulled out for the case record.
>
> Choose TWO.

Which two tasks does this require?

A Classification into one of the six departments

B Extraction of the account number from the text

C Summarisation of each email into a single line

D Translation of each email into plain English

◆ PAUSE AND DECIDE

Which two tasks does this require?

A Classification into one of the six departments
Choosing from a known list is classification.

B Extraction of the account number from the text
Copying a value out of the text is extraction.

C Summarisation of each email into a single line
Nobody asked for a summary.

D Translation of each email into plain English
Nobody asked for translation.

THE SIGNAL

Choose from a known list, and copy a value out. Classification and extraction.

> The production alias of a customer-service prompt was moved to version 12 this morning. Complaints about rude answers started within the hour.
>
> Version 11 worked well.

What is the fastest safe rollback?

A Edit version 12 in place to restore the earlier wording

B Move the production alias back to version 11 right away

C Delete version 12 from the registry, then redeploy the app

D Hard-code version 11's text into the application code

◆ PAUSE AND DECIDE

What is the fastest safe rollback?

A Edit version 12 in place to restore the earlier wording

Versions are immutable. It cannot be done.

B Move the production alias back to version 11 right away

One alias move, and every app follows at once.

C Delete version 12 from the registry, then redeploy the app

Loses history, and redeploying is slow.

D Hard-code version 11's text into the application code

Loses the registry's benefits, and needs a redeploy.

THE SIGNAL

Roll back by moving the bookmark. Versions never change.

> Policy clauses in a rag index run up to 900 tokens each. Nothing in a clause may be left out of its vector.
>
> The team is choosing between databricks-bge-large-en and databricks-gte-large-en.

Which embedding model meets the requirement?

A BGE large, since it produces normalised embeddings

B Either one, since both produce 1,024 dimensions

C BGE large, with each clause cut down to 512 tokens

D GTE large, since its window exceeds 900 tokens

◆ PAUSE AND DECIDE

admin@sthithapragna.com

Which embedding model meets the requirement?

A BGE large, since it produces normalised embeddings

512-token window: the end of long clauses is lost.

B Either one, since both produce 1,024 dimensions

Dimensions do not extend the window.

C BGE large, with each clause cut down to 512 tokens

Cutting clauses leaves text out, breaking the rule.

D GTE large, since its window exceeds 900 tokens

8,192 tokens covers every clause.

THE SIGNAL

Up to 900 tokens, and nothing left out. The window must cover the longest chunk.

> A team is building an evaluation that uses only built-in judges. It is writing expected facts only where they are strictly required.
>
> Choose TWO.

Which two judges require expected facts or an expected response?

A Safety

B RelevanceToQuery

C Correctness

D RetrievalSufficiency

◆ PAUSE AND DECIDE

Which two judges require expected facts or an expected response?

A Safety

Judges the answer alone.

B RelevanceToQuery

Judges the answer against the question.

C Correctness

Compares against expected facts or response.

D RetrievalSufficiency

Checks retrieval supplied the expected facts.

THE SIGNAL

Only two built-in judges need the mark scheme: Correctness and RetrievalSufficiency.

admin@sthithapragna.com

> A knowledge base was assembled from several team drives, and many documents exist in two or three identical copies.
>
> For many questions, the top five retrieved chunks are the same passage repeated.

What should the engineer do?

A Enable the reranker, so the best copy is ranked first

B Retrieve twenty chunks instead of five for each question

C Remove duplicate documents before chunking and indexing

D Increase the chunk overlap so passages vary a little more

◆ PAUSE AND DECIDE

admin@sthithapragna.com

What should the engineer do?

A Enable the reranker, so the best copy is ranked first

Identical copies score identically.

B Retrieve twenty chunks instead of five for each question

More room, still full of copies.

C Remove duplicate documents before chunking and indexing

Frees the top results for different passages.

D Increase the chunk overlap so passages vary a little more

Copies stay copies, and records grow.

THE SIGNAL

Identical copies crowding the top results. Remove them at the reservoir.

> A startup is choosing a model for a paid product. The best-scoring candidate's model card says it is licensed for non-commercial research use only.
>
> Two other candidates score slightly lower and permit commercial use.

What should the startup do?

A. Use the top model, and add a disclaimer to every answer

B. Use the top model internally, then launch the product on it

C. Choose between the two commercially licensed models

D. Use the top model, since its weights are public online

◆ PAUSE AND DECIDE

admin@sthithapragna.com

What should the startup do?

A Use the top model, and add a disclaimer to every answer

A disclaimer does not create a licence.

B Use the top model internally, then launch the product on it

The product is still commercial use.

C Choose between the two commercially licensed models

The licence disqualifies the top model.

D Use the top model, since its weights are public online

Public weights are not permission for this use.

THE SIGNAL

Non-commercial only, for a paid product. A licence disqualifies before any benchmark counts.

A community forum feeds a product assistant. Some posts contain abusive language, and the assistant occasionally repeats it.

The forum also holds valuable troubleshooting advice.

What is the best mitigation?

A Rely on the model's own training to avoid the abusive posts

B Classify posts for toxicity and filter them out before indexing

C Raise the temperature so the answers drift away from the posts

D Drop the forum as a source entirely, losing its advice as well

◆ PAUSE AND DECIDE

What is the best mitigation?

A Rely on the model's own training to avoid the abusive posts

It has already failed.

B Classify posts for toxicity and filter them out before indexing

Removes the abuse, keeps the useful advice.

C Raise the temperature so the answers drift away from the posts

Randomness, not safety.

D Drop the forum as a source entirely, losing its advice as well

Throws away the valuable advice too.

THE SIGNAL

Problematic text in a source that is otherwise valuable. Filter at the source, keep what is useful.

> A logistics company already has a Genie Agent over its shipment tables and a Knowledge Assistant over its customs rules.
>
> Staff want one assistant that answers both kinds of question in a single conversation.

What is the most efficient way to deliver this?

A Export the shipment tables to CSV and add them to the assistant

B Build a custom multi-agent orchestrator from scratch on Apps

C Give staff links to both assistants, to use one after the other

D A Supervisor Agent with both existing agents as its subagents

◆ PAUSE AND DECIDE

What is the most efficient way to deliver this?

A Export the shipment tables to CSV and add them to the assistant

Tables become fuzzy, stale text.

B Build a custom multi-agent orchestrator from scratch on Apps

Works, but try Supervisor Agent first.

C Give staff links to both assistants, to use one after the other

Fails the one-conversation requirement.

D A Supervisor Agent with both existing agents as its subagents

Coordinates what exists, behind one endpoint.

THE SIGNAL

Existing agents, one conversation. Coordination of what already exists is Supervisor Agent's job.

admin@sthithapragna.com

> An engineer is packaging a custom pyfunc rag chain to register in Unity Catalog and serve.
>
> Choose TWO.

Which two must be included when logging it?

A. A GPU requirement for the serving container

B. A model signature, from sample input and output

C. Personal access tokens hard-coded in the code

D. The chain's libraries listed in pip_requirements

◆ PAUSE AND DECIDE

Which two must be included when logging it?

A. A GPU requirement for the serving container
Not required for a chain calling hosted models.

B. A model signature, from sample input and output
Unity Catalog requires a signature.

C. Personal access tokens hard-coded in the code
Never. Use declared resources and secrets.

D. The chain's libraries listed in pip_requirements
Serving rebuilds the environment from them.

THE SIGNAL

Unity Catalog needs the signature; serving needs the dependencies. Both, every time.

> Users are trying to override an assistant's rules with role-play and with instructions encoded in Base64.
>
> The team wants these attempts blocked with a Unity AI Gateway guardrail.

Which configuration fits?

A A jailbreak guardrail on the input phase

B A jailbreak guardrail on the output phase

C A PII redaction guardrail on the input

D A hallucination guardrail on the output

◆ PAUSE AND DECIDE

Which configuration fits?

A. A jailbreak guardrail on the input phase
Built for overrides and encoded payloads, on input.

B. A jailbreak guardrail on the output phase
Right type, wrong phase: jailbreak is input only.

C. A PII redaction guardrail on the input
Masks personal data, not bypass attempts.

D. A hallucination guardrail on the output
Checks invented claims, not bypass attempts.

THE SIGNAL

Role-play and encoded instructions are jailbreak techniques, and jailbreak runs on input only.

> A platform team runs 30 serving endpoints for eight business units. Finance wants monthly model serving cost broken down by business unit.
>
> Today only a single total is visible.

What should the platform team do?

A. Ask each unit to estimate its own share of the bill

B. Count tokens in the inference tables each month

C. Tag each endpoint with its unit, then query billing

D. Merge all units onto a single shared serving endpoint

◆ PAUSE AND DECIDE

What should the platform team do?

A Ask each unit to estimate its own share of the bill

Guesswork, not attribution.

B Count tokens in the inference tables each month

Tokens are not cost, and capacity charges are missed.

C Tag each endpoint with its unit, then query billing

Tags flow into system.billing.usage for attribution.

D Merge all units onto a single shared serving endpoint

Makes attribution harder.

THE SIGNAL

Cost by business unit. Tag the endpoints, and the billing system table attributes it.

Where did your misses fall?

SECTION	QUESTIONS	REWATCH MODULES
Design (section 1)	2, 8, 15, 22	01 to 05
Data (section 2)	5, 11, 19	06 to 10
Develop (section 3)	3, 6, 10, 14, 17, 20, 24	11 to 20
Deploy (section 4)	1, 7, 12, 16, 23	21 to 28
Govern (section 5)	9, 21	29 and 30
Evaluate (section 6)	4, 13, 18, 25	31 to 34

ON THE EXAM

Count misses per section. Two or more in one section tells you where to spend your next study session.

admin@sthithapragna.com

Using this result

- Around **20 or more of 25**: strong. Review only the questions you missed.
- Around **15 to 19**: rewatch the sections where misses clustered.
- Below 15: rewatch modules 35 to 37, then your weakest two sections.
- For every miss, name the **tiebreaker** you should have used. Module 36 lists them.

> ON THE EXAM
>
> Revising what you already know feels productive. Spend the time where you missed.

admin@sthithapragna.com