MODULE 36 · EXAM STRATEGY - ALL DOMAINS

Practice Paper 1

Twenty-one new questions across all seven domains, in exam proportions, with a worked answer after each and a score sheet by domain at the end.

SCOPE All seven domains ITEMS 21 MODULE 36 of 38

admin@sthithapragna.com

How to use this paper

- **Answer before the reveal:** pause the video if you need more time.
- **Aim for under two minutes** per question, as in the exam.
- **Tally right and wrong,** and note each miss's domain from the header.
- **Name the distractor family** for every wrong option you considered.
- **The score sheet at the end** maps each question to its domain.

> ON THE EXAM
>
> Every question here is new. None is taken from any practice bank.

> Pemberly Rail, a train operator, must refund passengers for delays using fixed published rules.
>
> It also wants a clear letter explaining each refund.

Which design fits best?

A Code applies the refund rules, and Claude drafts the letter from the result

B Claude applies the published rules and writes the letter, in one call to keep it simple

C An agent reads the delay data, decides each refund, and writes the letter

D A model fine-tuned on several years of past refund letters and their amounts

◆ PAUSE AND DECIDE

Which design fits best?

A Code applies the refund rules, and Claude drafts the letter from the result

Exact rules in code, language with Claude.

B Claude applies the published rules and writes the letter, in one call to keep it simple

Exact arithmetic is not Claude's job.

C An agent reads the delay data, decides each refund, and writes the letter

Autonomy for a fixed calculation.

D A model fine-tuned on several years of past refund letters and their amounts

Slow to change when rules change.

THE SIGNAL

Exact, fixed rules belong in code. Claude explains the result.

> Quillon's portal assistant fetches appointments through a tool that uses one service account.
>
> The model passes a patient ID, and the tool returns that patient's appointments.

Which two changes together close the gap? Choose two.

A Bind each tool call to the signed-in patient's identity

B Check server-side that the patient matches the session, and log calls

C Tell Claude in the system prompt to fetch only the current patient's records

D Hide patient IDs from the model so it cannot request other patients

E Rate-limit the tool to a few calls per minute per session

◆ PAUSE AND DECIDE

Which two changes together close the gap? Choose two.

A Bind each tool call to the signed-in patient's identity

Acts as the user, not as everyone.

B Check server-side that the patient matches the session, and log calls

Enforced and recorded server-side.

C Tell Claude in the system prompt to fetch only the current patient's records

Wrong layer for authorisation.

D Hide patient IDs from the model so it cannot request other patients

The tool still trusts any ID.

E Rate-limit the tool to a few calls per minute per session

Slows abuse, does not stop it.

THE SIGNAL

Authorisation is enforced by the system, as the user, never by the prompt.

> Tallyhawk wants Claude to sort incoming feedback into five well-defined categories.
>
> Each category has a clear written definition.

What should the team try first?

A Fine-tune a model on a large labelled feedback set before anything else

B A long chain-of-thought prompt that reasons step by step about every item

C A multi-step agent that researches each item before choosing a category

D Zero-shot with the definitions, measured on a labelled set, adding examples where needed

◆ PAUSE AND DECIDE

What should the team try first?

A Fine-tune a model on a large labelled feedback set before anything else

Heavy, before trying the simple option.

B A long chain-of-thought prompt that reasons step by step about every item

Cost without a stated need.

C A multi-step agent that researches each item before choosing a category

Autonomy a classifier does not need.

D Zero-shot with the definitions, measured on a labelled set, adding examples where needed

Simplest first, measured, then refined.

THE SIGNAL

Start simple, measure, and add examples where the evaluation shows confusion.

> Tallyhawk changed how help articles are retrieved for the support agent.
>
> It wants to know whether answers are now better grounded in the articles.

Which metric fits best?

A Average answer length, since grounded answers tend to be more detailed

B Share of answer claims supported by the retrieved articles

C Customer thumbs-up rate in the first week after the change

D Median latency per answer, before and after the change

◆ PAUSE AND DECIDE

Which metric fits best?

A Average answer length, since grounded answers tend to be more detailed

Length is not grounding.

B Share of answer claims supported by the retrieved articles

Measures grounding directly.

C Customer thumbs-up rate in the first week after the change

A proxy, late and noisy.

D Median latency per answer, before and after the change

A different dimension.

THE SIGNAL

Match the metric to the requirement. Grounding is measured against the sources.

> Wrenfield County Council wants Claude to recommend whether applicants qualify for a hardship grant.
>
> It must meet Anthropic's updated Usage Policy.

Which two measures are required? Choose two.

A Qualified caseworker review, with authority to change, before any decision

B An accuracy target of at least ninety-five percent on the evaluation set

C A weekly audit of a sample of decisions after they have been issued

D A model card published on the council's website for transparency

E Applicants told clearly that AI was used

◆ PAUSE AND DECIDE

Which two measures are required? Choose two.

A Qualified caseworker review, with authority to change, before any decision

Qualified review before use.

B An accuracy target of at least ninety-five percent on the evaluation set

Useful, but not a substitute.

C A weekly audit of a sample of decisions after they have been issued

After the decision; too late.

D A model card published on the council's website for transparency

Not the requirement.

E Applicants told clearly that AI was used

Disclosure to the affected person.

THE SIGNAL

Public benefits are high-risk: qualified review before use, and disclosure.

> Brackenway Logistics wants managers to ask questions such as how many shipments were late last week, by depot.
>
> The data sits in a warehouse database.

Which approach fits this data?

A Embed every database row in a vector store, and retrieve the closest matches

B Use larger chunks, so more rows fit into each retrieved passage

C A read-only query tool, with clear schema descriptions

D Load the whole database into the context window with each question

◆ PAUSE AND DECIDE

Which approach fits this data?

A Embed every database row in a vector store, and retrieve the closest matches

Similarity cannot count or aggregate.

B Use larger chunks, so more rows fit into each retrieved passage

Still cannot aggregate.

C A read-only query tool, with clear schema descriptions

Structured questions need a query.

D Load the whole database into the context window with each question

Wasteful, and still error-prone.

THE SIGNAL

Match retrieval to the data's shape. Counts over structured data need a query.

> Tallyhawk is writing the SLA for its new in-app assistant.
>
> The team is about to set the latency threshold.

Which two steps should come BEFORE setting the threshold? Choose two.

A Publish the draft SLA to enterprise customers for early feedback

B Measure median and ninety-fifth percentile latency on pilot traffic

C Agree the metric, percentile and window with the owner

D Automate service credits so breaches are compensated without delay

E Write the runbook the on-call team follows during a breach

◆ PAUSE AND DECIDE

Which two steps should come BEFORE setting the threshold? Choose two.

A Publish the draft SLA to enterprise customers for early feedback

After the threshold.

B Measure median and ninety-fifth percentile latency on pilot traffic

Baseline before promise.

C Agree the metric, percentile and window with the owner

Definition before number.

D Automate service credits so breaches are compensated without delay

After the threshold.

E Write the runbook the on-call team follows during a breach

After the threshold.

THE SIGNAL

Define the metric and measure a baseline before you set any threshold.

> Harrowgate Legal needs a research memo comparing one rule across forty jurisdictions.
>
> Each jurisdiction can be researched independently.

Which architecture fits best?

A One long prompt that researches every jurisdiction in turn, then writes

B A router that sends the question to the most relevant jurisdiction specialist

C A fixed chain that researches the jurisdictions one after another

D An orchestrator with parallel subagents, then a synthesis

◆ PAUSE AND DECIDE

Which architecture fits best?

A One long prompt that researches every jurisdiction in turn, then writes

One overloaded context.

B A router that sends the question to the most relevant jurisdiction specialist

Needs all forty, not one.

C A fixed chain that researches the jurisdictions one after another

Slow, and context grows.

D An orchestrator with parallel subagents, then a synthesis

Broad, independent, parallel work.

THE SIGNAL

Broad, independent research is where a team of agents earns its cost.

> Quillon's discharge-summary agent reads long inpatient records, and runs short of context on long stays.
>
> Every fact used must be cited.

Which two changes would each reduce context use without losing needed facts? Choose two.

A Raise the max tokens limit so the summary has more room to work

B Drop the oldest half of each record before sending it to the agent

C Retrieve only relevant sections, as citable search results

D Move to a model with a larger context window

E Clear old tool results once their facts are in the agent's notes

◆ PAUSE AND DECIDE

Which two changes would each reduce context use without losing needed facts? Choose two.

A Raise the max tokens limit so the summary has more room to work

Output, not context.

B Drop the oldest half of each record before sending it to the agent

Loses facts the summary needs.

C Retrieve only relevant sections, as citable search results

Less context, citations kept.

D Move to a model with a larger context window

More room, same waste.

E Clear old tool results once their facts are in the agent's notes

Frees context, facts kept in notes.

THE SIGNAL

Bring in only what is needed, and clear what has been used, while keeping facts and citations.

> Tallyhawk wants a formatting hook to run for everyone who works in its monorepo.
>
> It must reach every developer automatically.

Where should the hook be configured?

A The project's committed Claude settings file, shared with everyone

B Each developer's user settings, so everyone gets it on every project

C Each developer's local settings file, kept out of version control

D The repository's CLAUDE.md file, which every session reads

◆ PAUSE AND DECIDE

Where should the hook be configured?

A The project's committed Claude settings file, shared with everyone

Shared with the repository.

B Each developer's user settings, so everyone gets it on every project

Personal scope.

C Each developer's local settings file, kept out of version control

Not committed.

D The repository's CLAUDE.md file, which every session reads

Instructions, not hooks.

THE SIGNAL

Shared team configuration goes in committed project settings.

> Tallyhawk's support agent fails on some requests, and nobody can tell which step failed.
>
> Corvane is designing its observability.

Which two practices together form the solution? Choose two.

A. Trace each request end to end: ID, tool calls, latency by stage

B. Log only the requests that end in an error, to keep volume low

C. Keep full transcripts indefinitely, in case they are ever needed

D. Record the prompt and model versions with every trace

E. Sample one request in a thousand for detailed manual review

◆ PAUSE AND DECIDE

Which two practices together form the solution? Choose two.

A Trace each request end to end: ID, tool calls, latency by stage

Shows which step failed.

B Log only the requests that end in an error, to keep volume low

Misses silent failures.

C Keep full transcripts indefinitely, in case they are ever needed

Retention risk, not insight.

D Record the prompt and model versions with every trace

Ties failures to what changed.

E Sample one request in a thousand for detailed manual review

Too sparse to find a step.

THE SIGNAL

Trace every step, and tie each trace to the versions that produced it.

> Corvane has a new prompt version for Quillon's portal assistant.
>
> It is about to release it to all portal traffic.

Which two steps should come BEFORE the full release? Choose two.

A Delete the previous prompt version to avoid any confusion

B Run the regression set against both contract requirements

C Announce the change to patients on the portal home page

D Monitor complaints for a month after the full release

E Release to a small share first, with rollback ready to go

◆ PAUSE AND DECIDE

Which two steps should come BEFORE the full release? Choose two.

A Delete the previous prompt version to avoid any confusion

Removes the rollback path.

B Run the regression set against both contract requirements

Regression before release.

C Announce the change to patients on the portal home page

Not part of release safety.

D Monitor complaints for a month after the full release

After the release.

E Release to a small share first, with rollback ready to go

Canary before full release.

THE SIGNAL

Evaluate, then release gradually with a way back.

> Tallyhawk's support agent reads web pages that customers link to, and can change account settings.
>
> A page could contain instructions aimed at the agent.

What is the most effective protection?

A. A firm system-prompt rule to ignore any instructions found in web pages

B. Layered: untrusted content, limited tools, confirmed changes

C. A lower temperature, so the agent is harder to persuade

D. Remove every tool, so a page can never trigger an action

◆ PAUSE AND DECIDE

What is the most effective protection?

A. A firm system-prompt rule to ignore any instructions found in web pages
One layer, and the weakest.

B. Layered: untrusted content, limited tools, confirmed changes
Defence in depth.

C. A lower temperature, so the agent is harder to persuade
Not a security control.

D. Remove every tool, so a page can never trigger an action
Removes the product's value.

THE SIGNAL

Prompt injection needs layers: untrusted content, least privilege, and confirmation.

> Tallyhawk customers flag wrong support answers with a thumbs-down button.
>
> About two hundred reports arrive each week.

What should happen to these reports?

A Count them monthly, and report the trend to the leadership team

B Retrain the model on the flagged conversations each month

C Triage, label, add confirmed failures to evals, fix, measure

D Reply to each customer with a personal apology and a credit

◆ PAUSE AND DECIDE

What should happen to these reports?

A Count them monthly, and report the trend to the leadership team

Counting changes nothing.

B Retrain the model on the flagged conversations each month

Not the lever, and unlabelled.

C Triage, label, add confirmed failures to evals, fix, measure

Feedback becomes test cases and fixes.

D Reply to each customer with a personal apology and a credit

Courtesy, not improvement.

THE SIGNAL

Feedback loops end in labelled test cases and measured fixes.

> Fernhollow Energy reviews a year of results from its meter-reading assistant.

Which two outcomes belong to the transformation pillar? Choose two.

A Readings are processed in seconds instead of several minutes each

B Each analyst now reconciles noticeably more readings every day

C The reconciliation team now runs a new energy-advice service

D A call-back process was replaced by an always-on self-service channel

E Cost per reading processed fell by a third over the year

◆ PAUSE AND DECIDE

Which two outcomes belong to the transformation pillar? Choose two.

A Readings are processed in seconds instead of several minutes each

Efficiency.

B Each analyst now reconciles noticeably more readings every day

Productivity.

C The reconciliation team now runs a new energy-advice service

New roles and services.

D A call-back process was replaced by an always-on self-service channel

A redesigned service.

E Cost per reading processed fell by a third over the year

Solution cost.

THE SIGNAL

Transformation changes roles or services, not just speed or volume.

> Broker firms want their own agents to hand claim investigations to Valdane Versicherung's agent.
>
> Each investigation takes days, and Valdane's agent asks questions back.

Which integration mechanism fits?

A An MCP tool that brokers' agents call to start each investigation

B A REST API that returns the finished investigation in the same request

C A shared database that both sides' agents read from and write to

D Agent-to-agent delegation, with status, questions and results

◆ PAUSE AND DECIDE

Which integration mechanism fits?

A An MCP tool that brokers' agents call to start each investigation

Fits a lookup or an action, not days of work.

B A REST API that returns the finished investigation in the same request

Cannot hold a days-long dialogue.

C A shared database that both sides' agents read from and write to

Integration by side effect.

D Agent-to-agent delegation, with status, questions and results

Another agent owns the outcome.

THE SIGNAL

When another agent owns a long-running outcome, use agent-to-agent.

> Tallyhawk routes about eighteen hundred tickets a day into queues.
>
> Routing must be fast and cheap, and accurate enough on the labelled set.

How should the model be chosen?

A Test the smallest tier on the labelled set first, and route hard cases up

B The most capable tier for every ticket, to protect accuracy

C Whichever model is newest, since it will be the most accurate

D Fine-tune a model before testing any existing tier

◆ PAUSE AND DECIDE

How should the model be chosen?

A Test the smallest tier on the labelled set first, and route hard cases up

Requirements first, lightest that passes.

B The most capable tier for every ticket, to protect accuracy

Cost and latency the task does not need.

C Whichever model is newest, since it will be the most accurate

Newness is not a requirement.

D Fine-tune a model before testing any existing tier

Heavy, before testing the simple option.

THE SIGNAL

Choose the lightest model that meets the requirements on your own evaluation set.

> Mereside's complaint summaries began including dates that are not in the complaint.
>
> The prompt was edited on Monday. The model and retrieval are unchanged.

What should the team do first?

A Switch to a more capable model tier that hallucinates less often

B Compare old and new prompts on the evaluation set, then roll back

C Add a disclaimer that summaries may contain occasional errors

D Retrain the summariser on a set of corrected example summaries

◆ PAUSE AND DECIDE

What should the team do first?

A Switch to a more capable model tier that hallucinates less often

Changes something that did not change.

B Compare old and new prompts on the evaluation set, then roll back

Diagnose the layer that changed.

C Add a disclaimer that summaries may contain occasional errors

Hides the defect.

D Retrain the summariser on a set of corrected example summaries

Skips diagnosis.

THE SIGNAL

Ask what changed, and test that layer first.

> Quillon wants to summarise yesterday's discharge notes overnight, at lower cost.
>
> The notes contain health data, and run in Quillon's HIPAA-ready organisation.

What should Corvane recommend?

A The Batch API in the same organisation, since the BAA covers every feature

B Move the job to the non-HIPAA organisation, where the Batch API is allowed

C Standard requests overnight in the HIPAA-ready organisation, with caching

D Remove patient names from the notes, then send them through the Batch API

◆ PAUSE AND DECIDE

What should Corvane recommend?

A The Batch API in the same organisation, since the BAA covers every feature

Batch is not eligible.

B Move the job to the non-HIPAA organisation, where the Batch API is allowed

Health data outside the covered org.

C Standard requests overnight in the HIPAA-ready organisation, with caching

Eligible features, cost cut by caching.

D Remove patient names from the notes, then send them through the Batch API

Names alone are not de-identification.

THE SIGNAL

Health data stays on eligible features in the covered organisation. Find savings within that.

> Mereside's data protection officer asks Corvane about the new policy-retrieval design.
>
> She will advise the model risk committee on approval.

What should Corvane give her?

A The one-page executive summary prepared for the chief operating officer

B The product roadmap, so she can see what is planned next

C The prompt templates and tool schemas, for full transparency

D Data flows, retention, controls mapped to UK GDPR, and residual risk

◆ PAUSE AND DECIDE

What should Corvane give her?

A The one-page executive summary prepared for the chief operating officer

Wrong audience.

B The product roadmap, so she can see what is planned next

Wrong audience.

C The prompt templates and tool schemas, for full transparency

Engineering detail.

D Data flows, retention, controls mapped to UK GDPR, and residual risk

Evidence a privacy reviewer can approve.

THE SIGNAL

Match the package to the audience. Privacy reviewers need flows, controls and residual risk.

> Halden Survey Partners uses Claude to draft property survey reports.
>
> Surveyors edit about a third of the drafts before sending them.

How should Halden use those edits?

A Label the edits, add them to evals, change one thing, measure

B Ignore them, since surveyors will always want to edit some reports

C Ask Claude to review its own drafts more carefully before sending

D Switch to a different model and compare edit rates over a month

◆ PAUSE AND DECIDE

How should Halden use those edits?

A Label the edits, add them to evals, change one thing, measure

Closes the feedback loop.

B Ignore them, since surveyors will always want to edit some reports

Wastes the best signal.

C Ask Claude to review its own drafts more carefully before sending

Self-review is not measurement.

D Switch to a different model and compare edit rates over a month

An uncontrolled change.

THE SIGNAL

Human edits are labelled data. Feed them back, change one thing, and measure.

Score sheet by domain

DOMAIN	QUESTIONS	OUT OF
Design (D1)	1, 8, 15, 21	4
Models (D2)	3, 9, 17	3
Integration (D3)	2, 6, 11, 16	4
Evaluation (D4)	4, 12, 18	3
Governance (D5)	5, 13, 19	3
Lifecycle (D6)	7, 14, 20	3
Enablement (D7)	10	1

READING YOUR SCORE

Course guidance: aim for 16 of 21. Below 13, revisit the modules for the domains you missed.

After the paper

- **For each miss,** name the qualifier you misread or the distractor family that caught you.
- **Re-watch one module** per weak domain, not the whole course.
- **Wait a day** before paper 2, so you test recall, not memory of this paper.
- **Paper 2 covers new topics,** in the same proportions.

> COMING UP
>
> Next: practice paper 2.