MODULE 37 · EXAM STRATEGY - ALL DOMAINS

Practice Paper 2

Twenty-one more new questions on different topics, in exam proportions, with one deliberate echo of paper 1 where a single changed detail flips the answer.

SCOPE All seven domains ITEMS 21 MODULE 37 of 38

admin@sthithapragna.com

Before you start

- **Same routine as paper 1:** answer before the reveal, two minutes a question.
- **Read the last line first,** and mark the qualifier and select count.
- **Strike options that break a constraint** before weighing the rest.
- **Watch for the echo:** a familiar situation with one detail changed.

> ON THE EXAM
>
> New topics throughout. Nothing here repeats paper 1, except the deliberate echo.

> Calderbrook Housing Association wants to handle tenants' repair requests.
>
> Each request is classified by urgency, the address and fault are extracted, and a job is created.

Which pattern fits best?

A An autonomous agent that decides for itself how to handle each request

B A team of agents, each owning one step, coordinated by an orchestrator

C A fixed chain of calls, with checks between steps, then code creates the job

D A single prompt that classifies, extracts and creates the job in one go

◆ PAUSE AND DECIDE

Which pattern fits best?

A An autonomous agent that decides for itself how to handle each request

Autonomy the fixed steps do not need.

B A team of agents, each owning one step, coordinated by an orchestrator

Coordination cost, no benefit.

C A fixed chain of calls, with checks between steps, then code creates the job

Known steps, checked between them.

D A single prompt that classifies, extracts and creates the job in one go

No checks between steps; model writes to systems.

THE SIGNAL

Known steps make a workflow. Add checks between steps, and let code take the action.

> Corvane is comparing three designs for Mereside's agent assist.
>
> The team wants to compare their running costs next.

Which two steps should come BEFORE comparing cost? Choose two.

A Strike any design that breaks a hard constraint, such as UK or EU processing

B Check the remaining designs against the latency SLA and the quality floor

C Write up the recommendation for the steering committee

D Present all three designs to contact-centre advisers for feedback

E Score each design on its expected business value to Mereside

◆ PAUSE AND DECIDE

Which two steps should come BEFORE comparing cost? Choose two.

A Strike any design that breaks a hard constraint, such as UK or EU processing

Constraints first.

B Check the remaining designs against the latency SLA and the quality floor

SLA gate and quality floor.

C Write up the recommendation for the steering committee

Comes last.

D Present all three designs to contact-centre advisers for feedback

Not part of the comparison order.

E Score each design on its expected business value to Mereside

After cost.

THE SIGNAL

Constraints, then the SLA gate and quality floor, then cost, then value.

> Harrowgate Legal wants contract clauses drafted to meet a twelve-point internal checklist.
>
> First drafts often miss two or three points.

Which pattern fits best?

A Draft, check against the checklist, revise until all points pass

B A longer prompt that lists the whole checklist twice for emphasis

C Parallel calls that each draft the clause, keeping the longest draft

D A router that sends each type of clause to its own specialist prompt

◆ PAUSE AND DECIDE

Which pattern fits best?

A Draft, check against the checklist, revise until all points pass

Evaluator-optimiser loop.

B A longer prompt that lists the whole checklist twice for emphasis

Emphasis is not checking.

C Parallel calls that each draft the clause, keeping the longest draft

Length is not quality.

D A router that sends each type of clause to its own specialist prompt

Routing does not check.

THE SIGNAL

Clear criteria plus measurable misses suit an evaluator-optimiser loop.

> A Mereside mailing error triggers four thousand complaints in one day, against a usual hundred.
>
> Complaints must be triaged within two working days.

Which two changes together absorb the spike? Choose two.

A Raise the max tokens limit on every triage call for the day

B Switch triage to the most capable model tier until the backlog clears

C Put incoming complaints on a durable queue

D Drain the queue with workers sized to the rate limits

E Discard the oldest complaints whenever the queue grows too long

◆ PAUSE AND DECIDE

Which two changes together absorb the spike? Choose two.

A Raise the max tokens limit on every triage call for the day

No effect on throughput.

B Switch triage to the most capable model tier until the backlog clears

Slower and costlier, same limits.

C Put incoming complaints on a durable queue

Nothing is lost, nothing waits on a caller.

D Drain the queue with workers sized to the rate limits

Steady throughput within limits.

E Discard the oldest complaints whenever the queue grows too long

Loses complaints.

THE SIGNAL

Nobody is waiting live, so queue the work and drain it within the limits.

> Tallyhawk's support prompt has grown over a year.
>
> One section says "never mention pricing"; a newer one says "always quote the customer's plan price".

What should the team do?

A Add a line asking Claude to use its judgement whenever two rules conflict

B Move the newer rule to the top of the prompt so that it takes priority

C Repeat the newer rule in capital letters at the very end of the prompt

D Resolve it with the owners, keep one rule, re-run evals

◆ PAUSE AND DECIDE

What should the team do?

A Add a line asking Claude to use its judgement whenever two rules conflict

The model guesses, case by case.

B Move the newer rule to the top of the prompt so that it takes priority

Order is not a resolution.

C Repeat the newer rule in capital letters at the very end of the prompt

Emphasis, not resolution.

D Resolve it with the owners, keep one rule, re-run evals

Fix the conflict at the source.

THE SIGNAL

Never ask the model to arbitrate your own rules. Remove the conflict.

> After a Tallyhawk release, the support agent's prompt-cache hit rate fell to nearly zero.
>
> Traffic and models are unchanged.

Which two changes could explain it? Choose two.

A Tool definitions are now emitted in a different order on each release

B Daily active users rose by about a tenth after the release

C The max tokens limit was raised so long answers are not cut off

D Answers became slightly longer on average after the release

E A timestamp to the second now opens the system prompt

◆ PAUSE AND DECIDE

Which two changes could explain it? Choose two.

A Tool definitions are now emitted in a different order on each release

Tools head the prefix; any change breaks it.

B Daily active users rose by about a tenth after the release

More traffic, more hits.

C The max tokens limit was raised so long answers are not cut off

Output settings do not touch the prefix.

D Answers became slightly longer on average after the release

Output does not touch the prefix.

E A timestamp to the second now opens the system prompt

Changes every request, early in the prefix.

THE SIGNAL

Caching needs an identical prefix. Anything that changes early in it breaks every hit after.

> Brackenway Logistics managers now ask questions such as which delivery notes mention damaged pallets.
>
> The notes are free text, and include product codes such as PX-2210.

Which approach fits this question?

A. A read-only query tool on the notes table, with exact text matching

B. Hybrid retrieval over the notes, combining semantic and keyword search

C. Load every delivery note into the context window with each question

D. A model fine-tuned on last year's notes so it remembers their contents

◆ PAUSE AND DECIDE

Which approach fits this question?

A. A read-only query tool on the notes table, with exact text matching
Exact matching misses paraphrase.

B. Hybrid retrieval over the notes, combining semantic and keyword search
Meaning plus exact codes.

C. Load every delivery note into the context window with each question
Wasteful at any scale.

D. A model fine-tuned on last year's notes so it remembers their contents
Stale, and not retrieval.

THE SIGNAL

Echo of paper 1: counts over structured data need a query; meaning in free text needs retrieval.

> Tallyhawk's billing agent has twenty tools.
>
> Two, delete account and bulk refund, were used twice in a year. Three others have overlapping descriptions.

Which two changes should Corvane make? Choose two.

A Keep every tool, but add detailed logging to the two risky ones

B Remove the delete-account and bulk-refund tools from this agent

C Merge the overlapping tools, with one clear description

D Put a router agent in front of the billing agent to pick tools

E Turn on tool search so the extra tools only load when needed

◆ PAUSE AND DECIDE

Which two changes should Corvane make? Choose two.

A Keep every tool, but add detailed logging to the two risky ones

Detective for a preventive need.

B Remove the delete-account and bulk-refund tools from this agent

Least privilege.

C Merge the overlapping tools, with one clear description

Clear choices for the model.

D Put a router agent in front of the billing agent to pick tools

Adds a hop, fixes nothing.

E Turn on tool search so the extra tools only load when needed

Defers risk, does not remove it.

THE SIGNAL

Remove what is not needed, and make the rest unambiguous.

> Quillon tests a reranking step for the portal's retrieval.
>
> It lifts accuracy on hard questions, but pushes p95 first token past 2 seconds.

What should Corvane do?

A Adopt reranking for every question, since accuracy matters most here

B Drop reranking entirely, because the latency SLA cannot change

C Rerank only when first-pass scores are low, and measure both

D Raise the SLA to three seconds so there is room for reranking

◆ PAUSE AND DECIDE

What should Corvane do?

A Adopt reranking for every question, since accuracy matters most here

Breaks a contract requirement.

B Drop reranking entirely, because the latency SLA cannot change

Discards a real accuracy gain.

C Rerank only when first-pass scores are low, and measure both

Targets the gain, protects latency.

D Raise the SLA to three seconds so there is room for reranking

Changes the contract unilaterally.

THE SIGNAL

Trade accuracy and latency selectively, then measure against both requirements.

> Tallyhawk's remote MCP server receives the user's token from the client.
>
> It forwards that same token to the scheduling API downstream.

What should change in the design?

A Get the server its own token, for the right audience

B Keep forwarding the token, but strip its expiry time first

C Have the client send the scheduling API token directly instead

D Nothing, since the token already belongs to the signed-in user

◆ PAUSE AND DECIDE

What should change in the design?

A Get the server its own token, for the right audience

Token passthrough is forbidden.

B Keep forwarding the token, but strip its expiry time first

Makes it worse.

C Have the client send the scheduling API token directly instead

Spreads downstream credentials to clients.

D Nothing, since the token already belongs to the signed-in user

Passthrough breaks audience checks.

THE SIGNAL

No token passthrough: each hop gets its own token for its own audience.

> Quillon's prior-authorisation evaluation set was built from one insurer's cases.
>
> The system now drafts letters for six insurers.

What should Corvane do first?

A Raise the pass threshold on the existing single-insurer set

B Generate synthetic cases for the other five insurers, and stop there

C Keep the set as it is, since one insurer's criteria are fairly typical

D Add real cases from all six insurers, in the real mix, including rare ones

◆ PAUSE AND DECIDE

What should Corvane do first?

A Raise the pass threshold on the existing single-insurer set

Stricter on the wrong data.

B Generate synthetic cases for the other five insurers, and stop there

Synthetic only misses real failures.

C Keep the set as it is, since one insurer's criteria are fairly typical

An assumption, untested.

D Add real cases from all six insurers, in the real mix, including rare ones

Representative coverage.

THE SIGNAL

An evaluation set must look like production: every segment, in the real mix.

> Tallyhawk A/B tests a new support prompt.
>
> It wins on resolution rate, but escalations to humans rise above the guardrail limit.

Which two actions are correct? Choose two.

A Do not promote it while the guardrail is breached

B Promote it anyway, because the primary metric clearly won

C Average the two metrics into a single score and decide on that

D Find the segment behind the rise, fix it, and re-test

E Extend the test until escalations fall back on their own

◆ PAUSE AND DECIDE

Which two actions are correct? Choose two.

A Do not promote it while the guardrail is breached

A guardrail breach blocks promotion.

B Promote it anyway, because the primary metric clearly won

Ignores the guardrail.

C Average the two metrics into a single score and decide on that

Hides the breach.

D Find the segment behind the rise, fix it, and re-test

Diagnose, fix, re-test.

E Extend the test until escalations fall back on their own

Waiting is not a fix.

THE SIGNAL

A guardrail breach overrides a primary-metric win.

> Tallyhawk's nightly reporting job summarises the day's conversations, and costs too much.
>
> Nobody reads the output before morning.

Which change should come first?

A Move the whole job to the smallest model tier straight away

B Submit it through the Batch API, with instructions cached

C Cut each conversation summary down to a single sentence

D Run the reporting job weekly instead of every night

◆ PAUSE AND DECIDE

Which change should come first?

A Move the whole job to the smallest model tier straight away

Quality risk, untested.

B Submit it through the Batch API, with instructions cached

Zero quality risk, large saving.

C Cut each conversation summary down to a single sentence

Changes the product.

D Run the reporting job weekly instead of every night

Changes the requirement.

THE SIGNAL

Take the zero-risk savings first, then consider anything that could affect quality.

> Mereside wants Claude to grade complaint replies for tone and completeness at scale.
>
> Nobody has checked how well its grades match expert judgement.

What should Mereside do before relying on the grades?

A Calibrate it against an expert-labelled sample, refining the rubric

B Use the grades now, since a capable model grades consistently

C Ask the grader to report its own confidence alongside each grade

D Replace quality grading with reply length, which is easy to measure

◆ PAUSE AND DECIDE

What should Mereside do before relying on the grades?

A. Calibrate it against an expert-labelled sample, refining the rubric
Calibrate first.

B. Use the grades now, since a capable model grades consistently
Consistency is not accuracy.

C. Ask the grader to report its own confidence alongside each grade
Self-reported confidence is weak.

D. Replace quality grading with reply length, which is easy to measure
A proxy that misleads.

THE SIGNAL

A model grader is a measuring instrument. Calibrate it against experts before trusting it.

> Valdane Versicherung's claim letters quote policy clause numbers.
>
> A letter once cited a clause that does not exist.

Which control prevents it most directly?

A. Add a prompt line telling Claude never to invent clause numbers

B. Sample ten percent of sent letters for a monthly quality review

C. Lower the model's effort so that it writes more conservatively

D. Check in code that every cited clause exists, and block letters that fail

◆ PAUSE AND DECIDE

Which control prevents it most directly?

A Add a prompt line telling Claude never to invent clause numbers

Helps, but cannot guarantee.

B Sample ten percent of sent letters for a monthly quality review

Detective, after letters are sent.

C Lower the model's effort so that it writes more conservatively

Not a control for invention.

D Check in code that every cited clause exists, and block letters that fail

Preventive and deterministic.

THE SIGNAL

Check generated references against the source in code, before anything is sent.

> Corvane is setting escalation rules for Tallyhawk's support agent.

Which two make good escalation triggers? Choose two.

A Any customer message that runs longer than fifty words

B The customer explicitly asks to speak to a person

C The model reports low confidence in its own answer, on its own

D A random one percent of all conversations, for quality checks

E A legal threat, or a formal complaint about the service

◆ PAUSE AND DECIDE

Which two make good escalation triggers? Choose two.

A Any customer message that runs longer than fifty words

Length is not risk.

B The customer explicitly asks to speak to a person

An explicit request is honoured.

C The model reports low confidence in its own answer, on its own

Self-reported confidence is weak alone.

D A random one percent of all conversations, for quality checks

That is sampling, not escalation.

E A legal threat, or a formal complaint about the service

High-stakes topics go to people.

THE SIGNAL

Escalate on explicit requests and high-stakes topics, not on weak signals.

> Calderbrook uses Claude to rank repair requests by urgency.
>
> Tenants write in many styles, and some write in their second language.

How should Corvane test for unfair outcomes?

A Compare overall accuracy against the old manual triage process

B Ask Claude to assess whether its own rankings are fair to tenants

C Counterfactual pairs: the same fault, described in different styles and languages

D Remove tenants' names from requests, and assume the problem is solved

◆ PAUSE AND DECIDE

How should Corvane test for unfair outcomes?

A Compare overall accuracy against the old manual triage process

Hides who bears the errors.

B Ask Claude to assess whether its own rankings are fair to tenants

Self-assessment is not testing.

C Counterfactual pairs: the same fault, described in different styles and languages

Changes only the style, isolates the effect.

D Remove tenants' names from requests, and assume the problem is solved

Style and language remain as proxies.

THE SIGNAL

To find a disparity, change only the detail you suspect, and compare outcomes.

> Valdane wants a prototype claims assistant built next month.
>
> Nothing has been agreed beyond "help claims handlers".

Which two steps should come BEFORE validating the prototype? Choose two.

A Launch the assistant to customers early, for real feedback

B Write the on-call runbooks the support team will need

C Agree the goals and success criteria with the business owner

D Collect non-functional needs: EU processing, latency, cost

E Train every claims handler on how to use the finished assistant

◆ PAUSE AND DECIDE

Which two steps should come BEFORE validating the prototype? Choose two.

A Launch the assistant to customers early, for real feedback

Far too early.

B Write the on-call runbooks the support team will need

Comes before go-live, not validation.

C Agree the goals and success criteria with the business owner

Defines what the prototype must prove.

D Collect non-functional needs: EU processing, latency, cost

Constraints that shape the design.

E Train every claims handler on how to use the finished assistant

After the build.

THE SIGNAL

Goals and non-functional requirements come before validation.

> Tallyhawk is launching a new product line next month.
>
> Corvane's forecast shows the support agent's accuracy will fall below the contracted floor for a few weeks.

What should Corvane do?

A Wait, and explain the breach to Tallyhawk if it actually happens

B Raise it now, with the measured forecast, its cause and options

C Quietly exclude the new product line from the accuracy measurement

D Lower the accuracy floor in the contract, without discussing it

◆ PAUSE AND DECIDE

What should Corvane do?

A Wait, and explain the breach to Tallyhawk if it actually happens

Late and avoidable.

B Raise it now, with the measured forecast, its cause and options

Early, quantified, with options.

C Quietly exclude the new product line from the accuracy measurement

Hides the gap.

D Lower the accuracy floor in the contract, without discussing it

Unilateral, and not Corvane's call.

THE SIGNAL

Renegotiate early, with data and options. Never hide a gap by changing the measure.

> Quillon wants the portal assistant, built for appointments and billing, to start answering patients' questions about their symptoms.

How should Corvane treat this request?

A Re-enter discovery and design, with clinical owners involved

B Add a section on symptoms to the system prompt and release it

C Add symptom questions to the evaluation set, and release if scores hold

D Release it to a small group of patients first, and monitor closely

◆ PAUSE AND DECIDE

How should Corvane treat this request?

A Re-enter discovery and design, with clinical owners involved

A design change, not iteration.

B Add a section on symptoms to the system prompt and release it

Treats clinical risk as a prompt edit.

C Add symptom questions to the evaluation set, and release if scores hold

The old criteria do not cover new risks.

D Release it to a small group of patients first, and monitor closely

Monitoring is not a risk review.

THE SIGNAL

A new use with new risk sends the system back to design.

> Tallyhawk runs a nightly Claude Code job in CI that updates generated documentation.
>
> It must never push to the main branch.

How should the job be configured?

A Bypass mode inside the CI container, since nobody is watching it

B Auto mode, so the classifier decides what is safe on each run

C Interactive mode, with an engineer approving each step overnight

D dontAsk mode with narrow allowed tools, and an explicit deny on push

◆ PAUSE AND DECIDE

How should the job be configured?

A Bypass mode inside the CI container, since nobody is watching it

Removes every check.

B Auto mode, so the classifier decides what is safe on each run

A safety net, not a policy.

C Interactive mode, with an engineer approving each step overnight

Nobody is there at night.

D dontAsk mode with narrow allowed tools, and an explicit deny on push

Decided in advance, with an explicit deny.

THE SIGNAL

In CI, decide every permission in advance and deny what must never happen.

Score sheet by domain

DOMAIN	QUESTIONS	OUT OF
Design (D1)	1, 2, 3, 4	4
Models (D2)	5, 6	2
Integration (D3)	7, 8, 9, 10	4
Evaluation (D4)	11, 12, 13, 14	4
Governance (D5)	15, 16, 17	3
Lifecycle (D6)	18, 19, 20	3
Enablement (D7)	21	1

READING YOUR SCORE

Course guidance: aim for 16 of 21. Compare each domain with paper 1 to see the trend.

After the paper

- **Compare with paper 1,** domain by domain.
- **A domain weak twice** needs its modules re-watched, and its sequences reviewed in module 32.
- **Revisit the confusion pairs** in module 33 for any pair that caught you.
- **Paper 3** completes a full sixty-three-item sitting, and reads the trend across all three.

> COMING UP
>
> Next: practice paper 3.