MODULE 38 · EXAM STRATEGY - ALL DOMAINS

Practice Paper 3

The last twenty-one new questions, completing a full sixty-three-item sitting, with a trend sheet across all three papers and a readiness check.

SCOPE All seven domains ITEMS 21 MODULE 38 of 38

admin@sthithapragna.com

Before you start

- **Treat it as the real thing:** two minutes a question, no notes.
- **Read the last line first;** mark the qualifier and select count.
- **Eliminate on constraints,** then choose the simplest option that meets the priority.
- **Keep your paper 1 and 2 scores to hand** for the trend sheet.

> ON THE EXAM
>
> New topics throughout, plus one deliberate echo of paper 1.

> Lanternly, a software firm, wants staff to ask questions about HR policy, including how much leave they have left.
>
> Policies sit in a document library; leave balances sit in the HR system.

Which design fits best?

A. A multi-agent system with a policy agent and a leave agent, coordinated by an orchestrator

B. One Claude call with retrieval over the policies and a read-only leave-balance tool

C. An autonomous agent with write access to the HR system, so it can also book leave

D. Fine-tune a model on the policy library, and add balances to the system prompt each night

◆ PAUSE AND DECIDE

Which design fits best?

A A multi-agent system with a policy agent and a leave agent, coordinated by an orchestrator
Coordination the task does not need.

B One Claude call with retrieval over the policies and a read-only leave-balance tool
The augmented LLM: retrieval plus one tool.

C An autonomous agent with write access to the HR system, so it can also book leave
Write access nobody asked for.

D Fine-tune a model on the policy library, and add balances to the system prompt each night
Stale, and exposes everyone's balances.

THE SIGNAL

Start with one augmented call: retrieval for documents, a tool for live data.

> Fernhollow Energy asks Corvane for "AI to reduce billing disputes".
>
> The team wants to choose between a workflow and an agent this week.

Which two steps should come BEFORE choosing the pattern? Choose two.

A Name the decision to improve, and who makes it today

B Measure today's dispute volumes, causes and handling time

C Pick the model tier for the eventual solution design

D Build a quick prototype agent to see what it can do

E Estimate the token costs for both candidate patterns

◆ PAUSE AND DECIDE

Which two steps should come BEFORE choosing the pattern? Choose two.

A. Name the decision to improve, and who makes it today
Frame the decision first.

B. Measure today's dispute volumes, causes and handling time
Today's baseline.

C. Pick the model tier for the eventual solution design
A later design choice.

D. Build a quick prototype agent to see what it can do
Skips framing.

E. Estimate the token costs for both candidate patterns
Costs follow the design.

THE SIGNAL

Frame the problem: the decision, the user, today and the measure, then the shape.

> Ashgrove Insurance compares a Claude claims assistant with its current process.
>
> Claude costs less per claim in API spend, but adds a human review step for a quarter of claims.

How should solution cost be compared?

A On API spend per claim, since that is the new cost

B On model price per million tokens across tiers

C The whole bill per claim, including human review

D On the number of claims handled per day

◆ PAUSE AND DECIDE

How should solution cost be compared?

A On API spend per claim, since that is the new cost

Leaves out the review cost.

B On model price per million tokens across tiers

A price, not a solution cost.

C The whole bill per claim, including human review

The whole bill.

D On the number of claims handled per day

Productivity, not cost.

THE SIGNAL

Solution cost counts the whole bill, including the people the design adds.

> Tallyhawk's ticket classifier was given one example ticket in its prompt.
>
> Now it copies that example's wording, and misclassifies tickets that look different.

What should the team change?

A Several varied examples, clearly marked

B Remove all examples, and rely on the category names alone

C Repeat the single example three times for emphasis

D Move the example to the end of the prompt

◆ PAUSE AND DECIDE

What should the team change?

A Several varied examples, clearly marked
Diverse, marked examples generalise.

B Remove all examples, and rely on the category names alone
Loses the benefit of examples.

C Repeat the single example three times for emphasis
Strengthens the overfitting.

D Move the example to the end of the prompt
Position does not fix it.

THE SIGNAL

Few-shot examples should be varied and representative, so the model learns the pattern, not one instance.

> Mereside's agent-assist requests average twelve thousand input tokens.
>
> An audit finds the lending policy summary appears twice, and answers often run long.

Which two changes reduce tokens without losing needed context? Choose two.

- A Remove the duplicated policy summary
- B Delete the safety rules from the system prompt
- C Send only the first thousand tokens of each policy section
- D Ask for a concise answer format, with a stated length
- E Move to a model with a larger context window

◆ PAUSE AND DECIDE

Which two changes reduce tokens without losing needed context? Choose two.

A Remove the duplicated policy summary

Pure waste removed.

B Delete the safety rules from the system prompt

Removes needed guardrails.

C Send only the first thousand tokens of each policy section

Cuts content advisers need.

D Ask for a concise answer format, with a stated length

Shorter outputs, nothing lost.

E Move to a model with a larger context window

Room is not the problem.

THE SIGNAL

Remove waste and bound output. Never cut content the task needs.

> Mereside's forty-line tone-of-voice guide is pasted into five different prompts.
>
> Each copy has drifted, and the guide changes twice a year.

What should Corvane do?

A Keep the five copies, and update each one when the guide changes

B One shared, versioned module with an owner

C Merge all five workflows into one prompt that covers everything

D Remove the guide, since Claude writes politely by default

◆ PAUSE AND DECIDE

What should Corvane do?

A Keep the five copies, and update each one when the guide changes

Drift will continue.

B One shared, versioned module with an owner

One owned, versioned source.

C Merge all five workflows into one prompt that covers everything

A monolith for unrelated workflows.

D Remove the guide, since Claude writes politely by default

Loses the brand's rules.

THE SIGNAL

Reused content belongs in one shared, versioned module with an owner.

> Harrowgate Legal's retrieval over past judgments returns passages without saying which case they come from.
>
> Answers often cite the right reasoning from the wrong case.

Which change addresses it most directly?

A Raise the number of passages retrieved for each question to twenty

B Switch to a more capable generation model

C Add case name and context to every chunk before embedding

D Shorten the chunks so each covers one sentence

◆ PAUSE AND DECIDE

Which change addresses it most directly?

A Raise the number of passages retrieved for each question to twenty

More passages, same confusion.

B Switch to a more capable generation model

The model cannot see what is missing.

C Add case name and context to every chunk before embedding

Contextual chunks carry their source.

D Shorten the chunks so each covers one sentence

Smaller chunks lose even more context.

THE SIGNAL

Chunks that lose their context mislead. Add the context to every chunk before indexing.

> Quillon's prior-authorisation agent loads about two hundred tool definitions up front.
>
> A handful of insurer-criteria tools are used on nearly every case; most others are rare.

Which two changes together cut the context used by tool definitions? Choose two.

A. Move to a model with a larger context window

B. Add a router agent that guesses which tools each case needs

C. Delete half of the tools at random

D. Turn on tool search, with rarely used tools deferred

E. Keep the insurer-criteria tools always loaded

◆ PAUSE AND DECIDE

Which two changes together cut the context used by tool definitions? Choose two.

A Move to a model with a larger context window

More room, same waste.

B Add a router agent that guesses which tools each case needs

An extra hop and a guess.

C Delete half of the tools at random

Removes needed tools.

D Turn on tool search, with rarely used tools deferred

Rare tools load only when needed.

E Keep the insurer-criteria tools always loaded

Hot tools stay instantly available.

THE SIGNAL

Defer the rarely used tools, and keep the frequently used ones loaded.

> Tallyhawk's help centre covers Standard and Enterprise editions, in the UK and the US.
>
> Standard customers are sometimes told about Enterprise-only features.

What should change in retrieval?

A Filter retrieval on the customer's edition and region

B Retrieve more passages, so the right edition is usually included

C Tell Claude in the prompt to ignore Enterprise content

D Move to a larger embedding model

◆ PAUSE AND DECIDE

What should change in retrieval?

A Filter retrieval on the customer's edition and region

Filter by what the customer has.

B Retrieve more passages, so the right edition is usually included

Brings back more of the wrong edition.

C Tell Claude in the prompt to ignore Enterprise content

Wrong layer, unreliable.

D Move to a larger embedding model

Similarity cannot know the customer's edition.

THE SIGNAL

When the right answer depends on who is asking, filter retrieval on metadata.

> Fernhollow's data team needs one nightly script that sends meter anomalies to Claude and writes the results to a table.
>
> No other application or agent will reuse it.

Which integration mechanism fits?

A Build an MCP server so that any future client can reuse it

B Delegate the work agent to agent, to a separate anomaly agent

C Package it as a Claude Code plugin for the data team

D Call the Claude API directly from the script

◆ PAUSE AND DECIDE

Which integration mechanism fits?

A Build an MCP server so that any future client can reuse it

Reuse that nobody needs.

B Delegate the work agent to agent, to a separate anomaly agent

An agent hop for a simple call.

C Package it as a Claude Code plugin for the data team

Wrong tool for a scheduled job.

D Call the Claude API directly from the script

One application, one integration.

THE SIGNAL

One application with no reuse calls the API directly.

> Valdane is about to evaluate its new claims-letter generator for the first time.
>
> Nothing has been agreed about what a good letter is.

Which two steps should come BEFORE the first evaluation run? Choose two.

A Gate the product's release on the evaluation score

B Define the success criteria and the metric for each

C Review the failures from the run

D Tune the prompt until it passes every case in the set

E Curate and label a representative set of real claims

◆ PAUSE AND DECIDE

Which two steps should come BEFORE the first evaluation run? Choose two.

A Gate the product's release on the evaluation score

After the run.

B Define the success criteria and the metric for each

Define good first.

C Review the failures from the run

After the run.

D Tune the prompt until it passes every case in the set

Tuning to the set overfits.

E Curate and label a representative set of real claims

The data to run on.

THE SIGNAL

Define, then curate and label, then run, score, review, gate.

> Mereside's advisers complain that agent-assist suggestions take too long to start appearing.
>
> Total generation time is acceptable. Every request begins with the same long policy text.

Which change helps most directly?

A Move to the smallest model tier for every request

B Raise the max tokens limit so answers finish in one pass

C Cache the stable prefix, and stream the output

D Batch the suggestions and deliver them every few minutes

◆ PAUSE AND DECIDE

Which change helps most directly?

A Move to the smallest model tier for every request

Risks quality; not the bottleneck.

B Raise the max tokens limit so answers finish in one pass

Affects output, not the first word.

C Cache the stable prefix, and stream the output

Faster first token, visible sooner.

D Batch the suggestions and deliver them every few minutes

Advisers are live on calls.

THE SIGNAL

Time to first token improves with caching a long stable prefix, and streaming shows it sooner.

Tallyhawk routes integration-fault diagnoses to a small model tier.

Diagnoses are wrong mostly on complex, multi-system faults; simple faults are fine. The same cases succeed on a larger tier.

What is the most likely diagnosis?

A. A retrieval failure: the help articles used are out of date

B. A model mismatch: complex faults need a more capable tier

C. A prompt failure: the instructions contradict each other

D. Random noise, since language models vary

◆ PAUSE AND DECIDE

What is the most likely diagnosis?

A. A retrieval failure: the help articles used are out of date
Simple faults would fail too.

B. A model mismatch: complex faults need a more capable tier
Fails by complexity, fixed by capability.

C. A prompt failure: the instructions contradict each other
Would fail across the board.

D. Random noise, since language models vary
The pattern is not random.

THE SIGNAL

Failures concentrated by difficulty, and fixed by a larger tier, point to model mismatch.

> Mereside wants to keep real agent-assist transcripts for its evaluation set.
>
> Transcripts contain members' personal data, under UK GDPR.

Which two measures should apply? Choose two.

A Keep raw transcripts indefinitely, in case they are useful

B Store them in a shared drive so every team can test with them

C Pseudonymise or redact personal data before transcripts join the set

D Ask Claude to forget personal details after each evaluation run

E Record the lawful basis, and set a retention limit for the set

◆ PAUSE AND DECIDE

Which two measures should apply? Choose two.

A Keep raw transcripts indefinitely, in case they are useful

Breaks storage limitation.

B Store them in a shared drive so every team can test with them

Widens access needlessly.

C Pseudonymise or redact personal data before transcripts join the set

Data minimisation.

D Ask Claude to forget personal details after each evaluation run

Models do not store or forget like that.

E Record the lawful basis, and set a retention limit for the set

Lawful basis and storage limitation.

THE SIGNAL

Minimise personal data in evaluation sets, and give them a basis and a retention limit.

> Valdane wants its claims agent to pay approved claims automatically.
>
> Payments cannot be recalled once sent, and large claims are rare.

Where should a person be involved?

A Nowhere, since the agent's accuracy is high on the evaluation set

B Reviewing a monthly sample of payments after they are made

C Approving every claim of every size, before payment

D Approval above an agreed limit, with smaller payments sampled

◆ PAUSE AND DECIDE

Where should a person be involved?

A Nowhere, since the agent's accuracy is high on the evaluation set

Accuracy does not remove irreversible risk.

B Reviewing a monthly sample of payments after they are made

Too late for irreversible payments.

C Approving every claim of every size, before payment

Bottleneck, rubber-stamping risk.

D Approval above an agreed limit, with smaller payments sampled

Review where harm is irreversible and large.

THE SIGNAL

Put people before irreversible, high-impact actions, and sample the rest.

> The Bureau of Rural Broadband, a fictional US federal agency, needs an application that calls Claude through an API.
>
> The application must use FedRAMP High authorised services.

Which option meets the requirement?

A Claude on Amazon Bedrock in AWS GovCloud

B The Claude API from Anthropic, with zero data retention

C Claude Enterprise, with single sign-on and audit logs

D The Claude API through a US-only inference setting

◆ PAUSE AND DECIDE

Which option meets the requirement?

A Claude on Amazon Bedrock in AWS GovCloud
FedRAMP High route for API workloads.

B The Claude API from Anthropic, with zero data retention
Not FedRAMP authorised.

C Claude Enterprise, with single sign-on and audit logs
Not FedRAMP authorised.

D The Claude API through a US-only inference setting
Residency is not authorisation.

THE SIGNAL

FedRAMP High API workloads run through government cloud platforms.

> Corvane is preparing the handoff of Tallyhawk's support agent.
>
> Tallyhawk's platform team must be able to change prompts safely without Corvane.

Which two items must the handoff include? Choose two.

A The reference evaluation set, with instructions for running it

B A recorded demo of the agent's main features and screens

C Versioned prompts with their change history and owners

D An executive summary deck for Tallyhawk's leadership team

E An export of the project's chat history

◆ PAUSE AND DECIDE

Which two items must the handoff include? Choose two.

A The reference evaluation set, with instructions for running it

Judges every change.

B A recorded demo of the agent's main features and screens

Shows features, not change.

C Versioned prompts with their change history and owners

Knows what changed and why.

D An executive summary deck for Tallyhawk's leadership team

Wrong audience.

E An export of the project's chat history

Noise, not documentation.

THE SIGNAL

Safe change needs the evaluation set and versioned prompts with history.

> Corvane's ADR records choosing a mid-sized model tier for Quillon's portal.
>
> It has context, alternatives and consequences, but no review trigger.

Which review trigger fits best?

A Review the ADR every single week, whatever happens

B Never review it, because accepted ADRs are not edited

C New model generations, price changes, or an evaluation drop

D Review it whenever a team member asks

◆ PAUSE AND DECIDE

Which review trigger fits best?

A Review the ADR every single week, whatever happens

Noise, not a trigger.

B Never review it, because accepted ADRs are not edited

Confuses superseding with reviewing.

C New model generations, price changes, or an evaluation drop

Events that change the decision's basis.

D Review it whenever a team member asks

Not a trigger at all.

THE SIGNAL

A review trigger names the events that would change the decision's basis.

> On a previous project, Corvane first met a client's data protection officer at the launch review.
>
> She blocked the launch over data retention.

What should Corvane change in its discovery practice?

A Launch earlier next time, before control functions review

B Map all stakeholders in discovery, control functions included

C Send the data protection officer the final design for information only

D Remove data retention from the scope of future projects

◆ PAUSE AND DECIDE

What should Corvane change in its discovery practice?

A Launch earlier next time, before control functions review

Avoids the control, increases risk.

B Map all stakeholders in discovery, control functions included

Hear every stakeholder early.

C Send the data protection officer the final design for information only

Too late, and one-way.

D Remove data retention from the scope of future projects

Ignores a real requirement.

THE SIGNAL

A stakeholder you miss in discovery, you meet at launch, as a blocker.

> Tallyhawk's security team wants two rules applied to every developer, in every repository, with no way to override them.

Which two belong in managed settings? Choose two.

A. A preferred colour theme for the terminal

B. Read deny rules for secrets and credential files

C. An allow rule for one repository's test command

D. Plugins only from known marketplaces

E. Each developer's preferred default model

◆ PAUSE AND DECIDE

Which two belong in managed settings? Choose two.

A A preferred colour theme for the terminal
Personal preference.

B Read deny rules for secrets and credential files
Non-negotiable control.

C An allow rule for one repository's test command
Project scope.

D Plugins only from known marketplaces
Non-negotiable control.

E Each developer's preferred default model
Personal preference.

THE SIGNAL

Echo of paper 1: shared team settings go in project scope; non-negotiable controls go in managed.

A Tallyhawk engineer clones the monorepo and starts Claude Code.

She is asked to approve the project's MCP servers before they load, and wonders if something is wrong.

What should she do?

A Reinstall Claude Code, since prompts like this indicate corruption

B Copy the servers into her user settings to avoid the prompt

C Turn on bypass mode so prompts never appear

D Approve them if she recognises them, as this is expected

◆ PAUSE AND DECIDE

What should she do?

A Reinstall Claude Code, since prompts like this indicate corruption

Nothing is broken.

B Copy the servers into her user settings to avoid the prompt

Duplicates config, skips review.

C Turn on bypass mode so prompts never appear

Removes every safeguard.

D Approve them if she recognises them, as this is expected

Expected security behaviour.

THE SIGNAL

Project MCP servers ask for approval on first use. That is a safeguard, not a fault.

Score sheet by domain

DOMAIN	QUESTIONS	OUT OF
Design (D1)	1, 2, 3	3
Models (D2)	4, 5, 6	3
Integration (D3)	7, 8, 9, 10	4
Evaluation (D4)	11, 12, 13	3
Governance (D5)	14, 15, 16	3
Lifecycle (D6)	17, 18, 19	3
Enablement (D7)	20, 21	2

READING YOUR SCORE

Course guidance: aim for 16 of 21 on this paper too.

The trend across all sixty-three questions

DOMAIN	PAPER 1	PAPER 2	PAPER 3	TOTAL
Design (D1)	4	4	3	11
Models (D2)	3	2	3	8
Integration (D3)	4	4	4	12
Evaluation (D4)	3	4	3	10
Governance (D5)	3	3	3	9
Lifecycle (D6)	3	3	3	9
Enablement (D7)	1	1	2	4

READING THE TREND

Write your score beside each number. A domain under 60% overall is where your next hour goes.

Are you ready?

- **Course guidance:** about 48 of 63, with no domain under 60%, suggests you are ready.
- **Weak domain?** Re-watch its modules, then its sequences in module 32.
- **Same mistake twice?** Find its confusion pair in module 33, or its distractor family in module 35.
- **Before the exam,** re-read module 34 for anything that has changed.
- **These are practice papers,** not the exam. The pass mark is a scaled 720.

> THE COURSE IN ONE LINE
>
> Constraints first, the simplest design that meets the priority, and people where the harm is real. Good luck.