PRACTICE EXAM 1 OF 3 · EXAM STRATEGY - ALL SECTIONS

Practice exam 1

Twenty new questions across all four sections, in the exam's mix, with a nine-second answer window and a score by section.

COVERS All four sections QUESTIONS 20 MODULE 31 of 33

admin@sthithapragna.com

How to sit this paper

- **Write 1 to 20** down the side of a sheet of paper.
- **Each question holds for 9 seconds** after it is read. Commit to a letter.
- **Do not pause the video** to think longer. Time pressure is the practice.
- **Tick or cross** each answer as its solution appears.
- **Sections are mixed,** as on the real exam. The score slide sorts them.

> REMEMBER
>
> Use the five moves from module 30: ask, qualifier, job, cut two, choose.

Twenty questions, in the exam's proportions

SECTION	QUESTIONS
1 Fundamentals of gen AI (~30%)	6
2 Google Cloud's gen AI offerings (~35%)	7
3 Techniques to improve model output (~20%)	4
4 Business strategies (~15%)	3

ON THE EXAM

Across all three papers the 60 questions match the exam's weights: 18, 21, 12 and 9.

> A law firm's staff look for answers across SharePoint, Confluence and Google Drive.
>
> They want one assistant that answers from all three, and shows each person only the documents they are allowed to see.

Which Google offering fits best?

A Gemini Enterprise, with connectors to each source

B Gemini Notebook, with every file added as a source

C Agent Search on the firm's public website

D A model fine-tuned on all the firm's documents

◆ PAUSE AND DECIDE

Which Google offering fits best?

A Gemini Enterprise, with connectors to each source

Connects to all three and respects existing permissions.

B Gemini Notebook, with every file added as a source

Suits a chosen set of sources, not a firm-wide estate.

C Agent Search on the firm's public website

Public website search, not internal knowledge.

D A model fine-tuned on all the firm's documents

Costly, goes stale, and ignores who may see what.

THE SIGNAL

Many sources, the whole workforce, permissions respected: Gemini Enterprise. Paper 2 changes one detail.

> An insurer already uses a model that predicts which claims are likely to be fraudulent.
>
> A new proposal would write a personalised letter to each customer about their claim.

What makes the new proposal generative AI?

A It uses more data than the fraud model

B It runs on Google Cloud

C It makes a prediction about each claim

D It creates new content, rather than labelling existing data

◆ PAUSE AND DECIDE

What makes the new proposal generative AI?

A It uses more data than the fraud model

The amount of data does not define the type.

B It runs on Google Cloud

Where it runs is beside the point.

C It makes a prediction about each claim

That describes the existing fraud model.

D It creates new content, rather than labelling existing data

Creating new content is what makes it generative.

REMEMBER

Traditional AI predicts or classifies. Generative AI creates new text, images, audio or code.

> A retailer asks Gemini to turn supplier notes into product summaries.
>
> The content is good, but the layout changes every time, and the web team needs one fixed layout.

What is the simplest fix?

A Fine-tune the model on thousands of summaries

B Add a few examples of the exact layout to the prompt

C Switch to a larger model

D Raise the temperature

◆ PAUSE AND DECIDE

What is the simplest fix?

A Fine-tune the model on thousands of summaries

Could work, but far heavier than needed.

B Add a few examples of the exact layout to the prompt

Few-shot examples show the model the format to copy.

C Switch to a larger model

A bigger model still has to guess the layout.

D Raise the temperature

Adds variety. the opposite of what is needed.

THE TIEBREAKER

Format problems: show the model, do not just tell it. A few examples in the prompt is few-shot prompting.

A hotel group has listed ten gen AI ideas for its first project.

Leadership wants an early win that proves value within one quarter.

Which idea should it start with?

A Drafting replies to guest reviews, with staff checking each one

B A fully autonomous agent that sets room prices at every hotel

C Training its own foundation model on hotel data

D Whichever idea uses the newest model available

◆ PAUSE AND DECIDE

Which idea should it start with?

A Drafting replies to guest reviews, with staff checking each one

High value, feasible now, low risk, easy to measure.

B A fully autonomous agent that sets room prices at every hotel

High risk and complex: a poor first project.

C Training its own foundation model on hotel data

Huge cost and time, so no early win.

D Whichever idea uses the newest model available

Newness is not a business case.

ON THE EXAM

First projects: high value, high feasibility, low risk, and easy to measure.

A gym chain has two years of visit records for its members.

Nobody has labelled the members, but marketing wants to find natural groups with similar habits.

Which kind of machine learning fits?

A Supervised learning

B Reinforcement learning

C Unsupervised learning, such as clustering

D Generative AI with a long prompt

◆ PAUSE AND DECIDE

Which kind of machine learning fits?

A Supervised learning
Needs labels, and there are none.

B Reinforcement learning
Learns from rewards for actions, not groups.

C Unsupervised learning, such as clustering
Finds groups in unlabelled data.

D Generative AI with a long prompt
Creates content; finding segments is a clustering job.

THE SIGNAL

No labels, find the groups: unsupervised. Labels, predict the answer: supervised.

> A building-supplies company's website search matches keywords only.
>
> Customers type questions such as "what screws for oak decking" and get nothing useful.
>
> It wants better search quickly, without a machine learning team.

What should it use?

A Build a search agent with the ADK

B Train an AutoML model on past searches

C Gemini Notebook, with the catalogue added as sources

D Agent Search, connected to its website and product data

◆ PAUSE AND DECIDE

What should it use?

A Build a search agent with the ADK

A code-first build: too heavy for quickly.

B Train an AutoML model on past searches

Custom training is not needed for site search.

C Gemini Notebook, with the catalogue added as sources

A research tool for a team, not public site search.

D Agent Search, connected to its website and product data

Managed, Google-quality search, set up without ML skills.

REMEMBER

Site search that understands meaning, out of the box: Agent Search, formerly Vertex AI Search.

> A broadband provider's call centre agents search a knowledge base during calls and write notes afterwards.
>
> It wants to help the agents while the customer is still on the line.

Which product fits best?

A Agent Assist

B Conversational Insights

C A Gem in the Gemini app

D Speech-to-Text on its own

◆ PAUSE AND DECIDE

Which product fits best?

A Agent Assist

Live suggestions, knowledge answers and call summaries for human agents.

B Conversational Insights

Analyses calls afterwards, across many conversations.

C A Gem in the Gemini app

A personal helper, not part of the call centre.

D Speech-to-Text on its own

Transcribes, but suggests nothing.

THE TIEBREAKER

During the call, helping a human: Agent Assist. Paper 3 moves the same call centre to after the calls.

> A hospital trust merges appointment records from three systems.
>
> One system records a clinic as "Cardiology", another as "CARD", and the third as "Heart clinic".

Which mark of data quality is the problem?

A Completeness

B Availability

C Cost

D Consistency

◆ PAUSE AND DECIDE

Which mark of data quality is the problem?

A Completeness

Nothing is missing; it is recorded differently.

B Availability

The data can be reached.

C Cost

Nothing here is about expense.

D Consistency

The same thing is recorded in different ways.

REMEMBER

Same thing, different names: consistency. Missing values: completeness.

> An airline uses Gemini to copy booking references and fees from refund emails into a fixed form.
>
> Run twice on the same email, it sometimes words the fields differently.

Which setting change helps most?

A Lower the temperature

B Raise the temperature

C Raise the maximum output tokens

D Turn off the safety filters

◆ PAUSE AND DECIDE

Which setting change helps most?

A Lower the temperature
Less randomness gives more consistent output.

B Raise the temperature
More variety: the wrong direction.

C Raise the maximum output tokens
Controls length, not consistency.

D Turn off the safety filters
Unrelated to consistency, and a risk.

CURRENCY CHECK

The exam's rule: lower temperature, more consistency. For Gemini 3, Google advises keeping the default. Know both.

> A media company wants to compare Gemini with an open model, Llama, and a partner model, Claude.
>
> All three must run under its existing Google Cloud security and billing.

Where should it look?

A Google AI Studio

B The Gemini app

C Model Garden on Agent Platform

D Gemini Notebook

◆ PAUSE AND DECIDE

Where should it look?

A Google AI Studio
Quick prototyping with Gemini, outside enterprise controls.

B The Gemini app
A chat app, not a model catalogue.

C Model Garden on Agent Platform
Google, open and partner models, under cloud controls.

D Gemini Notebook
A research notebook, not a model catalogue.

THE SIGNAL

Choosing among many models, including non-Google ones: Model Garden.

> A bank's security chief wants one conceptual framework for managing security risk across all its AI systems.
>
> It should shape policy and controls, not add a single tool.

What should she adopt?

A Model Armor

B Google's AI Principles

C VPC Service Controls

D Google's Secure AI Framework, SAIF

◆ PAUSE AND DECIDE

What should she adopt?

A Model Armor

A tool that screens prompts: one control.

B Google's AI Principles

About responsible AI, not security.

C VPC Service Controls

One control: a data perimeter.

D Google's Secure AI Framework, SAIF

Google's framework for securing AI, in six core elements.

THE TIEBREAKER

Framework for AI security: SAIF. Framework for responsibility: the AI Principles. Model Armor is a tool.

A housing association wants tenants to upload a photo of a repair problem with a short written description.

One model should read both and draft the repair request.

What kind of model is needed?

A. A text-only language model

B. A multimodal model

C. A clustering model

D. A regression model

◆ PAUSE AND DECIDE

What kind of model is needed?

A A text-only language model
Cannot read the photo.

B A multimodal model
Takes images and text together.

C A clustering model
Groups data; creates nothing.

D A regression model
Predicts a number.

REMEMBER

More than one kind of input, such as an image plus text: multimodal.

> A software company's developers are building a team of cooperating agents in Python. They want full control of the code, the testing and the deployment.

Which tool should they start with?

A The Agent Development Kit, ADK

B Workflow Builder in Gemini Enterprise

C The Gemini app, with Gems

D AutoML

◆ PAUSE AND DECIDE

Which tool should they start with?

A The Agent Development Kit, ADK

Open-source, code-first framework for single and multi-agent systems.

B Workflow Builder in Gemini Enterprise

No-code: less control than these developers want.

C The Gemini app, with Gems

Personal helpers, not multi-agent systems.

D AutoML

Trains predictive models, not agents.

THE SIGNAL

Developers, code, several agents: ADK. Paper 3 changes who is building.

> A council's staff assistant gives confident but wrong answers about the council's own parking permit rules.
>
> The rules are in documents the council already holds.

What is the best fix?

A Raise the temperature

B Switch to a larger model

C Tell the model in the prompt to be accurate

D Ground answers in the permit documents, with citations

◆ PAUSE AND DECIDE

What is the best fix?

A Raise the temperature

More randomness, more invention.

B Switch to a larger model

A larger model still does not know local rules.

C Tell the model in the prompt to be accurate

Asking for accuracy does not supply the facts.

D Ground answers in the permit documents, with citations

Ties answers to the real source, and shows it.

THE TAKEAWAY

Hallucinating about your own facts: ground it in your own data. Paper 2 changes where the facts live.

> A mining company needs a small language model on rugged tablets underground, with no internet connection.
>
> It also wants to adapt the model's weights itself.

Which model family fits?

A Gemini Pro, through the API

B Veo

C Gemma

D Gemini, in the Gemini app

◆ PAUSE AND DECIDE

Which model family fits?

A Gemini Pro, through the API

Needs a connection to Google's servers.

B Veo

Makes video: the wrong job.

C Gemma

Open, lightweight models that run on device and can be tuned.

D Gemini, in the Gemini app

An online app.

REMEMBER

Offline, on the device, open weights: Gemma.

> A travel company's booking agent must work with a hotel partner's agent to confirm rooms. The partner built its agent on a different vendor's framework.

Which standard lets the two agents work together?

A The Model Context Protocol, MCP

B The A2A protocol

C A shared fine-tuned model

D Retrieval-augmented generation

◆ PAUSE AND DECIDE

Which standard lets the two agents work together?

A The Model Context Protocol, MCP

Connects an agent to tools and data, not to other agents.

B The A2A protocol

Lets agents from different vendors talk and hand off tasks.

C A shared fine-tuned model

Does not connect two separate systems.

D Retrieval-augmented generation

Fetches knowledge; it does not connect agents.

THE TIEBREAKER

Agent to tools and data: MCP. Agent to agent, across vendors: A2A. Paper 3 asks the mirror question.

> A car finance company uses a model to help decide credit applications.
>
> The regulator requires it to give each declined applicant the main reasons.

Which responsible AI practice matters most here?

A. Explainability, so the main factors behind each decision can be shown

B. A larger training dataset

C. Anonymising the applicants' names

D. A higher temperature setting

◆ PAUSE AND DECIDE

Which responsible AI practice matters most here?

A Explainability, so the main factors behind each decision can be shown

Shows which factors drove each decision.

B A larger training dataset

May help accuracy, but explains nothing.

C Anonymising the applicants' names

Protects privacy, but gives no reasons.

D A higher temperature setting

A generation dial, unrelated.

THE SIGNAL

"Why was I declined?" is an explainability question.

> A company's live customer assistant started answering in a different style overnight.
>
> Nobody deployed anything, and the app calls a model alias that always points to the latest version.

What should the team do?

A Raise the temperature to restore variety

B Retrain the model on recent chats

C Add more examples to the prompt each day

D Pin a specific stable model version, and test upgrades first

◆ PAUSE AND DECIDE

What should the team do?

A Raise the temperature to restore variety

Changes style at random; fixes nothing.

B Retrain the model on recent chats

Heavy, and misses the cause.

C Add more examples to the prompt each day

Daily patching hides the cause.

D Pin a specific stable model version, and test upgrades first

Production should run a stable version; upgrades are tested first.

THE SIGNAL

Sudden change with nothing deployed: an auto-updating alias. Pin a stable version.

> A university records its lectures and wants written transcripts for students who are deaf or hard of hearing.
>
> It wants a ready-made service, not a custom model.

Which pre-trained API fits?

A Text-to-Speech

B Translation

C Speech-to-Text

D Natural Language

◆ PAUSE AND DECIDE

Which pre-trained API fits?

A Text-to-Speech

The reverse: turns text into audio.

B Translation

Changes language; does not transcribe.

C Speech-to-Text

Turns spoken audio into text.

D Natural Language

Analyses text that already exists.

REMEMBER

Audio in, text out: Speech-to-Text. Text in, audio out: Text-to-Speech.

> A payroll team calculates holiday pay using fixed statutory rules.
>
> Every result must be exact, the same each time, and auditable.

What is the best approach for the calculation?

A Gemini, with the rules pasted into the prompt

B A rules-based calculation in conventional software

C A model fine-tuned on past payslips

D An agent that reasons through each case

◆ PAUSE AND DECIDE

What is the best approach for the calculation?

A Gemini, with the rules pasted into the prompt

Probabilistic: results may vary or slip.

B A rules-based calculation in conventional software

Exact, repeatable and auditable by design.

C A model fine-tuned on past payslips

Still probabilistic, and learns past errors too.

D An agent that reasons through each case

Reasoning adds variation where none is allowed.

ONE DETAIL FLIPS IT

Exact, fixed rules, the same answer every time: not a gen AI job. Paper 3 changes one detail.

Count your ticks in each row

SECTION	QUESTIONS	IF YOU MISSED 2+
1 Fundamentals	2, 5, 8, 12, 15, 20	Modules 02 to 09
2 Offerings	1, 6, 7, 10, 13, 16, 19	Modules 10 to 18
3 Improving output	3, 9, 14, 18	Modules 19 to 23
4 Business strategy	4, 11, 17	Modules 24 to 27

THE TAKEAWAY

Missed two or more in one row? Rewatch that row's modules before paper 2.

Reading your score out of 20

SCORE	WHAT TO DO NEXT
16 to 20	On track. Go straight to paper 2.
12 to 15	Close. Rewatch the weakest section first.
Under 12	Rewatch the section where misses cluster, then paper 2.

CURRENCY CHECK

Google does not publish a pass mark. Sixteen out of twenty is this course's target, not Google's.

The pattern matters more than the score

- **Four misses in one section** is a study plan. Four misses spread out is noise.
- **Name the distractor** that caught you: beside the point, too heavy, newer name, wrong order, absolute.
- **Too heavy** again and again? Reread the qualifier before every answer.
- **Do not rewatch what you got right.** It feels productive and moves nothing.
- **Paper 2** has 20 new topics, and echoes six of these with one detail changed.

> REMEMBER
>
> Which section your misses cluster in matters more than your total.