PRACTICE EXAM 2 OF 3 · EXAM STRATEGY - ALL SECTIONS

Practice exam 2

Twenty more questions on twenty new topics, two of them echoing paper 1 with one detail changed, and a score by section.

COVERS All four sections QUESTIONS 20 MODULE 32 of 33

admin@sthithapragna.com

Same rules, one new habit

- **Write 1 to 20** on a fresh sheet. Keep your paper 1 score beside it.
- **9 seconds per question** after it is read. Commit to a letter.
- **No pausing.** Answering under time is the skill being practised.
- **New habit:** before choosing, say the qualifier to yourself in a few words.
- **Two echoes** of paper 1. Spot the detail that changed.

> THE TIEBREAKER
>
> If an option would have been right in paper 1, check which detail has changed before you pick it.

The same proportions, new topics

SECTION	QUESTIONS
1 Fundamentals of gen AI (~30%)	6
2 Google Cloud's gen AI offerings (~35%)	7
3 Techniques to improve model output (~20%)	4
4 Business strategies (~15%)	3

ON THE EXAM

Paper 1's topics are retired. Everything here is new ground.

> A delivery firm wants software that learns the best route choices by trying actions in a simulator.
>
> It earns a reward for faster, cheaper deliveries and a penalty for late ones.

Which kind of machine learning is this?

A Supervised learning

B Unsupervised learning

C Reinforcement learning

D A diffusion model

◆ PAUSE AND DECIDE

Which kind of machine learning is this?

A Supervised learning
Learns from labelled examples, not rewards.

B Unsupervised learning
Finds groups in data; no rewards involved.

C Reinforcement learning
Learns by trial and error, from rewards and penalties.

D A diffusion model
Generates images from noise.

REMEMBER

Trial and error, rewards and penalties: reinforcement learning.

A five-person bid team has eight tender documents for one contract.

They want cited answers from just those documents, and an audio summary for the train, this week.

Which Google offering fits best?

A Gemini Enterprise, with connectors to every company system

B Gemini Notebook, with the eight documents added as sources

C Agent Search, built into the company website

D A model fine-tuned on the tender documents

◆ PAUSE AND DECIDE

Which Google offering fits best?

A Gemini Enterprise, with connectors to every company system

Built for the whole estate; more than this job needs.

B Gemini Notebook, with the eight documents added as sources

Chosen sources, cited answers, Audio Overviews, ready today.

C Agent Search, built into the company website

A building block for websites and apps, not a team's research.

D A model fine-tuned on the tender documents

Too slow and costly, and gives no citations.

ONE DETAIL FLIPS IT

Echo of paper 1, Q1. Whole company and permissions: Gemini Enterprise. A handful of chosen files: Gemini Notebook.

> A finance team asks Gemini multi-step pricing questions, such as discounts on top of bundle deals.
>
> When it answers straight away, it often gets the final figure wrong.

Which prompting technique helps most?

A Give it a role, such as an expert accountant

B Raise the temperature

C Shorten the prompt to the bare question

D Ask it to work through the steps before giving the answer

◆ PAUSE AND DECIDE

Which prompting technique helps most?

A Give it a role, such as an expert accountant

A role sets tone and focus, not reasoning steps.

B Raise the temperature

More randomness makes arithmetic worse.

C Shorten the prompt to the bare question

Removes the context it needs.

D Ask it to work through the steps before giving the answer

Chain-of-thought: reasoning step by step improves multi-step answers.

THE TIEBREAKER

Multi-step reasoning goes wrong: ask for the steps. That is chain-of-thought prompting.

> A recruiter pastes the same long instructions on tone, length and format into Gemini before writing every job advert.
>
> She wants to stop repeating herself.

What should she use?

A. A Gem with those instructions saved

B. A model fine-tuned on past adverts

C. Gemini Enterprise connectors

D. A Workflow Builder agent that runs every night

◆ PAUSE AND DECIDE

What should she use?

A. A Gem with those instructions saved
A reusable Gemini with saved instructions, built in minutes.

B. A model fine-tuned on past adverts
Far too heavy for saved instructions.

C. Gemini Enterprise connectors
Connects data sources; does not save instructions.

D. A Workflow Builder agent that runs every night
Automates scheduled work; not the job here.

REMEMBER

Same instructions every time: save them in a Gem.

A social care provider's case workers write long assessment reports.

Every case needs professional judgement, and a wrong decision could harm a vulnerable person.

How should gen AI be used here?

A Automate the decisions, so cases move faster

B Avoid gen AI entirely in social care

C Augment: AI drafts summaries, and case workers decide

D Let an agent close low-risk cases on its own

◆ PAUSE AND DECIDE

How should gen AI be used here?

A Automate the decisions, so cases move faster

High stakes and judgement: not for automation.

B Avoid gen AI entirely in social care

Gives up a real time saving for no reason.

C Augment: AI drafts summaries, and case workers decide

Saves time while a professional stays in charge.

D Let an agent close low-risk cases on its own

Still removes the human judgement the work needs.

ON THE EXAM

Judgement and high stakes: augment, with the person in charge. Routine and rule-bound: automate.

> A legal team wants Gemini to compare two very long contracts in a single request.

Which limit decides whether both contracts fit?

A The context window, measured in tokens

B The temperature setting

C The number of GPUs in the data centre

D The top-k setting

◆ PAUSE AND DECIDE

Which limit decides whether both contracts fit?

A The context window, measured in tokens
How much text the model can take in at once.

B The temperature setting
Controls randomness, not capacity.

C The number of GPUs in the data centre
Infrastructure, not a per-request limit.

D The top-k setting
Controls word choice, not how much fits.

REMEMBER

How much fits in one request: the context window, counted in tokens.

> An online fashion retailer wants product search tuned for retail.
>
> It also wants personalised recommendations on product pages and in emails, optimised for revenue.

Which product fits best?

A Agent Search over its help-centre articles

B Gemini Enterprise for its staff

C A custom AutoML model trained on past sales

D AI Commerce Search, with recommendations

◆ PAUSE AND DECIDE

Which product fits best?

A Agent Search over its help-centre articles

Right family, wrong job: support content, not selling.

B Gemini Enterprise for its staff

For employees, not shoppers.

C A custom AutoML model trained on past sales

A build from scratch when a retail product exists.

D AI Commerce Search, with recommendations

Retail search, browse and recommendations, tuned to revenue.

CURRENCY CHECK

Shoppers searching a catalogue, plus recommendations: AI Commerce Search, formerly Vertex AI Search for Commerce.

> A news-briefing assistant is asked about public events from last week.
>
> The events happened after the model's knowledge cutoff, and the company holds no documents about them.

What is the best fix?

A Ground it in the company's internal documents

B Ground it with Google Search

C Lower the temperature

D Fine-tune the model every month

◆ PAUSE AND DECIDE

What is the best fix?

A Ground it in the company's internal documents
The company holds nothing on these events.

B Ground it with Google Search
Brings in fresh public facts, with sources.

C Lower the temperature
Cannot add facts the model lacks.

D Fine-tune the model every month
Slow, costly, and always behind the news.

ONE DETAIL FLIPS IT

Echo of paper 1, Q14. Your own facts: ground in your data. Fresh public facts: ground with Google Search.

> A review site must tag millions of short reviews a day as positive, negative or mixed.
>
> The task is simple, but responses must be fast and the cost per review tiny.

Which Gemini tier fits best?

A Gemini Pro, the most capable tier

B Gemini Live, for real-time voice

C A custom model trained from scratch

D Gemini Flash-Lite, the lowest-cost tier

◆ PAUSE AND DECIDE

Which Gemini tier fits best?

A Gemini Pro, the most capable tier

Built for the hardest reasoning: costly overkill here.

B Gemini Live, for real-time voice

Built for spoken conversation, not tagging text.

C A custom model trained from scratch

Slow and costly to build for a simple task.

D Gemini Flash-Lite, the lowest-cost tier

Built for huge volumes of simple tasks, cheaply.

THE TIEBREAKER

Huge volume, simple task, low cost: the smallest tier that does the job well.

> A bank wants customers to make card payments through a self-service phone agent.
>
> Every step must use exact, legally approved wording, and must be auditable.

Which approach fits best?

A. A generative playbook that improvises each reply

B. Agent Assist for the bank's human agents

C. Conversational Agents, with deterministic flows for the payment steps

D. The Gemini app on customers' phones

◆ PAUSE AND DECIDE

Which approach fits best?

A A generative playbook that improvises each reply

Natural, but cannot guarantee approved wording.

B Agent Assist for the bank's human agents

Helps human agents; this is self-service.

C Conversational Agents, with deterministic flows for the payment steps

Exact, scripted, auditable paths for the regulated steps.

D The Gemini app on customers' phones

A consumer app, not the bank's phone line.

THE SIGNAL

Exact approved wording: deterministic flows. Natural conversation: generative playbooks. One agent can use both.

A meeting-scheduling agent needs to read and update staff calendars.

To save time, a developer gave it an administrator's personal credentials.

What should the security team require?

A Its own service account, with only the calendar permissions it needs

B A stronger password on the administrator's account

C Owner rights on the project, so the agent never fails

D A note in the code reminding developers to be careful

◆ PAUSE AND DECIDE

What should the security team require?

A Its own service account, with only the calendar permissions it needs

Least privilege: its own identity, narrow permissions.

B A stronger password on the administrator's account

The agent still acts with an administrator's power.

C Owner rights on the project, so the agent never fails

Far more power than the job needs.

D A note in the code reminding developers to be careful

A reminder is not a control.

THE SIGNAL

Agents get their own identity and only the permissions their task needs.

> A company's developers use Agent Platform to build, deploy and manage a custom assistant.
>
> The chief information officer asks where this sits in the gen AI landscape.

Which layer is Agent Platform?

A Infrastructure

B Platforms

C Applications

D Models

◆ PAUSE AND DECIDE

Which layer is Agent Platform?

A Infrastructure

Chips, storage and networking.

B Platforms

Tools to build, deploy and manage AI solutions.

C Applications

What end users interact with, such as the Gemini app.

D Models

The foundation models themselves, such as Gemini.

REMEMBER

Build, deploy and manage: the platforms layer. Infrastructure, models, platforms, agents, applications.

A seed company has forty thousand photos of leaves, each labelled healthy or diseased.

Its analysts want a model that classifies new photos, but none of them writes code.

What should they use?

A. A custom model written in a deep learning framework

B. Gemini Notebook, with the photos as sources

C. A chatbot prompted with a few photos each time

D. AutoML, trained on the labelled photos

◆ PAUSE AND DECIDE

What should they use?

A A custom model written in a deep learning framework

Needs coding skills they do not have.

B Gemini Notebook, with the photos as sources

A research notebook, not a trained classifier.

C A chatbot prompted with a few photos each time

Inconsistent, and does not use the labelled data.

D AutoML, trained on the labelled photos

Trains a custom image classifier without code.

THE SIGNAL

Labelled data, a custom prediction, no code: AutoML.

> A ticket marketplace's assistant answers questions about seat availability and prices.
>
> Both change minute by minute.

Which approach fits best?

A Retrieve the live data at the moment each question is asked

B Fine-tune the model on ticket data every week

C Switch to a larger model

D Paste the day's prices into the prompt each morning

◆ PAUSE AND DECIDE

Which approach fits best?

A Retrieve the live data at the moment each question is asked

Retrieval at question time is always current.

B Fine-tune the model on ticket data every week

Out of date within minutes, and costly.

C Switch to a larger model

A bigger model still does not know today's seats.

D Paste the day's prices into the prompt each morning

Stale by mid-morning.

THE TAKEAWAY

Data that changes constantly: retrieve it when the question arrives. Never train it in.

A support bot answers questions from a list of FAQs.

The new version will check an order, book a courier collection and confirm with the customer, choosing the steps itself.

What makes the new version an agent?

A It uses a larger model

B It answers more politely

C It pursues a goal by planning steps and using tools to act

D It has been given more FAQs

◆ PAUSE AND DECIDE

What makes the new version an agent?

A It uses a larger model

Size does not make an agent.

B It answers more politely

Tone does not make an agent.

C It pursues a goal by planning steps and using tools to act

Goal, reasoning, tools and action: the marks of an agent.

D It has been given more FAQs

More answers, but still only answers.

REMEMBER

An agent reasons, plans and uses tools to act toward a goal. A chatbot only answers.

A logistics firm receives thousands of delivery notes and customs forms as scanned PDFs, in many layouts.

It wants the key fields extracted straight into its systems.

Which product fits best?

A Gemini Notebook

B Document AI

C The Vision API, to label each image

D The Natural Language API

◆ PAUSE AND DECIDE

Which product fits best?

A Gemini Notebook
Answers questions; does not feed systems at scale.

B Document AI
Extracts structured fields from documents, at scale.

C The Vision API, to label each image
Labels what is in a picture, not form fields.

D The Natural Language API
Analyses text; cannot read a scanned form.

THE SIGNAL

Scanned forms in, structured fields out: Document AI.

> A recruitment model was trained on ten years of past hires, most of them men.
>
> It now ranks women's applications lower, even with the gender column removed.

What should the company do?

A Remove more columns and relaunch

B Raise the model's temperature

C Anonymise the candidates' names

D Test outcomes across groups, fix the training data, and keep monitoring

◆ PAUSE AND DECIDE

What should the company do?

A Remove more columns and relaunch

Proxies for gender remain in other data.

B Raise the model's temperature

Unrelated to fairness.

C Anonymise the candidates' names

Protects privacy, but the bias stays.

D Test outcomes across groups, fix the training data, and keep monitoring

Measures the bias, tackles its cause, and checks it stays fixed.

THE TAKEAWAY

Removing a column does not remove bias. Test outcomes across groups and fix the data.

A children's homework helper is built on a newer Gemini model.

The team assumed harmful content would be blocked by default, and has not changed any settings.

What should the team do?

A Nothing, because Gemini blocks all harm by default

B Lower the temperature

C Set strict safety thresholds, and test them

D Raise the maximum output tokens

◆ PAUSE AND DECIDE

What should the team do?

A Nothing, because Gemini blocks all harm by default

Newer models default to no blocking in these categories.

B Lower the temperature

Controls randomness, not harm.

C Set strict safety thresholds, and test them

Block most harm, then test with real prompts.

D Raise the maximum output tokens

Controls length, not safety.

CURRENCY CHECK

Newer Gemini models default to no blocking. Set thresholds deliberately, especially for children.

> An AI start-up trains very large models on Google Cloud.
>
> It wants infrastructure designed for AI, combining specialised chips, storage and networking, with flexible ways to pay.

What should it use?

A AI Hypercomputer, with TPUs

B BigQuery ML

C Agent Search

D Workflow Builder

◆ PAUSE AND DECIDE

What should it use?

A AI Hypercomputer, with TPUs

Google's integrated system for training and serving AI at scale.

B BigQuery ML

Builds models with SQL; not large-scale infrastructure.

C Agent Search

Search over content, not compute.

D Workflow Builder

A no-code agent builder, not infrastructure.

REMEMBER

Training and serving AI at scale, chips plus storage plus software: AI Hypercomputer.

> An email provider has millions of past emails, each marked spam or not spam by users.
>
> It wants to flag spam in new emails automatically.

Which kind of machine learning fits?

A Unsupervised learning

B Supervised learning, as classification

C Reinforcement learning

D Generative AI, with an image model

◆ PAUSE AND DECIDE

Which kind of machine learning fits?

A Unsupervised learning
Ignores the labels the provider already has.

B Supervised learning, as classification
Learns from labelled examples to sort new ones.

C Reinforcement learning
No actions or rewards here.

D Generative AI, with an image model
Creates images; the wrong job.

THE SIGNAL

Labelled examples, sort new items into classes: supervised classification.

Count your ticks in each row

SECTION	QUESTIONS	IF YOU MISSED 2+
1 Fundamentals	1, 6, 9, 12, 15, 20	Modules 02 to 09
2 Offerings	2, 4, 7, 10, 13, 16, 19	Modules 10 to 18
3 Improving output	3, 8, 14, 18	Modules 19 to 23
4 Business strategy	5, 11, 17	Modules 24 to 27

THE TAKEAWAY

Write both papers' section scores side by side. The row that stays low is your study plan.

Reading two scores together

WHAT YOU SEE	WHAT IT MEANS
Same section low in both papers	A real gap. Rewatch that section's modules.
Low in one paper, fine in the other	Probably the topics, not the section. Review the misses.
Both echo questions wrong	You are matching keywords, not reading qualifiers.
16 or more in both	On track for paper 3.

CURRENCY CHECK

Google does not publish a pass mark. 16 of 20 is this course's target, not an official figure.

Use the gap between papers

- **Rewatch only the weak section.** Revising what you know feels good and moves nothing.
- **Space it out:** leave a day before paper 3 if you can.
- **Review each miss** by naming its distractor and the qualifier you skipped.
- **Paper 3** echoes four more paper 1 questions, and reads the trend across all three.

> REMEMBER
>
> Which section your misses cluster in matters more than your total.