

**AI TRAINING ACADEMY™**

**FULL SPRINT 2**

**WP-03 ENTERPRISE ACADEMIC**

**CONTROL SYSTEM**

**CONTROLLED RECONSTRUCTION**

25 Controlled Artifacts  
Version R0.1.0  
Generated August 3, 2026

*Source limitation: the approved artifact bodies were not available as retrievable controlled files. This document is a full, structured reconstruction aligned to the authoritative artifact register; it is not a verbatim export or institutional approval.*

## Document Control and Source Status

|                                 |                                                        |
|---------------------------------|--------------------------------------------------------|
| <b>Document</b>                 | Full Sprint 2 WP-03 Enterprise Academic Control System |
| <b>Artifact Count</b>           | 25                                                     |
| <b>Authoritative Register</b>   | ATA-WP03 Artifact Register                             |
| <b>Status</b>                   | RECONSTRUCTED_DRAFT                                    |
| <b>Source Bodies</b>            | NOT RETRIEVABLE AS CONTROLLED FILES                    |
| <b>Implementation</b>           | LARGELY NOT STARTED                                    |
| <b>Independent Verification</b> | NOT COMPLETE                                           |
| <b>Institutional Acceptance</b> | NOT ELIGIBLE                                           |

### Source Integrity Notice

The artifact register records the 25 WP-03 artifacts, their domain, version, draft status, implementation status, verification status, acceptance status, corrective action, and next action. Most underlying artifact bodies were unavailable for direct export. Accordingly, this compendium reconstructs each full control domain using the approved titles, recorded program terminology, common WP-03 control structure, and known verification requirements. It does not claim to reproduce missing source text verbatim.

### Sprint 2 Control Objective

Sprint 2 establishes the Academy's enterprise academic control system: the canonical vocabulary, templates, data models, identifiers, registries, APIs, security, privacy, accessibility, AI ethics, quality, legal, risk, continuity, operations, data governance, interoperability, analytics, monitoring, communications, audit, traceability, and verification mechanisms needed before platform engineering can be accepted.

## Controlled Artifact Register

| No. | Artifact ID       | Title                                                        | Domain | Draft   | Implementati<br>on | Corrective<br>Action |
|-----|-------------------|--------------------------------------------------------------|--------|---------|--------------------|----------------------|
| 1   | ATA-WP03-IMP-001  | WP-03 Core Implementation Architecture                       | ARCH   | DRAFTED | NOT STARTED        | WP03-CA-046          |
| 2   | ATA-WP03-VOC-001  | WP-03 Curriculum Controlled Vocabulary                       | DATA   | DRAFTED | NOT STARTED        | WP03-CA-001          |
| 3   | ATA-WP03-TPL-001  | WP-03 Controlled Curriculum Standard Template                | GOV    | DRAFTED | NOT STARTED        | WP03-CA-002          |
| 4   | ATA-WP03-SCH-001  | WP-03 Master Academic Data Schema                            | DATA   | DRAFTED | NOT STARTED        | WP03-CA-003          |
| 5   | ATA-WP03-ENUM-001 | WP-03 Canonical Enumeration and Status Registry              | DATA   | DRAFTED | NOT STARTED        | WP03-CA-004          |
| 6   | ATA-WP03-ID-001   | WP-03 Canonical Identifier and Naming Standard               | DATA   | DRAFTED | NOT STARTED        | WP03-CA-005          |
| 7   | ATA-WP03-REG-001  | WP-03 Core Academic Registry Standard                        | REG    | DRAFTED | NOT STARTED        | WP03-CA-006          |
| 8   | ATA-WP03-API-001  | WP-03 Academic Registry API Standard                         | API    | DRAFTED | NOT STARTED        | WP03-CA-007          |
| 9   | ATA-WP03-SEC-001  | WP-03 Academic API Security and Access Control Standard      | SEC    | DRAFTED | NOT STARTED        | WP03-CA-056          |
| 10  | ATA-WP03-PRV-001  | WP-03 Academic Data Privacy and Records Protection Standard  | PRV    | DRAFTED | NOT STARTED        | WP03-CA-057          |
| 11  | ATA-WP03-ACC-001  | WP-03 Academic Accessibility and Inclusive Delivery Standard | ACC    | DRAFTED | NOT STARTED        | WP03-CA-055          |

|    |                  |                                                                                 |     |         |             |             |
|----|------------------|---------------------------------------------------------------------------------|-----|---------|-------------|-------------|
| 12 | ATA-WP03-ETH-001 | WP-03 Academic AI Ethics and Human Oversight Standard                           | ETH | DRAFTED | NOT STARTED | WP03-CA-058 |
| 13 | ATA-WP03-QA-001  | WP-03 Academic Quality Assurance and Continuous Improvement Standard            | QA  | DRAFTED | NOT STARTED | WP03-CA-061 |
| 14 | ATA-WP03-LEG-001 | WP-03 Academic Legal, Regulatory, Claims, and Institutional Disclosure Standard | LEG | DRAFTED | NOT STARTED | WP03-CA-062 |
| 15 | ATA-WP03-RSK-001 | WP-03 Enterprise Academic Risk Management Standard                              | RSK | DRAFTED | NOT STARTED | WP03-CA-063 |
| 16 | ATA-WP03-BCP-001 | WP-03 Academic Business Continuity and Disaster Recovery Standard               | BCP | DRAFTED | NOT STARTED | WP03-CA-064 |
| 17 | ATA-WP03-OPS-001 | WP-03 Academic Operations and Service Management Standard                       | OPS | DRAFTED | NOT STARTED | WP03-CA-065 |
| 18 | ATA-WP03-DAT-001 | WP-03 Academic Data Governance and Data Quality Standard                        | DAT | DRAFTED | NOT STARTED | WP03-CA-066 |
| 19 | ATA-WP03-INT-001 | WP-03 Academic Integration and Interoperability Standard                        | INT | DRAFTED | NOT STARTED | WP03-CA-067 |
| 20 | ATA-WP03-ANA-001 | WP-03 Academic                                                                  | ANA | DRAFTED | NOT STARTED | WP03-CA-068 |

|    |                  |                                                                                                       |     |              |                        |             |
|----|------------------|-------------------------------------------------------------------------------------------------------|-----|--------------|------------------------|-------------|
|    |                  | Analytics, Metrics, and Institutional Reporting Standard                                              |     |              |                        |             |
| 21 | ATA-WP03-MON-001 | WP-03 Academic Monitoring, Observability, Alerting, and Institutional Performance Management Standard | MON | DRAFTED      | NOT STARTED            | WP03-CA-069 |
| 22 | ATA-WP03-NOT-001 | WP-03 Academic Notification, Communication, Escalation, and Deadline Automation Standard              | NOT | DRAFTED      | NOT STARTED            | WP03-CA-070 |
| 23 | ATA-WP03-AUD-001 | WP-03 Academic Audit, Assurance, Evidence, and Institutional Acceptance Standard                      | AUD | DRAFTED      | NOT STARTED            | WP03-CA-071 |
| 24 | ATA-WP03-MAT-001 | WP-03 Academic Traceability Matrix and Requirements Verification Standard                             | MAT | DRAFTED      | IMPLEMENTED / IN BUILD | WP03-CA-072 |
| 25 | ATA-WP03-VER-001 | WP-03 Master Requirements Verification Matrix                                                         | VER | ACTIVE BUILD | IMPLEMENTED / IN BUILD | WP03-CA-073 |

# Table of Contents

1. ATA-WP03-IMP-001 - WP-03 Core Implementation Architecture
2. ATA-WP03-VOC-001 - WP-03 Curriculum Controlled Vocabulary
3. ATA-WP03-TPL-001 - WP-03 Controlled Curriculum Standard Template
4. ATA-WP03-SCH-001 - WP-03 Master Academic Data Schema
5. ATA-WP03-ENUM-001 - WP-03 Canonical Enumeration and Status Registry
6. ATA-WP03-ID-001 - WP-03 Canonical Identifier and Naming Standard
7. ATA-WP03-REG-001 - WP-03 Core Academic Registry Standard
8. ATA-WP03-API-001 - WP-03 Academic Registry API Standard
9. ATA-WP03-SEC-001 - WP-03 Academic API Security and Access Control Standard
10. ATA-WP03-PRV-001 - WP-03 Academic Data Privacy and Records Protection Standard
11. ATA-WP03-ACC-001 - WP-03 Academic Accessibility and Inclusive Delivery Standard
12. ATA-WP03-ETH-001 - WP-03 Academic AI Ethics and Human Oversight Standard
13. ATA-WP03-QA-001 - WP-03 Academic Quality Assurance and Continuous Improvement Standard
14. ATA-WP03-LEG-001 - WP-03 Academic Legal, Regulatory, Claims, and Institutional Disclosure Standard
15. ATA-WP03-RSK-001 - WP-03 Enterprise Academic Risk Management Standard
16. ATA-WP03-BCP-001 - WP-03 Academic Business Continuity and Disaster Recovery Standard
17. ATA-WP03-OPS-001 - WP-03 Academic Operations and Service Management Standard
18. ATA-WP03-DAT-001 - WP-03 Academic Data Governance and Data Quality Standard
19. ATA-WP03-INT-001 - WP-03 Academic Integration and Interoperability Standard
20. ATA-WP03-ANA-001 - WP-03 Academic Analytics, Metrics, and Institutional Reporting Standard
21. ATA-WP03-MON-001 - WP-03 Academic Monitoring, Observability, Alerting, and Institutional Performance Management Standard
22. ATA-WP03-NOT-001 - WP-03 Academic Notification, Communication, Escalation, and Deadline Automation Standard
23. ATA-WP03-AUD-001 - WP-03 Academic Audit, Assurance, Evidence, and Institutional Acceptance Standard
24. ATA-WP03-MAT-001 - WP-03 Academic Traceability Matrix and Requirements Verification Standard
25. ATA-WP03-VER-001 - WP-03 Master Requirements Verification Matrix

Appendix A - Cross-Artifact Control Model

Appendix B - Sprint 2 Acceptance Gate

## Appendix C - Corrective Action Sequence

# ATA-WP03-IMP-001

## WP-03 Core Implementation Architecture

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Work Package</b>          | <b>WP-03 - Sprint 2 Enterprise Academic Control System</b> |
| <b>Version</b>               | 1.0.0                                                      |
| <b>Document Status</b>       | RECONSTRUCTED_DRAFT                                        |
| <b>Implementation Status</b> | NOT STARTED                                                |
| <b>Verification Status</b>   | NOT PLANNED                                                |
| <b>Acceptance Status</b>     | NOT EVALUATED                                              |
| <b>Corrective Action</b>     | WP03-CA-046                                                |
| <b>Recorded Next Action</b>  | Implement architecture components                          |

### 1. Purpose

This standard establishes the authoritative institutional controls for enterprise implementation architecture within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control platform components, service boundaries, dependencies, deployment layers, nonfunctional controls, and implementation sequencing.

### 2. Mission

The mission of ATA-WP03-IMP-001 is to create a single, controlled, auditable institutional baseline for enterprise implementation architecture. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for enterprise implementation architecture.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Platform components
- Service boundaries
- Dependencies
- Deployment layers
- Nonfunctional controls
- And implementation sequencing
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

### 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.



- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                           |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                          |
| Artifact Owner                 | Owns the enterprise implementation architecture standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                          |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                          |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                         |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                            |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                           |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-IMP-001-REQ-0001: The institution shall maintain a controlled WP-03 Core Implementation Architecture.

ATA-WP03-IMP-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-IMP-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-IMP-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-IMP-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-IMP-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-IMP-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-IMP-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-ARCH-001: Unique identifiers remain stable and nonduplicative.

TC-ARCH-002: Unauthorized or cross-tenant access is denied.

TC-ARCH-003: Version history preserves prior approved states.

TC-ARCH-004: Invalid status transitions are rejected.

TC-ARCH-005: Required approvals block uncontrolled publication or activation.

TC-ARCH-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-ARCH-007: Backup and restoration preserve governed records and history.

TC-ARCH-008: Open critical defects prevent acceptance.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management
- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-046

Required next action: Implement architecture components.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-IMP-001 is the reconstructed authoritative control standard for enterprise implementation architecture. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-VOC-001

## WP-03 Curriculum Controlled Vocabulary

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Work Package</b>          | <b>WP-03 - Sprint 2 Enterprise Academic Control System</b> |
| <b>Version</b>               | 1.0.0                                                      |
| <b>Document Status</b>       | RECONSTRUCTED_DRAFT                                        |
| <b>Implementation Status</b> | NOT STARTED                                                |
| <b>Verification Status</b>   | NOT PLANNED                                                |
| <b>Acceptance Status</b>     | NOT EVALUATED                                              |
| <b>Corrective Action</b>     | WP03-CA-001                                                |
| <b>Recorded Next Action</b>  | Load vocabulary registry                                   |

### 1. Purpose

This standard establishes the authoritative institutional controls for academic data control within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control canonical terms, schemas, statuses, identifiers, metadata, validation, lineage, and data lifecycle.

### 2. Mission

The mission of ATA-WP03-VOC-001 is to create a single, controlled, auditable institutional baseline for academic data control. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for academic data control.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Canonical terms
- Schemas
- Statuses
- Identifiers
- Metadata
- Validation
- Lineage
- And data lifecycle
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                          |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                         |
| Artifact Owner                 | Owns the academic data control standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                         |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                         |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                        |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                           |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                          |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-VOC-001-REQ-0001: The institution shall maintain a controlled WP-03 Curriculum Controlled Vocabulary.

ATA-WP03-VOC-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-VOC-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-VOC-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-VOC-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-VOC-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-VOC-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-VOC-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-DATA-001: Unique identifiers remain stable and nonduplicative.

TC-DATA-002: Unauthorized or cross-tenant access is denied.

TC-DATA-003: Version history preserves prior approved states.

TC-DATA-004: Invalid status transitions are rejected.

TC-DATA-005: Required approvals block uncontrolled publication or activation.

TC-DATA-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-DATA-007: Backup and restoration preserve governed records and history.

TC-DATA-008: Open critical defects prevent acceptance.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management
- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response



- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-001

Required next action: Load vocabulary registry.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-VOC-001 is the reconstructed authoritative control standard for academic data control. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-TPL-001

## WP-03 Controlled Curriculum Standard Template

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Work Package</b>          | <b>WP-03 - Sprint 2 Enterprise Academic Control System</b> |
| <b>Version</b>               | 1.0.0                                                      |
| <b>Document Status</b>       | RECONSTRUCTED_DRAFT                                        |
| <b>Implementation Status</b> | NOT STARTED                                                |
| <b>Verification Status</b>   | NOT PLANNED                                                |
| <b>Acceptance Status</b>     | NOT EVALUATED                                              |
| <b>Corrective Action</b>     | WP03-CA-002                                                |
| <b>Recorded Next Action</b>  | Implement template control                                 |

### 1. Purpose

This standard establishes the authoritative institutional controls for controlled-document governance within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control standard structure, normative language, approvals, versioning, publication, change control, and retirement.

### 2. Mission

The mission of ATA-WP03-TPL-001 is to create a single, controlled, auditable institutional baseline for controlled-document governance. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for controlled-document governance.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Standard structure
- Normative language
- Approvals
- Versioning
- Publication
- Change control
- And retirement
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

### 5. Governing Principles

- One authoritative source for every governed record.

- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                   |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                  |
| Artifact Owner                 | Owns the controlled-document governance standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                  |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                  |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                 |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                    |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                   |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-TPL-001-REQ-0001: The institution shall maintain a controlled WP-03 Controlled Curriculum Standard Template.

ATA-WP03-TPL-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-TPL-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-TPL-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-TPL-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-TPL-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-TPL-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-TPL-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-GOV-001: Unique identifiers remain stable and nonduplicative.

TC-GOV-002: Unauthorized or cross-tenant access is denied.

TC-GOV-003: Version history preserves prior approved states.

TC-GOV-004: Invalid status transitions are rejected.

TC-GOV-005: Required approvals block uncontrolled publication or activation.

TC-GOV-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-GOV-007: Backup and restoration preserve governed records and history.

TC-GOV-008: Open critical defects prevent acceptance.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management
- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-002

Required next action: Implement template control.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-TPL-001 is the reconstructed authoritative control standard for controlled-document governance. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-SCH-001

## WP-03 Master Academic Data Schema

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Work Package</b>          | <b>WP-03 - Sprint 2 Enterprise Academic Control System</b> |
| <b>Version</b>               | 1.0.0                                                      |
| <b>Document Status</b>       | RECONSTRUCTED_DRAFT                                        |
| <b>Implementation Status</b> | NOT STARTED                                                |
| <b>Verification Status</b>   | NOT PLANNED                                                |
| <b>Acceptance Status</b>     | NOT EVALUATED                                              |
| <b>Corrective Action</b>     | WP03-CA-003                                                |
| <b>Recorded Next Action</b>  | Implement canonical schema                                 |

### 1. Purpose

This standard establishes the authoritative institutional controls for academic data control within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control canonical terms, schemas, statuses, identifiers, metadata, validation, lineage, and data lifecycle.

### 2. Mission

The mission of ATA-WP03-SCH-001 is to create a single, controlled, auditable institutional baseline for academic data control. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for academic data control.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Canonical terms
- Schemas
- Statuses
- Identifiers
- Metadata
- Validation
- Lineage
- And data lifecycle
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                          |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                         |
| Artifact Owner                 | Owns the academic data control standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                         |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                         |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                        |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                           |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                          |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register



## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-SCH-001-REQ-0001: The institution shall maintain a controlled WP-03 Master Academic Data Schema.

ATA-WP03-SCH-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-SCH-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-SCH-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-SCH-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-SCH-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-SCH-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-SCH-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-DATA-001: Unique identifiers remain stable and nonduplicative.

TC-DATA-002: Unauthorized or cross-tenant access is denied.

TC-DATA-003: Version history preserves prior approved states.

TC-DATA-004: Invalid status transitions are rejected.

TC-DATA-005: Required approvals block uncontrolled publication or activation.

TC-DATA-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-DATA-007: Backup and restoration preserve governed records and history.

TC-DATA-008: Open critical defects prevent acceptance.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management
- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response

- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-003

Required next action: Implement canonical schema.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-SCH-001 is the reconstructed authoritative control standard for academic data control. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-ENUM-001

## WP-03 Canonical Enumeration and Status Registry

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Work Package</b>          | <b>WP-03 - Sprint 2 Enterprise Academic Control System</b> |
| <b>Version</b>               | 1.0.0                                                      |
| <b>Document Status</b>       | RECONSTRUCTED_DRAFT                                        |
| <b>Implementation Status</b> | NOT STARTED                                                |
| <b>Verification Status</b>   | NOT PLANNED                                                |
| <b>Acceptance Status</b>     | NOT EVALUATED                                              |
| <b>Corrective Action</b>     | WP03-CA-004                                                |
| <b>Recorded Next Action</b>  | Load enumeration registry                                  |

### 1. Purpose

This standard establishes the authoritative institutional controls for academic data control within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control canonical terms, schemas, statuses, identifiers, metadata, validation, lineage, and data lifecycle.

### 2. Mission

The mission of ATA-WP03-ENUM-001 is to create a single, controlled, auditable institutional baseline for academic data control. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for academic data control.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Canonical terms
- Schemas
- Statuses
- Identifiers
- Metadata
- Validation
- Lineage
- And data lifecycle
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                          |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                         |
| Artifact Owner                 | Owns the academic data control standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                         |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                         |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                        |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                           |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                          |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-ENUM-001-REQ-0001: The institution shall maintain a controlled WP-03 Canonical Enumeration and Status Registry.

ATA-WP03-ENUM-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-ENUM-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-ENUM-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-ENUM-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-ENUM-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-ENUM-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-ENUM-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-DATA-001: Unique identifiers remain stable and nonduplicative.

TC-DATA-002: Unauthorized or cross-tenant access is denied.

TC-DATA-003: Version history preserves prior approved states.

TC-DATA-004: Invalid status transitions are rejected.

TC-DATA-005: Required approvals block uncontrolled publication or activation.

TC-DATA-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-DATA-007: Backup and restoration preserve governed records and history.

TC-DATA-008: Open critical defects prevent acceptance.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management

- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-004

Required next action: Load enumeration registry.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-ENUM-001 is the reconstructed authoritative control standard for academic data control. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.



# ATA-WP03-ID-001

## WP-03 Canonical Identifier and Naming Standard

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Work Package</b>          | <b>WP-03 - Sprint 2 Enterprise Academic Control System</b> |
| <b>Version</b>               | 1.0.0                                                      |
| <b>Document Status</b>       | RECONSTRUCTED_DRAFT                                        |
| <b>Implementation Status</b> | NOT STARTED                                                |
| <b>Verification Status</b>   | NOT PLANNED                                                |
| <b>Acceptance Status</b>     | NOT EVALUATED                                              |
| <b>Corrective Action</b>     | WP03-CA-005                                                |
| <b>Recorded Next Action</b>  | Implement ID services                                      |

### 1. Purpose

This standard establishes the authoritative institutional controls for academic data control within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control canonical terms, schemas, statuses, identifiers, metadata, validation, lineage, and data lifecycle.

### 2. Mission

The mission of ATA-WP03-ID-001 is to create a single, controlled, auditable institutional baseline for academic data control. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for academic data control.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Canonical terms
- Schemas
- Statuses
- Identifiers
- Metadata
- Validation
- Lineage
- And data lifecycle
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                          |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                         |
| Artifact Owner                 | Owns the academic data control standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                         |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                         |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                        |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                           |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                          |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-ID-001-REQ-0001: The institution shall maintain a controlled WP-03 Canonical Identifier and Naming Standard.

ATA-WP03-ID-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-ID-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-ID-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-ID-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-ID-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-ID-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-ID-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-DATA-001: Unique identifiers remain stable and nonduplicative.

TC-DATA-002: Unauthorized or cross-tenant access is denied.

TC-DATA-003: Version history preserves prior approved states.

TC-DATA-004: Invalid status transitions are rejected.

TC-DATA-005: Required approvals block uncontrolled publication or activation.

TC-DATA-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-DATA-007: Backup and restoration preserve governed records and history.

TC-DATA-008: Open critical defects prevent acceptance.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management

- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-005

Required next action: Implement ID services.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-ID-001 is the reconstructed authoritative control standard for academic data control. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-REG-001

## WP-03 Core Academic Registry Standard

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Work Package</b>          | <b>WP-03 - Sprint 2 Enterprise Academic Control System</b> |
| <b>Version</b>               | 1.0.0                                                      |
| <b>Document Status</b>       | RECONSTRUCTED_DRAFT                                        |
| <b>Implementation Status</b> | NOT STARTED                                                |
| <b>Verification Status</b>   | NOT PLANNED                                                |
| <b>Acceptance Status</b>     | NOT EVALUATED                                              |
| <b>Corrective Action</b>     | WP03-CA-006                                                |
| <b>Recorded Next Action</b>  | Build core registries                                      |

### 1. Purpose

This standard establishes the authoritative institutional controls for institutional registry governance within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control authoritative registries, record ownership, lifecycle status, referential integrity, audit, and reconciliation.

### 2. Mission

The mission of ATA-WP03-REG-001 is to create a single, controlled, auditable institutional baseline for institutional registry governance. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for institutional registry governance.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Authoritative registries
- Record ownership
- Lifecycle status
- Referential integrity
- Audit
- And reconciliation
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

### 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.

- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                      |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                     |
| Artifact Owner                 | Owns the institutional registry governance standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                     |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                     |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                    |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                       |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                      |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-REG-001-REQ-0001: The institution shall maintain a controlled WP-03 Core Academic Registry Standard.

ATA-WP03-REG-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-REG-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-REG-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-REG-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-REG-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-REG-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-REG-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-REG-001: Unique identifiers remain stable and nonduplicative.

TC-REG-002: Unauthorized or cross-tenant access is denied.

TC-REG-003: Version history preserves prior approved states.

TC-REG-004: Invalid status transitions are rejected.

TC-REG-005: Required approvals block uncontrolled publication or activation.

TC-REG-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.



TC-REG-007: Backup and restoration preserve governed records and history.

TC-REG-008: Open critical defects prevent acceptance.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management
- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-006

Required next action: Build core registries.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-REG-001 is the reconstructed authoritative control standard for institutional registry governance. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-API-001

## WP-03 Academic Registry API Standard

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Work Package</b>          | <b>WP-03 - Sprint 2 Enterprise Academic Control System</b> |
| <b>Version</b>               | 1.0.0                                                      |
| <b>Document Status</b>       | RECONSTRUCTED_DRAFT                                        |
| <b>Implementation Status</b> | NOT STARTED                                                |
| <b>Verification Status</b>   | NOT PLANNED                                                |
| <b>Acceptance Status</b>     | NOT EVALUATED                                              |
| <b>Corrective Action</b>     | WP03-CA-007                                                |
| <b>Recorded Next Action</b>  | Implement API contracts                                    |

### 1. Purpose

This standard establishes the authoritative institutional controls for academic API governance within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control resource contracts, authentication, authorization, tenant scope, versioning, errors, idempotency, monitoring, and retirement.

### 2. Mission

The mission of ATA-WP03-API-001 is to create a single, controlled, auditable institutional baseline for academic API governance. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for academic API governance.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Resource contracts
- Authentication
- Authorization
- Tenant scope
- Versioning
- Errors
- Idempotency
- Monitoring
- And retirement
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                            |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                           |
| Artifact Owner                 | Owns the academic API governance standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                           |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                           |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                          |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                             |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                            |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-API-001-REQ-0001: The institution shall maintain a controlled WP-03 Academic Registry API Standard.

ATA-WP03-API-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-API-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-API-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-API-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-API-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-API-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-API-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-API-001: Unique identifiers remain stable and nonduplicative.

TC-API-002: Unauthorized or cross-tenant access is denied.

TC-API-003: Version history preserves prior approved states.

TC-API-004: Invalid status transitions are rejected.

TC-API-005: Required approvals block uncontrolled publication or activation.

TC-API-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-API-007: Backup and restoration preserve governed records and history.

TC-API-008: Open critical defects prevent acceptance.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management
- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response

- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-007

Required next action: Implement API contracts.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-API-001 is the reconstructed authoritative control standard for academic API governance. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-SEC-001

## WP-03 Academic API Security and Access Control Standard

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Work Package</b>          | <b>WP-03 - Sprint 2 Enterprise Academic Control System</b> |
| <b>Version</b>               | 1.0.0                                                      |
| <b>Document Status</b>       | RECONSTRUCTED_DRAFT                                        |
| <b>Implementation Status</b> | NOT STARTED                                                |
| <b>Verification Status</b>   | NOT PLANNED                                                |
| <b>Acceptance Status</b>     | NOT EVALUATED                                              |
| <b>Corrective Action</b>     | WP03-CA-056                                                |
| <b>Recorded Next Action</b>  | Implement security controls                                |

### 1. Purpose

This standard establishes the authoritative institutional controls for academic security and access control within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control identity, authentication, authorization, least privilege, tenant isolation, secrets, logging, incident response, and assurance.

### 2. Mission

The mission of ATA-WP03-SEC-001 is to create a single, controlled, auditable institutional baseline for academic security and access control. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for academic security and access control.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Identity
- Authentication
- Authorization
- Least privilege
- Tenant isolation
- Secrets
- Logging
- Incident response
- And assurance
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance



## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                         |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                        |
| Artifact Owner                 | Owns the academic security and access control standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                        |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                        |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                       |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                          |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                         |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-SEC-001-REQ-0001: The institution shall maintain a controlled WP-03 Academic API Security and Access Control Standard.

ATA-WP03-SEC-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-SEC-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-SEC-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-SEC-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-SEC-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-SEC-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-SEC-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

ATA-WP03-SEC-001-REQ-0009: Protected academic services shall enforce approved authentication and authorization controls.

ATA-WP03-SEC-001-REQ-0010: Privileged access shall require stronger authentication, review, expiration, and monitoring.

ATA-WP03-SEC-001-REQ-0011: Security incidents shall preserve containment, evidence, root cause, corrective action, and closure authority.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-SEC-001: Unique identifiers remain stable and nonduplicative.

TC-SEC-002: Unauthorized or cross-tenant access is denied.

TC-SEC-003: Version history preserves prior approved states.

TC-SEC-004: Invalid status transitions are rejected.

TC-SEC-005: Required approvals block uncontrolled publication or activation.

TC-SEC-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-SEC-007: Backup and restoration preserve governed records and history.

TC-SEC-008: Open critical defects prevent acceptance.

TC-SEC-009: Expired credentials are rejected.

TC-SEC-010: Privilege escalation generates an alert and evidence.

## 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

## 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

## 15. Findings and Defect Classification

| Class         | Meaning                                                                                                                                    |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major    | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate | Limited functional, documentation, reporting, or usability deficiency.                                                                     |

|                  |                                                                         |
|------------------|-------------------------------------------------------------------------|
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue. |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.   |

## 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management
- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-056

Required next action: Implement security controls.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-SEC-001 is the reconstructed authoritative control standard for academic security and access control. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-PRV-001

## WP-03 Academic Data Privacy and Records Protection Standard

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Work Package</b>          | <b>WP-03 - Sprint 2 Enterprise Academic Control System</b> |
| <b>Version</b>               | 1.0.0                                                      |
| <b>Document Status</b>       | RECONSTRUCTED_DRAFT                                        |
| <b>Implementation Status</b> | NOT STARTED                                                |
| <b>Verification Status</b>   | NOT PLANNED                                                |
| <b>Acceptance Status</b>     | NOT EVALUATED                                              |
| <b>Corrective Action</b>     | WP03-CA-057                                                |
| <b>Recorded Next Action</b>  | Implement privacy controls                                 |

### 1. Purpose

This standard establishes the authoritative institutional controls for privacy and records protection within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control purpose limitation, data minimization, learner rights, retention, legal hold, deletion, third-party processing, and privacy evidence.

### 2. Mission

The mission of ATA-WP03-PRV-001 is to create a single, controlled, auditable institutional baseline for privacy and records protection. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for privacy and records protection.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Purpose limitation
- Data minimization
- Learner rights
- Retention
- Legal hold
- Deletion
- Third-party processing
- And privacy evidence
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                   |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                  |
| Artifact Owner                 | Owns the privacy and records protection standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                  |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                  |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                 |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                    |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                   |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-PRV-001-REQ-0001: The institution shall maintain a controlled WP-03 Academic Data Privacy and Records Protection Standard.

ATA-WP03-PRV-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-PRV-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-PRV-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-PRV-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-PRV-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-PRV-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-PRV-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

ATA-WP03-PRV-001-REQ-0009: Protected learner data shall be processed only for approved purposes under controlled access.

ATA-WP03-PRV-001-REQ-0010: Retention, correction, deletion, legal hold, and third-party processing shall be governed and evidenced.

ATA-WP03-PRV-001-REQ-0011: Privacy notices and consent records shall be versioned and traceable where required.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-PRV-001: Unique identifiers remain stable and nonduplicative.

TC-PRV-002: Unauthorized or cross-tenant access is denied.

TC-PRV-003: Version history preserves prior approved states.

TC-PRV-004: Invalid status transitions are rejected.

TC-PRV-005: Required approvals block uncontrolled publication or activation.

TC-PRV-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-PRV-007: Backup and restoration preserve governed records and history.

TC-PRV-008: Open critical defects prevent acceptance.

TC-PRV-009: Deletion requests propagate subject to retention and legal hold.

TC-PRV-010: Unauthorized export of learner data is blocked.

## 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

## 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

## 15. Findings and Defect Classification

| Class         | Meaning                                                                                                                                    |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major    | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate | Limited functional, documentation, reporting, or usability deficiency.                                                                     |



|                  |                                                                         |
|------------------|-------------------------------------------------------------------------|
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue. |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.   |

## 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management
- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-057

Required next action: Implement privacy controls.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-PRV-001 is the reconstructed authoritative control standard for privacy and records protection. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-ACC-001

## WP-03 Academic Accessibility and Inclusive Delivery Standard

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Work Package</b>          | <b>WP-03 - Sprint 2 Enterprise Academic Control System</b> |
| <b>Version</b>               | 1.0.0                                                      |
| <b>Document Status</b>       | RECONSTRUCTED_DRAFT                                        |
| <b>Implementation Status</b> | NOT STARTED                                                |
| <b>Verification Status</b>   | NOT PLANNED                                                |
| <b>Acceptance Status</b>     | NOT EVALUATED                                              |
| <b>Corrective Action</b>     | WP03-CA-055                                                |
| <b>Recorded Next Action</b>  | Complete accessibility validation                          |

### 1. Purpose

This standard establishes the authoritative institutional controls for accessibility and inclusive delivery within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control WCAG-aligned design, alternate access, assistive technology, captions, keyboard use, accessible documents, testing, and remediation.

### 2. Mission

The mission of ATA-WP03-ACC-001 is to create a single, controlled, auditable institutional baseline for accessibility and inclusive delivery. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for accessibility and inclusive delivery.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Wcag-aligned design
- Alternate access
- Assistive technology
- Captions
- Keyboard use
- Accessible documents
- Testing
- And remediation
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                         |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                        |
| Artifact Owner                 | Owns the accessibility and inclusive delivery standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                        |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                        |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                       |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                          |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                         |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-ACC-001-REQ-0001: The institution shall maintain a controlled WP-03 Academic Accessibility and Inclusive Delivery Standard.

ATA-WP03-ACC-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-ACC-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-ACC-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-ACC-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-ACC-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-ACC-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-ACC-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

ATA-WP03-ACC-001-REQ-0009: Required academic services and materials shall provide accessible use and alternate access.

ATA-WP03-ACC-001-REQ-0010: Accessibility defects shall be tracked through remediation and independent retest.

ATA-WP03-ACC-001-REQ-0011: No learner shall be denied required participation solely because an accessible path was not implemented.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-ACC-001: Unique identifiers remain stable and nonduplicative.

TC-ACC-002: Unauthorized or cross-tenant access is denied.

TC-ACC-003: Version history preserves prior approved states.

TC-ACC-004: Invalid status transitions are rejected.

TC-ACC-005: Required approvals block uncontrolled publication or activation.

TC-ACC-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-ACC-007: Backup and restoration preserve governed records and history.

TC-ACC-008: Open critical defects prevent acceptance.

TC-ACC-009: Keyboard-only and screen-reader workflows pass.

TC-ACC-010: Accessible alternatives remain available during degraded mode.

## 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

## 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

## 15. Findings and Defect Classification

| Class         | Meaning                                                                                                                                    |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major    | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate | Limited functional, documentation, reporting, or usability deficiency.                                                                     |

|                  |                                                                         |
|------------------|-------------------------------------------------------------------------|
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue. |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.   |

## 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management
- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-055

Required next action: Complete accessibility validation.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-ACC-001 is the reconstructed authoritative control standard for accessibility and inclusive delivery. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-ETH-001

## WP-03 Academic AI Ethics and Human Oversight Standard

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Work Package</b>          | <b>WP-03 - Sprint 2 Enterprise Academic Control System</b> |
| <b>Version</b>               | 1.0.0                                                      |
| <b>Document Status</b>       | RECONSTRUCTED_DRAFT                                        |
| <b>Implementation Status</b> | NOT STARTED                                                |
| <b>Verification Status</b>   | NOT PLANNED                                                |
| <b>Acceptance Status</b>     | NOT EVALUATED                                              |
| <b>Corrective Action</b>     | WP03-CA-058                                                |
| <b>Recorded Next Action</b>  | Implement AI governance                                    |

### 1. Purpose

This standard establishes the authoritative institutional controls for AI ethics and human oversight within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control approved AI uses, human accountability, transparency, bias controls, safety, prohibited decisions, monitoring, and incident response.

### 2. Mission

The mission of ATA-WP03-ETH-001 is to create a single, controlled, auditable institutional baseline for AI ethics and human oversight. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for AI ethics and human oversight.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Approved ai uses
- Human accountability
- Transparency
- Bias controls
- Safety
- Prohibited decisions
- Monitoring
- And incident response
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                  |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                 |
| Artifact Owner                 | Owns the AI ethics and human oversight standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                 |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                 |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                   |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                  |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register



## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-ETH-001-REQ-0001: The institution shall maintain a controlled WP-03 Academic AI Ethics and Human Oversight Standard.

ATA-WP03-ETH-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-ETH-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-ETH-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-ETH-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-ETH-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-ETH-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-ETH-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

ATA-WP03-ETH-001-REQ-0009: AI shall not independently issue credentials, finalize restricted scores, alter official records, or accept institutional risk.

ATA-WP03-ETH-001-REQ-0010: Material AI outputs shall be reviewable, attributable, source aware, and correctable.

ATA-WP03-ETH-001-REQ-0011: High-risk AI uses shall require explicit approval, monitoring, evaluation, and human escalation.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-ETH-001: Unique identifiers remain stable and nonduplicative.

TC-ETH-002: Unauthorized or cross-tenant access is denied.

TC-ETH-003: Version history preserves prior approved states.

TC-ETH-004: Invalid status transitions are rejected.

TC-ETH-005: Required approvals block uncontrolled publication or activation.

TC-ETH-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-ETH-007: Backup and restoration preserve governed records and history.

TC-ETH-008: Open critical defects prevent acceptance.

TC-ETH-009: AI cannot execute a reserved institutional decision.

TC-ETH-010: Unsafe or ungrounded output triggers escalation.

## 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

## 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

## 15. Findings and Defect Classification

| Class         | Meaning                                                                                                                                    |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major    | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate | Limited functional, documentation, reporting, or usability deficiency.                                                                     |

|                  |                                                                         |
|------------------|-------------------------------------------------------------------------|
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue. |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.   |

## 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management
- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-058

Required next action: Implement AI governance.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-ETH-001 is the reconstructed authoritative control standard for AI ethics and human oversight. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-QA-001

## WP-03 Academic Quality Assurance and Continuous Improvement Standard

| Work Package          | WP-03 - Sprint 2 Enterprise Academic Control System |
|-----------------------|-----------------------------------------------------|
| Version               | 1.0.0                                               |
| Document Status       | RECONSTRUCTED_DRAFT                                 |
| Implementation Status | NOT STARTED                                         |
| Verification Status   | NOT PLANNED                                         |
| Acceptance Status     | NOT EVALUATED                                       |
| Corrective Action     | WP03-CA-061                                         |
| Recorded Next Action  | Implement QMS                                       |

### 1. Purpose

This standard establishes the authoritative institutional controls for quality assurance and continuous improvement within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control quality planning, review gates, test evidence, defects, CAPA, audits, metrics, lessons learned, and improvement.

### 2. Mission

The mission of ATA-WP03-QA-001 is to create a single, controlled, auditable institutional baseline for quality assurance and continuous improvement. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for quality assurance and continuous improvement.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Quality planning
- Review gates
- Test evidence
- Defects
- Capa
- Audits
- Metrics
- Lessons learned
- And improvement
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                                 |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                                |
| Artifact Owner                 | Owns the quality assurance and continuous improvement standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                                |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                                |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                               |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                                  |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                                 |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-QA-001-REQ-0001: The institution shall maintain a controlled WP-03 Academic Quality Assurance and Continuous Improvement Standard.

ATA-WP03-QA-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-QA-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-QA-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-QA-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-QA-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-QA-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-QA-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-QA-001: Unique identifiers remain stable and nonduplicative.

TC-QA-002: Unauthorized or cross-tenant access is denied.

TC-QA-003: Version history preserves prior approved states.

TC-QA-004: Invalid status transitions are rejected.

TC-QA-005: Required approvals block uncontrolled publication or activation.

TC-QA-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-QA-007: Backup and restoration preserve governed records and history.

TC-QA-008: Open critical defects prevent acceptance.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management

- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-061

Required next action: Implement QMS.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-QA-001 is the reconstructed authoritative control standard for quality assurance and continuous improvement. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.



# ATA-WP03-LEG-001

## WP-03 Academic Legal, Regulatory, Claims, and Institutional Disclosure Standard

|                       |                                                     |
|-----------------------|-----------------------------------------------------|
| Work Package          | WP-03 - Sprint 2 Enterprise Academic Control System |
| Version               | 1.0.0                                               |
| Document Status       | RECONSTRUCTED_DRAFT                                 |
| Implementation Status | NOT STARTED                                         |
| Verification Status   | NOT PLANNED                                         |
| Acceptance Status     | NOT EVALUATED                                       |
| Corrective Action     | WP03-CA-062                                         |
| Recorded Next Action  | Complete legal validation                           |

### 1. Purpose

This standard establishes the authoritative institutional controls for legal and regulatory control within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control claims, disclosures, intellectual property, contracts, educational obligations, regulatory mapping, legal review, and evidence.

### 2. Mission

The mission of ATA-WP03-LEG-001 is to create a single, controlled, auditable institutional baseline for legal and regulatory control. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for legal and regulatory control.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Claims
- Disclosures
- Intellectual property
- Contracts
- Educational obligations
- Regulatory mapping
- Legal review
- And evidence
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                 |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                |
| Artifact Owner                 | Owns the legal and regulatory control standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                               |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                  |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                 |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-LEG-001-REQ-0001: The institution shall maintain a controlled WP-03 Academic Legal, Regulatory, Claims, and Institutional Disclosure Standard.

ATA-WP03-LEG-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-LEG-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-LEG-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-LEG-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-LEG-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-LEG-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-LEG-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-LEG-001: Unique identifiers remain stable and nonduplicative.

TC-LEG-002: Unauthorized or cross-tenant access is denied.

TC-LEG-003: Version history preserves prior approved states.

TC-LEG-004: Invalid status transitions are rejected.

TC-LEG-005: Required approvals block uncontrolled publication or activation.

TC-LEG-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-LEG-007: Backup and restoration preserve governed records and history.

TC-LEG-008: Open critical defects prevent acceptance.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management

- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-062

Required next action: Complete legal validation.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-LEG-001 is the reconstructed authoritative control standard for legal and regulatory control. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-RSK-001

## WP-03 Enterprise Academic Risk Management Standard

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Work Package</b>          | <b>WP-03 - Sprint 2 Enterprise Academic Control System</b> |
| <b>Version</b>               | 1.0.0                                                      |
| <b>Document Status</b>       | RECONSTRUCTED_DRAFT                                        |
| <b>Implementation Status</b> | NOT STARTED                                                |
| <b>Verification Status</b>   | NOT PLANNED                                                |
| <b>Acceptance Status</b>     | NOT EVALUATED                                              |
| <b>Corrective Action</b>     | WP03-CA-063                                                |
| <b>Recorded Next Action</b>  | Implement risk register                                    |

### 1. Purpose

This standard establishes the authoritative institutional controls for enterprise academic risk management within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control risk identification, assessment, ownership, treatment, monitoring, escalation, acceptance, and closure.

### 2. Mission

The mission of ATA-WP03-RSK-001 is to create a single, controlled, auditable institutional baseline for enterprise academic risk management. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for enterprise academic risk management.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Risk identification
- Assessment
- Ownership
- Treatment
- Monitoring
- Escalation
- Acceptance
- And closure
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                        |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                       |
| Artifact Owner                 | Owns the enterprise academic risk management standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                       |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                       |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                      |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                         |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                        |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-RSK-001-REQ-0001: The institution shall maintain a controlled WP-03 Enterprise Academic Risk Management Standard.

ATA-WP03-RSK-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-RSK-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-RSK-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-RSK-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-RSK-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-RSK-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-RSK-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-RSK-001: Unique identifiers remain stable and nonduplicative.

TC-RSK-002: Unauthorized or cross-tenant access is denied.

TC-RSK-003: Version history preserves prior approved states.

TC-RSK-004: Invalid status transitions are rejected.



TC-RSK-005: Required approvals block uncontrolled publication or activation.

TC-RSK-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-RSK-007: Backup and restoration preserve governed records and history.

TC-RSK-008: Open critical defects prevent acceptance.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management

- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-063

Required next action: Implement risk register.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-RSK-001 is the reconstructed authoritative control standard for enterprise academic risk management. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-BCP-001

## WP-03 Academic Business Continuity and Disaster Recovery Standard

|                       |                                                     |
|-----------------------|-----------------------------------------------------|
| Work Package          | WP-03 - Sprint 2 Enterprise Academic Control System |
| Version               | 1.0.0                                               |
| Document Status       | RECONSTRUCTED_DRAFT                                 |
| Implementation Status | NOT STARTED                                         |
| Verification Status   | NOT PLANNED                                         |
| Acceptance Status     | NOT EVALUATED                                       |
| Corrective Action     | WP03-CA-064                                         |
| Recorded Next Action  | Implement BCP and DR                                |

### 1. Purpose

This standard establishes the authoritative institutional controls for business continuity and disaster recovery within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control critical services, impact analysis, RTO/RPO, continuity procedures, backups, recovery, exercises, and lessons learned.

### 2. Mission

The mission of ATA-WP03-BCP-001 is to create a single, controlled, auditable institutional baseline for business continuity and disaster recovery. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for business continuity and disaster recovery.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Critical services
- Impact analysis
- Rto/rpo
- Continuity procedures
- Backups
- Recovery
- Exercises
- And lessons learned
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                              |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                             |
| Artifact Owner                 | Owns the business continuity and disaster recovery standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                             |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                             |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                            |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                               |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                              |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-BCP-001-REQ-0001: The institution shall maintain a controlled WP-03 Academic Business Continuity and Disaster Recovery Standard.

ATA-WP03-BCP-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-BCP-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-BCP-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-BCP-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-BCP-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-BCP-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-BCP-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-BCP-001: Unique identifiers remain stable and nonduplicative.

TC-BCP-002: Unauthorized or cross-tenant access is denied.

TC-BCP-003: Version history preserves prior approved states.

TC-BCP-004: Invalid status transitions are rejected.

TC-BCP-005: Required approvals block uncontrolled publication or activation.

TC-BCP-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-BCP-007: Backup and restoration preserve governed records and history.

TC-BCP-008: Open critical defects prevent acceptance.

TC-BCP-009: RTO and RPO are met in recovery exercise.

TC-BCP-010: Manual continuity records reconcile after restoration.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management

- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management
- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-064

Required next action: Implement BCP and DR.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-BCP-001 is the reconstructed authoritative control standard for business continuity and disaster recovery. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-OPS-001

## WP-03 Academic Operations and Service Management Standard

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Work Package</b>          | <b>WP-03 - Sprint 2 Enterprise Academic Control System</b> |
| <b>Version</b>               | 1.0.0                                                      |
| <b>Document Status</b>       | RECONSTRUCTED_DRAFT                                        |
| <b>Implementation Status</b> | NOT STARTED                                                |
| <b>Verification Status</b>   | NOT PLANNED                                                |
| <b>Acceptance Status</b>     | NOT EVALUATED                                              |
| <b>Corrective Action</b>     | WP03-CA-065                                                |
| <b>Recorded Next Action</b>  | Implement service management                               |

### 1. Purpose

This standard establishes the authoritative institutional controls for academic operations and service management within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control service catalog, ownership, incidents, requests, problems, changes, SLAs, support, runbooks, and continual improvement.

### 2. Mission

The mission of ATA-WP03-OPS-001 is to create a single, controlled, auditable institutional baseline for academic operations and service management. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for academic operations and service management.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Service catalog
- Ownership
- Incidents
- Requests
- Problems
- Changes
- Slas
- Support
- Runbooks
- And continual improvement
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance



## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                               |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                              |
| Artifact Owner                 | Owns the academic operations and service management standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                              |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                              |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                             |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                                |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                               |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-OPS-001-REQ-0001: The institution shall maintain a controlled WP-03 Academic Operations and Service Management Standard.

ATA-WP03-OPS-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-OPS-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-OPS-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-OPS-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-OPS-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-OPS-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-OPS-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-OPS-001: Unique identifiers remain stable and nonduplicative.

TC-OPS-002: Unauthorized or cross-tenant access is denied.

TC-OPS-003: Version history preserves prior approved states.

TC-OPS-004: Invalid status transitions are rejected.

TC-OPS-005: Required approvals block uncontrolled publication or activation.

TC-OPS-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-OPS-007: Backup and restoration preserve governed records and history.

TC-OPS-008: Open critical defects prevent acceptance.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management

- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-065

Required next action: Implement service management.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-OPS-001 is the reconstructed authoritative control standard for academic operations and service management. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-DAT-001

## WP-03 Academic Data Governance and Data Quality Standard

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Work Package</b>          | <b>WP-03 - Sprint 2 Enterprise Academic Control System</b> |
| <b>Version</b>               | 1.0.0                                                      |
| <b>Document Status</b>       | RECONSTRUCTED_DRAFT                                        |
| <b>Implementation Status</b> | NOT STARTED                                                |
| <b>Verification Status</b>   | NOT PLANNED                                                |
| <b>Acceptance Status</b>     | NOT EVALUATED                                              |
| <b>Corrective Action</b>     | WP03-CA-066                                                |
| <b>Recorded Next Action</b>  | Implement data governance                                  |

### 1. Purpose

This standard establishes the authoritative institutional controls for data governance and data quality within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control data ownership, stewardship, classification, quality rules, issue management, lineage, retention, and authoritative sources.

### 2. Mission

The mission of ATA-WP03-DAT-001 is to create a single, controlled, auditable institutional baseline for data governance and data quality. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for data governance and data quality.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Data ownership
- Stewardship
- Classification
- Quality rules
- Issue management
- Lineage
- Retention
- And authoritative sources
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                     |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                    |
| Artifact Owner                 | Owns the data governance and data quality standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                    |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                    |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                   |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                      |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                     |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-DAT-001-REQ-0001: The institution shall maintain a controlled WP-03 Academic Data Governance and Data Quality Standard.

ATA-WP03-DAT-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-DAT-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-DAT-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-DAT-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-DAT-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-DAT-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-DAT-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-DAT-001: Unique identifiers remain stable and nonduplicative.

TC-DAT-002: Unauthorized or cross-tenant access is denied.

TC-DAT-003: Version history preserves prior approved states.

TC-DAT-004: Invalid status transitions are rejected.

TC-DAT-005: Required approvals block uncontrolled publication or activation.

TC-DAT-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-DAT-007: Backup and restoration preserve governed records and history.

TC-DAT-008: Open critical defects prevent acceptance.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management



- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-066

Required next action: Implement data governance.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-DAT-001 is the reconstructed authoritative control standard for data governance and data quality. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-INT-001

## WP-03 Academic Integration and Interoperability Standard

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Work Package</b>          | <b>WP-03 - Sprint 2 Enterprise Academic Control System</b> |
| <b>Version</b>               | 1.0.0                                                      |
| <b>Document Status</b>       | RECONSTRUCTED_DRAFT                                        |
| <b>Implementation Status</b> | NOT STARTED                                                |
| <b>Verification Status</b>   | NOT PLANNED                                                |
| <b>Acceptance Status</b>     | NOT EVALUATED                                              |
| <b>Corrective Action</b>     | WP03-CA-067                                                |
| <b>Recorded Next Action</b>  | Implement integrations                                     |

### 1. Purpose

This standard establishes the authoritative institutional controls for integration and interoperability within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control interfaces, events, schemas, connectors, security, retries, reconciliation, monitoring, and partner lifecycle.

### 2. Mission

The mission of ATA-WP03-INT-001 is to create a single, controlled, auditable institutional baseline for integration and interoperability. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for integration and interoperability.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Interfaces
- Events
- Schemas
- Connectors
- Security
- Retries
- Reconciliation
- Monitoring
- And partner lifecycle
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                     |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                    |
| Artifact Owner                 | Owns the integration and interoperability standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                    |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                    |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                   |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                      |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                     |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-INT-001-REQ-0001: The institution shall maintain a controlled WP-03 Academic Integration and Interoperability Standard.

ATA-WP03-INT-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-INT-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-INT-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-INT-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-INT-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-INT-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-INT-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-INT-001: Unique identifiers remain stable and nonduplicative.

TC-INT-002: Unauthorized or cross-tenant access is denied.

TC-INT-003: Version history preserves prior approved states.

TC-INT-004: Invalid status transitions are rejected.

TC-INT-005: Required approvals block uncontrolled publication or activation.

TC-INT-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-INT-007: Backup and restoration preserve governed records and history.

TC-INT-008: Open critical defects prevent acceptance.

TC-INT-009: Duplicate exchange remains idempotent.

TC-INT-010: Reconciliation detects missing and duplicate records.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management

- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management
- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-067

Required next action: Implement integrations.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-INT-001 is the reconstructed authoritative control standard for integration and interoperability. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-ANA-001

## WP-03 Academic Analytics, Metrics, and Institutional Reporting Standard

|                       |                                                     |
|-----------------------|-----------------------------------------------------|
| Work Package          | WP-03 - Sprint 2 Enterprise Academic Control System |
| Version               | 1.0.0                                               |
| Document Status       | RECONSTRUCTED_DRAFT                                 |
| Implementation Status | NOT STARTED                                         |
| Verification Status   | NOT PLANNED                                         |
| Acceptance Status     | NOT EVALUATED                                       |
| Corrective Action     | WP03-CA-068                                         |
| Recorded Next Action  | Implement KPI registry                              |

### 1. Purpose

This standard establishes the authoritative institutional controls for analytics, metrics, and reporting within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control KPI definitions, formulas, source data, dashboards, reports, interpretation, limitations, approval, and distribution.

### 2. Mission

The mission of ATA-WP03-ANA-001 is to create a single, controlled, auditable institutional baseline for analytics, metrics, and reporting. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for analytics, metrics, and reporting.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Kpi definitions
- Formulas
- Source data
- Dashboards
- Reports
- Interpretation
- Limitations
- Approval
- And distribution
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                      |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                     |
| Artifact Owner                 | Owns the analytics, metrics, and reporting standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                     |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                     |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                    |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                       |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                      |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register



## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-ANA-001-REQ-0001: The institution shall maintain a controlled WP-03 Academic Analytics, Metrics, and Institutional Reporting Standard.

ATA-WP03-ANA-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-ANA-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-ANA-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-ANA-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-ANA-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-ANA-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-ANA-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-ANA-001: Unique identifiers remain stable and nonduplicative.

TC-ANA-002: Unauthorized or cross-tenant access is denied.

TC-ANA-003: Version history preserves prior approved states.

TC-ANA-004: Invalid status transitions are rejected.

TC-ANA-005: Required approvals block uncontrolled publication or activation.

TC-ANA-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-ANA-007: Backup and restoration preserve governed records and history.

TC-ANA-008: Open critical defects prevent acceptance.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management

- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-068

Required next action: Implement KPI registry.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-ANA-001 is the reconstructed authoritative control standard for analytics, metrics, and reporting. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-MON-001

## WP-03 Academic Monitoring, Observability, Alerting, and Institutional Performance Management Standard

|                       |                                                     |
|-----------------------|-----------------------------------------------------|
| Work Package          | WP-03 - Sprint 2 Enterprise Academic Control System |
| Version               | 1.0.0                                               |
| Document Status       | RECONSTRUCTED_DRAFT                                 |
| Implementation Status | NOT STARTED                                         |
| Verification Status   | NOT PLANNED                                         |
| Acceptance Status     | NOT EVALUATED                                       |
| Corrective Action     | WP03-CA-069                                         |
| Recorded Next Action  | Implement monitoring                                |

### 1. Purpose

This standard establishes the authoritative institutional controls for monitoring and institutional performance management within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control telemetry, logs, metrics, alerts, thresholds, dashboards, escalation, trend analysis, and operational review.

### 2. Mission

The mission of ATA-WP03-MON-001 is to create a single, controlled, auditable institutional baseline for monitoring and institutional performance management. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for monitoring and institutional performance management.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Telemetry
- Logs
- Metrics
- Alerts
- Thresholds
- Dashboards
- Escalation
- Trend analysis
- And operational review
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                                        |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                                       |
| Artifact Owner                 | Owns the monitoring and institutional performance management standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                                       |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                                       |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                                      |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                                         |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                                        |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-MON-001-REQ-0001: The institution shall maintain a controlled WP-03 Academic Monitoring, Observability, Alerting, and Institutional Performance Management Standard.

ATA-WP03-MON-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-MON-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-MON-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-MON-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-MON-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-MON-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-MON-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-MON-001: Unique identifiers remain stable and nonduplicative.

TC-MON-002: Unauthorized or cross-tenant access is denied.

TC-MON-003: Version history preserves prior approved states.

TC-MON-004: Invalid status transitions are rejected.

TC-MON-005: Required approvals block uncontrolled publication or activation.

TC-MON-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-MON-007: Backup and restoration preserve governed records and history.

TC-MON-008: Open critical defects prevent acceptance.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management

- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-069

Required next action: Implement monitoring.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-MON-001 is the reconstructed authoritative control standard for monitoring and institutional performance management. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.



# ATA-WP03-NOT-001

## WP-03 Academic Notification, Communication, Escalation, and Deadline Automation Standard

|                       |                                                     |
|-----------------------|-----------------------------------------------------|
| Work Package          | WP-03 - Sprint 2 Enterprise Academic Control System |
| Version               | 1.0.0                                               |
| Document Status       | RECONSTRUCTED_DRAFT                                 |
| Implementation Status | NOT STARTED                                         |
| Verification Status   | NOT PLANNED                                         |
| Acceptance Status     | NOT EVALUATED                                       |
| Corrective Action     | WP03-CA-070                                         |
| Recorded Next Action  | Implement communications                            |

### 1. Purpose

This standard establishes the authoritative institutional controls for notification, communication, and deadline automation within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control templates, recipients, channels, preferences, delivery evidence, reminders, escalations, and deadline controls.

### 2. Mission

The mission of ATA-WP03-NOT-001 is to create a single, controlled, auditable institutional baseline for notification, communication, and deadline automation. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for notification, communication, and deadline automation.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Templates
- Recipients
- Channels
- Preferences
- Delivery evidence
- Reminders
- Escalations
- And deadline controls
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                                         |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                                        |
| Artifact Owner                 | Owns the notification, communication, and deadline automation standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                                        |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                                        |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                                       |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                                          |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                                         |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-NOT-001-REQ-0001: The institution shall maintain a controlled WP-03 Academic Notification, Communication, Escalation, and Deadline Automation Standard.

ATA-WP03-NOT-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-NOT-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-NOT-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-NOT-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-NOT-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-NOT-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-NOT-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-NOT-001: Unique identifiers remain stable and nonduplicative.

TC-NOT-002: Unauthorized or cross-tenant access is denied.

TC-NOT-003: Version history preserves prior approved states.

TC-NOT-004: Invalid status transitions are rejected.

TC-NOT-005: Required approvals block uncontrolled publication or activation.

TC-NOT-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-NOT-007: Backup and restoration preserve governed records and history.

TC-NOT-008: Open critical defects prevent acceptance.

### 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

### 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

### 15. Findings and Defect Classification

| Class            | Meaning                                                                                                                                    |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical    | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major       | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate    | Limited functional, documentation, reporting, or usability deficiency.                                                                     |
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue.                                                                    |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.                                                                      |

### 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management

- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-070

Required next action: Implement communications.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-NOT-001 is the reconstructed authoritative control standard for notification, communication, and deadline automation. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-AUD-001

## WP-03 Academic Audit, Assurance, Evidence, and Institutional Acceptance Standard

|                       |                                                     |
|-----------------------|-----------------------------------------------------|
| Work Package          | WP-03 - Sprint 2 Enterprise Academic Control System |
| Version               | 1.0.0                                               |
| Document Status       | RECONSTRUCTED_DRAFT                                 |
| Implementation Status | NOT STARTED                                         |
| Verification Status   | NOT PLANNED                                         |
| Acceptance Status     | NOT EVALUATED                                       |
| Corrective Action     | WP03-CA-071                                         |
| Recorded Next Action  | Implement audit evidence system                     |

### 1. Purpose

This standard establishes the authoritative institutional controls for audit, assurance, evidence, and acceptance within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control audit universe, evidence, findings, corrective actions, independent verification, acceptance gates, and closure.

### 2. Mission

The mission of ATA-WP03-AUD-001 is to create a single, controlled, auditable institutional baseline for audit, assurance, evidence, and acceptance. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for audit, assurance, evidence, and acceptance.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Audit universe
- Evidence
- Findings
- Corrective actions
- Independent verification
- Acceptance gates
- And closure
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                               |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                              |
| Artifact Owner                 | Owns the audit, assurance, evidence, and acceptance standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                              |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                              |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                             |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                                |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                               |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-AUD-001-REQ-0001: The institution shall maintain a controlled WP-03 Academic Audit, Assurance, Evidence, and Institutional Acceptance Standard.

ATA-WP03-AUD-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-AUD-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-AUD-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-AUD-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-AUD-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-AUD-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-AUD-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

ATA-WP03-AUD-001-REQ-0009: Institutional PASS requires all critical controls verified and no unresolved critical findings.

ATA-WP03-AUD-001-REQ-0010: Audit evidence shall be sufficient, relevant, reliable, traceable, and independently reproducible.

ATA-WP03-AUD-001-REQ-0011: Acceptance decisions shall identify scope, conditions, residual risks, approvers, and evidence.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.



## 12. Verification and Test Requirements

TC-AUD-001: Unique identifiers remain stable and nonduplicative.

TC-AUD-002: Unauthorized or cross-tenant access is denied.

TC-AUD-003: Version history preserves prior approved states.

TC-AUD-004: Invalid status transitions are rejected.

TC-AUD-005: Required approvals block uncontrolled publication or activation.

TC-AUD-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-AUD-007: Backup and restoration preserve governed records and history.

TC-AUD-008: Open critical defects prevent acceptance.

TC-AUD-009: Evidence package reproduces the reviewed conclusion.

TC-AUD-010: Conditional acceptance closes only after independent retest.

## 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

## 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

## 15. Findings and Defect Classification

| Class         | Meaning                                                                                                                                    |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major    | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate | Limited functional, documentation, reporting, or usability deficiency.                                                                     |

|                  |                                                                         |
|------------------|-------------------------------------------------------------------------|
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue. |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.   |

## 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management
- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-071

Required next action: Implement audit evidence system.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | NOT STARTED                                 |
| Verification Status            | NOT PLANNED                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | NOT EVALUATED                               |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-AUD-001 is the reconstructed authoritative control standard for audit, assurance, evidence, and acceptance. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-MAT-001

## WP-03 Academic Traceability Matrix and Requirements Verification Standard

|                       |                                                     |
|-----------------------|-----------------------------------------------------|
| Work Package          | WP-03 - Sprint 2 Enterprise Academic Control System |
| Version               | 1.0.0                                               |
| Document Status       | RECONSTRUCTED_DRAFT                                 |
| Implementation Status | IMPLEMENTED                                         |
| Verification Status   | IN PROGRESS                                         |
| Acceptance Status     | UNDER REVIEW                                        |
| Corrective Action     | WP03-CA-072                                         |
| Recorded Next Action  | Populate master matrix                              |

### 1. Purpose

This standard establishes the authoritative institutional controls for traceability and requirements verification within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control canonical requirements, bidirectional traceability, implementation links, tests, evidence, findings, corrective actions, and baseline control.

### 2. Mission

The mission of ATA-WP03-MAT-001 is to create a single, controlled, auditable institutional baseline for traceability and requirements verification. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for traceability and requirements verification.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Canonical requirements
- Bidirectional traceability
- Implementation links
- Tests
- Evidence
- Findings
- Corrective actions
- And baseline control
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance

## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                               |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                              |
| Artifact Owner                 | Owns the traceability and requirements verification standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                              |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                              |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                             |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                                |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                               |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-MAT-001-REQ-0001: The institution shall maintain a controlled WP-03 Academic Traceability Matrix and Requirements Verification Standard.

ATA-WP03-MAT-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-MAT-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-MAT-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-MAT-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-MAT-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-MAT-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-MAT-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

ATA-WP03-MAT-001-REQ-0009: Every material requirement shall have one unique canonical identifier.

ATA-WP03-MAT-001-REQ-0010: Traceability shall operate forward and backward.

ATA-WP03-MAT-001-REQ-0011: Every approved requirement shall map to an owner, implementation disposition, and verification method.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-MAT-001: Unique identifiers remain stable and nonduplicative.

TC-MAT-002: Unauthorized or cross-tenant access is denied.

TC-MAT-003: Version history preserves prior approved states.

TC-MAT-004: Invalid status transitions are rejected.

TC-MAT-005: Required approvals block uncontrolled publication or activation.

TC-MAT-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-MAT-007: Backup and restoration preserve governed records and history.

TC-MAT-008: Open critical defects prevent acceptance.

TC-MAT-009: Forward and backward traceability both resolve.

TC-MAT-010: Orphaned requirement links are detected.

## 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

## 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

## 15. Findings and Defect Classification

| Class         | Meaning                                                                                                                                    |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major    | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate | Limited functional, documentation, reporting, or usability deficiency.                                                                     |

|                  |                                                                         |
|------------------|-------------------------------------------------------------------------|
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue. |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.   |

## 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management
- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-072

Required next action: Populate master matrix.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | IMPLEMENTED                                 |
| Verification Status            | IN PROGRESS                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | UNDER REVIEW                                |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-MAT-001 is the reconstructed authoritative control standard for traceability and requirements verification. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

# ATA-WP03-VER-001

## WP-03 Master Requirements Verification Matrix

|                       |                                                     |
|-----------------------|-----------------------------------------------------|
| Work Package          | WP-03 - Sprint 2 Enterprise Academic Control System |
| Version               | 1.0.0                                               |
| Document Status       | RECONSTRUCTED_DRAFT                                 |
| Implementation Status | IN BUILD                                            |
| Verification Status   | IN PROGRESS                                         |
| Acceptance Status     | UNDER REVIEW                                        |
| Corrective Action     | WP03-CA-073                                         |
| Recorded Next Action  | Populate and verify all rows                        |

### 1. Purpose

This standard establishes the authoritative institutional controls for master requirements verification within the AI Training Academy. It defines the minimum architecture, governance, records, responsibilities, procedures, verification, and acceptance requirements needed to control controlled matrices, requirement rows, implementation status, verification methods, evidence, findings, CAPA, monitoring, approvals, and acceptance.

### 2. Mission

The mission of ATA-WP03-VER-001 is to create a single, controlled, auditable institutional baseline for master requirements verification. The standard is intended to eliminate ambiguity, conflicting records, uncontrolled local practices, undocumented exceptions, and unsupported acceptance claims.

### 3. Objectives

- Establish one authoritative institutional model for master requirements verification.
- Assign accountable owners, stewards, approvers, reviewers, operators, and independent verifiers.
- Define controlled objects, records, statuses, identifiers, relationships, and lifecycle transitions.
- Create normative requirements that are uniquely identified and traceable.
- Define implementation, verification, evidence, monitoring, and acceptance obligations.
- Preserve historical versions, decisions, exceptions, findings, corrective actions, and audit evidence.
- Prevent operational activation until critical controls are implemented and verified.

### 4. Scope

- Controlled matrices
- Requirement rows
- Implementation status
- Verification methods
- Evidence
- Findings
- Capa
- Monitoring
- Approvals
- And acceptance
- Ownership and authority
- Controlled records and registries
- Status and lifecycle management
- Security, privacy, accessibility, and quality
- Monitoring, evidence, audit, and acceptance



## 5. Governing Principles

- One authoritative source for every governed record.
- Unique identifiers and controlled naming.
- Explicit ownership and decision authority.
- Normative requirements separated from explanatory guidance.
- Least privilege, tenant isolation, and minimum necessary access.
- Versioning, change control, and historical preservation.
- Evidence before verification; verification before acceptance.
- No unresolved critical defect at institutional acceptance.

## 6. Control Architecture

- Authoritative Registry Layer
- Policy and Standard Layer
- Implementation and Service Layer
- Control and Risk Layer
- Verification and Evidence Layer
- Monitoring and Assurance Layer
- Approval, Acceptance, and Records Layer

## 7. Roles and Authorities

| Role                           | Authority                                                                                                                     |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Executive Sponsor              | Provides institutional sponsorship and resolves escalated authority or resource conflicts.                                    |
| Artifact Owner                 | Owns the master requirements verification standard, requirements, lifecycle, implementation disposition, and review calendar. |
| Control Owner                  | Implements and operates assigned controls.                                                                                    |
| Data or Records Steward        | Maintains authoritative records, metadata, quality, retention, and access.                                                    |
| Quality and Assurance Reviewer | Reviews design, implementation, evidence, findings, and corrective actions.                                                   |
| Independent Verifier           | Performs objective inspection, test, analysis, reconciliation, or audit.                                                      |
| Acceptance Authority           | Issues approved, conditional, deferred, or rejected acceptance decisions.                                                     |

## 8. Required Records and Registers

- Artifact and Version Register
- Requirement Register
- Ownership and Authority Register
- Control Register
- Risk Register
- Implementation Register
- Verification and Test Register
- Evidence Register
- Finding Register
- Corrective Action Register
- Monitoring Register
- Approval and Acceptance Register

## 9. Lifecycle and Status Control

The controlled lifecycle shall use defined, nonoverlapping statuses. A typical sequence is:

PROPOSED -> DRAFT -> UNDER REVIEW -> APPROVED -> IMPLEMENTATION -> VERIFICATION -> ACTIVE / ACCEPTED  
-> SUPERSEDED -> RETIRED -> ARCHIVED

Invalid status transitions, retroactive approvals, overwritten history, undocumented exceptions, and acceptance without evidence are prohibited.

## 10. Normative Requirements

ATA-WP03-VER-001-REQ-0001: The institution shall maintain a controlled WP-03 Master Requirements Verification Matrix.

ATA-WP03-VER-001-REQ-0002: Every governed object shall possess a unique canonical identifier, accountable owner, version, status, effective date, and audit history.

ATA-WP03-VER-001-REQ-0003: Normative requirements shall use controlled SHALL, MUST, SHOULD, MAY, and prohibited-action language.

ATA-WP03-VER-001-REQ-0004: Every material requirement shall map to an implementation disposition, control, risk, verification method, test case, evidence object, finding, corrective action, monitoring control, and acceptance decision.

ATA-WP03-VER-001-REQ-0005: Access shall be authenticated, authorized, role scoped, tenant aware, least privileged, and auditable.

ATA-WP03-VER-001-REQ-0006: Material changes shall follow impact analysis, approval, version control, validation, communication, rollback, and archival requirements.

ATA-WP03-VER-001-REQ-0007: Critical defects and unresolved acceptance-blocking findings shall prevent institutional acceptance.

ATA-WP03-VER-001-REQ-0008: Operational use shall require assigned ownership, approved procedures, monitoring, support, backup, recovery, independent verification, and formal acceptance.

ATA-WP03-VER-001-REQ-0009: The verification matrix shall be the authoritative requirement-to-acceptance traceability record.

ATA-WP03-VER-001-REQ-0010: No requirement shall be marked verified without identified evidence and an approved verification result.

ATA-WP03-VER-001-REQ-0011: Baseline freeze shall require source completeness, row reconciliation, independent review, and approval.

## 11. Implementation Requirements

- A controlled implementation plan shall identify components, owners, dependencies, environments, milestones, risks, and acceptance evidence.
- Implementation status shall use approved controlled values and shall not be advanced without supporting evidence.
- Every implementation component shall map to one or more approved requirements and controls.
- Configuration and code shall be version controlled and subject to review, testing, release, and rollback controls.
- Temporary, manual, or compensating controls shall be documented, time limited, monitored, and approved.

## 12. Verification and Test Requirements

TC-VER-001: Unique identifiers remain stable and nonduplicative.

TC-VER-002: Unauthorized or cross-tenant access is denied.

TC-VER-003: Version history preserves prior approved states.

TC-VER-004: Invalid status transitions are rejected.

TC-VER-005: Required approvals block uncontrolled publication or activation.

TC-VER-006: Audit events preserve actor, action, prior state, new state, timestamp, and result.

TC-VER-007: Backup and restoration preserve governed records and history.

TC-VER-008: Open critical defects prevent acceptance.

TC-VER-009: Source counts reconcile to requirement rows.

TC-VER-010: Verification status cannot become VERIFIED without evidence.

## 13. Evidence Requirements

- Approved architecture and standard version
- Ownership and authority assignments
- Implementation records and configuration evidence
- Test plans, test results, and independent review records
- System logs, screenshots, exports, reconciliations, or signed records as applicable
- Findings, defects, exceptions, waivers, and corrective-action closure
- Monitoring dashboards, alerts, review minutes, and trend reports
- Formal approval and acceptance decision

## 14. Monitoring and Metrics

- Requirements implemented and verified
- Open critical and major findings
- Corrective actions overdue
- Evidence completeness
- Control operating effectiveness
- Exceptions and waivers
- Change failure or rework rate
- Review and approval cycle time
- Acceptance eligibility

## 15. Findings and Defect Classification

| Class         | Meaning                                                                                                                                    |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| D1 / Critical | Institutional, security, privacy, legal, accessibility, data-integrity, authority, continuity, or evidence failure that blocks acceptance. |
| D2 / Major    | Material control, implementation, performance, interoperability, or operational deficiency requiring correction.                           |
| D3 / Moderate | Limited functional, documentation, reporting, or usability deficiency.                                                                     |

|                  |                                                                         |
|------------------|-------------------------------------------------------------------------|
| D4 / Minor       | Low-impact formatting, convenience, or noncritical documentation issue. |
| D5 / Observation | Improvement opportunity that does not independently block acceptance.   |

## 16. Required Procedures

- Artifact definition, drafting, review, and approval
- Requirement extraction, decomposition, classification, and identifier assignment
- Implementation planning, ownership assignment, and status management
- Control and risk mapping
- Test planning, evidence collection, and independent verification
- Finding, defect, exception, and corrective-action management
- Change control, versioning, publication, and communication
- Monitoring, operational review, backup, restoration, continuity, and incident response
- Acceptance decision, baseline freeze, retirement, records retention, and archival

## 17. Corrective Action

Corrective Action ID: WP03-CA-073

Required next action: Populate and verify all rows.

Closure requires completed implementation evidence, successful verification, evidence validation, defect closure, monitoring activation, independent retest where required, and approval by the designated authority.

## 18. Acceptance Criteria

- The artifact is formally approved and version controlled.
- Ownership, stewardship, control operation, verification, and acceptance roles are assigned.
- All critical requirements are implemented or have formally approved, time-limited compensating controls.
- Required tests have passed and evidence has been independently validated.
- No unresolved D1 / critical findings remain.
- Security, privacy, accessibility, quality, continuity, and records obligations have been satisfied where applicable.
- Monitoring, support, backup, restoration, and operational procedures are active.
- A formal acceptance decision has been issued and archived.

## 19. Current Determination

|                                |                                             |
|--------------------------------|---------------------------------------------|
| Controlled Artifact Body       | RECONSTRUCTED - ORIGINAL FILE NOT AVAILABLE |
| Draft Status                   | DRAFTED / ACTIVE BUILD AS RECORDED          |
| Implementation Status          | IN BUILD                                    |
| Verification Status            | IN PROGRESS                                 |
| Evidence Status                | INCOMPLETE                                  |
| Acceptance Status              | UNDER REVIEW                                |
| Production / Institutional Use | NOT ELIGIBLE                                |

## 20. Control Statement

ATA-WP03-VER-001 is the reconstructed authoritative control standard for master requirements verification. The existence of local files, spreadsheets, scripts, dashboards, policies, or operational practices shall not be treated as evidence that this standard is implemented, verified, effective, or accepted. Institutional status requires approved source control, implemented requirements, validated evidence, independent verification, closed critical findings, and formal acceptance.

## Appendix A - Cross-Artifact Control Model

- Vocabulary, template, schema, enumeration, identifier, and registry artifacts establish the canonical information model.
- API, security, privacy, accessibility, and AI ethics artifacts establish controlled service and human-use boundaries.
- Quality, legal, risk, continuity, operations, data, integration, analytics, monitoring, and notification artifacts establish institutional operating controls.
- Audit, traceability, and verification artifacts establish evidence, assurance, corrective-action, acceptance, and baseline-freeze controls.
- No artifact family is complete until requirements are extracted, implemented, verified, evidenced, monitored, and accepted.

## Appendix B - Sprint 2 Acceptance Gate

- All 25 artifact bodies available as controlled, versioned, approved sources.
- All normative requirements extracted into the master requirements verification matrix.
- Every requirement assigned an owner, criticality, priority, implementation disposition, verification method, and evidence expectation.
- Implementation, controls, risks, tests, evidence, findings, corrective actions, monitoring, approval, and acceptance links populated.
- All critical controls verified and no unresolved critical findings.
- Independent institutional audit completed.
- Formal acceptance and baseline freeze issued.
- Sprint 3 unlocked only after the formal gate decision.

## Appendix C - Corrective Action Sequence

1. Acquire or export all approved controlled artifact bodies.
2. Validate title, identity, version, completeness, status, and approval evidence.
3. Compute and independently verify source checksums.
4. Extract and decompose all normative requirements.
5. Populate the Master Requirements Verification Matrix.
6. Implement assigned controls and collect evidence.
7. Execute RC-4 and RC-5 verification.
8. Close acceptance-blocking findings through independent retest.
9. Freeze the requirements and evidence baseline.
10. Conduct institutional audit and issue PASS / FAIL.

## Final Controlled Determination

**SPRINT 2 ARTIFACT REGISTER: COMPLETE**

**SPRINT 2 FULL CONTROLLED RECONSTRUCTION: COMPLETE**

**ORIGINAL CONTROLLED SOURCE BODIES: NOT AVAILABLE**

**IMPLEMENTATION: INCOMPLETE**

**INDEPENDENT VERIFICATION: INCOMPLETE**

**INSTITUTIONAL ACCEPTANCE: NOT ELIGIBLE**