

PRAKTIKUM DATA LAKEHOUSE

MODUL 8


Lab: Storing and Analyzing Data by Using Amazon Redshift

Nama : Setiawan Rizky Putra Wicaksono

Nim : 235410019

Kelas : Informatika-1

LANGKAH-LANGKAH



Lab: Storing and Analyzing Data | Roles | IAM | Global

us-east-1.console.aws.amazon.com/iam/home?region=us-east-1#/roles

Account ID: 5280-3559-2151
voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

Identity and Access Management (IAM)

Search IAM

- Dashboard
- Access management
 - User groups
 - Users
 - Roles**
 - Policies
 - Identity providers
 - Account settings
 - Root access management
- Access reports
 - Access Analyzer
 - Resource analyzer

Roles (18)

An IAM role is an identity you can create that has specific permissions with credentials that are valid for short durations. Roles can be assumed by entities that you trust.

Search

☐	Role name	Trusted entities	Last activity
☐	AWSServiceRoleForAPIGateway	AWS Service: ops.apigateway (Service-Linked Role)	-
☐	AWSServiceRoleForAutoScaling	AWS Service: autoscaling (Service-Linked Role)	184 days ago
☐	AWSServiceRoleForAWSCloud9	AWS Service: cloud9 (Service-Linked Role)	6 minutes ago
☐	AWSServiceRoleForCloudWatchEvents	AWS Service: events (Service-Linked Role)	-
☐	AWSServiceRoleForElasticCache	AWS Service: elasticache (Service-Linked Role)	-
☐	AWSServiceRoleForElasticLoadBalancing	AWS Service: elasticloadbalancing (Service-Linked Role)	184 days ago
☐	AWSServiceRoleForOrganizations	AWS Service: organizations (Service-Linked Role)	-
☐	AWSServiceRoleForRDS	AWS Service: rds (Service-Linked Role)	184 days ago

https://us-east-1.console.aws.amazon.com/iam/home?region=us-east-1#/roles

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Lab: Storing and Analyzing Data | MyRedshiftRole | IAM | Global

us-east-1.console.aws.amazon.com/iam/home?region=us-east-1#/roles/details/MyRedshiftRole

Account ID: 5280-3559-2151
voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

Identity and Access Management (IAM)

Search IAM

- Dashboard
- Access management
 - User groups
 - Users
 - Roles**
 - Policies
 - Identity providers
 - Account settings
 - Root access management
- Access reports
 - Access Analyzer
 - Resource analyzer

MyRedshiftRole

Summary

Creation date
November 12, 2025, 11:13 (UTC+07:00)

Last activity
-

ARN copied
arn:aws:iam::528035592151:role/MyRedshiftRole

Maximum session duration
1 hour

Permissions Trust relationships Tags (1) Last Accessed Revoke sessions

Permissions policies (2)

You can attach up to 10 managed policies.

Simulate Remove Add permissions



Filter by Type
All types

☐	Policy name	Type	Attached entities
--------------------------	-------------	------	-------------------

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

11:21 12/11/2025



Redshift - Create cluster

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#/create-cluster

Amazon Redshift

Redshift Serverless

Provisioned clusters dashboard

Clusters

- Reserved nodes
- Snapshots

Query editor

Query editor v2

Query and database monitoring

Datashares

Integrations

Create an IAM role as the default for this cluster that has the [AmazonRedshiftAllCommandsFullAccess](#) policy attached. This policy includes permissions to run SQL commands to COPY, UNLOAD, and query data with Amazon Redshift. The policy also grants permissions to run SELECT statements for related services, such as Amazon S3, Amazon CloudWatch logs, Amazon SageMaker, and AWS Glue.

Associated IAM roles (1) [Info](#)

Set default Actions Associate IAM roles Create IAM role

Create, associate, or remove an IAM role. You can associate up to 50 IAM roles. You can also choose an IAM role and set it as the default for this cluster.

Find associated iam roles

☐	IAM roles	Status	Role ty
☐	MyRedshiftRole	Not applied	--

Additional configurations Use defaults

These configurations are optional, and default settings have been defined to help you get started with your cluster. Turn off "Use defaults" to modify these settings now.

Redshift - Clusters

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#/clusters

Amazon Redshift

Redshift Serverless

Provisioned clusters dashboard

Clusters

- Reserved nodes
- Snapshots

Query editor

Query editor v2

Query and database monitoring

Datashares

Integrations

You can now register your Redshift table definitions to AWS Glue Data Catalog, making them accessible from other query engines such as EMR Serverless, Athena and other Redshift data warehouses. To get started registering a namespace, select a Redshift provisioned cluster from the Clusters, then select "Register with AWS Glue Data Catalog" from the Actions menu.

Learn more

Query data

ODBC drivers.

Cluster

redshift-cluster-1

Copy JDBC URL

Copy ODBC URL

Driver

JDBC 4.2 without AWS SDK (.jar)

Download driver

Clusters (1) [Info](#)

Query data Actions Create cluster

Find clusters

☐	Cluster	Status	Cluster namespace	Average query dura...	Average nu
☐	redshift-cluster-1 ra3.large 2 nodes 16 TB	Creating	421228f1-1c9a-42b9-...		

Redshift - Cluster details

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#/cluster-details?cluster=redshift-cluster-1

Amazon Redshift

Redshift Serverless

Provisioned clusters dashboard

Clusters

Reserved nodes

Snapshots

Query editor

Query editor v2

Query and database monitoring

Datashares

Integrations

You can now register your Redshift table definitions to AWS Glue Data Catalog, making them accessible from other query engines such as EMR Serverless, Athena and other Redshift data warehouses. To get started registering a namespace, select a Redshift provisioned cluster from the Clusters, then select "Register with AWS Glue Data Catalog" from the Actions menu.

Learn more

Amazon Redshift > Clusters > redshift-cluster-1

redshift-cluster-1

Actions Edit Add partner integration Query data

General information

Cluster identifier	Status	Node type	Endpoint
redshift-cluster-1	Modifying	ra3.large	-
Custom domain name	Date created	Number of nodes	JDBC URL
-	-	2	-
Cluster namespace ARN	Multi-AZ	Patch version	ODBC URL
arn:aws:redshift:us-east-1:528035592151:namespace:421228f1-1c9a-42b9-819f-129715c1717c	No	-	-

Security groups | EC2 | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#SecurityGroups:

Amazon Web Services

Search

[Alt+S]

United States (N. Virginia)

Account ID: 5280-3559-2151

voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

EC2 > Security Groups

Capacity Manager

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

Network & Security

Security Groups

Elastic IPs

Placement Groups

Key Pairs

Network Interfaces

Load Balancing

Load Balancers

Target Groups

Security Groups (3)

Find security groups by attribute or tag

☐	Name	Security group ID	Security group name	VPC ID
☐	-	sg-0ba6bf258401cfc56	default	vpc-046c49f9ba9a7086b
☐	aws-cloud9-Cloud9-I...	sg-0ba976c5dad33aa4c	aws-cloud9-Cloud9-Instance-029c6463...	vpc-0ab3ed26185cd0bdd
☐	-	sg-0ea1a0e6cd4f4634f	default	vpc-0ab3ed26185cd0bdd

Select a security group

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

SecurityGroup | EC2 | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#SecurityGroup:groupId=sg-01474a996bf9753b0

Account ID: 5280-3559-2151
voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

EC2 > Security Groups > sg-01474a996bf9753b0 - Redshift security group

Capacity Manager [New](#)

▼ Images
AMIs
AMI Catalog

▼ Elastic Block Store
Volumes
Snapshots
Lifecycle Manager

▼ Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces

▼ Load Balancing
Load Balancers
Target Groups

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

11:43 12/11/2025

Security group (sg-01474a996bf9753b0 | Redshift security group) was created successfully

Details

Security group name Redshift security group	Security group ID sg-01474a996bf9753b0	Description Security group for my Redshift cluster	VPC ID vpc-046c49f9ba9a7086b
Owner 528035592151	Inbound rules count 1 Permission entry	Outbound rules count 1 Permission entry	

Inbound rules | Outbound rules | Sharing - new | VPC associations - new | Tags

Inbound rules (1)

Name	Security group rule ID	IP version	Type	Protocol	Port
-	sgr-0b7dd40e0afd2b4b9	IPv4	Redshift	TCP	5432

Redshift - Clusters

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#/clusters

Amazon Redshift

Redshift Serverless

Provisioned clusters dashboard

▼ Clusters
Reserved nodes
Snapshots

Query editor
Query editor v2
Query and database monitoring [New](#)

Datashares

▼ Integrations

You can now register your Redshift table definitions to AWS Glue Data Catalog, making them accessible from other query engines such as EMR Serverless, Athena and other Redshift data warehouses. To get started registering a namespace, select a Redshift provisioned cluster from the Clusters, then select "Register with AWS Glue Data Catalog" from the Actions menu. [Learn more](#)

Query data

Cluster: redshift-cluster-1

Copy JDBC URL

Copy ODBC URL

Driver: JDBC 4.2 without AWS SDK (.jar)

Download driver

Clusters (1) Info

Cluster	Status	Cluster namespace	Average query dura...	Average nu...
redshift-cluster-1 ra3.large 2 nodes 15.3 TB	Available	421228f1-1c9a-42b9-...		

Redshift - Cluster details

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#/cluster-details?cluster=redshift-cluster-1&tab=properties

You can now register your Redshift table definitions to AWS Glue Data Catalog, making them accessible from other query engines such as EMR Serverless, Athena and other Redshift data warehouses. To get started registering a namespace, select a Redshift provisioned cluster from the Clusters, then select "Register with AWS Glue Data Catalog" from the Actions menu. [Learn more](#)

Amazon Redshift

Redshift Serverless

Provisioned clusters dashboard

Clusters

- Reserved nodes
- Snapshots

Query editor

Query editor v2

Query and database monitoring

Datashares

Integrations

Database configurations

Database name: dev

Port: 5439

Admin user name: awsuser

Parameter group: default.redshift-2.0

Encryption: Enabled

Audit logging: Disabled

SSH ingestion setting (cluster public key): ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQACcJsaxtVG8wg8IA9i52rkhleHmQK1WGH/+6EnQxfz9IYqjMw/NuwoA3dcZMc3AtOaEEn1kiDQ0dDaixlI2f/+H/JD8GxZXPLkGPWX8lklNemwTUExG5FHads9LyKgvaCYdePTIPaLhLazr31ltE5E6wDZsTdl9

11:49 12/11/2025

Redshift - Edit network security

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#/edit-network-security?cluster=redshift-cluster-1

Amazon Redshift

Redshift Serverless

Provisioned clusters dashboard

Clusters

- Reserved nodes
- Snapshots

Query editor

Query editor v2

Query and database monitoring

Datashares

Integrations

Edit network and security for redshift-cluster-1

Virtual private cloud (VPC)

This VPC defines the virtual networking environment for this cluster.

vpc-046c49f9ba9a7086b

VPC security groups

This VPC security group defines which subnets and IP ranges the cluster can use in the VPC. For more information, see [Learn more about Redshift clusters security groups](#).

Choose one or more security groups

default sg-0ba6bf258401cfc56

Redshift security group sg-01474a996bf9753b0

Availability Zone

Specify the Availability Zone to create the cluster in. Otherwise, Amazon Redshift chooses an Availability Zone for you.

No preference

11:51 12/11/2025

Amazon Redshift | us-east-1

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#/cluster-details?cluster=redshift-cluster-1&tab=properties

Account ID: 5280-3559-2151
voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

You can now register your Redshift table definitions to AWS Glue Data Catalog, making them accessible from other query engines such as EMR Serverless, Athena and other Redshift data warehouses. To get started registering a namespace, select a Redshift provisioned cluster from the Clusters, then select "Register with AWS Glue Data Catalog" from the Actions menu. [Learn more](#)

Amazon Redshift > Clusters > redshift-cluster-1

redshift-cluster-1

Actions Edit Add partner integration Query data

General information Info

Cluster identifier redshift-cluster-1	Status Available	Node type ra3.large	Endpoint redshift-cluster-1.c9dlsogzyo6s.us-east-1.redshift.amazonaws.com:5439/dev
Custom domain name -	Date created November 12, 2025, 11:36 WIB	Number of nodes 2	JDBC URL jdbc:redshift://redshift-cluster-1.c9dlsogzyo6s.us-east-1.redshift.amazonaws.com:5439/dev
Cluster namespace ARN arn:aws:redshift:us-east-	Multi-AZ No	Patch version Patch 195	ODBC URL Driver={Amazon Redshift (x64)};

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 11:55 12/11/2025

Redshift - Query editor

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#/query-editor?cluster=redshift-cluster-1

Account ID: 5280-3559-2151
voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

Amazon Redshift > Query editor

Editor Query history Saved queries Scheduled queries

Connect to a database to run queries and view results.

Resources Info

Select database Info
To view schemas, select a database.

Select schema Info
To view tables, select a schema.

Filter tables

Query 1

Status - database - user - Connect to database

1

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 11:55 12/11/2025

Redshift - Query editor

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#/query-editor?cluster=redshift-cluster-1

Account ID: 5280-3559-2151
voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

Resources info

Select database info
To view schemas, select a database.
dev

Select schema info
To view tables, select a schema.
public

Filter tables
No resources
No resources to display

Status: Connected
database dev user awsuser
Change connection

Query 1

```
1 create table users(  
2     userid integer not null distkey sortkey,  
3     username char(8),  
4     city varchar(30),  
5     state char(2),  
6     likesports boolean,  
7     liketheatre boolean,  
8     likeconcerts boolean,  
9     likejazz boolean,  
10    likeclassical boolean,  
11    likeopera boolean,  
12    likerock boolean,  
13    likevegas boolean,  
14    ... )
```

Run Save Schedule Clear

Send feedback

Query results Table details

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:00 12/11/2025

Amazon Redshift | us-east-1

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#/query-editor

Account ID: 5280-3559-2151
voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

Select database info
To view schemas, select a database.
dev

Select schema info
To view tables, select a schema.
public

Filter tables
date
sales
users

Query 1 Query 2 Query 3

```
1 create table date(  
2     dateid smallint not null distkey sortkey,  
3     caldate date not null,  
4     day character(3) not null,  
5     week smallint not null,  
6     month character(5) not null,  
7     qtr character(5) not null,  
8     year smallint not null,  
9     holiday boolean default('N'));
```

Run Save Schedule Clear

Send feedback

Query results Table details

Query Execution Data Visualize

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:02 12/11/2025

Amazon Redshift | us-east-1

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#query-editor:

Account ID: 5280-3559-2151
voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

Select database Info
To view schemas, select a database.
dev

Select schema Info
To view tables, select a schema.
public

Filter tables

date sales users

Query 1 Query 2 Query 3

```
1 create table sales(  
2 salesid integer not null,  
3 listid integer not null distkey,  
4 sellerid integer not null,  
5 buyerid integer not null,  
6 eventid integer not null,  
7 dateid smallint not null sortkey,  
8 qty sold smallint not null,  
9 pricepaid decimal(8,2),  
10 commission decimal(8,2),  
11 saletime timestamp);
```

Run Save Schedule Clear

Send feedback

Query results Table details

Query

Execution Data Visualize

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:03 12/11/2025

Amazon Redshift | us-east-1

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#query-editor:

Account ID: 5280-3559-2151
voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

Resources Info

Select database Info
To view schemas, select a database.
dev

Select schema Info
To view tables, select a schema.
public

Filter tables

date sales users

Status Connected database dev user awsuser Change connection

Query 1 Query 2 Query 3 Query 4

```
1 copy users from 's3://aws-to-largeobjects/CUR-TF-200-ACDSCI-1/Lab4/allusers_tab.txt'  
2 credentials 'aws_iam_role=arn:aws:iam::528035592151:role/MyRedshiftRole'  
3 delimiter '\t' region 'us-west-2';
```

Run Save Schedule Clear

Send feedback

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:24 12/11/2025

Amazon Redshift | us-east-1

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#query-editor:

Account ID: 5280-3559-2151
voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

Search rows

userid	username	city	state	likesports	liketheatre	likeconcert
2	PGL08LJI	Murfreesboro	SK			
4	XDZ38RDD	Omaha	AB	false	true	
7	OWY35QYB	Moultrie	WV			
9	MSD36KVR	Port Orford	MD	true	false	
10	WKW41AIW	Waterbury	MB	false	false	false
16	ZMG93CDD	Hot Springs	BC		true	true
18	VDP05MXU	Kokomo	WY		true	true
19	CXQ97IWP	Lomita	NT		false	true
25	IFJ28JVS	Florence	NU		false	false
29	HUH27PKK	Garland	PE		false	

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:24 12/11/2025

Amazon Redshift | us-east-1

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#query-editor:

Account ID: 5280-3559-2151
voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

Resources info

Select database Info
To view schemas, select a database.
dev

Select schema Info
To view tables, select a schema.
public

Filter tables

1

date ...

sales ...

users ...

Status: Connected database: dev user: awsuser

Change connection

Query 1 Query 2 Query 3 Query 4 Query 5

```
1 copy date from 's3://aws-tc-largeobjects/CUR-TF-200-ACDSCI-1/Lab4/date2008_pipe.txt'
2 credentials 'aws_iam_role=arn:aws:iam::528035592151:role/MyRedshiftRole'
3 delimiter '|' region 'us-west-2';
```

Run Save Schedule Clear

Send feedback

Query results Table details

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:35 12/11/2025

Amazon Redshift | us-east-1

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#query-editor:

Account ID: 5280-3559-2151
voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

Select database Info
To view schemas, select a database.
dev

Select schema Info
To view tables, select a schema.
public

Filter tables

1 >

date ...
sales ...
users ...

```
1 copy sales from 's3://aws-to-largeobjects/CUR-TF-200-ACDSCI-1/Lab4/sales_tab.txt'  
2 credentials 'aws_iam_role=arn:aws:iam::528035592151:role/MyRedshiftRole'  
3 delimiter '\t' timeformat 'MM/DD/YYYY HH:MI:SS' region 'us-west-2';
```

Run Cancel Save Schedule Clear

Send feedback

Query results Table details

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:39 12/11/2025

Amazon Redshift | us-east-1

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#query-editor:

Account ID: 5280-3559-2151
voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

Search rows

1 >

userid	username	city	state	likesport	liketheatre	likeconcert
2	PGL08LJI	Murfreesboro	SK			
4	XDZ38RDD	Omaha	AB	false	true	
7	OWY35QYB	Moultrie	WV			
9	MSD36KVR	Port Orford	MD	true	false	
10	WKW41AIW	Waterbury	MB	false	false	false
16	ZMG93CDD	Hot Springs	BC		true	true
18	VDP05MXU	Kokomo	WY		true	true
19	CXQ97IWP	Lomita	NT		false	true
25	IFJ28JVS	Florence	NU		false	false
29	HUH27PKK	Garland	PE		false	

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:40 12/11/2025

Amazon Redshift | us-east-1

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#query-editor:

Account ID: 5280-3559-2151
voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

Resources info

Select database Info
To view schemas, select a database.
dev

Select schema Info
To view tables, select a schema.
public

Filter tables

1

date
sales
users

Query 1 X Query 2 X Query 3 X Query 4 X Query 7 X +

```
1 SELECT sum(qtysold)
2 FROM sales, date
3 WHERE sales.dateid = date.dateid
4 AND caldate = '2008-01-05';
```

Run Save Schedule Clear

Send feedback

Query results Table details

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

ENG IN 12/11/2025

Query 3903

Execution Data Visualize

Completed, started on November 12, 2025 at 12:41:55
ELAPSED TIME: 00 m 02 s

Rows returned (1)

Export

Search rows

1

sum
210

Amazon Redshift | us-east-1

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#query-editor:

Account ID: 5280-3559-2151
voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

Resources info

Select database info
To view schemas, select a database.
dev

Select schema info
To view tables, select a schema.
public

Filter tables

date sales users

Query 1 Query 2 Query 3 Query 4 Query 8

```
1 SELECT username, total_quantity
2 FROM
3 (SELECT buyerid, sum(qtysold) total_quantity
4 FROM sales
5 GROUP BY buyerid
6 ORDER BY total_quantity desc limit 10) Q, users
7 WHERE Q.buyerid = userid
8 ORDER BY Q.total_quantity desc;
```

Run Save Schedule Clear

Send feedback

Query results Table details

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:43 12/11/2025

Amazon Redshift | us-east-1

us-east-1.console.aws.amazon.com/redshiftv2/home?region=us-east-1#query-editor:

Account ID: 5280-3559-2151
voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

username	total_quantity
CNF70VPH	67
EDB46JXK	64
KTV94TWB	64
CBC51API	63
XJN46RCL	60
HZP985GB	60
IQS59DPH	60
FLU35WSS	60
UHD90WNY	60
BBG56AKU	60

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:43 12/11/2025

AWS Cloud9

us-east-1.console.aws.amazon.com/cloud9control/home?region=us-east-1#

Account ID: 5280-3559-2151
voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_W...

Search [Alt+S]

United States (N. Virginia)

Environments

AWS Cloud9

My environments
Shared with me
All account environments

Documentation

For capabilities similar to AWS Cloud9, explore AWS Toolkits in your own IDE and AWS CloudShell in the AWS Management Console. [Learn more](#)

Environments (1) [Delete](#) [View details](#) [Open in Cloud9](#) [Create environment](#)

My environments

	Name	Cloud9 IDE	Environment type	Connection	Permission	Owner ARN
☐	Cloud9 Instance	Open	EC2 instance	Secure Shell (SSH)	Owner	arn:aws:sts::528035592151:assumed-role/voclabs/user3499726-SETIAWAN_RIZKY_PUTRA_WICAKSONO

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

AWS Cloud9

Cloud9 Instance - AWS Cloud9

us-east-1.console.aws.amazon.com/cloud9/ide/029c64639fee4626b85c4a5bc7d2a928?region=us-east-1

File Edit Find View Go Run Tools Window Support Preview Run

Go to Anything (Ctrl-P)

Cloud9 Instance -
c9
README.md

aws

Welcome

Developer Tools



AWS Cloud9

aws -ip-10-16-10-35.ec2 x Immediate

```
voclabs:~/environment $ aws redshift-data execute-statement --region us-east-1 --db-user awsuser --cluster-identifier redshift-cluster-1 --database dev --sql "select * from users limit 1"
{
  "ClusterIdentifier": "redshift-cluster-1",
  "ClusterIdentifier": "redshift-cluster-1",
  "ClusterIdentifier": "redshift-cluster-1",
  "ClusterIdentifier": "redshift-cluster-1",
  "CreatedAt": "2025-11-12T05:47:40.985000+00:00",
  "Database": "dev",
  "DbUser": "awsuser",
  "Id": "eada918c-7c03-4b28-ae5f-30a2329391ae"
}
```

AWS: profile: default

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



us-east-1.console.aws.amazon.com/cloudformation/home?region=us-east-1#/stacks/outputs?filteringText=&filteringStatus=active&viewNested=true&stack=...

CloudFormation > Stacks > c182838a4709670112613222t1w528035592151

Stacks

- Stack details
- Drifts
- StackSets
- Exports
- Infrastructure Composer
- laC generator
- Hooks overview
- Invocation summary [New](#)
- Hooks

Registry

Stacks

- aws-cloud9-Cloud9-Instance-029c64639fee4626b85c4a5bc7d2a928
2025-11-12 11:14:08 UTC+0700
CREATE_COMPLETE
- c182838a4709670112613222t1w528035592151
2025-11-12 11:13:43 UTC+0700
CREATE_COMPLETE

Search outputs

Key	Value	Description
BucketName	fa1fca50-bf7d-11f0-a4a0-126fd440457d	-
MarysAccessKey	AKIAV4K7W7L47T3VVNF	-
MarysSecretAccessKey	GOgFV5+stE6ewibPq92AcIdDwJTs5tj0Epe4BA6	-
PaulosAccessKey	AKIAV4K7W7LYE2RCHG6	-
PaulosSecretAccessKey	nviStCMVFijt33Fij5kYfHfQkUe/OLRqTBJAGRaD	-
RedshiftRole	MyRedshiftRole	-

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

```
voclabs:~/environment $ AK=AKIAV4K7W7L47T3VNF
voclabs:~/environment $ SAK=GOgFV5+stE6ewibPq92AcIdDwJTs5tj0Epe4BA6
voclabs:~/environment $ AWS_ACCESS_KEY_ID=$AK AWS_SECRET_ACCESS_KEY=$SAK aws redshift-data execute-statement --region us-east-1 --db-user awsuser --cluster-ident
ifier redshift-cluster-1 --database dev --sql "select * from users limit 1"
{
  "ClusterIdentifier": "redshift-cluster-1",
  "CreatedAt": "2025-11-12T05:54:21.763000+00:00",
  "Database": "dev",
  "DbUser": "awsuser",
  "Id": "21cf5d33-87b0-4bc9-a285-55b8da7e378e"
}
```

AWS Cloud9 x Cloud9 Instance - AWS Cloud9 x

us-east-1.console.aws.amazon.com/cloud9/ide/029c64639fee4626b85c4a5bc7d2a928?region=us-east-1

File Edit Find View Go Run Tools Window Support Preview Run Share

Go to Anything (Ctrl-P)

Cloud9 Instance - c9 README.md

1 AWS_ACCESS_KEY_ID=\$AK AWS_SECRET_ACCESS_KEY=\$SAK aws redshift-data get-statement-result --id 21cf5d33-87b0-4bc9-a285-55b8da7e378e --region us-east-1

(150 Bytes) 1:151 Text Spaces: 4

```
bash - Tip-10-16-10-35 ec x Immediate x
{
  "nullable": 1,
  "Records": [
    [
      {
        "longValue": 5
      },
      {
        "stringValue": "AEBSSQTH"
      },
      {
        "stringValue": "Forest Lake"
      },
      {
        "stringValue": "NS"
      }
    ]
  ]
}
```

AWS: profile default

13:00 12/11/2025

Lab: Storing and Analyzing Data

awsacademy.instructure.com/courses/140330/modules/items/13545588

School

Account

SETIAWAN RIZKY PUTRA WICAKSONO

Logout

Dashboard

Courses

Calendar

Inbox

History

Help

Notifications

Files

Settings

ePortfolios

Create a Class

QR for Mobile Login

Global Announcements

Accessibility Settings

☒ Use High Contrast UI

☒ Use a Dyslexia Friendly Font

Submission Report

[Executed at: Tue Nov 11 22:01:45 PST 2025]

gradeFile = /mnt/vowork2/grades/eee_0_2538066/asn4709669_4/asn4709670_1/tmp/temp_wf_11112025/.2pe70A
reportFile = /mnt/vowork2/grades/eee_0_2538066/asn4709669_4/asn4709670_1/tmp/temp_wf_11112025/.30B101
/mnt/vowork2/grades/eee_0_2538066/asn4709669_4/asn4709670_1/tmp/temp_wf_11112025/.2pe70A
Started: 2025-11-11 22:01:39
region: us-east-1
profile: default

Evaluating TASK 2 - Cluster created
cluster found? True
Found cluster with ClusterIdentifier: redshift-cluster-1
node type : ra3.large
numNodes : 2
role assigned to cluster : arn:aws:iam::52803592151:role/MyRedshiftRole
VPC security groups: [{"VpcSecurityGroupId": "sg-01474a996b9752b01", "Status": "active"}]
Task 2 - Success: A Redshift cluster was found.

Evaluating TASK 2b - Security group associated

In this lab, you will learn how to implement a Redshift cluster as part of your analytics pipeline. You will retrieve data from a dataset that is stored in Amazon S3, extract the data to a Redshift database, and then query the data for analysis.

After completing this lab, you should be able to do the following:

- Review an AWS Identity and Access Management (IAM) role's permissions to access and configure Amazon Redshift.
- Create and configure a Redshift cluster.
- Create a security group for a Redshift cluster.

Next

Search

ENG IN

13.02 12/11/2025

Lab: Storing and Analyzing Data

awsacademy.instructure.com/courses/140330/modules/items/13545588

School

Account

SETIAWAN RIZKY PUTRA WICAKSONO

Logout

Dashboard

Courses

Calendar

Inbox

History

Help

Notifications

Files

Settings

ePortfolios

Create a Class

QR for Mobile Login

Global Announcements

Accessibility Settings

☒ Use High Contrast UI

☒ Use a Dyslexia Friendly Font

Storing and Analyzing Data by Using Amazon Redshift

Lab overview and objectives

Of the members of the data science team, Mary most often works with large datasets and columnar data stores. You have decided to explore using Amazon Redshift for your next proof of concept (POC) to address these use cases for her.

You ask Mary if she has a sample dataset that you can use for your POC. She suggests that you use a large music ticket sales dataset that she has worked with before. The dataset is available from a public Amazon Simple Storage Service (Amazon S3) bucket.

Data analysts often work with large datasets. For example, some data warehouses can contain multiple petabytes of data, and data lakes can be even larger. Amazon Redshift is designed to handle large datasets. Unlike traditional relational database management systems, Amazon Redshift uses columnar data storage. Columnar storage improves query performance and saves on storage costs.

In this lab, you will learn how to implement a Redshift cluster as part of your analytics pipeline. You will retrieve data from a dataset that is stored in Amazon S3, extract the data to a Redshift database, and then query the data for analysis.

After completing this lab, you should be able to do the following:

00:26

Start Lab

End Lab

AWS Details

Details

Submit

Submission Report

Grades

Total score	30/30
TASK 2 - Cluster created	5/5
TASK 2b - Security group associated	5/5
TASK 3 - Tables created and data loaded	5/5
TASK 4 - Table data queried	5/5
TASK 5 - Queried by using the AWS CLI	5/5
TASK 7 - IAM user queried data	5/5

Next

Search

ENG IN

13.03 12/11/2025