

# Joint Super-Resolution and Optical Flow Estimation

Sebastian Kümper, Philipp Krueger, Jonas Sticha

Technische Universität München  
Department of Informatics  
Computer Vision Group

October 6th, 2015



## Outline



## Outline



## Introduction

- Super-Resolution
  - Example Pictures



## Introduction


- Optical Flow Estimation
  - Example Pictures



## Outline

# Energy Minimization Approach

Input Images:




Alternating Optimization:

$$v^{k+1} \leftarrow \underset{v}{\operatorname{argmin}} E(u^k, v)$$

$$u^{k+1} \leftarrow \underset{u}{\operatorname{argmin}} E(u, v^{k+1})$$

# Energy Minimization Approach

Input Images:



Alternating Optimization:


$$v^{k+1} \leftarrow \underset{v}{\operatorname{argmin}} E(u^k, v)$$

$$u^{k+1} \leftarrow \underset{u}{\operatorname{argmin}} E(u, v^{k+1})$$



# Energy Minimization Approach

Input Images:




Alternating Optimization:

$$v^{k+1} \leftarrow \underset{v}{\operatorname{argmin}} E(u^k, v)$$

$$u^{k+1} \leftarrow \underset{u}{\operatorname{argmin}} E(u, v^{k+1})$$

# Energy Minimization Approach

Input Images:




Alternating Optimization:

$$v^{k+1} \leftarrow \underset{v}{\operatorname{argmin}} E(u^k, v)$$

$$u^{k+1} \leftarrow \underset{u}{\operatorname{argmin}} E(u, v^{k+1})$$

# Energy Minimization Approach

Input Images:




Alternating Optimization:

$$v^{k+1} \leftarrow \underset{v}{\operatorname{argmin}} E(u^k, v)$$

$$u^{k+1} \leftarrow \underset{u}{\operatorname{argmin}} E(u, v^{k+1})$$

# Energy Minimization Approach

Input Images:



Alternating Optimization:

$$v^{k+1} \leftarrow \underset{v}{\operatorname{argmin}} E(u^k, v)$$

$$u^{k+1} \leftarrow \underset{u}{\operatorname{argmin}} E(u, v^{k+1})$$

## Flow Field Energy

- Optical Flow Constraint:  $u_i(x) \stackrel{!}{=} u_{i+1}(x + v_i(x))$   
→ minimize  $\|u_t - \nabla u^T \cdot v\|_1$
- Total Variation:  $TV(v)$

$$E_{flow}(v) = \gamma \|u_t - \nabla u^T \cdot v\|_1 + TV(v)$$

## Flow Field Energy

- Optical Flow Constraint:  $u_i(x) \stackrel{!}{=} u_{i+1}(x + v_i(x))$   
→ minimize  $\|u_t - \nabla u^T \cdot v\|_1$
- Total Variation:  $TV(v)$

$$E_{flow}(v) = \gamma \|u_t - \nabla u^T \cdot v\|_1 + TV(v)$$

## Flow Field Energy

- Optical Flow Constraint:  $u_i(x) \stackrel{!}{=} u_{i+1}(x + v_i(x))$   
→ minimize  $\|u_t - \nabla u^T \cdot v\|_1$
- Total Variation:  $TV(v)$

$$E_{flow}(v) = \gamma \|u_t - \nabla u^T \cdot v\|_1 + TV(v)$$

## Flow Field Energy

- Optical Flow Constraint:  $u_i(x) \stackrel{!}{=} u_{i+1}(x + v_i(x))$   
→ minimize  $\|u_t - \nabla u^T \cdot v\|_1$
- Total Variation:  $TV(v)$

$$E_{flow}(v) = \gamma \|u_t - \nabla u^T \cdot v\|_1 + TV(v)$$



## Flow Field Energy

- Optical Flow Constraint:  $u_i(x) \stackrel{!}{=} u_{i+1}(x + v_i(x))$   
→ minimize  $\|u_t - \nabla u^T \cdot v\|_1$
- Total Variation:  $TV(v)$

$$E_{flow}(v) = \gamma \|u_t - \nabla u^T \cdot v\|_1 + TV(v)$$

# Super-Resolution Energy

- Super-Resolution

→ minimize:  $\|Au - f\|_1$

- Optical Flow Constraint

→ minimize:  $\|u_t - \nabla u^T \cdot v\|_1$

- Total Variation:  $TV(u)$

$$E_{super}(u) = \alpha \|Au - f\|_1 + \beta TV(u) + \gamma \|u_t - \nabla u^T \cdot v\|_1$$

# Super-Resolution Energy

- Super-Resolution

→ minimize:  $\|Au - f\|_1$

- Optical Flow Constraint

→ minimize:  $\|u_t - \nabla u^T \cdot v\|_1$

- Total Variation:  $TV(u)$

$$E_{\text{super}}(u) = \alpha \|Au - f\|_1 + \beta TV(u) + \gamma \|u_t - \nabla u^T \cdot v\|_1$$

# Super-Resolution Energy

- Super-Resolution

→ minimize:  $\|Au - f\|_1$

- Optical Flow Constraint

→ minimize:  $\|u_t - \nabla u^T \cdot v\|_1$

- Total Variation:  $TV(u)$

$$E_{super}(u) = \alpha \|Au - f\|_1 + \beta TV(u) + \gamma \|u_t - \nabla u^T \cdot v\|_1$$



# Super-Resolution Energy

- Super-Resolution

→ minimize:  $\|Au - f\|_1$

- Optical Flow Constraint

→ minimize:  $\|u_t - \nabla u^T \cdot v\|_1$

- Total Variation:  $TV(u)$

$$E_{\text{super}}(u) = \alpha \|Au - f\|_1 + \beta TV(u) + \gamma \|u_t - \nabla u^T \cdot v\|_1$$



# Super-Resolution Energy

- Super-Resolution

→ minimize:  $\|Au - f\|_1$

- Optical Flow Constraint

→ minimize:  $\|u_t - \nabla u^T \cdot v\|_1$

- Total Variation:  $TV(u)$

$$E_{super}(u) = \alpha \|Au - f\|_1 + \beta TV(u) + \gamma \|u_t - \nabla u^T \cdot v\|_1$$

## Total Energy

$$E_{\text{flow}}(v) = \gamma \|u_t - \nabla u^T \cdot v\|_1 + TV(v)$$

+

$$E_{\text{super}}(u) = \alpha \|Au - f\|_1 + \beta TV(u) + \gamma \|u_t - \nabla u^T \cdot v\|_1$$

↓

$$E(u, v) = \underbrace{\alpha \|Au - f\|_1 + \beta TV(u)}_{\text{Super-Resolution}} + \underbrace{TV(v)}_{\text{Flow}} + \underbrace{\gamma \|u_t - \nabla u^T \cdot v\|_1}_{\text{Coupling}}$$



## Outline





## Results

### ■ Results

- .
- .



## Outline



## Conclusion and Future Work

- More than two input images
- Arbitrary Scaling (aktuell nur  $\times 2$ )
- Flow Estimation nur max. 1 Pixel Bewegungen



# Bibliography I