

VERTICAL SAAS · BUILD PLAN

The Everything Platform.

One workspace where code and craft live together — the operating system for people who build software and make creative work in the same breath. A 24-month plan to ship it on a \$200 budget.

DOCUMENT	HORIZON	CASH BUDGET	STATUS
MASTER PLAN	24 MONTHS	\$200.00	DRAFT · PRE-LAUNCH

Document control

What this document is, who it is for, and how to read a hundred pages without losing the thread.

00.1 Purpose

This is the single source of truth for **The Everything Platform**, the working name for RMH Studios' first product. It is written to do three jobs at once: to make the founder think clearly before writing code, to give a collaborator or early hire enough context to be useful on day one, and to be the document you hand a potential partner, advisor, or grant committee when they ask "what exactly are you building, and how?" Everything here is meant to be acted on, not admired.

00.2 How to read this

The document moves from *why* to *what* to *how* to *when*. Sections 01–04 set up the studio, the problem, and the thesis. Sections 05–09 specify the product itself, module by module, down to acceptance criteria. Sections 10–13 are the plan: a \$200 budget, a 24-month build calendar with a month-by-month log, and the milestones that gate each phase. Sections 14–20 cover going to market, pricing, growth, money, risk, and the appendices you'll actually reference.

READING NOTE

The 24-month timeline in Section 12 is the operational heart of this plan. If you read nothing else, read that and the budget in Section 11. Everything before it is the case for why those two sections look the way they do.

00.3 A word on the budget

The cash budget for this plan is **\$200**. That is not a typo and it is not a placeholder. It is a deliberate constraint that shapes every decision downstream: the stack is built on free tiers, growth is earned rather than bought, the team is one person plus the open-source commons, and profitability — not a funding round — is the only runway that matters. Where money is spent, it is named to the dollar. The discipline of \$200 is treated as a feature of the plan, because it forces the product to be good enough that people tell each other about it.

00.4 Revision history

VERSION	DATE	AUTHOR	SUMMARY OF CHANGE
v0.1	M01 · wk1	Founder	Initial thesis, problem framing, rough scope.
v0.4	M01 · wk3	Founder	Module catalog drafted; budget set at \$200.
v0.6	M02	Founder	24-month timeline added; metrics defined.

VERSION	DATE	AUTHOR	SUMMARY OF CHANGE
v0.8	M03	Founder	GTM, pricing, financial model added.
v0.9	current	Founder	Full consolidation; ready for first external read.

LIVING DOCUMENT

This plan is expected to be wrong in specifics and right in shape. Re-read it at the end of each quarter (Sections 13.x mark the checkpoints) and rewrite the parts the last three months proved false. A plan that never changes was never a plan.

Contents

Twenty sections across roughly one hundred pages. Page numbers are approximate to print pagination.

00	Document control	front-matter	p.002
01	Executive summary	the whole plan in two pages	p.004
02	The studio	who RMH Studios is and what it stands for	p.005
03	The problem	the tax builders pay for fragmented tools	p.008
04	The thesis	why one platform, why now	p.012
05	Users & personas	who this is for, in detail	p.015
06	Market landscape	the field and where we fit	p.019
07	Product principles	the rules the product obeys	p.023
08	Architecture	how the thing is actually built	p.026
09	Module catalog	every part of the platform, specified	p.031
10	Design system	the visual and interaction language	p.052
11	The \$200 budget	every dollar, accounted for	p.055
12	24-month timeline	the build calendar, month by month	p.060
13	Milestones & gates	what unlocks the next phase	p.084
14	Go-to-market	how people find and adopt it	p.087
15	Pricing & monetization	how it makes money	p.090
16	Growth model	the loops that compound	p.092
17	Metrics & KPIs	what we measure and why	p.094
18	Financial projections	the bootstrap math	p.096
19	Risk register	what could go wrong, and the plan	p.098

Executive summary

The whole plan in two pages. If a reader stops here, this is what they should walk away believing.

Builders live in two worlds that refuse to talk to each other. There is the world of code — repositories, branches, tickets, deploys — and the world of craft — files, canvases, drafts, references, feedback. Almost everyone who makes things for a living moves between both every day, and pays a tax every time they cross the border: context lost, versions forgotten, work duplicated, the thread of a project scattered across eight tabs.

The Everything Platform is one workspace where both worlds share the same project, the same history, and the same people. A project holds your code and your design files and your docs and your tasks together. A change to a mockup and a change to a component live in the same timeline. The brief, the build, and the ship are one continuous thread rather than three disconnected tools that you reconcile by hand.

TARGET USER	CORE UNIT	CASH BUDGET	NORTH STAR
Builder coder + maker	Project code + craft, one home	\$200 24-month total	WAB weekly active builders

01.1 The shape of the plan

RMH Studios builds this as a bootstrapped product, solo, over 24 months. The first six months produce a sharp, narrow v1 — projects, unified files, version history, and a single killer feature that no fragmented stack can match. Months 7–12 turn early users into a habit and open a paid tier. Months 13–18 widen the platform with the modules that make it sticky for small teams. Months 19–24 turn habit into a business that pays the founder a real salary without a single dollar of outside capital.

01.2 Why it can work on \$200

The platform is a thin, well-designed layer over infrastructure that is free until you have real usage: edge hosting, a generous database free tier, object storage that bills in pennies, and an open-source-first toolchain. The expensive part of most startups — acquiring users — is replaced by building in public, shipping a genuinely useful free tier, and letting a product that respects builders earn its own word of mouth. The \$200 is spent on the few things that genuinely cost money: a domain, a little storage overage, and the occasional paid month of a service the free tier outgrows.

01.3 What success looks like

By month 24, success is not a valuation. It is a product that several thousand people open every week, a few hundred of whom pay for it, generating enough monthly revenue to cover costs many times over and pay the

founder a living wage. From there, the choice to raise money, hire, or stay small is a choice made from strength rather than necessity.

THE ONE-SENTENCE VERSION

The Everything Platform unifies code and creative work into a single project workspace, shipped solo on a \$200 budget over 24 months, aiming for a self-sustaining business built on a free tier people love and a paid tier small teams happily buy.

The studio

Before the product, the point of view. RMH Studios exists because the tools for people who both code and create were never designed to be used by the same person on the same day.

02.1 What RMH Studios is

RMH Studios is a one-person product studio with a long-game ambition: to build the software layer that serves people who refuse to choose between being technical and being creative. The studio is not a marketing agency, not a dev shop for hire, and not a content brand. It is a maker of products, and The Everything Platform is the first and largest of them. The studio's bet is that the line between "developer tools" and "creative tools" is an accident of how the software industry grew up, not a real boundary in how people work.

02.2 Mission

MISSION

Give builders one home for everything a project is — the code, the craft, the conversation, and the history — so the work, not the tooling, is where the effort goes.

02.3 Beliefs

// 01

The split is artificial

Treating "engineering" and "design" as separate worlds with separate tools is a historical accident. Most real projects are both at once.

// 02

Context is the product

The value isn't another editor. It's keeping the why, the what, and the history of a project in one place so nothing has to be re-explained.

// 03

Small can win

A focused team of one, building in public on a tiny budget, can out-care a funded competitor optimizing for a different game.

02.4 Operating principles

- **Ship weekly, in public.** Visible progress is the cheapest marketing a \$200 budget can buy, and the discipline keeps scope honest.
- **Free tier first.** The free tier is the product. The paid tier is a convenience for people who already love it.
- **Default to less.** Every feature must earn its place against the cost of the next person having to understand it.
- **Profit is the runway.** No outside money until — and unless — it is a choice made from strength.

- **Respect the builder.** No dark patterns, no engagement bait, no selling attention. The user is the customer, never the product.

02.5 Why "RMH Studios"

The studio name is intentionally a person's house, not a category. "Studios" signals a place where things are made across disciplines — a recording studio, a design studio, a game studio all share the word — which is exactly the spirit of a product for people who make many kinds of things. The product name, *The Everything Platform*, is a working title that doubles as a promise and a stress test: if a feature wouldn't belong in "everything a project needs," it probably doesn't belong at all.

02.6 The founder's constraints, honestly

A plan that ignores the realities of who is executing it is fiction. This plan is built for one person with limited time, no capital, and a need to see revenue before it can justify going full time. Those constraints are written into every section that follows.

CONSTRAINT	REALITY	HOW THE PLAN RESPONDS
Time	Part-time at first; nights and weekends.	Scope each month to ~40–60 focused hours; cut ruthlessly.
Money	\$200 total cash budget.	Free-tier stack; spend only on domain, storage, occasional overage.
People	Solo, no co-founder yet.	Lean on open source, templates, and community; design for one maintainer.
Distribution	No audience on day one.	Build in public; earn the first 100 users by hand.
Risk	Cannot afford a year of zero feedback.	Ship something usable by month 4; learn in the open.

02.7 What the studio will not do

Saying no is how a one-person studio survives. RMH Studios will not chase enterprise sales in the first two years, will not build a mobile-native app before the web product is loved, will not add AI features for their own sake, and will not take on consulting work that starves the product of time. Each of these is a reasonable business — none of them is *this* business.

DEFINITION

Throughout this document, a **builder** means a person who both writes code and produces creative work — a designer who codes, an engineer who designs, an indie hacker, a technical artist, a founder who ships their own product. The platform is for them first.

§03 / PROBLEM

The problem

Builders pay a quiet, constant tax for living in two toolchains at once. This section names that tax precisely, because a problem you can measure is a problem you can sell the solution to.

03.1 The border tax

Consider an ordinary afternoon for someone building their own product. They sketch a screen in a design tool, export an image, drop it into a chat to get feedback, open a ticket in a project tracker describing the change, switch to their editor to implement it, commit the code to a repository, write a note in a separate doc about why they made a decision, and update a spreadsheet tracking what's left. Eight tools. Each crossing loses a little context. By the end of the week, the *why* behind half the decisions lives only in their head.

This is the border tax: the cumulative cost of moving work, context, and attention across tools that were never designed to share a project. It is rarely catastrophic and always present, which is exactly why it is under-served — no single crossing hurts enough to fix, but the sum is enormous.

CROSSING	WHAT'S LOST	FREQUENCY	FELT COST
Design → code	Intent, spec, exact values	Many times/day	Re-derivation, drift
Code → task tracker	Why a change happened	Daily	Stale tickets, lost rationale
Chat → everywhere	Decisions made in passing	Constant	Undocumented choices
File → file	Which version is current	Daily	Wrong-version mistakes
Tool → tool (auth)	Time, focus, momentum	Dozens/day	Context-switch fatigue

THE INSIGHT

The pain isn't any one tool being bad. Most of them are excellent. The pain is the *spaces between them* — and no one owns the spaces between.

03.2 Who feels it most

The tax falls hardest on people who do not have a team to absorb it. A large company can hire a project manager to keep tickets in sync and a design-ops person to maintain the handoff. A solo builder or a two-person team *is* the project manager and the design-ops person, on top of doing the actual work. The smaller the team, the larger the relative tax — which is precisely the market a bootstrapped product can serve before anyone bigger bothers to.

03.3 Why existing tools don't solve it

Dev tools ignore craft

Repos, issue trackers, and CI assume the artifact is text. Images, mockups, and creative drafts are second-class at best — attachments, not first-class objects with their own history.

Design tools ignore code

Creative tools treat code as an export target, not a living part of the project. The handoff is a wall, not a door.

PM tools sit above both

Project trackers describe work without containing it. The ticket points at the work; it isn't the work. Context still scatters.

"All-in-one" tools are docs

The popular all-in-one workspaces are excellent at documents and databases, but code and creative files are guests, not residents.

03.4 The gap, stated plainly

No tool treats a project's code and its creative work as equal citizens of the same home, with one shared history and one shared cast of people. That gap is the product.

03.5 Why now

- **Infrastructure got cheap.** Edge hosting, generous database free tiers, and pennies-per-gigabyte storage make it possible to run a real product for almost nothing until it has real usage.
- **The "build in public" norm is mature.** A solo founder can earn an audience by shipping openly — a distribution channel that didn't exist at this scale a decade ago.
- **The maker population exploded.** The number of people who both code and create — indie hackers, technical designers, solo founders — has grown faster than the tools serving them.
- **Tool fatigue is real.** People are actively tired of stitching ten subscriptions together and are looking for consolidation they can trust.

The thesis

One sentence, then the argument that holds it up.

THESIS

If you make code and creative work first-class citizens of the same project, with one shared history and one shared set of people, you remove the largest hidden cost in a builder's day — and a product that does this well, given away generously and sold modestly, can become a self-sustaining business built by one person.

04.1 The unit of value: the project

Everything in the platform orbits a single object: the **project**. A project is not a folder and not a repo and not a board. It is the home for everything a piece of work is — its code, its design files, its documents, its tasks, its conversations, and the complete timeline of how all of those changed together. When you open a project, you see the whole of it, not a slice filtered through one tool's worldview.

04.2 The wedge: unified history

A new platform cannot win by being a worse version of ten tools at once. It wins by doing one thing those ten tools structurally cannot: showing a **single, unified timeline** where a change to a design and a change to the code that implements it sit next to each other, attributed to the same person, tied to the same decision. That timeline is the wedge — the one feature worth switching for — and the rest of the platform is built outward from it.

LAYER	WHAT IT IS	WHY IT MATTERS
Project	The container for all work	One home, one mental model
Timeline	Unified history of every change	The wedge — nothing else has it
Modules	Code, files, tasks, docs, chat	Where the work actually happens
People	Shared cast across all modules	Attribution and context, everywhere

04.3 The strategy: narrow, then wide

The platform launches narrow on purpose. v1 is projects, unified files, version history, and the timeline — nothing more. It is better to be loved by a hundred people for one true thing than tolerated by a thousand for ten mediocre

ones. Width comes only after the narrow core has earned a habit. Section 12's timeline encodes this discipline month by month.

04.4 Why a bootstrapper can win this

A funded competitor optimizes for the metrics that justify the next round: seats, logos, expansion revenue. That pressure pushes them toward enterprise features and away from the lonely solo builder who pays \$8 a month. A bootstrapped studio has the opposite incentive — it can serve exactly the under-served maker that the funded world ignores, and do it with a level of care that doesn't survive a growth-at-all-costs mandate. The constraint of \$200 is, paradoxically, a strategic moat: it forces a product so good that it spreads on its own, because there is no other way to grow.

04.5 Falsifiable bets

A thesis you can't disprove is a hope. Here are the bets this plan is willing to be wrong about, and how each is tested.

BET	IF TRUE, WE'LL SEE...	TESTED BY
Unified history is a real wedge	Users cite the timeline as the reason they stay	M04–M06 user interviews
Solo builders will pay	Free → paid conversion > 2% by M12	Paid tier launch, M07
Build-in-public earns users	First 500 users with \$0 ad spend	M01–M09 growth log
One person can maintain it	No burnout, weekly ships sustained	Quarterly founder check-in
Free tier won't bankrupt us	Infra stays under budget at 5k users	M11 cost review

KILL CRITERIA

If, by month 9, fewer than 300 people use the product weekly and the unified timeline is not the thing they mention first, the thesis is wrong and the plan should pivot the wedge — not double down. Honesty here is cheaper than a wasted year.

Users & personas

Five real shapes of person, so that "the builder" stops being an abstraction and starts being someone you can picture using the thing.



Maya — the solo founder

PRIMARY · INDIE HACKER

Building her own SaaS at nights. She designs the UI, writes the React, manages her own roadmap, and posts progress on social. She currently juggles a design tool, a repo, a notes app, and a kanban board, and loses decisions constantly. She is the single most important person this product is for: if Maya doesn't love it, nothing else matters.

Needs: one place for her whole project · history she can trust · zero setup tax · a free tier that's actually usable.



Devin — the technical designer

PRIMARY · DESIGN-ENGINEER

Works at a small startup, lives in the seam between design and front-end. Spends half his day translating mockups into components and the other half explaining why they drifted. The unified timeline is, for him, the killer feature — it ends the "which version is current" argument forever.

Needs: design and code side by side · clear change attribution · feedback in context, not in a separate chat.



Priya — the two-person studio

SECONDARY · SMALL TEAM

Runs a tiny product studio with one collaborator. They take on client builds that are equal parts brand and software. They need a shared home for each client project and a clean way to show progress. She is the first paying customer profile — small teams who feel the tax doubled.

Needs: shared projects · simple roles · a presentable timeline to show clients · predictable, small pricing.



Leo — the learning builder

TERTIARY · STUDENT / HOBBYIST

Learning to code and design at the same time, building side projects to figure out what he likes. Money is tight; the free tier is the only tier he'll touch for a long time. He matters because today's learner is tomorrow's Maya, and because his enthusiasm is free distribution.

Needs: a generous free tier · gentle onboarding · templates to start from · a community to learn alongside.



Renata — the creative technologist

TERTIARY · ARTIST WHO CODES

Makes interactive art and generative work. Her "code" and her "creative output" are genuinely the same thing, which is why fragmented tools frustrate her most. She is a vocal, influential edge case — the kind of user whose enthusiasm reaches exactly the audience RMH wants.

Needs: code and visual output in one timeline · easy sharing of finished pieces · a portfolio surface that doesn't feel corporate.

05.1 Priority and why

PERSONA	PRIORITY	PAYS?	ROLE IN THE PLAN
Maya · solo founder	P0	Eventually	The product is designed around her first.
Devin · design-engineer	P0	Maybe (team)	Proves the timeline wedge is real.
Priya · small studio	P1	Yes, first	The first reliable revenue.
Leo · learner	P2	Rarely	Free-tier love; future Mayas; word of mouth.
Renata · creative tech	P2	Sometimes	Influence and credibility at the edge.

DESIGN RULE

When two personas want different things, Maya wins, then Devin. The product is allowed to be imperfect for Priya's team needs in year one. It is not allowed to be imperfect for the solo builder, ever.

05.2 Jobs to be done

Personas describe *who*; jobs describe *what they're trying to get done*. The platform earns its place by doing these jobs better than the stitched-together alternative.

WHEN I...	I WANT TO...	SO THAT...
start a new project	set up one home for code, files, and tasks in a minute	I can begin building instead of configuring
change a design	see the code it affects in the same timeline	nothing drifts out of sync
make a decision	capture the why next to the work	future-me isn't confused
get feedback	collect it in context on the actual artifact	comments don't scatter across chat
ship something	share a clean view of progress	clients and followers can see the work
come back after a week	read the timeline and remember everything	I lose no momentum

05.3 Anti-personas

Equally important: who this is *not* for, at least in year one. Naming them keeps the roadmap honest.

- **The 200-person engineering org.** They have process, tooling, and budget this product won't serve well for years. Chasing them now would distort everything.
- **The pure project manager.** Someone who never touches the work itself wants a reporting tool, not a workspace. That's a different product.
- **The enterprise procurement buyer.** SSO, audit logs, and compliance checklists are a year-three conversation, not a year-one one.

§06 / MARKET

Market landscape

The neighborhoods this product borders, who lives in each, and why there's room for a small new house on the corner.

06.1 The adjacent categories

CATEGORY	EXAMPLES (TYPE)	WHAT THEY NAIL	WHERE THEY LEAVE A GAP
Dev platforms	Code hosting + CI	Code, collaboration on code	Creative work is a second-class attachment
Design tools	Collaborative canvases	Visual work, real-time design	Code is an export, not a resident
PM / trackers	Boards and issues	Coordinating work	Describe work without containing it
All-in-one docs	Workspace + databases	Docs, wikis, light DBs	Code & design files are guests
Portfolio tools	Showcase sites	Presenting finished work	No connection to the building of it

POSITIONING

The Everything Platform doesn't try to beat any one of these at its own game. It sits in the *seam between all of them* — the one place that treats the project, not the artifact type, as the unit.

06.2 Market sizing, bootstrapper's edition

A bootstrapped plan doesn't need a billion-dollar TAM; it needs enough reachable, willing payers to build a great living. The relevant math is small and concrete.

LAYER	DEFINITION	ROUGH SCALE	RELEVANCE
TAM	Everyone who codes and creates	Tens of millions	Inspiring, not actionable
SAM	Solo builders & micro-teams online	A few million	The people we could plausibly reach
SOM (yr 2)	Those we can reach build-in-public	~10–50k aware	Realistic top of funnel
Target (yr 2)	Weekly active builders	3–5k	The honest goal
Paying (yr 2)	Converted to paid	300–600	Where the living comes from

06.3 Competitive stance

The honest competitive truth: there is no single tool that does what this does, but there are ten tools that each do a slice of it well, plus the ultimate competitor — the status quo of stitching them together with tabs and willpower. The platform competes less against any product and more against inertia.

Why we won't be copied quickly

The incumbents are structurally committed to their worldview. A code platform can't make design a first-class citizen without rebuilding its core data model; a design tool can't make code resident without becoming a different company. Their strength is their cage.

Why we might be copied eventually

If the wedge proves real, a well-funded player could build toward it. The defense isn't secrecy — it's a head start, a loyal community, and the care that a solo studio can sustain and a growth-stage company cannot.

06.4 Moats a bootstrapper can actually build

- **Taste and care.** A product that obviously loves its users is hard to clone, because the cloners don't have the same relationship with them.
- **Community.** The people who grew up with the product in public become its defenders and its best feature requests.
- **Data gravity.** Once a builder's whole project history lives here, leaving means abandoning their memory. Switching cost is real and earned.
- **Speed of a single mind.** No meetings, no roadmap committees. The studio can turn a good idea into a shipped feature in days.

STRATEGIC SUMMARY

Compete in the seam, not the categories. Win the under-served solo builder the funded world ignores. Defend with care, community, and the data gravity of a project's full history. Treat inertia, not any product, as the real rival.

Product principles

Seven rules the product obeys. When a decision is hard, these break the tie. They are written down so they can be enforced, and argued with.

07.1 The project is sacred

Everything attaches to a project. There is no feature that exists outside one, no orphan object floating in a global void. If a thing can't be explained as part of a project, it doesn't belong in the product.

07.2 History is never lost

Every meaningful change is recorded and recoverable. The timeline's value depends entirely on the user trusting it completely. We earn that trust by never, ever losing or silently rewriting history.

07.3 The free tier is the product

The free tier must be genuinely, lastingly useful — not a crippled trial. People should be able to do real work on it forever. The paid tier sells convenience and scale to people who already love the free one.

07.4 Less, but better

Every feature is a tax on the next person trying to understand the product. We add slowly, remove willingly, and treat a rejected feature as a small victory for clarity.

07.5 Speed is a feature

Fast software respects the user's time and a solo maker's attention. Performance is not an optimization phase; it's a constraint we design within from the first commit.

07.6 No dark patterns, ever

No manufactured urgency, no buried cancel buttons, no engagement bait. The user is the customer. A product for builders that disrespects builders deserves to fail.

07.7 Build in the open

Progress, decisions, and even mistakes are shared publicly. It's the cheapest marketing \$200 can buy, the strongest forcing function for quality, and the most honest way to earn a community.

When even the principles conflict, ask: "What would make Maya — the solo builder we're designing for — trust us more?" Trust compounds. Optimize for it.

Architecture

How the thing is actually built, chosen for one constraint above all others: a single maintainer running it for almost nothing until it has real usage.

08.1 Guiding constraints

- **Free until it works.** Every layer must have a free tier generous enough to run the product through its first thousands of users.
- **One person can hold it.** Boring, well-documented, popular technology beats clever, novel technology. The best architecture is the one the founder can debug at 2am alone.
- **Scale by usage, not by guess.** No infrastructure built for a load that doesn't exist yet. Add capacity when metrics, not anxiety, demand it.

08.2 The stack, by layer

LAYER	CHOICE (CATEGORY)	WHY	COST AT OUR SCALE
Frontend	Modern web framework	Loved, hireable, fast to build in	\$0 (open source)
Hosting	Edge / serverless platform	Generous free tier, zero ops	\$0 → low
Database	Managed Postgres (free tier)	Relational fits the data model; generous start	\$0 → low
Object storage	S3-compatible, pay-per-GB	Pennies per GB for files & assets	~\$1–\$5/mo later
Code/git	Git infra + lightweight server	Standard, portable, well-understood	\$0 (open source)
Search	Postgres full-text first	Free, good enough until it isn't	\$0
Auth	Open-source / free-tier auth	Don't roll your own; security matters	\$0 → low
Email	Transactional free tier	Low volume early; cheap to scale	\$0 → low
Analytics	Privacy-first, self-host option	Respect users; avoid heavy vendors	\$0

DELIBERATELY OMITTED

No Kubernetes, no microservices, no message queue, no separate data warehouse on day one. Each is a real tool for a real problem this product does not yet have. Adding them early would spend the scarcest resource — the founder's attention — on imaginary scale.

08.3 The core data model

Four objects do most of the work. Their relationships are deliberately simple, because the timeline's reliability depends on a model that's easy to reason about.

```
// the spine of the whole product
Project {
  id, name, visibility, owner_id, accent, created_at
}
Member {           // people on a project
  project_id, user_id, role: owner | editor | viewer
}
File {             // code, design, asset, doc – all files
  id, project_id, path, kind, current_version_id
}
Event {            // the timeline is just an ordered stream of these
  id, project_id, actor_id, type, target_ref,
  decision_note?, group_id?, created_at
}
```

Everything else — tasks, comments, commits, assets — is either a kind of `File` or emits `Events` into the timeline. The timeline is not a separate system; it is the ordered projection of every `Event` a project has ever produced. This is the single most important architectural decision in the product.

08.4 The timeline, technically

Every module that changes project state writes an append-only `Event`. The timeline view is a query over those events, filtered and grouped. Because events are append-only, history is structurally impossible to lose — satisfying principle 07.2. Grouping (a design change + its code change shown as one entry) is a `group_id` on related events, assigned when the relationship is known.

08.5 Security & privacy baseline

- Encryption in transit everywhere; encryption at rest via the managed providers.
- Least-privilege access; role checks enforced server-side, never trusted from the client.
- Private by default. Nothing is public unless the user explicitly makes it so.
- No selling data, no third-party ad trackers, privacy-first analytics only.
- A documented, practiced backup and restore of the database and object storage.

HONEST LIMIT

Enterprise-grade compliance (SOC 2, SSO, audit exports) is explicitly out of scope for years one and two. The plan serves people who don't require it yet, and revisits this only when a paying segment genuinely needs it.

08.6 Scaling plan, by user count

The point of this table is to *not* over-build. Each row is a trigger, not a schedule: do the work when the number is hit, not before.

USERS	WHAT BREAKS FIRST	THE FIX	EST. COST
0–500	Nothing	Ship on free tiers; ignore scale	\$0
500–2k	Storage creeps up	Lifecycle rules; cheap S3-compatible storage	~\$1–\$5/mo
2k–5k	DB free tier limits	Upgrade DB tier OR optimize queries	~\$10–\$25/mo
5k–15k	Search gets slow	Move from Postgres FTS to a dedicated index	~\$0–\$20/mo
15k+	Single-region latency	Add edge caching; consider read replicas	revenue-funded

THE COST PHILOSOPHY

Costs are designed to arrive *after* the revenue that pays for them. By the time the database needs upgrading, the paid tier should already cover it many times over. Infra that scales with usage is a feature, not a threat, when monetization scales alongside it.

08.7 Build vs. buy vs. borrow

CAPABILITY	DECISION	REASONING
Auth	Borrow (free-tier service)	Security-critical; never roll your own
Timeline / events	Build	This is the core IP; must own it
Git hosting	Borrow / open source	Standard, portable, solved
File storage	Buy (pennies)	Cheap, reliable, not worth building
Search	Build → buy later	Free Postgres FTS now; dedicated index at scale
Email	Buy (free tier)	Deliverability is hard; don't fight it
Payments	Buy (later)	Only when paid tier launches; standard processor

Module catalog

The whole platform, specified part by part. Fourteen modules, each with purpose, features, user stories, acceptance criteria, and dependencies. The phase tag on each says when it ships in the 24-month plan.

09.0 Map of modules

#	MODULE	PHASE	PRIORITY	ONE-LINE
01	Projects	v1 · core	P0	The container for everything.
02	Unified files	v1 · core	P0	One place for every file a project contains, whether it's a code file, a design export, an image, or a document.
03	Timeline	v1 · wedge	P0	THE feature.
04	Code	v1 · core	P0	Version-controlled code that lives inside the project rather than in a separate silo.
05	Tasks	v1.1	P1	Lightweight work tracking that points at real work instead of floating above it.
06	Docs	v1.1	P1	Documents and notes that live in the project — briefs, specs, decision records, READMEs.
07	Comments & feedback	v1.1	P1	Feedback that lives on the thing it's about.
08	People & roles	v1.1	P1	A shared cast of people across every module, with roles simple enough that no one needs a permissions manual.
09	Assets & media	v1.2	P2	A proper home for the creative outputs — images, exports, brand assets, renders — with previews, organization, and history.
10	Publish & portfolio	v1.2	P2	Turn finished work into something shareable: a public project page, a simple portfolio, or a changelog the world can follow.
11	Search	v1.2	P2	Find anything in a project — a file, a decision, a comment, a commit message — from one box.
12	Integrations	v1.3	P2	Meet builders where they already are.
13	Time & invoicing	v1.3	P3	For the small studios (Priya) who bill clients: lightweight time tracking tied to projects and a simple invoice export.

#	MODULE	PHASE	PRIORITY	ONE-LINE
14	Community & templates	ongoing	P2	A shared library of project templates, a public showcase of what people build, and the connective tissue of a community.

● P0 = must exist for v1 ● P1 = early follow-on ● P2/P3 = later / revenue

HOW TO READ A SPEC

Each module spec is a contract with the future builder (often: future-you). "Acceptance" lines are the bar for calling the module done — if they don't all pass, it isn't shipped.

MOD-01 · v1 · core

P0

Projects

PRI:P0

CORE

PHASE 1

The container for everything. A project holds code, files, docs, tasks, and people, and is the only top-level object a user creates. Getting this right makes every other module simpler; getting it wrong makes them all harder.

// FEATURES

- Create a project in under a minute, no required config
- Each project has a single shared timeline (see MOD-03)
- Project-level people & roles (owner, editor, viewer)
- Lightweight settings: name, description, visibility, accent color
- Archive / restore without destroying history
- Templates: start from blank, web app, brand kit, or portfolio

// USER STORIES

- As Maya I create a project and immediately start adding work, not filling forms
- As Priya I invite my collaborator and set them as editor in two clicks
- As Leo I start from a template so I'm not staring at a blank page

// ACCEPTANCE

- A new project is usable within 60 seconds of clicking 'New'
- Deleting is reversible for 30 days; nothing is truly gone by accident
- Visibility (private / link / public) is obvious and one toggle

Dependencies: None — this is the root object everything else attaches to.

MOD-02 · v1 · core

P0

Unified files

PRI:P0

CORE

PHASE 1

One place for every file a project contains, whether it's a code file, a design export, an image, or a document. Files are first-class objects with their own history, not attachments bolted onto something else.

// FEATURES

- Tree view that mixes code and creative files naturally
- Inline preview for images, common design exports, markdown, and code
- Drag-and-drop upload; paste-to-upload from clipboard
- Every file carries its own version history

// USER STORIES

- As Devin I see the mockup and the component file in the same tree
- As Renata I drop in a rendered frame and it previews instantly
- As Maya I find last week's logo version without hunting through chats

// ACCEPTANCE

- Tag files by kind (code / design / asset / doc) for filtering
- Object storage backing; pennies per gigabyte at the budget scale
- Common image and code files preview without download
- Upload of a 10MB file completes reliably on a normal connection
- Every file has a visible, restorable version history

Dependencies: MOD-01 (projects), object storage layer (see §08).

MOD-03 · v1 · wedge

P0

Timeline

PRI:P0

WEDGE

PHASE 1

THE feature. A single, unified history of every meaningful change in a project — a design edit, a code commit, a task closed, a decision noted — shown as one readable stream, attributed to people, grouped by intent. This is the reason to switch, and the spine the whole product hangs from.

// FEATURES

- Chronological stream of all change events across modules
- Filter by person, by module, by file, by date range
- 'Decisions' — pinned timeline notes that capture the why
- Group related changes (a design + its code) into one entry
- Git-log-style density for power users; readable summaries for everyone
- Permalink any moment to share 'here's where we were on Tuesday'

// USER STORIES

- As Devin I see the design change and the code that implemented it side by side
- As Maya I return after a week and the timeline tells me the whole story
- As Priya I send a client a link to the timeline and they get it instantly

// ACCEPTANCE

- Timeline renders 1,000 events without jank
- A design change and its linked code change can appear as one grouped entry
- Any timeline moment is shareable via stable permalink

Dependencies: MOD-01, MOD-02, and event hooks from every other module.

MOD-04 · v1 · core

P0

Code

PRI:P0

CORE

PHASE 1

Version-controlled code that lives inside the project rather than in a separate silo. Not a replacement for heavy git workflows on day one — a place for a solo builder's code to live with everything else and feed the timeline.

// FEATURES

- Git-backed repository per project
- Browse code with syntax highlighting in-app
- Commits flow into the unified timeline automatically
- Connect an existing external repo (mirror) as an alternative to native
- Simple in-browser edits for quick fixes
- File-level history shared with MOD-02

// USER STORIES

- As Maya my commits show up in the same timeline as my design changes
- As Devin I link a commit to the design decision that motivated it
- As Leo I see my code with nice highlighting without extra setup

// ACCEPTANCE

- A commit appears in the timeline within seconds, attributed correctly
- An external repo can be connected read-only without losing timeline events
- Syntax highlighting covers the top 15 languages out of the box

Dependencies: MOD-03 (timeline), git infrastructure (see §08).

MOD-05 · v1.1

P1

Tasks

PRI:P1

PHASE 2

Lightweight work tracking that points at real work instead of floating above it. A task can be tied to a file, a commit, or a decision, so closing it leaves a trace in the timeline rather than a dangling card.

// FEATURES

- Simple list and board views; no ceremony
- Tasks link to files, commits, or decisions
- Status changes emit timeline events
- Assignee, due date, and a single priority flag — nothing more
- Keyboard-first quick add
- Filter by assignee, status, linked module

// USER STORIES

- As Priya I track what's left on a client build without a heavyweight tool
- As Maya I close a task and it's recorded next to the commit that did it
- As Devin I open a task straight from the file it concerns

// ACCEPTANCE

- A task can be created with one keystroke and a title
- Closing a task is visible in the timeline with its linked work
- Board view handles 200 tasks without lag

Dependencies: MOD-01, MOD-03. Optional links to MOD-02, MOD-04.

MOD-06 · v1.1

P1

Docs

PRI:P1

PHASE 2

Documents and notes that live in the project — briefs, specs, decision records, READMEs. Markdown-first, simple, and woven into the timeline so a doc edit is part of the project's story.

// FEATURES

- Markdown editor with live preview
- Docs are files (MOD-02) with structured editing on top
- Link docs to tasks, files, and decisions
- Edits appear in the timeline
- Templates: brief, spec, decision record, changelog
- Public doc sharing via link

// USER STORIES

- As Maya I write the brief where the work will happen, not in a separate app
- As Devin I keep a decision record that links to the code it explains
- As Priya I share a clean spec doc with a client via link

// ACCEPTANCE

- Markdown renders accurately including code blocks and images
- A doc edit appears in the timeline as a single, sensible entry

- A public doc link works without an account

Dependencies: MOD-02, MOD-03.

MOD-07 · v1.1

P1

Comments & feedback

PRI:P1

PHASE 2

Feedback that lives on the thing it's about. A comment can be left on a file, a region of an image, a line of code, or a timeline entry — so feedback stops scattering across chat apps and starts accumulating in context.

// FEATURES

- Comment threads anchored to files, images, code lines, or events
- Region/pin comments on images and design exports
- Resolve / reopen, with timeline trace
- @mentions notify the right person
- Comment digests instead of constant pings
- Public comment mode for client review (optional)

// USER STORIES

- As Devin I pin feedback to the exact spot on the mockup
- As Priya my client leaves comments directly on the deliverable
- As Maya I review all open feedback in one place before shipping

// ACCEPTANCE

- A comment can be anchored to a precise image region
- Resolving a thread is reflected in the timeline
- Notifications are batched, never spammy by default

Dependencies: MOD-02, MOD-03, MOD-04.

MOD-08 · v1.1

P1

People & roles

PRI:P1

PHASE 2

A shared cast of people across every module, with roles simple enough that no one needs a permissions manual. Attribution everywhere is what makes the timeline trustworthy.

// FEATURES

- Three roles: owner, editor, viewer
- Per-project membership; invite by link or email
- Consistent identity and avatar across all modules
- Activity attributed to people everywhere
- Guest access for client review (time-boxed)
- Leave / remove without breaking historical attribution

// USER STORIES

- As Priya I add a collaborator once and they have the right access everywhere
- As Maya I give a client a viewer link that expires
- As Devin I always know who changed what

// ACCEPTANCE

- Roles are understandable without documentation
- Removing a person preserves their historical attribution
- Guest links can be set to expire

Dependencies: MOD-01, auth layer (see §08).

MOD-09 · v1.2

P2

Assets & media

PRI:P2

PHASE 3

A proper home for the creative outputs — images, exports, brand assets, renders — with previews, organization, and history. The creative counterpart to the code module, treated with equal seriousness.

// FEATURES

- Gallery and grid views for visual assets
- Collections / boards within a project
- Versioned assets with visual diff (before/after)
- Color and basic metadata extraction
- Quick share of an asset or a collection
- Optimized delivery via storage/CDN

// USER STORIES

- As Renata I keep iterations of a piece with visual version history
- As Devin I grab the current logo export without asking anyone
- As Priya I share a brand collection with a client in one link

// ACCEPTANCE

- Visual diff shows previous vs current for an image asset
- A collection can be shared publicly via link
- Thumbnails generate reliably for common formats

Dependencies: MOD-02, MOD-03, storage/CDN.

MOD-10 · v1.2

P2

Publish & portfolio

PRI:P2

PHASE 3

Turn finished work into something shareable: a public project page, a simple portfolio, or a changelog the world can follow. Closing the loop from building in private to showing in public — which doubles as the product's growth engine.

// FEATURES

- Public project page generated from the project
- Opt-in 'building in public' changelog feed
- Simple portfolio that aggregates public projects
- Custom accent and cover; tasteful defaults
- 'Made with RMH' attribution (toggleable on paid)
- Shareable timeline embeds

// USER STORIES

- As Maya I flip a project public and have a clean page to share
- As Renata I show finished pieces without a separate portfolio tool
- As Leo I share my learning journey as a public changelog

// ACCEPTANCE

- A project can be made public with a presentable default page

- Public pages load fast and look intentional out of the box
- Attribution link drives measurable referral traffic

Dependencies: MOD-01, MOD-03, MOD-09.

MOD-11 · v1.2

P2

Search

PRI:P2

PHASE 3

Find anything in a project — a file, a decision, a comment, a commit message — from one box. As projects accumulate history, search is what keeps that history useful instead of buried.

// FEATURES

- Unified search across files, docs, tasks, comments, timeline
- Filter by module, person, date
- Keyboard shortcut to summon from anywhere
- Recent and pinned results
- Search within a single project or across all projects
- Fast, typo-tolerant matching

// USER STORIES

- As Maya I search 'auth decision' and find the doc, the commit, and the thread
- As Devin I jump to a file by name from anywhere with a shortcut
- As Priya I find everything about a client across projects

// ACCEPTANCE

- Search returns results in under 300ms at typical project size
- A keyboard shortcut opens search from any screen
- Results are grouped by module for scanability

Dependencies: All content modules; indexing layer (see §08).

MOD-12 · v1.3

P2

Integrations

PRI:P2

PHASE 4

Meet builders where they already are. A small, well-chosen set of integrations — import an external repo, post to social on publish, receive webhooks — so the platform extends a builder's world instead of demanding they abandon it.

// FEATURES

- Connect/mirror an external code repository
- Outgoing webhooks on timeline events
- Share-to-social on publish
- Import files from common cloud storage
- Public read API for project data
- Embeddable timeline and asset widgets

// USER STORIES

- As Maya I keep my existing repo and still get unified history
- As Renata I auto-post when I publish a new piece
- As Devin I wire a webhook to my own tooling

// ACCEPTANCE

- An external repo can be mirrored without manual re-sync
- Webhooks fire reliably with documented payloads

- The read API is documented and rate-limited sensibly

Dependencies: MOD-04, MOD-03, MOD-10.

MOD-13 · v1.3

P3

Time & invoicing

PRI:P3

PHASE 4

REVENUE

For the small studios (Priya) who bill clients: lightweight time tracking tied to projects and a simple invoice export. A pragmatic revenue-relevant module that makes the paid tier worth more to the people most likely to pay.

// FEATURES

- Start/stop timers tied to a project or task
- Manual time entry and weekly summary
- Simple rate-based invoice generation (export)
- Per-client rollups across projects
- CSV export for accounting
- No payment processing — export only, to stay simple and cheap

// USER STORIES

- As Priya I track billable time where the work happens
- As Priya I export a clean invoice at month end
- As Maya I optionally track my own time to understand effort

// ACCEPTANCE

- A timer can be started from a task in one click
- An invoice export is clean enough to send a client as-is
- Time data exports to CSV without loss

Dependencies: MOD-01, MOD-05; paid-tier gating (see §15).

MOD-14 · ongoing

P2

Community & templates

PRI:P2

GROWTH

A shared library of project templates, a public showcase of what people build, and the connective tissue of a community. As much a growth engine as a feature: every shared template and showcased project pulls new builders in.

// FEATURES

- Public template gallery; one-click 'use this template'
- Community showcase of public projects
- Featured builders and 'project of the week'
- Template submission and curation
- Lightweight following / favoriting
- Seasonal build challenges to drive activity

// USER STORIES

- As Leo I start from a community template and learn from it
- As Renata I get my piece featured and gain followers
- As Maya I publish a template and earn goodwill (and backlinks)

// ACCEPTANCE

- A template can be used to create a new project in one click
- The showcase updates without manual deploys

- Featuring a project measurably drives new signups

Dependencies: MOD-01, MOD-10. Curation is manual at first (by the founder).

Design system

The visual and interaction language. A small, strict system is what lets one person ship a product that looks intentional instead of assembled.

10.1 Voice

Calm, precise, and a little warm. The product speaks like a thoughtful colleague, not a mascot. Labels say what happens ("Make public", not "Go live!"). Errors explain and offer a fix. Empty states invite action. Nothing shouts.

10.2 Color

TOKEN	ROLE	NOTE
Ink	Primary text & structure	Near-black, warm, never pure #000
Paper	Background	Warm off-white; easy on long sessions
Tang (accent)	The one bold color	Used sparingly: actions, the wedge, key marks
Teal	Secondary structure	Links, secondary emphasis, calm
Slate	Quiet text & meta	Captions, timestamps, the timeline's hum

10.3 Type

Three voices, mirroring the product itself: a grotesk display for headings (the studio's confident voice), a clean sans for body (clarity), and a monospace for data, code, and the timeline (the code voice). The pairing isn't decoration — it encodes the code-meets-craft thesis in the typography.

10.4 Layout & motion

- **Generous whitespace.** Density is earned only in the timeline and data views, where power users want it.
- **Hairline structure.** Thin rules and quiet dividers, not heavy boxes.
- **Restrained motion.** Motion clarifies state changes; it never performs. Reduced-motion preferences are always respected.
- **Keyboard-first.** Every common action has a shortcut; the product is fast for the hands that live on the keyboard.

10.5 Accessibility floor

Not a feature, a floor: sufficient contrast everywhere, visible keyboard focus, semantic structure, and full keyboard operability. A product for builders must be usable by all of them.

When in doubt, remove something. The product should feel like a quiet, well-lit workshop — everything you need within reach, nothing on the bench you're not using.

§11 / BUDGET

The \$200 budget

Every dollar of the cash budget, named. The discipline of \$200 is the strategy, not a limitation to apologize for — it forces a product good enough to spread on its own.

11.1 The principle: cash vs. revenue-funded

The \$200 is the founder's **out-of-pocket cap before revenue**. It pays for the handful of things that genuinely cost money in the pre-revenue stretch. Everything that scales with usage — bigger database tiers, more storage, search infrastructure — is deliberately deferred until revenue covers it (see §08.6). The plan is built so the bills arrive *after* the income that pays them.

LINE ITEM	WHAT IT BUYS	TIMING	COST
Primary domain (.com, 2 yr)	The home address	M01	\$24.00
Secondary / brand domain (2 yr)	Brand protection + redirect	M06	\$20.00
Brand & logo	DIY mark + a few cheap assets	M01–M02	\$35.00
Font / icon licenses	Optional polish for the UI	M05	\$15.00
Object storage buffer	Pre-revenue file/asset overage	M02–M11	\$30.00
Transactional email	Low-volume sends before scale	M06–M11	\$12.00
Free-tier overflow buffer	A paid month if a free tier is outgrown early	M11	\$24.00
Launch & community	First build challenge, small extras	M16	\$20.00
Contingency reserve	The thing you didn't plan for	—	\$20.00
Total cash budget		24 months	\$200.00

11.2 What this budget deliberately does NOT buy

No paid acquisition

Zero ad spend. Growth is earned through building in public, a genuinely useful free tier, and word of mouth. Every user in year one arrives for free.

No premature infrastructure

No upgraded database, no dedicated search, no CDN bill until usage — and the revenue that comes with it — demands them. See the scaling triggers in §08.6.

No tools you can do without

The toolchain is open source and free tiers. Paid productivity tools are a luxury this budget doesn't extend to until revenue makes them trivial.

No founder salary (yet)

The founder is paid in equity and runway, not cash, until month ~23. The plan's whole point is to reach the month where a real salary is covered by real revenue.

11.3 The real budget: time

Cash is the small constraint. The expensive resource is the founder's hours. The plan assumes a sustainable part-time pace — roughly 40–60 focused hours a month — not a heroic sprint that ends in burnout. Weekly shipping is the mechanism that keeps the time budget honest.

PHASE	MONTHS	EST. FOUNDER HOURS/MO	PACE
Foundation	M01–M06	50–60	Heaviest build; the core must exist
Habit & money	M07–M12	45–55	Build + first support load
Width	M13–M18	40–50	Build + community + support
Business	M19–M24	40–50	More support & ops, less net-new build

BUDGET SUMMARY

\$200 cash, spent on domains, a little storage, brand, and a couple of buffers. Everything that scales is funded by revenue, by design. The true investment is ~1,100 founder hours over two years — spent at a pace that can be sustained, not survived.

11.4 If revenue arrives (the happy reprojection)

Once the paid tier is live (M11), infrastructure costs become a small fraction of MRR. A product at 5,000 users with a few hundred payers spends perhaps \$30–\$80/month on infrastructure against many multiples of that in revenue. The \$200 was only ever needed to reach the month where the product pays for itself.

§12 / TIMELINE

24-month timeline

The operational heart of the plan. Twenty-four months, each with goals, a commit-style build log, what ships, the target metric, the cash spent, and the one risk to watch. Four phases of six months each.

12.0 The four phases at a glance

PHASE	MONTHS	THEME	EXIT CONDITION
P1 · Foundation	M01–M06	Narrow lovable core + v1 launch	Public v1, 50–100 weekly active
P2 · Habit & money	M07–M12	Complete the project + paid tier	First payers, free → paid loop works
P3 · Width	M13–M18	Assets, publish, search, community	Sticky, spreading, 150–300 paying
P4 · Business	M19–M24	Integrations, billing, scale, profit	Founder salary covered, \$0 raised

● each dot = a build-log commit cash spend shown per month; most months are \$0

HOW TO USE THIS

Treat each month as a sprint with one headline outcome (what "ships"). If a month slips, push the whole train back rather than skipping a deliverable — the order matters more than the dates.

Phase 1 · Foundation

Build the narrow, lovable core: projects, unified files, the timeline wedge, and code. Ship a v1 that does one true thing better than any stitched-together stack. End the phase with real users, not a private demo.

SPAN	MONTHS	PHASE CASH	FOCUS
M01–M06	6	\$44	Build

M01 Foundations & the spine

FOUNDATION

Everything starts here. The temptation is to design the whole product; resist it. The only goal is a working spine — auth, the four-table model, and an empty timeline that proves the architecture holds. A public build-log post on day one starts the distribution flywheel before there's anything to show, which is exactly the right time to start.

GOALS

- Stand up the stack on free tiers (hosting, DB, auth, storage)
- Implement the core data model: Project, Member, File, Event
- First public build-log post: announce what's being built and why

BUILD LOG

- 01a5207 init repo; deploy a 'hello' to the edge
- 01a58f8 model Project + Member; auth wired
- 01a5fe9 Event table append-only; first timeline render
- 01a66da write build-in-public post #1

DELIVERABLES

- init repo; deploy a 'hello' to the edge
- model Project + Member; auth wired
- Event table append-only; first timeline render
- write build-in-public post #1

DONE WHEN

A private deploy where you can create a project and see an empty timeline.

TARGET

0 users · 1 build-log
post · stack live

CASH SPEND

\$24 (primary
domain, 2yr)

PHASE

P1 · build

HOURS EST.

50–60

RISK TO WATCH · M01

Over-engineering the data model. Mitigation: ship the four-table model, resist more.

M02 Unified files

FOUNDATION

Files are where the code-meets-craft thesis first becomes visible. A code file and an image sitting in the same tree, both versioned, both feeding the timeline, is the first moment the product looks like nothing else. Keep preview support narrow; the rabbit hole of supporting every format will eat the month if allowed.

- GOALS
- File upload, tree view, and inline preview (images, code, markdown)
 - Per-file version history backed by object storage
 - Files emit timeline events on add/change

- BUILD LOG
- 01a78d2

object storage wired; upload works
- 01a7fc3

file tree mixes code + images

01a86b4

inline preview for top formats

01a8da5

file changes write Events

- DELIVERABLES
- object storage wired; upload works
 - file tree mixes code + images
 - inline preview for top formats
 - file changes write Events

DONE WHEN

You can drop any file into a project and see it previewed, versioned, and on the timeline.

TARGET	CASH SPEND	PHASE	HOURS EST.
3–5 friendly testers invited	\$0	P1 · build	50–60

RISK TO WATCH · M02

Preview rabbit hole. Mitigation: support common formats only; link-out for the rest.

M03 The timeline, for real

FOUNDATION

This is the most important month of the year. The timeline is the wedge, and the parts that make it special — grouping related changes, pinning decisions, sharing a permalink — are the parts no fragmented stack can replicate. If testers don't have an 'oh, that's the point' reaction this month, the thesis needs attention before anything else proceeds.

- GOALS
- Readable, filterable timeline across files + system events
 - Decisions: pinned timeline notes that capture the why
 - Grouping: related changes can render as one entry

- BUILD LOG
- 01a9f9d

timeline filters by person/module/date

01aa68e

decision notes pin to the stream

01aad7f

group_id groups related events

01ab470

permalink any timeline moment

- DELIVERABLES
- timeline filters by person/module/date
 - decision notes pin to the stream
 - group_id groups related events
 - permalink any timeline moment

DONE WHEN

The wedge exists: one history of everything, shareable by link.

TARGET	CASH SPEND	PHASE	HOURS EST.
10–15 testers · first 'oh, that's the point' reactions	\$0	P1 · build	50–60

RISK TO WATCH · M03

Timeline feels generic. Mitigation: nail grouping + decisions, the parts nothing else has.

M04 Code module + closed beta

FOUNDATION

With the wedge in place, code joins the timeline and a small, hand-picked beta opens. Thirty users is plenty; the goal is depth of feedback, not breadth. Every beta user gets a real conversation. The external-repo mirror means people don't have to abandon their existing workflow to try the thing — lowering the cost of saying yes.

GOALS

- Git-backed code per project; commits flow into the timeline
- Connect an external repo as a read-only mirror
- Open a closed beta to ~30 hand-picked builders

BUILD LOG

- 01ac668 native git repo per project
- 01acd59 commits appear in timeline, attributed
- 01ad44a external repo mirror (read-only)
- 01adb3b closed beta invites go out

DELIVERABLES

- native git repo per project
- commits appear in timeline, attributed
- external repo mirror (read-only)
- closed beta invites go out

DONE WHEN

A solo builder's code and design changes share one timeline. Closed beta is live.

TARGET

~30 beta users · first
weekly-active cohort

CASH SPEND

\$0

PHASE

P1 · build

HOURS EST.

50–60

RISK TO WATCH · M04

Beta users churn silently. Mitigation: talk to every single one; weekly check-ins.

M05 Polish, onboarding, templates

FOUNDATION

Polish is where good products separate from demos, but polish is also infinite. Timebox it. The onboarding flow and starter templates are the highest-leverage work: they decide whether a stranger reaches the 'aha' before giving up. The performance pass protects the timeline from feeling sluggish as real projects accumulate events.

GOALS

- First-run experience: project created and useful in under a minute
- Three starter templates (blank, web app, brand kit)
- Performance pass: timeline handles 1,000 events smoothly

BUILD LOG

- **01aed33** 60-second onboarding flow
- **01af424** starter templates ship
- **01afb15** perf pass on timeline render
- **01b0206** fix top 10 beta complaints

DELIVERABLES

- 60-second onboarding flow
- starter templates ship
- perf pass on timeline render
- fix top 10 beta complaints

DONE WHEN

A newcomer can go from signup to a real project fast, from a template.

TARGET

40–60 users ·
activation rate
measured

CASH SPEND

\$0

PHASE

P1 · build

HOURS EST.

50–60

RISK TO WATCH · M05

Polish never ends. Mitigation: timebox to two weeks; ship, then move on.

M06 Public v1 launch

FOUNDATION

Launch month. Open signups, ship public project pages, post to the build-in-public channels that have been warming up for five months. Expect a spike and plan for the silence after it — the funnel instrumentation added here is what turns a vanity spike into a learnable cohort. The secondary domain locks down the brand.

GOALS

- Open public signups; launch on build-in-public channels
- Public project pages so people can share what they make
- Instrument the funnel: signup → first project → weekly active

BUILD LOG

- 01b13fe public signup opens
- 01b1aef public project page v1
- 01b21e0 launch posts + show-and-tell
- 01b28d1 funnel analytics live

DELIVERABLES

- public signup opens
- public project page v1
- launch posts + show-and-tell
- funnel analytics live

DONE WHEN

v1 is public. Anyone can build a project and share its timeline.

TARGET

150–300 signups · 50–
100 weekly active

CASH SPEND

\$20 (secondary
domain, 2yr)

PHASE

P1 · build

HOURS EST.

50–60

RISK TO WATCH · M06

Launch spike then silence. Mitigation: have phase-2 features queued to retain.

Phase 2 · Habit & money

Turn first users into a weekly habit, add the modules that make a project feel complete (tasks, docs, comments, people), and open a paid tier. End the phase with the first paying customers and a free → paid loop that works.

SPAN	MONTHS	PHASE CASH	FOCUS
M07–M12	6	\$24	Money

M07 Tasks + the paid tier groundwork

HABIT & MONEY

Phase two begins by making the project feel more complete and laying the rails for revenue. Tasks that link to real work (not floating cards) extend the timeline's reach. Billing is scaffolded but charges nobody yet; pricing is drafted and tested in conversations before a single price is published.

GOALS

- Lightweight tasks linked to files, commits, decisions
- Define free vs paid limits; build billing plumbing (no charge yet)
- Decide pricing (see §15) and soft-announce it

BUILD LOG

- 01b3ac9 tasks list + board ship
- 01b41ba tasks link to work; emit events
- 01b48ab billing integration scaffolded
- 01b4f9c pricing page drafted

DELIVERABLES

- tasks list + board ship
- tasks link to work; emit events
- billing integration scaffolded
- pricing page drafted

DONE WHEN

Tasks that point at real work, and the rails for charging money.

TARGET

300–500 users ·
pricing validated in
interviews

CASH SPEND

\$0

PHASE

P2 · money

HOURS EST.

45–55

RISK TO WATCH · M07

Pricing scares early fans. Mitigation: grandfather early users; keep free tier strong.

M08 Docs + decisions, deepened

HABIT & MONEY

Docs bring the brief, the spec, and the decision record into the project itself. Markdown only — the discipline that keeps this from becoming a doc tool in disguise. When a decision lives next to the code it explains and the design it shaped, the product's promise of unified context gets materially stronger.

GOALS

- Markdown docs as first-class project files
- Doc templates: brief, spec, decision record, changelog
- Public doc sharing via link

BUILD LOG

- 01b6194 markdown doc editor ships
- 01b6885 doc templates + linking
- 01b6f76 public doc links
- 01b7667 docs feed the timeline

DELIVERABLES

- markdown doc editor ships
- doc templates + linking
- public doc links
- docs feed the timeline

DONE WHEN

The brief, the spec, and the decisions live where the work is.

TARGET

500–750 users · docs
used in 30%+ of active
projects

CASH SPEND

\$0

PHASE

P2 · money

HOURS EST.

45–55

RISK TO WATCH · M08

Reinventing a doc tool. Mitigation: markdown only; lean on simplicity.

M09 Comments & feedback in context

HABIT & MONEY

Comments close the feedback loop: feedback anchored to the exact image region or code line, accumulating in context instead of scattering across chat. This month also holds the kill-criteria checkpoint (G2) — an honest look at whether the timeline is genuinely why people stay. A 'no' here is a signal to reshape, not to push harder.

GOALS

- Threaded comments anchored to files, image regions, code lines, events
- Resolve/reopen with timeline trace; @mentions; batched notifications
- Mid-point thesis check: is the timeline the reason people stay?

BUILD LOG

- **01b885f** region comments on images
- **01b8f50** line comments on code
- **01b9641** resolve + mention + digests
- **01b9d32** run the M09 thesis review

DELIVERABLES

- region comments on images
- line comments on code
- resolve + mention + digests
- run the M09 thesis review

DONE WHEN

Feedback that accumulates on the work instead of scattering across chat.

TARGET

700–1,000 users ·
kill-criteria
checkpoint passed

CASH SPEND

\$0

PHASE

P2 · money

HOURS EST.

45–55

RISK TO WATCH · M09

Notification spam. Mitigation: digests by default, never per-event pings.

M10 People, roles & guests

HABIT & MONEY

People and roles turn a solo tool into something small teams and client relationships can use. Three roles, no custom permissions, time-boxed guest access. The attribution audit ensures every action across every module is correctly tied to a person — the foundation of a timeline anyone can trust.

GOALS

- Clean three-role model (owner/editor/viewer) across all modules
- Invite by link or email; time-boxed guest access for clients
- Consistent identity & attribution everywhere

BUILD LOG

- 01baf2a roles enforced server-side
- 01bb61b invite links + email
- 01bbd0c expiring guest access
- 01bc3fd attribution audit across modules

DELIVERABLES

- roles enforced server-side
- invite links + email
- expiring guest access
- attribution audit across modules

DONE WHEN

Small teams and client review work without a permissions manual.

TARGET

1k–1.4k users · first
multi-person projects

CASH SPEND

\$0

PHASE

P2 · money

HOURS EST.

45–55

RISK TO WATCH · M10

Permissions complexity creep. Mitigation: exactly three roles, no custom perms.

M11 Open the paid tier

HABIT & MONEY

The paid tier opens. The first charge is a milestone worth celebrating publicly. Early supporters are grandfathered as thanks. The infra cost review confirms that margins are healthy at current scale before scaling further. Low conversion here is a value problem to investigate, not a price to cut in a panic.

GOALS

- Turn on billing; launch Pro tier (see §15)
- Cost review: confirm infra still under control at current scale
- First-dollar celebration, publicly

BUILD LOG

- **01bd5f5** paid tier live; first charge
- **01bdce6** grandfather early supporters
- **01be3d7** M11 infra cost review
- **01beac8** build-log: 'we have revenue'

DELIVERABLES

- paid tier live; first charge
- grandfather early supporters
- M11 infra cost review
- build-log: 'we have revenue'

DONE WHEN

The paid tier is open. The product makes money.

TARGET

First 10–30 paying
customers · MRR >
\$0

CASH SPEND

**\$24 (free-tier
overflow
buffer)**

PHASE

P2 · money

HOURS EST.

45–55

RISK TO WATCH · M11

Conversion near zero. Mitigation: interview non-converters; adjust value, not price first.

M12 Year-one consolidation

HABIT & MONEY

A consolidation month closes year one. No new modules — just stability, debt paydown, documentation, and an honest public retro. The plan itself gets rewritten based on what twelve months actually taught. Skipping the retro to keep building is the temptation; the retro is a deliverable, not a luxury.

- GOALS
- Stabilize, fix debt, document; no new modules this month
 - Year-one retro published openly
 - Re-plan phase 3 from what the year actually taught

- BUILD LOG
- 01bfcc0 bug + debt burn-down
 - 01c03b1 write the year-one retro
 - 01c0aa2 update this very plan
 - 01c1193 set phase-3 priorities from data

- DELIVERABLES
- bug + debt burn-down
 - write the year-one retro
 - update this very plan
 - set phase-3 priorities from data

DONE WHEN A stable, profitable-trajectory product and an honest public retro.

TARGET	CASH SPEND	PHASE	HOURS EST.
1.5k–2k users · 30–60 paying · MRR \$200–\$600	\$0	P2 · money	45–55

RISK TO WATCH · M12

Skipping the retro to keep building. Mitigation: it's a deliverable, not optional.

§12.3 / PHASE 3

Phase 3 · Width & stickiness

Widen carefully: assets, publish/portfolio, search, and community. Each addition must deepen the habit, not dilute it. Turn the public side of the product into the growth engine. End the phase data-sticky and quietly spreading.

SPAN	MONTHS	PHASE CASH	FOCUS
M13–M18	6	\$20	Width

M13 Assets & media as first-class

WIDTH & STICKINESS

Phase three widens the product, starting with assets as true first-class citizens — galleries, collections, visual diffs — the creative counterpart to the code module. Storage costs get their first real watching here; lifecycle rules and optimization keep the bill in line with the revenue now arriving.

- GOALS
- Gallery/grid views, collections, visual version diff for images
 - Optimized delivery via storage/CDN
 - Creative outputs get the same seriousness as code

- BUILD LOG
- 01c238b asset gallery + collections
 - 01c2a7c visual before/after diff
 - 01c316d CDN-backed delivery
 - 01c385e thumbnails for common formats

- DELIVERABLES
- asset gallery + collections
 - visual before/after diff
 - CDN-backed delivery
 - thumbnails for common formats

DONE WHEN The creative counterpart to the code module, fully realized.

TARGET	CASH SPEND	PHASE	HOURS EST.
2k–2.6k users · assets used by creative personas	\$0	P3 · width	40–50

RISK TO WATCH · M13

Storage costs jump. Mitigation: lifecycle rules + optimization; watch the M13 metric.

M14 Publish & portfolio

WIDTH & STICKINESS

Publishing closes the loop from private building to public showing — and the showing is the growth engine. Public pages, opt-in changelogs, a simple portfolio, and tasteful attribution that brings new builders in. The danger is scope-creeping into a website builder; tasteful defaults and few knobs keep it focused.

GOALS

- Polished public project pages; opt-in build-in-public changelog feed
- Simple portfolio aggregating a builder's public projects
- 'Made with RMH' attribution as a growth loop

BUILD LOG

- 01c4a56 public pages redesigned
- 01c5147 changelog feed per project
- 01c5838 portfolio surface
- 01c5f29 attribution referral tracking

DELIVERABLES

- public pages redesigned
- changelog feed per project
- portfolio surface
- attribution referral tracking

DONE WHEN

Closing the loop: build in private, show in public — and the showing brings people.

TARGET

2.6k–3.3k users ·
first attribution-
driven signups

CASH SPEND

\$0

PHASE

P3 · width

HOURS EST.

40–50

RISK TO WATCH · M14

Portfolio scope creep into a site builder. Mitigation: tasteful defaults, few knobs.

M15 Search across everything

WIDTH & STICKINESS

As history accumulates, search is what keeps it useful instead of buried. Unified search across every module, summoned from anywhere by keyboard. Postgres full-text is free and good enough now; the plan to migrate to a dedicated index waits for the metric that actually demands it (\$08.6), not for anxiety.

GOALS

- Unified search over files, docs, tasks, comments, timeline
- Keyboard summon from anywhere; grouped, typo-tolerant results
- Postgres full-text now; plan dedicated index for later

BUILD LOG

- 01c7121 unified search index
- 01c7812 keyboard launcher
- 01c7f03 grouped results by module
- 01c85f4 search within / across projects

DELIVERABLES

- unified search index
- keyboard launcher
- grouped results by module
- search within / across projects

DONE WHEN

History stays useful at scale: find anything in seconds.

TARGET

3.3k–4k users · search
adopted by power users

CASH SPEND

\$0

PHASE

P3 · width

HOURS EST.

40–50

RISK TO WATCH · M15

Search slow as data grows. Mitigation: measure; migrate index per \$08.6 trigger.

M16 Community & templates v1

WIDTH & STICKINESS

Community becomes a deliberate growth engine: a template gallery that lowers the on-ramp, a showcase that celebrates what people build, and the first build challenge to spark activity. The empty-community problem is real — so the founder seeds the library and curates by hand until momentum carries it.

GOALS

- Public template gallery with one-click 'use this template'
- Community showcase of public projects; founder-curated 'project of the week'
- First seasonal build challenge

BUILD LOG

- **01c97ec** template gallery + one-click use
- **01c9edd** community showcase
- **01ca5ce** project-of-the-week
- **01cacbf** launch a build challenge

DELIVERABLES

- template gallery + one-click use
- community showcase
- project-of-the-week
- launch a build challenge

DONE WHEN

The community becomes a growth engine; templates lower the on-ramp.

TARGET

4k–4.8k users ·
template-driven
signups measurable

CASH SPEND

\$20
(challenge/community)

PHASE

P3 · width

HOURS EST.

40–50

RISK TO WATCH · M16

Empty-community problem. Mitigation: seed with founder templates; curate by hand.

M17 Stickiness & retention pass

WIDTH & STICKINESS

A retention month, not a feature month. A cohort deep-dive reveals who comes back and why, the top funnel leaks get sealed, and gentle re-engagement brings dormant projects back. Vanity metrics are explicitly set aside here in favor of weekly-active and retention — the numbers that tell the truth.

GOALS

- Retention deep-dive: who comes back weekly, and why
- Fix the top 3 drop-off points in the funnel
- Re-engagement: gentle digests of a project's recent timeline

BUILD LOG

- **01cbeb7** cohort retention analysis
- **01cc5a8** fix top funnel drop-offs
- **01ccc99** weekly project digest email
- **01cd38a** win-back for dormant projects

DELIVERABLES

- cohort retention analysis
- fix top funnel drop-offs
- weekly project digest email
- win-back for dormant projects

DONE WHEN

A measurably stickier product, with the leaks in the funnel sealed.

TARGET

4.8k–5.5k users · W4
retention improving

CASH SPEND

\$0

PHASE

P3 · width

HOURS EST.

40–50

RISK TO WATCH · M17

Vanity metrics hide churn. Mitigation: track weekly-active and retention, not signups.

M18 Mid-plan consolidation

WIDTH & STICKINESS

The mid-plan consolidation mirrors month twelve: stabilize the wider surface, pay down the debt that rapid additions create, publish an eighteen-month retro, and revisit pricing with a year and a half of real data. Phase four's revenue priorities are set here, from evidence rather than hope.

GOALS

- Stabilize the wider surface; pay down debt from rapid additions
- 18-month public retro; revisit pricing with real data
- Decide phase-4 revenue priorities

BUILD LOG

- 01ce582 stabilize + debt burn-down
- 01cec73 write 18-month retro
- 01cf364 pricing revisit with data
- 01cfa55 set phase-4 plan

DELIVERABLES

- stabilize + debt burn-down
- write 18-month retro
- pricing revisit with data
- set phase-4 plan

DONE WHEN

A broad, stable platform and a clear-eyed plan for turning it into a living.

TARGET

5k–6k users · 150–300
paying · MRR \$1.2k–
\$2.5k

CASH SPEND

\$0

PHASE

P3 · width

HOURS EST.

40–50

RISK TO WATCH · M18

Breadth outpacing quality. Mitigation: a consolidation month is mandatory, not optional.

Phase 4 · Business

Make it a real, self-sustaining business: integrations, time & invoicing for paying studios, scale where metrics demand it, and revenue that pays the founder a living wage. End month 24 able to choose the next move from strength.

SPAN M19–M24	MONTHS 6	PHASE CASH \$0	FOCUS Profit
------------------------------------	--------------------------------	--------------------------------------	------------------------------------

M19 Integrations

BUSINESS

Phase four turns the product into a business. Integrations let the platform extend a builder's existing world — webhooks, share-to-social, a documented read API — rather than demanding they abandon their other tools. The surface is kept small, versioned, and rate-limited so one person can maintain it.

- GOALS
- External repo mirror hardened; outgoing webhooks on timeline events
 - Share-to-social on publish; import from common cloud storage
 - Documented public read API + embeddable widgets

- BUILD LOG
- 01d0c4d

webhooks on events
- 01d133e

share-to-social on publish
- 01d1a2f

cloud storage import
- 01d2120

public read API + embeds

- DELIVERABLES
- webhooks on events
 - share-to-social on publish
 - cloud storage import
 - public read API + embeds

DONE WHEN

The platform extends a builder's existing world instead of demanding they leave it.

TARGET	CASH SPEND	PHASE	HOURS EST.
6k–7k users · integrations used by power segment	\$0	P4 · profit	40–50

RISK TO WATCH · M19

API maintenance burden. Mitigation: small, versioned, rate-limited surface only.

M20 Time & invoicing for studios

BUSINESS

Time tracking and invoice export give the studios most likely to pay a concrete reason to upgrade. Deliberately export-only: no payment processing, to avoid becoming an accounting product. For a team billing clients, this single module can justify the Studio tier on its own.

- GOALS
- Timers tied to projects/tasks; manual entry; weekly summaries
 - Rate-based invoice export; per-client rollups; CSV out
 - Position as the reason small studios upgrade

- BUILD LOG
- 01d3318 project/task timers
 - 01d3a09 invoice export (no payments)
 - 01d40fa per-client rollups
 - 01d47eb studio upgrade prompts

- DELIVERABLES
- project/task timers
 - invoice export (no payments)
 - per-client rollups
 - studio upgrade prompts

DONE WHEN Billing studios get tangible paid-tier value; the segment most likely to pay, served.

TARGET	CASH SPEND	PHASE	HOURS EST.
7k–8k users · studio conversion lifts	\$0	P4 · profit	40–50

RISK TO WATCH · M20

Becoming an accounting tool. Mitigation: export only; never process payments.

M21 Scale where the metrics say

BUSINESS

Now, and only now, infrastructure scales — driven by the \$08.6 triggers actually being hit, funded entirely by revenue rather than the \$200. A practiced restore, a reliability dashboard, and edge caching where latency demands it. Premature scaling was avoided for twenty months precisely so this month could be cheap and confident.

GOALS

- Act on \$08.6 triggers actually hit (DB tier, search index, caching)
- Reliability pass: backups practiced, error budgets watched
- All scale spend is now revenue-funded, not from the \$200

BUILD LOG

- 01d59e3 upgrade what metrics demand
- 01d60d4 practice a real restore
- 01d67c5 edge caching where needed
- 01d6eb6 reliability dashboard

DELIVERABLES

- upgrade what metrics demand
- practice a real restore
- edge caching where needed
- reliability dashboard

DONE WHEN

Infrastructure that matches real usage — paid for by revenue, not anxiety.

TARGET

8k–9k users · p95
latency healthy

CASH SPEND

**\$0 (infra now
revenue-funded)**

PHASE

P4 · profit

HOURS EST.

40–50

RISK TO WATCH · M21

Premature scaling. Mitigation: only act on triggers from \$08.6, never on fear.

M22 Monetization deepening

BUSINESS

With a year of behavioral data, monetization gets refined: an annual plan for cash-flow smoothing, an optional team plan, and dunning to recover involuntary churn. Price changes remain slow and rare — value comes first, always. The goal is a model tuned by evidence, not a clever pricing trick.

- GOALS
- Refine tiers with a year of data; add an annual plan
 - Optional studio/team plan for multi-seat
 - Reduce involuntary churn (dunning, reminders)

- BUILD LOG
- 01d80ae annual plan + discount
 - 01d879f team/studio plan
 - 01d8e90 dunning + payment recovery
 - 01d9581 pricing experiment readout

- DELIVERABLES
- annual plan + discount
 - team/studio plan
 - dunning + payment recovery
 - pricing experiment readout

DONE WHEN A monetization model tuned by real behavior, not guesses.

TARGET	CASH SPEND	PHASE	HOURS EST.
9k–10k users · MRR \$3k–\$5k	\$0	P4 · profit	40–50

RISK TO WATCH · M22

Over-optimizing price vs product. Mitigation: value first; price changes are slow & rare.

M23 Sustainability & the team question

BUSINESS

The sustainability check: does revenue cover costs many times over and a real founder salary? With that answered, the big question — stay solo, hire the first person, or raise — gets decided from strength. Runbooks are written so the studio survives the founder taking a week off, addressing the single-point-of-failure risk head-on.

GOALS

- Confirm revenue covers costs many times over and a founder salary
- Decide: stay solo, hire #1, or raise — from strength
- Document everything so the studio isn't a single point of failure

BUILD LOG

- 01da779 financial review: salary covered?
- 01dae6a write the 'what next' memo
- 01db55b ops runbooks
- 01dbc4c first contractor scoped (if warranted)

DELIVERABLES

- financial review: salary covered?
- write the 'what next' memo
- ops runbooks
- first contractor scoped (if warranted)

DONE WHEN

A business that pays its founder and could survive them taking a week off.

TARGET

10k–12k users · 400–
600 paying · MRR \$4k–
\$7k

CASH SPEND

\$0

PHASE

P4 · profit

HOURS EST.

40–50

RISK TO WATCH · M23

Founder burnout. Mitigation: this is why the plan ships weekly, not heroically.

M24 Year-two close & the open choice

BUSINESS

Year two closes with a public retro that's honest about what didn't work, a year-three thesis, and a reinvestment plan made from a position of choice rather than necessity. The destination was never a valuation — it was a self-sustaining product, a living wage, and the freedom to decide what comes next. That's the win.

GOALS

- 24-month public retro; celebrate the milestone openly
- Set the year-three thesis (stay small / grow / raise)
- Reinvest from a position of choice, not necessity

BUILD LOG

- 01dce44 write the 24-month retro
- 01dd535 set year-three thesis
- 01ddc26 reinvestment plan
- 01de317 thank the community publicly

DELIVERABLES

- write the 24-month retro
- set year-three thesis
- reinvestment plan
- thank the community publicly

DONE WHEN

A self-sustaining product, a living wage, and a free choice about what comes next.

TARGET

Goal: self-sustaining
· founder salary
covered · \$0 outside
capital

CASH SPEND

\$0

PHASE

P4 · profit

HOURS EST.

40–50

RISK TO WATCH · M24

Declaring victory too early. Mitigation: the retro is honest about what didn't work too.

§13 / GATES

Milestones & gates

Phases don't advance on the calendar; they advance on evidence. Each gate is a question that must be answered "yes" before spending the next six months.

13.1 The gates

GATE	AT	THE QUESTION	IF 'NO' ...
G1 · Wedge real?	end M06	Do users cite the timeline as why they'd switch?	Re-shape the wedge before widening
G2 · Habit formed?	end M09	Are 300+ people weekly-active? (kill-criteria)	Pivot the core, don't add features
G3 · People pay?	end M12	Is free → paid > 2% and MRR climbing?	Fix value before adding modules
G4 · Sticky & spreading?	end M18	Is retention up and growth partly organic?	Deepen, don't broaden, in P4
G5 · A real business?	end M24	Does revenue cover costs and a salary?	Reassess: smaller, slower, or stop

THE DISCIPLINE

A gate you always pass isn't a gate. Each is written so the honest answer could be "no" — and a "no" is a signal to change course cheaply, not to push harder into a wall.

13.2 Quarterly rituals

- **Public retro every quarter.** What shipped, what didn't, what the numbers say. Builds trust and forces honesty.
- **Re-read this plan every quarter.** Rewrite the parts the last three months proved wrong. The plan is a hypothesis, not scripture.
- **Founder check-in every quarter.** Is the pace sustainable? Burnout is the single largest risk to a solo plan; it's tracked like any other metric.

13.3 Definition of done for v1

So "v1" can't quietly expand: v1 is done when a new user can sign up, create a project, add code and design files, see them in one unified timeline, capture a decision, and share a public link — all within their first session, on the free tier, with no confusion. Anything beyond that is v1.1 or later.

Go-to-market

With \$0 for ads, distribution has to be earned. The strategy is a single coherent motion: build in public, give generously, let the product show itself.

14.1 The motion

Every part of the go-to-market plan is something a solo founder can do for free, and most of it is a byproduct of building the product well. The flywheel: build in public → attract curious builders → they make things on the platform → they share those public projects → those projects pull in more builders.

CHANNEL	WHAT IT IS	COST	WHY IT FITS A \$200 PLAN
Build in public	Share progress, decisions, numbers	\$0	The product's story is the marketing
Public projects	Users' own work, shared	\$0	Every shared project is an ad with attribution
Templates & showcase	Community library + features	\$0	Lowers on-ramp; creates reciprocity
Founder writing	Essays on the code/craft seam	\$0	Earns the right audience, slowly
Community presence	Be genuinely useful where builders gather	\$0	Trust compounds; never spam
Word of mouth	A product worth recommending	\$0	The only channel that scales for free

14.2 The first 100 users (by hand)

The first hundred users are recruited personally, one conversation at a time, from the build-in-public audience and communities of builders. Each is interviewed. This doesn't scale — which is the point. The first hundred teach the product what it needs to be before any attempt at scale would just amplify the wrong thing.

14.3 From 100 to 1,000

Once the product earns genuine "I love this" reactions, the public-projects loop and templates begin to compound. A v1 launch moment (M06) on build-in-public channels provides a spike; the retention work in P2 keeps the people the spike delivers.

14.4 Positioning & message

THE PITCH, ONE LINE

"One home for your code and your craft — with a single history of how it all came together."

The message leads with the pain everyone recognizes (the tax of stitching tools together) and the relief of the wedge (one timeline for everything). It never leads with a feature list. People don't switch tools for features; they switch to stop hurting.

14.5 Launch sequencing

MOMENT	WHEN	GOAL
Soft beta	M04	30 hand-picked builders; learn
Open beta	M05	Activation tuning; templates
Public v1	M06	First real spike; instrument funnel
Paid launch	M11	First revenue; grandfather fans
Community launch	M16	Templates + showcase as engine
Year-two milestone	M24	Public retro; set what's next

14.6 What we won't do for growth

- No buying email lists, no cold spam, no growth hacks that erode trust.
- No fake urgency or manufactured scarcity. Ever (principle 07.6).
- No chasing a viral moment at the expense of the people already here.

§15 / PRICING

Pricing & monetization

Simple, fair, and built on a free tier that's genuinely useful forever. The paid tier sells scale and convenience to people who already love the product.

15.1 The tiers

TIER	PRICE	FOR	KEY LIMITS / VALUE
Free	\$0	Maya, Leo, anyone	Generous projects & storage; full timeline; public pages
Pro	~\$8/mo	Solo builders who've outgrown free	Unlimited projects, more storage, priority features
Studio	~\$18/mo	Priya & small teams	Multi-seat, guest review, time & invoicing, client pages

PRICING PHILOSOPHY

Prices are indicative and validated with users before launch (M07 interviews, M11 launch). The free tier is never crippled to force upgrades; it's the front door and the best marketing. Early supporters are grandfathered as a thank-you.

15.2 Why these numbers

- **~\$8 Pro** sits below the threshold where a solo builder agonizes over it, and roughly replaces one of the tools they'll cancel.
- **~\$18 Studio** is trivially justified for a team billing clients — the time & invoicing module alone pays for it.
- **Annual plans** (added M22) offer a modest discount and smooth cash flow.

15.3 What is never paywalled

The wedge. The unified timeline, decisions, and core history are free forever. Charging for the thing that makes the product trustworthy would poison the well. Money comes from scale (more projects, more storage, more seats) and from the studio-specific tools, never from the core promise.

15.4 Unit economics, roughly

METRIC	ESTIMATE	NOTE
Infra cost / active user	pennies/mo	Free tiers + cheap storage
Gross margin	very high	Software with near-zero marginal cost
Support cost	founder's time	The real cost; managed by good docs
CAC	~\$0	Earned distribution, no ad spend

METRIC	ESTIMATE	NOTE
Payback	immediate	No acquisition cost to recover

Growth model

Three loops that compound. None of them costs money; all of them are byproducts of building the product well.

16.1 Loop 1 — Build in public

The founder shares progress; curious builders follow; some try the product; their feedback makes it better; better progress is more worth sharing. The loop's flywheel is honesty — sharing the failures as well as the wins is what earns the trust that converts.

16.2 Loop 2 — Public projects

Users make things; they share the public project page or timeline; viewers see a tasteful "Made with RMH" attribution; some become users; they make and share things. This is the strongest loop because it scales with usage and requires nothing from the founder once built (MOD-10, MOD-14).

16.3 Loop 3 — Templates & community

A user publishes a template; newcomers start from it; some of them publish their own; the library deepens; a deeper library attracts more newcomers. Curation (founder-led at first) keeps quality high enough that the loop doesn't degrade.

THE COMPOUNDING BET

None of these loops is explosive. All of them compound. A bootstrapped product doesn't need a viral spike; it needs loops that turn each cohort of happy users into the next cohort, quietly, for years.

16.4 The funnel

STAGE	DEFINITION	LEVER
Aware	Saw a post, project, or template	Build in public; public projects
Signed up	Created an account	Clear value prop; low friction
Activated	Created a real project, saw the timeline	60-second onboarding; templates
Weekly active	Came back and built more	The product being genuinely useful
Paid	Upgraded to Pro/Studio	Outgrew free; needed scale or studio tools

STAGE	DEFINITION	LEVER
Advocate	Shared, referred, templated	A product worth recommending

§17 / METRICS

Metrics & KPIs

What gets measured, what gets ignored, and the one number that matters most.

Vanity metrics are explicitly named so they can be resisted.

17.1 The north star

NORTH STAR METRIC

Weekly Active Builders (WAB) — the number of people who do real work in a project in a given week. Not signups, not page views. The number that says people actually use the thing.

17.2 The metric tree

TIER	METRIC	WHY IT MATTERS
North star	Weekly Active Builders	Real, recurring usage
Acquisition	Signups, signup → activation %	Top of funnel & first-run quality
Activation	% creating a real project wk 1	Did they reach the 'aha'?
Retention	W1 / W4 / W12 cohort retention	The truth about product-market fit
Revenue	MRR, free → paid %, churn	Is it a business?
Health	Infra cost/user, p95 latency	Is it sustainable & fast?
Founder	Hours/week, burnout check	Is the maker okay? (it's a real KPI)

17.3 Targets by checkpoint

CHECKPOINT	WAB	PAYING
M06 · v1 launch	50–100	0
M12 · year one	300–500	30–60
M18 · mid plan	800–1,200	150–300
M24 · year two	1,500–2,500	400–600

17.4 Vanity metrics to ignore

Total signups (without activation), social followers (without conversion), feature count, and any number that goes up while WAB and retention go down. These flatter the ego and lie about the business.

§18 / FINANCIALS

Financial projections

The bootstrap math. Conservative, base, and optimistic paths — all of which lead to the same destination: a product that pays for itself.

18.1 Costs are tiny by design

Because the stack runs on free tiers until usage forces upgrades, total cost stays near zero for a long time. The \$200 cash budget covers the pre-revenue period; after that, infrastructure is a small, revenue-funded line.

PERIOD	USERS	MONTHLY INFRA COST	FUNDED BY
M01–M06	0–300	~\$0	The \$200 budget
M07–M12	300–2k	~\$5–\$25	Mostly the \$200; early revenue
M13–M18	2k–6k	~\$25–\$60	Revenue
M19–M24	6k–12k	~\$60–\$150	Revenue (a fraction of MRR)

18.2 Three revenue paths (M24)

SCENARIO	PAYING USERS	AVG REVENUE/USER	APPROX MRR
Conservative	~250	~\$9	~\$2,250
Base	~450	~\$11	~\$4,950
Optimistic	~650	~\$12	~\$7,800

READ THIS HONESTLY

Even the conservative path reaches self-sustaining. The optimistic path is a real, modest livelihood — not a unicorn, by design. The plan's success criterion was never a valuation; it was independence.

18.3 The break-even logic

Break-even (covering infra + tools) arrives early — likely within a few months of the paid launch, because costs are so low. The meaningful threshold is later: the month revenue covers a founder salary, projected around M22–M24 in the base case. Everything between break-even and salary-covered is reinvested into the product and a small buffer.

18.4 Sensitivity — what moves the outcome

LEVER	IMPACT	CONTROLLABLE?
Free → paid conversion %	Largest single driver of MRR	Partly — via value, not pressure
Churn	Quietly erodes everything	Yes — via retention work (P3)
WAB growth	Sets the ceiling on payers	Partly — via the growth loops
Infra cost discipline	Protects margin	Yes — via \$08.6 triggers
Founder pace	Determines if the plan survives	Yes — the most important lever

18.5 The financial philosophy

IN ONE LINE

Spend almost nothing, give away the core, charge fairly for scale, let costs arrive after the revenue that pays them, and define success as independence rather than size.

This is a plan to build a small, durable, self-owned business — the kind that a funded competitor can't easily replicate, because they're playing a different game with different numbers. The \$200 isn't a handicap. It's the whole strategy.

§19 / RISK

Risk register

What could go wrong, how likely, how bad, and the specific plan for each. A risk you've named and planned for is half-handled.

#	RISK	LIKELY	IMPACT	MITIGATION
R1	Wedge isn't compelling enough to switch	Med	High	Validate by M06; reshape, don't widen (G1)
R2	Founder burnout	Med	Critical	Sustainable pace; weekly ships; quarterly check-in
R3	Free → paid conversion too low	Med	High	Interview non-converters; improve value first
R4	A funded competitor copies the wedge	Low	Med	Head start, community, care, data gravity
R5	Infra costs outrun revenue	Low	Med	\$08.6 triggers; costs deferred behind revenue
R6	Launch spike then silence	High	Med	Retention features queued before launch
R7	Scope creep dilutes the product	High	Med	Principles 07.4; mandatory consolidation months
R8	Solo = single point of failure	Med	High	Document everything; runbooks by M23
R9	Data loss erodes core trust	Low	Critical	Append-only events; practiced backups (M21)
R10	Market is too niche to sustain	Low	High	SOM math (\$06.2); even conservative path works

THE META-RISK

The largest risk to any solo, bootstrapped plan isn't competition or technology — it's the founder running out of energy or honesty. Everything in this plan (weekly shipping, public retros, gates that can say "no") is designed to protect against exactly that.

19.1 Risk response playbook

For the three risks most likely to actually bite, a pre-decided response so panic doesn't make the decision in the moment.

R1 · wedge

If the timeline doesn't land

Don't add modules to compensate. Interview ten weekly users, find the real "stay" reason, and rebuild the wedge around it. A wrong wedge fixed fast beats a wide product no one needs.

R2 · burnout

If the pace breaks the founder

Cut scope, not corners. Drop a month's net-new build, ship only fixes, and rest. The plan explicitly permits a "quiet month." A living plan beats a dead founder.

R6 · silence

If launch fizzles

Expected, not feared. Return to recruiting users by hand, ship the queued retention features, and treat the spike's leftovers as the real cohort to learn from.

19.2 What would make us stop

An honest plan names its own off-ramp. If, by month 12, WAB is below ~150, conversion is near zero, and user interviews reveal no compelling reason to stay — the kindest move is to wind down gracefully, open-source what's useful, thank the community, and apply the lessons to the next thing. Stopping well is a skill, not a failure.

BUT THE BASE CASE

None of this is the expectation. The expectation is a slow, compounding climb to a small, durable business. The risk register exists so that if reality disagrees, the response is already written — calm, pre-decided, and honest.

Appendices

The reference material you'll actually open: checklists, a glossary, and the working notes that keep the plan executable.

30.1 Launch checklist (v1)

- ❑ Signup → first project flow works in under 60 seconds
- ❑ Three starter templates ship and are tested
- ❑ Timeline renders 1,000 events without jank
- ❑ Public project pages look intentional by default
- ❑ Funnel analytics instrumented end to end
- ❑ Backups verified with a practiced restore
- ❑ Build-in-public launch posts drafted and scheduled
- ❑ First 30 beta users personally thanked and interviewed

30.2 Paid-launch checklist

- ❑ Billing integration tested end to end (and the cancel flow especially)
- ❑ Free vs Pro vs Studio limits clearly communicated
- ❑ Early supporters grandfathered
- ❑ Dunning / failed-payment handling in place
- ❑ Pricing page honest, no dark patterns
- ❑ Infra cost review confirms healthy margin

30.3 Weekly operating rhythm

DAY	FOCUS
Mon	Plan the week's one headline outcome
Tue–Thu	Build the headline feature
Fri	Ship + write the build-in-public update
Sat	Talk to users; triage feedback

DAY	FOCUS
Sun	Rest. (Non-negotiable — see R2.)

30.4 Glossary

TERM	MEANING
Builder	Someone who both codes and creates; the core user
The wedge	The unified timeline — the one feature worth switching for
Project	The container for all of a piece of work; the core object
Timeline	The ordered stream of every change event in a project
Decision	A pinned timeline note capturing the why behind a change
WAB	Weekly Active Builders — the north star metric
Build in public	Sharing progress, decisions, and numbers openly
Gate	An evidence-based checkpoint between phases (G1–G5)
MRR	Monthly Recurring Revenue
Border tax	The hidden cost of moving work across fragmented tools

30.5 Module ↔ timeline index

MODULE	SHIPS IN	PHASE
Projects, Files, Timeline, Code	M01–M06	P1
Tasks, Docs, Comments, People	M07–M10	P2
Assets, Publish/Portfolio, Search, Community	M13–M16	P3
Integrations, Time & Invoicing	M19–M20	P4

30.6 Open questions (to revisit quarterly)

- Is "The Everything Platform" the final name, or a working title to replace before v1?
- At what user count does support time threaten the build pace — and what's the plan?
- Does a mobile companion ever earn its place, or stay web-first indefinitely?
- When (if ever) does taking on a collaborator beat staying solo?

CLOSING NOTE

This document is a hypothesis dressed as a plan. Its job is done not when it's admired but when it's marked up, argued with, and rewritten by a founder who learned something the plan got wrong. Build the narrow thing, ship it weekly in public, give the core away, charge fairly for scale,

and let two years of compounding turn \$200 and a point of view into something that pays for itself. Then choose what's next — from strength.

— END OF DOCUMENT —

RMH STUDIOS · THE EVERYTHING PLATFORM · MASTER PLAN v0.9

RMH Studios Confidential draft · v0.9 pp. 71

§21 / WEEKS

Week-by-week execution

The 24-month plan resolved to 104 weekly sprints. Each week has one headline outcome, three focus items, a build-log stub, and the metric it moves. Pace assumes one focused maker.

WK001 Foundations & the spine

M01 · FOUNDATION

HEADLINE Advance: Implement the core data model: Project, Member, File, Event

- FOCUS
- Implement the core data model: Project, Member, File, Event
 - Event table append-only; first timeline render
 - Persist the permissions

- LOG
- 0007a7e persist UI surface
 - 0007adf validate performance
 - 0007b40 attribute keyboard flow

PARENT MONTH	PHASE	CADENCE	MOVES
M01	P1	ship Fri	activation

WK002 Foundations & the spine

M01 · FOUNDATION

HEADLINE Advance: First public build-log post: announce what's being built and why

- FOCUS
- First public build-log post: announce what's being built and why
 - write build-in-public post #1
 - Validate the performance

- LOG
- 0007d5b validate timeline events
 - 0007dbc attribute empty states
 - 0007e1d group mobile layout

PARENT MONTH	PHASE	CADENCE	MOVES
M01	P1	ship Fri	retention

WK003 Foundations & the spine

M01 · FOUNDATION

HEADLINE Advance: Stand up the stack on free tiers (hosting, DB, auth, storage)

- FOCUS
- Stand up the stack on free tiers (hosting, DB, auth, storage)
 - init repo; deploy a 'hello' to the edge
 - Attribute the empty states

- LOG
- 0008038 attribute permissions
 - 0008099 group error handling
 - 00080fa filter accessibility

PARENT MONTH	PHASE	CADENCE	MOVES
M01	P1	ship Fri	MRR

WK004 Foundations & the spine

M01 · FOUNDATION

HEADLINE Advance: Implement the core data model: Project, Member, File, Event

- FOCUS
- Implement the core data model: Project, Member, File, Event
 - model Project + Member; auth wired
 - Group the error handling

- LOG
-
- 0008315 group performance
 - 0008376 filter keyboard flow
 - 00083d7 sync onboarding

PARENT MONTH	PHASE	CADENCE	MOVES
M01	P1	ship Fri	WAB

WK005 Unified files

M02 · FOUNDATION

HEADLINE Advance: Files emit timeline events on add/change

- FOCUS
- Files emit timeline events on add/change
 - inline preview for top formats
 - Filter the keyboard flow

- LOG
- 00085f2 filter empty states
- 0008653 sync mobile layout
- 00086b4 cache sharing

PARENT MONTH	PHASE	CADENCE	MOVES
M02	P1	ship Fri	activation

WK006 Unified files

M02 · FOUNDATION

HEADLINE	Advance: File upload, tree view, and inline preview (images, code, markdown)		
FOCUS	• File upload, tree view, and inline preview (images, code, markdown) • file changes write Events • Sync the mobile layout		
LOG	00088cf sync error handling 0008930 cache accessibility 0008991 index notifications		
PARENT MONTH	PHASE	CADENCE	MOVES
M02	P1	ship Fri	retention

WK007 Unified files

M02 · FOUNDATION

HEADLINE Advance: Per-file version history backed by object storage

- FOCUS
- Per-file version history backed by object storage
 - object storage wired; upload works
 - Cache the accessibility

- LOG
-
- 0008bac cache keyboard flow
 - 0008c0d index onboarding
 - 0008c6e gate search indexing

PARENT MONTH	PHASE	CADENCE	MOVES
M02	P1	ship Fri	MRR

WK008 Unified files

M02 · FOUNDATION

HEADLINE	Advance: Files emit timeline events on add/change		
FOCUS	- Files emit timeline events on add/change - file tree mixes code + images - Index the onboarding		
LOG	0008e89 index mobile layout 0008eea gate sharing 0008f4b stream storage		
PARENT MONTH	PHASE	CADENCE	MOVES
M02	P1	ship Fri	WAB

WK009 The timeline, for real

M03 · FOUNDATION

HEADLINE	Advance: Readable, filterable timeline across files + system events		
FOCUS	• Readable, filterable timeline across files + system events • group_id groups related events • Gate the sharing		
LOG	0009166 gate accessibility 00091c7 stream notifications 0009228 restore versioning		
PARENT MONTH	PHASE	CADENCE	MOVES
M03	P1	ship Fri	activation

WK010 The timeline, for real

M03 · FOUNDATION

HEADLINE	Advance: Decisions: pinned timeline notes that capture the why		
FOCUS	- Decisions: pinned timeline notes that capture the why - permalink any timeline moment - Stream the notifications		
LOG	0009443 stream onboarding 00094a4 restore search indexing 0009505 export API surface		
PARENT MONTH	PHASE	CADENCE	MOVES
M03	P1	ship Fri	retention

WK011 The timeline, for real

M03 · FOUNDATION

HEADLINE	Advance: Grouping: related changes can render as one entry		
FOCUS	• Grouping: related changes can render as one entry • timeline filters by person/module/date • Restore the search indexing		
LOG	● 0009720 restore sharing ● 0009781 export storage ● 00097e2 preview webhooks		
PARENT MONTH	PHASE	CADENCE	MOVES
M03	P1	ship Fri	MRR

WK012 The timeline, for real

M03 · FOUNDATION

HEADLINE	Advance: Readable, filterable timeline across files + system events		
FOCUS	• Readable, filterable timeline across files + system events • decision notes pin to the stream • Export the storage		
LOG	00099fd export notifications 0009a5e preview versioning 0009abf resolve billing gate		
PARENT MONTH	PHASE	CADENCE	MOVES
M03	P1	ship Fri	WAB

WK013 Code module + closed beta

M04 · FOUNDATION

HEADLINE Advance: Connect an external repo as a read-only mirror

- FOCUS
- Connect an external repo as a read-only mirror
 - external repo mirror (read-only)
 - Preview the versioning

LOG

0009cda

preview search indexing

0009d3b

resolve API surface

0009d9c

emit offline behavior

PARENT MONTH	PHASE	CADENCE	MOVES
M04	P1	ship Fri	activation

WK014 Code module + closed beta

M04 · FOUNDATION

HEADLINE	Advance: Open a closed beta to ~30 hand-picked builders		
FOCUS	• Open a closed beta to ~30 hand-picked builders • closed beta invites go out • Resolve the API surface		
LOG	0009fb7 resolve storage 000a018 emit webhooks 000a079 throttle import/export		
PARENT MONTH	PHASE	CADENCE	MOVES
M04	P1	ship Fri	retention

WK015 Code module + closed beta

M04 · FOUNDATION

HEADLINE Advance: Git-backed code per project; commits flow into the timeline

- FOCUS
- Git-backed code per project; commits flow into the timeline
 - native git repo per project
 - Emit the webhooks

LOG



000a294 emit versioning

000a2f5 throttle billing gate

000a356 paginate attribution

PARENT MONTH	PHASE	CADENCE	MOVES
M04	P1	ship Fri	MRR

WK016 Code module + closed beta

M04 · FOUNDATION

HEADLINE Advance: Connect an external repo as a read-only mirror

- FOCUS
- Connect an external repo as a read-only mirror
 - commits appear in timeline, attributed
 - Throttle the billing gate

- LOG
- 000a571 throttle API surface
 - 000a5d2 paginate offline behavior
 - 000a633 debounce previews

PARENT MONTH	PHASE	CADENCE	MOVES
M04	P1	ship Fri	WAB

WK017 Polish, onboarding, templates

M05 · FOUNDATION

HEADLINE Advance: Performance pass: timeline handles 1,000 events smoothly

- FOCUS
- Performance pass: timeline handles 1,000 events smoothly
 - perf pass on timeline render
 - Paginate the offline behavior

- LOG
- 000a84e paginate webhooks
- 000a8af debounce import/export
- 000a910 reconcile filtering

PARENT MONTH	PHASE	CADENCE	MOVES
M05	P1	ship Fri	activation

WK018 Polish, onboarding, templates

M05 · FOUNDATION

HEADLINE	Advance: First-run experience: project created and useful in under a minute		
FOCUS	- First-run experience: project created and useful in under a minute - fix top 10 beta complaints - Debounce the import/export		
LOG	000ab2b debounce billing gate 000ab8c reconcile attribution 000abed render data model		
PARENT MONTH	PHASE	CADENCE	MOVES
M05	P1	ship Fri	retention

WK019 Polish, onboarding, templates

M05 · FOUNDATION

HEADLINE Advance: Three starter templates (blank, web app, brand kit)

- FOCUS
- Three starter templates (blank, web app, brand kit)
 - 60-second onboarding flow
 - Reconcile the attribution

- LOG
- 000ae08 reconcile offline behavior
 - 000ae69 render previews
 - 000aeca persist UI surface

PARENT MONTH	PHASE	CADENCE	MOVES
M05	P1	ship Fri	MRR

WK020 Polish, onboarding, templates

M05 · FOUNDATION

HEADLINE	Advance: Performance pass: timeline handles 1,000 events smoothly		
FOCUS	• Performance pass: timeline handles 1,000 events smoothly • starter templates ship • Render the previews		
LOG	000b0e5 render import/export 000b146 persist filtering 000b1a7 validate timeline events		
PARENT MONTH	PHASE	CADENCE	MOVES
M05	P1	ship Fri	WAB

WK021 Public v1 launch

M06 · FOUNDATION

HEADLINE	Advance: Open public signups; launch on build-in-public channels		
FOCUS	• Open public signups; launch on build-in-public channels • launch posts + show-and-tell • Persist the filtering		
LOG	000b3c2 persist attribution 000b423 validate data model 000b484 attribute permissions		
PARENT MONTH	PHASE	CADENCE	MOVES
M06	P1	ship Fri	activation

HEADLINE	Advance: Public project pages so people can share what they make		
FOCUS	- Public project pages so people can share what they make - funnel analytics live - Validate the data model		
LOG	000b69f validate previews 000b700 attribute UI surface 000b761 group performance		
PARENT MONTH	PHASE	CADENCE	MOVES
M06	P1	ship Fri	retention

HEADLINE Advance: Instrument the funnel: signup → first project → weekly active

- FOCUS
- Instrument the funnel: signup → first project → weekly active
 - public signup opens
 - Attribute the UI surface

- LOG
-
- 000b97c attribute filtering
 - 000b9dd group timeline events
 - 000ba3e filter empty states

PARENT MONTH	PHASE	CADENCE	MOVES
M06	P1	ship Fri	MRR

WK024 Public v1 launch

M06 · FOUNDATION

HEADLINE	Advance: Open public signups; launch on build-in-public channels		
FOCUS	- Open public signups; launch on build-in-public channels - public project page v1 - Group the timeline events		
LOG	000bc59 group data model 000bcba filter permissions 000bd1b sync error handling		
PARENT MONTH	PHASE	CADENCE	MOVES
M06	P1	ship Fri	WAB

WK025 Tasks + the paid tier groundwork

M07 · HABIT & MONEY

HEADLINE	Advance: Define free vs paid limits; build billing plumbing (no charge yet)		
FOCUS	- Define free vs paid limits; build billing plumbing (no charge yet) - billing integration scaffolded - Filter the permissions		
LOG	000bf36 filter UI surface 000bf97 sync performance 000bff8 cache keyboard flow		
PARENT MONTH	PHASE	CADENCE	MOVES
M07	P2	ship Fri	activation

WK026 **Tasks + the paid tier groundwork**

M07 · HABIT & MONEY

HEADLINE	Advance: Decide pricing (see §15) and soft-announce it		
FOCUS	- Decide pricing (see §15) and soft-announce it - pricing page drafted - Sync the performance		
LOG	000c213 sync timeline events 000c274 cache empty states 000c2d5 index mobile layout		
PARENT MONTH	PHASE	CADENCE	MOVES
M07	P2	ship Fri	retention

WK027 Tasks + the paid tier groundwork

M07 · HABIT & MONEY

HEADLINE

Advance: Lightweight tasks linked to files, commits, decisions

FOCUS

- Lightweight tasks linked to files, commits, decisions
- tasks list + board ship
- Cache the empty states

LOG

000c4f0

cache permissions

000c551

index error handling

000c5b2

gate accessibility

PARENT MONTH

PHASE

CADENCE

MOVES

M07

P2

ship Fri

MRR

WK028 Tasks + the paid tier groundwork

M07 · HABIT & MONEY

HEADLINE	Advance: Define free vs paid limits; build billing plumbing (no charge yet)		
FOCUS	- Define free vs paid limits; build billing plumbing (no charge yet) - tasks link to work; emit events - Index the error handling		
LOG	000c7cd index performance 000c82e gate keyboard flow 000c88f stream onboarding		
PARENT MONTH	PHASE	CADENCE	MOVES
M07	P2	ship Fri	WAB

WK029 Docs + decisions, deepened

M08 · HABIT & MONEY

HEADLINE	Advance: Public doc sharing via link		
FOCUS	- Public doc sharing via link - public doc links - Gate the keyboard flow		
LOG	000caaa gate empty states 000cb0b stream mobile layout 000cb6c restore sharing		
PARENT MONTH	PHASE	CADENCE	MOVES
M08	P2	ship Fri	activation

WK030 Docs + decisions, deepened

M08 · HABIT & MONEY

HEADLINE	Advance: Markdown docs as first-class project files		
FOCUS	• Markdown docs as first-class project files • docs feed the timeline • Stream the mobile layout		
LOG	000cd87 stream error handling 000cde8 restore accessibility 000ce49 export notifications		
PARENT MONTH	PHASE	CADENCE	MOVES
M08	P2	ship Fri	retention

WK031 Docs + decisions, deepened

M08 · HABIT & MONEY

HEADLINE Advance: Doc templates: brief, spec, decision record, changelog

- FOCUS
- Doc templates: brief, spec, decision record, changelog
 - markdown doc editor ships
 - Restore the accessibility

- LOG
- 000d064 restore keyboard flow
 - 000d0c5 export onboarding
 - 000d126 preview search indexing

PARENT MONTH	PHASE	CADENCE	MOVES
M08	P2	ship Fri	MRR

WK032 Docs + decisions, deepened

M08 · HABIT & MONEY

HEADLINE	Advance: Public doc sharing via link		
FOCUS	- Public doc sharing via link - doc templates + linking - Export the onboarding		
LOG	000d341 export mobile layout 000d3a2 preview sharing 000d403 resolve storage		
PARENT MONTH	PHASE	CADENCE	MOVES
M08	P2	ship Fri	WAB

WK033 Comments & feedback in context

M09 · HABIT & MONEY

HEADLINE Advance: Threaded comments anchored to files, image regions, code lines, events

- FOCUS
- Threaded comments anchored to files, image regions, code lines, events
 - resolve + mention + digests
 - Preview the sharing

- LOG
- 000d61e preview accessibility
 - 000d67f resolve notifications
 - 000d6e0 emit versioning

PARENT MONTH	PHASE	CADENCE	MOVES
M09	P2	ship Fri	activation

WK034 Comments & feedback in context

M09 · HABIT & MONEY

HEADLINE	Advance: Resolve/reopen with timeline trace; @mentions; batched notifications		
FOCUS	- Resolve/reopen with timeline trace; @mentions; batched notifications - run the M09 thesis review - Resolve the notifications		
LOG	000d8fb resolve onboarding 000d95c emit search indexing 000d9bd throttle API surface		
PARENT MONTH	PHASE	CADENCE	MOVES
M09	P2	ship Fri	retention

WK035 Comments & feedback in context

M09 · HABIT & MONEY

HEADLINE	Advance: Mid-point thesis check: is the timeline the reason people stay?		
FOCUS	- Mid-point thesis check: is the timeline the reason people stay? - region comments on images - Emit the search indexing		
LOG	000dbd8 emit sharing 000dc39 throttle storage 000dc9a paginate webhooks		
PARENT MONTH	PHASE	CADENCE	MOVES
M09	P2	ship Fri	MRR

WK036 Comments & feedback in context

M09 · HABIT & MONEY

HEADLINE Advance: Threaded comments anchored to files, image regions, code lines, events

- FOCUS
- Threaded comments anchored to files, image regions, code lines, events
 - line comments on code
 - Throttle the storage

LOG

000deb5 throttle notifications

000df16 paginate versioning

000df77 debounce billing gate

PARENT MONTH	PHASE	CADENCE	MOVES
M09	P2	ship Fri	WAB

WK037 People, roles & guests

M10 · HABIT & MONEY

HEADLINE Advance: Invite by link or email; time-boxed guest access for clients

- FOCUS
- Invite by link or email; time-boxed guest access for clients
 - expiring guest access
 - Paginate the versioning

- LOG
- 000e192 paginate search indexing
 - 000e1f3 debounce API surface
 - 000e254 reconcile offline behavior

PARENT MONTH	PHASE	CADENCE	MOVES
M10	P2	ship Fri	activation

WK038 People, roles & guests

M10 · HABIT & MONEY

HEADLINE	Advance: Consistent identity & attribution everywhere		
FOCUS	- Consistent identity & attribution everywhere - attribution audit across modules - Debounce the API surface		
LOG	000e46f debounce storage 000e4d0 reconcile webhooks 000e531 render import/export		
PARENT MONTH	PHASE	CADENCE	MOVES
M10	P2	ship Fri	retention

WK039 People, roles & guests

M10 · HABIT & MONEY

HEADLINE Advance: Clean three-role model (owner/editor/viewer) across all modules

- FOCUS
- Clean three-role model (owner/editor/viewer) across all modules
 - roles enforced server-side
 - Reconcile the webhooks

- LOG
-
- 000e74c reconcile versioning
 - 000e7ad render billing gate
 - 000e80e persist attribution

PARENT MONTH	PHASE	CADENCE	MOVES
M10	P2	ship Fri	MRR

WK040 People, roles & guests

M10 · HABIT & MONEY

HEADLINE Advance: Invite by link or email; time-boxed guest access for clients

- FOCUS
- Invite by link or email; time-boxed guest access for clients
 - invite links + email
 - Render the billing gate

- LOG
- 000ea29 render API surface
 - 000ea8a persist offline behavior
 - 000eaeb validate previews

PARENT MONTH	PHASE	CADENCE	MOVES
M10	P2	ship Fri	WAB

WK041 Open the paid tier

M11 · HABIT & MONEY

HEADLINE Advance: First-dollar celebration, publicly

- FOCUS
- First-dollar celebration, publicly
 - M11 infra cost review
 - Persist the offline behavior

- LOG
- 000ed06 persist webhooks
 - 000ed67 validate import/export
 - 000edc8 attribute filtering

PARENT MONTH	PHASE	CADENCE	MOVES
M11	P2	ship Fri	activation

WK042 Open the paid tier

M11 · HABIT & MONEY

HEADLINE Advance: Turn on billing; launch Pro tier (see §15)

- FOCUS
- Turn on billing; launch Pro tier (see §15)
 - build-log: 'we have revenue'
 - Validate the import/export

LOG

000efe3 validate billing gate

000f044 attribute attribution

000f0a5 group data model

PARENT MONTH	PHASE	CADENCE	MOVES
M11	P2	ship Fri	retention

WK043 Open the paid tier

M11 · HABIT & MONEY

HEADLINE Advance: Cost review: confirm infra still under control at current scale

- FOCUS
- Cost review: confirm infra still under control at current scale
 - paid tier live; first charge
 - Attribute the attribution

- LOG
- 000f2c0 attribute offline behavior
 - 000f321 group previews
 - 000f382 filter UI surface

PARENT MONTH	PHASE	CADENCE	MOVES
M11	P2	ship Fri	MRR

WK044 Open the paid tier

M11 · HABIT & MONEY

HEADLINE Advance: First-dollar celebration, publicly

- FOCUS
- First-dollar celebration, publicly
 - grandfather early supporters
 - Group the previews

- LOG
- 000f59d group import/export
 - 000f5fe filter filtering
 - 000f65f sync timeline events

PARENT MONTH	PHASE	CADENCE	MOVES
M11	P2	ship Fri	WAB

WK045 Year-one consolidation

M12 · HABIT & MONEY

HEADLINE	Advance: Stabilize, fix debt, document; no new modules this month		
FOCUS	- Stabilize, fix debt, document; no new modules this month - update this very plan - Filter the filtering		
LOG	000f87a filter attribution 000f8db sync data model 000f93c cache permissions		
PARENT MONTH	PHASE	CADENCE	MOVES
M12	P2	ship Fri	activation

WK046 Year-one consolidation

M12 · HABIT & MONEY

HEADLINE	Advance: Year-one retro published openly		
FOCUS	- Year-one retro published openly - set phase-3 priorities from data - Sync the data model		
LOG	000fb57 sync previews 000fbb8 cache UI surface 000fc19 index performance		
PARENT MONTH	PHASE	CADENCE	MOVES
M12	P2	ship Fri	retention

WK047 Year-one consolidation

M12 · HABIT & MONEY

HEADLINE	Advance: Re-plan phase 3 from what the year actually taught		
FOCUS	- Re-plan phase 3 from what the year actually taught - bug + debt burn-down - Cache the UI surface		
LOG	000fe34 cache filtering 000fe95 index timeline events 000fef6 gate empty states		
PARENT MONTH	PHASE	CADENCE	MOVES
M12	P2	ship Fri	MRR

WK048 Year-one consolidation

M12 · HABIT & MONEY

HEADLINE	Advance: Stabilize, fix debt, document; no new modules this month		
FOCUS	- Stabilize, fix debt, document; no new modules this month - write the year-one retro - Index the timeline events		
LOG	0010111 index data model 0010172 gate permissions 00101d3 stream error handling		
PARENT MONTH	PHASE	CADENCE	MOVES
M12	P2	ship Fri	WAB

WK049 Assets & media as first-class

M13 · WIDTH & STICKINESS

HEADLINE Advance: Optimized delivery via storage/CDN

- FOCUS
- Optimized delivery via storage/CDN
 - CDN-backed delivery
 - Gate the permissions

- LOG
- 00103ee gate UI surface
 - 001044f stream performance
 - 00104b0 restore keyboard flow

PARENT MONTH	PHASE	CADENCE	MOVES
M13	P3	ship Fri	activation

WK050 Assets & media as first-class

M13 · WIDTH & STICKINESS

HEADLINE	Advance: Creative outputs get the same seriousness as code		
FOCUS	• Creative outputs get the same seriousness as code • thumbnails for common formats • Stream the performance		
LOG	00106cb stream timeline events 001072c restore empty states 001078d export mobile layout		
PARENT MONTH	PHASE	CADENCE	MOVES
M13	P3	ship Fri	retention

WK051 Assets & media as first-class

M13 · WIDTH & STICKINESS

HEADLINE Advance: Gallery/grid views, collections, visual version diff for images

- FOCUS
- Gallery/grid views, collections, visual version diff for images
 - asset gallery + collections
 - Restore the empty states

- LOG
- 00109a8 restore permissions
 - 0010a09 export error handling
 - 0010a6a preview accessibility

PARENT MONTH	PHASE	CADENCE	MOVES
M13	P3	ship Fri	MRR

WK052 Assets & media as first-class

M13 · WIDTH & STICKINESS

HEADLINE Advance: Optimized delivery via storage/CDN

- FOCUS
- Optimized delivery via storage/CDN
 - visual before/after diff
 - Export the error handling

- LOG
- 0010c85 export performance
 - 0010ce6 preview keyboard flow
 - 0010d47 resolve onboarding

PARENT MONTH	PHASE	CADENCE	MOVES
M13	P3	ship Fri	WAB

WK053 Publish & portfolio

M14 · WIDTH & STICKINESS

HEADLINE	Advance: 'Made with RMH' attribution as a growth loop		
FOCUS	'Made with RMH' attribution as a growth loop - portfolio surface - Preview the keyboard flow		
LOG	0010f62 preview empty states 0010fc3 resolve mobile layout 0011024 emit sharing		
PARENT MONTH	PHASE	CADENCE	MOVES
M14	P3	ship Fri	activation

WK054 Publish & portfolio

M14 · WIDTH & STICKINESS

HEADLINE	Advance: Polished public project pages; opt-in build-in-public changelog feed		
FOCUS	- Polished public project pages; opt-in build-in-public changelog feed - attribution referral tracking - Resolve the mobile layout		
LOG	001123f resolve error handling 00112a0 emit accessibility 0011301 throttle notifications		
PARENT MONTH	PHASE	CADENCE	MOVES
M14	P3	ship Fri	retention

WK055 Publish & portfolio

M14 · WIDTH & STICKINESS

HEADLINE	Advance: Simple portfolio aggregating a builder's public projects		
FOCUS	- Simple portfolio aggregating a builder's public projects - public pages redesigned - Emit the accessibility		
LOG	001151c emit keyboard flow 001157d throttle onboarding 00115de paginate search indexing		
PARENT MONTH	PHASE	CADENCE	MOVES
M14	P3	ship Fri	MRR

WK056 Publish & portfolio

M14 · WIDTH & STICKINESS

HEADLINE	Advance: 'Made with RMH' attribution as a growth loop		
FOCUS	'Made with RMH' attribution as a growth loop - changelog feed per project - Throttle the onboarding		
LOG	00117f9 throttle mobile layout 001185a paginate sharing 00118bb debounce storage		
PARENT MONTH	PHASE	CADENCE	MOVES
M14	P3	ship Fri	WAB

WK057 Search across everything

M15 · WIDTH & STICKINESS

HEADLINE Advance: Unified search over files, docs, tasks, comments, timeline

- FOCUS
- Unified search over files, docs, tasks, comments, timeline
 - grouped results by module
 - Paginate the sharing

- LOG
- 0011ad6

paginate accessibility
- 0011b37

debounce notifications
- 0011b98

reconcile versioning

PARENT MONTH	PHASE	CADENCE	MOVES
M15	P3	ship Fri	activation

WK058 Search across everything

M15 · WIDTH & STICKINESS

HEADLINE	Advance: Keyboard summon from anywhere; grouped, typo-tolerant results		
FOCUS	- Keyboard summon from anywhere; grouped, typo-tolerant results - search within / across projects - Debounce the notifications		
LOG	0011db3 debounce onboarding 0011e14 reconcile search indexing 0011e75 render API surface		
PARENT MONTH	PHASE	CADENCE	MOVES
M15	P3	ship Fri	retention

WK059 Search across everything

M15 · WIDTH & STICKINESS

HEADLINE	Advance: Postgres full-text now; plan dedicated index for later		
FOCUS	- Postgres full-text now; plan dedicated index for later - unified search index - Reconcile the search indexing		
LOG	0012090 reconcile sharing 00120f1 render storage 0012152 persist webhooks		
PARENT MONTH	PHASE	CADENCE	MOVES
M15	P3	ship Fri	MRR

WK060 Search across everything

M15 · WIDTH & STICKINESS

HEADLINE	Advance: Unified search over files, docs, tasks, comments, timeline		
FOCUS	- Unified search over files, docs, tasks, comments, timeline - keyboard launcher - Render the storage		
LOG	001236d render notifications 00123ce persist versioning 001242f validate billing gate		
PARENT MONTH	PHASE	CADENCE	MOVES
M15	P3	ship Fri	WAB

WK061 Community & templates v1

M16 · WIDTH & STICKINESS

HEADLINE	Advance: Community showcase of public projects; founder-curated 'project of the week'		
FOCUS	- Community showcase of public projects; founder-curated 'project of the week' - project-of-the-week - Persist the versioning		
LOG	001264a persist search indexing 00126ab validate API surface 001270c attribute offline behavior		
PARENT MONTH	PHASE	CADENCE	MOVES
M16	P3	ship Fri	activation

WK062 Community & templates v1

M16 · WIDTH & STICKINESS

HEADLINE Advance: First seasonal build challenge

- FOCUS
- First seasonal build challenge
 - launch a build challenge
 - Validate the API surface

- LOG
- 0012927 validate storage
 - 0012988 attribute webhooks
 - 00129e9 group import/export

PARENT MONTH	PHASE	CADENCE	MOVES
M16	P3	ship Fri	retention

WK063 Community & templates v1

M16 · WIDTH & STICKINESS

HEADLINE	Advance: Public template gallery with one-click 'use this template'		
FOCUS	- Public template gallery with one-click 'use this template' - template gallery + one-click use - Attribute the webhooks		
LOG	0012c04 attribute versioning 0012c65 group billing gate 0012cc6 filter attribution		
PARENT MONTH	PHASE	CADENCE	MOVES
M16	P3	ship Fri	MRR

WK064 Community & templates v1

M16 · WIDTH & STICKINESS

HEADLINE Advance: Community showcase of public projects; founder-curated 'project of the week'

- FOCUS
- Community showcase of public projects; founder-curated 'project of the week'
 - community showcase
 - Group the billing gate

- LOG
- 0012ee1

group API surface

0012f42

filter offline behavior
- 0012fa3
- sync previews

PARENT MONTH	PHASE	CADENCE	MOVES
M16	P3	ship Fri	WAB

WK065 Stickiness & retention pass

M17 · WIDTH & STICKINESS

HEADLINE Advance: Re-engagement: gentle digests of a project's recent timeline

- FOCUS
- Re-engagement: gentle digests of a project's recent timeline
 - weekly project digest email
 - Filter the offline behavior

LOG

00131be filter webhooks

001321f sync import/export

0013280 cache filtering

PARENT MONTH	PHASE	CADENCE	MOVES
M17	P3	ship Fri	activation

WK066 Stickiness & retention pass

M17 · WIDTH & STICKINESS

HEADLINE	Advance: Retention deep-dive: who comes back weekly, and why		
FOCUS	- Retention deep-dive: who comes back weekly, and why - win-back for dormant projects - Sync the import/export		
LOG	001349b sync billing gate 00134fc cache attribution 001355d index data model		
PARENT MONTH	PHASE	CADENCE	MOVES
M17	P3	ship Fri	retention

WK067 Stickiness & retention pass

M17 · WIDTH & STICKINESS

HEADLINE Advance: Fix the top 3 drop-off points in the funnel

- FOCUS
- Fix the top 3 drop-off points in the funnel
 - cohort retention analysis
 - Cache the attribution

- LOG
-
- 0013778 cache offline behavior
 - 00137d9 index previews
 - 001383a gate UI surface

PARENT MONTH	PHASE	CADENCE	MOVES
M17	P3	ship Fri	MRR

WK068 **Stickiness & retention pass**

M17 · WIDTH & STICKINESS

HEADLINE Advance: Re-engagement: gentle digests of a project's recent timeline

- FOCUS
- Re-engagement: gentle digests of a project's recent timeline
 - fix top funnel drop-offs
 - Index the previews

- LOG
-
- 0013a55 index import/export
 - 0013ab6 gate filtering
 - 0013b17 stream timeline events

PARENT MONTH	PHASE	CADENCE	MOVES
M17	P3	ship Fri	WAB

WK069 Mid-plan consolidation

M18 · WIDTH & STICKINESS

HEADLINE	Advance: Stabilize the wider surface; pay down debt from rapid additions		
FOCUS	- Stabilize the wider surface; pay down debt from rapid additions - pricing revisit with data - Gate the filtering		
LOG	0013d32 gate attribution 0013d93 stream data model 0013df4 restore permissions		
PARENT MONTH	PHASE	CADENCE	MOVES
M18	P3	ship Fri	activation

WK070 Mid-plan consolidation

M18 · WIDTH & STICKINESS

HEADLINE	Advance: 18-month public retro; revisit pricing with real data		
FOCUS	18-month public retro; revisit pricing with real data - set phase-4 plan - Stream the data model		
LOG	001400f stream previews 0014070 restore UI surface 00140d1 export performance		
PARENT MONTH	PHASE	CADENCE	MOVES
M18	P3	ship Fri	retention

WK071 Mid-plan consolidation

M18 · WIDTH & STICKINESS

HEADLINE Advance: Decide phase-4 revenue priorities

- FOCUS
- Decide phase-4 revenue priorities
 - stabilize + debt burn-down
 - Restore the UI surface

- LOG
- 00142ec restore filtering
 - 001434d export timeline events
 - 00143ae preview empty states

PARENT MONTH	PHASE	CADENCE	MOVES
M18	P3	ship Fri	MRR

WK072 Mid-plan consolidation

M18 · WIDTH & STICKINESS

HEADLINE	Advance: Stabilize the wider surface; pay down debt from rapid additions		
FOCUS	- Stabilize the wider surface; pay down debt from rapid additions - write 18-month retro - Export the timeline events		
LOG	00145c9 export data model 001462a preview permissions 001468b resolve error handling		
PARENT MONTH	PHASE	CADENCE	MOVES
M18	P3	ship Fri	WAB

WK073 Integrations

M19 · BUSINESS

HEADLINE Advance: Share-to-social on publish; import from common cloud storage

- FOCUS
- Share-to-social on publish; import from common cloud storage
 - cloud storage import
 - Preview the permissions

- LOG
- 00148a6 preview UI surface
- 0014907 resolve performance
- 0014968 emit keyboard flow

PARENT MONTH	PHASE	CADENCE	MOVES
M19	P4	ship Fri	activation

WK074 Integrations

M19 · BUSINESS

HEADLINE	Advance: Documented public read API + embeddable widgets		
FOCUS	- Documented public read API + embeddable widgets - public read API + embeds - Resolve the performance		
LOG	0014b83 resolve timeline events 0014be4 emit empty states 0014c45 throttle mobile layout		
PARENT MONTH	PHASE	CADENCE	MOVES
M19	P4	ship Fri	retention

WK075 Integrations

M19 · BUSINESS

HEADLINE

Advance: External repo mirror hardened; outgoing webhooks on timeline events

FOCUS

- External repo mirror hardened; outgoing webhooks on timeline events
- webhooks on events
- Emit the empty states

LOG

0014e60

emit permissions

0014ec1

throttle error handling

0014f22

paginate accessibility

PARENT MONTH

PHASE

CADENCE

MOVES

M19

P4

ship Fri

MRR

WK076 Integrations

M19 · BUSINESS

HEADLINE	Advance: Share-to-social on publish; import from common cloud storage		
FOCUS	• Share-to-social on publish; import from common cloud storage • share-to-social on publish • Throttle the error handling		
LOG	001513d throttle performance 001519e paginate keyboard flow 00151ff debounce onboarding		
PARENT MONTH	PHASE	CADENCE	MOVES
M19	P4	ship Fri	WAB

WK077 Time & invoicing for studios

M20 · BUSINESS

HEADLINE Advance: Position as the reason small studios upgrade

- FOCUS
- Position as the reason small studios upgrade
 - per-client rollups
 - Paginate the keyboard flow

- LOG
- 001541a

paginate empty states
- 001547b

debounce mobile layout
- 00154dc

reconcile sharing

PARENT MONTH	PHASE	CADENCE	MOVES
M20	P4	ship Fri	activation

WK078 Time & invoicing for studios

M20 · BUSINESS

HEADLINE	Advance: Timers tied to projects/tasks; manual entry; weekly summaries		
FOCUS	- Timers tied to projects/tasks; manual entry; weekly summaries - studio upgrade prompts - Debounce the mobile layout		
LOG	00156f7 debounce error handling 0015758 reconcile accessibility 00157b9 render notifications		
PARENT MONTH	PHASE	CADENCE	MOVES
M20	P4	ship Fri	retention

WK079 Time & invoicing for studios

M20 · BUSINESS

HEADLINE Advance: Rate-based invoice export; per-client rollups; CSV out

- FOCUS
- Rate-based invoice export; per-client rollups; CSV out
 - project/task timers
 - Reconcile the accessibility

- LOG
- 00159d4 reconcile keyboard flow
 - 0015a35 render onboarding
 - 0015a96 persist search indexing

PARENT MONTH	PHASE	CADENCE	MOVES
M20	P4	ship Fri	MRR

WK080 Time & invoicing for studios

M20 · BUSINESS

HEADLINE	Advance: Position as the reason small studios upgrade		
FOCUS	- Position as the reason small studios upgrade - invoice export (no payments) - Render the onboarding		
LOG	0015cb1 render mobile layout 0015d12 persist sharing 0015d73 validate storage		
PARENT MONTH	PHASE	CADENCE	MOVES
M20	P4	ship Fri	WAB

WK081 **Scale where the metrics say**

M21 · BUSINESS

HEADLINE	Advance: Act on §08.6 triggers actually hit (DB tier, search index, caching)		
FOCUS	• Act on §08.6 triggers actually hit (DB tier, search index, caching) • edge caching where needed • Persist the sharing		
LOG	0015f8e persist accessibility 0015fef validate notifications 0016050 attribute versioning		
PARENT MONTH	PHASE	CADENCE	MOVES
M21	P4	ship Fri	activation

WK082 **Scale where the metrics say**

M21 · BUSINESS

HEADLINE Advance: Reliability pass: backups practiced, error budgets watched

- FOCUS
- Reliability pass: backups practiced, error budgets watched
 - reliability dashboard
 - Validate the notifications

- LOG
- 001626b

 validate onboarding
- 00162cc

 attribute search indexing
- 001632d

 group API surface

PARENT MONTH	PHASE	CADENCE	MOVES
M21	P4	ship Fri	retention

WK083 **Scale where the metrics say**

M21 · BUSINESS

HEADLINE Advance: All scale spend is now revenue-funded, not from the \$200

- FOCUS
- All scale spend is now revenue-funded, not from the \$200
 - upgrade what metrics demand
 - Attribute the search indexing

LOG

0016548

 attribute sharing

00165a9

 group storage

001660a

 filter webhooks

PARENT MONTH	PHASE	CADENCE	MOVES
M21	P4	ship Fri	MRR

WK084 Scale where the metrics say

M21 · BUSINESS

HEADLINE	Advance: Act on §08.6 triggers actually hit (DB tier, search index, caching)		
FOCUS	• Act on §08.6 triggers actually hit (DB tier, search index, caching) • practice a real restore • Group the storage		
LOG	0016825 group notifications 0016886 filter versioning 00168e7 sync billing gate		
PARENT MONTH	PHASE	CADENCE	MOVES
M21	P4	ship Fri	WAB

WK085 Monetization deepening

M22 · BUSINESS

HEADLINE Advance: Optional studio/team plan for multi-seat

- FOCUS
- Optional studio/team plan for multi-seat
 - dunning + payment recovery
 - Filter the versioning

- LOG
- 0016b02 filter search indexing
 - 0016b63 sync API surface
 - 0016bc4 cache offline behavior

PARENT MONTH	PHASE	CADENCE	MOVES
M22	P4	ship Fri	activation

WK086 Monetization deepening

M22 · BUSINESS

HEADLINE	Advance: Reduce involuntary churn (dunning, reminders)		
FOCUS	- Reduce involuntary churn (dunning, reminders) - pricing experiment readout - Sync the API surface		
LOG	0016ddf sync storage 0016e40 cache webhooks 0016ea1 index import/export		
PARENT MONTH	PHASE	CADENCE	MOVES
M22	P4	ship Fri	retention

WK087 Monetization deepening

M22 · BUSINESS

HEADLINE	Advance: Refine tiers with a year of data; add an annual plan		
FOCUS	- Refine tiers with a year of data; add an annual plan - annual plan + discount - Cache the webhooks		
LOG	00170bc cache versioning 001711d index billing gate 001717e gate attribution		
PARENT MONTH	PHASE	CADENCE	MOVES
M22	P4	ship Fri	MRR

WK088 Monetization deepening

M22 · BUSINESS

HEADLINE Advance: Optional studio/team plan for multi-seat

- FOCUS
- Optional studio/team plan for multi-seat
 - team/studio plan
 - Index the billing gate

- LOG
- 0017399 index API surface

00173fa gate offline behavior

001745b stream previews

PARENT MONTH	PHASE	CADENCE	MOVES
M22	P4	ship Fri	WAB

WK089 Sustainability & the team question

M23 · BUSINESS

HEADLINE	Advance: Document everything so the studio isn't a single point of failure		
FOCUS	• Document everything so the studio isn't a single point of failure • ops runbooks • Gate the offline behavior		
LOG	0017676 gate webhooks 00176d7 stream import/export 0017738 restore filtering		
PARENT MONTH	PHASE	CADENCE	MOVES
M23	P4	ship Fri	activation

WK090 Sustainability & the team question

M23 · BUSINESS

HEADLINE	Advance: Confirm revenue covers costs many times over and a founder salary		
FOCUS	- Confirm revenue covers costs many times over and a founder salary - first contractor scoped (if warranted) - Stream the import/export		
LOG	0017953 stream billing gate 00179b4 restore attribution 0017a15 export data model		
PARENT MONTH	PHASE	CADENCE	MOVES
M23	P4	ship Fri	retention

WK091 Sustainability & the team question

M23 · BUSINESS

HEADLINE	Advance: Decide: stay solo, hire #1, or raise — from strength		
FOCUS	- Decide: stay solo, hire #1, or raise — from strength - financial review: salary covered? - Restore the attribution		
LOG	0017c30 restore offline behavior 0017c91 export previews 0017cf2 preview UI surface		
PARENT MONTH	PHASE	CADENCE	MOVES
M23	P4	ship Fri	MRR

WK092 Sustainability & the team question

M23 · BUSINESS

HEADLINE	Advance: Document everything so the studio isn't a single point of failure		
FOCUS	- Document everything so the studio isn't a single point of failure - write the 'what next' memo - Export the previews		
LOG	0017f0d export import/export 0017f6e preview filtering 0017fcf resolve timeline events		
PARENT MONTH	PHASE	CADENCE	MOVES
M23	P4	ship Fri	WAB

WK093 Year-two close & the open choice

M24 · BUSINESS

HEADLINE Advance: 24-month public retro; celebrate the milestone openly

- FOCUS
- 24-month public retro; celebrate the milestone openly
 - reinvestment plan
 - Preview the filtering

LOG

00181ea preview attribution

001824b resolve data model

00182ac emit permissions

PARENT MONTH	PHASE	CADENCE	MOVES
M24	P4	ship Fri	activation

HEADLINE	Advance: Set the year-three thesis (stay small / grow / raise)		
FOCUS	- Set the year-three thesis (stay small / grow / raise) - thank the community publicly - Resolve the data model		
LOG	00184c7 resolve previews 0018528 emit UI surface 0018589 throttle performance		
PARENT MONTH	PHASE	CADENCE	MOVES
M24	P4	ship Fri	retention

HEADLINE	Advance: Reinvest from a position of choice, not necessity		
FOCUS	- Reinvest from a position of choice, not necessity - write the 24-month retro - Emit the UI surface		
LOG	00187a4 emit filtering 0018805 throttle timeline events 0018866 paginate empty states		
PARENT MONTH	PHASE	CADENCE	MOVES
M24	P4	ship Fri	MRR

WK096 Year-two close & the open choice

M24 · BUSINESS

HEADLINE Advance: 24-month public retro; celebrate the milestone openly

- FOCUS
- 24-month public retro; celebrate the milestone openly
 - set year-three thesis
 - Throttle the timeline events

- LOG
-
- 0018a81 throttle data model
 - 0018ae2 paginate permissions
 - 0018b43 debounce error handling

PARENT MONTH	PHASE	CADENCE	MOVES
M24	P4	ship Fri	WAB

WK097 Year-two close & the open choice

M24 · BUSINESS

HEADLINE Advance: Set the year-three thesis (stay small / grow / raise)

- FOCUS
- Set the year-three thesis (stay small / grow / raise)
 - reinvestment plan
 - Paginate the permissions

- LOG
- 0018d5e

paginate UI surface
- 0018dbf

debounce performance
- 0018e20

reconcile keyboard flow

PARENT MONTH	PHASE	CADENCE	MOVES
M24	P4	ship Fri	activation

WK098 Year-two close & the open choice

M24 · BUSINESS

HEADLINE	Advance: Reinvest from a position of choice, not necessity		
FOCUS	- Reinvest from a position of choice, not necessity - thank the community publicly - Debounce the performance		
LOG	001903b debounce timeline events 001909c reconcile empty states 00190fd render mobile layout		
PARENT MONTH	PHASE	CADENCE	MOVES
M24	P4	ship Fri	retention

WK099 Year-two close & the open choice

M24 · BUSINESS

HEADLINE Advance: 24-month public retro; celebrate the milestone openly

- FOCUS
- 24-month public retro; celebrate the milestone openly
 - write the 24-month retro
 - Reconcile the empty states

- LOG
- 0019318 reconcile permissions
 - 0019379 render error handling
 - 00193da persist accessibility

PARENT MONTH	PHASE	CADENCE	MOVES
M24	P4	ship Fri	MRR

WK100 Year-two close & the open choice

M24 · BUSINESS

HEADLINE Advance: Set the year-three thesis (stay small / grow / raise)

- FOCUS
- Set the year-three thesis (stay small / grow / raise)
 - set year-three thesis
 - Render the error handling

- LOG
- 00195f5

render performance

0019656

00196b7
- persist keyboard flow

validate onboarding

PARENT MONTH	PHASE	CADENCE	MOVES
M24	P4	ship Fri	WAB

WK101 Year-two close & the open choice

M24 · BUSINESS

HEADLINE	Advance: Reinvest from a position of choice, not necessity		
FOCUS	- Reinvest from a position of choice, not necessity - reinvestment plan - Persist the keyboard flow		
LOG	00198d2 persist empty states 0019933 validate mobile layout 0019994 attribute sharing		
PARENT MONTH	PHASE	CADENCE	MOVES
M24	P4	ship Fri	activation

WK102 Year-two close & the open choice

M24 · BUSINESS

HEADLINE Advance: 24-month public retro; celebrate the milestone openly

- FOCUS
- 24-month public retro; celebrate the milestone openly
 - thank the community publicly
 - Validate the mobile layout

- LOG
- 0019baf validate error handling
 - 0019c10 attribute accessibility
 - 0019c71 group notifications

PARENT MONTH	PHASE	CADENCE	MOVES
M24	P4	ship Fri	retention

WK103 Year-two close & the open choice

M24 · BUSINESS

HEADLINE	Advance: Set the year-three thesis (stay small / grow / raise)		
FOCUS	- Set the year-three thesis (stay small / grow / raise) - write the 24-month retro - Attribute the accessibility		
LOG	0019e8c attribute keyboard flow 0019eed group onboarding 0019f4e filter search indexing		
PARENT MONTH	PHASE	CADENCE	MOVES
M24	P4	ship Fri	MRR

HEADLINE	Advance: Reinvest from a position of choice, not necessity		
FOCUS	- Reinvest from a position of choice, not necessity - set year-three thesis - Group the onboarding		
LOG	001a169 group mobile layout 001a1ca filter sharing 001a22b sync storage		
PARENT MONTH	PHASE	CADENCE	MOVES
M24	P4	ship Fri	WAB

Functional requirements catalog

Numbered, testable requirements per module (FR-IDs). Each carries a priority, an acceptance condition, and a status. These are the contracts the build is measured against.

22.01 Projects — requirements 1–6

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-01-001	The system shall persist the UI surface in a reversible way for Each project has a single shared timeline (see MOD-03).	P1	Given a project, when a editor acts, the UI surface is reversible and recorded.	planned
FR-01-002	The system shall validate the timeline events in a quiet way for Project-level people & roles (owner, editor, viewer).	P2	Given a project, when a viewer acts, the timeline events is quiet and recorded.	spec'd
FR-01-003	The system shall attribute the permissions in a predictable way for Lightweight settings: name, description, visibility, accent color.	P3	Given a project, when a guest acts, the permissions is predictable and recorded.	backlog
FR-01-004	The system shall group the performance in a auditable way for Archive / restore without destroying history.	P0	Given a project, when a owner acts, the performance is auditable and recorded.	planned
FR-01-005	The system shall filter the empty states in a fast way for Templates: start from blank, web app, brand kit, or portfolio.	P1	Given a project, when a editor acts, the empty states is fast and recorded.	planned
FR-01-006	The system shall sync the error handling in a reversible way for Create a project in under a minute, no required config.	P2	Given a project, when a viewer acts, the error handling is reversible and recorded.	spec'd

22.01 Projects — requirements 7–12

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-01-007	The system shall cache the keyboard flow in a quiet way for Each project has a single shared timeline (see MOD-03).	P3	Given a project, when a guest acts, the keyboard flow is quiet and recorded.	backlog
FR-01-008	The system shall index the mobile layout in a predictable way for Project-level people & roles (owner, editor, viewer).	P0	Given a project, when a owner acts, the mobile layout is predictable and recorded.	planned
FR-01-009	The system shall gate the accessibility in a auditable way for Lightweight settings: name, description, visibility, accent color.	P1	Given a project, when a editor acts, the accessibility is auditable and recorded.	planned
FR-01-010	The system shall stream the onboarding in a fast way for Archive / restore without destroying history.	P2	Given a project, when a viewer acts, the onboarding is fast and recorded.	spec'd
FR-01-011	The system shall restore the sharing in a reversible way for Templates: start from blank, web app, brand kit, or portfolio.	P3	Given a project, when a guest acts, the sharing is reversible and recorded.	backlog
FR-01-012	The system shall export the notifications in a quiet way for Create a project in under a minute, no required config.	P0	Given a project, when a owner acts, the notifications is quiet and recorded.	planned

22.01 Projects — requirements 13–18

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-01-013	The system shall preview the search indexing in a predictable way for Each project has a single shared timeline (see MOD-03).	P1	Given a project, when a editor acts, the search indexing is predictable and recorded.	planned
FR-01-014	The system shall resolve the storage in a auditable way for Project-level people & roles (owner, editor, viewer).	P2	Given a project, when a viewer acts, the storage is auditable and recorded.	spec'd
FR-01-015	The system shall emit the versioning in a fast way for Lightweight settings: name, description, visibility, accent color.	P3	Given a project, when a guest acts, the versioning is fast and recorded.	backlog
FR-01-016	The system shall throttle the API surface in a reversible way for Archive / restore without destroying history.	P0	Given a project, when a owner acts, the API surface is reversible and recorded.	planned
FR-01-017	The system shall paginate the webhooks in a quiet way for Templates: start from blank, web app, brand kit, or portfolio.	P1	Given a project, when a editor acts, the webhooks is quiet and recorded.	planned
FR-01-018	The system shall debounce the billing gate in a predictable way for Create a project in under a minute, no required config.	P2	Given a project, when a viewer acts, the billing gate is predictable and recorded.	spec'd

22.01 Projects — requirements 19–24

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-01-019	The system shall reconcile the offline behavior in a auditable way for Each project has a single shared timeline (see MOD-03).	P3	Given a project, when a guest acts, the offline behavior is auditable and recorded.	backlog
FR-01-020	The system shall render the import/export in a fast way for Project-level people & roles (owner, editor, viewer).	P0	Given a project, when a owner acts, the import/export is fast and recorded.	planned
FR-01-021	The system shall persist the attribution in a reversible way for Lightweight settings: name, description, visibility, accent color.	P1	Given a project, when a editor acts, the attribution is reversible and recorded.	planned
FR-01-022	The system shall validate the previews in a quiet way for Archive / restore without destroying history.	P2	Given a project, when a viewer acts, the previews is quiet and recorded.	spec'd
FR-01-023	The system shall attribute the filtering in a predictable way for Templates: start from blank, web app, brand kit, or portfolio.	P3	Given a project, when a guest acts, the filtering is predictable and recorded.	backlog
FR-01-024	The system shall group the data model in a auditable way for Create a project in under a minute, no required config.	P0	Given a project, when a owner acts, the data model is auditable and recorded.	planned

22.01 Projects — requirements 25–30

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-01-025	The system shall filter the UI surface in a fast way for Each project has a single shared timeline (see MOD-03).	P1	Given a project, when a editor acts, the UI surface is fast and recorded.	planned
FR-01-026	The system shall sync the timeline events in a reversible way for Project-level people & roles (owner, editor, viewer).	P2	Given a project, when a viewer acts, the timeline events is reversible and recorded.	spec'd
FR-01-027	The system shall cache the permissions in a quiet way for Lightweight settings: name, description, visibility, accent color.	P3	Given a project, when a guest acts, the permissions is quiet and recorded.	backlog
FR-01-028	The system shall index the performance in a predictable way for Archive / restore without destroying history.	P0	Given a project, when a owner acts, the performance is predictable and recorded.	planned
FR-01-029	The system shall gate the empty states in a auditable way for Templates: start from blank, web app, brand kit, or portfolio.	P1	Given a project, when a editor acts, the empty states is auditable and recorded.	planned
FR-01-030	The system shall stream the error handling in a fast way for Create a project in under a minute, no required config.	P2	Given a project, when a viewer acts, the error handling is fast and recorded.	spec'd

22.01 Projects — requirements (cont.)

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-01-031	The system shall restore the keyboard flow in a reversible way for Each project has a single shared timeline (see MOD-03).	P3	Given a project, when a guest acts, the keyboard flow is reversible and recorded.	backlog
FR-01-032	The system shall export the mobile layout in a quiet way for Project-level people & roles (owner, editor, viewer).	P0	Given a project, when a owner acts, the mobile layout is quiet and recorded.	planned
FR-01-033	The system shall preview the accessibility in a predictable way for Lightweight settings: name, description, visibility, accent color.	P1	Given a project, when a editor acts, the accessibility is predictable and recorded.	planned
FR-01-034	The system shall resolve the onboarding in a auditable way for Archive / restore without destroying history.	P2	Given a project, when a viewer acts, the onboarding is auditable and recorded.	spec'd

22.02 Unified files — requirements 1–6

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-02-001	The system shall validate the performance in a clear way for Inline preview for images, common design exports, markdown, and code.	P2	Given a project, when a editor acts, the performance is clear and recorded.	planned
FR-02-002	The system shall attribute the empty states in a accessible way for Drag-and-drop upload; paste-to-upload from clipboard.	P3	Given a project, when a viewer acts, the empty states is accessible and recorded.	spec'd
FR-02-003	The system shall group the error handling in a scoped way for Every file carries its own version history.	P0	Given a project, when a guest acts, the error handling is scoped and recorded.	backlog
FR-02-004	The system shall filter the keyboard flow in a minimal way for Tag files by kind (code / design / asset / doc) for filtering.	P1	Given a project, when a owner acts, the keyboard flow is minimal and recorded.	planned
FR-02-005	The system shall sync the mobile layout in a reliable way for Object storage backing; pennies per gigabyte at the budget scale.	P2	Given a project, when a editor acts, the mobile layout is reliable and recorded.	planned
FR-02-006	The system shall cache the accessibility in a clear way for Tree view that mixes code and creative files naturally.	P3	Given a project, when a viewer acts, the accessibility is clear and recorded.	spec'd

22.02 Unified files — requirements 7–12

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-02-007	The system shall index the onboarding in a accessible way for Inline preview for images, common design exports, markdown, and code.	P0	Given a project, when a guest acts, the onboarding is accessible and recorded.	backlog
FR-02-008	The system shall gate the sharing in a scoped way for Drag-and-drop upload; paste-to-upload from clipboard.	P1	Given a project, when a owner acts, the sharing is scoped and recorded.	planned
FR-02-009	The system shall stream the notifications in a minimal way for Every file carries its own version history.	P2	Given a project, when a editor acts, the notifications is minimal and recorded.	planned
FR-02-010	The system shall restore the search indexing in a reliable way for Tag files by kind (code / design / asset / doc) for filtering.	P3	Given a project, when a viewer acts, the search indexing is reliable and recorded.	spec'd
FR-02-011	The system shall export the storage in a clear way for Object storage backing; pennies per gigabyte at the budget scale.	P0	Given a project, when a guest acts, the storage is clear and recorded.	backlog
FR-02-012	The system shall preview the versioning in a accessible way for Tree view that mixes code and creative files naturally.	P1	Given a project, when a owner acts, the versioning is accessible and recorded.	planned

22.02 Unified files — requirements 13–18

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-02-013	The system shall resolve the API surface in a scoped way for Inline preview for images, common design exports, markdown, and code.	P2	Given a project, when a editor acts, the API surface is scoped and recorded.	planned
FR-02-014	The system shall emit the webhooks in a minimal way for Drag-and-drop upload; paste-to-upload from clipboard.	P3	Given a project, when a viewer acts, the webhooks is minimal and recorded.	spec'd
FR-02-015	The system shall throttle the billing gate in a reliable way for Every file carries its own version history.	P0	Given a project, when a guest acts, the billing gate is reliable and recorded.	backlog
FR-02-016	The system shall paginate the offline behavior in a clear way for Tag files by kind (code / design / asset / doc) for filtering.	P1	Given a project, when a owner acts, the offline behavior is clear and recorded.	planned
FR-02-017	The system shall debounce the import/export in a accessible way for Object storage backing; pennies per gigabyte at the budget scale.	P2	Given a project, when a editor acts, the import/export is accessible and recorded.	planned
FR-02-018	The system shall reconcile the attribution in a scoped way for Tree view that mixes code and creative files naturally.	P3	Given a project, when a viewer acts, the attribution is scoped and recorded.	spec'd

22.02 Unified files — requirements 19–24

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-02-019	The system shall render the previews in a minimal way for Inline preview for images, common design exports, markdown, and code.	P0	Given a project, when a guest acts, the previews is minimal and recorded.	backlog
FR-02-020	The system shall persist the filtering in a reliable way for Drag-and-drop upload; paste-to-upload from clipboard.	P1	Given a project, when a owner acts, the filtering is reliable and recorded.	planned
FR-02-021	The system shall validate the data model in a clear way for Every file carries its own version history.	P2	Given a project, when a editor acts, the data model is clear and recorded.	planned
FR-02-022	The system shall attribute the UI surface in a accessible way for Tag files by kind (code / design / asset / doc) for filtering.	P3	Given a project, when a viewer acts, the UI surface is accessible and recorded.	spec'd
FR-02-023	The system shall group the timeline events in a scoped way for Object storage backing; pennies per gigabyte at the budget scale.	P0	Given a project, when a guest acts, the timeline events is scoped and recorded.	backlog
FR-02-024	The system shall filter the permissions in a minimal way for Tree view that mixes code and creative files naturally.	P1	Given a project, when a owner acts, the permissions is minimal and recorded.	planned

22.02 Unified files — requirements 25–30

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-02-025	The system shall sync the performance in a reliable way for Inline preview for images, common design exports, markdown, and code.	P2	Given a project, when a editor acts, the performance is reliable and recorded.	planned
FR-02-026	The system shall cache the empty states in a clear way for Drag-and-drop upload; paste-to-upload from clipboard.	P3	Given a project, when a viewer acts, the empty states is clear and recorded.	spec'd
FR-02-027	The system shall index the error handling in a accessible way for Every file carries its own version history.	P0	Given a project, when a guest acts, the error handling is accessible and recorded.	backlog
FR-02-028	The system shall gate the keyboard flow in a scoped way for Tag files by kind (code / design / asset / doc) for filtering.	P1	Given a project, when a owner acts, the keyboard flow is scoped and recorded.	planned
FR-02-029	The system shall stream the mobile layout in a minimal way for Object storage backing; pennies per gigabyte at the budget scale.	P2	Given a project, when a editor acts, the mobile layout is minimal and recorded.	planned
FR-02-030	The system shall restore the accessibility in a reliable way for Tree view that mixes code and creative files naturally.	P3	Given a project, when a viewer acts, the accessibility is reliable and recorded.	spec'd

22.02 Unified files — requirements (cont.)

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-02-031	The system shall export the onboarding in a clear way for Inline preview for images, common design exports, markdown, and code.	P0	Given a project, when a guest acts, the onboarding is clear and recorded.	backlog
FR-02-032	The system shall preview the sharing in a accessible way for Drag-and-drop upload; paste-to-upload from clipboard.	P1	Given a project, when a owner acts, the sharing is accessible and recorded.	planned
FR-02-033	The system shall resolve the notifications in a scoped way for Every file carries its own version history.	P2	Given a project, when a editor acts, the notifications is scoped and recorded.	planned
FR-02-034	The system shall emit the search indexing in a minimal way for Tag files by kind (code / design / asset / doc) for filtering.	P3	Given a project, when a viewer acts, the search indexing is minimal and recorded.	spec'd

22.03 Timeline — requirements 1–6

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-03-001	The system shall attribute the keyboard flow in a quiet way for Filter by person, by module, by file, by date range.	P3	Given a project, when a editor acts, the keyboard flow is quiet and recorded.	planned
FR-03-002	The system shall group the mobile layout in a predictable way for 'Decisions' — pinned timeline notes that capture the why.	P0	Given a project, when a viewer acts, the mobile layout is predictable and recorded.	spec'd
FR-03-003	The system shall filter the accessibility in a auditable way for Group related changes (a design + its code) into one entry.	P1	Given a project, when a guest acts, the accessibility is auditable and recorded.	backlog
FR-03-004	The system shall sync the onboarding in a fast way for Git-log-style density for power users; readable summaries for everyone.	P2	Given a project, when a owner acts, the onboarding is fast and recorded.	planned
FR-03-005	The system shall cache the sharing in a reversible way for Permalink any moment to share 'here's where we were on Tuesday'.	P3	Given a project, when a editor acts, the sharing is reversible and recorded.	planned
FR-03-006	The system shall index the notifications in a quiet way for Chronological stream of all change events across modules.	P0	Given a project, when a viewer acts, the notifications is quiet and recorded.	spec'd

22.03 Timeline — requirements 7–12

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-03-007	The system shall gate the search indexing in a predictable way for Filter by person, by module, by file, by date range.	P1	Given a project, when a guest acts, the search indexing is predictable and recorded.	backlog
FR-03-008	The system shall stream the storage in a auditable way for 'Decisions' — pinned timeline notes that capture the why.	P2	Given a project, when a owner acts, the storage is auditable and recorded.	planned
FR-03-009	The system shall restore the versioning in a fast way for Group related changes (a design + its code) into one entry.	P3	Given a project, when a editor acts, the versioning is fast and recorded.	planned
FR-03-010	The system shall export the API surface in a reversible way for Git-log-style density for power users; readable summaries for everyone.	P0	Given a project, when a viewer acts, the API surface is reversible and recorded.	spec'd
FR-03-011	The system shall preview the webhooks in a quiet way for Permalink any moment to share 'here's where we were on Tuesday'.	P1	Given a project, when a guest acts, the webhooks is quiet and recorded.	backlog
FR-03-012	The system shall resolve the billing gate in a predictable way for Chronological stream of all change events across modules.	P2	Given a project, when a owner acts, the billing gate is predictable and recorded.	planned

22.03 Timeline — requirements 13–18

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-03-013	The system shall emit the offline behavior in a auditable way for Filter by person, by module, by file, by date range.	P3	Given a project, when a editor acts, the offline behavior is auditable and recorded.	planned
FR-03-014	The system shall throttle the import/export in a fast way for 'Decisions' — pinned timeline notes that capture the why.	P0	Given a project, when a viewer acts, the import/export is fast and recorded.	spec'd
FR-03-015	The system shall paginate the attribution in a reversible way for Group related changes (a design + its code) into one entry.	P1	Given a project, when a guest acts, the attribution is reversible and recorded.	backlog
FR-03-016	The system shall debounce the previews in a quiet way for Git-log-style density for power users; readable summaries for everyone.	P2	Given a project, when a owner acts, the previews is quiet and recorded.	planned
FR-03-017	The system shall reconcile the filtering in a predictable way for Permalink any moment to share 'here's where we were on Tuesday'.	P3	Given a project, when a editor acts, the filtering is predictable and recorded.	planned
FR-03-018	The system shall render the data model in a auditable way for Chronological stream of all change events across modules.	P0	Given a project, when a viewer acts, the data model is auditable and recorded.	spec'd

22.03 Timeline — requirements 19–24

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-03-019	The system shall persist the UI surface in a fast way for Filter by person, by module, by file, by date range.	P1	Given a project, when a guest acts, the UI surface is fast and recorded.	backlog
FR-03-020	The system shall validate the timeline events in a reversible way for 'Decisions' — pinned timeline notes that capture the why.	P2	Given a project, when a owner acts, the timeline events is reversible and recorded.	planned
FR-03-021	The system shall attribute the permissions in a quiet way for Group related changes (a design + its code) into one entry.	P3	Given a project, when a editor acts, the permissions is quiet and recorded.	planned
FR-03-022	The system shall group the performance in a predictable way for Git-log-style density for power users; readable summaries for everyone.	P0	Given a project, when a viewer acts, the performance is predictable and recorded.	spec'd
FR-03-023	The system shall filter the empty states in a auditable way for Permalink any moment to share 'here's where we were on Tuesday'.	P1	Given a project, when a guest acts, the empty states is auditable and recorded.	backlog
FR-03-024	The system shall sync the error handling in a fast way for Chronological stream of all change events across modules.	P2	Given a project, when a owner acts, the error handling is fast and recorded.	planned

22.03 Timeline — requirements 25–30

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-03-025	The system shall cache the keyboard flow in a reversible way for Filter by person, by module, by file, by date range.	P3	Given a project, when a editor acts, the keyboard flow is reversible and recorded.	planned
FR-03-026	The system shall index the mobile layout in a quiet way for 'Decisions' — pinned timeline notes that capture the why.	P0	Given a project, when a viewer acts, the mobile layout is quiet and recorded.	spec'd
FR-03-027	The system shall gate the accessibility in a predictable way for Group related changes (a design + its code) into one entry.	P1	Given a project, when a guest acts, the accessibility is predictable and recorded.	backlog
FR-03-028	The system shall stream the onboarding in a auditable way for Git-log-style density for power users; readable summaries for everyone.	P2	Given a project, when a owner acts, the onboarding is auditable and recorded.	planned
FR-03-029	The system shall restore the sharing in a fast way for Permalink any moment to share 'here's where we were on Tuesday'.	P3	Given a project, when a editor acts, the sharing is fast and recorded.	planned
FR-03-030	The system shall export the notifications in a reversible way for Chronological stream of all change events across modules.	P0	Given a project, when a viewer acts, the notifications is reversible and recorded.	spec'd

22.03 Timeline — requirements (cont.)

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-03-031	The system shall preview the search indexing in a quiet way for Filter by person, by module, by file, by date range.	P1	Given a project, when a guest acts, the search indexing is quiet and recorded.	backlog
FR-03-032	The system shall resolve the storage in a predictable way for 'Decisions' — pinned timeline notes that capture the why.	P2	Given a project, when a owner acts, the storage is predictable and recorded.	planned
FR-03-033	The system shall emit the versioning in a auditable way for Group related changes (a design + its code) into one entry.	P3	Given a project, when a editor acts, the versioning is auditable and recorded.	planned
FR-03-034	The system shall throttle the API surface in a fast way for Git-log-style density for power users; readable summaries for everyone.	P0	Given a project, when a viewer acts, the API surface is fast and recorded.	spec'd

22.04 Code — requirements 1–6

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-04-001	The system shall group the onboarding in a accessible way for Browse code with syntax highlighting in-app.	P0	Given a project, when a editor acts, the onboarding is accessible and recorded.	planned
FR-04-002	The system shall filter the sharing in a scoped way for Commits flow into the unified timeline automatically.	P1	Given a project, when a viewer acts, the sharing is scoped and recorded.	spec'd
FR-04-003	The system shall sync the notifications in a minimal way for Connect an existing external repo (mirror) as an alternative to native.	P2	Given a project, when a guest acts, the notifications is minimal and recorded.	backlog
FR-04-004	The system shall cache the search indexing in a reliable way for Simple in-browser edits for quick fixes.	P3	Given a project, when a owner acts, the search indexing is reliable and recorded.	planned
FR-04-005	The system shall index the storage in a clear way for File-level history shared with MOD-02.	P0	Given a project, when a editor acts, the storage is clear and recorded.	planned
FR-04-006	The system shall gate the versioning in a accessible way for Git-backed repository per project.	P1	Given a project, when a viewer acts, the versioning is accessible and recorded.	spec'd

22.04 Code — requirements 7–12

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-04-007	The system shall stream the API surface in a scoped way for Browse code with syntax highlighting in-app.	P2	Given a project, when a guest acts, the API surface is scoped and recorded.	backlog
FR-04-008	The system shall restore the webhooks in a minimal way for Commits flow into the unified timeline automatically.	P3	Given a project, when a owner acts, the webhooks is minimal and recorded.	planned
FR-04-009	The system shall export the billing gate in a reliable way for Connect an existing external repo (mirror) as an alternative to native.	P0	Given a project, when a editor acts, the billing gate is reliable and recorded.	planned
FR-04-010	The system shall preview the offline behavior in a clear way for Simple in-browser edits for quick fixes.	P1	Given a project, when a viewer acts, the offline behavior is clear and recorded.	spec'd
FR-04-011	The system shall resolve the import/export in a accessible way for File-level history shared with MOD-02.	P2	Given a project, when a guest acts, the import/export is accessible and recorded.	backlog
FR-04-012	The system shall emit the attribution in a scoped way for Git-backed repository per project.	P3	Given a project, when a owner acts, the attribution is scoped and recorded.	planned

22.04 Code — requirements 13–18

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-04-013	The system shall throttle the previews in a minimal way for Browse code with syntax highlighting in-app.	P0	Given a project, when a editor acts, the previews is minimal and recorded.	planned
FR-04-014	The system shall paginate the filtering in a reliable way for Commits flow into the unified timeline automatically.	P1	Given a project, when a viewer acts, the filtering is reliable and recorded.	spec'd
FR-04-015	The system shall debounce the data model in a clear way for Connect an existing external repo (mirror) as an alternative to native.	P2	Given a project, when a guest acts, the data model is clear and recorded.	backlog
FR-04-016	The system shall reconcile the UI surface in a accessible way for Simple in-browser edits for quick fixes.	P3	Given a project, when a owner acts, the UI surface is accessible and recorded.	planned
FR-04-017	The system shall render the timeline events in a scoped way for File-level history shared with MOD-02.	P0	Given a project, when a editor acts, the timeline events is scoped and recorded.	planned
FR-04-018	The system shall persist the permissions in a minimal way for Git-backed repository per project.	P1	Given a project, when a viewer acts, the permissions is minimal and recorded.	spec'd

22.04 Code — requirements 19–24

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-04-019	The system shall validate the performance in a reliable way for Browse code with syntax highlighting in-app.	P2	Given a project, when a guest acts, the performance is reliable and recorded.	backlog
FR-04-020	The system shall attribute the empty states in a clear way for Commits flow into the unified timeline automatically.	P3	Given a project, when a owner acts, the empty states is clear and recorded.	planned
FR-04-021	The system shall group the error handling in a accessible way for Connect an existing external repo (mirror) as an alternative to native.	P0	Given a project, when a editor acts, the error handling is accessible and recorded.	planned
FR-04-022	The system shall filter the keyboard flow in a scoped way for Simple in-browser edits for quick fixes.	P1	Given a project, when a viewer acts, the keyboard flow is scoped and recorded.	spec'd
FR-04-023	The system shall sync the mobile layout in a minimal way for File-level history shared with MOD-02.	P2	Given a project, when a guest acts, the mobile layout is minimal and recorded.	backlog
FR-04-024	The system shall cache the accessibility in a reliable way for Git-backed repository per project.	P3	Given a project, when a owner acts, the accessibility is reliable and recorded.	planned

22.04 Code — requirements 25–30

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-04-025	The system shall index the onboarding in a clear way for Browse code with syntax highlighting in-app.	P0	Given a project, when a editor acts, the onboarding is clear and recorded.	planned
FR-04-026	The system shall gate the sharing in a accessible way for Commits flow into the unified timeline automatically.	P1	Given a project, when a viewer acts, the sharing is accessible and recorded.	spec'd
FR-04-027	The system shall stream the notifications in a scoped way for Connect an existing external repo (mirror) as an alternative to native.	P2	Given a project, when a guest acts, the notifications is scoped and recorded.	backlog
FR-04-028	The system shall restore the search indexing in a minimal way for Simple in-browser edits for quick fixes.	P3	Given a project, when a owner acts, the search indexing is minimal and recorded.	planned
FR-04-029	The system shall export the storage in a reliable way for File-level history shared with MOD-02.	P0	Given a project, when a editor acts, the storage is reliable and recorded.	planned
FR-04-030	The system shall preview the versioning in a clear way for Git-backed repository per project.	P1	Given a project, when a viewer acts, the versioning is clear and recorded.	spec'd

22.04 Code — requirements (cont.)

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-04-031	The system shall resolve the API surface in a accessible way for Browse code with syntax highlighting in-app.	P2	Given a project, when a guest acts, the API surface is accessible and recorded.	backlog
FR-04-032	The system shall emit the webhooks in a scoped way for Commits flow into the unified timeline automatically.	P3	Given a project, when a owner acts, the webhooks is scoped and recorded.	planned
FR-04-033	The system shall throttle the billing gate in a minimal way for Connect an existing external repo (mirror) as an alternative to native.	P0	Given a project, when a editor acts, the billing gate is minimal and recorded.	planned
FR-04-034	The system shall paginate the offline behavior in a reliable way for Simple in-browser edits for quick fixes.	P1	Given a project, when a viewer acts, the offline behavior is reliable and recorded.	spec'd

22.05 Tasks — requirements 1–6

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-05-001	The system shall filter the search indexing in a predictable way for Tasks link to files, commits, or decisions.	P1	Given a project, when a editor acts, the search indexing is predictable and recorded.	planned
FR-05-002	The system shall sync the storage in a auditable way for Status changes emit timeline events.	P2	Given a project, when a viewer acts, the storage is auditable and recorded.	spec'd
FR-05-003	The system shall cache the versioning in a fast way for Assignee, due date, and a single priority flag — nothing more.	P3	Given a project, when a guest acts, the versioning is fast and recorded.	backlog
FR-05-004	The system shall index the API surface in a reversible way for Keyboard-first quick add.	P0	Given a project, when a owner acts, the API surface is reversible and recorded.	planned
FR-05-005	The system shall gate the webhooks in a quiet way for Filter by assignee, status, linked module.	P1	Given a project, when a editor acts, the webhooks is quiet and recorded.	planned
FR-05-006	The system shall stream the billing gate in a predictable way for Simple list and board views; no ceremony.	P2	Given a project, when a viewer acts, the billing gate is predictable and recorded.	spec'd

22.05 Tasks — requirements 7–12

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-05-007	The system shall restore the offline behavior in a auditable way for Tasks link to files, commits, or decisions.	P3	Given a project, when a guest acts, the offline behavior is auditable and recorded.	backlog
FR-05-008	The system shall export the import/export in a fast way for Status changes emit timeline events.	P0	Given a project, when a owner acts, the import/export is fast and recorded.	planned
FR-05-009	The system shall preview the attribution in a reversible way for Assignee, due date, and a single priority flag — nothing more.	P1	Given a project, when a editor acts, the attribution is reversible and recorded.	planned
FR-05-010	The system shall resolve the previews in a quiet way for Keyboard-first quick add.	P2	Given a project, when a viewer acts, the previews is quiet and recorded.	spec'd
FR-05-011	The system shall emit the filtering in a predictable way for Filter by assignee, status, linked module.	P3	Given a project, when a guest acts, the filtering is predictable and recorded.	backlog
FR-05-012	The system shall throttle the data model in a auditable way for Simple list and board views; no ceremony.	P0	Given a project, when a owner acts, the data model is auditable and recorded.	planned

22.05 Tasks — requirements 13–18

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-05-013	The system shall paginate the UI surface in a fast way for Tasks link to files, commits, or decisions.	P1	Given a project, when a editor acts, the UI surface is fast and recorded.	planned
FR-05-014	The system shall debounce the timeline events in a reversible way for Status changes emit timeline events.	P2	Given a project, when a viewer acts, the timeline events is reversible and recorded.	spec'd
FR-05-015	The system shall reconcile the permissions in a quiet way for Assignee, due date, and a single priority flag — nothing more.	P3	Given a project, when a guest acts, the permissions is quiet and recorded.	backlog
FR-05-016	The system shall render the performance in a predictable way for Keyboard-first quick add.	P0	Given a project, when a owner acts, the performance is predictable and recorded.	planned
FR-05-017	The system shall persist the empty states in a auditable way for Filter by assignee, status, linked module.	P1	Given a project, when a editor acts, the empty states is auditable and recorded.	planned
FR-05-018	The system shall validate the error handling in a fast way for Simple list and board views; no ceremony.	P2	Given a project, when a viewer acts, the error handling is fast and recorded.	spec'd

22.05 Tasks — requirements 19–24

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-05-019	The system shall attribute the keyboard flow in a reversible way for Tasks link to files, commits, or decisions.	P3	Given a project, when a guest acts, the keyboard flow is reversible and recorded.	backlog
FR-05-020	The system shall group the mobile layout in a quiet way for Status changes emit timeline events.	P0	Given a project, when a owner acts, the mobile layout is quiet and recorded.	planned
FR-05-021	The system shall filter the accessibility in a predictable way for Assignee, due date, and a single priority flag — nothing more.	P1	Given a project, when a editor acts, the accessibility is predictable and recorded.	planned
FR-05-022	The system shall sync the onboarding in a auditable way for Keyboard-first quick add.	P2	Given a project, when a viewer acts, the onboarding is auditable and recorded.	spec'd
FR-05-023	The system shall cache the sharing in a fast way for Filter by assignee, status, linked module.	P3	Given a project, when a guest acts, the sharing is fast and recorded.	backlog
FR-05-024	The system shall index the notifications in a reversible way for Simple list and board views; no ceremony.	P0	Given a project, when a owner acts, the notifications is reversible and recorded.	planned

22.05 Tasks — requirements 25–30

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-05-025	The system shall gate the search indexing in a quiet way for Tasks link to files, commits, or decisions.	P1	Given a project, when a editor acts, the search indexing is quiet and recorded.	planned
FR-05-026	The system shall stream the storage in a predictable way for Status changes emit timeline events.	P2	Given a project, when a viewer acts, the storage is predictable and recorded.	spec'd
FR-05-027	The system shall restore the versioning in a auditable way for Assignee, due date, and a single priority flag — nothing more.	P3	Given a project, when a guest acts, the versioning is auditable and recorded.	backlog
FR-05-028	The system shall export the API surface in a fast way for Keyboard-first quick add.	P0	Given a project, when a owner acts, the API surface is fast and recorded.	planned
FR-05-029	The system shall preview the webhooks in a reversible way for Filter by assignee, status, linked module.	P1	Given a project, when a editor acts, the webhooks is reversible and recorded.	planned
FR-05-030	The system shall resolve the billing gate in a quiet way for Simple list and board views; no ceremony.	P2	Given a project, when a viewer acts, the billing gate is quiet and recorded.	spec'd

22.05 Tasks — requirements (cont.)

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-05-031	The system shall emit the offline behavior in a predictable way for Tasks link to files, commits, or decisions.	P3	Given a project, when a guest acts, the offline behavior is predictable and recorded.	backlog
FR-05-032	The system shall throttle the import/export in a auditable way for Status changes emit timeline events.	P0	Given a project, when a owner acts, the import/export is auditable and recorded.	planned
FR-05-033	The system shall paginate the attribution in a fast way for Assignee, due date, and a single priority flag — nothing more.	P1	Given a project, when a editor acts, the attribution is fast and recorded.	planned
FR-05-034	The system shall debounce the previews in a reversible way for Keyboard-first quick add.	P2	Given a project, when a viewer acts, the previews is reversible and recorded.	spec'd

22.06 Docs — requirements 1–6

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-06-001	The system shall sync the API surface in a scoped way for Docs are files (MOD-02) with structured editing on top.	P2	Given a project, when a editor acts, the API surface is scoped and recorded.	planned
FR-06-002	The system shall cache the webhooks in a minimal way for Link docs to tasks, files, and decisions.	P3	Given a project, when a viewer acts, the webhooks is minimal and recorded.	spec'd
FR-06-003	The system shall index the billing gate in a reliable way for Edits appear in the timeline.	P0	Given a project, when a guest acts, the billing gate is reliable and recorded.	backlog
FR-06-004	The system shall gate the offline behavior in a clear way for Templates: brief, spec, decision record, changelog.	P1	Given a project, when a owner acts, the offline behavior is clear and recorded.	planned
FR-06-005	The system shall stream the import/export in a accessible way for Public doc sharing via link.	P2	Given a project, when a editor acts, the import/export is accessible and recorded.	planned
FR-06-006	The system shall restore the attribution in a scoped way for Markdown editor with live preview.	P3	Given a project, when a viewer acts, the attribution is scoped and recorded.	spec'd

22.06 Docs — requirements 7–12

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-06-007	The system shall export the previews in a minimal way for Docs are files (MOD-02) with structured editing on top.	P0	Given a project, when a guest acts, the previews is minimal and recorded.	backlog
FR-06-008	The system shall preview the filtering in a reliable way for Link docs to tasks, files, and decisions.	P1	Given a project, when a owner acts, the filtering is reliable and recorded.	planned
FR-06-009	The system shall resolve the data model in a clear way for Edits appear in the timeline.	P2	Given a project, when a editor acts, the data model is clear and recorded.	planned
FR-06-010	The system shall emit the UI surface in a accessible way for Templates: brief, spec, decision record, changelog.	P3	Given a project, when a viewer acts, the UI surface is accessible and recorded.	spec'd
FR-06-011	The system shall throttle the timeline events in a scoped way for Public doc sharing via link.	P0	Given a project, when a guest acts, the timeline events is scoped and recorded.	backlog
FR-06-012	The system shall paginate the permissions in a minimal way for Markdown editor with live preview.	P1	Given a project, when a owner acts, the permissions is minimal and recorded.	planned

22.06 Docs — requirements 13–18

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-06-013	The system shall debounce the performance in a reliable way for Docs are files (MOD-02) with structured editing on top.	P2	Given a project, when a editor acts, the performance is reliable and recorded.	planned
FR-06-014	The system shall reconcile the empty states in a clear way for Link docs to tasks, files, and decisions.	P3	Given a project, when a viewer acts, the empty states is clear and recorded.	spec'd
FR-06-015	The system shall render the error handling in a accessible way for Edits appear in the timeline.	P0	Given a project, when a guest acts, the error handling is accessible and recorded.	backlog
FR-06-016	The system shall persist the keyboard flow in a scoped way for Templates: brief, spec, decision record, changelog.	P1	Given a project, when a owner acts, the keyboard flow is scoped and recorded.	planned
FR-06-017	The system shall validate the mobile layout in a minimal way for Public doc sharing via link.	P2	Given a project, when a editor acts, the mobile layout is minimal and recorded.	planned
FR-06-018	The system shall attribute the accessibility in a reliable way for Markdown editor with live preview.	P3	Given a project, when a viewer acts, the accessibility is reliable and recorded.	spec'd

22.06 Docs — requirements 19–24

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-06-019	The system shall group the onboarding in a clear way for Docs are files (MOD-02) with structured editing on top.	P0	Given a project, when a guest acts, the onboarding is clear and recorded.	backlog
FR-06-020	The system shall filter the sharing in a accessible way for Link docs to tasks, files, and decisions.	P1	Given a project, when a owner acts, the sharing is accessible and recorded.	planned
FR-06-021	The system shall sync the notifications in a scoped way for Edits appear in the timeline.	P2	Given a project, when a editor acts, the notifications is scoped and recorded.	planned
FR-06-022	The system shall cache the search indexing in a minimal way for Templates: brief, spec, decision record, changelog.	P3	Given a project, when a viewer acts, the search indexing is minimal and recorded.	spec'd
FR-06-023	The system shall index the storage in a reliable way for Public doc sharing via link.	P0	Given a project, when a guest acts, the storage is reliable and recorded.	backlog
FR-06-024	The system shall gate the versioning in a clear way for Markdown editor with live preview.	P1	Given a project, when a owner acts, the versioning is clear and recorded.	planned

22.06 Docs — requirements 25–30

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-06-025	The system shall stream the API surface in a accessible way for Docs are files (MOD-02) with structured editing on top.	P2	Given a project, when a editor acts, the API surface is accessible and recorded.	planned
FR-06-026	The system shall restore the webhooks in a scoped way for Link docs to tasks, files, and decisions.	P3	Given a project, when a viewer acts, the webhooks is scoped and recorded.	spec'd
FR-06-027	The system shall export the billing gate in a minimal way for Edits appear in the timeline.	P0	Given a project, when a guest acts, the billing gate is minimal and recorded.	backlog
FR-06-028	The system shall preview the offline behavior in a reliable way for Templates: brief, spec, decision record, changelog.	P1	Given a project, when a owner acts, the offline behavior is reliable and recorded.	planned
FR-06-029	The system shall resolve the import/export in a clear way for Public doc sharing via link.	P2	Given a project, when a editor acts, the import/export is clear and recorded.	planned
FR-06-030	The system shall emit the attribution in a accessible way for Markdown editor with live preview.	P3	Given a project, when a viewer acts, the attribution is accessible and recorded.	spec'd

22.06 Docs — requirements (cont.)

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-06-031	The system shall throttle the previews in a scoped way for Docs are files (MOD-02) with structured editing on top.	P0	Given a project, when a guest acts, the previews is scoped and recorded.	backlog
FR-06-032	The system shall paginate the filtering in a minimal way for Link docs to tasks, files, and decisions.	P1	Given a project, when a owner acts, the filtering is minimal and recorded.	planned
FR-06-033	The system shall debounce the data model in a reliable way for Edits appear in the timeline.	P2	Given a project, when a editor acts, the data model is reliable and recorded.	planned
FR-06-034	The system shall reconcile the UI surface in a clear way for Templates: brief, spec, decision record, changelog.	P3	Given a project, when a viewer acts, the UI surface is clear and recorded.	spec'd

22.07 Comments & feedback — requirements 1–6

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-07-001	The system shall cache the offline behavior in a auditable way for Region/pin comments on images and design exports.	P3	Given a project, when a editor acts, the offline behavior is auditable and recorded.	planned
FR-07-002	The system shall index the import/export in a fast way for Resolve / reopen, with timeline trace.	P0	Given a project, when a viewer acts, the import/export is fast and recorded.	spec'd
FR-07-003	The system shall gate the attribution in a reversible way for @mentions notify the right person.	P1	Given a project, when a guest acts, the attribution is reversible and recorded.	backlog
FR-07-004	The system shall stream the previews in a quiet way for Comment digests instead of constant pings.	P2	Given a project, when a owner acts, the previews is quiet and recorded.	planned
FR-07-005	The system shall restore the filtering in a predictable way for Public comment mode for client review (optional).	P3	Given a project, when a editor acts, the filtering is predictable and recorded.	planned
FR-07-006	The system shall export the data model in a auditable way for Comment threads anchored to files, images, code lines, or events.	P0	Given a project, when a viewer acts, the data model is auditable and recorded.	spec'd

22.07 Comments & feedback — requirements 7–12

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-07-007	The system shall preview the UI surface in a fast way for Region/pin comments on images and design exports.	P1	Given a project, when a guest acts, the UI surface is fast and recorded.	backlog
FR-07-008	The system shall resolve the timeline events in a reversible way for Resolve / reopen, with timeline trace.	P2	Given a project, when a owner acts, the timeline events is reversible and recorded.	planned
FR-07-009	The system shall emit the permissions in a quiet way for @mentions notify the right person.	P3	Given a project, when a editor acts, the permissions is quiet and recorded.	planned
FR-07-010	The system shall throttle the performance in a predictable way for Comment digests instead of constant pings.	P0	Given a project, when a viewer acts, the performance is predictable and recorded.	spec'd
FR-07-011	The system shall paginate the empty states in a auditable way for Public comment mode for client review (optional).	P1	Given a project, when a guest acts, the empty states is auditable and recorded.	backlog
FR-07-012	The system shall debounce the error handling in a fast way for Comment threads anchored to files, images, code lines, or events.	P2	Given a project, when a owner acts, the error handling is fast and recorded.	planned

22.07 Comments & feedback — requirements 13–18

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-07-013	The system shall reconcile the keyboard flow in a reversible way for Region/pin comments on images and design exports.	P3	Given a project, when a editor acts, the keyboard flow is reversible and recorded.	planned
FR-07-014	The system shall render the mobile layout in a quiet way for Resolve / reopen, with timeline trace.	P0	Given a project, when a viewer acts, the mobile layout is quiet and recorded.	spec'd
FR-07-015	The system shall persist the accessibility in a predictable way for @mentions notify the right person.	P1	Given a project, when a guest acts, the accessibility is predictable and recorded.	backlog
FR-07-016	The system shall validate the onboarding in a auditable way for Comment digests instead of constant pings.	P2	Given a project, when a owner acts, the onboarding is auditable and recorded.	planned
FR-07-017	The system shall attribute the sharing in a fast way for Public comment mode for client review (optional).	P3	Given a project, when a editor acts, the sharing is fast and recorded.	planned
FR-07-018	The system shall group the notifications in a reversible way for Comment threads anchored to files, images, code lines, or events.	P0	Given a project, when a viewer acts, the notifications is reversible and recorded.	spec'd

22.07 Comments & feedback — requirements 19–24

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-07-019	The system shall filter the search indexing in a quiet way for Region/pin comments on images and design exports.	P1	Given a project, when a guest acts, the search indexing is quiet and recorded.	backlog
FR-07-020	The system shall sync the storage in a predictable way for Resolve / reopen, with timeline trace.	P2	Given a project, when a owner acts, the storage is predictable and recorded.	planned
FR-07-021	The system shall cache the versioning in a auditable way for @mentions notify the right person.	P3	Given a project, when a editor acts, the versioning is auditable and recorded.	planned
FR-07-022	The system shall index the API surface in a fast way for Comment digests instead of constant pings.	P0	Given a project, when a viewer acts, the API surface is fast and recorded.	spec'd
FR-07-023	The system shall gate the webhooks in a reversible way for Public comment mode for client review (optional).	P1	Given a project, when a guest acts, the webhooks is reversible and recorded.	backlog
FR-07-024	The system shall stream the billing gate in a quiet way for Comment threads anchored to files, images, code lines, or events.	P2	Given a project, when a owner acts, the billing gate is quiet and recorded.	planned

22.07 Comments & feedback — requirements 25–30

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-07-025	The system shall restore the offline behavior in a predictable way for Region/pin comments on images and design exports.	P3	Given a project, when a editor acts, the offline behavior is predictable and recorded.	planned
FR-07-026	The system shall export the import/export in a auditable way for Resolve / reopen, with timeline trace.	P0	Given a project, when a viewer acts, the import/export is auditable and recorded.	spec'd
FR-07-027	The system shall preview the attribution in a fast way for @mentions notify the right person.	P1	Given a project, when a guest acts, the attribution is fast and recorded.	backlog
FR-07-028	The system shall resolve the previews in a reversible way for Comment digests instead of constant pings.	P2	Given a project, when a owner acts, the previews is reversible and recorded.	planned
FR-07-029	The system shall emit the filtering in a quiet way for Public comment mode for client review (optional).	P3	Given a project, when a editor acts, the filtering is quiet and recorded.	planned
FR-07-030	The system shall throttle the data model in a predictable way for Comment threads anchored to files, images, code lines, or events.	P0	Given a project, when a viewer acts, the data model is predictable and recorded.	spec'd

22.07 Comments & feedback — requirements (cont.)

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-07-031	The system shall paginate the UI surface in a auditable way for Region/pin comments on images and design exports.	P1	Given a project, when a guest acts, the UI surface is auditable and recorded.	backlog
FR-07-032	The system shall debounce the timeline events in a fast way for Resolve / reopen, with timeline trace.	P2	Given a project, when a owner acts, the timeline events is fast and recorded.	planned
FR-07-033	The system shall reconcile the permissions in a reversible way for @mentions notify the right person.	P3	Given a project, when a editor acts, the permissions is reversible and recorded.	planned
FR-07-034	The system shall render the performance in a quiet way for Comment digests instead of constant pings.	P0	Given a project, when a viewer acts, the performance is quiet and recorded.	spec'd

22.08 People & roles — requirements 1–6

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-08-001	The system shall index the previews in a minimal way for Per-project membership; invite by link or email.	P0	Given a project, when a editor acts, the previews is minimal and recorded.	planned
FR-08-002	The system shall gate the filtering in a reliable way for Consistent identity and avatar across all modules.	P1	Given a project, when a viewer acts, the filtering is reliable and recorded.	spec'd
FR-08-003	The system shall stream the data model in a clear way for Activity attributed to people everywhere.	P2	Given a project, when a guest acts, the data model is clear and recorded.	backlog
FR-08-004	The system shall restore the UI surface in a accessible way for Guest access for client review (time-boxed).	P3	Given a project, when a owner acts, the UI surface is accessible and recorded.	planned
FR-08-005	The system shall export the timeline events in a scoped way for Leave / remove without breaking historical attribution.	P0	Given a project, when a editor acts, the timeline events is scoped and recorded.	planned
FR-08-006	The system shall preview the permissions in a minimal way for Three roles: owner, editor, viewer.	P1	Given a project, when a viewer acts, the permissions is minimal and recorded.	spec'd

22.08 People & roles — requirements 7–12

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-08-007	The system shall resolve the performance in a reliable way for Per-project membership; invite by link or email.	P2	Given a project, when a guest acts, the performance is reliable and recorded.	backlog
FR-08-008	The system shall emit the empty states in a clear way for Consistent identity and avatar across all modules.	P3	Given a project, when a owner acts, the empty states is clear and recorded.	planned
FR-08-009	The system shall throttle the error handling in a accessible way for Activity attributed to people everywhere.	P0	Given a project, when a editor acts, the error handling is accessible and recorded.	planned
FR-08-010	The system shall paginate the keyboard flow in a scoped way for Guest access for client review (time-boxed).	P1	Given a project, when a viewer acts, the keyboard flow is scoped and recorded.	spec'd
FR-08-011	The system shall debounce the mobile layout in a minimal way for Leave / remove without breaking historical attribution.	P2	Given a project, when a guest acts, the mobile layout is minimal and recorded.	backlog
FR-08-012	The system shall reconcile the accessibility in a reliable way for Three roles: owner, editor, viewer.	P3	Given a project, when a owner acts, the accessibility is reliable and recorded.	planned

22.08 People & roles — requirements 13–18

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-08-013	The system shall render the onboarding in a clear way for Per-project membership; invite by link or email.	P0	Given a project, when a editor acts, the onboarding is clear and recorded.	planned
FR-08-014	The system shall persist the sharing in a accessible way for Consistent identity and avatar across all modules.	P1	Given a project, when a viewer acts, the sharing is accessible and recorded.	spec'd
FR-08-015	The system shall validate the notifications in a scoped way for Activity attributed to people everywhere.	P2	Given a project, when a guest acts, the notifications is scoped and recorded.	backlog
FR-08-016	The system shall attribute the search indexing in a minimal way for Guest access for client review (time-boxed).	P3	Given a project, when a owner acts, the search indexing is minimal and recorded.	planned
FR-08-017	The system shall group the storage in a reliable way for Leave / remove without breaking historical attribution.	P0	Given a project, when a editor acts, the storage is reliable and recorded.	planned
FR-08-018	The system shall filter the versioning in a clear way for Three roles: owner, editor, viewer.	P1	Given a project, when a viewer acts, the versioning is clear and recorded.	spec'd

22.08 People & roles — requirements 19–24

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-08-019	The system shall sync the API surface in a accessible way for Per-project membership; invite by link or email.	P2	Given a project, when a guest acts, the API surface is accessible and recorded.	backlog
FR-08-020	The system shall cache the webhooks in a scoped way for Consistent identity and avatar across all modules.	P3	Given a project, when a owner acts, the webhooks is scoped and recorded.	planned
FR-08-021	The system shall index the billing gate in a minimal way for Activity attributed to people everywhere.	P0	Given a project, when a editor acts, the billing gate is minimal and recorded.	planned
FR-08-022	The system shall gate the offline behavior in a reliable way for Guest access for client review (time-boxed).	P1	Given a project, when a viewer acts, the offline behavior is reliable and recorded.	spec'd
FR-08-023	The system shall stream the import/export in a clear way for Leave / remove without breaking historical attribution.	P2	Given a project, when a guest acts, the import/export is clear and recorded.	backlog
FR-08-024	The system shall restore the attribution in a accessible way for Three roles: owner, editor, viewer.	P3	Given a project, when a owner acts, the attribution is accessible and recorded.	planned

22.08 People & roles — requirements 25–30

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-08-025	The system shall export the previews in a scoped way for Per-project membership; invite by link or email.	P0	Given a project, when a editor acts, the previews is scoped and recorded.	planned
FR-08-026	The system shall preview the filtering in a minimal way for Consistent identity and avatar across all modules.	P1	Given a project, when a viewer acts, the filtering is minimal and recorded.	spec'd
FR-08-027	The system shall resolve the data model in a reliable way for Activity attributed to people everywhere.	P2	Given a project, when a guest acts, the data model is reliable and recorded.	backlog
FR-08-028	The system shall emit the UI surface in a clear way for Guest access for client review (time-boxed).	P3	Given a project, when a owner acts, the UI surface is clear and recorded.	planned
FR-08-029	The system shall throttle the timeline events in a accessible way for Leave / remove without breaking historical attribution.	P0	Given a project, when a editor acts, the timeline events is accessible and recorded.	planned
FR-08-030	The system shall paginate the permissions in a scoped way for Three roles: owner, editor, viewer.	P1	Given a project, when a viewer acts, the permissions is scoped and recorded.	spec'd

22.08 People & roles — requirements (cont.)

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-08-031	The system shall debounce the performance in a minimal way for Per-project membership; invite by link or email.	P2	Given a project, when a guest acts, the performance is minimal and recorded.	backlog
FR-08-032	The system shall reconcile the empty states in a reliable way for Consistent identity and avatar across all modules.	P3	Given a project, when a owner acts, the empty states is reliable and recorded.	planned
FR-08-033	The system shall render the error handling in a clear way for Activity attributed to people everywhere.	P0	Given a project, when a editor acts, the error handling is clear and recorded.	planned
FR-08-034	The system shall persist the keyboard flow in a accessible way for Guest access for client review (time-boxed).	P1	Given a project, when a viewer acts, the keyboard flow is accessible and recorded.	spec'd

22.09 Assets & media — requirements 1–6

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-09-001	The system shall gate the UI surface in a fast way for Collections / boards within a project.	P1	Given a project, when a editor acts, the UI surface is fast and recorded.	planned
FR-09-002	The system shall stream the timeline events in a reversible way for Versioned assets with visual diff (before/after).	P2	Given a project, when a viewer acts, the timeline events is reversible and recorded.	spec'd
FR-09-003	The system shall restore the permissions in a quiet way for Color and basic metadata extraction.	P3	Given a project, when a guest acts, the permissions is quiet and recorded.	backlog
FR-09-004	The system shall export the performance in a predictable way for Quick share of an asset or a collection.	P0	Given a project, when a owner acts, the performance is predictable and recorded.	planned
FR-09-005	The system shall preview the empty states in a auditable way for Optimized delivery via storage/CDN.	P1	Given a project, when a editor acts, the empty states is auditable and recorded.	planned
FR-09-006	The system shall resolve the error handling in a fast way for Gallery and grid views for visual assets.	P2	Given a project, when a viewer acts, the error handling is fast and recorded.	spec'd

22.09 Assets & media — requirements 7–12

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-09-007	The system shall emit the keyboard flow in a reversible way for Collections / boards within a project.	P3	Given a project, when a guest acts, the keyboard flow is reversible and recorded.	backlog
FR-09-008	The system shall throttle the mobile layout in a quiet way for Versioned assets with visual diff (before/after).	P0	Given a project, when a owner acts, the mobile layout is quiet and recorded.	planned
FR-09-009	The system shall paginate the accessibility in a predictable way for Color and basic metadata extraction.	P1	Given a project, when a editor acts, the accessibility is predictable and recorded.	planned
FR-09-010	The system shall debounce the onboarding in a auditable way for Quick share of an asset or a collection.	P2	Given a project, when a viewer acts, the onboarding is auditable and recorded.	spec'd
FR-09-011	The system shall reconcile the sharing in a fast way for Optimized delivery via storage/CDN.	P3	Given a project, when a guest acts, the sharing is fast and recorded.	backlog
FR-09-012	The system shall render the notifications in a reversible way for Gallery and grid views for visual assets.	P0	Given a project, when a owner acts, the notifications is reversible and recorded.	planned

22.09 Assets & media — requirements 13–18

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-09-013	The system shall persist the search indexing in a quiet way for Collections / boards within a project.	P1	Given a project, when a editor acts, the search indexing is quiet and recorded.	planned
FR-09-014	The system shall validate the storage in a predictable way for Versioned assets with visual diff (before/after).	P2	Given a project, when a viewer acts, the storage is predictable and recorded.	spec'd
FR-09-015	The system shall attribute the versioning in a auditable way for Color and basic metadata extraction.	P3	Given a project, when a guest acts, the versioning is auditable and recorded.	backlog
FR-09-016	The system shall group the API surface in a fast way for Quick share of an asset or a collection.	P0	Given a project, when a owner acts, the API surface is fast and recorded.	planned
FR-09-017	The system shall filter the webhooks in a reversible way for Optimized delivery via storage/CDN.	P1	Given a project, when a editor acts, the webhooks is reversible and recorded.	planned
FR-09-018	The system shall sync the billing gate in a quiet way for Gallery and grid views for visual assets.	P2	Given a project, when a viewer acts, the billing gate is quiet and recorded.	spec'd

22.09 Assets & media — requirements 19–24

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-09-019	The system shall cache the offline behavior in a predictable way for Collections / boards within a project.	P3	Given a project, when a guest acts, the offline behavior is predictable and recorded.	backlog
FR-09-020	The system shall index the import/export in a auditable way for Versioned assets with visual diff (before/after).	P0	Given a project, when a owner acts, the import/export is auditable and recorded.	planned
FR-09-021	The system shall gate the attribution in a fast way for Color and basic metadata extraction.	P1	Given a project, when a editor acts, the attribution is fast and recorded.	planned
FR-09-022	The system shall stream the previews in a reversible way for Quick share of an asset or a collection.	P2	Given a project, when a viewer acts, the previews is reversible and recorded.	spec'd
FR-09-023	The system shall restore the filtering in a quiet way for Optimized delivery via storage/CDN.	P3	Given a project, when a guest acts, the filtering is quiet and recorded.	backlog
FR-09-024	The system shall export the data model in a predictable way for Gallery and grid views for visual assets.	P0	Given a project, when a owner acts, the data model is predictable and recorded.	planned

22.09 Assets & media — requirements 25–30

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-09-025	The system shall preview the UI surface in a auditable way for Collections / boards within a project.	P1	Given a project, when a editor acts, the UI surface is auditable and recorded.	planned
FR-09-026	The system shall resolve the timeline events in a fast way for Versioned assets with visual diff (before/after).	P2	Given a project, when a viewer acts, the timeline events is fast and recorded.	spec'd
FR-09-027	The system shall emit the permissions in a reversible way for Color and basic metadata extraction.	P3	Given a project, when a guest acts, the permissions is reversible and recorded.	backlog
FR-09-028	The system shall throttle the performance in a quiet way for Quick share of an asset or a collection.	P0	Given a project, when a owner acts, the performance is quiet and recorded.	planned
FR-09-029	The system shall paginate the empty states in a predictable way for Optimized delivery via storage/CDN.	P1	Given a project, when a editor acts, the empty states is predictable and recorded.	planned
FR-09-030	The system shall debounce the error handling in a auditable way for Gallery and grid views for visual assets.	P2	Given a project, when a viewer acts, the error handling is auditable and recorded.	spec'd

22.09 Assets & media — requirements (cont.)

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-09-031	The system shall reconcile the keyboard flow in a fast way for Collections / boards within a project.	P3	Given a project, when a guest acts, the keyboard flow is fast and recorded.	backlog
FR-09-032	The system shall render the mobile layout in a reversible way for Versioned assets with visual diff (before/after).	P0	Given a project, when a owner acts, the mobile layout is reversible and recorded.	planned
FR-09-033	The system shall persist the accessibility in a quiet way for Color and basic metadata extraction.	P1	Given a project, when a editor acts, the accessibility is quiet and recorded.	planned
FR-09-034	The system shall validate the onboarding in a predictable way for Quick share of an asset or a collection.	P2	Given a project, when a viewer acts, the onboarding is predictable and recorded.	spec'd

22.10 Publish & portfolio — requirements 1–6

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-10-001	The system shall stream the performance in a reliable way for Opt-in 'building in public' changelog feed.	P2	Given a project, when a editor acts, the performance is reliable and recorded.	planned
FR-10-002	The system shall restore the empty states in a clear way for Simple portfolio that aggregates public projects.	P3	Given a project, when a viewer acts, the empty states is clear and recorded.	spec'd
FR-10-003	The system shall export the error handling in a accessible way for Custom accent and cover; tasteful defaults.	P0	Given a project, when a guest acts, the error handling is accessible and recorded.	backlog
FR-10-004	The system shall preview the keyboard flow in a scoped way for 'Made with RMH' attribution (toggleable on paid).	P1	Given a project, when a owner acts, the keyboard flow is scoped and recorded.	planned
FR-10-005	The system shall resolve the mobile layout in a minimal way for Shareable timeline embeds.	P2	Given a project, when a editor acts, the mobile layout is minimal and recorded.	planned
FR-10-006	The system shall emit the accessibility in a reliable way for Public project page generated from the project.	P3	Given a project, when a viewer acts, the accessibility is reliable and recorded.	spec'd

22.10 Publish & portfolio — requirements 7–12

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-10-007	The system shall throttle the onboarding in a clear way for Opt-in 'building in public' changelog feed.	P0	Given a project, when a guest acts, the onboarding is clear and recorded.	backlog
FR-10-008	The system shall paginate the sharing in a accessible way for Simple portfolio that aggregates public projects.	P1	Given a project, when a owner acts, the sharing is accessible and recorded.	planned
FR-10-009	The system shall debounce the notifications in a scoped way for Custom accent and cover; tasteful defaults.	P2	Given a project, when a editor acts, the notifications is scoped and recorded.	planned
FR-10-010	The system shall reconcile the search indexing in a minimal way for 'Made with RMH' attribution (toggleable on paid).	P3	Given a project, when a viewer acts, the search indexing is minimal and recorded.	spec'd
FR-10-011	The system shall render the storage in a reliable way for Shareable timeline embeds.	P0	Given a project, when a guest acts, the storage is reliable and recorded.	backlog
FR-10-012	The system shall persist the versioning in a clear way for Public project page generated from the project.	P1	Given a project, when a owner acts, the versioning is clear and recorded.	planned

22.10 Publish & portfolio — requirements 13–18

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-10-013	The system shall validate the API surface in a accessible way for Opt-in 'building in public' changelog feed.	P2	Given a project, when a editor acts, the API surface is accessible and recorded.	planned
FR-10-014	The system shall attribute the webhooks in a scoped way for Simple portfolio that aggregates public projects.	P3	Given a project, when a viewer acts, the webhooks is scoped and recorded.	spec'd
FR-10-015	The system shall group the billing gate in a minimal way for Custom accent and cover; tasteful defaults.	P0	Given a project, when a guest acts, the billing gate is minimal and recorded.	backlog
FR-10-016	The system shall filter the offline behavior in a reliable way for 'Made with RMH' attribution (toggleable on paid).	P1	Given a project, when a owner acts, the offline behavior is reliable and recorded.	planned
FR-10-017	The system shall sync the import/export in a clear way for Shareable timeline embeds.	P2	Given a project, when a editor acts, the import/export is clear and recorded.	planned
FR-10-018	The system shall cache the attribution in a accessible way for Public project page generated from the project.	P3	Given a project, when a viewer acts, the attribution is accessible and recorded.	spec'd

22.10 Publish & portfolio — requirements 19–24

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-10-019	The system shall index the previews in a scoped way for Opt-in 'building in public' changelog feed.	P0	Given a project, when a guest acts, the previews is scoped and recorded.	backlog
FR-10-020	The system shall gate the filtering in a minimal way for Simple portfolio that aggregates public projects.	P1	Given a project, when a owner acts, the filtering is minimal and recorded.	planned
FR-10-021	The system shall stream the data model in a reliable way for Custom accent and cover; tasteful defaults.	P2	Given a project, when a editor acts, the data model is reliable and recorded.	planned
FR-10-022	The system shall restore the UI surface in a clear way for 'Made with RMH' attribution (toggleable on paid).	P3	Given a project, when a viewer acts, the UI surface is clear and recorded.	spec'd
FR-10-023	The system shall export the timeline events in a accessible way for Shareable timeline embeds.	P0	Given a project, when a guest acts, the timeline events is accessible and recorded.	backlog
FR-10-024	The system shall preview the permissions in a scoped way for Public project page generated from the project.	P1	Given a project, when a owner acts, the permissions is scoped and recorded.	planned

22.10 Publish & portfolio — requirements 25–30

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-10-025	The system shall resolve the performance in a minimal way for Opt-in 'building in public' changelog feed.	P2	Given a project, when a editor acts, the performance is minimal and recorded.	planned
FR-10-026	The system shall emit the empty states in a reliable way for Simple portfolio that aggregates public projects.	P3	Given a project, when a viewer acts, the empty states is reliable and recorded.	spec'd
FR-10-027	The system shall throttle the error handling in a clear way for Custom accent and cover; tasteful defaults.	P0	Given a project, when a guest acts, the error handling is clear and recorded.	backlog
FR-10-028	The system shall paginate the keyboard flow in a accessible way for 'Made with RMH' attribution (toggleable on paid).	P1	Given a project, when a owner acts, the keyboard flow is accessible and recorded.	planned
FR-10-029	The system shall debounce the mobile layout in a scoped way for Shareable timeline embeds.	P2	Given a project, when a editor acts, the mobile layout is scoped and recorded.	planned
FR-10-030	The system shall reconcile the accessibility in a minimal way for Public project page generated from the project.	P3	Given a project, when a viewer acts, the accessibility is minimal and recorded.	spec'd

22.10 Publish & portfolio — requirements (cont.)

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-10-031	The system shall render the onboarding in a reliable way for Opt-in 'building in public' changelog feed.	P0	Given a project, when a guest acts, the onboarding is reliable and recorded.	backlog
FR-10-032	The system shall persist the sharing in a clear way for Simple portfolio that aggregates public projects.	P1	Given a project, when a owner acts, the sharing is clear and recorded.	planned
FR-10-033	The system shall validate the notifications in a accessible way for Custom accent and cover; tasteful defaults.	P2	Given a project, when a editor acts, the notifications is accessible and recorded.	planned
FR-10-034	The system shall attribute the search indexing in a scoped way for 'Made with RMH' attribution (toggleable on paid).	P3	Given a project, when a viewer acts, the search indexing is scoped and recorded.	spec'd

22.11 Search — requirements 1–6

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-11-001	The system shall restore the keyboard flow in a reversible way for Filter by module, person, date.	P3	Given a project, when a editor acts, the keyboard flow is reversible and recorded.	planned
FR-11-002	The system shall export the mobile layout in a quiet way for Keyboard shortcut to summon from anywhere.	P0	Given a project, when a viewer acts, the mobile layout is quiet and recorded.	spec'd
FR-11-003	The system shall preview the accessibility in a predictable way for Recent and pinned results.	P1	Given a project, when a guest acts, the accessibility is predictable and recorded.	backlog
FR-11-004	The system shall resolve the onboarding in a auditable way for Search within a single project or across all projects.	P2	Given a project, when a owner acts, the onboarding is auditable and recorded.	planned
FR-11-005	The system shall emit the sharing in a fast way for Fast, typo-tolerant matching.	P3	Given a project, when a editor acts, the sharing is fast and recorded.	planned
FR-11-006	The system shall throttle the notifications in a reversible way for Unified search across files, docs, tasks, comments, timeline.	P0	Given a project, when a viewer acts, the notifications is reversible and recorded.	spec'd

22.11 Search — requirements 7–12

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-11-007	The system shall paginate the search indexing in a quiet way for Filter by module, person, date.	P1	Given a project, when a guest acts, the search indexing is quiet and recorded.	backlog
FR-11-008	The system shall debounce the storage in a predictable way for Keyboard shortcut to summon from anywhere.	P2	Given a project, when a owner acts, the storage is predictable and recorded.	planned
FR-11-009	The system shall reconcile the versioning in a auditable way for Recent and pinned results.	P3	Given a project, when a editor acts, the versioning is auditable and recorded.	planned
FR-11-010	The system shall render the API surface in a fast way for Search within a single project or across all projects.	P0	Given a project, when a viewer acts, the API surface is fast and recorded.	spec'd
FR-11-011	The system shall persist the webhooks in a reversible way for Fast, typo-tolerant matching.	P1	Given a project, when a guest acts, the webhooks is reversible and recorded.	backlog
FR-11-012	The system shall validate the billing gate in a quiet way for Unified search across files, docs, tasks, comments, timeline.	P2	Given a project, when a owner acts, the billing gate is quiet and recorded.	planned

22.11 Search — requirements 13–18

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-11-013	The system shall attribute the offline behavior in a predictable way for Filter by module, person, date.	P3	Given a project, when a editor acts, the offline behavior is predictable and recorded.	planned
FR-11-014	The system shall group the import/export in a auditable way for Keyboard shortcut to summon from anywhere.	P0	Given a project, when a viewer acts, the import/export is auditable and recorded.	spec'd
FR-11-015	The system shall filter the attribution in a fast way for Recent and pinned results.	P1	Given a project, when a guest acts, the attribution is fast and recorded.	backlog
FR-11-016	The system shall sync the previews in a reversible way for Search within a single project or across all projects.	P2	Given a project, when a owner acts, the previews is reversible and recorded.	planned
FR-11-017	The system shall cache the filtering in a quiet way for Fast, typo-tolerant matching.	P3	Given a project, when a editor acts, the filtering is quiet and recorded.	planned
FR-11-018	The system shall index the data model in a predictable way for Unified search across files, docs, tasks, comments, timeline.	P0	Given a project, when a viewer acts, the data model is predictable and recorded.	spec'd

22.11 Search — requirements 19–24

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-11-019	The system shall gate the UI surface in a auditable way for Filter by module, person, date.	P1	Given a project, when a guest acts, the UI surface is auditable and recorded.	backlog
FR-11-020	The system shall stream the timeline events in a fast way for Keyboard shortcut to summon from anywhere.	P2	Given a project, when a owner acts, the timeline events is fast and recorded.	planned
FR-11-021	The system shall restore the permissions in a reversible way for Recent and pinned results.	P3	Given a project, when a editor acts, the permissions is reversible and recorded.	planned
FR-11-022	The system shall export the performance in a quiet way for Search within a single project or across all projects.	P0	Given a project, when a viewer acts, the performance is quiet and recorded.	spec'd
FR-11-023	The system shall preview the empty states in a predictable way for Fast, typo-tolerant matching.	P1	Given a project, when a guest acts, the empty states is predictable and recorded.	backlog
FR-11-024	The system shall resolve the error handling in a auditable way for Unified search across files, docs, tasks, comments, timeline.	P2	Given a project, when a owner acts, the error handling is auditable and recorded.	planned

22.11 Search — requirements 25–30

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-11-025	The system shall emit the keyboard flow in a fast way for Filter by module, person, date.	P3	Given a project, when a editor acts, the keyboard flow is fast and recorded.	planned
FR-11-026	The system shall throttle the mobile layout in a reversible way for Keyboard shortcut to summon from anywhere.	P0	Given a project, when a viewer acts, the mobile layout is reversible and recorded.	spec'd
FR-11-027	The system shall paginate the accessibility in a quiet way for Recent and pinned results.	P1	Given a project, when a guest acts, the accessibility is quiet and recorded.	backlog
FR-11-028	The system shall debounce the onboarding in a predictable way for Search within a single project or across all projects.	P2	Given a project, when a owner acts, the onboarding is predictable and recorded.	planned
FR-11-029	The system shall reconcile the sharing in a auditable way for Fast, typo-tolerant matching.	P3	Given a project, when a editor acts, the sharing is auditable and recorded.	planned
FR-11-030	The system shall render the notifications in a fast way for Unified search across files, docs, tasks, comments, timeline.	P0	Given a project, when a viewer acts, the notifications is fast and recorded.	spec'd

22.11 Search — requirements (cont.)

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-11-031	The system shall persist the search indexing in a reversible way for Filter by module, person, date.	P1	Given a project, when a guest acts, the search indexing is reversible and recorded.	backlog
FR-11-032	The system shall validate the storage in a quiet way for Keyboard shortcut to summon from anywhere.	P2	Given a project, when a owner acts, the storage is quiet and recorded.	planned
FR-11-033	The system shall attribute the versioning in a predictable way for Recent and pinned results.	P3	Given a project, when a editor acts, the versioning is predictable and recorded.	planned
FR-11-034	The system shall group the API surface in a auditable way for Search within a single project or across all projects.	P0	Given a project, when a viewer acts, the API surface is auditable and recorded.	spec'd

22.12 Integrations — requirements 1–6

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-12-001	The system shall export the onboarding in a clear way for Outgoing webhooks on timeline events.	P0	Given a project, when a editor acts, the onboarding is clear and recorded.	planned
FR-12-002	The system shall preview the sharing in a accessible way for Share-to-social on publish.	P1	Given a project, when a viewer acts, the sharing is accessible and recorded.	spec'd
FR-12-003	The system shall resolve the notifications in a scoped way for Import files from common cloud storage.	P2	Given a project, when a guest acts, the notifications is scoped and recorded.	backlog
FR-12-004	The system shall emit the search indexing in a minimal way for Public read API for project data.	P3	Given a project, when a owner acts, the search indexing is minimal and recorded.	planned
FR-12-005	The system shall throttle the storage in a reliable way for Embeddable timeline and asset widgets.	P0	Given a project, when a editor acts, the storage is reliable and recorded.	planned
FR-12-006	The system shall paginate the versioning in a clear way for Connect/mirror an external code repository.	P1	Given a project, when a viewer acts, the versioning is clear and recorded.	spec'd

22.12 Integrations — requirements 7–12

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-12-007	The system shall debounce the API surface in a accessible way for Outgoing webhooks on timeline events.	P2	Given a project, when a guest acts, the API surface is accessible and recorded.	backlog
FR-12-008	The system shall reconcile the webhooks in a scoped way for Share-to-social on publish.	P3	Given a project, when a owner acts, the webhooks is scoped and recorded.	planned
FR-12-009	The system shall render the billing gate in a minimal way for Import files from common cloud storage.	P0	Given a project, when a editor acts, the billing gate is minimal and recorded.	planned
FR-12-010	The system shall persist the offline behavior in a reliable way for Public read API for project data.	P1	Given a project, when a viewer acts, the offline behavior is reliable and recorded.	spec'd
FR-12-011	The system shall validate the import/export in a clear way for Embeddable timeline and asset widgets.	P2	Given a project, when a guest acts, the import/export is clear and recorded.	backlog
FR-12-012	The system shall attribute the attribution in a accessible way for Connect/mirror an external code repository.	P3	Given a project, when a owner acts, the attribution is accessible and recorded.	planned

22.12 Integrations — requirements 13–18

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-12-013	The system shall group the previews in a scoped way for Outgoing webhooks on timeline events.	P0	Given a project, when a editor acts, the previews is scoped and recorded.	planned
FR-12-014	The system shall filter the filtering in a minimal way for Share-to-social on publish.	P1	Given a project, when a viewer acts, the filtering is minimal and recorded.	spec'd
FR-12-015	The system shall sync the data model in a reliable way for Import files from common cloud storage.	P2	Given a project, when a guest acts, the data model is reliable and recorded.	backlog
FR-12-016	The system shall cache the UI surface in a clear way for Public read API for project data.	P3	Given a project, when a owner acts, the UI surface is clear and recorded.	planned
FR-12-017	The system shall index the timeline events in a accessible way for Embeddable timeline and asset widgets.	P0	Given a project, when a editor acts, the timeline events is accessible and recorded.	planned
FR-12-018	The system shall gate the permissions in a scoped way for Connect/mirror an external code repository.	P1	Given a project, when a viewer acts, the permissions is scoped and recorded.	spec'd

22.12 Integrations — requirements 19–24

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-12-019	The system shall stream the performance in a minimal way for Outgoing webhooks on timeline events.	P2	Given a project, when a guest acts, the performance is minimal and recorded.	backlog
FR-12-020	The system shall restore the empty states in a reliable way for Share-to-social on publish.	P3	Given a project, when a owner acts, the empty states is reliable and recorded.	planned
FR-12-021	The system shall export the error handling in a clear way for Import files from common cloud storage.	P0	Given a project, when a editor acts, the error handling is clear and recorded.	planned
FR-12-022	The system shall preview the keyboard flow in a accessible way for Public read API for project data.	P1	Given a project, when a viewer acts, the keyboard flow is accessible and recorded.	spec'd
FR-12-023	The system shall resolve the mobile layout in a scoped way for Embeddable timeline and asset widgets.	P2	Given a project, when a guest acts, the mobile layout is scoped and recorded.	backlog
FR-12-024	The system shall emit the accessibility in a minimal way for Connect/mirror an external code repository.	P3	Given a project, when a owner acts, the accessibility is minimal and recorded.	planned

22.12 Integrations — requirements 25–30

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-12-025	The system shall throttle the onboarding in a reliable way for Outgoing webhooks on timeline events.	P0	Given a project, when a editor acts, the onboarding is reliable and recorded.	planned
FR-12-026	The system shall paginate the sharing in a clear way for Share-to-social on publish.	P1	Given a project, when a viewer acts, the sharing is clear and recorded.	spec'd
FR-12-027	The system shall debounce the notifications in a accessible way for Import files from common cloud storage.	P2	Given a project, when a guest acts, the notifications is accessible and recorded.	backlog
FR-12-028	The system shall reconcile the search indexing in a scoped way for Public read API for project data.	P3	Given a project, when a owner acts, the search indexing is scoped and recorded.	planned
FR-12-029	The system shall render the storage in a minimal way for Embeddable timeline and asset widgets.	P0	Given a project, when a editor acts, the storage is minimal and recorded.	planned
FR-12-030	The system shall persist the versioning in a reliable way for Connect/mirror an external code repository.	P1	Given a project, when a viewer acts, the versioning is reliable and recorded.	spec'd

22.12 Integrations — requirements (cont.)

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-12-031	The system shall validate the API surface in a clear way for Outgoing webhooks on timeline events.	P2	Given a project, when a guest acts, the API surface is clear and recorded.	backlog
FR-12-032	The system shall attribute the webhooks in a accessible way for Share-to-social on publish.	P3	Given a project, when a owner acts, the webhooks is accessible and recorded.	planned
FR-12-033	The system shall group the billing gate in a scoped way for Import files from common cloud storage.	P0	Given a project, when a editor acts, the billing gate is scoped and recorded.	planned
FR-12-034	The system shall filter the offline behavior in a minimal way for Public read API for project data.	P1	Given a project, when a viewer acts, the offline behavior is minimal and recorded.	spec'd

22.13 Time & invoicing — requirements 1–6

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-13-001	The system shall preview the search indexing in a quiet way for Manual time entry and weekly summary.	P1	Given a project, when a editor acts, the search indexing is quiet and recorded.	planned
FR-13-002	The system shall resolve the storage in a predictable way for Simple rate-based invoice generation (export).	P2	Given a project, when a viewer acts, the storage is predictable and recorded.	spec'd
FR-13-003	The system shall emit the versioning in a auditable way for Per-client rollups across projects.	P3	Given a project, when a guest acts, the versioning is auditable and recorded.	backlog
FR-13-004	The system shall throttle the API surface in a fast way for CSV export for accounting.	P0	Given a project, when a owner acts, the API surface is fast and recorded.	planned
FR-13-005	The system shall paginate the webhooks in a reversible way for No payment processing — export only, to stay simple and cheap.	P1	Given a project, when a editor acts, the webhooks is reversible and recorded.	planned
FR-13-006	The system shall debounce the billing gate in a quiet way for Start/stop timers tied to a project or task.	P2	Given a project, when a viewer acts, the billing gate is quiet and recorded.	spec'd

22.13 Time & invoicing — requirements 7–12

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-13-007	The system shall reconcile the offline behavior in a predictable way for Manual time entry and weekly summary.	P3	Given a project, when a guest acts, the offline behavior is predictable and recorded.	backlog
FR-13-008	The system shall render the import/export in a auditable way for Simple rate-based invoice generation (export).	P0	Given a project, when a owner acts, the import/export is auditable and recorded.	planned
FR-13-009	The system shall persist the attribution in a fast way for Per-client rollups across projects.	P1	Given a project, when a editor acts, the attribution is fast and recorded.	planned
FR-13-010	The system shall validate the previews in a reversible way for CSV export for accounting.	P2	Given a project, when a viewer acts, the previews is reversible and recorded.	spec'd
FR-13-011	The system shall attribute the filtering in a quiet way for No payment processing — export only, to stay simple and cheap.	P3	Given a project, when a guest acts, the filtering is quiet and recorded.	backlog
FR-13-012	The system shall group the data model in a predictable way for Start/stop timers tied to a project or task.	P0	Given a project, when a owner acts, the data model is predictable and recorded.	planned

22.13 Time & invoicing — requirements 13–18

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-13-013	The system shall filter the UI surface in a auditable way for Manual time entry and weekly summary.	P1	Given a project, when a editor acts, the UI surface is auditable and recorded.	planned
FR-13-014	The system shall sync the timeline events in a fast way for Simple rate-based invoice generation (export).	P2	Given a project, when a viewer acts, the timeline events is fast and recorded.	spec'd
FR-13-015	The system shall cache the permissions in a reversible way for Per-client rollups across projects.	P3	Given a project, when a guest acts, the permissions is reversible and recorded.	backlog
FR-13-016	The system shall index the performance in a quiet way for CSV export for accounting.	P0	Given a project, when a owner acts, the performance is quiet and recorded.	planned
FR-13-017	The system shall gate the empty states in a predictable way for No payment processing — export only, to stay simple and cheap.	P1	Given a project, when a editor acts, the empty states is predictable and recorded.	planned
FR-13-018	The system shall stream the error handling in a auditable way for Start/stop timers tied to a project or task.	P2	Given a project, when a viewer acts, the error handling is auditable and recorded.	spec'd

22.13 Time & invoicing — requirements 19–24

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-13-019	The system shall restore the keyboard flow in a fast way for Manual time entry and weekly summary.	P3	Given a project, when a guest acts, the keyboard flow is fast and recorded.	backlog
FR-13-020	The system shall export the mobile layout in a reversible way for Simple rate-based invoice generation (export).	P0	Given a project, when a owner acts, the mobile layout is reversible and recorded.	planned
FR-13-021	The system shall preview the accessibility in a quiet way for Per-client rollups across projects.	P1	Given a project, when a editor acts, the accessibility is quiet and recorded.	planned
FR-13-022	The system shall resolve the onboarding in a predictable way for CSV export for accounting.	P2	Given a project, when a viewer acts, the onboarding is predictable and recorded.	spec'd
FR-13-023	The system shall emit the sharing in a auditable way for No payment processing — export only, to stay simple and cheap.	P3	Given a project, when a guest acts, the sharing is auditable and recorded.	backlog
FR-13-024	The system shall throttle the notifications in a fast way for Start/stop timers tied to a project or task.	P0	Given a project, when a owner acts, the notifications is fast and recorded.	planned

22.13 Time & invoicing — requirements 25–30

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-13-025	The system shall paginate the search indexing in a reversible way for Manual time entry and weekly summary.	P1	Given a project, when a editor acts, the search indexing is reversible and recorded.	planned
FR-13-026	The system shall debounce the storage in a quiet way for Simple rate-based invoice generation (export).	P2	Given a project, when a viewer acts, the storage is quiet and recorded.	spec'd
FR-13-027	The system shall reconcile the versioning in a predictable way for Per-client rollups across projects.	P3	Given a project, when a guest acts, the versioning is predictable and recorded.	backlog
FR-13-028	The system shall render the API surface in a auditable way for CSV export for accounting.	P0	Given a project, when a owner acts, the API surface is auditable and recorded.	planned
FR-13-029	The system shall persist the webhooks in a fast way for No payment processing — export only, to stay simple and cheap.	P1	Given a project, when a editor acts, the webhooks is fast and recorded.	planned
FR-13-030	The system shall validate the billing gate in a reversible way for Start/stop timers tied to a project or task.	P2	Given a project, when a viewer acts, the billing gate is reversible and recorded.	spec'd

22.13 Time & invoicing — requirements (cont.)

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-13-031	The system shall attribute the offline behavior in a quiet way for Manual time entry and weekly summary.	P3	Given a project, when a guest acts, the offline behavior is quiet and recorded.	backlog
FR-13-032	The system shall group the import/export in a predictable way for Simple rate-based invoice generation (export).	P0	Given a project, when a owner acts, the import/export is predictable and recorded.	planned
FR-13-033	The system shall filter the attribution in a auditable way for Per-client rollups across projects.	P1	Given a project, when a editor acts, the attribution is auditable and recorded.	planned
FR-13-034	The system shall sync the previews in a fast way for CSV export for accounting.	P2	Given a project, when a viewer acts, the previews is fast and recorded.	spec'd

22.14 Community & templates — requirements 1–6

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-14-001	The system shall resolve the API surface in a accessible way for Community showcase of public projects.	P2	Given a project, when a editor acts, the API surface is accessible and recorded.	planned
FR-14-002	The system shall emit the webhooks in a scoped way for Featured builders and 'project of the week'.	P3	Given a project, when a viewer acts, the webhooks is scoped and recorded.	spec'd
FR-14-003	The system shall throttle the billing gate in a minimal way for Template submission and curation.	P0	Given a project, when a guest acts, the billing gate is minimal and recorded.	backlog
FR-14-004	The system shall paginate the offline behavior in a reliable way for Lightweight following / favoriting.	P1	Given a project, when a owner acts, the offline behavior is reliable and recorded.	planned
FR-14-005	The system shall debounce the import/export in a clear way for Seasonal build challenges to drive activity.	P2	Given a project, when a editor acts, the import/export is clear and recorded.	planned
FR-14-006	The system shall reconcile the attribution in a accessible way for Public template gallery; one-click 'use this template'.	P3	Given a project, when a viewer acts, the attribution is accessible and recorded.	spec'd

22.14 Community & templates — requirements 7–12

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-14-007	The system shall render the previews in a scoped way for Community showcase of public projects.	P0	Given a project, when a guest acts, the previews is scoped and recorded.	backlog
FR-14-008	The system shall persist the filtering in a minimal way for Featured builders and 'project of the week'.	P1	Given a project, when a owner acts, the filtering is minimal and recorded.	planned
FR-14-009	The system shall validate the data model in a reliable way for Template submission and curation.	P2	Given a project, when a editor acts, the data model is reliable and recorded.	planned
FR-14-010	The system shall attribute the UI surface in a clear way for Lightweight following / favoriting.	P3	Given a project, when a viewer acts, the UI surface is clear and recorded.	spec'd
FR-14-011	The system shall group the timeline events in a accessible way for Seasonal build challenges to drive activity.	P0	Given a project, when a guest acts, the timeline events is accessible and recorded.	backlog
FR-14-012	The system shall filter the permissions in a scoped way for Public template gallery; one-click 'use this template'.	P1	Given a project, when a owner acts, the permissions is scoped and recorded.	planned

22.14 Community & templates — requirements 13–18

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-14-013	The system shall sync the performance in a minimal way for Community showcase of public projects.	P2	Given a project, when a editor acts, the performance is minimal and recorded.	planned
FR-14-014	The system shall cache the empty states in a reliable way for Featured builders and 'project of the week'.	P3	Given a project, when a viewer acts, the empty states is reliable and recorded.	spec'd
FR-14-015	The system shall index the error handling in a clear way for Template submission and curation.	P0	Given a project, when a guest acts, the error handling is clear and recorded.	backlog
FR-14-016	The system shall gate the keyboard flow in a accessible way for Lightweight following / favoriting.	P1	Given a project, when a owner acts, the keyboard flow is accessible and recorded.	planned
FR-14-017	The system shall stream the mobile layout in a scoped way for Seasonal build challenges to drive activity.	P2	Given a project, when a editor acts, the mobile layout is scoped and recorded.	planned
FR-14-018	The system shall restore the accessibility in a minimal way for Public template gallery; one-click 'use this template'.	P3	Given a project, when a viewer acts, the accessibility is minimal and recorded.	spec'd

22.14 Community & templates — requirements 19–24

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-14-019	The system shall export the onboarding in a reliable way for Community showcase of public projects.	P0	Given a project, when a guest acts, the onboarding is reliable and recorded.	backlog
FR-14-020	The system shall preview the sharing in a clear way for Featured builders and 'project of the week'.	P1	Given a project, when a owner acts, the sharing is clear and recorded.	planned
FR-14-021	The system shall resolve the notifications in a accessible way for Template submission and curation.	P2	Given a project, when a editor acts, the notifications is accessible and recorded.	planned
FR-14-022	The system shall emit the search indexing in a scoped way for Lightweight following / favoriting.	P3	Given a project, when a viewer acts, the search indexing is scoped and recorded.	spec'd
FR-14-023	The system shall throttle the storage in a minimal way for Seasonal build challenges to drive activity.	P0	Given a project, when a guest acts, the storage is minimal and recorded.	backlog
FR-14-024	The system shall paginate the versioning in a reliable way for Public template gallery; one-click 'use this template'.	P1	Given a project, when a owner acts, the versioning is reliable and recorded.	planned

22.14 Community & templates — requirements 25–30

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-14-025	The system shall debounce the API surface in a clear way for Community showcase of public projects.	P2	Given a project, when a editor acts, the API surface is clear and recorded.	planned
FR-14-026	The system shall reconcile the webhooks in a accessible way for Featured builders and 'project of the week'.	P3	Given a project, when a viewer acts, the webhooks is accessible and recorded.	spec'd
FR-14-027	The system shall render the billing gate in a scoped way for Template submission and curation.	P0	Given a project, when a guest acts, the billing gate is scoped and recorded.	backlog
FR-14-028	The system shall persist the offline behavior in a minimal way for Lightweight following / favoriting.	P1	Given a project, when a owner acts, the offline behavior is minimal and recorded.	planned
FR-14-029	The system shall validate the import/export in a reliable way for Seasonal build challenges to drive activity.	P2	Given a project, when a editor acts, the import/export is reliable and recorded.	planned
FR-14-030	The system shall attribute the attribution in a clear way for Public template gallery; one-click 'use this template'.	P3	Given a project, when a viewer acts, the attribution is clear and recorded.	spec'd

22.14 Community & templates — requirements (cont.)

ID	REQUIREMENT	PRI	ACCEPTANCE	STATUS
FR-14-031	The system shall group the previews in a accessible way for Community showcase of public projects.	P0	Given a project, when a guest acts, the previews is accessible and recorded.	backlog
FR-14-032	The system shall filter the filtering in a scoped way for Featured builders and 'project of the week'.	P1	Given a project, when a owner acts, the filtering is scoped and recorded.	planned
FR-14-033	The system shall sync the data model in a minimal way for Template submission and curation.	P2	Given a project, when a editor acts, the data model is minimal and recorded.	planned
FR-14-034	The system shall cache the UI surface in a reliable way for Lightweight following / favoriting.	P3	Given a project, when a viewer acts, the UI surface is reliable and recorded.	spec'd

User-story library

Stories across every persona and module, in the canonical 'As a... I want... so that...' form, each with a one-line acceptance note.

23.01 Projects — stories

ID	STORY	ACCEPTANCE
US-01-01	As Devin (design-engineer) I want to persist the Each project has a single shared timeline (see MOD-03) so that I keep momentum.	Reliable, permissions, recorded on the timeline.
US-01-02	As Priya (studio lead) I want to validate the Project-level people & roles (owner, editor, viewer) so that context is never lost.	Reversible, performance, recorded on the timeline.
US-01-03	As Leo (learner) I want to attribute the Lightweight settings: name, description, visibility, accent color so that I can ship faster.	Clear, empty states, recorded on the timeline.
US-01-04	As Renata (creative technologist) I want to group the Archive / restore without destroying history so that the timeline stays trustworthy.	Quiet, error handling, recorded on the timeline.
US-01-05	As Maya (solo founder) I want to filter the Templates: start from blank, web app, brand kit, or portfolio so that feedback stays in place.	Accessible, keyboard flow, recorded on the timeline.
US-01-06	As Devin (design-engineer) I want to sync the Create a project in under a minute, no required config so that I trust the history.	Predictable, mobile layout, recorded on the timeline.
US-01-07	As Priya (studio lead) I want to cache the Each project has a single shared timeline (see MOD-03) so that nothing drifts.	Scoped, accessibility, recorded on the timeline.

23.01 Projects — stories

ID	STORY	ACCEPTANCE
US-01-08	As Leo (learner) I want to index the Project-level people & roles (owner, editor, viewer) so that I keep momentum.	Auditable, onboarding, recorded on the timeline.
US-01-09	As Renata (creative technologist) I want to gate the Lightweight settings: name, description, visibility, accent color so that context is never lost.	Minimal, sharing, recorded on the timeline.
US-01-10	As Maya (solo founder) I want to stream the Archive / restore without destroying history so that I can ship faster.	Fast, notifications, recorded on the timeline.
US-01-11	As Devin (design-engineer) I want to restore the Templates: start from blank, web app, brand kit, or portfolio so that the timeline stays trustworthy.	Reliable, search indexing, recorded on the timeline.
US-01-12	As Priya (studio lead) I want to export the Create a project in under a minute, no required config so that feedback stays in place.	Reversible, storage, recorded on the timeline.
US-01-13	As Leo (learner) I want to preview the Each project has a single shared timeline (see MOD-03) so that I trust the history.	Clear, versioning, recorded on the timeline.
US-01-14	As Renata (creative technologist) I want to resolve the Project-level people & roles (owner, editor, viewer) so that nothing drifts.	Quiet, API surface, recorded on the timeline.

23.01 Projects — stories (cont.)

ID	STORY	ACCEPTANCE
US-01-15	As Maya (solo founder) I want to emit the Lightweight settings: name, description, visibility, accent color so that I keep momentum.	Accessible, webhooks, recorded on the timeline.
US-01-16	As Devin (design-engineer) I want to throttle the Archive / restore without destroying history so that context is never lost.	Predictable, billing gate, recorded on the timeline.
US-01-17	As Priya (studio lead) I want to paginate the Templates: start from blank, web app, brand kit, or portfolio so that I can ship faster.	Scoped, offline behavior, recorded on the timeline.
US-01-18	As Leo (learner) I want to debounce the Create a project in under a minute, no required config so that the timeline stays trustworthy.	Auditable, import/export, recorded on the timeline.

23.02 Unified files — stories

ID	STORY	ACCEPTANCE
US-02-01	As Priya (studio lead) I want to validate the Inline preview for images, common design exports, markdown, and code so that I keep momentum.	Reliable, permissions, recorded on the timeline.
US-02-02	As Leo (learner) I want to attribute the Drag-and-drop upload; paste-to-upload from clipboard so that context is never lost.	Reversible, performance, recorded on the timeline.
US-02-03	As Renata (creative technologist) I want to group the Every file carries its own version history so that I can ship faster.	Clear, empty states, recorded on the timeline.
US-02-04	As Maya (solo founder) I want to filter the Tag files by kind (code / design / asset / doc) for filtering so that the timeline stays trustworthy.	Quiet, error handling, recorded on the timeline.
US-02-05	As Devin (design-engineer) I want to sync the Object storage backing; pennies per gigabyte at the budget scale so that feedback stays in place.	Accessible, keyboard flow, recorded on the timeline.
US-02-06	As Priya (studio lead) I want to cache the Tree view that mixes code and creative files naturally so that I trust the history.	Predictable, mobile layout, recorded on the timeline.
US-02-07	As Leo (learner) I want to index the Inline preview for images, common design exports, markdown, and code so that nothing drifts.	Scoped, accessibility, recorded on the timeline.

23.02 Unified files — stories

ID	STORY	ACCEPTANCE
US-02-08	As Renata (creative technologist) I want to gate the Drag-and-drop upload; paste-to-upload from clipboard so that I keep momentum.	Auditable, onboarding, recorded on the timeline.
US-02-09	As Maya (solo founder) I want to stream the Every file carries its own version history so that context is never lost.	Minimal, sharing, recorded on the timeline.
US-02-10	As Devin (design-engineer) I want to restore the Tag files by kind (code / design / asset / doc) for filtering so that I can ship faster.	Fast, notifications, recorded on the timeline.
US-02-11	As Priya (studio lead) I want to export the Object storage backing; pennies per gigabyte at the budget scale so that the timeline stays trustworthy.	Reliable, search indexing, recorded on the timeline.
US-02-12	As Leo (learner) I want to preview the Tree view that mixes code and creative files naturally so that feedback stays in place.	Reversible, storage, recorded on the timeline.
US-02-13	As Renata (creative technologist) I want to resolve the Inline preview for images, common design exports, markdown, and code so that I trust the history.	Clear, versioning, recorded on the timeline.
US-02-14	As Maya (solo founder) I want to emit the Drag-and-drop upload; paste-to-upload from clipboard so that nothing drifts.	Quiet, API surface, recorded on the timeline.

23.02 Unified files — stories (cont.)

ID	STORY	ACCEPTANCE
US-02-15	As Devin (design-engineer) I want to throttle the Every file carries its own version history so that I keep momentum.	Accessible, webhooks, recorded on the timeline.
US-02-16	As Priya (studio lead) I want to paginate the Tag files by kind (code / design / asset / doc) for filtering so that context is never lost.	Predictable, billing gate, recorded on the timeline.
US-02-17	As Leo (learner) I want to debounce the Object storage backing; pennies per gigabyte at the budget scale so that I can ship faster.	Scoped, offline behavior, recorded on the timeline.
US-02-18	As Renata (creative technologist) I want to reconcile the Tree view that mixes code and creative files naturally so that the timeline stays trustworthy.	Auditable, import/export, recorded on the timeline.

23.03 Timeline — stories

ID	STORY	ACCEPTANCE
US-03-01	As Leo (learner) I want to attribute the Filter by person, by module, by file, by date range so that I keep momentum.	Reliable, permissions, recorded on the timeline.
US-03-02	As Renata (creative technologist) I want to group the 'Decisions' — pinned timeline notes that capture the why so that context is never lost.	Reversible, performance, recorded on the timeline.
US-03-03	As Maya (solo founder) I want to filter the Group related changes (a design + its code) into one entry so that I can ship faster.	Clear, empty states, recorded on the timeline.
US-03-04	As Devin (design-engineer) I want to sync the Git-log-style density for power users; readable summaries for everyone so that the timeline stays trustworthy.	Quiet, error handling, recorded on the timeline.
US-03-05	As Priya (studio lead) I want to cache the Permalink any moment to share 'here's where we were on Tuesday' so that feedback stays in place.	Accessible, keyboard flow, recorded on the timeline.
US-03-06	As Leo (learner) I want to index the Chronological stream of all change events across modules so that I trust the history.	Predictable, mobile layout, recorded on the timeline.
US-03-07	As Renata (creative technologist) I want to gate the Filter by person, by module, by file, by date range so that nothing drifts.	Scoped, accessibility, recorded on the timeline.

23.03 Timeline — stories

ID	STORY	ACCEPTANCE
US-03-08	As Maya (solo founder) I want to stream the 'Decisions' — pinned timeline notes that capture the why so that I keep momentum.	Auditable, onboarding, recorded on the timeline.
US-03-09	As Devin (design-engineer) I want to restore the Group related changes (a design + its code) into one entry so that context is never lost.	Minimal, sharing, recorded on the timeline.
US-03-10	As Priya (studio lead) I want to export the Git-log-style density for power users; readable summaries for everyone so that I can ship faster.	Fast, notifications, recorded on the timeline.
US-03-11	As Leo (learner) I want to preview the Permalink any moment to share 'here's where we were on Tuesday' so that the timeline stays trustworthy.	Reliable, search indexing, recorded on the timeline.
US-03-12	As Renata (creative technologist) I want to resolve the Chronological stream of all change events across modules so that feedback stays in place.	Reversible, storage, recorded on the timeline.
US-03-13	As Maya (solo founder) I want to emit the Filter by person, by module, by file, by date range so that I trust the history.	Clear, versioning, recorded on the timeline.
US-03-14	As Devin (design-engineer) I want to throttle the 'Decisions' — pinned timeline notes that capture the why so that nothing drifts.	Quiet, API surface, recorded on the timeline.

23.03 Timeline — stories (cont.)

ID	STORY	ACCEPTANCE
US-03-15	As Priya (studio lead) I want to paginate the Group related changes (a design + its code) into one entry so that I keep momentum.	Accessible, webhooks, recorded on the timeline.
US-03-16	As Leo (learner) I want to debounce the Git-log-style density for power users; readable summaries for everyone so that context is never lost.	Predictable, billing gate, recorded on the timeline.
US-03-17	As Renata (creative technologist) I want to reconcile the Permalink any moment to share 'here's where we were on Tuesday' so that I can ship faster.	Scoped, offline behavior, recorded on the timeline.
US-03-18	As Maya (solo founder) I want to render the Chronological stream of all change events across modules so that the timeline stays trustworthy.	Auditable, import/export, recorded on the timeline.

23.04 Code — stories

ID	STORY	ACCEPTANCE
US-04-01	As Renata (creative technologist) I want to group the Browse code with syntax highlighting in-app so that I keep momentum.	Reliable, permissions, recorded on the timeline.
US-04-02	As Maya (solo founder) I want to filter the Commits flow into the unified timeline automatically so that context is never lost.	Reversible, performance, recorded on the timeline.
US-04-03	As Devin (design-engineer) I want to sync the Connect an existing external repo (mirror) as an alternative to native so that I can ship faster.	Clear, empty states, recorded on the timeline.
US-04-04	As Priya (studio lead) I want to cache the Simple in-browser edits for quick fixes so that the timeline stays trustworthy.	Quiet, error handling, recorded on the timeline.
US-04-05	As Leo (learner) I want to index the File-level history shared with MOD-02 so that feedback stays in place.	Accessible, keyboard flow, recorded on the timeline.
US-04-06	As Renata (creative technologist) I want to gate the Git-backed repository per project so that I trust the history.	Predictable, mobile layout, recorded on the timeline.
US-04-07	As Maya (solo founder) I want to stream the Browse code with syntax highlighting in-app so that nothing drifts.	Scoped, accessibility, recorded on the timeline.

23.04 Code — stories

ID	STORY	ACCEPTANCE
US-04-08	As Devin (design-engineer) I want to restore the Commits flow into the unified timeline automatically so that I keep momentum.	Auditable, onboarding, recorded on the timeline.
US-04-09	As Priya (studio lead) I want to export the Connect an existing external repo (mirror) as an alternative to native so that context is never lost.	Minimal, sharing, recorded on the timeline.
US-04-10	As Leo (learner) I want to preview the Simple in-browser edits for quick fixes so that I can ship faster.	Fast, notifications, recorded on the timeline.
US-04-11	As Renata (creative technologist) I want to resolve the File-level history shared with MOD-02 so that the timeline stays trustworthy.	Reliable, search indexing, recorded on the timeline.
US-04-12	As Maya (solo founder) I want to emit the Git-backed repository per project so that feedback stays in place.	Reversible, storage, recorded on the timeline.
US-04-13	As Devin (design-engineer) I want to throttle the Browse code with syntax highlighting in-app so that I trust the history.	Clear, versioning, recorded on the timeline.
US-04-14	As Priya (studio lead) I want to paginate the Commits flow into the unified timeline automatically so that nothing drifts.	Quiet, API surface, recorded on the timeline.

23.04 Code — stories (cont.)

ID	STORY	ACCEPTANCE
US-04-15	As Leo (learner) I want to debounce the Connect an existing external repo (mirror) as an alternative to native so that I keep momentum.	Accessible, webhooks, recorded on the timeline.
US-04-16	As Renata (creative technologist) I want to reconcile the Simple in-browser edits for quick fixes so that context is never lost.	Predictable, billing gate, recorded on the timeline.
US-04-17	As Maya (solo founder) I want to render the File-level history shared with MOD-02 so that I can ship faster.	Scoped, offline behavior, recorded on the timeline.
US-04-18	As Devin (design-engineer) I want to persist the Git-backed repository per project so that the timeline stays trustworthy.	Auditable, import/export, recorded on the timeline.

23.05 Tasks — stories

ID	STORY	ACCEPTANCE
US-05-01	As Maya (solo founder) I want to filter the Tasks link to files, commits, or decisions so that I keep momentum.	Reliable, permissions, recorded on the timeline.
US-05-02	As Devin (design-engineer) I want to sync the Status changes emit timeline events so that context is never lost.	Reversible, performance, recorded on the timeline.
US-05-03	As Priya (studio lead) I want to cache the Assignee, due date, and a single priority flag — nothing more so that I can ship faster.	Clear, empty states, recorded on the timeline.
US-05-04	As Leo (learner) I want to index the Keyboard-first quick add so that the timeline stays trustworthy.	Quiet, error handling, recorded on the timeline.
US-05-05	As Renata (creative technologist) I want to gate the Filter by assignee, status, linked module so that feedback stays in place.	Accessible, keyboard flow, recorded on the timeline.
US-05-06	As Maya (solo founder) I want to stream the Simple list and board views; no ceremony so that I trust the history.	Predictable, mobile layout, recorded on the timeline.
US-05-07	As Devin (design-engineer) I want to restore the Tasks link to files, commits, or decisions so that nothing drifts.	Scoped, accessibility, recorded on the timeline.

23.05 Tasks — stories

ID	STORY	ACCEPTANCE
US-05-08	As Priya (studio lead) I want to export the Status changes emit timeline events so that I keep momentum.	Auditable, onboarding, recorded on the timeline.
US-05-09	As Leo (learner) I want to preview the Assignee, due date, and a single priority flag — nothing more so that context is never lost.	Minimal, sharing, recorded on the timeline.
US-05-10	As Renata (creative technologist) I want to resolve the Keyboard-first quick add so that I can ship faster.	Fast, notifications, recorded on the timeline.
US-05-11	As Maya (solo founder) I want to emit the Filter by assignee, status, linked module so that the timeline stays trustworthy.	Reliable, search indexing, recorded on the timeline.
US-05-12	As Devin (design-engineer) I want to throttle the Simple list and board views; no ceremony so that feedback stays in place.	Reversible, storage, recorded on the timeline.
US-05-13	As Priya (studio lead) I want to paginate the Tasks link to files, commits, or decisions so that I trust the history.	Clear, versioning, recorded on the timeline.
US-05-14	As Leo (learner) I want to debounce the Status changes emit timeline events so that nothing drifts.	Quiet, API surface, recorded on the timeline.

23.05 Tasks — stories (cont.)

ID	STORY	ACCEPTANCE
US-05-15	As Renata (creative technologist) I want to reconcile the Assignee, due date, and a single priority flag — nothing more so that I keep momentum.	Accessible, webhooks, recorded on the timeline.
US-05-16	As Maya (solo founder) I want to render the Keyboard-first quick add so that context is never lost.	Predictable, billing gate, recorded on the timeline.
US-05-17	As Devin (design-engineer) I want to persist the Filter by assignee, status, linked module so that I can ship faster.	Scoped, offline behavior, recorded on the timeline.
US-05-18	As Priya (studio lead) I want to validate the Simple list and board views; no ceremony so that the timeline stays trustworthy.	Auditable, import/export, recorded on the timeline.

23.06 Docs — stories

ID	STORY	ACCEPTANCE
US-06-01	As Devin (design-engineer) I want to sync the Docs are files (MOD-02) with structured editing on top so that I keep momentum.	Reliable, permissions, recorded on the timeline.
US-06-02	As Priya (studio lead) I want to cache the Link docs to tasks, files, and decisions so that context is never lost.	Reversible, performance, recorded on the timeline.
US-06-03	As Leo (learner) I want to index the Edits appear in the timeline so that I can ship faster.	Clear, empty states, recorded on the timeline.
US-06-04	As Renata (creative technologist) I want to gate the Templates: brief, spec, decision record, changelog so that the timeline stays trustworthy.	Quiet, error handling, recorded on the timeline.
US-06-05	As Maya (solo founder) I want to stream the Public doc sharing via link so that feedback stays in place.	Accessible, keyboard flow, recorded on the timeline.
US-06-06	As Devin (design-engineer) I want to restore the Markdown editor with live preview so that I trust the history.	Predictable, mobile layout, recorded on the timeline.
US-06-07	As Priya (studio lead) I want to export the Docs are files (MOD-02) with structured editing on top so that nothing drifts.	Scoped, accessibility, recorded on the timeline.

23.06 Docs — stories

ID	STORY	ACCEPTANCE
US-06-08	As Leo (learner) I want to preview the Link docs to tasks, files, and decisions so that I keep momentum.	Auditable, onboarding, recorded on the timeline.
US-06-09	As Renata (creative technologist) I want to resolve the Edits appear in the timeline so that context is never lost.	Minimal, sharing, recorded on the timeline.
US-06-10	As Maya (solo founder) I want to emit the Templates: brief, spec, decision record, changelog so that I can ship faster.	Fast, notifications, recorded on the timeline.
US-06-11	As Devin (design-engineer) I want to throttle the Public doc sharing via link so that the timeline stays trustworthy.	Reliable, search indexing, recorded on the timeline.
US-06-12	As Priya (studio lead) I want to paginate the Markdown editor with live preview so that feedback stays in place.	Reversible, storage, recorded on the timeline.
US-06-13	As Leo (learner) I want to debounce the Docs are files (MOD-02) with structured editing on top so that I trust the history.	Clear, versioning, recorded on the timeline.
US-06-14	As Renata (creative technologist) I want to reconcile the Link docs to tasks, files, and decisions so that nothing drifts.	Quiet, API surface, recorded on the timeline.

23.06 Docs — stories (cont.)

ID	STORY	ACCEPTANCE
US-06-15	As Maya (solo founder) I want to render the Edits appear in the timeline so that I keep momentum.	Accessible, webhooks, recorded on the timeline.
US-06-16	As Devin (design-engineer) I want to persist the Templates: brief, spec, decision record, changelog so that context is never lost.	Predictable, billing gate, recorded on the timeline.
US-06-17	As Priya (studio lead) I want to validate the Public doc sharing via link so that I can ship faster.	Scoped, offline behavior, recorded on the timeline.
US-06-18	As Leo (learner) I want to attribute the Markdown editor with live preview so that the timeline stays trustworthy.	Auditable, import/export, recorded on the timeline.

23.07 Comments & feedback — stories

ID	STORY	ACCEPTANCE
US-07-01	As Priya (studio lead) I want to cache the Region/pin comments on images and design exports so that I keep momentum.	Reliable, permissions, recorded on the timeline.
US-07-02	As Leo (learner) I want to index the Resolve / reopen, with timeline trace so that context is never lost.	Reversible, performance, recorded on the timeline.
US-07-03	As Renata (creative technologist) I want to gate the @mentions notify the right person so that I can ship faster.	Clear, empty states, recorded on the timeline.
US-07-04	As Maya (solo founder) I want to stream the Comment digests instead of constant pings so that the timeline stays trustworthy.	Quiet, error handling, recorded on the timeline.
US-07-05	As Devin (design-engineer) I want to restore the Public comment mode for client review (optional) so that feedback stays in place.	Accessible, keyboard flow, recorded on the timeline.
US-07-06	As Priya (studio lead) I want to export the Comment threads anchored to files, images, code lines, or events so that I trust the history.	Predictable, mobile layout, recorded on the timeline.
US-07-07	As Leo (learner) I want to preview the Region/pin comments on images and design exports so that nothing drifts.	Scoped, accessibility, recorded on the timeline.

23.07 Comments & feedback — stories

ID	STORY	ACCEPTANCE
US-07-08	As Renata (creative technologist) I want to resolve the Resolve / reopen, with timeline trace so that I keep momentum.	Auditable, onboarding, recorded on the timeline.
US-07-09	As Maya (solo founder) I want to emit the @mentions notify the right person so that context is never lost.	Minimal, sharing, recorded on the timeline.
US-07-10	As Devin (design-engineer) I want to throttle the Comment digests instead of constant pings so that I can ship faster.	Fast, notifications, recorded on the timeline.
US-07-11	As Priya (studio lead) I want to paginate the Public comment mode for client review (optional) so that the timeline stays trustworthy.	Reliable, search indexing, recorded on the timeline.
US-07-12	As Leo (learner) I want to debounce the Comment threads anchored to files, images, code lines, or events so that feedback stays in place.	Reversible, storage, recorded on the timeline.
US-07-13	As Renata (creative technologist) I want to reconcile the Region/pin comments on images and design exports so that I trust the history.	Clear, versioning, recorded on the timeline.
US-07-14	As Maya (solo founder) I want to render the Resolve / reopen, with timeline trace so that nothing drifts.	Quiet, API surface, recorded on the timeline.

23.07 Comments & feedback — stories (cont.)

ID	STORY	ACCEPTANCE
US-07-15	As Devin (design-engineer) I want to persist the @mentions notify the right person so that I keep momentum.	Accessible, webhooks, recorded on the timeline.
US-07-16	As Priya (studio lead) I want to validate the Comment digests instead of constant pings so that context is never lost.	Predictable, billing gate, recorded on the timeline.
US-07-17	As Leo (learner) I want to attribute the Public comment mode for client review (optional) so that I can ship faster.	Scoped, offline behavior, recorded on the timeline.
US-07-18	As Renata (creative technologist) I want to group the Comment threads anchored to files, images, code lines, or events so that the timeline stays trustworthy.	Auditable, import/export, recorded on the timeline.

23.08 People & roles — stories

ID	STORY	ACCEPTANCE
US-08-01	As Leo (learner) I want to index the Per-project membership; invite by link or email so that I keep momentum.	Reliable, permissions, recorded on the timeline.
US-08-02	As Renata (creative technologist) I want to gate the Consistent identity and avatar across all modules so that context is never lost.	Reversible, performance, recorded on the timeline.
US-08-03	As Maya (solo founder) I want to stream the Activity attributed to people everywhere so that I can ship faster.	Clear, empty states, recorded on the timeline.
US-08-04	As Devin (design-engineer) I want to restore the Guest access for client review (time-boxed) so that the timeline stays trustworthy.	Quiet, error handling, recorded on the timeline.
US-08-05	As Priya (studio lead) I want to export the Leave / remove without breaking historical attribution so that feedback stays in place.	Accessible, keyboard flow, recorded on the timeline.
US-08-06	As Leo (learner) I want to preview the Three roles: owner, editor, viewer so that I trust the history.	Predictable, mobile layout, recorded on the timeline.
US-08-07	As Renata (creative technologist) I want to resolve the Per-project membership; invite by link or email so that nothing drifts.	Scoped, accessibility, recorded on the timeline.

23.08 People & roles — stories

ID	STORY	ACCEPTANCE
US-08-08	As Maya (solo founder) I want to emit the Consistent identity and avatar across all modules so that I keep momentum.	Auditable, onboarding, recorded on the timeline.
US-08-09	As Devin (design-engineer) I want to throttle the Activity attributed to people everywhere so that context is never lost.	Minimal, sharing, recorded on the timeline.
US-08-10	As Priya (studio lead) I want to paginate the Guest access for client review (time-boxed) so that I can ship faster.	Fast, notifications, recorded on the timeline.
US-08-11	As Leo (learner) I want to debounce the Leave / remove without breaking historical attribution so that the timeline stays trustworthy.	Reliable, search indexing, recorded on the timeline.
US-08-12	As Renata (creative technologist) I want to reconcile the Three roles: owner, editor, viewer so that feedback stays in place.	Reversible, storage, recorded on the timeline.
US-08-13	As Maya (solo founder) I want to render the Per-project membership; invite by link or email so that I trust the history.	Clear, versioning, recorded on the timeline.
US-08-14	As Devin (design-engineer) I want to persist the Consistent identity and avatar across all modules so that nothing drifts.	Quiet, API surface, recorded on the timeline.

23.08 People & roles — stories (cont.)

ID	STORY	ACCEPTANCE
US-08-15	As Priya (studio lead) I want to validate the Activity attributed to people everywhere so that I keep momentum.	Accessible, webhooks, recorded on the timeline.
US-08-16	As Leo (learner) I want to attribute the Guest access for client review (time-boxed) so that context is never lost.	Predictable, billing gate, recorded on the timeline.
US-08-17	As Renata (creative technologist) I want to group the Leave / remove without breaking historical attribution so that I can ship faster.	Scoped, offline behavior, recorded on the timeline.
US-08-18	As Maya (solo founder) I want to filter the Three roles: owner, editor, viewer so that the timeline stays trustworthy.	Auditable, import/export, recorded on the timeline.

23.09 Assets & media — stories

ID	STORY	ACCEPTANCE
US-09-01	As Renata (creative technologist) I want to gate the Collections / boards within a project so that I keep momentum.	Reliable, permissions, recorded on the timeline.
US-09-02	As Maya (solo founder) I want to stream the Versioned assets with visual diff (before/after) so that context is never lost.	Reversible, performance, recorded on the timeline.
US-09-03	As Devin (design-engineer) I want to restore the Color and basic metadata extraction so that I can ship faster.	Clear, empty states, recorded on the timeline.
US-09-04	As Priya (studio lead) I want to export the Quick share of an asset or a collection so that the timeline stays trustworthy.	Quiet, error handling, recorded on the timeline.
US-09-05	As Leo (learner) I want to preview the Optimized delivery via storage/CDN so that feedback stays in place.	Accessible, keyboard flow, recorded on the timeline.
US-09-06	As Renata (creative technologist) I want to resolve the Gallery and grid views for visual assets so that I trust the history.	Predictable, mobile layout, recorded on the timeline.
US-09-07	As Maya (solo founder) I want to emit the Collections / boards within a project so that nothing drifts.	Scoped, accessibility, recorded on the timeline.

23.09 Assets & media — stories

ID	STORY	ACCEPTANCE
US-09-08	As Devin (design-engineer) I want to throttle the Versioned assets with visual diff (before/after) so that I keep momentum.	Auditable, onboarding, recorded on the timeline.
US-09-09	As Priya (studio lead) I want to paginate the Color and basic metadata extraction so that context is never lost.	Minimal, sharing, recorded on the timeline.
US-09-10	As Leo (learner) I want to debounce the Quick share of an asset or a collection so that I can ship faster.	Fast, notifications, recorded on the timeline.
US-09-11	As Renata (creative technologist) I want to reconcile the Optimized delivery via storage/CDN so that the timeline stays trustworthy.	Reliable, search indexing, recorded on the timeline.
US-09-12	As Maya (solo founder) I want to render the Gallery and grid views for visual assets so that feedback stays in place.	Reversible, storage, recorded on the timeline.
US-09-13	As Devin (design-engineer) I want to persist the Collections / boards within a project so that I trust the history.	Clear, versioning, recorded on the timeline.
US-09-14	As Priya (studio lead) I want to validate the Versioned assets with visual diff (before/after) so that nothing drifts.	Quiet, API surface, recorded on the timeline.

23.09 Assets & media — stories (cont.)

ID	STORY	ACCEPTANCE
US-09-15	As Leo (learner) I want to attribute the Color and basic metadata extraction so that I keep momentum.	Accessible, webhooks, recorded on the timeline.
US-09-16	As Renata (creative technologist) I want to group the Quick share of an asset or a collection so that context is never lost.	Predictable, billing gate, recorded on the timeline.
US-09-17	As Maya (solo founder) I want to filter the Optimized delivery via storage/CDN so that I can ship faster.	Scoped, offline behavior, recorded on the timeline.
US-09-18	As Devin (design-engineer) I want to sync the Gallery and grid views for visual assets so that the timeline stays trustworthy.	Auditable, import/export, recorded on the timeline.

23.10 Publish & portfolio — stories

ID	STORY	ACCEPTANCE
US-10-01	As Maya (solo founder) I want to stream the Opt-in 'building in public' changelog feed so that I keep momentum.	Reliable, permissions, recorded on the timeline.
US-10-02	As Devin (design-engineer) I want to restore the Simple portfolio that aggregates public projects so that context is never lost.	Reversible, performance, recorded on the timeline.
US-10-03	As Priya (studio lead) I want to export the Custom accent and cover; tasteful defaults so that I can ship faster.	Clear, empty states, recorded on the timeline.
US-10-04	As Leo (learner) I want to preview the 'Made with RMH' attribution (toggleable on paid) so that the timeline stays trustworthy.	Quiet, error handling, recorded on the timeline.
US-10-05	As Renata (creative technologist) I want to resolve the Shareable timeline embeds so that feedback stays in place.	Accessible, keyboard flow, recorded on the timeline.
US-10-06	As Maya (solo founder) I want to emit the Public project page generated from the project so that I trust the history.	Predictable, mobile layout, recorded on the timeline.
US-10-07	As Devin (design-engineer) I want to throttle the Opt-in 'building in public' changelog feed so that nothing drifts.	Scoped, accessibility, recorded on the timeline.

23.10 Publish & portfolio — stories

ID	STORY	ACCEPTANCE
US-10-08	As Priya (studio lead) I want to paginate the Simple portfolio that aggregates public projects so that I keep momentum.	Auditable, onboarding, recorded on the timeline.
US-10-09	As Leo (learner) I want to debounce the Custom accent and cover; tasteful defaults so that context is never lost.	Minimal, sharing, recorded on the timeline.
US-10-10	As Renata (creative technologist) I want to reconcile the 'Made with RMH' attribution (toggleable on paid) so that I can ship faster.	Fast, notifications, recorded on the timeline.
US-10-11	As Maya (solo founder) I want to render the Shareable timeline embeds so that the timeline stays trustworthy.	Reliable, search indexing, recorded on the timeline.
US-10-12	As Devin (design-engineer) I want to persist the Public project page generated from the project so that feedback stays in place.	Reversible, storage, recorded on the timeline.
US-10-13	As Priya (studio lead) I want to validate the Opt-in 'building in public' changelog feed so that I trust the history.	Clear, versioning, recorded on the timeline.
US-10-14	As Leo (learner) I want to attribute the Simple portfolio that aggregates public projects so that nothing drifts.	Quiet, API surface, recorded on the timeline.

23.10 Publish & portfolio — stories (cont.)

ID	STORY	ACCEPTANCE
US-10-15	As Renata (creative technologist) I want to group the Custom accent and cover; tasteful defaults so that I keep momentum.	Accessible, webhooks, recorded on the timeline.
US-10-16	As Maya (solo founder) I want to filter the 'Made with RMH' attribution (toggleable on paid) so that context is never lost.	Predictable, billing gate, recorded on the timeline.
US-10-17	As Devin (design-engineer) I want to sync the Shareable timeline embeds so that I can ship faster.	Scoped, offline behavior, recorded on the timeline.
US-10-18	As Priya (studio lead) I want to cache the Public project page generated from the project so that the timeline stays trustworthy.	Auditable, import/export, recorded on the timeline.

23.11 Search — stories

ID	STORY	ACCEPTANCE
US-11-01	As Devin (design-engineer) I want to restore the Filter by module, person, date so that I keep momentum.	Reliable, permissions, recorded on the timeline.
US-11-02	As Priya (studio lead) I want to export the Keyboard shortcut to summon from anywhere so that context is never lost.	Reversible, performance, recorded on the timeline.
US-11-03	As Leo (learner) I want to preview the Recent and pinned results so that I can ship faster.	Clear, empty states, recorded on the timeline.
US-11-04	As Renata (creative technologist) I want to resolve the Search within a single project or across all projects so that the timeline stays trustworthy.	Quiet, error handling, recorded on the timeline.
US-11-05	As Maya (solo founder) I want to emit the Fast, typo-tolerant matching so that feedback stays in place.	Accessible, keyboard flow, recorded on the timeline.
US-11-06	As Devin (design-engineer) I want to throttle the Unified search across files, docs, tasks, comments, timeline so that I trust the history.	Predictable, mobile layout, recorded on the timeline.
US-11-07	As Priya (studio lead) I want to paginate the Filter by module, person, date so that nothing drifts.	Scoped, accessibility, recorded on the timeline.

23.11 Search — stories

ID	STORY	ACCEPTANCE
US-11-08	As Leo (learner) I want to debounce the Keyboard shortcut to summon from anywhere so that I keep momentum.	Auditable, onboarding, recorded on the timeline.
US-11-09	As Renata (creative technologist) I want to reconcile the Recent and pinned results so that context is never lost.	Minimal, sharing, recorded on the timeline.
US-11-10	As Maya (solo founder) I want to render the Search within a single project or across all projects so that I can ship faster.	Fast, notifications, recorded on the timeline.
US-11-11	As Devin (design-engineer) I want to persist the Fast, typo-tolerant matching so that the timeline stays trustworthy.	Reliable, search indexing, recorded on the timeline.
US-11-12	As Priya (studio lead) I want to validate the Unified search across files, docs, tasks, comments, timeline so that feedback stays in place.	Reversible, storage, recorded on the timeline.
US-11-13	As Leo (learner) I want to attribute the Filter by module, person, date so that I trust the history.	Clear, versioning, recorded on the timeline.
US-11-14	As Renata (creative technologist) I want to group the Keyboard shortcut to summon from anywhere so that nothing drifts.	Quiet, API surface, recorded on the timeline.

23.11 Search — stories (cont.)

ID	STORY	ACCEPTANCE
US-11-15	As Maya (solo founder) I want to filter the Recent and pinned results so that I keep momentum.	Accessible, webhooks, recorded on the timeline.
US-11-16	As Devin (design-engineer) I want to sync the Search within a single project or across all projects so that context is never lost.	Predictable, billing gate, recorded on the timeline.
US-11-17	As Priya (studio lead) I want to cache the Fast, typo-tolerant matching so that I can ship faster.	Scoped, offline behavior, recorded on the timeline.
US-11-18	As Leo (learner) I want to index the Unified search across files, docs, tasks, comments, timeline so that the timeline stays trustworthy.	Auditable, import/export, recorded on the timeline.

23.12 Integrations — stories

ID	STORY	ACCEPTANCE
US-12-01	As Priya (studio lead) I want to export the Outgoing webhooks on timeline events so that I keep momentum.	Reliable, permissions, recorded on the timeline.
US-12-02	As Leo (learner) I want to preview the Share-to-social on publish so that context is never lost.	Reversible, performance, recorded on the timeline.
US-12-03	As Renata (creative technologist) I want to resolve the Import files from common cloud storage so that I can ship faster.	Clear, empty states, recorded on the timeline.
US-12-04	As Maya (solo founder) I want to emit the Public read API for project data so that the timeline stays trustworthy.	Quiet, error handling, recorded on the timeline.
US-12-05	As Devin (design-engineer) I want to throttle the Embeddable timeline and asset widgets so that feedback stays in place.	Accessible, keyboard flow, recorded on the timeline.
US-12-06	As Priya (studio lead) I want to paginate the Connect/mirror an external code repository so that I trust the history.	Predictable, mobile layout, recorded on the timeline.
US-12-07	As Leo (learner) I want to debounce the Outgoing webhooks on timeline events so that nothing drifts.	Scoped, accessibility, recorded on the timeline.

23.12 Integrations — stories

ID	STORY	ACCEPTANCE
US-12-08	As Renata (creative technologist) I want to reconcile the Share-to-social on publish so that I keep momentum.	Auditable, onboarding, recorded on the timeline.
US-12-09	As Maya (solo founder) I want to render the Import files from common cloud storage so that context is never lost.	Minimal, sharing, recorded on the timeline.
US-12-10	As Devin (design-engineer) I want to persist the Public read API for project data so that I can ship faster.	Fast, notifications, recorded on the timeline.
US-12-11	As Priya (studio lead) I want to validate the Embeddable timeline and asset widgets so that the timeline stays trustworthy.	Reliable, search indexing, recorded on the timeline.
US-12-12	As Leo (learner) I want to attribute the Connect/mirror an external code repository so that feedback stays in place.	Reversible, storage, recorded on the timeline.
US-12-13	As Renata (creative technologist) I want to group the Outgoing webhooks on timeline events so that I trust the history.	Clear, versioning, recorded on the timeline.
US-12-14	As Maya (solo founder) I want to filter the Share-to-social on publish so that nothing drifts.	Quiet, API surface, recorded on the timeline.

23.12 Integrations — stories (cont.)

ID	STORY	ACCEPTANCE
US-12-15	As Devin (design-engineer) I want to sync the Import files from common cloud storage so that I keep momentum.	Accessible, webhooks, recorded on the timeline.
US-12-16	As Priya (studio lead) I want to cache the Public read API for project data so that context is never lost.	Predictable, billing gate, recorded on the timeline.
US-12-17	As Leo (learner) I want to index the Embeddable timeline and asset widgets so that I can ship faster.	Scoped, offline behavior, recorded on the timeline.
US-12-18	As Renata (creative technologist) I want to gate the Connect/mirror an external code repository so that the timeline stays trustworthy.	Auditable, import/export, recorded on the timeline.

23.13 Time & invoicing — stories

ID	STORY	ACCEPTANCE
US-13-01	As Leo (learner) I want to preview the Manual time entry and weekly summary so that I keep momentum.	Reliable, permissions, recorded on the timeline.
US-13-02	As Renata (creative technologist) I want to resolve the Simple rate-based invoice generation (export) so that context is never lost.	Reversible, performance, recorded on the timeline.
US-13-03	As Maya (solo founder) I want to emit the Per-client rollups across projects so that I can ship faster.	Clear, empty states, recorded on the timeline.
US-13-04	As Devin (design-engineer) I want to throttle the CSV export for accounting so that the timeline stays trustworthy.	Quiet, error handling, recorded on the timeline.
US-13-05	As Priya (studio lead) I want to paginate the No payment processing — export only, to stay simple and cheap so that feedback stays in place.	Accessible, keyboard flow, recorded on the timeline.
US-13-06	As Leo (learner) I want to debounce the Start/stop timers tied to a project or task so that I trust the history.	Predictable, mobile layout, recorded on the timeline.
US-13-07	As Renata (creative technologist) I want to reconcile the Manual time entry and weekly summary so that nothing drifts.	Scoped, accessibility, recorded on the timeline.

23.13 Time & invoicing — stories

ID	STORY	ACCEPTANCE
US-13-08	As Maya (solo founder) I want to render the Simple rate-based invoice generation (export) so that I keep momentum.	Auditable, onboarding, recorded on the timeline.
US-13-09	As Devin (design-engineer) I want to persist the Per-client rollups across projects so that context is never lost.	Minimal, sharing, recorded on the timeline.
US-13-10	As Priya (studio lead) I want to validate the CSV export for accounting so that I can ship faster.	Fast, notifications, recorded on the timeline.
US-13-11	As Leo (learner) I want to attribute the No payment processing — export only, to stay simple and cheap so that the timeline stays trustworthy.	Reliable, search indexing, recorded on the timeline.
US-13-12	As Renata (creative technologist) I want to group the Start/stop timers tied to a project or task so that feedback stays in place.	Reversible, storage, recorded on the timeline.
US-13-13	As Maya (solo founder) I want to filter the Manual time entry and weekly summary so that I trust the history.	Clear, versioning, recorded on the timeline.
US-13-14	As Devin (design-engineer) I want to sync the Simple rate-based invoice generation (export) so that nothing drifts.	Quiet, API surface, recorded on the timeline.

23.13 Time & invoicing — stories (cont.)

ID	STORY	ACCEPTANCE
US-13-15	As Priya (studio lead) I want to cache the Per-client rollups across projects so that I keep momentum.	Accessible, webhooks, recorded on the timeline.
US-13-16	As Leo (learner) I want to index the CSV export for accounting so that context is never lost.	Predictable, billing gate, recorded on the timeline.
US-13-17	As Renata (creative technologist) I want to gate the No payment processing — export only, to stay simple and cheap so that I can ship faster.	Scoped, offline behavior, recorded on the timeline.
US-13-18	As Maya (solo founder) I want to stream the Start/stop timers tied to a project or task so that the timeline stays trustworthy.	Auditable, import/export, recorded on the timeline.

23.14 Community & templates — stories

ID	STORY	ACCEPTANCE
US-14-01	As Renata (creative technologist) I want to resolve the Community showcase of public projects so that I keep momentum.	Reliable, permissions, recorded on the timeline.
US-14-02	As Maya (solo founder) I want to emit the Featured builders and 'project of the week' so that context is never lost.	Reversible, performance, recorded on the timeline.
US-14-03	As Devin (design-engineer) I want to throttle the Template submission and curation so that I can ship faster.	Clear, empty states, recorded on the timeline.
US-14-04	As Priya (studio lead) I want to paginate the Lightweight following / favoriting so that the timeline stays trustworthy.	Quiet, error handling, recorded on the timeline.
US-14-05	As Leo (learner) I want to debounce the Seasonal build challenges to drive activity so that feedback stays in place.	Accessible, keyboard flow, recorded on the timeline.
US-14-06	As Renata (creative technologist) I want to reconcile the Public template gallery; one-click 'use this template' so that I trust the history.	Predictable, mobile layout, recorded on the timeline.
US-14-07	As Maya (solo founder) I want to render the Community showcase of public projects so that nothing drifts.	Scoped, accessibility, recorded on the timeline.

23.14 Community & templates — stories

ID	STORY	ACCEPTANCE
US-14-08	As Devin (design-engineer) I want to persist the Featured builders and 'project of the week' so that I keep momentum.	Auditable, onboarding, recorded on the timeline.
US-14-09	As Priya (studio lead) I want to validate the Template submission and curation so that context is never lost.	Minimal, sharing, recorded on the timeline.
US-14-10	As Leo (learner) I want to attribute the Lightweight following / favoriting so that I can ship faster.	Fast, notifications, recorded on the timeline.
US-14-11	As Renata (creative technologist) I want to group the Seasonal build challenges to drive activity so that the timeline stays trustworthy.	Reliable, search indexing, recorded on the timeline.
US-14-12	As Maya (solo founder) I want to filter the Public template gallery; one-click 'use this template' so that feedback stays in place.	Reversible, storage, recorded on the timeline.
US-14-13	As Devin (design-engineer) I want to sync the Community showcase of public projects so that I trust the history.	Clear, versioning, recorded on the timeline.
US-14-14	As Priya (studio lead) I want to cache the Featured builders and 'project of the week' so that nothing drifts.	Quiet, API surface, recorded on the timeline.

23.14 Community & templates — stories (cont.)

ID	STORY	ACCEPTANCE
US-14-15	As Leo (learner) I want to index the Template submission and curation so that I keep momentum.	Accessible, webhooks, recorded on the timeline.
US-14-16	As Renata (creative technologist) I want to gate the Lightweight following / favoriting so that context is never lost.	Predictable, billing gate, recorded on the timeline.
US-14-17	As Maya (solo founder) I want to stream the Seasonal build challenges to drive activity so that I can ship faster.	Scoped, offline behavior, recorded on the timeline.
US-14-18	As Devin (design-engineer) I want to restore the Public template gallery; one-click 'use this template' so that the timeline stays trustworthy.	Auditable, import/export, recorded on the timeline.

Architecture decision records

Lightweight ADRs: context, the decision, and its consequence. They explain why the build looks the way it does.

ADR-001

ACCEPTED

Edge Hosting

Context. As the product grew, the team needed a reliable approach to UI surface without adding operational burden a single maintainer cannot hold.

Decision. Adopt edge hosting as the default, and persist the timeline events accordingly.

Consequence. The result is a reliable system; the trade-off is accepted because it keeps the permissions simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** none · **Review:** quarterly

ADR-002

ACCEPTED

Managed Postgres

Context. As the product grew, the team needed a reversible approach to timeline events without adding operational burden a single maintainer cannot hold.

Decision. Adopt managed Postgres as the default, and validate the permissions accordingly.

Consequence. The result is a reversible system; the trade-off is accepted because it keeps the performance simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** none · **Review:** quarterly

ADR-003

ACCEPTED

Append-Only Events

Context. As the product grew, the team needed a clear approach to permissions without adding operational burden a single maintainer cannot hold.

Decision. Adopt append-only events as the default, and attribute the performance accordingly.

Consequence. The result is a clear system; the trade-off is accepted because it keeps the empty states simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** none · **Review:** quarterly

ADR-004

ACCEPTED

Object Storage

Context. As the product grew, the team needed a quiet approach to performance without adding operational burden a single maintainer cannot hold.

Decision. Adopt object storage as the default, and group the empty states accordingly.

Consequence. The result is a quiet system; the trade-off is accepted because it keeps the error handling simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** none · **Review:** quarterly

ADR-005

ACCEPTED

Native Git

Context. As the product grew, the team needed a accessible approach to empty states without adding operational burden a single maintainer cannot hold.

Decision. Adopt native git as the default, and filter the error handling accordingly.

Consequence. The result is a accessible system; the trade-off is accepted because it keeps the keyboard flow simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** none · **Review:** quarterly

ADR-006

ACCEPTED

Postgres Fts First

Context. As the product grew, the team needed a predictable approach to error handling without adding operational burden a single maintainer cannot hold.

Decision. Adopt Postgres FTS first as the default, and sync the keyboard flow accordingly.

Consequence. The result is a predictable system; the trade-off is accepted because it keeps the mobile layout simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** none · **Review:** quarterly

ADR-007

ACCEPTED

Free-Tier Auth

Context. As the product grew, the team needed a scoped approach to keyboard flow without adding operational burden a single maintainer cannot hold.

Decision. Adopt free-tier auth as the default, and cache the mobile layout accordingly.

Consequence. The result is a scoped system; the trade-off is accepted because it keeps the accessibility simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** none · **Review:** quarterly

ADR-008

ACCEPTED

Privacy-First Analytics

Context. As the product grew, the team needed a auditable approach to mobile layout without adding operational burden a single maintainer cannot hold.

Decision. Adopt privacy-first analytics as the default, and index the accessibility accordingly.

Consequence. The result is a auditable system; the trade-off is accepted because it keeps the onboarding simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-001 · **Review:** quarterly

ADR-009

ACCEPTED

Markdown Docs

Context. As the product grew, the team needed a minimal approach to accessibility without adding operational burden a single maintainer cannot hold.

Decision. Adopt markdown docs as the default, and gate the onboarding accordingly.

Consequence. The result is a minimal system; the trade-off is accepted because it keeps the sharing simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-002 · **Review:** quarterly

ADR-010

ACCEPTED

Three-Role Model

Context. As the product grew, the team needed a fast approach to onboarding without adding operational burden a single maintainer cannot hold.

Decision. Adopt three-role model as the default, and stream the sharing accordingly.

Consequence. The result is a fast system; the trade-off is accepted because it keeps the notifications simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-003 · **Review:** quarterly

ADR-011

ACCEPTED

No Microservices

Context. As the product grew, the team needed a reliable approach to sharing without adding operational burden a single maintainer cannot hold.

Decision. Adopt no microservices as the default, and restore the notifications accordingly.

Consequence. The result is a reliable system; the trade-off is accepted because it keeps the search indexing simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-004 · **Review:** quarterly

ADR-012

ACCEPTED

No Payment-On-Day-One

Context. As the product grew, the team needed a reversible approach to notifications without adding operational burden a single maintainer cannot hold.

Decision. Adopt no payment-on-day-one as the default, and export the search indexing accordingly.

Consequence. The result is a reversible system; the trade-off is accepted because it keeps the storage simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-005 · **Review:** quarterly

ADR-013

ACCEPTED

Grouped Timeline Entries

Context. As the product grew, the team needed a clear approach to search indexing without adding operational burden a single maintainer cannot hold.

Decision. Adopt grouped timeline entries as the default, and preview the storage accordingly.

Consequence. The result is a clear system; the trade-off is accepted because it keeps the versioning simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-006 · **Review:** quarterly

ADR-014

ACCEPTED

Permalink Moments

Context. As the product grew, the team needed a quiet approach to storage without adding operational burden a single maintainer cannot hold.

Decision. Adopt permalink moments as the default, and resolve the versioning accordingly.

Consequence. The result is a quiet system; the trade-off is accepted because it keeps the API surface simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-007 · **Review:** quarterly

ADR-015

ACCEPTED

Export-Only Invoicing

Context. As the product grew, the team needed a accessible approach to versioning without adding operational burden a single maintainer cannot hold.

Decision. Adopt export-only invoicing as the default, and emit the API surface accordingly.

Consequence. The result is a accessible system; the trade-off is accepted because it keeps the webhooks simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-008 · **Review:** quarterly

ADR-016

ACCEPTED

Read-Only Repo Mirror

Context. As the product grew, the team needed a predictable approach to API surface without adding operational burden a single maintainer cannot hold.

Decision. Adopt read-only repo mirror as the default, and throttle the webhooks accordingly.

Consequence. The result is a predictable system; the trade-off is accepted because it keeps the billing gate simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-009 · **Review:** quarterly

ADR-017

ACCEPTED

Webhook Payloads

Context. As the product grew, the team needed a scoped approach to webhooks without adding operational burden a single maintainer cannot hold.

Decision. Adopt webhook payloads as the default, and paginate the billing gate accordingly.

Consequence. The result is a scoped system; the trade-off is accepted because it keeps the offline behavior simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-010 · **Review:** quarterly

ADR-018

ACCEPTED

Template Gallery

Context. As the product grew, the team needed a auditable approach to billing gate without adding operational burden a single maintainer cannot hold.

Decision. Adopt template gallery as the default, and debounce the offline behavior accordingly.

Consequence. The result is a auditable system; the trade-off is accepted because it keeps the import/export simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-011 · **Review:** quarterly

ADR-019

ACCEPTED

Public Project Pages

Context. As the product grew, the team needed a minimal approach to offline behavior without adding operational burden a single maintainer cannot hold.

Decision. Adopt public project pages as the default, and reconcile the import/export accordingly.

Consequence. The result is a minimal system; the trade-off is accepted because it keeps the attribution simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-012 · **Review:** quarterly

ADR-020

ACCEPTED

Keyboard-First Ux

Context. As the product grew, the team needed a fast approach to import/export without adding operational burden a single maintainer cannot hold.

Decision. Adopt keyboard-first UX as the default, and render the attribution accordingly.

Consequence. The result is a fast system; the trade-off is accepted because it keeps the previews simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-013 · **Review:** quarterly

ADR-021

ACCEPTED

Reduced-Motion Default

Context. As the product grew, the team needed a reliable approach to attribution without adding operational burden a single maintainer cannot hold.

Decision. Adopt reduced-motion default as the default, and persist the previews accordingly.

Consequence. The result is a reliable system; the trade-off is accepted because it keeps the filtering simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-014 · **Review:** quarterly

ADR-022

ACCEPTED

Server-Side Role Checks

Context. As the product grew, the team needed a reversible approach to previews without adding operational burden a single maintainer cannot hold.

Decision. Adopt server-side role checks as the default, and validate the filtering accordingly.

Consequence. The result is a reversible system; the trade-off is accepted because it keeps the data model simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-015 · **Review:** quarterly

ADR-023

ACCEPTED

Csv Exports

Context. As the product grew, the team needed a clear approach to filtering without adding operational burden a single maintainer cannot hold.

Decision. Adopt CSV exports as the default, and attribute the data model accordingly.

Consequence. The result is a clear system; the trade-off is accepted because it keeps the UI surface simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-016 · **Review:** quarterly

ADR-024

ACCEPTED

Lifecycle Storage Rules

Context. As the product grew, the team needed a quiet approach to data model without adding operational burden a single maintainer cannot hold.

Decision. Adopt lifecycle storage rules as the default, and group the UI surface accordingly.

Consequence. The result is a quiet system; the trade-off is accepted because it keeps the timeline events simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-017 · **Review:** quarterly

ADR-025

ACCEPTED

Edge Hosting

Context. As the product grew, the team needed a accessible approach to UI surface without adding operational burden a single maintainer cannot hold.

Decision. Adopt edge hosting as the default, and filter the timeline events accordingly.

Consequence. The result is a accessible system; the trade-off is accepted because it keeps the permissions simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-018 · **Review:** quarterly

ADR-026

ACCEPTED

Managed Postgres

Context. As the product grew, the team needed a predictable approach to timeline events without adding operational burden a single maintainer cannot hold.

Decision. Adopt managed Postgres as the default, and sync the permissions accordingly.

Consequence. The result is a predictable system; the trade-off is accepted because it keeps the performance simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-019 · **Review:** quarterly

ADR-027

ACCEPTED

Append-Only Events

Context. As the product grew, the team needed a scoped approach to permissions without adding operational burden a single maintainer cannot hold.

Decision. Adopt append-only events as the default, and cache the performance accordingly.

Consequence. The result is a scoped system; the trade-off is accepted because it keeps the empty states simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-020 · **Review:** quarterly

ADR-028

ACCEPTED

Object Storage

Context. As the product grew, the team needed a auditable approach to performance without adding operational burden a single maintainer cannot hold.

Decision. Adopt object storage as the default, and index the empty states accordingly.

Consequence. The result is a auditable system; the trade-off is accepted because it keeps the error handling simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-021 · **Review:** quarterly

ADR-029

ACCEPTED

Native Git

Context. As the product grew, the team needed a minimal approach to empty states without adding operational burden a single maintainer cannot hold.

Decision. Adopt native git as the default, and gate the error handling accordingly.

Consequence. The result is a minimal system; the trade-off is accepted because it keeps the keyboard flow simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-022 · **Review:** quarterly

ADR-030

ACCEPTED

Postgres Fts First

Context. As the product grew, the team needed a fast approach to error handling without adding operational burden a single maintainer cannot hold.

Decision. Adopt Postgres FTS first as the default, and stream the keyboard flow accordingly.

Consequence. The result is a fast system; the trade-off is accepted because it keeps the mobile layout simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-023 · **Review:** quarterly

ADR-031

ACCEPTED

Free-Tier Auth

Context. As the product grew, the team needed a reliable approach to keyboard flow without adding operational burden a single maintainer cannot hold.

Decision. Adopt free-tier auth as the default, and restore the mobile layout accordingly.

Consequence. The result is a reliable system; the trade-off is accepted because it keeps the accessibility simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-024 · **Review:** quarterly

ADR-032

ACCEPTED

Privacy-First Analytics

Context. As the product grew, the team needed a reversible approach to mobile layout without adding operational burden a single maintainer cannot hold.

Decision. Adopt privacy-first analytics as the default, and export the accessibility accordingly.

Consequence. The result is a reversible system; the trade-off is accepted because it keeps the onboarding simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-025 · **Review:** quarterly

ADR-033

ACCEPTED

Markdown Docs

Context. As the product grew, the team needed a clear approach to accessibility without adding operational burden a single maintainer cannot hold.

Decision. Adopt markdown docs as the default, and preview the onboarding accordingly.

Consequence. The result is a clear system; the trade-off is accepted because it keeps the sharing simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-026 · **Review:** quarterly

ADR-034

ACCEPTED

Three-Role Model

Context. As the product grew, the team needed a quiet approach to onboarding without adding operational burden a single maintainer cannot hold.

Decision. Adopt three-role model as the default, and resolve the sharing accordingly.

Consequence. The result is a quiet system; the trade-off is accepted because it keeps the notifications simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-027 · **Review:** quarterly

ADR-035

ACCEPTED

No Microservices

Context. As the product grew, the team needed a accessible approach to sharing without adding operational burden a single maintainer cannot hold.

Decision. Adopt no microservices as the default, and emit the notifications accordingly.

Consequence. The result is a accessible system; the trade-off is accepted because it keeps the search indexing simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-028 · **Review:** quarterly

ADR-036

ACCEPTED

No Payment-On-Day-One

Context. As the product grew, the team needed a predictable approach to notifications without adding operational burden a single maintainer cannot hold.

Decision. Adopt no payment-on-day-one as the default, and throttle the search indexing accordingly.

Consequence. The result is a predictable system; the trade-off is accepted because it keeps the storage simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-029 · **Review:** quarterly

ADR-037

ACCEPTED

Grouped Timeline Entries

Context. As the product grew, the team needed a scoped approach to search indexing without adding operational burden a single maintainer cannot hold.

Decision. Adopt grouped timeline entries as the default, and paginate the storage accordingly.

Consequence. The result is a scoped system; the trade-off is accepted because it keeps the versioning simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-030 · **Review:** quarterly

ADR-038

ACCEPTED

Permalink Moments

Context. As the product grew, the team needed a auditable approach to storage without adding operational burden a single maintainer cannot hold.

Decision. Adopt permalink moments as the default, and debounce the versioning accordingly.

Consequence. The result is a auditable system; the trade-off is accepted because it keeps the API surface simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-031 · **Review:** quarterly

ADR-039

ACCEPTED

Export-Only Invoicing

Context. As the product grew, the team needed a minimal approach to versioning without adding operational burden a single maintainer cannot hold.

Decision. Adopt export-only invoicing as the default, and reconcile the API surface accordingly.

Consequence. The result is a minimal system; the trade-off is accepted because it keeps the webhooks simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-032 · **Review:** quarterly

ADR-040

ACCEPTED

Read-Only Repo Mirror

Context. As the product grew, the team needed a fast approach to API surface without adding operational burden a single maintainer cannot hold.

Decision. Adopt read-only repo mirror as the default, and render the webhooks accordingly.

Consequence. The result is a fast system; the trade-off is accepted because it keeps the billing gate simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-033 · **Review:** quarterly

ADR-041

ACCEPTED

Webhook Payloads

Context. As the product grew, the team needed a reliable approach to webhooks without adding operational burden a single maintainer cannot hold.

Decision. Adopt webhook payloads as the default, and persist the billing gate accordingly.

Consequence. The result is a reliable system; the trade-off is accepted because it keeps the offline behavior simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-034 · **Review:** quarterly

ADR-042

ACCEPTED

Template Gallery

Context. As the product grew, the team needed a reversible approach to billing gate without adding operational burden a single maintainer cannot hold.

Decision. Adopt template gallery as the default, and validate the offline behavior accordingly.

Consequence. The result is a reversible system; the trade-off is accepted because it keeps the import/export simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-035 · **Review:** quarterly

ADR-043

ACCEPTED

Public Project Pages

Context. As the product grew, the team needed a clear approach to offline behavior without adding operational burden a single maintainer cannot hold.

Decision. Adopt public project pages as the default, and attribute the import/export accordingly.

Consequence. The result is a clear system; the trade-off is accepted because it keeps the attribution simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-036 · **Review:** quarterly

ADR-044

ACCEPTED

Keyboard-First Ux

Context. As the product grew, the team needed a quiet approach to import/export without adding operational burden a single maintainer cannot hold.

Decision. Adopt keyboard-first UX as the default, and group the attribution accordingly.

Consequence. The result is a quiet system; the trade-off is accepted because it keeps the previews simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-037 · **Review:** quarterly

ADR-045

ACCEPTED

Reduced-Motion Default

Context. As the product grew, the team needed a accessible approach to attribution without adding operational burden a single maintainer cannot hold.

Decision. Adopt reduced-motion default as the default, and filter the previews accordingly.

Consequence. The result is a accessible system; the trade-off is accepted because it keeps the filtering simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-038 · **Review:** quarterly

ADR-046

ACCEPTED

Server-Side Role Checks

Context. As the product grew, the team needed a predictable approach to previews without adding operational burden a single maintainer cannot hold.

Decision. Adopt server-side role checks as the default, and sync the filtering accordingly.

Consequence. The result is a predictable system; the trade-off is accepted because it keeps the data model simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-039 · **Review:** quarterly

ADR-047

ACCEPTED

Csv Exports

Context. As the product grew, the team needed a scoped approach to filtering without adding operational burden a single maintainer cannot hold.

Decision. Adopt CSV exports as the default, and cache the data model accordingly.

Consequence. The result is a scoped system; the trade-off is accepted because it keeps the UI surface simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-040 · **Review:** quarterly

ADR-048

ACCEPTED

Lifecycle Storage Rules

Context. As the product grew, the team needed a auditable approach to data model without adding operational burden a single maintainer cannot hold.

Decision. Adopt lifecycle storage rules as the default, and index the UI surface accordingly.

Consequence. The result is a auditable system; the trade-off is accepted because it keeps the timeline events simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-041 · **Review:** quarterly

ADR-049

ACCEPTED

Edge Hosting

Context. As the product grew, the team needed a minimal approach to UI surface without adding operational burden a single maintainer cannot hold.

Decision. Adopt edge hosting as the default, and gate the timeline events accordingly.

Consequence. The result is a minimal system; the trade-off is accepted because it keeps the permissions simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-042 · **Review:** quarterly

ADR-050

ACCEPTED

Managed Postgres

Context. As the product grew, the team needed a fast approach to timeline events without adding operational burden a single maintainer cannot hold.

Decision. Adopt managed Postgres as the default, and stream the permissions accordingly.

Consequence. The result is a fast system; the trade-off is accepted because it keeps the performance simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-043 · **Review:** quarterly

ADR-051

ACCEPTED

Append-Only Events

Context. As the product grew, the team needed a reliable approach to permissions without adding operational burden a single maintainer cannot hold.

Decision. Adopt append-only events as the default, and restore the performance accordingly.

Consequence. The result is a reliable system; the trade-off is accepted because it keeps the empty states simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-044 · **Review:** quarterly

ADR-052

ACCEPTED

Object Storage

Context. As the product grew, the team needed a reversible approach to performance without adding operational burden a single maintainer cannot hold.

Decision. Adopt object storage as the default, and export the empty states accordingly.

Consequence. The result is a reversible system; the trade-off is accepted because it keeps the error handling simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-045 · **Review:** quarterly

ADR-053

ACCEPTED

Native Git

Context. As the product grew, the team needed a clear approach to empty states without adding operational burden a single maintainer cannot hold.

Decision. Adopt native git as the default, and preview the error handling accordingly.

Consequence. The result is a clear system; the trade-off is accepted because it keeps the keyboard flow simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-046 · **Review:** quarterly

ADR-054

ACCEPTED

Postgres Fts First

Context. As the product grew, the team needed a quiet approach to error handling without adding operational burden a single maintainer cannot hold.

Decision. Adopt Postgres FTS first as the default, and resolve the keyboard flow accordingly.

Consequence. The result is a quiet system; the trade-off is accepted because it keeps the mobile layout simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-047 · **Review:** quarterly

ADR-055

ACCEPTED

Free-Tier Auth

Context. As the product grew, the team needed a accessible approach to keyboard flow without adding operational burden a single maintainer cannot hold.

Decision. Adopt free-tier auth as the default, and emit the mobile layout accordingly.

Consequence. The result is a accessible system; the trade-off is accepted because it keeps the accessibility simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-048 · **Review:** quarterly

ADR-056

ACCEPTED

Privacy-First Analytics

Context. As the product grew, the team needed a predictable approach to mobile layout without adding operational burden a single maintainer cannot hold.

Decision. Adopt privacy-first analytics as the default, and throttle the accessibility accordingly.

Consequence. The result is a predictable system; the trade-off is accepted because it keeps the onboarding simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-049 · **Review:** quarterly

ADR-057

ACCEPTED

Markdown Docs

Context. As the product grew, the team needed a scoped approach to accessibility without adding operational burden a single maintainer cannot hold.

Decision. Adopt markdown docs as the default, and paginate the onboarding accordingly.

Consequence. The result is a scoped system; the trade-off is accepted because it keeps the sharing simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-050 · **Review:** quarterly

ADR-058

ACCEPTED

Three-Role Model

Context. As the product grew, the team needed a auditable approach to onboarding without adding operational burden a single maintainer cannot hold.

Decision. Adopt three-role model as the default, and debounce the sharing accordingly.

Consequence. The result is a auditable system; the trade-off is accepted because it keeps the notifications simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-051 · **Review:** quarterly

ADR-059

ACCEPTED

No Microservices

Context. As the product grew, the team needed a minimal approach to sharing without adding operational burden a single maintainer cannot hold.

Decision. Adopt no microservices as the default, and reconcile the notifications accordingly.

Consequence. The result is a minimal system; the trade-off is accepted because it keeps the search indexing simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-052 · **Review:** quarterly

ADR-060

ACCEPTED

No Payment-On-Day-One

Context. As the product grew, the team needed a fast approach to notifications without adding operational burden a single maintainer cannot hold.

Decision. Adopt no payment-on-day-one as the default, and render the search indexing accordingly.

Consequence. The result is a fast system; the trade-off is accepted because it keeps the storage simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-053 · **Review:** quarterly

ADR-061

ACCEPTED

Grouped Timeline Entries

Context. As the product grew, the team needed a reliable approach to search indexing without adding operational burden a single maintainer cannot hold.

Decision. Adopt grouped timeline entries as the default, and persist the storage accordingly.

Consequence. The result is a reliable system; the trade-off is accepted because it keeps the versioning simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-054 · **Review:** quarterly

ADR-062

ACCEPTED

Permalink Moments

Context. As the product grew, the team needed a reversible approach to storage without adding operational burden a single maintainer cannot hold.

Decision. Adopt permalink moments as the default, and validate the versioning accordingly.

Consequence. The result is a reversible system; the trade-off is accepted because it keeps the API surface simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-055 · **Review:** quarterly

ADR-063

ACCEPTED

Export-Only Invoicing

Context. As the product grew, the team needed a clear approach to versioning without adding operational burden a single maintainer cannot hold.

Decision. Adopt export-only invoicing as the default, and attribute the API surface accordingly.

Consequence. The result is a clear system; the trade-off is accepted because it keeps the webhooks simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-056 · **Review:** quarterly

ADR-064

ACCEPTED

Read-Only Repo Mirror

Context. As the product grew, the team needed a quiet approach to API surface without adding operational burden a single maintainer cannot hold.

Decision. Adopt read-only repo mirror as the default, and group the webhooks accordingly.

Consequence. The result is a quiet system; the trade-off is accepted because it keeps the billing gate simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-057 · **Review:** quarterly

ADR-065

ACCEPTED

Webhook Payloads

Context. As the product grew, the team needed a accessible approach to webhooks without adding operational burden a single maintainer cannot hold.

Decision. Adopt webhook payloads as the default, and filter the billing gate accordingly.

Consequence. The result is a accessible system; the trade-off is accepted because it keeps the offline behavior simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-058 · **Review:** quarterly

ADR-066

ACCEPTED

Template Gallery

Context. As the product grew, the team needed a predictable approach to billing gate without adding operational burden a single maintainer cannot hold.

Decision. Adopt template gallery as the default, and sync the offline behavior accordingly.

Consequence. The result is a predictable system; the trade-off is accepted because it keeps the import/export simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-059 · **Review:** quarterly

ADR-067

ACCEPTED

Public Project Pages

Context. As the product grew, the team needed a scoped approach to offline behavior without adding operational burden a single maintainer cannot hold.

Decision. Adopt public project pages as the default, and cache the import/export accordingly.

Consequence. The result is a scoped system; the trade-off is accepted because it keeps the attribution simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-060 · **Review:** quarterly

ADR-068

ACCEPTED

Keyboard-First Ux

Context. As the product grew, the team needed a auditable approach to import/export without adding operational burden a single maintainer cannot hold.

Decision. Adopt keyboard-first UX as the default, and index the attribution accordingly.

Consequence. The result is a auditable system; the trade-off is accepted because it keeps the previews simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-061 · **Review:** quarterly

ADR-069

ACCEPTED

Reduced-Motion Default

Context. As the product grew, the team needed a minimal approach to attribution without adding operational burden a single maintainer cannot hold.

Decision. Adopt reduced-motion default as the default, and gate the previews accordingly.

Consequence. The result is a minimal system; the trade-off is accepted because it keeps the filtering simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-062 · **Review:** quarterly

ADR-070

ACCEPTED

Server-Side Role Checks

Context. As the product grew, the team needed a fast approach to previews without adding operational burden a single maintainer cannot hold.

Decision. Adopt server-side role checks as the default, and stream the filtering accordingly.

Consequence. The result is a fast system; the trade-off is accepted because it keeps the data model simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-063 · **Review:** quarterly

ADR-071

ACCEPTED

Csv Exports

Context. As the product grew, the team needed a reliable approach to filtering without adding operational burden a single maintainer cannot hold.

Decision. Adopt CSV exports as the default, and restore the data model accordingly.

Consequence. The result is a reliable system; the trade-off is accepted because it keeps the UI surface simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-064 · **Review:** quarterly

ADR-072

ACCEPTED

Lifecycle Storage Rules

Context. As the product grew, the team needed a reversible approach to data model without adding operational burden a single maintainer cannot hold.

Decision. Adopt lifecycle storage rules as the default, and export the UI surface accordingly.

Consequence. The result is a reversible system; the trade-off is accepted because it keeps the timeline events simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-065 · **Review:** quarterly

ADR-073

ACCEPTED

Edge Hosting

Context. As the product grew, the team needed a clear approach to UI surface without adding operational burden a single maintainer cannot hold.

Decision. Adopt edge hosting as the default, and preview the timeline events accordingly.

Consequence. The result is a clear system; the trade-off is accepted because it keeps the permissions simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-066 · **Review:** quarterly

ADR-074

ACCEPTED

Managed Postgres

Context. As the product grew, the team needed a quiet approach to timeline events without adding operational burden a single maintainer cannot hold.

Decision. Adopt managed Postgres as the default, and resolve the permissions accordingly.

Consequence. The result is a quiet system; the trade-off is accepted because it keeps the performance simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-067 · **Review:** quarterly

ADR-075

ACCEPTED

Append-Only Events

Context. As the product grew, the team needed a accessible approach to permissions without adding operational burden a single maintainer cannot hold.

Decision. Adopt append-only events as the default, and emit the performance accordingly.

Consequence. The result is a accessible system; the trade-off is accepted because it keeps the empty states simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-068 · **Review:** quarterly

ADR-076

ACCEPTED

Object Storage

Context. As the product grew, the team needed a predictable approach to performance without adding operational burden a single maintainer cannot hold.

Decision. Adopt object storage as the default, and throttle the empty states accordingly.

Consequence. The result is a predictable system; the trade-off is accepted because it keeps the error handling simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-069 · **Review:** quarterly

ADR-077

ACCEPTED

Native Git

Context. As the product grew, the team needed a scoped approach to empty states without adding operational burden a single maintainer cannot hold.

Decision. Adopt native git as the default, and paginate the error handling accordingly.

Consequence. The result is a scoped system; the trade-off is accepted because it keeps the keyboard flow simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-070 · **Review:** quarterly

ADR-078

ACCEPTED

Postgres Fts First

Context. As the product grew, the team needed a auditable approach to error handling without adding operational burden a single maintainer cannot hold.

Decision. Adopt Postgres FTS first as the default, and debounce the keyboard flow accordingly.

Consequence. The result is a auditable system; the trade-off is accepted because it keeps the mobile layout simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-071 · **Review:** quarterly

ADR-079

ACCEPTED

Free-Tier Auth

Context. As the product grew, the team needed a minimal approach to keyboard flow without adding operational burden a single maintainer cannot hold.

Decision. Adopt free-tier auth as the default, and reconcile the mobile layout accordingly.

Consequence. The result is a minimal system; the trade-off is accepted because it keeps the accessibility simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-072 · **Review:** quarterly

ADR-080

ACCEPTED

Privacy-First Analytics

Context. As the product grew, the team needed a fast approach to mobile layout without adding operational burden a single maintainer cannot hold.

Decision. Adopt privacy-first analytics as the default, and render the accessibility accordingly.

Consequence. The result is a fast system; the trade-off is accepted because it keeps the onboarding simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-073 · **Review:** quarterly

ADR-081

ACCEPTED

Markdown Docs

Context. As the product grew, the team needed a reliable approach to accessibility without adding operational burden a single maintainer cannot hold.

Decision. Adopt markdown docs as the default, and persist the onboarding accordingly.

Consequence. The result is a reliable system; the trade-off is accepted because it keeps the sharing simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-074 · **Review:** quarterly

ADR-082

ACCEPTED

Three-Role Model

Context. As the product grew, the team needed a reversible approach to onboarding without adding operational burden a single maintainer cannot hold.

Decision. Adopt three-role model as the default, and validate the sharing accordingly.

Consequence. The result is a reversible system; the trade-off is accepted because it keeps the notifications simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-075 · **Review:** quarterly

ADR-083

ACCEPTED

No Microservices

Context. As the product grew, the team needed a clear approach to sharing without adding operational burden a single maintainer cannot hold.

Decision. Adopt no microservices as the default, and attribute the notifications accordingly.

Consequence. The result is a clear system; the trade-off is accepted because it keeps the search indexing simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-076 · **Review:** quarterly

ADR-084

ACCEPTED

No Payment-On-Day-One

Context. As the product grew, the team needed a quiet approach to notifications without adding operational burden a single maintainer cannot hold.

Decision. Adopt no payment-on-day-one as the default, and group the search indexing accordingly.

Consequence. The result is a quiet system; the trade-off is accepted because it keeps the storage simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-077 · **Review:** quarterly

ADR-085

ACCEPTED

Grouped Timeline Entries

Context. As the product grew, the team needed a accessible approach to search indexing without adding operational burden a single maintainer cannot hold.

Decision. Adopt grouped timeline entries as the default, and filter the storage accordingly.

Consequence. The result is a accessible system; the trade-off is accepted because it keeps the versioning simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-078 · **Review:** quarterly

ADR-086

ACCEPTED

Permalink Moments

Context. As the product grew, the team needed a predictable approach to storage without adding operational burden a single maintainer cannot hold.

Decision. Adopt permalink moments as the default, and sync the versioning accordingly.

Consequence. The result is a predictable system; the trade-off is accepted because it keeps the API surface simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-079 · **Review:** quarterly

ADR-087

ACCEPTED

Export-Only Invoicing

Context. As the product grew, the team needed a scoped approach to versioning without adding operational burden a single maintainer cannot hold.

Decision. Adopt export-only invoicing as the default, and cache the API surface accordingly.

Consequence. The result is a scoped system; the trade-off is accepted because it keeps the webhooks simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-080 · **Review:** quarterly

ADR-088

ACCEPTED

Read-Only Repo Mirror

Context. As the product grew, the team needed a auditable approach to API surface without adding operational burden a single maintainer cannot hold.

Decision. Adopt read-only repo mirror as the default, and index the webhooks accordingly.

Consequence. The result is a auditable system; the trade-off is accepted because it keeps the billing gate simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-081 · **Review:** quarterly

ADR-089

ACCEPTED

Webhook Payloads

Context. As the product grew, the team needed a minimal approach to webhooks without adding operational burden a single maintainer cannot hold.

Decision. Adopt webhook payloads as the default, and gate the billing gate accordingly.

Consequence. The result is a minimal system; the trade-off is accepted because it keeps the offline behavior simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-082 · **Review:** quarterly

ADR-090

ACCEPTED

Template Gallery

Context. As the product grew, the team needed a fast approach to billing gate without adding operational burden a single maintainer cannot hold.

Decision. Adopt template gallery as the default, and stream the offline behavior accordingly.

Consequence. The result is a fast system; the trade-off is accepted because it keeps the import/export simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-083 · **Review:** quarterly

ADR-091

ACCEPTED

Public Project Pages

Context. As the product grew, the team needed a reliable approach to offline behavior without adding operational burden a single maintainer cannot hold.

Decision. Adopt public project pages as the default, and restore the import/export accordingly.

Consequence. The result is a reliable system; the trade-off is accepted because it keeps the attribution simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-084 · **Review:** quarterly

ADR-092

ACCEPTED

Keyboard-First Ux

Context. As the product grew, the team needed a reversible approach to import/export without adding operational burden a single maintainer cannot hold.

Decision. Adopt keyboard-first UX as the default, and export the attribution accordingly.

Consequence. The result is a reversible system; the trade-off is accepted because it keeps the previews simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-085 · **Review:** quarterly

ADR-093

ACCEPTED

Reduced-Motion Default

Context. As the product grew, the team needed a clear approach to attribution without adding operational burden a single maintainer cannot hold.

Decision. Adopt reduced-motion default as the default, and preview the previews accordingly.

Consequence. The result is a clear system; the trade-off is accepted because it keeps the filtering simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-086 · **Review:** quarterly

ADR-094

ACCEPTED

Server-Side Role Checks

Context. As the product grew, the team needed a quiet approach to previews without adding operational burden a single maintainer cannot hold.

Decision. Adopt server-side role checks as the default, and resolve the filtering accordingly.

Consequence. The result is a quiet system; the trade-off is accepted because it keeps the data model simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-087 · **Review:** quarterly

ADR-095

ACCEPTED

Csv Exports

Context. As the product grew, the team needed a accessible approach to filtering without adding operational burden a single maintainer cannot hold.

Decision. Adopt CSV exports as the default, and emit the data model accordingly.

Consequence. The result is a accessible system; the trade-off is accepted because it keeps the UI surface simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-088 · **Review:** quarterly

ADR-096

ACCEPTED

Lifecycle Storage Rules

Context. As the product grew, the team needed a predictable approach to data model without adding operational burden a single maintainer cannot hold.

Decision. Adopt lifecycle storage rules as the default, and throttle the UI surface accordingly.

Consequence. The result is a predictable system; the trade-off is accepted because it keeps the timeline events simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-089 · **Review:** quarterly

ADR-097

ACCEPTED

Edge Hosting

Context. As the product grew, the team needed a scoped approach to UI surface without adding operational burden a single maintainer cannot hold.

Decision. Adopt edge hosting as the default, and paginate the timeline events accordingly.

Consequence. The result is a scoped system; the trade-off is accepted because it keeps the permissions simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-090 · **Review:** quarterly

ADR-098

ACCEPTED

Managed Postgres

Context. As the product grew, the team needed a auditable approach to timeline events without adding operational burden a single maintainer cannot hold.

Decision. Adopt managed Postgres as the default, and debounce the permissions accordingly.

Consequence. The result is a auditable system; the trade-off is accepted because it keeps the performance simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-091 · **Review:** quarterly

ADR-099

ACCEPTED

Append-Only Events

Context. As the product grew, the team needed a minimal approach to permissions without adding operational burden a single maintainer cannot hold.

Decision. Adopt append-only events as the default, and reconcile the performance accordingly.

Consequence. The result is a minimal system; the trade-off is accepted because it keeps the empty states simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-092 · **Review:** quarterly

ADR-100

ACCEPTED

Object Storage

Context. As the product grew, the team needed a fast approach to performance without adding operational burden a single maintainer cannot hold.

Decision. Adopt object storage as the default, and render the empty states accordingly.

Consequence. The result is a fast system; the trade-off is accepted because it keeps the error handling simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-093 · **Review:** quarterly

ADR-101

ACCEPTED

Native Git

Context. As the product grew, the team needed a reliable approach to empty states without adding operational burden a single maintainer cannot hold.

Decision. Adopt native git as the default, and persist the error handling accordingly.

Consequence. The result is a reliable system; the trade-off is accepted because it keeps the keyboard flow simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-094 · **Review:** quarterly

ADR-102

ACCEPTED

Postgres Fts First

Context. As the product grew, the team needed a reversible approach to error handling without adding operational burden a single maintainer cannot hold.

Decision. Adopt Postgres FTS first as the default, and validate the keyboard flow accordingly.

Consequence. The result is a reversible system; the trade-off is accepted because it keeps the mobile layout simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-095 · **Review:** quarterly

ADR-103

ACCEPTED

Free-Tier Auth

Context. As the product grew, the team needed a clear approach to keyboard flow without adding operational burden a single maintainer cannot hold.

Decision. Adopt free-tier auth as the default, and attribute the mobile layout accordingly.

Consequence. The result is a clear system; the trade-off is accepted because it keeps the accessibility simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-096 · **Review:** quarterly

ADR-104

ACCEPTED

Privacy-First Analytics

Context. As the product grew, the team needed a quiet approach to mobile layout without adding operational burden a single maintainer cannot hold.

Decision. Adopt privacy-first analytics as the default, and group the accessibility accordingly.

Consequence. The result is a quiet system; the trade-off is accepted because it keeps the onboarding simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-097 · **Review:** quarterly

ADR-105

ACCEPTED

Markdown Docs

Context. As the product grew, the team needed a accessible approach to accessibility without adding operational burden a single maintainer cannot hold.

Decision. Adopt markdown docs as the default, and filter the onboarding accordingly.

Consequence. The result is a accessible system; the trade-off is accepted because it keeps the sharing simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-098 · **Review:** quarterly

ADR-106

ACCEPTED

Three-Role Model

Context. As the product grew, the team needed a predictable approach to onboarding without adding operational burden a single maintainer cannot hold.

Decision. Adopt three-role model as the default, and sync the sharing accordingly.

Consequence. The result is a predictable system; the trade-off is accepted because it keeps the notifications simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-099 · **Review:** quarterly

ADR-107

ACCEPTED

No Microservices

Context. As the product grew, the team needed a scoped approach to sharing without adding operational burden a single maintainer cannot hold.

Decision. Adopt no microservices as the default, and cache the notifications accordingly.

Consequence. The result is a scoped system; the trade-off is accepted because it keeps the search indexing simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-100 · **Review:** quarterly

ADR-108

ACCEPTED

No Payment-On-Day-One

Context. As the product grew, the team needed a auditable approach to notifications without adding operational burden a single maintainer cannot hold.

Decision. Adopt no payment-on-day-one as the default, and index the search indexing accordingly.

Consequence. The result is a auditable system; the trade-off is accepted because it keeps the storage simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-101 · **Review:** quarterly

ADR-109

ACCEPTED

Grouped Timeline Entries

Context. As the product grew, the team needed a minimal approach to search indexing without adding operational burden a single maintainer cannot hold.

Decision. Adopt grouped timeline entries as the default, and gate the storage accordingly.

Consequence. The result is a minimal system; the trade-off is accepted because it keeps the versioning simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-102 · **Review:** quarterly

ADR-110

ACCEPTED

Permalink Moments

Context. As the product grew, the team needed a fast approach to storage without adding operational burden a single maintainer cannot hold.

Decision. Adopt permalink moments as the default, and stream the versioning accordingly.

Consequence. The result is a fast system; the trade-off is accepted because it keeps the API surface simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-103 · **Review:** quarterly

ADR-111

ACCEPTED

Export-Only Invoicing

Context. As the product grew, the team needed a reliable approach to versioning without adding operational burden a single maintainer cannot hold.

Decision. Adopt export-only invoicing as the default, and restore the API surface accordingly.

Consequence. The result is a reliable system; the trade-off is accepted because it keeps the webhooks simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-104 · **Review:** quarterly

ADR-112

ACCEPTED

Read-Only Repo Mirror

Context. As the product grew, the team needed a reversible approach to API surface without adding operational burden a single maintainer cannot hold.

Decision. Adopt read-only repo mirror as the default, and export the webhooks accordingly.

Consequence. The result is a reversible system; the trade-off is accepted because it keeps the billing gate simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-105 · **Review:** quarterly

ADR-113

ACCEPTED

Webhook Payloads

Context. As the product grew, the team needed a clear approach to webhooks without adding operational burden a single maintainer cannot hold.

Decision. Adopt webhook payloads as the default, and preview the billing gate accordingly.

Consequence. The result is a clear system; the trade-off is accepted because it keeps the offline behavior simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-106 · **Review:** quarterly

ADR-114

ACCEPTED

Template Gallery

Context. As the product grew, the team needed a quiet approach to billing gate without adding operational burden a single maintainer cannot hold.

Decision. Adopt template gallery as the default, and resolve the offline behavior accordingly.

Consequence. The result is a quiet system; the trade-off is accepted because it keeps the import/export simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-107 · **Review:** quarterly

ADR-115

ACCEPTED

Public Project Pages

Context. As the product grew, the team needed a accessible approach to offline behavior without adding operational burden a single maintainer cannot hold.

Decision. Adopt public project pages as the default, and emit the import/export accordingly.

Consequence. The result is a accessible system; the trade-off is accepted because it keeps the attribution simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-108 · **Review:** quarterly

ADR-116

ACCEPTED

Keyboard-First Ux

Context. As the product grew, the team needed a predictable approach to import/export without adding operational burden a single maintainer cannot hold.

Decision. Adopt keyboard-first UX as the default, and throttle the attribution accordingly.

Consequence. The result is a predictable system; the trade-off is accepted because it keeps the previews simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-109 · **Review:** quarterly

ADR-117

ACCEPTED

Reduced-Motion Default

Context. As the product grew, the team needed a scoped approach to attribution without adding operational burden a single maintainer cannot hold.

Decision. Adopt reduced-motion default as the default, and paginate the previews accordingly.

Consequence. The result is a scoped system; the trade-off is accepted because it keeps the filtering simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-110 · **Review:** quarterly

ADR-118

ACCEPTED

Server-Side Role Checks

Context. As the product grew, the team needed a auditable approach to previews without adding operational burden a single maintainer cannot hold.

Decision. Adopt server-side role checks as the default, and debounce the filtering accordingly.

Consequence. The result is a auditable system; the trade-off is accepted because it keeps the data model simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-111 · **Review:** quarterly

ADR-119

ACCEPTED

Csv Exports

Context. As the product grew, the team needed a minimal approach to filtering without adding operational burden a single maintainer cannot hold.

Decision. Adopt CSV exports as the default, and reconcile the data model accordingly.

Consequence. The result is a minimal system; the trade-off is accepted because it keeps the UI surface simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-112 · **Review:** quarterly

ADR-120

ACCEPTED

Lifecycle Storage Rules

Context. As the product grew, the team needed a fast approach to data model without adding operational burden a single maintainer cannot hold.

Decision. Adopt lifecycle storage rules as the default, and render the UI surface accordingly.

Consequence. The result is a fast system; the trade-off is accepted because it keeps the timeline events simple and the cost deferred behind revenue.

Status: accepted · **Supersedes:** ADR-113 · **Review:** quarterly

§25 / QA

QA & test matrix

Test cases mapped to requirements: steps, expected result, and type. The bar a module clears before it ships.

25.01 Projects — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-01-001	FR-01-001	Persist a UI surface as editor	Reliable; event on timeline	integration
TC-01-002	FR-01-002	Validate a timeline events as viewer	Reversible; event on timeline	e2e
TC-01-003	FR-01-003	Attribute a permissions as guest	Clear; event on timeline	manual
TC-01-004	FR-01-004	Group a performance as owner	Quiet; event on timeline	unit
TC-01-005	FR-01-005	Filter a empty states as editor	Accessible; event on timeline	integration
TC-01-006	FR-01-006	Sync a error handling as viewer	Predictable; event on timeline	e2e
TC-01-007	FR-01-007	Cache a keyboard flow as guest	Scoped; event on timeline	manual
TC-01-008	FR-01-008	Index a mobile layout as owner	Auditable; event on timeline	unit
TC-01-009	FR-01-009	Gate a accessibility as editor	Minimal; event on timeline	integration

25.01 Projects — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-01-010	FR-01-010	Stream a onboarding as viewer	Fast; event on timeline	e2e
TC-01-011	FR-01-011	Restore a sharing as guest	Reliable; event on timeline	manual
TC-01-012	FR-01-012	Export a notifications as owner	Reversible; event on timeline	unit
TC-01-013	FR-01-013	Preview a search indexing as editor	Clear; event on timeline	integration
TC-01-014	FR-01-014	Resolve a storage as viewer	Quiet; event on timeline	e2e
TC-01-015	FR-01-015	Emit a versioning as guest	Accessible; event on timeline	manual
TC-01-016	FR-01-016	Throttle a API surface as owner	Predictable; event on timeline	unit
TC-01-017	FR-01-017	Paginate a webhooks as editor	Scoped; event on timeline	integration
TC-01-018	FR-01-018	Debounce a billing gate as viewer	Auditable; event on timeline	e2e

25.01 Projects — test cases (cont.)

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-01-019	FR-01-019	Reconcile a offline behavior as guest	Minimal; event on timeline	manual
TC-01-020	FR-01-020	Render a import/export as owner	Fast; event on timeline	unit
TC-01-021	FR-01-021	Persist a attribution as editor	Reliable; event on timeline	integration
TC-01-022	FR-01-022	Validate a previews as viewer	Reversible; event on timeline	e2e
TC-01-023	FR-01-023	Attribute a filtering as guest	Clear; event on timeline	manual
TC-01-024	FR-01-024	Group a data model as owner	Quiet; event on timeline	unit

25.02 Unified files — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-02-001	FR-02-001	Persist a timeline events as editor	Reliable; event on timeline	integration
TC-02-002	FR-02-002	Validate a permissions as viewer	Reversible; event on timeline	e2e
TC-02-003	FR-02-003	Attribute a performance as guest	Clear; event on timeline	manual
TC-02-004	FR-02-004	Group a empty states as owner	Quiet; event on timeline	unit
TC-02-005	FR-02-005	Filter a error handling as editor	Accessible; event on timeline	integration
TC-02-006	FR-02-006	Sync a keyboard flow as viewer	Predictable; event on timeline	e2e
TC-02-007	FR-02-007	Cache a mobile layout as guest	Scoped; event on timeline	manual
TC-02-008	FR-02-008	Index a accessibility as owner	Auditable; event on timeline	unit
TC-02-009	FR-02-009	Gate a onboarding as editor	Minimal; event on timeline	integration

25.02 Unified files — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-02-010	FR-02-010	Stream a sharing as viewer	Fast; event on timeline	e2e
TC-02-011	FR-02-011	Restore a notifications as guest	Reliable; event on timeline	manual
TC-02-012	FR-02-012	Export a search indexing as owner	Reversible; event on timeline	unit
TC-02-013	FR-02-013	Preview a storage as editor	Clear; event on timeline	integration
TC-02-014	FR-02-014	Resolve a versioning as viewer	Quiet; event on timeline	e2e
TC-02-015	FR-02-015	Emit a API surface as guest	Accessible; event on timeline	manual
TC-02-016	FR-02-016	Throttle a webhooks as owner	Predictable; event on timeline	unit
TC-02-017	FR-02-017	Paginate a billing gate as editor	Scoped; event on timeline	integration
TC-02-018	FR-02-018	Debounce a offline behavior as viewer	Auditable; event on timeline	e2e

25.02 Unified files — test cases (cont.)

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-02-019	FR-02-019	Reconcile a import/export as guest	Minimal; event on timeline	manual
TC-02-020	FR-02-020	Render a attribution as owner	Fast; event on timeline	unit
TC-02-021	FR-02-021	Persist a previews as editor	Reliable; event on timeline	integration
TC-02-022	FR-02-022	Validate a filtering as viewer	Reversible; event on timeline	e2e
TC-02-023	FR-02-023	Attribute a data model as guest	Clear; event on timeline	manual
TC-02-024	FR-02-024	Group a UI surface as owner	Quiet; event on timeline	unit

25.03 Timeline — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-03-001	FR-03-001	Persist a permissions as editor	Reliable; event on timeline	integration
TC-03-002	FR-03-002	Validate a performance as viewer	Reversible; event on timeline	e2e
TC-03-003	FR-03-003	Attribute a empty states as guest	Clear; event on timeline	manual
TC-03-004	FR-03-004	Group a error handling as owner	Quiet; event on timeline	unit
TC-03-005	FR-03-005	Filter a keyboard flow as editor	Accessible; event on timeline	integration
TC-03-006	FR-03-006	Sync a mobile layout as viewer	Predictable; event on timeline	e2e
TC-03-007	FR-03-007	Cache a accessibility as guest	Scoped; event on timeline	manual
TC-03-008	FR-03-008	Index a onboarding as owner	Auditable; event on timeline	unit
TC-03-009	FR-03-009	Gate a sharing as editor	Minimal; event on timeline	integration

25.03 Timeline — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-03-010	FR-03-010	Stream a notifications as viewer	Fast; event on timeline	e2e
TC-03-011	FR-03-011	Restore a search indexing as guest	Reliable; event on timeline	manual
TC-03-012	FR-03-012	Export a storage as owner	Reversible; event on timeline	unit
TC-03-013	FR-03-013	Preview a versioning as editor	Clear; event on timeline	integration
TC-03-014	FR-03-014	Resolve a API surface as viewer	Quiet; event on timeline	e2e
TC-03-015	FR-03-015	Emit a webhooks as guest	Accessible; event on timeline	manual
TC-03-016	FR-03-016	Throttle a billing gate as owner	Predictable; event on timeline	unit
TC-03-017	FR-03-017	Paginate a offline behavior as editor	Scoped; event on timeline	integration
TC-03-018	FR-03-018	Debounce a import/export as viewer	Auditable; event on timeline	e2e

25.03 Timeline — test cases (cont.)

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-03-019	FR-03-019	Reconcile a attribution as guest	Minimal; event on timeline	manual
TC-03-020	FR-03-020	Render a previews as owner	Fast; event on timeline	unit
TC-03-021	FR-03-021	Persist a filtering as editor	Reliable; event on timeline	integration
TC-03-022	FR-03-022	Validate a data model as viewer	Reversible; event on timeline	e2e
TC-03-023	FR-03-023	Attribute a UI surface as guest	Clear; event on timeline	manual
TC-03-024	FR-03-024	Group a timeline events as owner	Quiet; event on timeline	unit

25.04 Code — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-04-001	FR-04-001	Persist a performance as editor	Reliable; event on timeline	integration
TC-04-002	FR-04-002	Validate a empty states as viewer	Reversible; event on timeline	e2e
TC-04-003	FR-04-003	Attribute a error handling as guest	Clear; event on timeline	manual
TC-04-004	FR-04-004	Group a keyboard flow as owner	Quiet; event on timeline	unit
TC-04-005	FR-04-005	Filter a mobile layout as editor	Accessible; event on timeline	integration
TC-04-006	FR-04-006	Sync a accessibility as viewer	Predictable; event on timeline	e2e
TC-04-007	FR-04-007	Cache a onboarding as guest	Scoped; event on timeline	manual
TC-04-008	FR-04-008	Index a sharing as owner	Auditable; event on timeline	unit
TC-04-009	FR-04-009	Gate a notifications as editor	Minimal; event on timeline	integration

25.04 Code — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-04-010	FR-04-010	Stream a search indexing as viewer	Fast; event on timeline	e2e
TC-04-011	FR-04-011	Restore a storage as guest	Reliable; event on timeline	manual
TC-04-012	FR-04-012	Export a versioning as owner	Reversible; event on timeline	unit
TC-04-013	FR-04-013	Preview a API surface as editor	Clear; event on timeline	integration
TC-04-014	FR-04-014	Resolve a webhooks as viewer	Quiet; event on timeline	e2e
TC-04-015	FR-04-015	Emit a billing gate as guest	Accessible; event on timeline	manual
TC-04-016	FR-04-016	Throttle a offline behavior as owner	Predictable; event on timeline	unit
TC-04-017	FR-04-017	Paginate a import/export as editor	Scoped; event on timeline	integration
TC-04-018	FR-04-018	Debounce a attribution as viewer	Auditable; event on timeline	e2e

25.04 Code — test cases (cont.)

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-04-019	FR-04-019	Reconcile a previews as guest	Minimal; event on timeline	manual
TC-04-020	FR-04-020	Render a filtering as owner	Fast; event on timeline	unit
TC-04-021	FR-04-021	Persist a data model as editor	Reliable; event on timeline	integration
TC-04-022	FR-04-022	Validate a UI surface as viewer	Reversible; event on timeline	e2e
TC-04-023	FR-04-023	Attribute a timeline events as guest	Clear; event on timeline	manual
TC-04-024	FR-04-024	Group a permissions as owner	Quiet; event on timeline	unit

25.05 Tasks — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-05-001	FR-05-001	Persist a empty states as editor	Reliable; event on timeline	integration
TC-05-002	FR-05-002	Validate a error handling as viewer	Reversible; event on timeline	e2e
TC-05-003	FR-05-003	Attribute a keyboard flow as guest	Clear; event on timeline	manual
TC-05-004	FR-05-004	Group a mobile layout as owner	Quiet; event on timeline	unit
TC-05-005	FR-05-005	Filter a accessibility as editor	Accessible; event on timeline	integration
TC-05-006	FR-05-006	Sync a onboarding as viewer	Predictable; event on timeline	e2e
TC-05-007	FR-05-007	Cache a sharing as guest	Scoped; event on timeline	manual
TC-05-008	FR-05-008	Index a notifications as owner	Auditable; event on timeline	unit
TC-05-009	FR-05-009	Gate a search indexing as editor	Minimal; event on timeline	integration

25.05 Tasks — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-05-010	FR-05-010	Stream a storage as viewer	Fast; event on timeline	e2e
TC-05-011	FR-05-011	Restore a versioning as guest	Reliable; event on timeline	manual
TC-05-012	FR-05-012	Export a API surface as owner	Reversible; event on timeline	unit
TC-05-013	FR-05-013	Preview a webhooks as editor	Clear; event on timeline	integration
TC-05-014	FR-05-014	Resolve a billing gate as viewer	Quiet; event on timeline	e2e
TC-05-015	FR-05-015	Emit a offline behavior as guest	Accessible; event on timeline	manual
TC-05-016	FR-05-016	Throttle a import/export as owner	Predictable; event on timeline	unit
TC-05-017	FR-05-017	Paginate a attribution as editor	Scoped; event on timeline	integration
TC-05-018	FR-05-018	Debounce a previews as viewer	Auditable; event on timeline	e2e

25.05 Tasks — test cases (cont.)

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-05-019	FR-05-019	Reconcile a filtering as guest	Minimal; event on timeline	manual
TC-05-020	FR-05-020	Render a data model as owner	Fast; event on timeline	unit
TC-05-021	FR-05-021	Persist a UI surface as editor	Reliable; event on timeline	integration
TC-05-022	FR-05-022	Validate a timeline events as viewer	Reversible; event on timeline	e2e
TC-05-023	FR-05-023	Attribute a permissions as guest	Clear; event on timeline	manual
TC-05-024	FR-05-024	Group a performance as owner	Quiet; event on timeline	unit

25.06 Docs — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-06-001	FR-06-001	Persist a error handling as editor	Reliable; event on timeline	integration
TC-06-002	FR-06-002	Validate a keyboard flow as viewer	Reversible; event on timeline	e2e
TC-06-003	FR-06-003	Attribute a mobile layout as guest	Clear; event on timeline	manual
TC-06-004	FR-06-004	Group a accessibility as owner	Quiet; event on timeline	unit
TC-06-005	FR-06-005	Filter a onboarding as editor	Accessible; event on timeline	integration
TC-06-006	FR-06-006	Sync a sharing as viewer	Predictable; event on timeline	e2e
TC-06-007	FR-06-007	Cache a notifications as guest	Scoped; event on timeline	manual
TC-06-008	FR-06-008	Index a search indexing as owner	Auditable; event on timeline	unit
TC-06-009	FR-06-009	Gate a storage as editor	Minimal; event on timeline	integration

25.06 Docs — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-06-010	FR-06-010	Stream a versioning as viewer	Fast; event on timeline	e2e
TC-06-011	FR-06-011	Restore a API surface as guest	Reliable; event on timeline	manual
TC-06-012	FR-06-012	Export a webhooks as owner	Reversible; event on timeline	unit
TC-06-013	FR-06-013	Preview a billing gate as editor	Clear; event on timeline	integration
TC-06-014	FR-06-014	Resolve a offline behavior as viewer	Quiet; event on timeline	e2e
TC-06-015	FR-06-015	Emit a import/export as guest	Accessible; event on timeline	manual
TC-06-016	FR-06-016	Throttle a attribution as owner	Predictable; event on timeline	unit
TC-06-017	FR-06-017	Paginate a previews as editor	Scoped; event on timeline	integration
TC-06-018	FR-06-018	Debounce a filtering as viewer	Auditable; event on timeline	e2e

25.06 Docs — test cases (cont.)

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-06-019	FR-06-019	Reconcile a data model as guest	Minimal; event on timeline	manual
TC-06-020	FR-06-020	Render a UI surface as owner	Fast; event on timeline	unit
TC-06-021	FR-06-021	Persist a timeline events as editor	Reliable; event on timeline	integration
TC-06-022	FR-06-022	Validate a permissions as viewer	Reversible; event on timeline	e2e
TC-06-023	FR-06-023	Attribute a performance as guest	Clear; event on timeline	manual
TC-06-024	FR-06-024	Group a empty states as owner	Quiet; event on timeline	unit

25.07 Comments & feedback — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-07-001	FR-07-001	Persist a keyboard flow as editor	Reliable; event on timeline	integration
TC-07-002	FR-07-002	Validate a mobile layout as viewer	Reversible; event on timeline	e2e
TC-07-003	FR-07-003	Attribute a accessibility as guest	Clear; event on timeline	manual
TC-07-004	FR-07-004	Group a onboarding as owner	Quiet; event on timeline	unit
TC-07-005	FR-07-005	Filter a sharing as editor	Accessible; event on timeline	integration
TC-07-006	FR-07-006	Sync a notifications as viewer	Predictable; event on timeline	e2e
TC-07-007	FR-07-007	Cache a search indexing as guest	Scoped; event on timeline	manual
TC-07-008	FR-07-008	Index a storage as owner	Auditable; event on timeline	unit
TC-07-009	FR-07-009	Gate a versioning as editor	Minimal; event on timeline	integration

25.07 Comments & feedback — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-07-010	FR-07-010	Stream a API surface as viewer	Fast; event on timeline	e2e
TC-07-011	FR-07-011	Restore a webhooks as guest	Reliable; event on timeline	manual
TC-07-012	FR-07-012	Export a billing gate as owner	Reversible; event on timeline	unit
TC-07-013	FR-07-013	Preview a offline behavior as editor	Clear; event on timeline	integration
TC-07-014	FR-07-014	Resolve a import/export as viewer	Quiet; event on timeline	e2e
TC-07-015	FR-07-015	Emit a attribution as guest	Accessible; event on timeline	manual
TC-07-016	FR-07-016	Throttle a previews as owner	Predictable; event on timeline	unit
TC-07-017	FR-07-017	Paginate a filtering as editor	Scoped; event on timeline	integration
TC-07-018	FR-07-018	Debounce a data model as viewer	Auditable; event on timeline	e2e

25.07 Comments & feedback — test cases (cont.)

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-07-019	FR-07-019	Reconcile a UI surface as guest	Minimal; event on timeline	manual
TC-07-020	FR-07-020	Render a timeline events as owner	Fast; event on timeline	unit
TC-07-021	FR-07-021	Persist a permissions as editor	Reliable; event on timeline	integration
TC-07-022	FR-07-022	Validate a performance as viewer	Reversible; event on timeline	e2e
TC-07-023	FR-07-023	Attribute a empty states as guest	Clear; event on timeline	manual
TC-07-024	FR-07-024	Group a error handling as owner	Quiet; event on timeline	unit

25.08 People & roles — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-08-001	FR-08-001	Persist a mobile layout as editor	Reliable; event on timeline	integration
TC-08-002	FR-08-002	Validate a accessibility as viewer	Reversible; event on timeline	e2e
TC-08-003	FR-08-003	Attribute a onboarding as guest	Clear; event on timeline	manual
TC-08-004	FR-08-004	Group a sharing as owner	Quiet; event on timeline	unit
TC-08-005	FR-08-005	Filter a notifications as editor	Accessible; event on timeline	integration
TC-08-006	FR-08-006	Sync a search indexing as viewer	Predictable; event on timeline	e2e
TC-08-007	FR-08-007	Cache a storage as guest	Scoped; event on timeline	manual
TC-08-008	FR-08-008	Index a versioning as owner	Auditable; event on timeline	unit
TC-08-009	FR-08-009	Gate a API surface as editor	Minimal; event on timeline	integration

25.08 People & roles — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-08-010	FR-08-010	Stream a webhooks as viewer	Fast; event on timeline	e2e
TC-08-011	FR-08-011	Restore a billing gate as guest	Reliable; event on timeline	manual
TC-08-012	FR-08-012	Export a offline behavior as owner	Reversible; event on timeline	unit
TC-08-013	FR-08-013	Preview a import/export as editor	Clear; event on timeline	integration
TC-08-014	FR-08-014	Resolve a attribution as viewer	Quiet; event on timeline	e2e
TC-08-015	FR-08-015	Emit a previews as guest	Accessible; event on timeline	manual
TC-08-016	FR-08-016	Throttle a filtering as owner	Predictable; event on timeline	unit
TC-08-017	FR-08-017	Paginate a data model as editor	Scoped; event on timeline	integration
TC-08-018	FR-08-018	Debounce a UI surface as viewer	Auditable; event on timeline	e2e

25.08 People & roles — test cases (cont.)

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-08-019	FR-08-019	Reconcile a timeline events as guest	Minimal; event on timeline	manual
TC-08-020	FR-08-020	Render a permissions as owner	Fast; event on timeline	unit
TC-08-021	FR-08-021	Persist a performance as editor	Reliable; event on timeline	integration
TC-08-022	FR-08-022	Validate a empty states as viewer	Reversible; event on timeline	e2e
TC-08-023	FR-08-023	Attribute a error handling as guest	Clear; event on timeline	manual
TC-08-024	FR-08-024	Group a keyboard flow as owner	Quiet; event on timeline	unit

25.09 Assets & media — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-09-001	FR-09-001	Persist a accessibility as editor	Reliable; event on timeline	integration
TC-09-002	FR-09-002	Validate a onboarding as viewer	Reversible; event on timeline	e2e
TC-09-003	FR-09-003	Attribute a sharing as guest	Clear; event on timeline	manual
TC-09-004	FR-09-004	Group a notifications as owner	Quiet; event on timeline	unit
TC-09-005	FR-09-005	Filter a search indexing as editor	Accessible; event on timeline	integration
TC-09-006	FR-09-006	Sync a storage as viewer	Predictable; event on timeline	e2e
TC-09-007	FR-09-007	Cache a versioning as guest	Scoped; event on timeline	manual
TC-09-008	FR-09-008	Index a API surface as owner	Auditable; event on timeline	unit
TC-09-009	FR-09-009	Gate a webhooks as editor	Minimal; event on timeline	integration

25.09 Assets & media — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-09-010	FR-09-010	Stream a billing gate as viewer	Fast; event on timeline	e2e
TC-09-011	FR-09-011	Restore a offline behavior as guest	Reliable; event on timeline	manual
TC-09-012	FR-09-012	Export a import/export as owner	Reversible; event on timeline	unit
TC-09-013	FR-09-013	Preview a attribution as editor	Clear; event on timeline	integration
TC-09-014	FR-09-014	Resolve a previews as viewer	Quiet; event on timeline	e2e
TC-09-015	FR-09-015	Emit a filtering as guest	Accessible; event on timeline	manual
TC-09-016	FR-09-016	Throttle a data model as owner	Predictable; event on timeline	unit
TC-09-017	FR-09-017	Paginate a UI surface as editor	Scoped; event on timeline	integration
TC-09-018	FR-09-018	Debounce a timeline events as viewer	Auditable; event on timeline	e2e

25.09 Assets & media — test cases (cont.)

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-09-019	FR-09-019	Reconcile a permissions as guest	Minimal; event on timeline	manual
TC-09-020	FR-09-020	Render a performance as owner	Fast; event on timeline	unit
TC-09-021	FR-09-021	Persist a empty states as editor	Reliable; event on timeline	integration
TC-09-022	FR-09-022	Validate a error handling as viewer	Reversible; event on timeline	e2e
TC-09-023	FR-09-023	Attribute a keyboard flow as guest	Clear; event on timeline	manual
TC-09-024	FR-09-024	Group a mobile layout as owner	Quiet; event on timeline	unit

25.10 Publish & portfolio — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-10-001	FR-10-001	Persist a onboarding as editor	Reliable; event on timeline	integration
TC-10-002	FR-10-002	Validate a sharing as viewer	Reversible; event on timeline	e2e
TC-10-003	FR-10-003	Attribute a notifications as guest	Clear; event on timeline	manual
TC-10-004	FR-10-004	Group a search indexing as owner	Quiet; event on timeline	unit
TC-10-005	FR-10-005	Filter a storage as editor	Accessible; event on timeline	integration
TC-10-006	FR-10-006	Sync a versioning as viewer	Predictable; event on timeline	e2e
TC-10-007	FR-10-007	Cache a API surface as guest	Scoped; event on timeline	manual
TC-10-008	FR-10-008	Index a webhooks as owner	Auditable; event on timeline	unit
TC-10-009	FR-10-009	Gate a billing gate as editor	Minimal; event on timeline	integration

25.10 Publish & portfolio — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-10-010	FR-10-010	Stream a offline behavior as viewer	Fast; event on timeline	e2e
TC-10-011	FR-10-011	Restore a import/export as guest	Reliable; event on timeline	manual
TC-10-012	FR-10-012	Export a attribution as owner	Reversible; event on timeline	unit
TC-10-013	FR-10-013	Preview a previews as editor	Clear; event on timeline	integration
TC-10-014	FR-10-014	Resolve a filtering as viewer	Quiet; event on timeline	e2e
TC-10-015	FR-10-015	Emit a data model as guest	Accessible; event on timeline	manual
TC-10-016	FR-10-016	Throttle a UI surface as owner	Predictable; event on timeline	unit
TC-10-017	FR-10-017	Paginate a timeline events as editor	Scoped; event on timeline	integration
TC-10-018	FR-10-018	Debounce a permissions as viewer	Auditable; event on timeline	e2e

25.10 Publish & portfolio — test cases (cont.)

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-10-019	FR-10-019	Reconcile a performance as guest	Minimal; event on timeline	manual
TC-10-020	FR-10-020	Render a empty states as owner	Fast; event on timeline	unit
TC-10-021	FR-10-021	Persist a error handling as editor	Reliable; event on timeline	integration
TC-10-022	FR-10-022	Validate a keyboard flow as viewer	Reversible; event on timeline	e2e
TC-10-023	FR-10-023	Attribute a mobile layout as guest	Clear; event on timeline	manual
TC-10-024	FR-10-024	Group a accessibility as owner	Quiet; event on timeline	unit

25.11 Search — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-11-001	FR-11-001	Persist a sharing as editor	Reliable; event on timeline	integration
TC-11-002	FR-11-002	Validate a notifications as viewer	Reversible; event on timeline	e2e
TC-11-003	FR-11-003	Attribute a search indexing as guest	Clear; event on timeline	manual
TC-11-004	FR-11-004	Group a storage as owner	Quiet; event on timeline	unit
TC-11-005	FR-11-005	Filter a versioning as editor	Accessible; event on timeline	integration
TC-11-006	FR-11-006	Sync a API surface as viewer	Predictable; event on timeline	e2e
TC-11-007	FR-11-007	Cache a webhooks as guest	Scoped; event on timeline	manual
TC-11-008	FR-11-008	Index a billing gate as owner	Auditable; event on timeline	unit
TC-11-009	FR-11-009	Gate a offline behavior as editor	Minimal; event on timeline	integration

25.11 Search — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-11-010	FR-11-010	Stream a import/export as viewer	Fast; event on timeline	e2e
TC-11-011	FR-11-011	Restore a attribution as guest	Reliable; event on timeline	manual
TC-11-012	FR-11-012	Export a previews as owner	Reversible; event on timeline	unit
TC-11-013	FR-11-013	Preview a filtering as editor	Clear; event on timeline	integration
TC-11-014	FR-11-014	Resolve a data model as viewer	Quiet; event on timeline	e2e
TC-11-015	FR-11-015	Emit a UI surface as guest	Accessible; event on timeline	manual
TC-11-016	FR-11-016	Throttle a timeline events as owner	Predictable; event on timeline	unit
TC-11-017	FR-11-017	Paginate a permissions as editor	Scoped; event on timeline	integration
TC-11-018	FR-11-018	Debounce a performance as viewer	Auditable; event on timeline	e2e

25.11 Search — test cases (cont.)

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-11-019	FR-11-019	Reconcile a empty states as guest	Minimal; event on timeline	manual
TC-11-020	FR-11-020	Render a error handling as owner	Fast; event on timeline	unit
TC-11-021	FR-11-021	Persist a keyboard flow as editor	Reliable; event on timeline	integration
TC-11-022	FR-11-022	Validate a mobile layout as viewer	Reversible; event on timeline	e2e
TC-11-023	FR-11-023	Attribute a accessibility as guest	Clear; event on timeline	manual
TC-11-024	FR-11-024	Group a onboarding as owner	Quiet; event on timeline	unit

25.12 Integrations — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-12-001	FR-12-001	Persist a notifications as editor	Reliable; event on timeline	integration
TC-12-002	FR-12-002	Validate a search indexing as viewer	Reversible; event on timeline	e2e
TC-12-003	FR-12-003	Attribute a storage as guest	Clear; event on timeline	manual
TC-12-004	FR-12-004	Group a versioning as owner	Quiet; event on timeline	unit
TC-12-005	FR-12-005	Filter a API surface as editor	Accessible; event on timeline	integration
TC-12-006	FR-12-006	Sync a webhooks as viewer	Predictable; event on timeline	e2e
TC-12-007	FR-12-007	Cache a billing gate as guest	Scoped; event on timeline	manual
TC-12-008	FR-12-008	Index a offline behavior as owner	Auditable; event on timeline	unit
TC-12-009	FR-12-009	Gate a import/export as editor	Minimal; event on timeline	integration

25.12 Integrations — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-12-010	FR-12-010	Stream a attribution as viewer	Fast; event on timeline	e2e
TC-12-011	FR-12-011	Restore a previews as guest	Reliable; event on timeline	manual
TC-12-012	FR-12-012	Export a filtering as owner	Reversible; event on timeline	unit
TC-12-013	FR-12-013	Preview a data model as editor	Clear; event on timeline	integration
TC-12-014	FR-12-014	Resolve a UI surface as viewer	Quiet; event on timeline	e2e
TC-12-015	FR-12-015	Emit a timeline events as guest	Accessible; event on timeline	manual
TC-12-016	FR-12-016	Throttle a permissions as owner	Predictable; event on timeline	unit
TC-12-017	FR-12-017	Paginate a performance as editor	Scoped; event on timeline	integration
TC-12-018	FR-12-018	Debounce a empty states as viewer	Auditable; event on timeline	e2e

25.12 Integrations — test cases (cont.)

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-12-019	FR-12-019	Reconcile a error handling as guest	Minimal; event on timeline	manual
TC-12-020	FR-12-020	Render a keyboard flow as owner	Fast; event on timeline	unit
TC-12-021	FR-12-021	Persist a mobile layout as editor	Reliable; event on timeline	integration
TC-12-022	FR-12-022	Validate a accessibility as viewer	Reversible; event on timeline	e2e
TC-12-023	FR-12-023	Attribute a onboarding as guest	Clear; event on timeline	manual
TC-12-024	FR-12-024	Group a sharing as owner	Quiet; event on timeline	unit

25.13 Time & invoicing — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-13-001	FR-13-001	Persist a search indexing as editor	Reliable; event on timeline	integration
TC-13-002	FR-13-002	Validate a storage as viewer	Reversible; event on timeline	e2e
TC-13-003	FR-13-003	Attribute a versioning as guest	Clear; event on timeline	manual
TC-13-004	FR-13-004	Group a API surface as owner	Quiet; event on timeline	unit
TC-13-005	FR-13-005	Filter a webhooks as editor	Accessible; event on timeline	integration
TC-13-006	FR-13-006	Sync a billing gate as viewer	Predictable; event on timeline	e2e
TC-13-007	FR-13-007	Cache a offline behavior as guest	Scoped; event on timeline	manual
TC-13-008	FR-13-008	Index a import/export as owner	Auditable; event on timeline	unit
TC-13-009	FR-13-009	Gate a attribution as editor	Minimal; event on timeline	integration

25.13 Time & invoicing — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-13-010	FR-13-010	Stream a previews as viewer	Fast; event on timeline	e2e
TC-13-011	FR-13-011	Restore a filtering as guest	Reliable; event on timeline	manual
TC-13-012	FR-13-012	Export a data model as owner	Reversible; event on timeline	unit
TC-13-013	FR-13-013	Preview a UI surface as editor	Clear; event on timeline	integration
TC-13-014	FR-13-014	Resolve a timeline events as viewer	Quiet; event on timeline	e2e
TC-13-015	FR-13-015	Emit a permissions as guest	Accessible; event on timeline	manual
TC-13-016	FR-13-016	Throttle a performance as owner	Predictable; event on timeline	unit
TC-13-017	FR-13-017	Paginate a empty states as editor	Scoped; event on timeline	integration
TC-13-018	FR-13-018	Debounce a error handling as viewer	Auditable; event on timeline	e2e

25.13 Time & invoicing — test cases (cont.)

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-13-019	FR-13-019	Reconcile a keyboard flow as guest	Minimal; event on timeline	manual
TC-13-020	FR-13-020	Render a mobile layout as owner	Fast; event on timeline	unit
TC-13-021	FR-13-021	Persist a accessibility as editor	Reliable; event on timeline	integration
TC-13-022	FR-13-022	Validate a onboarding as viewer	Reversible; event on timeline	e2e
TC-13-023	FR-13-023	Attribute a sharing as guest	Clear; event on timeline	manual
TC-13-024	FR-13-024	Group a notifications as owner	Quiet; event on timeline	unit

25.14 Community & templates — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-14-001	FR-14-001	Persist a storage as editor	Reliable; event on timeline	integration
TC-14-002	FR-14-002	Validate a versioning as viewer	Reversible; event on timeline	e2e
TC-14-003	FR-14-003	Attribute a API surface as guest	Clear; event on timeline	manual
TC-14-004	FR-14-004	Group a webhooks as owner	Quiet; event on timeline	unit
TC-14-005	FR-14-005	Filter a billing gate as editor	Accessible; event on timeline	integration
TC-14-006	FR-14-006	Sync a offline behavior as viewer	Predictable; event on timeline	e2e
TC-14-007	FR-14-007	Cache a import/export as guest	Scoped; event on timeline	manual
TC-14-008	FR-14-008	Index a attribution as owner	Auditable; event on timeline	unit
TC-14-009	FR-14-009	Gate a previews as editor	Minimal; event on timeline	integration

25.14 Community & templates — test cases

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-14-010	FR-14-010	Stream a filtering as viewer	Fast; event on timeline	e2e
TC-14-011	FR-14-011	Restore a data model as guest	Reliable; event on timeline	manual
TC-14-012	FR-14-012	Export a UI surface as owner	Reversible; event on timeline	unit
TC-14-013	FR-14-013	Preview a timeline events as editor	Clear; event on timeline	integration
TC-14-014	FR-14-014	Resolve a permissions as viewer	Quiet; event on timeline	e2e
TC-14-015	FR-14-015	Emit a performance as guest	Accessible; event on timeline	manual
TC-14-016	FR-14-016	Throttle a empty states as owner	Predictable; event on timeline	unit
TC-14-017	FR-14-017	Paginate a error handling as editor	Scoped; event on timeline	integration
TC-14-018	FR-14-018	Debounce a keyboard flow as viewer	Auditable; event on timeline	e2e

25.14 Community & templates — test cases (cont.)

CASE	COVERS	STEPS	EXPECTED	TYPE
TC-14-019	FR-14-019	Reconcile a mobile layout as guest	Minimal; event on timeline	manual
TC-14-020	FR-14-020	Render a accessibility as owner	Fast; event on timeline	unit
TC-14-021	FR-14-021	Persist a onboarding as editor	Reliable; event on timeline	integration
TC-14-022	FR-14-022	Validate a sharing as viewer	Reversible; event on timeline	e2e
TC-14-023	FR-14-023	Attribute a notifications as guest	Clear; event on timeline	manual
TC-14-024	FR-14-024	Group a search indexing as owner	Quiet; event on timeline	unit

§26 / LOG

Daily build-log archive

A working-day log across the 24 months — the public record of what shipped, in commit form. Twelve days per page.

DAY	DATE	COMMIT	MESSAGE	Δ
D0001	M01.01	005c161	Persist the UI surface	+
D0002	M01.02	005c1e4	Validate the timeline events	~
D0003	M01.03	005c267	Attribute the permissions	fix
D0004	M01.04	005c2ea	Group the performance	+
D0005	M01.05	005c36d	Filter the empty states	+
D0006	M01.06	005c3f0	Sync the error handling	~
D0007	M01.07	005c473	Cache the keyboard flow	fix
D0008	M01.08	005c4f6	Index the mobile layout	+
D0009	M01.09	005c579	Gate the accessibility	+
D0010	M01.10	005c5fc	Stream the onboarding	~
D0011	M01.11	005c67f	Restore the sharing	fix
D0012	M01.12	005c702	Export the notifications	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0013	M01.13	005c785	Preview the search indexing	+
D0014	M01.14	005c808	Resolve the storage	~
D0015	M01.15	005c88b	Emit the versioning	fix
D0016	M01.16	005c90e	Throttle the API surface	+
D0017	M01.17	005c991	Paginate the webhooks	+
D0018	M01.18	005ca14	Debounce the billing gate	~
D0019	M01.19	005ca97	Reconcile the offline behavior	fix
D0020	M01.20	005cb1a	Render the import/export	+
D0021	M02.01	005cb9d	Persist the previews	+
D0022	M02.02	005cc20	Validate the filtering	~
D0023	M02.03	005cca3	Attribute the data model	fix
D0024	M02.04	005cd26	Group the UI surface	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0025	M02.05	005cda9	Filter the timeline events	+
D0026	M02.06	005ce2c	Sync the permissions	~
D0027	M02.07	005ceaf	Cache the performance	fix
D0028	M02.08	005cf32	Index the empty states	+
D0029	M02.09	005cfb5	Gate the error handling	+
D0030	M02.10	005d038	Stream the keyboard flow	~
D0031	M02.11	005d0bb	Restore the mobile layout	fix
D0032	M02.12	005d13e	Export the accessibility	+
D0033	M02.13	005d1c1	Preview the onboarding	+
D0034	M02.14	005d244	Resolve the sharing	~
D0035	M02.15	005d2c7	Emit the notifications	fix
D0036	M02.16	005d34a	Throttle the search indexing	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0037	M02.17	005d3cd	Paginate the storage	+
D0038	M02.18	005d450	Debounce the versioning	~
D0039	M02.19	005d4d3	Reconcile the API surface	fix
D0040	M02.20	005d556	Render the webhooks	+
D0041	M03.01	005d5d9	Persist the offline behavior	+
D0042	M03.02	005d65c	Validate the import/export	~
D0043	M03.03	005d6df	Attribute the attribution	fix
D0044	M03.04	005d762	Group the previews	+
D0045	M03.05	005d7e5	Filter the filtering	+
D0046	M03.06	005d868	Sync the data model	~
D0047	M03.07	005d8eb	Cache the UI surface	fix
D0048	M03.08	005d96e	Index the timeline events	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0049	M03.09	005d9f1	Gate the permissions	+
D0050	M03.10	005da74	Stream the performance	~
D0051	M03.11	005daf7	Restore the empty states	fix
D0052	M03.12	005db7a	Export the error handling	+
D0053	M03.13	005dbfd	Preview the keyboard flow	+
D0054	M03.14	005dc80	Resolve the mobile layout	~
D0055	M03.15	005dd03	Emit the accessibility	fix
D0056	M03.16	005dd86	Throttle the onboarding	+
D0057	M03.17	005de09	Paginate the sharing	+
D0058	M03.18	005de8c	Debounce the notifications	~
D0059	M03.19	005df0f	Reconcile the search indexing	fix
D0060	M03.20	005df92	Render the storage	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0061	M04.01	005e015	Persist the API surface	+
D0062	M04.02	005e098	Validate the webhooks	~
D0063	M04.03	005e11b	Attribute the billing gate	fix
D0064	M04.04	005e19e	Group the offline behavior	+
D0065	M04.05	005e221	Filter the import/export	+
D0066	M04.06	005e2a4	Sync the attribution	~
D0067	M04.07	005e327	Cache the previews	fix
D0068	M04.08	005e3aa	Index the filtering	+
D0069	M04.09	005e42d	Gate the data model	+
D0070	M04.10	005e4b0	Stream the UI surface	~
D0071	M04.11	005e533	Restore the timeline events	fix
D0072	M04.12	005e5b6	Export the permissions	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0073	M04.13	005e639	Preview the performance	+
D0074	M04.14	005e6bc	Resolve the empty states	~
D0075	M04.15	005e73f	Emit the error handling	fix
D0076	M04.16	005e7c2	Throttle the keyboard flow	+
D0077	M04.17	005e845	Paginate the mobile layout	+
D0078	M04.18	005e8c8	Debounce the accessibility	~
D0079	M04.19	005e94b	Reconcile the onboarding	fix
D0080	M04.20	005e9ce	Render the sharing	+
D0081	M05.01	005ea51	Persist the search indexing	+
D0082	M05.02	005ead4	Validate the storage	~
D0083	M05.03	005eb57	Attribute the versioning	fix
D0084	M05.04	005ebda	Group the API surface	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0085	M05.05	005ec5d	Filter the webhooks	+
D0086	M05.06	005ece0	Sync the billing gate	~
D0087	M05.07	005ed63	Cache the offline behavior	fix
D0088	M05.08	005ede6	Index the import/export	+
D0089	M05.09	005ee69	Gate the attribution	+
D0090	M05.10	005eeec	Stream the previews	~
D0091	M05.11	005ef6f	Restore the filtering	fix
D0092	M05.12	005eff2	Export the data model	+
D0093	M05.13	005f075	Preview the UI surface	+
D0094	M05.14	005f0f8	Resolve the timeline events	~
D0095	M05.15	005f17b	Emit the permissions	fix
D0096	M05.16	005f1fe	Throttle the performance	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0097	M05.17	005f281	Paginate the empty states	+
D0098	M05.18	005f304	Debounce the error handling	~
D0099	M05.19	005f387	Reconcile the keyboard flow	fix
D0100	M05.20	005f40a	Render the mobile layout	+
D0101	M06.01	005f48d	Persist the onboarding	+
D0102	M06.02	005f510	Validate the sharing	~
D0103	M06.03	005f593	Attribute the notifications	fix
D0104	M06.04	005f616	Group the search indexing	+
D0105	M06.05	005f699	Filter the storage	+
D0106	M06.06	005f71c	Sync the versioning	~
D0107	M06.07	005f79f	Cache the API surface	fix
D0108	M06.08	005f822	Index the webhooks	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0109	M06.09	005f8a5	Gate the billing gate	+
D0110	M06.10	005f928	Stream the offline behavior	~
D0111	M06.11	005f9ab	Restore the import/export	fix
D0112	M06.12	005fa2e	Export the attribution	+
D0113	M06.13	005fab1	Preview the previews	+
D0114	M06.14	005fb34	Resolve the filtering	~
D0115	M06.15	005fbb7	Emit the data model	fix
D0116	M06.16	005fc3a	Throttle the UI surface	+
D0117	M06.17	005fcbd	Paginate the timeline events	+
D0118	M06.18	005fd40	Debounce the permissions	~
D0119	M06.19	005fdc3	Reconcile the performance	fix
D0120	M06.20	005fe46	Render the empty states	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0121	M07.01	005fec9	Persist the keyboard flow	+
D0122	M07.02	005ff4c	Validate the mobile layout	~
D0123	M07.03	005ffcf	Attribute the accessibility	fix
D0124	M07.04	0060052	Group the onboarding	+
D0125	M07.05	00600d5	Filter the sharing	+
D0126	M07.06	0060158	Sync the notifications	~
D0127	M07.07	00601db	Cache the search indexing	fix
D0128	M07.08	006025e	Index the storage	+
D0129	M07.09	00602e1	Gate the versioning	+
D0130	M07.10	0060364	Stream the API surface	~
D0131	M07.11	00603e7	Restore the webhooks	fix
D0132	M07.12	006046a	Export the billing gate	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0133	M07.13	00604ed	Preview the offline behavior	+
D0134	M07.14	0060570	Resolve the import/export	~
D0135	M07.15	00605f3	Emit the attribution	fix
D0136	M07.16	0060676	Throttle the previews	+
D0137	M07.17	00606f9	Paginate the filtering	+
D0138	M07.18	006077c	Debounce the data model	~
D0139	M07.19	00607ff	Reconcile the UI surface	fix
D0140	M07.20	0060882	Render the timeline events	+
D0141	M08.01	0060905	Persist the performance	+
D0142	M08.02	0060988	Validate the empty states	~
D0143	M08.03	0060a0b	Attribute the error handling	fix
D0144	M08.04	0060a8e	Group the keyboard flow	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0145	M08.05	0060b11	Filter the mobile layout	+
D0146	M08.06	0060b94	Sync the accessibility	~
D0147	M08.07	0060c17	Cache the onboarding	fix
D0148	M08.08	0060c9a	Index the sharing	+
D0149	M08.09	0060d1d	Gate the notifications	+
D0150	M08.10	0060da0	Stream the search indexing	~
D0151	M08.11	0060e23	Restore the storage	fix
D0152	M08.12	0060ea6	Export the versioning	+
D0153	M08.13	0060f29	Preview the API surface	+
D0154	M08.14	0060fac	Resolve the webhooks	~
D0155	M08.15	006102f	Emit the billing gate	fix
D0156	M08.16	00610b2	Throttle the offline behavior	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0157	M08.17	0061135	Paginate the import/export	+
D0158	M08.18	00611b8	Debounce the attribution	~
D0159	M08.19	006123b	Reconcile the previews	fix
D0160	M08.20	00612be	Render the filtering	+
D0161	M09.01	0061341	Persist the UI surface	+
D0162	M09.02	00613c4	Validate the timeline events	~
D0163	M09.03	0061447	Attribute the permissions	fix
D0164	M09.04	00614ca	Group the performance	+
D0165	M09.05	006154d	Filter the empty states	+
D0166	M09.06	00615d0	Sync the error handling	~
D0167	M09.07	0061653	Cache the keyboard flow	fix
D0168	M09.08	00616d6	Index the mobile layout	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0169	M09.09	0061759	Gate the accessibility	+
D0170	M09.10	00617dc	Stream the onboarding	~
D0171	M09.11	006185f	Restore the sharing	fix
D0172	M09.12	00618e2	Export the notifications	+
D0173	M09.13	0061965	Preview the search indexing	+
D0174	M09.14	00619e8	Resolve the storage	~
D0175	M09.15	0061a6b	Emit the versioning	fix
D0176	M09.16	0061aee	Throttle the API surface	+
D0177	M09.17	0061b71	Paginate the webhooks	+
D0178	M09.18	0061bf4	Debounce the billing gate	~
D0179	M09.19	0061c77	Reconcile the offline behavior	fix
D0180	M09.20	0061cfa	Render the import/export	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0181	M10.01	0061d7d	Persist the previews	+
D0182	M10.02	0061e00	Validate the filtering	~
D0183	M10.03	0061e83	Attribute the data model	fix
D0184	M10.04	0061f06	Group the UI surface	+
D0185	M10.05	0061f89	Filter the timeline events	+
D0186	M10.06	006200c	Sync the permissions	~
D0187	M10.07	006208f	Cache the performance	fix
D0188	M10.08	0062112	Index the empty states	+
D0189	M10.09	0062195	Gate the error handling	+
D0190	M10.10	0062218	Stream the keyboard flow	~
D0191	M10.11	006229b	Restore the mobile layout	fix
D0192	M10.12	006231e	Export the accessibility	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0193	M10.13	00623a1	Preview the onboarding	+
D0194	M10.14	0062424	Resolve the sharing	~
D0195	M10.15	00624a7	Emit the notifications	fix
D0196	M10.16	006252a	Throttle the search indexing	+
D0197	M10.17	00625ad	Paginate the storage	+
D0198	M10.18	0062630	Debounce the versioning	~
D0199	M10.19	00626b3	Reconcile the API surface	fix
D0200	M10.20	0062736	Render the webhooks	+
D0201	M11.01	00627b9	Persist the offline behavior	+
D0202	M11.02	006283c	Validate the import/export	~
D0203	M11.03	00628bf	Attribute the attribution	fix
D0204	M11.04	0062942	Group the previews	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0205	M11.05	00629c5	Filter the filtering	+
D0206	M11.06	0062a48	Sync the data model	~
D0207	M11.07	0062acb	Cache the UI surface	fix
D0208	M11.08	0062b4e	Index the timeline events	+
D0209	M11.09	0062bd1	Gate the permissions	+
D0210	M11.10	0062c54	Stream the performance	~
D0211	M11.11	0062cd7	Restore the empty states	fix
D0212	M11.12	0062d5a	Export the error handling	+
D0213	M11.13	0062ddd	Preview the keyboard flow	+
D0214	M11.14	0062e60	Resolve the mobile layout	~
D0215	M11.15	0062ee3	Emit the accessibility	fix
D0216	M11.16	0062f66	Throttle the onboarding	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0217	M11.17	0062fe9	Paginate the sharing	+
D0218	M11.18	006306c	Debounce the notifications	~
D0219	M11.19	00630ef	Reconcile the search indexing	fix
D0220	M11.20	0063172	Render the storage	+
D0221	M12.01	00631f5	Persist the API surface	+
D0222	M12.02	0063278	Validate the webhooks	~
D0223	M12.03	00632fb	Attribute the billing gate	fix
D0224	M12.04	006337e	Group the offline behavior	+
D0225	M12.05	0063401	Filter the import/export	+
D0226	M12.06	0063484	Sync the attribution	~
D0227	M12.07	0063507	Cache the previews	fix
D0228	M12.08	006358a	Index the filtering	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0229	M12.09	006360d	Gate the data model	+
D0230	M12.10	0063690	Stream the UI surface	~
D0231	M12.11	0063713	Restore the timeline events	fix
D0232	M12.12	0063796	Export the permissions	+
D0233	M12.13	0063819	Preview the performance	+
D0234	M12.14	006389c	Resolve the empty states	~
D0235	M12.15	006391f	Emit the error handling	fix
D0236	M12.16	00639a2	Throttle the keyboard flow	+
D0237	M12.17	0063a25	Paginate the mobile layout	+
D0238	M12.18	0063aa8	Debounce the accessibility	~
D0239	M12.19	0063b2b	Reconcile the onboarding	fix
D0240	M12.20	0063bae	Render the sharing	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0241	M13.01	0063c31	Persist the search indexing	+
D0242	M13.02	0063cb4	Validate the storage	~
D0243	M13.03	0063d37	Attribute the versioning	fix
D0244	M13.04	0063dba	Group the API surface	+
D0245	M13.05	0063e3d	Filter the webhooks	+
D0246	M13.06	0063ec0	Sync the billing gate	~
D0247	M13.07	0063f43	Cache the offline behavior	fix
D0248	M13.08	0063fc6	Index the import/export	+
D0249	M13.09	0064049	Gate the attribution	+
D0250	M13.10	00640cc	Stream the previews	~
D0251	M13.11	006414f	Restore the filtering	fix
D0252	M13.12	00641d2	Export the data model	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0253	M13.13	0064255	Preview the UI surface	+
D0254	M13.14	00642d8	Resolve the timeline events	~
D0255	M13.15	006435b	Emit the permissions	fix
D0256	M13.16	00643de	Throttle the performance	+
D0257	M13.17	0064461	Paginate the empty states	+
D0258	M13.18	00644e4	Debounce the error handling	~
D0259	M13.19	0064567	Reconcile the keyboard flow	fix
D0260	M13.20	00645ea	Render the mobile layout	+
D0261	M14.01	006466d	Persist the onboarding	+
D0262	M14.02	00646f0	Validate the sharing	~
D0263	M14.03	0064773	Attribute the notifications	fix
D0264	M14.04	00647f6	Group the search indexing	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0265	M14.05	0064879	Filter the storage	+
D0266	M14.06	00648fc	Sync the versioning	~
D0267	M14.07	006497f	Cache the API surface	fix
D0268	M14.08	0064a02	Index the webhooks	+
D0269	M14.09	0064a85	Gate the billing gate	+
D0270	M14.10	0064b08	Stream the offline behavior	~
D0271	M14.11	0064b8b	Restore the import/export	fix
D0272	M14.12	0064c0e	Export the attribution	+
D0273	M14.13	0064c91	Preview the previews	+
D0274	M14.14	0064d14	Resolve the filtering	~
D0275	M14.15	0064d97	Emit the data model	fix
D0276	M14.16	0064e1a	Throttle the UI surface	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0277	M14.17	0064e9d	Paginate the timeline events	+
D0278	M14.18	0064f20	Debounce the permissions	~
D0279	M14.19	0064fa3	Reconcile the performance	fix
D0280	M14.20	0065026	Render the empty states	+
D0281	M15.01	00650a9	Persist the keyboard flow	+
D0282	M15.02	006512c	Validate the mobile layout	~
D0283	M15.03	00651af	Attribute the accessibility	fix
D0284	M15.04	0065232	Group the onboarding	+
D0285	M15.05	00652b5	Filter the sharing	+
D0286	M15.06	0065338	Sync the notifications	~
D0287	M15.07	00653bb	Cache the search indexing	fix
D0288	M15.08	006543e	Index the storage	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0289	M15.09	00654c1	Gate the versioning	+
D0290	M15.10	0065544	Stream the API surface	~
D0291	M15.11	00655c7	Restore the webhooks	fix
D0292	M15.12	006564a	Export the billing gate	+
D0293	M15.13	00656cd	Preview the offline behavior	+
D0294	M15.14	0065750	Resolve the import/export	~
D0295	M15.15	00657d3	Emit the attribution	fix
D0296	M15.16	0065856	Throttle the previews	+
D0297	M15.17	00658d9	Paginate the filtering	+
D0298	M15.18	006595c	Debounce the data model	~
D0299	M15.19	00659df	Reconcile the UI surface	fix
D0300	M15.20	0065a62	Render the timeline events	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0301	M16.01	0065ae5	Persist the performance	+
D0302	M16.02	0065b68	Validate the empty states	~
D0303	M16.03	0065beb	Attribute the error handling	fix
D0304	M16.04	0065c6e	Group the keyboard flow	+
D0305	M16.05	0065cf1	Filter the mobile layout	+
D0306	M16.06	0065d74	Sync the accessibility	~
D0307	M16.07	0065df7	Cache the onboarding	fix
D0308	M16.08	0065e7a	Index the sharing	+
D0309	M16.09	0065efd	Gate the notifications	+
D0310	M16.10	0065f80	Stream the search indexing	~
D0311	M16.11	0066003	Restore the storage	fix
D0312	M16.12	0066086	Export the versioning	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0313	M16.13	0066109	Preview the API surface	+
D0314	M16.14	006618c	Resolve the webhooks	~
D0315	M16.15	006620f	Emit the billing gate	fix
D0316	M16.16	0066292	Throttle the offline behavior	+
D0317	M16.17	0066315	Paginate the import/export	+
D0318	M16.18	0066398	Debounce the attribution	~
D0319	M16.19	006641b	Reconcile the previews	fix
D0320	M16.20	006649e	Render the filtering	+
D0321	M17.01	0066521	Persist the UI surface	+
D0322	M17.02	00665a4	Validate the timeline events	~
D0323	M17.03	0066627	Attribute the permissions	fix
D0324	M17.04	00666aa	Group the performance	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0325	M17.05	006672d	Filter the empty states	+
D0326	M17.06	00667b0	Sync the error handling	~
D0327	M17.07	0066833	Cache the keyboard flow	fix
D0328	M17.08	00668b6	Index the mobile layout	+
D0329	M17.09	0066939	Gate the accessibility	+
D0330	M17.10	00669bc	Stream the onboarding	~
D0331	M17.11	0066a3f	Restore the sharing	fix
D0332	M17.12	0066ac2	Export the notifications	+
D0333	M17.13	0066b45	Preview the search indexing	+
D0334	M17.14	0066bc8	Resolve the storage	~
D0335	M17.15	0066c4b	Emit the versioning	fix
D0336	M17.16	0066cce	Throttle the API surface	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0337	M17.17	0066d51	Paginate the webhooks	+
D0338	M17.18	0066dd4	Debounce the billing gate	~
D0339	M17.19	0066e57	Reconcile the offline behavior	fix
D0340	M17.20	0066eda	Render the import/export	+
D0341	M18.01	0066f5d	Persist the previews	+
D0342	M18.02	0066fe0	Validate the filtering	~
D0343	M18.03	0067063	Attribute the data model	fix
D0344	M18.04	00670e6	Group the UI surface	+
D0345	M18.05	0067169	Filter the timeline events	+
D0346	M18.06	00671ec	Sync the permissions	~
D0347	M18.07	006726f	Cache the performance	fix
D0348	M18.08	00672f2	Index the empty states	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0349	M18.09	0067375	Gate the error handling	+
D0350	M18.10	00673f8	Stream the keyboard flow	~
D0351	M18.11	006747b	Restore the mobile layout	fix
D0352	M18.12	00674fe	Export the accessibility	+
D0353	M18.13	0067581	Preview the onboarding	+
D0354	M18.14	0067604	Resolve the sharing	~
D0355	M18.15	0067687	Emit the notifications	fix
D0356	M18.16	006770a	Throttle the search indexing	+
D0357	M18.17	006778d	Paginate the storage	+
D0358	M18.18	0067810	Debounce the versioning	~
D0359	M18.19	0067893	Reconcile the API surface	fix
D0360	M18.20	0067916	Render the webhooks	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0361	M19.01	0067999	Persist the offline behavior	+
D0362	M19.02	0067a1c	Validate the import/export	~
D0363	M19.03	0067a9f	Attribute the attribution	fix
D0364	M19.04	0067b22	Group the previews	+
D0365	M19.05	0067ba5	Filter the filtering	+
D0366	M19.06	0067c28	Sync the data model	~
D0367	M19.07	0067cab	Cache the UI surface	fix
D0368	M19.08	0067d2e	Index the timeline events	+
D0369	M19.09	0067db1	Gate the permissions	+
D0370	M19.10	0067e34	Stream the performance	~
D0371	M19.11	0067eb7	Restore the empty states	fix
D0372	M19.12	0067f3a	Export the error handling	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0373	M19.13	0067fbd	Preview the keyboard flow	+
D0374	M19.14	0068040	Resolve the mobile layout	~
D0375	M19.15	00680c3	Emit the accessibility	fix
D0376	M19.16	0068146	Throttle the onboarding	+
D0377	M19.17	00681c9	Paginate the sharing	+
D0378	M19.18	006824c	Debounce the notifications	~
D0379	M19.19	00682cf	Reconcile the search indexing	fix
D0380	M19.20	0068352	Render the storage	+
D0381	M20.01	00683d5	Persist the API surface	+
D0382	M20.02	0068458	Validate the webhooks	~
D0383	M20.03	00684db	Attribute the billing gate	fix
D0384	M20.04	006855e	Group the offline behavior	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0385	M20.05	00685e1	Filter the import/export	+
D0386	M20.06	0068664	Sync the attribution	~
D0387	M20.07	00686e7	Cache the previews	fix
D0388	M20.08	006876a	Index the filtering	+
D0389	M20.09	00687ed	Gate the data model	+
D0390	M20.10	0068870	Stream the UI surface	~
D0391	M20.11	00688f3	Restore the timeline events	fix
D0392	M20.12	0068976	Export the permissions	+
D0393	M20.13	00689f9	Preview the performance	+
D0394	M20.14	0068a7c	Resolve the empty states	~
D0395	M20.15	0068aff	Emit the error handling	fix
D0396	M20.16	0068b82	Throttle the keyboard flow	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0397	M20.17	0068c05	Paginate the mobile layout	+
D0398	M20.18	0068c88	Debounce the accessibility	~
D0399	M20.19	0068d0b	Reconcile the onboarding	fix
D0400	M20.20	0068d8e	Render the sharing	+
D0401	M21.01	0068e11	Persist the search indexing	+
D0402	M21.02	0068e94	Validate the storage	~
D0403	M21.03	0068f17	Attribute the versioning	fix
D0404	M21.04	0068f9a	Group the API surface	+
D0405	M21.05	006901d	Filter the webhooks	+
D0406	M21.06	00690a0	Sync the billing gate	~
D0407	M21.07	0069123	Cache the offline behavior	fix
D0408	M21.08	00691a6	Index the import/export	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0409	M21.09	0069229	Gate the attribution	+
D0410	M21.10	00692ac	Stream the previews	~
D0411	M21.11	006932f	Restore the filtering	fix
D0412	M21.12	00693b2	Export the data model	+
D0413	M21.13	0069435	Preview the UI surface	+
D0414	M21.14	00694b8	Resolve the timeline events	~
D0415	M21.15	006953b	Emit the permissions	fix
D0416	M21.16	00695be	Throttle the performance	+
D0417	M21.17	0069641	Paginate the empty states	+
D0418	M21.18	00696c4	Debounce the error handling	~
D0419	M21.19	0069747	Reconcile the keyboard flow	fix
D0420	M21.20	00697ca	Render the mobile layout	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0421	M22.01	006984d	Persist the onboarding	+
D0422	M22.02	00698d0	Validate the sharing	~
D0423	M22.03	0069953	Attribute the notifications	fix
D0424	M22.04	00699d6	Group the search indexing	+
D0425	M22.05	0069a59	Filter the storage	+
D0426	M22.06	0069adc	Sync the versioning	~
D0427	M22.07	0069b5f	Cache the API surface	fix
D0428	M22.08	0069be2	Index the webhooks	+
D0429	M22.09	0069c65	Gate the billing gate	+
D0430	M22.10	0069ce8	Stream the offline behavior	~
D0431	M22.11	0069d6b	Restore the import/export	fix
D0432	M22.12	0069dee	Export the attribution	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0433	M22.13	0069e71	Preview the previews	+
D0434	M22.14	0069ef4	Resolve the filtering	~
D0435	M22.15	0069f77	Emit the data model	fix
D0436	M22.16	0069ffa	Throttle the UI surface	+
D0437	M22.17	006a07d	Paginate the timeline events	+
D0438	M22.18	006a100	Debounce the permissions	~
D0439	M22.19	006a183	Reconcile the performance	fix
D0440	M22.20	006a206	Render the empty states	+
D0441	M23.01	006a289	Persist the keyboard flow	+
D0442	M23.02	006a30c	Validate the mobile layout	~
D0443	M23.03	006a38f	Attribute the accessibility	fix
D0444	M23.04	006a412	Group the onboarding	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0445	M23.05	006a495	Filter the sharing	+
D0446	M23.06	006a518	Sync the notifications	~
D0447	M23.07	006a59b	Cache the search indexing	fix
D0448	M23.08	006a61e	Index the storage	+
D0449	M23.09	006a6a1	Gate the versioning	+
D0450	M23.10	006a724	Stream the API surface	~
D0451	M23.11	006a7a7	Restore the webhooks	fix
D0452	M23.12	006a82a	Export the billing gate	+
D0453	M23.13	006a8ad	Preview the offline behavior	+
D0454	M23.14	006a930	Resolve the import/export	~
D0455	M23.15	006a9b3	Emit the attribution	fix
D0456	M23.16	006aa36	Throttle the previews	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0457	M23.17	006aab9	Paginate the filtering	+
D0458	M23.18	006ab3c	Debounce the data model	~
D0459	M23.19	006abbf	Reconcile the UI surface	fix
D0460	M23.20	006ac42	Render the timeline events	+
D0461	M24.01	006acc5	Persist the performance	+
D0462	M24.02	006ad48	Validate the empty states	~
D0463	M24.03	006adcb	Attribute the error handling	fix
D0464	M24.04	006ae4e	Group the keyboard flow	+
D0465	M24.05	006aed1	Filter the mobile layout	+
D0466	M24.06	006af54	Sync the accessibility	~
D0467	M24.07	006afd7	Cache the onboarding	fix
D0468	M24.08	006b05a	Index the sharing	+

DAY	DATE	COMMIT	MESSAGE	Δ
D0469	M24.09	006b0dd	Gate the notifications	+
D0470	M24.10	006b160	Stream the search indexing	~
D0471	M24.11	006b1e3	Restore the storage	fix
D0472	M24.12	006b266	Export the versioning	+
D0473	M24.13	006b2e9	Preview the API surface	+
D0474	M24.14	006b36c	Resolve the webhooks	~
D0475	M24.15	006b3ef	Emit the billing gate	fix
D0476	M24.16	006b472	Throttle the offline behavior	+
D0477	M24.17	006b4f5	Paginate the import/export	+
D0478	M24.18	006b578	Debounce the attribution	~
D0479	M24.19	006b5fb	Reconcile the previews	fix
D0480	M24.20	006b67e	Render the filtering	+

API reference (sketch)

The read-oriented public API surface. Endpoints, methods, and purpose. Small, versioned, rate-limited by design.

27.1 Endpoints 1–7

PATH	METHOD	PURPOSE	MIN ROLE	RATE
v1/projects	GET	Get projects	owner	120/min
v1/projects/{id}	GET	Get projects	editor	60/min
v1/projects	POST	Post projects	any member	30/min
v1/projects/{id}	PATCH	Patch projects	viewer	120/min
v1/projects/{id}	DELETE	Delete projects	owner	60/min
v1/projects/{id}	GET	Get projects	editor	30/min
v1/files	GET	Get files	owner	120/min

27.2 Endpoints 8–14

PATH	METHOD	PURPOSE	MIN ROLE	RATE
v1/files/{id}	GET	Get files	editor	60/min
v1/files	POST	Post files	any member	30/min
v1/files/{id}	PATCH	Patch files	viewer	120/min
v1/files/{id}	DELETE	Delete files	owner	60/min
v1/files/{id}	GET	Get files	editor	30/min
v1/events	GET	Get events	owner	120/min
v1/events/{id}	GET	Get events	editor	60/min

27.3 Endpoints 15–21

PATH	METHOD	PURPOSE	MIN ROLE	RATE
v1/events	POST	Post events	any member	30/min
v1/events/{id}	PATCH	Patch events	viewer	120/min
v1/events/{id}	DELETE	Delete events	owner	60/min
v1/events/{id}	GET	Get events	editor	30/min
v1/timeline	GET	Get timeline	owner	120/min
v1/timeline/{id}	GET	Get timeline	editor	60/min
v1/timeline	POST	Post timeline	any member	30/min

27.4 Endpoints 22–28

PATH	METHOD	PURPOSE	MIN ROLE	RATE
v1/timeline/{id}	PATCH	Patch timeline	viewer	120/min
v1/timeline/{id}	DELETE	Delete timeline	owner	60/min
v1/timeline/{id}	GET	Get timeline	editor	30/min
v1/members	GET	Get members	owner	120/min
v1/members/{id}	GET	Get members	editor	60/min
v1/members	POST	Post members	any member	30/min
v1/members/{id}	PATCH	Patch members	viewer	120/min

27.5 Endpoints 29–35

PATH	METHOD	PURPOSE	MIN ROLE	RATE
v1/members/{id}	DELETE	Delete members	owner	60/min
v1/members/{id}	GET	Get members	editor	30/min
v1/tasks	GET	Get tasks	owner	120/min
v1/tasks/{id}	GET	Get tasks	editor	60/min
v1/tasks	POST	Post tasks	any member	30/min
v1/tasks/{id}	PATCH	Patch tasks	viewer	120/min
v1/tasks/{id}	DELETE	Delete tasks	owner	60/min

27.6 Endpoints 36–42

PATH	METHOD	PURPOSE	MIN ROLE	RATE
v1/tasks/{id}	GET	Get tasks	editor	30/min
v1/docs	GET	Get docs	owner	120/min
v1/docs/{id}	GET	Get docs	editor	60/min
v1/docs	POST	Post docs	any member	30/min
v1/docs/{id}	PATCH	Patch docs	viewer	120/min
v1/docs/{id}	DELETE	Delete docs	owner	60/min
v1/docs/{id}	GET	Get docs	editor	30/min

27.7 Endpoints 43–49

PATH	METHOD	PURPOSE	MIN ROLE	RATE
v1/comments	GET	Get comments	owner	120/min
v1/comments/{id}	GET	Get comments	editor	60/min
v1/comments	POST	Post comments	any member	30/min
v1/comments/{id}	PATCH	Patch comments	viewer	120/min
v1/comments/{id}	DELETE	Delete comments	owner	60/min
v1/comments/{id}	GET	Get comments	editor	30/min
v1/assets	GET	Get assets	owner	120/min

27.8 Endpoints 50–56

PATH	METHOD	PURPOSE	MIN ROLE	RATE
v1/assets/{id}	GET	Get assets	editor	60/min
v1/assets	POST	Post assets	any member	30/min
v1/assets/{id}	PATCH	Patch assets	viewer	120/min
v1/assets/{id}	DELETE	Delete assets	owner	60/min
v1/assets/{id}	GET	Get assets	editor	30/min
v1/collections	GET	Get collections	owner	120/min
v1/collections/{id}	GET	Get collections	editor	60/min

27.9 Endpoints 57–63

PATH	METHOD	PURPOSE	MIN ROLE	RATE
v1/collections	POST	Post collections	any member	30/min
v1/collections/{id}	PATCH	Patch collections	viewer	120/min
v1/collections/{id}	DELETE	Delete collections	owner	60/min
v1/collections/{id}	GET	Get collections	editor	30/min
v1/templates	GET	Get templates	owner	120/min
v1/templates/{id}	GET	Get templates	editor	60/min
v1/templates	POST	Post templates	any member	30/min

27.10 Endpoints 64–70

PATH	METHOD	PURPOSE	MIN ROLE	RATE
v1/templates/{id}	PATCH	Patch templates	viewer	120/min
v1/templates/{id}	DELETE	Delete templates	owner	60/min
v1/templates/{id}	GET	Get templates	editor	30/min
v1/search	GET	Get search	owner	120/min
v1/search/{id}	GET	Get search	editor	60/min
v1/search	POST	Post search	any member	30/min
v1/search/{id}	PATCH	Patch search	viewer	120/min

27.11 Endpoints 71–77

PATH	METHOD	PURPOSE	MIN ROLE	RATE
v1/search/{id}	DELETE	Delete search	owner	60/min
v1/search/{id}	GET	Get search	editor	30/min
v1/webhooks	GET	Get webhooks	owner	120/min
v1/webhooks/{id}	GET	Get webhooks	editor	60/min
v1/webhooks	POST	Post webhooks	any member	30/min
v1/webhooks/{id}	PATCH	Patch webhooks	viewer	120/min
v1/webhooks/{id}	DELETE	Delete webhooks	owner	60/min

27.12 Endpoints 78–84

PATH	METHOD	PURPOSE	MIN ROLE	RATE
v1/webhooks/{id}	GET	Get webhooks	editor	30/min
v1/invoices	GET	Get invoices	owner	120/min
v1/invoices/{id}	GET	Get invoices	editor	60/min
v1/invoices	POST	Post invoices	any member	30/min
v1/invoices/{id}	PATCH	Patch invoices	viewer	120/min
v1/invoices/{id}	DELETE	Delete invoices	owner	60/min
v1/invoices/{id}	GET	Get invoices	editor	30/min

Endpoints (cont.)

PATH	METHOD	PURPOSE	MIN ROLE	RATE
v1/time-entries	GET	Get time entries	owner	120/min
v1/time-entries/{id}	GET	Get time entries	editor	60/min
v1/time-entries	POST	Post time entries	any member	30/min
v1/time-entries/{id}	PATCH	Patch time entries	viewer	120/min
v1/time-entries/{id}	DELETE	Delete time entries	owner	60/min
v1/time-entries/{id}	GET	Get time entries	editor	30/min

28.0001 Unified files · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Unified files**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0001.0	Persist UI surface for Inline preview for images, common design exports, markdown, and code	P1	Reliable; recorded; reversible
DR-0001.1	Persist timeline events for Drag-and-drop upload; paste-to-upload from clipboard	P2	Reversible; recorded; reversible
DR-0001.2	Persist permissions for Every file carries its own version history	P3	Clear; recorded; reversible
DR-0001.3	Persist performance for Tag files by kind (code / design / asset / doc) for filtering	P0	Quiet; recorded; reversible
DR-0001.4	Persist empty states for Object storage backing; pennies per gigabyte at the budget scale	P1	Accessible; recorded; reversible
DR-0001.5	Persist error handling for Tree view that mixes code and creative files naturally	P2	Predictable; recorded; reversible
DR-0001.6	Persist keyboard flow for Inline preview for images, common design exports, markdown, and code	P3	Scoped; recorded; reversible

28.0002 Timeline · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Timeline**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0002.0	Validate timeline events for 'Decisions' — pinned timeline notes that capture the why	P2	Reversible; recorded; reversible
DR-0002.1	Validate permissions for Group related changes (a design + its code) into one entry	P3	Clear; recorded; reversible
DR-0002.2	Validate performance for Git-log-style density for power users; readable summaries for everyone	P0	Quiet; recorded; reversible
DR-0002.3	Validate empty states for Permalink any moment to share 'here's where we were on Tuesday'	P1	Accessible; recorded; reversible
DR-0002.4	Validate error handling for Chronological stream of all change events across modules	P2	Predictable; recorded; reversible
DR-0002.5	Validate keyboard flow for Filter by person, by module, by file, by date range	P3	Scoped; recorded; reversible
DR-0002.6	Validate mobile layout for 'Decisions' — pinned timeline notes that capture the why	P0	Auditable; recorded; reversible

28.0003 Code · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Code**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0003.0	Attribute permissions for Connect an existing external repo (mirror) as an alternative to native	P3	Clear; recorded; reversible
DR-0003.1	Attribute performance for Simple in-browser edits for quick fixes	P0	Quiet; recorded; reversible
DR-0003.2	Attribute empty states for File-level history shared with MOD-02	P1	Accessible; recorded; reversible
DR-0003.3	Attribute error handling for Git-backed repository per project	P2	Predictable; recorded; reversible
DR-0003.4	Attribute keyboard flow for Browse code with syntax highlighting in-app	P3	Scoped; recorded; reversible
DR-0003.5	Attribute mobile layout for Commits flow into the unified timeline automatically	P0	Auditable; recorded; reversible
DR-0003.6	Attribute accessibility for Connect an existing external repo (mirror) as an alternative to native	P1	Minimal; recorded; reversible

28.0004 Tasks · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Tasks**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0004.0	Group performance for Keyboard-first quick add	P0	Quiet; recorded; reversible
DR-0004.1	Group empty states for Filter by assignee, status, linked module	P1	Accessible; recorded; reversible
DR-0004.2	Group error handling for Simple list and board views; no ceremony	P2	Predictable; recorded; reversible
DR-0004.3	Group keyboard flow for Tasks link to files, commits, or decisions	P3	Scoped; recorded; reversible
DR-0004.4	Group mobile layout for Status changes emit timeline events	P0	Auditable; recorded; reversible
DR-0004.5	Group accessibility for Assignee, due date, and a single priority flag — nothing more	P1	Minimal; recorded; reversible
DR-0004.6	Group onboarding for Keyboard-first quick add	P2	Fast; recorded; reversible

28.0005 Docs · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Docs**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0005.0	Filter empty states for Public doc sharing via link	P1	Accessible; recorded; reversible
DR-0005.1	Filter error handling for Markdown editor with live preview	P2	Predictable; recorded; reversible
DR-0005.2	Filter keyboard flow for Docs are files (MOD-02) with structured editing on top	P3	Scoped; recorded; reversible
DR-0005.3	Filter mobile layout for Link docs to tasks, files, and decisions	P0	Auditable; recorded; reversible
DR-0005.4	Filter accessibility for Edits appear in the timeline	P1	Minimal; recorded; reversible
DR-0005.5	Filter onboarding for Templates: brief, spec, decision record, changelog	P2	Fast; recorded; reversible
DR-0005.6	Filter sharing for Public doc sharing via link	P3	Reliable; recorded; reversible

28.0006 Comments & feedback · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Comments & feedback**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0006.0	Sync error handling for Comment threads anchored to files, images, code lines, or events	P2	Predictable; recorded; reversible
DR-0006.1	Sync keyboard flow for Region/pin comments on images and design exports	P3	Scoped; recorded; reversible
DR-0006.2	Sync mobile layout for Resolve / reopen, with timeline trace	P0	Auditable; recorded; reversible
DR-0006.3	Sync accessibility for @mentions notify the right person	P1	Minimal; recorded; reversible
DR-0006.4	Sync onboarding for Comment digests instead of constant pings	P2	Fast; recorded; reversible
DR-0006.5	Sync sharing for Public comment mode for client review (optional)	P3	Reliable; recorded; reversible
DR-0006.6	Sync notifications for Comment threads anchored to files, images, code lines, or events	P0	Reversible; recorded; reversible

28.0007 People & roles · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **People & roles**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0007.0	Cache keyboard flow for Per-project membership; invite by link or email	P3	Scoped; recorded; reversible
DR-0007.1	Cache mobile layout for Consistent identity and avatar across all modules	P0	Auditable; recorded; reversible
DR-0007.2	Cache accessibility for Activity attributed to people everywhere	P1	Minimal; recorded; reversible
DR-0007.3	Cache onboarding for Guest access for client review (time-boxed)	P2	Fast; recorded; reversible
DR-0007.4	Cache sharing for Leave / remove without breaking historical attribution	P3	Reliable; recorded; reversible
DR-0007.5	Cache notifications for Three roles: owner, editor, viewer	P0	Reversible; recorded; reversible
DR-0007.6	Cache search indexing for Per-project membership; invite by link or email	P1	Clear; recorded; reversible

28.0008 Assets & media · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Assets & media**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0008.0	Index mobile layout for Versioned assets with visual diff (before/after)	P0	Auditable; recorded; reversible
DR-0008.1	Index accessibility for Color and basic metadata extraction	P1	Minimal; recorded; reversible
DR-0008.2	Index onboarding for Quick share of an asset or a collection	P2	Fast; recorded; reversible
DR-0008.3	Index sharing for Optimized delivery via storage/CDN	P3	Reliable; recorded; reversible
DR-0008.4	Index notifications for Gallery and grid views for visual assets	P0	Reversible; recorded; reversible
DR-0008.5	Index search indexing for Collections / boards within a project	P1	Clear; recorded; reversible
DR-0008.6	Index storage for Versioned assets with visual diff (before/after)	P2	Quiet; recorded; reversible

28.0009 Publish & portfolio · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Publish & portfolio**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0009.0	Gate accessibility for Custom accent and cover; tasteful defaults	P1	Minimal; recorded; reversible
DR-0009.1	Gate onboarding for 'Made with RMH' attribution (toggleable on paid)	P2	Fast; recorded; reversible
DR-0009.2	Gate sharing for Shareable timeline embeds	P3	Reliable; recorded; reversible
DR-0009.3	Gate notifications for Public project page generated from the project	P0	Reversible; recorded; reversible
DR-0009.4	Gate search indexing for Opt-in 'building in public' changelog feed	P1	Clear; recorded; reversible
DR-0009.5	Gate storage for Simple portfolio that aggregates public projects	P2	Quiet; recorded; reversible
DR-0009.6	Gate versioning for Custom accent and cover; tasteful defaults	P3	Accessible; recorded; reversible

28.0010 Search · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Search**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0010.0	Stream onboarding for Search within a single project or across all projects	P2	Fast; recorded; reversible
DR-0010.1	Stream sharing for Fast, typo-tolerant matching	P3	Reliable; recorded; reversible
DR-0010.2	Stream notifications for Unified search across files, docs, tasks, comments, timeline	P0	Reversible; recorded; reversible
DR-0010.3	Stream search indexing for Filter by module, person, date	P1	Clear; recorded; reversible
DR-0010.4	Stream storage for Keyboard shortcut to summon from anywhere	P2	Quiet; recorded; reversible
DR-0010.5	Stream versioning for Recent and pinned results	P3	Accessible; recorded; reversible
DR-0010.6	Stream API surface for Search within a single project or across all projects	P0	Predictable; recorded; reversible

28.0011 Integrations · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Integrations**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0011.0	Restore sharing for Embeddable timeline and asset widgets	P3	Reliable; recorded; reversible
DR-0011.1	Restore notifications for Connect/mirror an external code repository	P0	Reversible; recorded; reversible
DR-0011.2	Restore search indexing for Outgoing webhooks on timeline events	P1	Clear; recorded; reversible
DR-0011.3	Restore storage for Share-to-social on publish	P2	Quiet; recorded; reversible
DR-0011.4	Restore versioning for Import files from common cloud storage	P3	Accessible; recorded; reversible
DR-0011.5	Restore API surface for Public read API for project data	P0	Predictable; recorded; reversible
DR-0011.6	Restore webhooks for Embeddable timeline and asset widgets	P1	Scoped; recorded; reversible

28.0012 Time & invoicing · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Time & invoicing**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0012.0	Export notifications for Start/stop timers tied to a project or task	P0	Reversible; recorded; reversible
DR-0012.1	Export search indexing for Manual time entry and weekly summary	P1	Clear; recorded; reversible
DR-0012.2	Export storage for Simple rate-based invoice generation (export)	P2	Quiet; recorded; reversible
DR-0012.3	Export versioning for Per-client rollups across projects	P3	Accessible; recorded; reversible
DR-0012.4	Export API surface for CSV export for accounting	P0	Predictable; recorded; reversible
DR-0012.5	Export webhooks for No payment processing — export only, to stay simple and cheap	P1	Scoped; recorded; reversible
DR-0012.6	Export billing gate for Start/stop timers tied to a project or task	P2	Auditable; recorded; reversible

28.0013 Community & templates · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Community & templates**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0013.0	Preview search indexing for Community showcase of public projects	P1	Clear; recorded; reversible
DR-0013.1	Preview storage for Featured builders and 'project of the week'	P2	Quiet; recorded; reversible
DR-0013.2	Preview versioning for Template submission and curation	P3	Accessible; recorded; reversible
DR-0013.3	Preview API surface for Lightweight following / favoriting	P0	Predictable; recorded; reversible
DR-0013.4	Preview webhooks for Seasonal build challenges to drive activity	P1	Scoped; recorded; reversible
DR-0013.5	Preview billing gate for Public template gallery; one-click 'use this template'	P2	Auditable; recorded; reversible
DR-0013.6	Preview offline behavior for Community showcase of public projects	P3	Minimal; recorded; reversible

28.0014 Projects · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Projects**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0014.0	Resolve storage for Project-level people & roles (owner, editor, viewer)	P2	Quiet; recorded; reversible
DR-0014.1	Resolve versioning for Lightweight settings: name, description, visibility, accent color	P3	Accessible; recorded; reversible
DR-0014.2	Resolve API surface for Archive / restore without destroying history	P0	Predictable; recorded; reversible
DR-0014.3	Resolve webhooks for Templates: start from blank, web app, brand kit, or portfolio	P1	Scoped; recorded; reversible
DR-0014.4	Resolve billing gate for Create a project in under a minute, no required config	P2	Auditable; recorded; reversible
DR-0014.5	Resolve offline behavior for Each project has a single shared timeline (see MOD-03)	P3	Minimal; recorded; reversible
DR-0014.6	Resolve import/export for Project-level people & roles (owner, editor, viewer)	P0	Fast; recorded; reversible

28.0015 Unified files · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Unified files**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0015.0	Emit versioning for Every file carries its own version history	P3	Accessible; recorded; reversible
DR-0015.1	Emit API surface for Tag files by kind (code / design / asset / doc) for filtering	P0	Predictable; recorded; reversible
DR-0015.2	Emit webhooks for Object storage backing; pennies per gigabyte at the budget scale	P1	Scoped; recorded; reversible
DR-0015.3	Emit billing gate for Tree view that mixes code and creative files naturally	P2	Auditable; recorded; reversible
DR-0015.4	Emit offline behavior for Inline preview for images, common design exports, markdown, and code	P3	Minimal; recorded; reversible
DR-0015.5	Emit import/export for Drag-and-drop upload; paste-to-upload from clipboard	P0	Fast; recorded; reversible
DR-0015.6	Emit attribution for Every file carries its own version history	P1	Reliable; recorded; reversible

28.0016 Timeline · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Timeline**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0016.0	Throttle API surface for Git-log-style density for power users; readable summaries for everyone	P0	Predictable; recorded; reversible
DR-0016.1	Throttle webhooks for Permalink any moment to share 'here's where we were on Tuesday'	P1	Scoped; recorded; reversible
DR-0016.2	Throttle billing gate for Chronological stream of all change events across modules	P2	Auditable; recorded; reversible
DR-0016.3	Throttle offline behavior for Filter by person, by module, by file, by date range	P3	Minimal; recorded; reversible
DR-0016.4	Throttle import/export for 'Decisions' — pinned timeline notes that capture the why	P0	Fast; recorded; reversible
DR-0016.5	Throttle attribution for Group related changes (a design + its code) into one entry	P1	Reliable; recorded; reversible
DR-0016.6	Throttle previews for Git-log-style density for power users; readable summaries for everyone	P2	Reversible; recorded; reversible

28.0017 Code · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Code**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0017.0	Paginate webhooks for File-level history shared with MOD-02	P1	Scoped; recorded; reversible
DR-0017.1	Paginate billing gate for Git-backed repository per project	P2	Auditable; recorded; reversible
DR-0017.2	Paginate offline behavior for Browse code with syntax highlighting in-app	P3	Minimal; recorded; reversible
DR-0017.3	Paginate import/export for Commits flow into the unified timeline automatically	P0	Fast; recorded; reversible
DR-0017.4	Paginate attribution for Connect an existing external repo (mirror) as an alternative to native	P1	Reliable; recorded; reversible
DR-0017.5	Paginate previews for Simple in-browser edits for quick fixes	P2	Reversible; recorded; reversible
DR-0017.6	Paginate filtering for File-level history shared with MOD-02	P3	Clear; recorded; reversible

28.0018 Tasks · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Tasks**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0018.0	Debounce billing gate for Simple list and board views; no ceremony	P2	Auditable; recorded; reversible
DR-0018.1	Debounce offline behavior for Tasks link to files, commits, or decisions	P3	Minimal; recorded; reversible
DR-0018.2	Debounce import/export for Status changes emit timeline events	P0	Fast; recorded; reversible
DR-0018.3	Debounce attribution for Assignee, due date, and a single priority flag — nothing more	P1	Reliable; recorded; reversible
DR-0018.4	Debounce previews for Keyboard-first quick add	P2	Reversible; recorded; reversible
DR-0018.5	Debounce filtering for Filter by assignee, status, linked module	P3	Clear; recorded; reversible
DR-0018.6	Debounce data model for Simple list and board views; no ceremony	P0	Quiet; recorded; reversible

28.0019 Docs · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Docs**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0019.0	Reconcile offline behavior for Docs are files (MOD-02) with structured editing on top	P3	Minimal; recorded; reversible
DR-0019.1	Reconcile import/export for Link docs to tasks, files, and decisions	P0	Fast; recorded; reversible
DR-0019.2	Reconcile attribution for Edits appear in the timeline	P1	Reliable; recorded; reversible
DR-0019.3	Reconcile previews for Templates: brief, spec, decision record, changelog	P2	Reversible; recorded; reversible
DR-0019.4	Reconcile filtering for Public doc sharing via link	P3	Clear; recorded; reversible
DR-0019.5	Reconcile data model for Markdown editor with live preview	P0	Quiet; recorded; reversible
DR-0019.6	Reconcile UI surface for Docs are files (MOD-02) with structured editing on top	P1	Accessible; recorded; reversible

28.0020 Comments & feedback · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Comments & feedback**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0020.0	Render import/export for Resolve / reopen, with timeline trace	P0	Fast; recorded; reversible
DR-0020.1	Render attribution for @mentions notify the right person	P1	Reliable; recorded; reversible
DR-0020.2	Render previews for Comment digests instead of constant pings	P2	Reversible; recorded; reversible
DR-0020.3	Render filtering for Public comment mode for client review (optional)	P3	Clear; recorded; reversible
DR-0020.4	Render data model for Comment threads anchored to files, images, code lines, or events	P0	Quiet; recorded; reversible
DR-0020.5	Render UI surface for Region/pin comments on images and design exports	P1	Accessible; recorded; reversible
DR-0020.6	Render timeline events for Resolve / reopen, with timeline trace	P2	Predictable; recorded; reversible

28.0021 People & roles · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **People & roles**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0021.0	Persist attribution for Activity attributed to people everywhere	P1	Reliable; recorded; reversible
DR-0021.1	Persist previews for Guest access for client review (time-boxed)	P2	Reversible; recorded; reversible
DR-0021.2	Persist filtering for Leave / remove without breaking historical attribution	P3	Clear; recorded; reversible
DR-0021.3	Persist data model for Three roles: owner, editor, viewer	P0	Quiet; recorded; reversible
DR-0021.4	Persist UI surface for Per-project membership; invite by link or email	P1	Accessible; recorded; reversible
DR-0021.5	Persist timeline events for Consistent identity and avatar across all modules	P2	Predictable; recorded; reversible
DR-0021.6	Persist permissions for Activity attributed to people everywhere	P3	Scoped; recorded; reversible

28.0022 Assets & media · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Assets & media**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0022.0	Validate previews for Quick share of an asset or a collection	P2	Reversible; recorded; reversible
DR-0022.1	Validate filtering for Optimized delivery via storage/CDN	P3	Clear; recorded; reversible
DR-0022.2	Validate data model for Gallery and grid views for visual assets	P0	Quiet; recorded; reversible
DR-0022.3	Validate UI surface for Collections / boards within a project	P1	Accessible; recorded; reversible
DR-0022.4	Validate timeline events for Versioned assets with visual diff (before/after)	P2	Predictable; recorded; reversible
DR-0022.5	Validate permissions for Color and basic metadata extraction	P3	Scoped; recorded; reversible
DR-0022.6	Validate performance for Quick share of an asset or a collection	P0	Auditable; recorded; reversible

28.0023 Publish & portfolio · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Publish & portfolio**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0023.0	Attribute filtering for Shareable timeline embeds	P3	Clear; recorded; reversible
DR-0023.1	Attribute data model for Public project page generated from the project	P0	Quiet; recorded; reversible
DR-0023.2	Attribute UI surface for Opt-in 'building in public' changelog feed	P1	Accessible; recorded; reversible
DR-0023.3	Attribute timeline events for Simple portfolio that aggregates public projects	P2	Predictable; recorded; reversible
DR-0023.4	Attribute permissions for Custom accent and cover; tasteful defaults	P3	Scoped; recorded; reversible
DR-0023.5	Attribute performance for 'Made with RMH' attribution (toggleable on paid)	P0	Auditable; recorded; reversible
DR-0023.6	Attribute empty states for Shareable timeline embeds	P1	Minimal; recorded; reversible

28.0024 Search · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Search**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0024.0	Group data model for Unified search across files, docs, tasks, comments, timeline	P0	Quiet; recorded; reversible
DR-0024.1	Group UI surface for Filter by module, person, date	P1	Accessible; recorded; reversible
DR-0024.2	Group timeline events for Keyboard shortcut to summon from anywhere	P2	Predictable; recorded; reversible
DR-0024.3	Group permissions for Recent and pinned results	P3	Scoped; recorded; reversible
DR-0024.4	Group performance for Search within a single project or across all projects	P0	Auditable; recorded; reversible
DR-0024.5	Group empty states for Fast, typo-tolerant matching	P1	Minimal; recorded; reversible
DR-0024.6	Group error handling for Unified search across files, docs, tasks, comments, timeline	P2	Fast; recorded; reversible

28.0025 Integrations · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Integrations**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0025.0	Filter UI surface for Outgoing webhooks on timeline events	P1	Accessible; recorded; reversible
DR-0025.1	Filter timeline events for Share-to-social on publish	P2	Predictable; recorded; reversible
DR-0025.2	Filter permissions for Import files from common cloud storage	P3	Scoped; recorded; reversible
DR-0025.3	Filter performance for Public read API for project data	P0	Auditable; recorded; reversible
DR-0025.4	Filter empty states for Embeddable timeline and asset widgets	P1	Minimal; recorded; reversible
DR-0025.5	Filter error handling for Connect/mirror an external code repository	P2	Fast; recorded; reversible
DR-0025.6	Filter keyboard flow for Outgoing webhooks on timeline events	P3	Reliable; recorded; reversible

28.0026 Time & invoicing · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Time & invoicing**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0026.0	Sync timeline events for Simple rate-based invoice generation (export)	P2	Predictable; recorded; reversible
DR-0026.1	Sync permissions for Per-client rollups across projects	P3	Scoped; recorded; reversible
DR-0026.2	Sync performance for CSV export for accounting	P0	Auditable; recorded; reversible
DR-0026.3	Sync empty states for No payment processing — export only, to stay simple and cheap	P1	Minimal; recorded; reversible
DR-0026.4	Sync error handling for Start/stop timers tied to a project or task	P2	Fast; recorded; reversible
DR-0026.5	Sync keyboard flow for Manual time entry and weekly summary	P3	Reliable; recorded; reversible
DR-0026.6	Sync mobile layout for Simple rate-based invoice generation (export)	P0	Reversible; recorded; reversible

28.0027 Community & templates · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Community & templates**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0027.0	Cache permissions for Template submission and curation	P3	Scoped; recorded; reversible
DR-0027.1	Cache performance for Lightweight following / favoriting	P0	Auditable; recorded; reversible
DR-0027.2	Cache empty states for Seasonal build challenges to drive activity	P1	Minimal; recorded; reversible
DR-0027.3	Cache error handling for Public template gallery; one-click 'use this template'	P2	Fast; recorded; reversible
DR-0027.4	Cache keyboard flow for Community showcase of public projects	P3	Reliable; recorded; reversible
DR-0027.5	Cache mobile layout for Featured builders and 'project of the week'	P0	Reversible; recorded; reversible
DR-0027.6	Cache accessibility for Template submission and curation	P1	Clear; recorded; reversible

28.0028 Projects · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Projects**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0028.0	Index performance for Archive / restore without destroying history	P0	Auditable; recorded; reversible
DR-0028.1	Index empty states for Templates: start from blank, web app, brand kit, or portfolio	P1	Minimal; recorded; reversible
DR-0028.2	Index error handling for Create a project in under a minute, no required config	P2	Fast; recorded; reversible
DR-0028.3	Index keyboard flow for Each project has a single shared timeline (see MOD-03)	P3	Reliable; recorded; reversible
DR-0028.4	Index mobile layout for Project-level people & roles (owner, editor, viewer)	P0	Reversible; recorded; reversible
DR-0028.5	Index accessibility for Lightweight settings: name, description, visibility, accent color	P1	Clear; recorded; reversible
DR-0028.6	Index onboarding for Archive / restore without destroying history	P2	Quiet; recorded; reversible

28.0029 Unified files · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Unified files**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0029.0	Gate empty states for Object storage backing; pennies per gigabyte at the budget scale	P1	Minimal; recorded; reversible
DR-0029.1	Gate error handling for Tree view that mixes code and creative files naturally	P2	Fast; recorded; reversible
DR-0029.2	Gate keyboard flow for Inline preview for images, common design exports, markdown, and code	P3	Reliable; recorded; reversible
DR-0029.3	Gate mobile layout for Drag-and-drop upload; paste-to-upload from clipboard	P0	Reversible; recorded; reversible
DR-0029.4	Gate accessibility for Every file carries its own version history	P1	Clear; recorded; reversible
DR-0029.5	Gate onboarding for Tag files by kind (code / design / asset / doc) for filtering	P2	Quiet; recorded; reversible
DR-0029.6	Gate sharing for Object storage backing; pennies per gigabyte at the budget scale	P3	Accessible; recorded; reversible

28.0030 Timeline · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Timeline**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0030.0	Stream error handling for Chronological stream of all change events across modules	P2	Fast; recorded; reversible
DR-0030.1	Stream keyboard flow for Filter by person, by module, by file, by date range	P3	Reliable; recorded; reversible
DR-0030.2	Stream mobile layout for 'Decisions' — pinned timeline notes that capture the why	P0	Reversible; recorded; reversible
DR-0030.3	Stream accessibility for Group related changes (a design + its code) into one entry	P1	Clear; recorded; reversible
DR-0030.4	Stream onboarding for Git-log-style density for power users; readable summaries for everyone	P2	Quiet; recorded; reversible
DR-0030.5	Stream sharing for Permalink any moment to share 'here's where we were on Tuesday'	P3	Accessible; recorded; reversible
DR-0030.6	Stream notifications for Chronological stream of all change events across modules	P0	Predictable; recorded; reversible

28.0031 Code · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Code**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0031.0	Restore keyboard flow for Browse code with syntax highlighting in-app	P3	Reliable; recorded; reversible
DR-0031.1	Restore mobile layout for Commits flow into the unified timeline automatically	P0	Reversible; recorded; reversible
DR-0031.2	Restore accessibility for Connect an existing external repo (mirror) as an alternative to native	P1	Clear; recorded; reversible
DR-0031.3	Restore onboarding for Simple in-browser edits for quick fixes	P2	Quiet; recorded; reversible
DR-0031.4	Restore sharing for File-level history shared with MOD-02	P3	Accessible; recorded; reversible
DR-0031.5	Restore notifications for Git-backed repository per project	P0	Predictable; recorded; reversible
DR-0031.6	Restore search indexing for Browse code with syntax highlighting in-app	P1	Scoped; recorded; reversible

28.0032 Tasks · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Tasks**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0032.0	Export mobile layout for Status changes emit timeline events	P0	Reversible; recorded; reversible
DR-0032.1	Export accessibility for Assignee, due date, and a single priority flag — nothing more	P1	Clear; recorded; reversible
DR-0032.2	Export onboarding for Keyboard-first quick add	P2	Quiet; recorded; reversible
DR-0032.3	Export sharing for Filter by assignee, status, linked module	P3	Accessible; recorded; reversible
DR-0032.4	Export notifications for Simple list and board views; no ceremony	P0	Predictable; recorded; reversible
DR-0032.5	Export search indexing for Tasks link to files, commits, or decisions	P1	Scoped; recorded; reversible
DR-0032.6	Export storage for Status changes emit timeline events	P2	Auditable; recorded; reversible

28.0033 Docs · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Docs**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0033.0	Preview accessibility for Edits appear in the timeline	P1	Clear; recorded; reversible
DR-0033.1	Preview onboarding for Templates: brief, spec, decision record, changelog	P2	Quiet; recorded; reversible
DR-0033.2	Preview sharing for Public doc sharing via link	P3	Accessible; recorded; reversible
DR-0033.3	Preview notifications for Markdown editor with live preview	P0	Predictable; recorded; reversible
DR-0033.4	Preview search indexing for Docs are files (MOD-02) with structured editing on top	P1	Scoped; recorded; reversible
DR-0033.5	Preview storage for Link docs to tasks, files, and decisions	P2	Auditable; recorded; reversible
DR-0033.6	Preview versioning for Edits appear in the timeline	P3	Minimal; recorded; reversible

28.0034 Comments & feedback · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Comments & feedback**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0034.0	Resolve onboarding for Comment digests instead of constant pings	P2	Quiet; recorded; reversible
DR-0034.1	Resolve sharing for Public comment mode for client review (optional)	P3	Accessible; recorded; reversible
DR-0034.2	Resolve notifications for Comment threads anchored to files, images, code lines, or events	P0	Predictable; recorded; reversible
DR-0034.3	Resolve search indexing for Region/pin comments on images and design exports	P1	Scoped; recorded; reversible
DR-0034.4	Resolve storage for Resolve / reopen, with timeline trace	P2	Auditable; recorded; reversible
DR-0034.5	Resolve versioning for @mentions notify the right person	P3	Minimal; recorded; reversible
DR-0034.6	Resolve API surface for Comment digests instead of constant pings	P0	Fast; recorded; reversible

28.0035 People & roles · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **People & roles**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0035.0	Emit sharing for Leave / remove without breaking historical attribution	P3	Accessible; recorded; reversible
DR-0035.1	Emit notifications for Three roles: owner, editor, viewer	P0	Predictable; recorded; reversible
DR-0035.2	Emit search indexing for Per-project membership; invite by link or email	P1	Scoped; recorded; reversible
DR-0035.3	Emit storage for Consistent identity and avatar across all modules	P2	Auditable; recorded; reversible
DR-0035.4	Emit versioning for Activity attributed to people everywhere	P3	Minimal; recorded; reversible
DR-0035.5	Emit API surface for Guest access for client review (time-boxed)	P0	Fast; recorded; reversible
DR-0035.6	Emit webhooks for Leave / remove without breaking historical attribution	P1	Reliable; recorded; reversible

28.0036 Assets & media · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Assets & media**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0036.0	Throttle notifications for Gallery and grid views for visual assets	P0	Predictable; recorded; reversible
DR-0036.1	Throttle search indexing for Collections / boards within a project	P1	Scoped; recorded; reversible
DR-0036.2	Throttle storage for Versioned assets with visual diff (before/after)	P2	Auditable; recorded; reversible
DR-0036.3	Throttle versioning for Color and basic metadata extraction	P3	Minimal; recorded; reversible
DR-0036.4	Throttle API surface for Quick share of an asset or a collection	P0	Fast; recorded; reversible
DR-0036.5	Throttle webhooks for Optimized delivery via storage/CDN	P1	Reliable; recorded; reversible
DR-0036.6	Throttle billing gate for Gallery and grid views for visual assets	P2	Reversible; recorded; reversible

28.0037 Publish & portfolio · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Publish & portfolio**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0037.0	Paginate search indexing for Opt-in 'building in public' changelog feed	P1	Scoped; recorded; reversible
DR-0037.1	Paginate storage for Simple portfolio that aggregates public projects	P2	Auditable; recorded; reversible
DR-0037.2	Paginate versioning for Custom accent and cover; tasteful defaults	P3	Minimal; recorded; reversible
DR-0037.3	Paginate API surface for 'Made with RMH' attribution (toggleable on paid)	P0	Fast; recorded; reversible
DR-0037.4	Paginate webhooks for Shareable timeline embeds	P1	Reliable; recorded; reversible
DR-0037.5	Paginate billing gate for Public project page generated from the project	P2	Reversible; recorded; reversible
DR-0037.6	Paginate offline behavior for Opt-in 'building in public' changelog feed	P3	Clear; recorded; reversible

28.0038 Search · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Search**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0038.0	Debounce storage for Keyboard shortcut to summon from anywhere	P2	Auditable; recorded; reversible
DR-0038.1	Debounce versioning for Recent and pinned results	P3	Minimal; recorded; reversible
DR-0038.2	Debounce API surface for Search within a single project or across all projects	P0	Fast; recorded; reversible
DR-0038.3	Debounce webhooks for Fast, typo-tolerant matching	P1	Reliable; recorded; reversible
DR-0038.4	Debounce billing gate for Unified search across files, docs, tasks, comments, timeline	P2	Reversible; recorded; reversible
DR-0038.5	Debounce offline behavior for Filter by module, person, date	P3	Clear; recorded; reversible
DR-0038.6	Debounce import/export for Keyboard shortcut to summon from anywhere	P0	Quiet; recorded; reversible

28.0039 Integrations · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Integrations**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0039.0	Reconcile versioning for Import files from common cloud storage	P3	Minimal; recorded; reversible
DR-0039.1	Reconcile API surface for Public read API for project data	P0	Fast; recorded; reversible
DR-0039.2	Reconcile webhooks for Embeddable timeline and asset widgets	P1	Reliable; recorded; reversible
DR-0039.3	Reconcile billing gate for Connect/mirror an external code repository	P2	Reversible; recorded; reversible
DR-0039.4	Reconcile offline behavior for Outgoing webhooks on timeline events	P3	Clear; recorded; reversible
DR-0039.5	Reconcile import/export for Share-to-social on publish	P0	Quiet; recorded; reversible
DR-0039.6	Reconcile attribution for Import files from common cloud storage	P1	Accessible; recorded; reversible

28.0040 Time & invoicing · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Time & invoicing**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0040.0	Render API surface for CSV export for accounting	P0	Fast; recorded; reversible
DR-0040.1	Render webhooks for No payment processing — export only, to stay simple and cheap	P1	Reliable; recorded; reversible
DR-0040.2	Render billing gate for Start/stop timers tied to a project or task	P2	Reversible; recorded; reversible
DR-0040.3	Render offline behavior for Manual time entry and weekly summary	P3	Clear; recorded; reversible
DR-0040.4	Render import/export for Simple rate-based invoice generation (export)	P0	Quiet; recorded; reversible
DR-0040.5	Render attribution for Per-client rollups across projects	P1	Accessible; recorded; reversible
DR-0040.6	Render previews for CSV export for accounting	P2	Predictable; recorded; reversible

28.0041 Community & templates · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Community & templates**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0041.0	Persist webhooks for Seasonal build challenges to drive activity	P1	Reliable; recorded; reversible
DR-0041.1	Persist billing gate for Public template gallery; one-click 'use this template'	P2	Reversible; recorded; reversible
DR-0041.2	Persist offline behavior for Community showcase of public projects	P3	Clear; recorded; reversible
DR-0041.3	Persist import/export for Featured builders and 'project of the week'	P0	Quiet; recorded; reversible
DR-0041.4	Persist attribution for Template submission and curation	P1	Accessible; recorded; reversible
DR-0041.5	Persist previews for Lightweight following / favoriting	P2	Predictable; recorded; reversible
DR-0041.6	Persist filtering for Seasonal build challenges to drive activity	P3	Scoped; recorded; reversible

28.0042 Projects · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Projects**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0042.0	Validate billing gate for Create a project in under a minute, no required config	P2	Reversible; recorded; reversible
DR-0042.1	Validate offline behavior for Each project has a single shared timeline (see MOD-03)	P3	Clear; recorded; reversible
DR-0042.2	Validate import/export for Project-level people & roles (owner, editor, viewer)	P0	Quiet; recorded; reversible
DR-0042.3	Validate attribution for Lightweight settings: name, description, visibility, accent color	P1	Accessible; recorded; reversible
DR-0042.4	Validate previews for Archive / restore without destroying history	P2	Predictable; recorded; reversible
DR-0042.5	Validate filtering for Templates: start from blank, web app, brand kit, or portfolio	P3	Scoped; recorded; reversible
DR-0042.6	Validate data model for Create a project in under a minute, no required config	P0	Auditable; recorded; reversible

28.0043 Unified files · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Unified files**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0043.0	Attribute offline behavior for Inline preview for images, common design exports, markdown, and code	P3	Clear; recorded; reversible
DR-0043.1	Attribute import/export for Drag-and-drop upload; paste-to-upload from clipboard	P0	Quiet; recorded; reversible
DR-0043.2	Attribute attribution for Every file carries its own version history	P1	Accessible; recorded; reversible
DR-0043.3	Attribute previews for Tag files by kind (code / design / asset / doc) for filtering	P2	Predictable; recorded; reversible
DR-0043.4	Attribute filtering for Object storage backing; pennies per gigabyte at the budget scale	P3	Scoped; recorded; reversible
DR-0043.5	Attribute data model for Tree view that mixes code and creative files naturally	P0	Auditable; recorded; reversible
DR-0043.6	Attribute UI surface for Inline preview for images, common design exports, markdown, and code	P1	Minimal; recorded; reversible

28.0044 Timeline · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Timeline**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0044.0	Group import/export for 'Decisions' — pinned timeline notes that capture the why	P0	Quiet; recorded; reversible
DR-0044.1	Group attribution for Group related changes (a design + its code) into one entry	P1	Accessible; recorded; reversible
DR-0044.2	Group previews for Git-log-style density for power users; readable summaries for everyone	P2	Predictable; recorded; reversible
DR-0044.3	Group filtering for Permalink any moment to share 'here's where we were on Tuesday'	P3	Scoped; recorded; reversible
DR-0044.4	Group data model for Chronological stream of all change events across modules	P0	Auditable; recorded; reversible
DR-0044.5	Group UI surface for Filter by person, by module, by file, by date range	P1	Minimal; recorded; reversible
DR-0044.6	Group timeline events for 'Decisions' — pinned timeline notes that capture the why	P2	Fast; recorded; reversible

28.0045 Code · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Code**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0045.0	Filter attribution for Connect an existing external repo (mirror) as an alternative to native	P1	Accessible; recorded; reversible
DR-0045.1	Filter previews for Simple in-browser edits for quick fixes	P2	Predictable; recorded; reversible
DR-0045.2	Filter filtering for File-level history shared with MOD-02	P3	Scoped; recorded; reversible
DR-0045.3	Filter data model for Git-backed repository per project	P0	Auditable; recorded; reversible
DR-0045.4	Filter UI surface for Browse code with syntax highlighting in-app	P1	Minimal; recorded; reversible
DR-0045.5	Filter timeline events for Commits flow into the unified timeline automatically	P2	Fast; recorded; reversible
DR-0045.6	Filter permissions for Connect an existing external repo (mirror) as an alternative to native	P3	Reliable; recorded; reversible

28.0046 Tasks · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Tasks**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0046.0	Sync previews for Keyboard-first quick add	P2	Predictable; recorded; reversible
DR-0046.1	Sync filtering for Filter by assignee, status, linked module	P3	Scoped; recorded; reversible
DR-0046.2	Sync data model for Simple list and board views; no ceremony	P0	Auditable; recorded; reversible
DR-0046.3	Sync UI surface for Tasks link to files, commits, or decisions	P1	Minimal; recorded; reversible
DR-0046.4	Sync timeline events for Status changes emit timeline events	P2	Fast; recorded; reversible
DR-0046.5	Sync permissions for Assignee, due date, and a single priority flag — nothing more	P3	Reliable; recorded; reversible
DR-0046.6	Sync performance for Keyboard-first quick add	P0	Reversible; recorded; reversible

28.0047 Docs · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Docs**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0047.0	Cache filtering for Public doc sharing via link	P3	Scoped; recorded; reversible
DR-0047.1	Cache data model for Markdown editor with live preview	P0	Auditable; recorded; reversible
DR-0047.2	Cache UI surface for Docs are files (MOD-02) with structured editing on top	P1	Minimal; recorded; reversible
DR-0047.3	Cache timeline events for Link docs to tasks, files, and decisions	P2	Fast; recorded; reversible
DR-0047.4	Cache permissions for Edits appear in the timeline	P3	Reliable; recorded; reversible
DR-0047.5	Cache performance for Templates: brief, spec, decision record, changelog	P0	Reversible; recorded; reversible
DR-0047.6	Cache empty states for Public doc sharing via link	P1	Clear; recorded; reversible

28.0048 Comments & feedback · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Comments & feedback**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0048.0	Index data model for Comment threads anchored to files, images, code lines, or events	P0	Auditable; recorded; reversible
DR-0048.1	Index UI surface for Region/pin comments on images and design exports	P1	Minimal; recorded; reversible
DR-0048.2	Index timeline events for Resolve / reopen, with timeline trace	P2	Fast; recorded; reversible
DR-0048.3	Index permissions for @mentions notify the right person	P3	Reliable; recorded; reversible
DR-0048.4	Index performance for Comment digests instead of constant pings	P0	Reversible; recorded; reversible
DR-0048.5	Index empty states for Public comment mode for client review (optional)	P1	Clear; recorded; reversible
DR-0048.6	Index error handling for Comment threads anchored to files, images, code lines, or events	P2	Quiet; recorded; reversible

28.0049 People & roles · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **People & roles**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0049.0	Gate UI surface for Per-project membership; invite by link or email	P1	Minimal; recorded; reversible
DR-0049.1	Gate timeline events for Consistent identity and avatar across all modules	P2	Fast; recorded; reversible
DR-0049.2	Gate permissions for Activity attributed to people everywhere	P3	Reliable; recorded; reversible
DR-0049.3	Gate performance for Guest access for client review (time-boxed)	P0	Reversible; recorded; reversible
DR-0049.4	Gate empty states for Leave / remove without breaking historical attribution	P1	Clear; recorded; reversible
DR-0049.5	Gate error handling for Three roles: owner, editor, viewer	P2	Quiet; recorded; reversible
DR-0049.6	Gate keyboard flow for Per-project membership; invite by link or email	P3	Accessible; recorded; reversible

28.0050 Assets & media · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Assets & media**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0050.0	Stream timeline events for Versioned assets with visual diff (before/after)	P2	Fast; recorded; reversible
DR-0050.1	Stream permissions for Color and basic metadata extraction	P3	Reliable; recorded; reversible
DR-0050.2	Stream performance for Quick share of an asset or a collection	P0	Reversible; recorded; reversible
DR-0050.3	Stream empty states for Optimized delivery via storage/CDN	P1	Clear; recorded; reversible
DR-0050.4	Stream error handling for Gallery and grid views for visual assets	P2	Quiet; recorded; reversible
DR-0050.5	Stream keyboard flow for Collections / boards within a project	P3	Accessible; recorded; reversible
DR-0050.6	Stream mobile layout for Versioned assets with visual diff (before/after)	P0	Predictable; recorded; reversible

28.0051 Publish & portfolio · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Publish & portfolio**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0051.0	Restore permissions for Custom accent and cover; tasteful defaults	P3	Reliable; recorded; reversible
DR-0051.1	Restore performance for 'Made with RMH' attribution (toggleable on paid)	P0	Reversible; recorded; reversible
DR-0051.2	Restore empty states for Shareable timeline embeds	P1	Clear; recorded; reversible
DR-0051.3	Restore error handling for Public project page generated from the project	P2	Quiet; recorded; reversible
DR-0051.4	Restore keyboard flow for Opt-in 'building in public' changelog feed	P3	Accessible; recorded; reversible
DR-0051.5	Restore mobile layout for Simple portfolio that aggregates public projects	P0	Predictable; recorded; reversible
DR-0051.6	Restore accessibility for Custom accent and cover; tasteful defaults	P1	Scoped; recorded; reversible

28.0052 Search · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Search**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0052.0	Export performance for Search within a single project or across all projects	P0	Reversible; recorded; reversible
DR-0052.1	Export empty states for Fast, typo-tolerant matching	P1	Clear; recorded; reversible
DR-0052.2	Export error handling for Unified search across files, docs, tasks, comments, timeline	P2	Quiet; recorded; reversible
DR-0052.3	Export keyboard flow for Filter by module, person, date	P3	Accessible; recorded; reversible
DR-0052.4	Export mobile layout for Keyboard shortcut to summon from anywhere	P0	Predictable; recorded; reversible
DR-0052.5	Export accessibility for Recent and pinned results	P1	Scoped; recorded; reversible
DR-0052.6	Export onboarding for Search within a single project or across all projects	P2	Auditable; recorded; reversible

28.0053 Integrations · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Integrations**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0053.0	Preview empty states for Embeddable timeline and asset widgets	P1	Clear; recorded; reversible
DR-0053.1	Preview error handling for Connect/mirror an external code repository	P2	Quiet; recorded; reversible
DR-0053.2	Preview keyboard flow for Outgoing webhooks on timeline events	P3	Accessible; recorded; reversible
DR-0053.3	Preview mobile layout for Share-to-social on publish	P0	Predictable; recorded; reversible
DR-0053.4	Preview accessibility for Import files from common cloud storage	P1	Scoped; recorded; reversible
DR-0053.5	Preview onboarding for Public read API for project data	P2	Auditable; recorded; reversible
DR-0053.6	Preview sharing for Embeddable timeline and asset widgets	P3	Minimal; recorded; reversible

28.0054 Time & invoicing · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Time & invoicing**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0054.0	Resolve error handling for Start/stop timers tied to a project or task	P2	Quiet; recorded; reversible
DR-0054.1	Resolve keyboard flow for Manual time entry and weekly summary	P3	Accessible; recorded; reversible
DR-0054.2	Resolve mobile layout for Simple rate-based invoice generation (export)	P0	Predictable; recorded; reversible
DR-0054.3	Resolve accessibility for Per-client rollups across projects	P1	Scoped; recorded; reversible
DR-0054.4	Resolve onboarding for CSV export for accounting	P2	Auditable; recorded; reversible
DR-0054.5	Resolve sharing for No payment processing — export only, to stay simple and cheap	P3	Minimal; recorded; reversible
DR-0054.6	Resolve notifications for Start/stop timers tied to a project or task	P0	Fast; recorded; reversible

28.0055 Community & templates · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Community & templates**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0055.0	Emit keyboard flow for Community showcase of public projects	P3	Accessible; recorded; reversible
DR-0055.1	Emit mobile layout for Featured builders and 'project of the week'	P0	Predictable; recorded; reversible
DR-0055.2	Emit accessibility for Template submission and curation	P1	Scoped; recorded; reversible
DR-0055.3	Emit onboarding for Lightweight following / favoriting	P2	Auditable; recorded; reversible
DR-0055.4	Emit sharing for Seasonal build challenges to drive activity	P3	Minimal; recorded; reversible
DR-0055.5	Emit notifications for Public template gallery; one-click 'use this template'	P0	Fast; recorded; reversible
DR-0055.6	Emit search indexing for Community showcase of public projects	P1	Reliable; recorded; reversible

28.0056 Projects · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Projects**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0056.0	Throttle mobile layout for Project-level people & roles (owner, editor, viewer)	P0	Predictable; recorded; reversible
DR-0056.1	Throttle accessibility for Lightweight settings: name, description, visibility, accent color	P1	Scoped; recorded; reversible
DR-0056.2	Throttle onboarding for Archive / restore without destroying history	P2	Auditable; recorded; reversible
DR-0056.3	Throttle sharing for Templates: start from blank, web app, brand kit, or portfolio	P3	Minimal; recorded; reversible
DR-0056.4	Throttle notifications for Create a project in under a minute, no required config	P0	Fast; recorded; reversible
DR-0056.5	Throttle search indexing for Each project has a single shared timeline (see MOD-03)	P1	Reliable; recorded; reversible
DR-0056.6	Throttle storage for Project-level people & roles (owner, editor, viewer)	P2	Reversible; recorded; reversible

28.0057 Unified files · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Unified files**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0057.0	Paginate accessibility for Every file carries its own version history	P1	Scoped; recorded; reversible
DR-0057.1	Paginate onboarding for Tag files by kind (code / design / asset / doc) for filtering	P2	Auditable; recorded; reversible
DR-0057.2	Paginate sharing for Object storage backing; pennies per gigabyte at the budget scale	P3	Minimal; recorded; reversible
DR-0057.3	Paginate notifications for Tree view that mixes code and creative files naturally	P0	Fast; recorded; reversible
DR-0057.4	Paginate search indexing for Inline preview for images, common design exports, markdown, and code	P1	Reliable; recorded; reversible
DR-0057.5	Paginate storage for Drag-and-drop upload; paste-to-upload from clipboard	P2	Reversible; recorded; reversible
DR-0057.6	Paginate versioning for Every file carries its own version history	P3	Clear; recorded; reversible

28.0058 Timeline · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Timeline**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0058.0	Debounce onboarding for Git-log-style density for power users; readable summaries for everyone	P2	Auditable; recorded; reversible
DR-0058.1	Debounce sharing for Permalink any moment to share 'here's where we were on Tuesday'	P3	Minimal; recorded; reversible
DR-0058.2	Debounce notifications for Chronological stream of all change events across modules	P0	Fast; recorded; reversible
DR-0058.3	Debounce search indexing for Filter by person, by module, by file, by date range	P1	Reliable; recorded; reversible
DR-0058.4	Debounce storage for 'Decisions' — pinned timeline notes that capture the why	P2	Reversible; recorded; reversible
DR-0058.5	Debounce versioning for Group related changes (a design + its code) into one entry	P3	Clear; recorded; reversible
DR-0058.6	Debounce API surface for Git-log-style density for power users; readable summaries for everyone	P0	Quiet; recorded; reversible

28.0059 Code · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Code**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0059.0	Reconcile sharing for File-level history shared with MOD-02	P3	Minimal; recorded; reversible
DR-0059.1	Reconcile notifications for Git-backed repository per project	P0	Fast; recorded; reversible
DR-0059.2	Reconcile search indexing for Browse code with syntax highlighting in-app	P1	Reliable; recorded; reversible
DR-0059.3	Reconcile storage for Commits flow into the unified timeline automatically	P2	Reversible; recorded; reversible
DR-0059.4	Reconcile versioning for Connect an existing external repo (mirror) as an alternative to native	P3	Clear; recorded; reversible
DR-0059.5	Reconcile API surface for Simple in-browser edits for quick fixes	P0	Quiet; recorded; reversible
DR-0059.6	Reconcile webhooks for File-level history shared with MOD-02	P1	Accessible; recorded; reversible

28.0060 Tasks · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Tasks**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0060.0	Render notifications for Simple list and board views; no ceremony	P0	Fast; recorded; reversible
DR-0060.1	Render search indexing for Tasks link to files, commits, or decisions	P1	Reliable; recorded; reversible
DR-0060.2	Render storage for Status changes emit timeline events	P2	Reversible; recorded; reversible
DR-0060.3	Render versioning for Assignee, due date, and a single priority flag — nothing more	P3	Clear; recorded; reversible
DR-0060.4	Render API surface for Keyboard-first quick add	P0	Quiet; recorded; reversible
DR-0060.5	Render webhooks for Filter by assignee, status, linked module	P1	Accessible; recorded; reversible
DR-0060.6	Render billing gate for Simple list and board views; no ceremony	P2	Predictable; recorded; reversible

28.0061 Docs · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Docs**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0061.0	Persist search indexing for Docs are files (MOD-02) with structured editing on top	P1	Reliable; recorded; reversible
DR-0061.1	Persist storage for Link docs to tasks, files, and decisions	P2	Reversible; recorded; reversible
DR-0061.2	Persist versioning for Edits appear in the timeline	P3	Clear; recorded; reversible
DR-0061.3	Persist API surface for Templates: brief, spec, decision record, changelog	P0	Quiet; recorded; reversible
DR-0061.4	Persist webhooks for Public doc sharing via link	P1	Accessible; recorded; reversible
DR-0061.5	Persist billing gate for Markdown editor with live preview	P2	Predictable; recorded; reversible
DR-0061.6	Persist offline behavior for Docs are files (MOD-02) with structured editing on top	P3	Scoped; recorded; reversible

28.0062 Comments & feedback · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Comments & feedback**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0062.0	Validate storage for Resolve / reopen, with timeline trace	P2	Reversible; recorded; reversible
DR-0062.1	Validate versioning for @mentions notify the right person	P3	Clear; recorded; reversible
DR-0062.2	Validate API surface for Comment digests instead of constant pings	P0	Quiet; recorded; reversible
DR-0062.3	Validate webhooks for Public comment mode for client review (optional)	P1	Accessible; recorded; reversible
DR-0062.4	Validate billing gate for Comment threads anchored to files, images, code lines, or events	P2	Predictable; recorded; reversible
DR-0062.5	Validate offline behavior for Region/pin comments on images and design exports	P3	Scoped; recorded; reversible
DR-0062.6	Validate import/export for Resolve / reopen, with timeline trace	P0	Auditable; recorded; reversible

28.0063 People & roles · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **People & roles**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0063.0	Attribute versioning for Activity attributed to people everywhere	P3	Clear; recorded; reversible
DR-0063.1	Attribute API surface for Guest access for client review (time-boxed)	P0	Quiet; recorded; reversible
DR-0063.2	Attribute webhooks for Leave / remove without breaking historical attribution	P1	Accessible; recorded; reversible
DR-0063.3	Attribute billing gate for Three roles: owner, editor, viewer	P2	Predictable; recorded; reversible
DR-0063.4	Attribute offline behavior for Per-project membership; invite by link or email	P3	Scoped; recorded; reversible
DR-0063.5	Attribute import/export for Consistent identity and avatar across all modules	P0	Auditable; recorded; reversible
DR-0063.6	Attribute attribution for Activity attributed to people everywhere	P1	Minimal; recorded; reversible

28.0064 Assets & media · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Assets & media**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0064.0	Group API surface for Quick share of an asset or a collection	P0	Quiet; recorded; reversible
DR-0064.1	Group webhooks for Optimized delivery via storage/CDN	P1	Accessible; recorded; reversible
DR-0064.2	Group billing gate for Gallery and grid views for visual assets	P2	Predictable; recorded; reversible
DR-0064.3	Group offline behavior for Collections / boards within a project	P3	Scoped; recorded; reversible
DR-0064.4	Group import/export for Versioned assets with visual diff (before/after)	P0	Auditable; recorded; reversible
DR-0064.5	Group attribution for Color and basic metadata extraction	P1	Minimal; recorded; reversible
DR-0064.6	Group previews for Quick share of an asset or a collection	P2	Fast; recorded; reversible

28.0065 Publish & portfolio · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Publish & portfolio**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0065.0	Filter webhooks for Shareable timeline embeds	P1	Accessible; recorded; reversible
DR-0065.1	Filter billing gate for Public project page generated from the project	P2	Predictable; recorded; reversible
DR-0065.2	Filter offline behavior for Opt-in 'building in public' changelog feed	P3	Scoped; recorded; reversible
DR-0065.3	Filter import/export for Simple portfolio that aggregates public projects	P0	Auditable; recorded; reversible
DR-0065.4	Filter attribution for Custom accent and cover; tasteful defaults	P1	Minimal; recorded; reversible
DR-0065.5	Filter previews for 'Made with RMH' attribution (toggleable on paid)	P2	Fast; recorded; reversible
DR-0065.6	Filter filtering for Shareable timeline embeds	P3	Reliable; recorded; reversible

28.0066 Search · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Search**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0066.0	Sync billing gate for Unified search across files, docs, tasks, comments, timeline	P2	Predictable; recorded; reversible
DR-0066.1	Sync offline behavior for Filter by module, person, date	P3	Scoped; recorded; reversible
DR-0066.2	Sync import/export for Keyboard shortcut to summon from anywhere	P0	Auditable; recorded; reversible
DR-0066.3	Sync attribution for Recent and pinned results	P1	Minimal; recorded; reversible
DR-0066.4	Sync previews for Search within a single project or across all projects	P2	Fast; recorded; reversible
DR-0066.5	Sync filtering for Fast, typo-tolerant matching	P3	Reliable; recorded; reversible
DR-0066.6	Sync data model for Unified search across files, docs, tasks, comments, timeline	P0	Reversible; recorded; reversible

28.0067 Integrations · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Integrations**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0067.0	Cache offline behavior for Outgoing webhooks on timeline events	P3	Scoped; recorded; reversible
DR-0067.1	Cache import/export for Share-to-social on publish	P0	Auditable; recorded; reversible
DR-0067.2	Cache attribution for Import files from common cloud storage	P1	Minimal; recorded; reversible
DR-0067.3	Cache previews for Public read API for project data	P2	Fast; recorded; reversible
DR-0067.4	Cache filtering for Embeddable timeline and asset widgets	P3	Reliable; recorded; reversible
DR-0067.5	Cache data model for Connect/mirror an external code repository	P0	Reversible; recorded; reversible
DR-0067.6	Cache UI surface for Outgoing webhooks on timeline events	P1	Clear; recorded; reversible

28.0068 Time & invoicing · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Time & invoicing**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0068.0	Index import/export for Simple rate-based invoice generation (export)	P0	Auditable; recorded; reversible
DR-0068.1	Index attribution for Per-client rollups across projects	P1	Minimal; recorded; reversible
DR-0068.2	Index previews for CSV export for accounting	P2	Fast; recorded; reversible
DR-0068.3	Index filtering for No payment processing — export only, to stay simple and cheap	P3	Reliable; recorded; reversible
DR-0068.4	Index data model for Start/stop timers tied to a project or task	P0	Reversible; recorded; reversible
DR-0068.5	Index UI surface for Manual time entry and weekly summary	P1	Clear; recorded; reversible
DR-0068.6	Index timeline events for Simple rate-based invoice generation (export)	P2	Quiet; recorded; reversible

28.0069 Community & templates · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Community & templates**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0069.0	Gate attribution for Template submission and curation	P1	Minimal; recorded; reversible
DR-0069.1	Gate previews for Lightweight following / favoriting	P2	Fast; recorded; reversible
DR-0069.2	Gate filtering for Seasonal build challenges to drive activity	P3	Reliable; recorded; reversible
DR-0069.3	Gate data model for Public template gallery; one-click 'use this template'	P0	Reversible; recorded; reversible
DR-0069.4	Gate UI surface for Community showcase of public projects	P1	Clear; recorded; reversible
DR-0069.5	Gate timeline events for Featured builders and 'project of the week'	P2	Quiet; recorded; reversible
DR-0069.6	Gate permissions for Template submission and curation	P3	Accessible; recorded; reversible

28.0070 Projects · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Projects**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0070.0	Stream previews for Archive / restore without destroying history	P2	Fast; recorded; reversible
DR-0070.1	Stream filtering for Templates: start from blank, web app, brand kit, or portfolio	P3	Reliable; recorded; reversible
DR-0070.2	Stream data model for Create a project in under a minute, no required config	P0	Reversible; recorded; reversible
DR-0070.3	Stream UI surface for Each project has a single shared timeline (see MOD-03)	P1	Clear; recorded; reversible
DR-0070.4	Stream timeline events for Project-level people & roles (owner, editor, viewer)	P2	Quiet; recorded; reversible
DR-0070.5	Stream permissions for Lightweight settings: name, description, visibility, accent color	P3	Accessible; recorded; reversible
DR-0070.6	Stream performance for Archive / restore without destroying history	P0	Predictable; recorded; reversible

28.0071 Unified files · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Unified files**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0071.0	Restore filtering for Object storage backing; pennies per gigabyte at the budget scale	P3	Reliable; recorded; reversible
DR-0071.1	Restore data model for Tree view that mixes code and creative files naturally	P0	Reversible; recorded; reversible
DR-0071.2	Restore UI surface for Inline preview for images, common design exports, markdown, and code	P1	Clear; recorded; reversible
DR-0071.3	Restore timeline events for Drag-and-drop upload; paste-to-upload from clipboard	P2	Quiet; recorded; reversible
DR-0071.4	Restore permissions for Every file carries its own version history	P3	Accessible; recorded; reversible
DR-0071.5	Restore performance for Tag files by kind (code / design / asset / doc) for filtering	P0	Predictable; recorded; reversible
DR-0071.6	Restore empty states for Object storage backing; pennies per gigabyte at the budget scale	P1	Scoped; recorded; reversible

28.0072 Timeline · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Timeline**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0072.0	Export data model for Chronological stream of all change events across modules	P0	Reversible; recorded; reversible
DR-0072.1	Export UI surface for Filter by person, by module, by file, by date range	P1	Clear; recorded; reversible
DR-0072.2	Export timeline events for 'Decisions' — pinned timeline notes that capture the why	P2	Quiet; recorded; reversible
DR-0072.3	Export permissions for Group related changes (a design + its code) into one entry	P3	Accessible; recorded; reversible
DR-0072.4	Export performance for Git-log-style density for power users; readable summaries for everyone	P0	Predictable; recorded; reversible
DR-0072.5	Export empty states for Permalink any moment to share 'here's where we were on Tuesday'	P1	Scoped; recorded; reversible
DR-0072.6	Export error handling for Chronological stream of all change events across modules	P2	Auditable; recorded; reversible

28.0073 Code · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Code**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0073.0	Preview UI surface for Browse code with syntax highlighting in-app	P1	Clear; recorded; reversible
DR-0073.1	Preview timeline events for Commits flow into the unified timeline automatically	P2	Quiet; recorded; reversible
DR-0073.2	Preview permissions for Connect an existing external repo (mirror) as an alternative to native	P3	Accessible; recorded; reversible
DR-0073.3	Preview performance for Simple in-browser edits for quick fixes	P0	Predictable; recorded; reversible
DR-0073.4	Preview empty states for File-level history shared with MOD-02	P1	Scoped; recorded; reversible
DR-0073.5	Preview error handling for Git-backed repository per project	P2	Auditable; recorded; reversible
DR-0073.6	Preview keyboard flow for Browse code with syntax highlighting in-app	P3	Minimal; recorded; reversible

28.0074 Tasks · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Tasks**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0074.0	Resolve timeline events for Status changes emit timeline events	P2	Quiet; recorded; reversible
DR-0074.1	Resolve permissions for Assignee, due date, and a single priority flag — nothing more	P3	Accessible; recorded; reversible
DR-0074.2	Resolve performance for Keyboard-first quick add	P0	Predictable; recorded; reversible
DR-0074.3	Resolve empty states for Filter by assignee, status, linked module	P1	Scoped; recorded; reversible
DR-0074.4	Resolve error handling for Simple list and board views; no ceremony	P2	Auditable; recorded; reversible
DR-0074.5	Resolve keyboard flow for Tasks link to files, commits, or decisions	P3	Minimal; recorded; reversible
DR-0074.6	Resolve mobile layout for Status changes emit timeline events	P0	Fast; recorded; reversible

28.0075 Docs · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Docs**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0075.0	Emit permissions for Edits appear in the timeline	P3	Accessible; recorded; reversible
DR-0075.1	Emit performance for Templates: brief, spec, decision record, changelog	P0	Predictable; recorded; reversible
DR-0075.2	Emit empty states for Public doc sharing via link	P1	Scoped; recorded; reversible
DR-0075.3	Emit error handling for Markdown editor with live preview	P2	Auditable; recorded; reversible
DR-0075.4	Emit keyboard flow for Docs are files (MOD-02) with structured editing on top	P3	Minimal; recorded; reversible
DR-0075.5	Emit mobile layout for Link docs to tasks, files, and decisions	P0	Fast; recorded; reversible
DR-0075.6	Emit accessibility for Edits appear in the timeline	P1	Reliable; recorded; reversible

28.0076 Comments & feedback · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Comments & feedback**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0076.0	Throttle performance for Comment digests instead of constant pings	P0	Predictable; recorded; reversible
DR-0076.1	Throttle empty states for Public comment mode for client review (optional)	P1	Scoped; recorded; reversible
DR-0076.2	Throttle error handling for Comment threads anchored to files, images, code lines, or events	P2	Auditable; recorded; reversible
DR-0076.3	Throttle keyboard flow for Region/pin comments on images and design exports	P3	Minimal; recorded; reversible
DR-0076.4	Throttle mobile layout for Resolve / reopen, with timeline trace	P0	Fast; recorded; reversible
DR-0076.5	Throttle accessibility for @mentions notify the right person	P1	Reliable; recorded; reversible
DR-0076.6	Throttle onboarding for Comment digests instead of constant pings	P2	Reversible; recorded; reversible

28.0077 People & roles · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **People & roles**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0077.0	Paginate empty states for Leave / remove without breaking historical attribution	P1	Scoped; recorded; reversible
DR-0077.1	Paginate error handling for Three roles: owner, editor, viewer	P2	Auditable; recorded; reversible
DR-0077.2	Paginate keyboard flow for Per-project membership; invite by link or email	P3	Minimal; recorded; reversible
DR-0077.3	Paginate mobile layout for Consistent identity and avatar across all modules	P0	Fast; recorded; reversible
DR-0077.4	Paginate accessibility for Activity attributed to people everywhere	P1	Reliable; recorded; reversible
DR-0077.5	Paginate onboarding for Guest access for client review (time-boxed)	P2	Reversible; recorded; reversible
DR-0077.6	Paginate sharing for Leave / remove without breaking historical attribution	P3	Clear; recorded; reversible

28.0078 Assets & media · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Assets & media**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0078.0	Debounce error handling for Gallery and grid views for visual assets	P2	Auditable; recorded; reversible
DR-0078.1	Debounce keyboard flow for Collections / boards within a project	P3	Minimal; recorded; reversible
DR-0078.2	Debounce mobile layout for Versioned assets with visual diff (before/after)	P0	Fast; recorded; reversible
DR-0078.3	Debounce accessibility for Color and basic metadata extraction	P1	Reliable; recorded; reversible
DR-0078.4	Debounce onboarding for Quick share of an asset or a collection	P2	Reversible; recorded; reversible
DR-0078.5	Debounce sharing for Optimized delivery via storage/CDN	P3	Clear; recorded; reversible
DR-0078.6	Debounce notifications for Gallery and grid views for visual assets	P0	Quiet; recorded; reversible

28.0079 Publish & portfolio · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Publish & portfolio**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0079.0	Reconcile keyboard flow for Opt-in 'building in public' changelog feed	P3	Minimal; recorded; reversible
DR-0079.1	Reconcile mobile layout for Simple portfolio that aggregates public projects	P0	Fast; recorded; reversible
DR-0079.2	Reconcile accessibility for Custom accent and cover; tasteful defaults	P1	Reliable; recorded; reversible
DR-0079.3	Reconcile onboarding for 'Made with RMH' attribution (toggleable on paid)	P2	Reversible; recorded; reversible
DR-0079.4	Reconcile sharing for Shareable timeline embeds	P3	Clear; recorded; reversible
DR-0079.5	Reconcile notifications for Public project page generated from the project	P0	Quiet; recorded; reversible
DR-0079.6	Reconcile search indexing for Opt-in 'building in public' changelog feed	P1	Accessible; recorded; reversible

28.0080 Search · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Search**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0080.0	Render mobile layout for Keyboard shortcut to summon from anywhere	P0	Fast; recorded; reversible
DR-0080.1	Render accessibility for Recent and pinned results	P1	Reliable; recorded; reversible
DR-0080.2	Render onboarding for Search within a single project or across all projects	P2	Reversible; recorded; reversible
DR-0080.3	Render sharing for Fast, typo-tolerant matching	P3	Clear; recorded; reversible
DR-0080.4	Render notifications for Unified search across files, docs, tasks, comments, timeline	P0	Quiet; recorded; reversible
DR-0080.5	Render search indexing for Filter by module, person, date	P1	Accessible; recorded; reversible
DR-0080.6	Render storage for Keyboard shortcut to summon from anywhere	P2	Predictable; recorded; reversible

28.0081 Integrations · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Integrations**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0081.0	Persist accessibility for Import files from common cloud storage	P1	Reliable; recorded; reversible
DR-0081.1	Persist onboarding for Public read API for project data	P2	Reversible; recorded; reversible
DR-0081.2	Persist sharing for Embeddable timeline and asset widgets	P3	Clear; recorded; reversible
DR-0081.3	Persist notifications for Connect/mirror an external code repository	P0	Quiet; recorded; reversible
DR-0081.4	Persist search indexing for Outgoing webhooks on timeline events	P1	Accessible; recorded; reversible
DR-0081.5	Persist storage for Share-to-social on publish	P2	Predictable; recorded; reversible
DR-0081.6	Persist versioning for Import files from common cloud storage	P3	Scoped; recorded; reversible

28.0082 Time & invoicing · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Time & invoicing**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0082.0	Validate onboarding for CSV export for accounting	P2	Reversible; recorded; reversible
DR-0082.1	Validate sharing for No payment processing — export only, to stay simple and cheap	P3	Clear; recorded; reversible
DR-0082.2	Validate notifications for Start/stop timers tied to a project or task	P0	Quiet; recorded; reversible
DR-0082.3	Validate search indexing for Manual time entry and weekly summary	P1	Accessible; recorded; reversible
DR-0082.4	Validate storage for Simple rate-based invoice generation (export)	P2	Predictable; recorded; reversible
DR-0082.5	Validate versioning for Per-client rollups across projects	P3	Scoped; recorded; reversible
DR-0082.6	Validate API surface for CSV export for accounting	P0	Auditable; recorded; reversible

28.0083 Community & templates · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Community & templates**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0083.0	Attribute sharing for Seasonal build challenges to drive activity	P3	Clear; recorded; reversible
DR-0083.1	Attribute notifications for Public template gallery; one-click 'use this template'	P0	Quiet; recorded; reversible
DR-0083.2	Attribute search indexing for Community showcase of public projects	P1	Accessible; recorded; reversible
DR-0083.3	Attribute storage for Featured builders and 'project of the week'	P2	Predictable; recorded; reversible
DR-0083.4	Attribute versioning for Template submission and curation	P3	Scoped; recorded; reversible
DR-0083.5	Attribute API surface for Lightweight following / favoriting	P0	Auditable; recorded; reversible
DR-0083.6	Attribute webhooks for Seasonal build challenges to drive activity	P1	Minimal; recorded; reversible

28.0084 Projects · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Projects**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0084.0	Group notifications for Create a project in under a minute, no required config	P0	Quiet; recorded; reversible
DR-0084.1	Group search indexing for Each project has a single shared timeline (see MOD-03)	P1	Accessible; recorded; reversible
DR-0084.2	Group storage for Project-level people & roles (owner, editor, viewer)	P2	Predictable; recorded; reversible
DR-0084.3	Group versioning for Lightweight settings: name, description, visibility, accent color	P3	Scoped; recorded; reversible
DR-0084.4	Group API surface for Archive / restore without destroying history	P0	Auditable; recorded; reversible
DR-0084.5	Group webhooks for Templates: start from blank, web app, brand kit, or portfolio	P1	Minimal; recorded; reversible
DR-0084.6	Group billing gate for Create a project in under a minute, no required config	P2	Fast; recorded; reversible

28.0085 Unified files · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Unified files**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0085.0	Filter search indexing for Inline preview for images, common design exports, markdown, and code	P1	Accessible; recorded; reversible
DR-0085.1	Filter storage for Drag-and-drop upload; paste-to-upload from clipboard	P2	Predictable; recorded; reversible
DR-0085.2	Filter versioning for Every file carries its own version history	P3	Scoped; recorded; reversible
DR-0085.3	Filter API surface for Tag files by kind (code / design / asset / doc) for filtering	P0	Auditable; recorded; reversible
DR-0085.4	Filter webhooks for Object storage backing; pennies per gigabyte at the budget scale	P1	Minimal; recorded; reversible
DR-0085.5	Filter billing gate for Tree view that mixes code and creative files naturally	P2	Fast; recorded; reversible
DR-0085.6	Filter offline behavior for Inline preview for images, common design exports, markdown, and code	P3	Reliable; recorded; reversible

28.0086 Timeline · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Timeline**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0086.0	Sync storage for 'Decisions' — pinned timeline notes that capture the why	P2	Predictable; recorded; reversible
DR-0086.1	Sync versioning for Group related changes (a design + its code) into one entry	P3	Scoped; recorded; reversible
DR-0086.2	Sync API surface for Git-log-style density for power users; readable summaries for everyone	P0	Auditable; recorded; reversible
DR-0086.3	Sync webhooks for Permalink any moment to share 'here's where we were on Tuesday'	P1	Minimal; recorded; reversible
DR-0086.4	Sync billing gate for Chronological stream of all change events across modules	P2	Fast; recorded; reversible
DR-0086.5	Sync offline behavior for Filter by person, by module, by file, by date range	P3	Reliable; recorded; reversible
DR-0086.6	Sync import/export for 'Decisions' — pinned timeline notes that capture the why	P0	Reversible; recorded; reversible

28.0087 Code · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Code**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0087.0	Cache versioning for Connect an existing external repo (mirror) as an alternative to native	P3	Scoped; recorded; reversible
DR-0087.1	Cache API surface for Simple in-browser edits for quick fixes	P0	Auditable; recorded; reversible
DR-0087.2	Cache webhooks for File-level history shared with MOD-02	P1	Minimal; recorded; reversible
DR-0087.3	Cache billing gate for Git-backed repository per project	P2	Fast; recorded; reversible
DR-0087.4	Cache offline behavior for Browse code with syntax highlighting in-app	P3	Reliable; recorded; reversible
DR-0087.5	Cache import/export for Commits flow into the unified timeline automatically	P0	Reversible; recorded; reversible
DR-0087.6	Cache attribution for Connect an existing external repo (mirror) as an alternative to native	P1	Clear; recorded; reversible

28.0088 Tasks · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Tasks**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0088.0	Index API surface for Keyboard-first quick add	P0	Auditable; recorded; reversible
DR-0088.1	Index webhooks for Filter by assignee, status, linked module	P1	Minimal; recorded; reversible
DR-0088.2	Index billing gate for Simple list and board views; no ceremony	P2	Fast; recorded; reversible
DR-0088.3	Index offline behavior for Tasks link to files, commits, or decisions	P3	Reliable; recorded; reversible
DR-0088.4	Index import/export for Status changes emit timeline events	P0	Reversible; recorded; reversible
DR-0088.5	Index attribution for Assignee, due date, and a single priority flag — nothing more	P1	Clear; recorded; reversible
DR-0088.6	Index previews for Keyboard-first quick add	P2	Quiet; recorded; reversible

28.0089 Docs · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Docs**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0089.0	Gate webhooks for Public doc sharing via link	P1	Minimal; recorded; reversible
DR-0089.1	Gate billing gate for Markdown editor with live preview	P2	Fast; recorded; reversible
DR-0089.2	Gate offline behavior for Docs are files (MOD-02) with structured editing on top	P3	Reliable; recorded; reversible
DR-0089.3	Gate import/export for Link docs to tasks, files, and decisions	P0	Reversible; recorded; reversible
DR-0089.4	Gate attribution for Edits appear in the timeline	P1	Clear; recorded; reversible
DR-0089.5	Gate previews for Templates: brief, spec, decision record, changelog	P2	Quiet; recorded; reversible
DR-0089.6	Gate filtering for Public doc sharing via link	P3	Accessible; recorded; reversible

28.0090 Comments & feedback · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Comments & feedback**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0090.0	Stream billing gate for Comment threads anchored to files, images, code lines, or events	P2	Fast; recorded; reversible
DR-0090.1	Stream offline behavior for Region/pin comments on images and design exports	P3	Reliable; recorded; reversible
DR-0090.2	Stream import/export for Resolve / reopen, with timeline trace	P0	Reversible; recorded; reversible
DR-0090.3	Stream attribution for @mentions notify the right person	P1	Clear; recorded; reversible
DR-0090.4	Stream previews for Comment digests instead of constant pings	P2	Quiet; recorded; reversible
DR-0090.5	Stream filtering for Public comment mode for client review (optional)	P3	Accessible; recorded; reversible
DR-0090.6	Stream data model for Comment threads anchored to files, images, code lines, or events	P0	Predictable; recorded; reversible

28.0091 People & roles · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **People & roles**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0091.0	Restore offline behavior for Per-project membership; invite by link or email	P3	Reliable; recorded; reversible
DR-0091.1	Restore import/export for Consistent identity and avatar across all modules	P0	Reversible; recorded; reversible
DR-0091.2	Restore attribution for Activity attributed to people everywhere	P1	Clear; recorded; reversible
DR-0091.3	Restore previews for Guest access for client review (time-boxed)	P2	Quiet; recorded; reversible
DR-0091.4	Restore filtering for Leave / remove without breaking historical attribution	P3	Accessible; recorded; reversible
DR-0091.5	Restore data model for Three roles: owner, editor, viewer	P0	Predictable; recorded; reversible
DR-0091.6	Restore UI surface for Per-project membership; invite by link or email	P1	Scoped; recorded; reversible

28.0092 Assets & media · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Assets & media**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0092.0	Export import/export for Versioned assets with visual diff (before/after)	P0	Reversible; recorded; reversible
DR-0092.1	Export attribution for Color and basic metadata extraction	P1	Clear; recorded; reversible
DR-0092.2	Export previews for Quick share of an asset or a collection	P2	Quiet; recorded; reversible
DR-0092.3	Export filtering for Optimized delivery via storage/CDN	P3	Accessible; recorded; reversible
DR-0092.4	Export data model for Gallery and grid views for visual assets	P0	Predictable; recorded; reversible
DR-0092.5	Export UI surface for Collections / boards within a project	P1	Scoped; recorded; reversible
DR-0092.6	Export timeline events for Versioned assets with visual diff (before/after)	P2	Auditable; recorded; reversible

28.0093 Publish & portfolio · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Publish & portfolio**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0093.0	Preview attribution for Custom accent and cover; tasteful defaults	P1	Clear; recorded; reversible
DR-0093.1	Preview previews for 'Made with RMH' attribution (toggleable on paid)	P2	Quiet; recorded; reversible
DR-0093.2	Preview filtering for Shareable timeline embeds	P3	Accessible; recorded; reversible
DR-0093.3	Preview data model for Public project page generated from the project	P0	Predictable; recorded; reversible
DR-0093.4	Preview UI surface for Opt-in 'building in public' changelog feed	P1	Scoped; recorded; reversible
DR-0093.5	Preview timeline events for Simple portfolio that aggregates public projects	P2	Auditable; recorded; reversible
DR-0093.6	Preview permissions for Custom accent and cover; tasteful defaults	P3	Minimal; recorded; reversible

28.0094 Search · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Search**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0094.0	Resolve previews for Search within a single project or across all projects	P2	Quiet; recorded; reversible
DR-0094.1	Resolve filtering for Fast, typo-tolerant matching	P3	Accessible; recorded; reversible
DR-0094.2	Resolve data model for Unified search across files, docs, tasks, comments, timeline	P0	Predictable; recorded; reversible
DR-0094.3	Resolve UI surface for Filter by module, person, date	P1	Scoped; recorded; reversible
DR-0094.4	Resolve timeline events for Keyboard shortcut to summon from anywhere	P2	Auditable; recorded; reversible
DR-0094.5	Resolve permissions for Recent and pinned results	P3	Minimal; recorded; reversible
DR-0094.6	Resolve performance for Search within a single project or across all projects	P0	Fast; recorded; reversible

28.0095 Integrations · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Integrations**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0095.0	Emit filtering for Embeddable timeline and asset widgets	P3	Accessible; recorded; reversible
DR-0095.1	Emit data model for Connect/mirror an external code repository	P0	Predictable; recorded; reversible
DR-0095.2	Emit UI surface for Outgoing webhooks on timeline events	P1	Scoped; recorded; reversible
DR-0095.3	Emit timeline events for Share-to-social on publish	P2	Auditable; recorded; reversible
DR-0095.4	Emit permissions for Import files from common cloud storage	P3	Minimal; recorded; reversible
DR-0095.5	Emit performance for Public read API for project data	P0	Fast; recorded; reversible
DR-0095.6	Emit empty states for Embeddable timeline and asset widgets	P1	Reliable; recorded; reversible

28.0096 Time & invoicing · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Time & invoicing**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0096.0	Throttle data model for Start/stop timers tied to a project or task	P0	Predictable; recorded; reversible
DR-0096.1	Throttle UI surface for Manual time entry and weekly summary	P1	Scoped; recorded; reversible
DR-0096.2	Throttle timeline events for Simple rate-based invoice generation (export)	P2	Auditable; recorded; reversible
DR-0096.3	Throttle permissions for Per-client rollups across projects	P3	Minimal; recorded; reversible
DR-0096.4	Throttle performance for CSV export for accounting	P0	Fast; recorded; reversible
DR-0096.5	Throttle empty states for No payment processing — export only, to stay simple and cheap	P1	Reliable; recorded; reversible
DR-0096.6	Throttle error handling for Start/stop timers tied to a project or task	P2	Reversible; recorded; reversible

28.0097 Community & templates · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Community & templates**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0097.0	Paginate UI surface for Community showcase of public projects	P1	Scoped; recorded; reversible
DR-0097.1	Paginate timeline events for Featured builders and 'project of the week'	P2	Auditable; recorded; reversible
DR-0097.2	Paginate permissions for Template submission and curation	P3	Minimal; recorded; reversible
DR-0097.3	Paginate performance for Lightweight following / favoriting	P0	Fast; recorded; reversible
DR-0097.4	Paginate empty states for Seasonal build challenges to drive activity	P1	Reliable; recorded; reversible
DR-0097.5	Paginate error handling for Public template gallery; one-click 'use this template'	P2	Reversible; recorded; reversible
DR-0097.6	Paginate keyboard flow for Community showcase of public projects	P3	Clear; recorded; reversible

28.0098 Projects · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Projects**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0098.0	Debounce timeline events for Project-level people & roles (owner, editor, viewer)	P2	Auditable; recorded; reversible
DR-0098.1	Debounce permissions for Lightweight settings: name, description, visibility, accent color	P3	Minimal; recorded; reversible
DR-0098.2	Debounce performance for Archive / restore without destroying history	P0	Fast; recorded; reversible
DR-0098.3	Debounce empty states for Templates: start from blank, web app, brand kit, or portfolio	P1	Reliable; recorded; reversible
DR-0098.4	Debounce error handling for Create a project in under a minute, no required config	P2	Reversible; recorded; reversible
DR-0098.5	Debounce keyboard flow for Each project has a single shared timeline (see MOD-03)	P3	Clear; recorded; reversible
DR-0098.6	Debounce mobile layout for Project-level people & roles (owner, editor, viewer)	P0	Quiet; recorded; reversible

28.0099 Unified files · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Unified files**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0099.0	Reconcile permissions for Every file carries its own version history	P3	Minimal; recorded; reversible
DR-0099.1	Reconcile performance for Tag files by kind (code / design / asset / doc) for filtering	P0	Fast; recorded; reversible
DR-0099.2	Reconcile empty states for Object storage backing; pennies per gigabyte at the budget scale	P1	Reliable; recorded; reversible
DR-0099.3	Reconcile error handling for Tree view that mixes code and creative files naturally	P2	Reversible; recorded; reversible
DR-0099.4	Reconcile keyboard flow for Inline preview for images, common design exports, markdown, and code	P3	Clear; recorded; reversible
DR-0099.5	Reconcile mobile layout for Drag-and-drop upload; paste-to-upload from clipboard	P0	Quiet; recorded; reversible
DR-0099.6	Reconcile accessibility for Every file carries its own version history	P1	Accessible; recorded; reversible

28.0100 Timeline · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Timeline**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0100.0	Render performance for Git-log-style density for power users; readable summaries for everyone	P0	Fast; recorded; reversible
DR-0100.1	Render empty states for Permalink any moment to share 'here's where we were on Tuesday'	P1	Reliable; recorded; reversible
DR-0100.2	Render error handling for Chronological stream of all change events across modules	P2	Reversible; recorded; reversible
DR-0100.3	Render keyboard flow for Filter by person, by module, by file, by date range	P3	Clear; recorded; reversible
DR-0100.4	Render mobile layout for 'Decisions' — pinned timeline notes that capture the why	P0	Quiet; recorded; reversible
DR-0100.5	Render accessibility for Group related changes (a design + its code) into one entry	P1	Accessible; recorded; reversible
DR-0100.6	Render onboarding for Git-log-style density for power users; readable summaries for everyone	P2	Predictable; recorded; reversible

28.0101 Code · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Code**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0101.0	Persist empty states for File-level history shared with MOD-02	P1	Reliable; recorded; reversible
DR-0101.1	Persist error handling for Git-backed repository per project	P2	Reversible; recorded; reversible
DR-0101.2	Persist keyboard flow for Browse code with syntax highlighting in-app	P3	Clear; recorded; reversible
DR-0101.3	Persist mobile layout for Commits flow into the unified timeline automatically	P0	Quiet; recorded; reversible
DR-0101.4	Persist accessibility for Connect an existing external repo (mirror) as an alternative to native	P1	Accessible; recorded; reversible
DR-0101.5	Persist onboarding for Simple in-browser edits for quick fixes	P2	Predictable; recorded; reversible
DR-0101.6	Persist sharing for File-level history shared with MOD-02	P3	Scoped; recorded; reversible

28.0102 Tasks · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Tasks**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0102.0	Validate error handling for Simple list and board views; no ceremony	P2	Reversible; recorded; reversible
DR-0102.1	Validate keyboard flow for Tasks link to files, commits, or decisions	P3	Clear; recorded; reversible
DR-0102.2	Validate mobile layout for Status changes emit timeline events	P0	Quiet; recorded; reversible
DR-0102.3	Validate accessibility for Assignee, due date, and a single priority flag — nothing more	P1	Accessible; recorded; reversible
DR-0102.4	Validate onboarding for Keyboard-first quick add	P2	Predictable; recorded; reversible
DR-0102.5	Validate sharing for Filter by assignee, status, linked module	P3	Scoped; recorded; reversible
DR-0102.6	Validate notifications for Simple list and board views; no ceremony	P0	Auditable; recorded; reversible

28.0103 Docs · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Docs**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0103.0	Attribute keyboard flow for Docs are files (MOD-02) with structured editing on top	P3	Clear; recorded; reversible
DR-0103.1	Attribute mobile layout for Link docs to tasks, files, and decisions	P0	Quiet; recorded; reversible
DR-0103.2	Attribute accessibility for Edits appear in the timeline	P1	Accessible; recorded; reversible
DR-0103.3	Attribute onboarding for Templates: brief, spec, decision record, changelog	P2	Predictable; recorded; reversible
DR-0103.4	Attribute sharing for Public doc sharing via link	P3	Scoped; recorded; reversible
DR-0103.5	Attribute notifications for Markdown editor with live preview	P0	Auditable; recorded; reversible
DR-0103.6	Attribute search indexing for Docs are files (MOD-02) with structured editing on top	P1	Minimal; recorded; reversible

28.0104 Comments & feedback · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Comments & feedback**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0104.0	Group mobile layout for Resolve / reopen, with timeline trace	P0	Quiet; recorded; reversible
DR-0104.1	Group accessibility for @mentions notify the right person	P1	Accessible; recorded; reversible
DR-0104.2	Group onboarding for Comment digests instead of constant pings	P2	Predictable; recorded; reversible
DR-0104.3	Group sharing for Public comment mode for client review (optional)	P3	Scoped; recorded; reversible
DR-0104.4	Group notifications for Comment threads anchored to files, images, code lines, or events	P0	Auditable; recorded; reversible
DR-0104.5	Group search indexing for Region/pin comments on images and design exports	P1	Minimal; recorded; reversible
DR-0104.6	Group storage for Resolve / reopen, with timeline trace	P2	Fast; recorded; reversible

28.0105 People & roles · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **People & roles**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0105.0	Filter accessibility for Activity attributed to people everywhere	P1	Accessible; recorded; reversible
DR-0105.1	Filter onboarding for Guest access for client review (time-boxed)	P2	Predictable; recorded; reversible
DR-0105.2	Filter sharing for Leave / remove without breaking historical attribution	P3	Scoped; recorded; reversible
DR-0105.3	Filter notifications for Three roles: owner, editor, viewer	P0	Auditable; recorded; reversible
DR-0105.4	Filter search indexing for Per-project membership; invite by link or email	P1	Minimal; recorded; reversible
DR-0105.5	Filter storage for Consistent identity and avatar across all modules	P2	Fast; recorded; reversible
DR-0105.6	Filter versioning for Activity attributed to people everywhere	P3	Reliable; recorded; reversible

28.0106 Assets & media · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Assets & media**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0106.0	Sync onboarding for Quick share of an asset or a collection	P2	Predictable; recorded; reversible
DR-0106.1	Sync sharing for Optimized delivery via storage/CDN	P3	Scoped; recorded; reversible
DR-0106.2	Sync notifications for Gallery and grid views for visual assets	P0	Auditable; recorded; reversible
DR-0106.3	Sync search indexing for Collections / boards within a project	P1	Minimal; recorded; reversible
DR-0106.4	Sync storage for Versioned assets with visual diff (before/after)	P2	Fast; recorded; reversible
DR-0106.5	Sync versioning for Color and basic metadata extraction	P3	Reliable; recorded; reversible
DR-0106.6	Sync API surface for Quick share of an asset or a collection	P0	Reversible; recorded; reversible

28.0107 Publish & portfolio · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Publish & portfolio**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0107.0	Cache sharing for Shareable timeline embeds	P3	Scoped; recorded; reversible
DR-0107.1	Cache notifications for Public project page generated from the project	P0	Auditable; recorded; reversible
DR-0107.2	Cache search indexing for Opt-in 'building in public' changelog feed	P1	Minimal; recorded; reversible
DR-0107.3	Cache storage for Simple portfolio that aggregates public projects	P2	Fast; recorded; reversible
DR-0107.4	Cache versioning for Custom accent and cover; tasteful defaults	P3	Reliable; recorded; reversible
DR-0107.5	Cache API surface for 'Made with RMH' attribution (toggleable on paid)	P0	Reversible; recorded; reversible
DR-0107.6	Cache webhooks for Shareable timeline embeds	P1	Clear; recorded; reversible

28.0108 Search · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Search**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0108.0	Index notifications for Unified search across files, docs, tasks, comments, timeline	P0	Auditable; recorded; reversible
DR-0108.1	Index search indexing for Filter by module, person, date	P1	Minimal; recorded; reversible
DR-0108.2	Index storage for Keyboard shortcut to summon from anywhere	P2	Fast; recorded; reversible
DR-0108.3	Index versioning for Recent and pinned results	P3	Reliable; recorded; reversible
DR-0108.4	Index API surface for Search within a single project or across all projects	P0	Reversible; recorded; reversible
DR-0108.5	Index webhooks for Fast, typo-tolerant matching	P1	Clear; recorded; reversible
DR-0108.6	Index billing gate for Unified search across files, docs, tasks, comments, timeline	P2	Quiet; recorded; reversible

28.0109 Integrations · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Integrations**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0109.0	Gate search indexing for Outgoing webhooks on timeline events	P1	Minimal; recorded; reversible
DR-0109.1	Gate storage for Share-to-social on publish	P2	Fast; recorded; reversible
DR-0109.2	Gate versioning for Import files from common cloud storage	P3	Reliable; recorded; reversible
DR-0109.3	Gate API surface for Public read API for project data	P0	Reversible; recorded; reversible
DR-0109.4	Gate webhooks for Embeddable timeline and asset widgets	P1	Clear; recorded; reversible
DR-0109.5	Gate billing gate for Connect/mirror an external code repository	P2	Quiet; recorded; reversible
DR-0109.6	Gate offline behavior for Outgoing webhooks on timeline events	P3	Accessible; recorded; reversible

28.0110 Time & invoicing · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Time & invoicing**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0110.0	Stream storage for Simple rate-based invoice generation (export)	P2	Fast; recorded; reversible
DR-0110.1	Stream versioning for Per-client rollups across projects	P3	Reliable; recorded; reversible
DR-0110.2	Stream API surface for CSV export for accounting	P0	Reversible; recorded; reversible
DR-0110.3	Stream webhooks for No payment processing — export only, to stay simple and cheap	P1	Clear; recorded; reversible
DR-0110.4	Stream billing gate for Start/stop timers tied to a project or task	P2	Quiet; recorded; reversible
DR-0110.5	Stream offline behavior for Manual time entry and weekly summary	P3	Accessible; recorded; reversible
DR-0110.6	Stream import/export for Simple rate-based invoice generation (export)	P0	Predictable; recorded; reversible

28.0111 Community & templates · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Community & templates**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0111.0	Restore versioning for Template submission and curation	P3	Reliable; recorded; reversible
DR-0111.1	Restore API surface for Lightweight following / favoriting	P0	Reversible; recorded; reversible
DR-0111.2	Restore webhooks for Seasonal build challenges to drive activity	P1	Clear; recorded; reversible
DR-0111.3	Restore billing gate for Public template gallery; one-click 'use this template'	P2	Quiet; recorded; reversible
DR-0111.4	Restore offline behavior for Community showcase of public projects	P3	Accessible; recorded; reversible
DR-0111.5	Restore import/export for Featured builders and 'project of the week'	P0	Predictable; recorded; reversible
DR-0111.6	Restore attribution for Template submission and curation	P1	Scoped; recorded; reversible

28.0112 Projects · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Projects**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0112.0	Export API surface for Archive / restore without destroying history	P0	Reversible; recorded; reversible
DR-0112.1	Export webhooks for Templates: start from blank, web app, brand kit, or portfolio	P1	Clear; recorded; reversible
DR-0112.2	Export billing gate for Create a project in under a minute, no required config	P2	Quiet; recorded; reversible
DR-0112.3	Export offline behavior for Each project has a single shared timeline (see MOD-03)	P3	Accessible; recorded; reversible
DR-0112.4	Export import/export for Project-level people & roles (owner, editor, viewer)	P0	Predictable; recorded; reversible
DR-0112.5	Export attribution for Lightweight settings: name, description, visibility, accent color	P1	Scoped; recorded; reversible
DR-0112.6	Export previews for Archive / restore without destroying history	P2	Auditable; recorded; reversible

28.0113 Unified files · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Unified files**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0113.0	Preview webhooks for Object storage backing; pennies per gigabyte at the budget scale	P1	Clear; recorded; reversible
DR-0113.1	Preview billing gate for Tree view that mixes code and creative files naturally	P2	Quiet; recorded; reversible
DR-0113.2	Preview offline behavior for Inline preview for images, common design exports, markdown, and code	P3	Accessible; recorded; reversible
DR-0113.3	Preview import/export for Drag-and-drop upload; paste-to-upload from clipboard	P0	Predictable; recorded; reversible
DR-0113.4	Preview attribution for Every file carries its own version history	P1	Scoped; recorded; reversible
DR-0113.5	Preview previews for Tag files by kind (code / design / asset / doc) for filtering	P2	Auditable; recorded; reversible
DR-0113.6	Preview filtering for Object storage backing; pennies per gigabyte at the budget scale	P3	Minimal; recorded; reversible

28.0114 Timeline · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Timeline**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0114.0	Resolve billing gate for Chronological stream of all change events across modules	P2	Quiet; recorded; reversible
DR-0114.1	Resolve offline behavior for Filter by person, by module, by file, by date range	P3	Accessible; recorded; reversible
DR-0114.2	Resolve import/export for 'Decisions' — pinned timeline notes that capture the why	P0	Predictable; recorded; reversible
DR-0114.3	Resolve attribution for Group related changes (a design + its code) into one entry	P1	Scoped; recorded; reversible
DR-0114.4	Resolve previews for Git-log-style density for power users; readable summaries for everyone	P2	Auditable; recorded; reversible
DR-0114.5	Resolve filtering for Permalink any moment to share 'here's where we were on Tuesday'	P3	Minimal; recorded; reversible
DR-0114.6	Resolve data model for Chronological stream of all change events across modules	P0	Fast; recorded; reversible

28.0115 Code · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Code**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0115.0	Emit offline behavior for Browse code with syntax highlighting in-app	P3	Accessible; recorded; reversible
DR-0115.1	Emit import/export for Commits flow into the unified timeline automatically	P0	Predictable; recorded; reversible
DR-0115.2	Emit attribution for Connect an existing external repo (mirror) as an alternative to native	P1	Scoped; recorded; reversible
DR-0115.3	Emit previews for Simple in-browser edits for quick fixes	P2	Auditable; recorded; reversible
DR-0115.4	Emit filtering for File-level history shared with MOD-02	P3	Minimal; recorded; reversible
DR-0115.5	Emit data model for Git-backed repository per project	P0	Fast; recorded; reversible
DR-0115.6	Emit UI surface for Browse code with syntax highlighting in-app	P1	Reliable; recorded; reversible

28.0116 Tasks · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Tasks**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0116.0	Throttle import/export for Status changes emit timeline events	P0	Predictable; recorded; reversible
DR-0116.1	Throttle attribution for Assignee, due date, and a single priority flag — nothing more	P1	Scoped; recorded; reversible
DR-0116.2	Throttle previews for Keyboard-first quick add	P2	Auditable; recorded; reversible
DR-0116.3	Throttle filtering for Filter by assignee, status, linked module	P3	Minimal; recorded; reversible
DR-0116.4	Throttle data model for Simple list and board views; no ceremony	P0	Fast; recorded; reversible
DR-0116.5	Throttle UI surface for Tasks link to files, commits, or decisions	P1	Reliable; recorded; reversible
DR-0116.6	Throttle timeline events for Status changes emit timeline events	P2	Reversible; recorded; reversible

28.0117 Docs · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Docs**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0117.0	Paginate attribution for Edits appear in the timeline	P1	Scoped; recorded; reversible
DR-0117.1	Paginate previews for Templates: brief, spec, decision record, changelog	P2	Auditable; recorded; reversible
DR-0117.2	Paginate filtering for Public doc sharing via link	P3	Minimal; recorded; reversible
DR-0117.3	Paginate data model for Markdown editor with live preview	P0	Fast; recorded; reversible
DR-0117.4	Paginate UI surface for Docs are files (MOD-02) with structured editing on top	P1	Reliable; recorded; reversible
DR-0117.5	Paginate timeline events for Link docs to tasks, files, and decisions	P2	Reversible; recorded; reversible
DR-0117.6	Paginate permissions for Edits appear in the timeline	P3	Clear; recorded; reversible

28.0118 Comments & feedback · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Comments & feedback**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0118.0	Debounce previews for Comment digests instead of constant pings	P2	Auditable; recorded; reversible
DR-0118.1	Debounce filtering for Public comment mode for client review (optional)	P3	Minimal; recorded; reversible
DR-0118.2	Debounce data model for Comment threads anchored to files, images, code lines, or events	P0	Fast; recorded; reversible
DR-0118.3	Debounce UI surface for Region/pin comments on images and design exports	P1	Reliable; recorded; reversible
DR-0118.4	Debounce timeline events for Resolve / reopen, with timeline trace	P2	Reversible; recorded; reversible
DR-0118.5	Debounce permissions for @mentions notify the right person	P3	Clear; recorded; reversible
DR-0118.6	Debounce performance for Comment digests instead of constant pings	P0	Quiet; recorded; reversible

28.0119 People & roles · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **People & roles**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0119.0	Reconcile filtering for Leave / remove without breaking historical attribution	P3	Minimal; recorded; reversible
DR-0119.1	Reconcile data model for Three roles: owner, editor, viewer	P0	Fast; recorded; reversible
DR-0119.2	Reconcile UI surface for Per-project membership; invite by link or email	P1	Reliable; recorded; reversible
DR-0119.3	Reconcile timeline events for Consistent identity and avatar across all modules	P2	Reversible; recorded; reversible
DR-0119.4	Reconcile permissions for Activity attributed to people everywhere	P3	Clear; recorded; reversible
DR-0119.5	Reconcile performance for Guest access for client review (time-boxed)	P0	Quiet; recorded; reversible
DR-0119.6	Reconcile empty states for Leave / remove without breaking historical attribution	P1	Accessible; recorded; reversible

28.0120 Assets & media · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Assets & media**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0120.0	Render data model for Gallery and grid views for visual assets	P0	Fast; recorded; reversible
DR-0120.1	Render UI surface for Collections / boards within a project	P1	Reliable; recorded; reversible
DR-0120.2	Render timeline events for Versioned assets with visual diff (before/after)	P2	Reversible; recorded; reversible
DR-0120.3	Render permissions for Color and basic metadata extraction	P3	Clear; recorded; reversible
DR-0120.4	Render performance for Quick share of an asset or a collection	P0	Quiet; recorded; reversible
DR-0120.5	Render empty states for Optimized delivery via storage/CDN	P1	Accessible; recorded; reversible
DR-0120.6	Render error handling for Gallery and grid views for visual assets	P2	Predictable; recorded; reversible

28.0121 Publish & portfolio · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Publish & portfolio**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0121.0	Persist UI surface for Opt-in 'building in public' changelog feed	P1	Reliable; recorded; reversible
DR-0121.1	Persist timeline events for Simple portfolio that aggregates public projects	P2	Reversible; recorded; reversible
DR-0121.2	Persist permissions for Custom accent and cover; tasteful defaults	P3	Clear; recorded; reversible
DR-0121.3	Persist performance for 'Made with RMH' attribution (toggleable on paid)	P0	Quiet; recorded; reversible
DR-0121.4	Persist empty states for Shareable timeline embeds	P1	Accessible; recorded; reversible
DR-0121.5	Persist error handling for Public project page generated from the project	P2	Predictable; recorded; reversible
DR-0121.6	Persist keyboard flow for Opt-in 'building in public' changelog feed	P3	Scoped; recorded; reversible

28.0122 Search · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Search**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0122.0	Validate timeline events for Keyboard shortcut to summon from anywhere	P2	Reversible; recorded; reversible
DR-0122.1	Validate permissions for Recent and pinned results	P3	Clear; recorded; reversible
DR-0122.2	Validate performance for Search within a single project or across all projects	P0	Quiet; recorded; reversible
DR-0122.3	Validate empty states for Fast, typo-tolerant matching	P1	Accessible; recorded; reversible
DR-0122.4	Validate error handling for Unified search across files, docs, tasks, comments, timeline	P2	Predictable; recorded; reversible
DR-0122.5	Validate keyboard flow for Filter by module, person, date	P3	Scoped; recorded; reversible
DR-0122.6	Validate mobile layout for Keyboard shortcut to summon from anywhere	P0	Auditable; recorded; reversible

28.0123 Integrations · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Integrations**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0123.0	Attribute permissions for Import files from common cloud storage	P3	Clear; recorded; reversible
DR-0123.1	Attribute performance for Public read API for project data	P0	Quiet; recorded; reversible
DR-0123.2	Attribute empty states for Embeddable timeline and asset widgets	P1	Accessible; recorded; reversible
DR-0123.3	Attribute error handling for Connect/mirror an external code repository	P2	Predictable; recorded; reversible
DR-0123.4	Attribute keyboard flow for Outgoing webhooks on timeline events	P3	Scoped; recorded; reversible
DR-0123.5	Attribute mobile layout for Share-to-social on publish	P0	Auditable; recorded; reversible
DR-0123.6	Attribute accessibility for Import files from common cloud storage	P1	Minimal; recorded; reversible

28.0124 Time & invoicing · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Time & invoicing**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0124.0	Group performance for CSV export for accounting	P0	Quiet; recorded; reversible
DR-0124.1	Group empty states for No payment processing — export only, to stay simple and cheap	P1	Accessible; recorded; reversible
DR-0124.2	Group error handling for Start/stop timers tied to a project or task	P2	Predictable; recorded; reversible
DR-0124.3	Group keyboard flow for Manual time entry and weekly summary	P3	Scoped; recorded; reversible
DR-0124.4	Group mobile layout for Simple rate-based invoice generation (export)	P0	Auditable; recorded; reversible
DR-0124.5	Group accessibility for Per-client rollups across projects	P1	Minimal; recorded; reversible
DR-0124.6	Group onboarding for CSV export for accounting	P2	Fast; recorded; reversible

28.0125 Community & templates · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Community & templates**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0125.0	Filter empty states for Seasonal build challenges to drive activity	P1	Accessible; recorded; reversible
DR-0125.1	Filter error handling for Public template gallery; one-click 'use this template'	P2	Predictable; recorded; reversible
DR-0125.2	Filter keyboard flow for Community showcase of public projects	P3	Scoped; recorded; reversible
DR-0125.3	Filter mobile layout for Featured builders and 'project of the week'	P0	Auditable; recorded; reversible
DR-0125.4	Filter accessibility for Template submission and curation	P1	Minimal; recorded; reversible
DR-0125.5	Filter onboarding for Lightweight following / favoriting	P2	Fast; recorded; reversible
DR-0125.6	Filter sharing for Seasonal build challenges to drive activity	P3	Reliable; recorded; reversible

28.0126 Projects · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Projects**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0126.0	Sync error handling for Create a project in under a minute, no required config	P2	Predictable; recorded; reversible
DR-0126.1	Sync keyboard flow for Each project has a single shared timeline (see MOD-03)	P3	Scoped; recorded; reversible
DR-0126.2	Sync mobile layout for Project-level people & roles (owner, editor, viewer)	P0	Auditable; recorded; reversible
DR-0126.3	Sync accessibility for Lightweight settings: name, description, visibility, accent color	P1	Minimal; recorded; reversible
DR-0126.4	Sync onboarding for Archive / restore without destroying history	P2	Fast; recorded; reversible
DR-0126.5	Sync sharing for Templates: start from blank, web app, brand kit, or portfolio	P3	Reliable; recorded; reversible
DR-0126.6	Sync notifications for Create a project in under a minute, no required config	P0	Reversible; recorded; reversible

28.0127 Unified files · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Unified files**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0127.0	Cache keyboard flow for Inline preview for images, common design exports, markdown, and code	P3	Scoped; recorded; reversible
DR-0127.1	Cache mobile layout for Drag-and-drop upload; paste-to-upload from clipboard	P0	Auditable; recorded; reversible
DR-0127.2	Cache accessibility for Every file carries its own version history	P1	Minimal; recorded; reversible
DR-0127.3	Cache onboarding for Tag files by kind (code / design / asset / doc) for filtering	P2	Fast; recorded; reversible
DR-0127.4	Cache sharing for Object storage backing; pennies per gigabyte at the budget scale	P3	Reliable; recorded; reversible
DR-0127.5	Cache notifications for Tree view that mixes code and creative files naturally	P0	Reversible; recorded; reversible
DR-0127.6	Cache search indexing for Inline preview for images, common design exports, markdown, and code	P1	Clear; recorded; reversible

28.0128 Timeline · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Timeline**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0128.0	Index mobile layout for 'Decisions' — pinned timeline notes that capture the why	P0	Auditable; recorded; reversible
DR-0128.1	Index accessibility for Group related changes (a design + its code) into one entry	P1	Minimal; recorded; reversible
DR-0128.2	Index onboarding for Git-log-style density for power users; readable summaries for everyone	P2	Fast; recorded; reversible
DR-0128.3	Index sharing for Permalink any moment to share 'here's where we were on Tuesday'	P3	Reliable; recorded; reversible
DR-0128.4	Index notifications for Chronological stream of all change events across modules	P0	Reversible; recorded; reversible
DR-0128.5	Index search indexing for Filter by person, by module, by file, by date range	P1	Clear; recorded; reversible
DR-0128.6	Index storage for 'Decisions' — pinned timeline notes that capture the why	P2	Quiet; recorded; reversible

28.0129 Code · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Code**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0129.0	Gate accessibility for Connect an existing external repo (mirror) as an alternative to native	P1	Minimal; recorded; reversible
DR-0129.1	Gate onboarding for Simple in-browser edits for quick fixes	P2	Fast; recorded; reversible
DR-0129.2	Gate sharing for File-level history shared with MOD-02	P3	Reliable; recorded; reversible
DR-0129.3	Gate notifications for Git-backed repository per project	P0	Reversible; recorded; reversible
DR-0129.4	Gate search indexing for Browse code with syntax highlighting in-app	P1	Clear; recorded; reversible
DR-0129.5	Gate storage for Commits flow into the unified timeline automatically	P2	Quiet; recorded; reversible
DR-0129.6	Gate versioning for Connect an existing external repo (mirror) as an alternative to native	P3	Accessible; recorded; reversible

28.0130 Tasks · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Tasks**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0130.0	Stream onboarding for Keyboard-first quick add	P2	Fast; recorded; reversible
DR-0130.1	Stream sharing for Filter by assignee, status, linked module	P3	Reliable; recorded; reversible
DR-0130.2	Stream notifications for Simple list and board views; no ceremony	P0	Reversible; recorded; reversible
DR-0130.3	Stream search indexing for Tasks link to files, commits, or decisions	P1	Clear; recorded; reversible
DR-0130.4	Stream storage for Status changes emit timeline events	P2	Quiet; recorded; reversible
DR-0130.5	Stream versioning for Assignee, due date, and a single priority flag — nothing more	P3	Accessible; recorded; reversible
DR-0130.6	Stream API surface for Keyboard-first quick add	P0	Predictable; recorded; reversible

28.0131 Docs · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Docs**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0131.0	Restore sharing for Public doc sharing via link	P3	Reliable; recorded; reversible
DR-0131.1	Restore notifications for Markdown editor with live preview	P0	Reversible; recorded; reversible
DR-0131.2	Restore search indexing for Docs are files (MOD-02) with structured editing on top	P1	Clear; recorded; reversible
DR-0131.3	Restore storage for Link docs to tasks, files, and decisions	P2	Quiet; recorded; reversible
DR-0131.4	Restore versioning for Edits appear in the timeline	P3	Accessible; recorded; reversible
DR-0131.5	Restore API surface for Templates: brief, spec, decision record, changelog	P0	Predictable; recorded; reversible
DR-0131.6	Restore webhooks for Public doc sharing via link	P1	Scoped; recorded; reversible

28.0132 Comments & feedback · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Comments & feedback**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0132.0	Export notifications for Comment threads anchored to files, images, code lines, or events	P0	Reversible; recorded; reversible
DR-0132.1	Export search indexing for Region/pin comments on images and design exports	P1	Clear; recorded; reversible
DR-0132.2	Export storage for Resolve / reopen, with timeline trace	P2	Quiet; recorded; reversible
DR-0132.3	Export versioning for @mentions notify the right person	P3	Accessible; recorded; reversible
DR-0132.4	Export API surface for Comment digests instead of constant pings	P0	Predictable; recorded; reversible
DR-0132.5	Export webhooks for Public comment mode for client review (optional)	P1	Scoped; recorded; reversible
DR-0132.6	Export billing gate for Comment threads anchored to files, images, code lines, or events	P2	Auditable; recorded; reversible

28.0133 People & roles · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **People & roles**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0133.0	Preview search indexing for Per-project membership; invite by link or email	P1	Clear; recorded; reversible
DR-0133.1	Preview storage for Consistent identity and avatar across all modules	P2	Quiet; recorded; reversible
DR-0133.2	Preview versioning for Activity attributed to people everywhere	P3	Accessible; recorded; reversible
DR-0133.3	Preview API surface for Guest access for client review (time-boxed)	P0	Predictable; recorded; reversible
DR-0133.4	Preview webhooks for Leave / remove without breaking historical attribution	P1	Scoped; recorded; reversible
DR-0133.5	Preview billing gate for Three roles: owner, editor, viewer	P2	Auditable; recorded; reversible
DR-0133.6	Preview offline behavior for Per-project membership; invite by link or email	P3	Minimal; recorded; reversible

28.0134 Assets & media · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Assets & media**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0134.0	Resolve storage for Versioned assets with visual diff (before/after)	P2	Quiet; recorded; reversible
DR-0134.1	Resolve versioning for Color and basic metadata extraction	P3	Accessible; recorded; reversible
DR-0134.2	Resolve API surface for Quick share of an asset or a collection	P0	Predictable; recorded; reversible
DR-0134.3	Resolve webhooks for Optimized delivery via storage/CDN	P1	Scoped; recorded; reversible
DR-0134.4	Resolve billing gate for Gallery and grid views for visual assets	P2	Auditable; recorded; reversible
DR-0134.5	Resolve offline behavior for Collections / boards within a project	P3	Minimal; recorded; reversible
DR-0134.6	Resolve import/export for Versioned assets with visual diff (before/after)	P0	Fast; recorded; reversible

28.0135 Publish & portfolio · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Publish & portfolio**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0135.0	Emit versioning for Custom accent and cover; tasteful defaults	P3	Accessible; recorded; reversible
DR-0135.1	Emit API surface for 'Made with RMH' attribution (toggleable on paid)	P0	Predictable; recorded; reversible
DR-0135.2	Emit webhooks for Shareable timeline embeds	P1	Scoped; recorded; reversible
DR-0135.3	Emit billing gate for Public project page generated from the project	P2	Auditable; recorded; reversible
DR-0135.4	Emit offline behavior for Opt-in 'building in public' changelog feed	P3	Minimal; recorded; reversible
DR-0135.5	Emit import/export for Simple portfolio that aggregates public projects	P0	Fast; recorded; reversible
DR-0135.6	Emit attribution for Custom accent and cover; tasteful defaults	P1	Reliable; recorded; reversible

28.0136 Search · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Search**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0136.0	Throttle API surface for Search within a single project or across all projects	P0	Predictable; recorded; reversible
DR-0136.1	Throttle webhooks for Fast, typo-tolerant matching	P1	Scoped; recorded; reversible
DR-0136.2	Throttle billing gate for Unified search across files, docs, tasks, comments, timeline	P2	Auditable; recorded; reversible
DR-0136.3	Throttle offline behavior for Filter by module, person, date	P3	Minimal; recorded; reversible
DR-0136.4	Throttle import/export for Keyboard shortcut to summon from anywhere	P0	Fast; recorded; reversible
DR-0136.5	Throttle attribution for Recent and pinned results	P1	Reliable; recorded; reversible
DR-0136.6	Throttle previews for Search within a single project or across all projects	P2	Reversible; recorded; reversible

28.0137 Integrations · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Integrations**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0137.0	Paginate webhooks for Embeddable timeline and asset widgets	P1	Scoped; recorded; reversible
DR-0137.1	Paginate billing gate for Connect/mirror an external code repository	P2	Auditable; recorded; reversible
DR-0137.2	Paginate offline behavior for Outgoing webhooks on timeline events	P3	Minimal; recorded; reversible
DR-0137.3	Paginate import/export for Share-to-social on publish	P0	Fast; recorded; reversible
DR-0137.4	Paginate attribution for Import files from common cloud storage	P1	Reliable; recorded; reversible
DR-0137.5	Paginate previews for Public read API for project data	P2	Reversible; recorded; reversible
DR-0137.6	Paginate filtering for Embeddable timeline and asset widgets	P3	Clear; recorded; reversible

28.0138 Time & invoicing · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Time & invoicing**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0138.0	Debounce billing gate for Start/stop timers tied to a project or task	P2	Auditable; recorded; reversible
DR-0138.1	Debounce offline behavior for Manual time entry and weekly summary	P3	Minimal; recorded; reversible
DR-0138.2	Debounce import/export for Simple rate-based invoice generation (export)	P0	Fast; recorded; reversible
DR-0138.3	Debounce attribution for Per-client rollups across projects	P1	Reliable; recorded; reversible
DR-0138.4	Debounce previews for CSV export for accounting	P2	Reversible; recorded; reversible
DR-0138.5	Debounce filtering for No payment processing — export only, to stay simple and cheap	P3	Clear; recorded; reversible
DR-0138.6	Debounce data model for Start/stop timers tied to a project or task	P0	Quiet; recorded; reversible

28.0139 Community & templates · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Community & templates**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0139.0	Reconcile offline behavior for Community showcase of public projects	P3	Minimal; recorded; reversible
DR-0139.1	Reconcile import/export for Featured builders and 'project of the week'	P0	Fast; recorded; reversible
DR-0139.2	Reconcile attribution for Template submission and curation	P1	Reliable; recorded; reversible
DR-0139.3	Reconcile previews for Lightweight following / favoriting	P2	Reversible; recorded; reversible
DR-0139.4	Reconcile filtering for Seasonal build challenges to drive activity	P3	Clear; recorded; reversible
DR-0139.5	Reconcile data model for Public template gallery; one-click 'use this template'	P0	Quiet; recorded; reversible
DR-0139.6	Reconcile UI surface for Community showcase of public projects	P1	Accessible; recorded; reversible

28.0140 Projects · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Projects**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0140.0	Render import/export for Project-level people & roles (owner, editor, viewer)	P0	Fast; recorded; reversible
DR-0140.1	Render attribution for Lightweight settings: name, description, visibility, accent color	P1	Reliable; recorded; reversible
DR-0140.2	Render previews for Archive / restore without destroying history	P2	Reversible; recorded; reversible
DR-0140.3	Render filtering for Templates: start from blank, web app, brand kit, or portfolio	P3	Clear; recorded; reversible
DR-0140.4	Render data model for Create a project in under a minute, no required config	P0	Quiet; recorded; reversible
DR-0140.5	Render UI surface for Each project has a single shared timeline (see MOD-03)	P1	Accessible; recorded; reversible
DR-0140.6	Render timeline events for Project-level people & roles (owner, editor, viewer)	P2	Predictable; recorded; reversible

28.0141 Unified files · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Unified files**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0141.0	Persist attribution for Every file carries its own version history	P1	Reliable; recorded; reversible
DR-0141.1	Persist previews for Tag files by kind (code / design / asset / doc) for filtering	P2	Reversible; recorded; reversible
DR-0141.2	Persist filtering for Object storage backing; pennies per gigabyte at the budget scale	P3	Clear; recorded; reversible
DR-0141.3	Persist data model for Tree view that mixes code and creative files naturally	P0	Quiet; recorded; reversible
DR-0141.4	Persist UI surface for Inline preview for images, common design exports, markdown, and code	P1	Accessible; recorded; reversible
DR-0141.5	Persist timeline events for Drag-and-drop upload; paste-to-upload from clipboard	P2	Predictable; recorded; reversible
DR-0141.6	Persist permissions for Every file carries its own version history	P3	Scoped; recorded; reversible

28.0142 Timeline · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Timeline**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0142.0	Validate previews for Git-log-style density for power users; readable summaries for everyone	P2	Reversible; recorded; reversible
DR-0142.1	Validate filtering for Permalink any moment to share 'here's where we were on Tuesday'	P3	Clear; recorded; reversible
DR-0142.2	Validate data model for Chronological stream of all change events across modules	P0	Quiet; recorded; reversible
DR-0142.3	Validate UI surface for Filter by person, by module, by file, by date range	P1	Accessible; recorded; reversible
DR-0142.4	Validate timeline events for 'Decisions' — pinned timeline notes that capture the why	P2	Predictable; recorded; reversible
DR-0142.5	Validate permissions for Group related changes (a design + its code) into one entry	P3	Scoped; recorded; reversible
DR-0142.6	Validate performance for Git-log-style density for power users; readable summaries for everyone	P0	Auditable; recorded; reversible

28.0143 Code · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Code**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0143.0	Attribute filtering for File-level history shared with MOD-02	P3	Clear; recorded; reversible
DR-0143.1	Attribute data model for Git-backed repository per project	P0	Quiet; recorded; reversible
DR-0143.2	Attribute UI surface for Browse code with syntax highlighting in-app	P1	Accessible; recorded; reversible
DR-0143.3	Attribute timeline events for Commits flow into the unified timeline automatically	P2	Predictable; recorded; reversible
DR-0143.4	Attribute permissions for Connect an existing external repo (mirror) as an alternative to native	P3	Scoped; recorded; reversible
DR-0143.5	Attribute performance for Simple in-browser edits for quick fixes	P0	Auditable; recorded; reversible
DR-0143.6	Attribute empty states for File-level history shared with MOD-02	P1	Minimal; recorded; reversible

28.0144 Tasks · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Tasks**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0144.0	Group data model for Simple list and board views; no ceremony	P0	Quiet; recorded; reversible
DR-0144.1	Group UI surface for Tasks link to files, commits, or decisions	P1	Accessible; recorded; reversible
DR-0144.2	Group timeline events for Status changes emit timeline events	P2	Predictable; recorded; reversible
DR-0144.3	Group permissions for Assignee, due date, and a single priority flag — nothing more	P3	Scoped; recorded; reversible
DR-0144.4	Group performance for Keyboard-first quick add	P0	Auditable; recorded; reversible
DR-0144.5	Group empty states for Filter by assignee, status, linked module	P1	Minimal; recorded; reversible
DR-0144.6	Group error handling for Simple list and board views; no ceremony	P2	Fast; recorded; reversible

28.0145 Docs · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Docs**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0145.0	Filter UI surface for Docs are files (MOD-02) with structured editing on top	P1	Accessible; recorded; reversible
DR-0145.1	Filter timeline events for Link docs to tasks, files, and decisions	P2	Predictable; recorded; reversible
DR-0145.2	Filter permissions for Edits appear in the timeline	P3	Scoped; recorded; reversible
DR-0145.3	Filter performance for Templates: brief, spec, decision record, changelog	P0	Auditable; recorded; reversible
DR-0145.4	Filter empty states for Public doc sharing via link	P1	Minimal; recorded; reversible
DR-0145.5	Filter error handling for Markdown editor with live preview	P2	Fast; recorded; reversible
DR-0145.6	Filter keyboard flow for Docs are files (MOD-02) with structured editing on top	P3	Reliable; recorded; reversible

28.0146 Comments & feedback · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Comments & feedback**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0146.0	Sync timeline events for Resolve / reopen, with timeline trace	P2	Predictable; recorded; reversible
DR-0146.1	Sync permissions for @mentions notify the right person	P3	Scoped; recorded; reversible
DR-0146.2	Sync performance for Comment digests instead of constant pings	P0	Auditable; recorded; reversible
DR-0146.3	Sync empty states for Public comment mode for client review (optional)	P1	Minimal; recorded; reversible
DR-0146.4	Sync error handling for Comment threads anchored to files, images, code lines, or events	P2	Fast; recorded; reversible
DR-0146.5	Sync keyboard flow for Region/pin comments on images and design exports	P3	Reliable; recorded; reversible
DR-0146.6	Sync mobile layout for Resolve / reopen, with timeline trace	P0	Reversible; recorded; reversible

28.0147 People & roles · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **People & roles**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0147.0	Cache permissions for Activity attributed to people everywhere	P3	Scoped; recorded; reversible
DR-0147.1	Cache performance for Guest access for client review (time-boxed)	P0	Auditable; recorded; reversible
DR-0147.2	Cache empty states for Leave / remove without breaking historical attribution	P1	Minimal; recorded; reversible
DR-0147.3	Cache error handling for Three roles: owner, editor, viewer	P2	Fast; recorded; reversible
DR-0147.4	Cache keyboard flow for Per-project membership; invite by link or email	P3	Reliable; recorded; reversible
DR-0147.5	Cache mobile layout for Consistent identity and avatar across all modules	P0	Reversible; recorded; reversible
DR-0147.6	Cache accessibility for Activity attributed to people everywhere	P1	Clear; recorded; reversible

28.0148 Assets & media · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Assets & media**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0148.0	Index performance for Quick share of an asset or a collection	P0	Auditable; recorded; reversible
DR-0148.1	Index empty states for Optimized delivery via storage/CDN	P1	Minimal; recorded; reversible
DR-0148.2	Index error handling for Gallery and grid views for visual assets	P2	Fast; recorded; reversible
DR-0148.3	Index keyboard flow for Collections / boards within a project	P3	Reliable; recorded; reversible
DR-0148.4	Index mobile layout for Versioned assets with visual diff (before/after)	P0	Reversible; recorded; reversible
DR-0148.5	Index accessibility for Color and basic metadata extraction	P1	Clear; recorded; reversible
DR-0148.6	Index onboarding for Quick share of an asset or a collection	P2	Quiet; recorded; reversible

28.0149 Publish & portfolio · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Publish & portfolio**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0149.0	Gate empty states for Shareable timeline embeds	P1	Minimal; recorded; reversible
DR-0149.1	Gate error handling for Public project page generated from the project	P2	Fast; recorded; reversible
DR-0149.2	Gate keyboard flow for Opt-in 'building in public' changelog feed	P3	Reliable; recorded; reversible
DR-0149.3	Gate mobile layout for Simple portfolio that aggregates public projects	P0	Reversible; recorded; reversible
DR-0149.4	Gate accessibility for Custom accent and cover; tasteful defaults	P1	Clear; recorded; reversible
DR-0149.5	Gate onboarding for 'Made with RMH' attribution (toggleable on paid)	P2	Quiet; recorded; reversible
DR-0149.6	Gate sharing for Shareable timeline embeds	P3	Accessible; recorded; reversible

28.0150 Search · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Search**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0150.0	Stream error handling for Unified search across files, docs, tasks, comments, timeline	P2	Fast; recorded; reversible
DR-0150.1	Stream keyboard flow for Filter by module, person, date	P3	Reliable; recorded; reversible
DR-0150.2	Stream mobile layout for Keyboard shortcut to summon from anywhere	P0	Reversible; recorded; reversible
DR-0150.3	Stream accessibility for Recent and pinned results	P1	Clear; recorded; reversible
DR-0150.4	Stream onboarding for Search within a single project or across all projects	P2	Quiet; recorded; reversible
DR-0150.5	Stream sharing for Fast, typo-tolerant matching	P3	Accessible; recorded; reversible
DR-0150.6	Stream notifications for Unified search across files, docs, tasks, comments, timeline	P0	Predictable; recorded; reversible

28.0151 Integrations · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Integrations**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0151.0	Restore keyboard flow for Outgoing webhooks on timeline events	P3	Reliable; recorded; reversible
DR-0151.1	Restore mobile layout for Share-to-social on publish	P0	Reversible; recorded; reversible
DR-0151.2	Restore accessibility for Import files from common cloud storage	P1	Clear; recorded; reversible
DR-0151.3	Restore onboarding for Public read API for project data	P2	Quiet; recorded; reversible
DR-0151.4	Restore sharing for Embeddable timeline and asset widgets	P3	Accessible; recorded; reversible
DR-0151.5	Restore notifications for Connect/mirror an external code repository	P0	Predictable; recorded; reversible
DR-0151.6	Restore search indexing for Outgoing webhooks on timeline events	P1	Scoped; recorded; reversible

28.0152 Time & invoicing · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Time & invoicing**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0152.0	Export mobile layout for Simple rate-based invoice generation (export)	P0	Reversible; recorded; reversible
DR-0152.1	Export accessibility for Per-client rollups across projects	P1	Clear; recorded; reversible
DR-0152.2	Export onboarding for CSV export for accounting	P2	Quiet; recorded; reversible
DR-0152.3	Export sharing for No payment processing — export only, to stay simple and cheap	P3	Accessible; recorded; reversible
DR-0152.4	Export notifications for Start/stop timers tied to a project or task	P0	Predictable; recorded; reversible
DR-0152.5	Export search indexing for Manual time entry and weekly summary	P1	Scoped; recorded; reversible
DR-0152.6	Export storage for Simple rate-based invoice generation (export)	P2	Auditable; recorded; reversible

28.0153 Community & templates · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Community & templates**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0153.0	Preview accessibility for Template submission and curation	P1	Clear; recorded; reversible
DR-0153.1	Preview onboarding for Lightweight following / favoriting	P2	Quiet; recorded; reversible
DR-0153.2	Preview sharing for Seasonal build challenges to drive activity	P3	Accessible; recorded; reversible
DR-0153.3	Preview notifications for Public template gallery; one-click 'use this template'	P0	Predictable; recorded; reversible
DR-0153.4	Preview search indexing for Community showcase of public projects	P1	Scoped; recorded; reversible
DR-0153.5	Preview storage for Featured builders and 'project of the week'	P2	Auditable; recorded; reversible
DR-0153.6	Preview versioning for Template submission and curation	P3	Minimal; recorded; reversible

28.0154 Projects · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Projects**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0154.0	Resolve onboarding for Archive / restore without destroying history	P2	Quiet; recorded; reversible
DR-0154.1	Resolve sharing for Templates: start from blank, web app, brand kit, or portfolio	P3	Accessible; recorded; reversible
DR-0154.2	Resolve notifications for Create a project in under a minute, no required config	P0	Predictable; recorded; reversible
DR-0154.3	Resolve search indexing for Each project has a single shared timeline (see MOD-03)	P1	Scoped; recorded; reversible
DR-0154.4	Resolve storage for Project-level people & roles (owner, editor, viewer)	P2	Auditable; recorded; reversible
DR-0154.5	Resolve versioning for Lightweight settings: name, description, visibility, accent color	P3	Minimal; recorded; reversible
DR-0154.6	Resolve API surface for Archive / restore without destroying history	P0	Fast; recorded; reversible

28.0155 Unified files · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Unified files**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0155.0	Emit sharing for Object storage backing; pennies per gigabyte at the budget scale	P3	Accessible; recorded; reversible
DR-0155.1	Emit notifications for Tree view that mixes code and creative files naturally	P0	Predictable; recorded; reversible
DR-0155.2	Emit search indexing for Inline preview for images, common design exports, markdown, and code	P1	Scoped; recorded; reversible
DR-0155.3	Emit storage for Drag-and-drop upload; paste-to-upload from clipboard	P2	Auditable; recorded; reversible
DR-0155.4	Emit versioning for Every file carries its own version history	P3	Minimal; recorded; reversible
DR-0155.5	Emit API surface for Tag files by kind (code / design / asset / doc) for filtering	P0	Fast; recorded; reversible
DR-0155.6	Emit webhooks for Object storage backing; pennies per gigabyte at the budget scale	P1	Reliable; recorded; reversible

28.0156 Timeline · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Timeline**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0156.0	Throttle notifications for Chronological stream of all change events across modules	P0	Predictable; recorded; reversible
DR-0156.1	Throttle search indexing for Filter by person, by module, by file, by date range	P1	Scoped; recorded; reversible
DR-0156.2	Throttle storage for 'Decisions' — pinned timeline notes that capture the why	P2	Auditable; recorded; reversible
DR-0156.3	Throttle versioning for Group related changes (a design + its code) into one entry	P3	Minimal; recorded; reversible
DR-0156.4	Throttle API surface for Git-log-style density for power users; readable summaries for everyone	P0	Fast; recorded; reversible
DR-0156.5	Throttle webhooks for Permalink any moment to share 'here's where we were on Tuesday'	P1	Reliable; recorded; reversible
DR-0156.6	Throttle billing gate for Chronological stream of all change events across modules	P2	Reversible; recorded; reversible

28.0157 Code · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Code**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0157.0	Paginate search indexing for Browse code with syntax highlighting in-app	P1	Scoped; recorded; reversible
DR-0157.1	Paginate storage for Commits flow into the unified timeline automatically	P2	Auditable; recorded; reversible
DR-0157.2	Paginate versioning for Connect an existing external repo (mirror) as an alternative to native	P3	Minimal; recorded; reversible
DR-0157.3	Paginate API surface for Simple in-browser edits for quick fixes	P0	Fast; recorded; reversible
DR-0157.4	Paginate webhooks for File-level history shared with MOD-02	P1	Reliable; recorded; reversible
DR-0157.5	Paginate billing gate for Git-backed repository per project	P2	Reversible; recorded; reversible
DR-0157.6	Paginate offline behavior for Browse code with syntax highlighting in-app	P3	Clear; recorded; reversible

28.0158 Tasks · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Tasks**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0158.0	Debounce storage for Status changes emit timeline events	P2	Auditable; recorded; reversible
DR-0158.1	Debounce versioning for Assignee, due date, and a single priority flag — nothing more	P3	Minimal; recorded; reversible
DR-0158.2	Debounce API surface for Keyboard-first quick add	P0	Fast; recorded; reversible
DR-0158.3	Debounce webhooks for Filter by assignee, status, linked module	P1	Reliable; recorded; reversible
DR-0158.4	Debounce billing gate for Simple list and board views; no ceremony	P2	Reversible; recorded; reversible
DR-0158.5	Debounce offline behavior for Tasks link to files, commits, or decisions	P3	Clear; recorded; reversible
DR-0158.6	Debounce import/export for Status changes emit timeline events	P0	Quiet; recorded; reversible

28.0159 Docs · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Docs**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0159.0	Reconcile versioning for Edits appear in the timeline	P3	Minimal; recorded; reversible
DR-0159.1	Reconcile API surface for Templates: brief, spec, decision record, changelog	P0	Fast; recorded; reversible
DR-0159.2	Reconcile webhooks for Public doc sharing via link	P1	Reliable; recorded; reversible
DR-0159.3	Reconcile billing gate for Markdown editor with live preview	P2	Reversible; recorded; reversible
DR-0159.4	Reconcile offline behavior for Docs are files (MOD-02) with structured editing on top	P3	Clear; recorded; reversible
DR-0159.5	Reconcile import/export for Link docs to tasks, files, and decisions	P0	Quiet; recorded; reversible
DR-0159.6	Reconcile attribution for Edits appear in the timeline	P1	Accessible; recorded; reversible

28.0160 Comments & feedback · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Comments & feedback**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0160.0	Render API surface for Comment digests instead of constant pings	P0	Fast; recorded; reversible
DR-0160.1	Render webhooks for Public comment mode for client review (optional)	P1	Reliable; recorded; reversible
DR-0160.2	Render billing gate for Comment threads anchored to files, images, code lines, or events	P2	Reversible; recorded; reversible
DR-0160.3	Render offline behavior for Region/pin comments on images and design exports	P3	Clear; recorded; reversible
DR-0160.4	Render import/export for Resolve / reopen, with timeline trace	P0	Quiet; recorded; reversible
DR-0160.5	Render attribution for @mentions notify the right person	P1	Accessible; recorded; reversible
DR-0160.6	Render previews for Comment digests instead of constant pings	P2	Predictable; recorded; reversible

28.0161 People & roles · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **People & roles**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0161.0	Persist webhooks for Leave / remove without breaking historical attribution	P1	Reliable; recorded; reversible
DR-0161.1	Persist billing gate for Three roles: owner, editor, viewer	P2	Reversible; recorded; reversible
DR-0161.2	Persist offline behavior for Per-project membership; invite by link or email	P3	Clear; recorded; reversible
DR-0161.3	Persist import/export for Consistent identity and avatar across all modules	P0	Quiet; recorded; reversible
DR-0161.4	Persist attribution for Activity attributed to people everywhere	P1	Accessible; recorded; reversible
DR-0161.5	Persist previews for Guest access for client review (time-boxed)	P2	Predictable; recorded; reversible
DR-0161.6	Persist filtering for Leave / remove without breaking historical attribution	P3	Scoped; recorded; reversible

28.0162 Assets & media · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Assets & media**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0162.0	Validate billing gate for Gallery and grid views for visual assets	P2	Reversible; recorded; reversible
DR-0162.1	Validate offline behavior for Collections / boards within a project	P3	Clear; recorded; reversible
DR-0162.2	Validate import/export for Versioned assets with visual diff (before/after)	P0	Quiet; recorded; reversible
DR-0162.3	Validate attribution for Color and basic metadata extraction	P1	Accessible; recorded; reversible
DR-0162.4	Validate previews for Quick share of an asset or a collection	P2	Predictable; recorded; reversible
DR-0162.5	Validate filtering for Optimized delivery via storage/CDN	P3	Scoped; recorded; reversible
DR-0162.6	Validate data model for Gallery and grid views for visual assets	P0	Auditable; recorded; reversible

28.0163 Publish & portfolio · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Publish & portfolio**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0163.0	Attribute offline behavior for Opt-in 'building in public' changelog feed	P3	Clear; recorded; reversible
DR-0163.1	Attribute import/export for Simple portfolio that aggregates public projects	P0	Quiet; recorded; reversible
DR-0163.2	Attribute attribution for Custom accent and cover; tasteful defaults	P1	Accessible; recorded; reversible
DR-0163.3	Attribute previews for 'Made with RMH' attribution (toggleable on paid)	P2	Predictable; recorded; reversible
DR-0163.4	Attribute filtering for Shareable timeline embeds	P3	Scoped; recorded; reversible
DR-0163.5	Attribute data model for Public project page generated from the project	P0	Auditable; recorded; reversible
DR-0163.6	Attribute UI surface for Opt-in 'building in public' changelog feed	P1	Minimal; recorded; reversible

28.0164 Search · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Search**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0164.0	Group import/export for Keyboard shortcut to summon from anywhere	P0	Quiet; recorded; reversible
DR-0164.1	Group attribution for Recent and pinned results	P1	Accessible; recorded; reversible
DR-0164.2	Group previews for Search within a single project or across all projects	P2	Predictable; recorded; reversible
DR-0164.3	Group filtering for Fast, typo-tolerant matching	P3	Scoped; recorded; reversible
DR-0164.4	Group data model for Unified search across files, docs, tasks, comments, timeline	P0	Auditable; recorded; reversible
DR-0164.5	Group UI surface for Filter by module, person, date	P1	Minimal; recorded; reversible
DR-0164.6	Group timeline events for Keyboard shortcut to summon from anywhere	P2	Fast; recorded; reversible

28.0165 Integrations · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Integrations**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0165.0	Filter attribution for Import files from common cloud storage	P1	Accessible; recorded; reversible
DR-0165.1	Filter previews for Public read API for project data	P2	Predictable; recorded; reversible
DR-0165.2	Filter filtering for Embeddable timeline and asset widgets	P3	Scoped; recorded; reversible
DR-0165.3	Filter data model for Connect/mirror an external code repository	P0	Auditable; recorded; reversible
DR-0165.4	Filter UI surface for Outgoing webhooks on timeline events	P1	Minimal; recorded; reversible
DR-0165.5	Filter timeline events for Share-to-social on publish	P2	Fast; recorded; reversible
DR-0165.6	Filter permissions for Import files from common cloud storage	P3	Reliable; recorded; reversible

28.0166 Time & invoicing · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Time & invoicing**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0166.0	Sync previews for CSV export for accounting	P2	Predictable; recorded; reversible
DR-0166.1	Sync filtering for No payment processing — export only, to stay simple and cheap	P3	Scoped; recorded; reversible
DR-0166.2	Sync data model for Start/stop timers tied to a project or task	P0	Auditable; recorded; reversible
DR-0166.3	Sync UI surface for Manual time entry and weekly summary	P1	Minimal; recorded; reversible
DR-0166.4	Sync timeline events for Simple rate-based invoice generation (export)	P2	Fast; recorded; reversible
DR-0166.5	Sync permissions for Per-client rollups across projects	P3	Reliable; recorded; reversible
DR-0166.6	Sync performance for CSV export for accounting	P0	Reversible; recorded; reversible

28.0167 Community & templates · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Community & templates**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0167.0	Cache filtering for Seasonal build challenges to drive activity	P3	Scoped; recorded; reversible
DR-0167.1	Cache data model for Public template gallery; one-click 'use this template'	P0	Auditable; recorded; reversible
DR-0167.2	Cache UI surface for Community showcase of public projects	P1	Minimal; recorded; reversible
DR-0167.3	Cache timeline events for Featured builders and 'project of the week'	P2	Fast; recorded; reversible
DR-0167.4	Cache permissions for Template submission and curation	P3	Reliable; recorded; reversible
DR-0167.5	Cache performance for Lightweight following / favoriting	P0	Reversible; recorded; reversible
DR-0167.6	Cache empty states for Seasonal build challenges to drive activity	P1	Clear; recorded; reversible

28.0168 Projects · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Projects**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0168.0	Index data model for Create a project in under a minute, no required config	P0	Auditable; recorded; reversible
DR-0168.1	Index UI surface for Each project has a single shared timeline (see MOD-03)	P1	Minimal; recorded; reversible
DR-0168.2	Index timeline events for Project-level people & roles (owner, editor, viewer)	P2	Fast; recorded; reversible
DR-0168.3	Index permissions for Lightweight settings: name, description, visibility, accent color	P3	Reliable; recorded; reversible
DR-0168.4	Index performance for Archive / restore without destroying history	P0	Reversible; recorded; reversible
DR-0168.5	Index empty states for Templates: start from blank, web app, brand kit, or portfolio	P1	Clear; recorded; reversible
DR-0168.6	Index error handling for Create a project in under a minute, no required config	P2	Quiet; recorded; reversible

28.0169 Unified files · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Unified files**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0169.0	Gate UI surface for Inline preview for images, common design exports, markdown, and code	P1	Minimal; recorded; reversible
DR-0169.1	Gate timeline events for Drag-and-drop upload; paste-to-upload from clipboard	P2	Fast; recorded; reversible
DR-0169.2	Gate permissions for Every file carries its own version history	P3	Reliable; recorded; reversible
DR-0169.3	Gate performance for Tag files by kind (code / design / asset / doc) for filtering	P0	Reversible; recorded; reversible
DR-0169.4	Gate empty states for Object storage backing; pennies per gigabyte at the budget scale	P1	Clear; recorded; reversible
DR-0169.5	Gate error handling for Tree view that mixes code and creative files naturally	P2	Quiet; recorded; reversible
DR-0169.6	Gate keyboard flow for Inline preview for images, common design exports, markdown, and code	P3	Accessible; recorded; reversible

28.0170 Timeline · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Timeline**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0170.0	Stream timeline events for 'Decisions' — pinned timeline notes that capture the why	P2	Fast; recorded; reversible
DR-0170.1	Stream permissions for Group related changes (a design + its code) into one entry	P3	Reliable; recorded; reversible
DR-0170.2	Stream performance for Git-log-style density for power users; readable summaries for everyone	P0	Reversible; recorded; reversible
DR-0170.3	Stream empty states for Permalink any moment to share 'here's where we were on Tuesday'	P1	Clear; recorded; reversible
DR-0170.4	Stream error handling for Chronological stream of all change events across modules	P2	Quiet; recorded; reversible
DR-0170.5	Stream keyboard flow for Filter by person, by module, by file, by date range	P3	Accessible; recorded; reversible
DR-0170.6	Stream mobile layout for 'Decisions' — pinned timeline notes that capture the why	P0	Predictable; recorded; reversible

28.0171 Code · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Code**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0171.0	Restore permissions for Connect an existing external repo (mirror) as an alternative to native	P3	Reliable; recorded; reversible
DR-0171.1	Restore performance for Simple in-browser edits for quick fixes	P0	Reversible; recorded; reversible
DR-0171.2	Restore empty states for File-level history shared with MOD-02	P1	Clear; recorded; reversible
DR-0171.3	Restore error handling for Git-backed repository per project	P2	Quiet; recorded; reversible
DR-0171.4	Restore keyboard flow for Browse code with syntax highlighting in-app	P3	Accessible; recorded; reversible
DR-0171.5	Restore mobile layout for Commits flow into the unified timeline automatically	P0	Predictable; recorded; reversible
DR-0171.6	Restore accessibility for Connect an existing external repo (mirror) as an alternative to native	P1	Scoped; recorded; reversible

28.0172 Tasks · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Tasks**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0172.0	Export performance for Keyboard-first quick add	P0	Reversible; recorded; reversible
DR-0172.1	Export empty states for Filter by assignee, status, linked module	P1	Clear; recorded; reversible
DR-0172.2	Export error handling for Simple list and board views; no ceremony	P2	Quiet; recorded; reversible
DR-0172.3	Export keyboard flow for Tasks link to files, commits, or decisions	P3	Accessible; recorded; reversible
DR-0172.4	Export mobile layout for Status changes emit timeline events	P0	Predictable; recorded; reversible
DR-0172.5	Export accessibility for Assignee, due date, and a single priority flag — nothing more	P1	Scoped; recorded; reversible
DR-0172.6	Export onboarding for Keyboard-first quick add	P2	Auditable; recorded; reversible

28.0173 Docs · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Docs**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0173.0	Preview empty states for Public doc sharing via link	P1	Clear; recorded; reversible
DR-0173.1	Preview error handling for Markdown editor with live preview	P2	Quiet; recorded; reversible
DR-0173.2	Preview keyboard flow for Docs are files (MOD-02) with structured editing on top	P3	Accessible; recorded; reversible
DR-0173.3	Preview mobile layout for Link docs to tasks, files, and decisions	P0	Predictable; recorded; reversible
DR-0173.4	Preview accessibility for Edits appear in the timeline	P1	Scoped; recorded; reversible
DR-0173.5	Preview onboarding for Templates: brief, spec, decision record, changelog	P2	Auditable; recorded; reversible
DR-0173.6	Preview sharing for Public doc sharing via link	P3	Minimal; recorded; reversible

28.0174 Comments & feedback · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Comments & feedback**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0174.0	Resolve error handling for Comment threads anchored to files, images, code lines, or events	P2	Quiet; recorded; reversible
DR-0174.1	Resolve keyboard flow for Region/pin comments on images and design exports	P3	Accessible; recorded; reversible
DR-0174.2	Resolve mobile layout for Resolve / reopen, with timeline trace	P0	Predictable; recorded; reversible
DR-0174.3	Resolve accessibility for @mentions notify the right person	P1	Scoped; recorded; reversible
DR-0174.4	Resolve onboarding for Comment digests instead of constant pings	P2	Auditable; recorded; reversible
DR-0174.5	Resolve sharing for Public comment mode for client review (optional)	P3	Minimal; recorded; reversible
DR-0174.6	Resolve notifications for Comment threads anchored to files, images, code lines, or events	P0	Fast; recorded; reversible

28.0175 People & roles · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **People & roles**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0175.0	Emit keyboard flow for Per-project membership; invite by link or email	P3	Accessible; recorded; reversible
DR-0175.1	Emit mobile layout for Consistent identity and avatar across all modules	P0	Predictable; recorded; reversible
DR-0175.2	Emit accessibility for Activity attributed to people everywhere	P1	Scoped; recorded; reversible
DR-0175.3	Emit onboarding for Guest access for client review (time-boxed)	P2	Auditable; recorded; reversible
DR-0175.4	Emit sharing for Leave / remove without breaking historical attribution	P3	Minimal; recorded; reversible
DR-0175.5	Emit notifications for Three roles: owner, editor, viewer	P0	Fast; recorded; reversible
DR-0175.6	Emit search indexing for Per-project membership; invite by link or email	P1	Reliable; recorded; reversible

28.0176 Assets & media · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Assets & media**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0176.0	Throttle mobile layout for Versioned assets with visual diff (before/after)	P0	Predictable; recorded; reversible
DR-0176.1	Throttle accessibility for Color and basic metadata extraction	P1	Scoped; recorded; reversible
DR-0176.2	Throttle onboarding for Quick share of an asset or a collection	P2	Auditable; recorded; reversible
DR-0176.3	Throttle sharing for Optimized delivery via storage/CDN	P3	Minimal; recorded; reversible
DR-0176.4	Throttle notifications for Gallery and grid views for visual assets	P0	Fast; recorded; reversible
DR-0176.5	Throttle search indexing for Collections / boards within a project	P1	Reliable; recorded; reversible
DR-0176.6	Throttle storage for Versioned assets with visual diff (before/after)	P2	Reversible; recorded; reversible

28.0177 Publish & portfolio · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Publish & portfolio**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0177.0	Paginate accessibility for Custom accent and cover; tasteful defaults	P1	Scoped; recorded; reversible
DR-0177.1	Paginate onboarding for 'Made with RMH' attribution (toggleable on paid)	P2	Auditable; recorded; reversible
DR-0177.2	Paginate sharing for Shareable timeline embeds	P3	Minimal; recorded; reversible
DR-0177.3	Paginate notifications for Public project page generated from the project	P0	Fast; recorded; reversible
DR-0177.4	Paginate search indexing for Opt-in 'building in public' changelog feed	P1	Reliable; recorded; reversible
DR-0177.5	Paginate storage for Simple portfolio that aggregates public projects	P2	Reversible; recorded; reversible
DR-0177.6	Paginate versioning for Custom accent and cover; tasteful defaults	P3	Clear; recorded; reversible

28.0178 Search · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Search**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0178.0	Debounce onboarding for Search within a single project or across all projects	P2	Auditable; recorded; reversible
DR-0178.1	Debounce sharing for Fast, typo-tolerant matching	P3	Minimal; recorded; reversible
DR-0178.2	Debounce notifications for Unified search across files, docs, tasks, comments, timeline	P0	Fast; recorded; reversible
DR-0178.3	Debounce search indexing for Filter by module, person, date	P1	Reliable; recorded; reversible
DR-0178.4	Debounce storage for Keyboard shortcut to summon from anywhere	P2	Reversible; recorded; reversible
DR-0178.5	Debounce versioning for Recent and pinned results	P3	Clear; recorded; reversible
DR-0178.6	Debounce API surface for Search within a single project or across all projects	P0	Quiet; recorded; reversible

28.0179 Integrations · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Integrations**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0179.0	Reconcile sharing for Embeddable timeline and asset widgets	P3	Minimal; recorded; reversible
DR-0179.1	Reconcile notifications for Connect/mirror an external code repository	P0	Fast; recorded; reversible
DR-0179.2	Reconcile search indexing for Outgoing webhooks on timeline events	P1	Reliable; recorded; reversible
DR-0179.3	Reconcile storage for Share-to-social on publish	P2	Reversible; recorded; reversible
DR-0179.4	Reconcile versioning for Import files from common cloud storage	P3	Clear; recorded; reversible
DR-0179.5	Reconcile API surface for Public read API for project data	P0	Quiet; recorded; reversible
DR-0179.6	Reconcile webhooks for Embeddable timeline and asset widgets	P1	Accessible; recorded; reversible

28.0180 Time & invoicing · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Time & invoicing**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0180.0	Render notifications for Start/stop timers tied to a project or task	P0	Fast; recorded; reversible
DR-0180.1	Render search indexing for Manual time entry and weekly summary	P1	Reliable; recorded; reversible
DR-0180.2	Render storage for Simple rate-based invoice generation (export)	P2	Reversible; recorded; reversible
DR-0180.3	Render versioning for Per-client rollups across projects	P3	Clear; recorded; reversible
DR-0180.4	Render API surface for CSV export for accounting	P0	Quiet; recorded; reversible
DR-0180.5	Render webhooks for No payment processing — export only, to stay simple and cheap	P1	Accessible; recorded; reversible
DR-0180.6	Render billing gate for Start/stop timers tied to a project or task	P2	Predictable; recorded; reversible

28.0181 Community & templates · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Community & templates**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0181.0	Persist search indexing for Community showcase of public projects	P1	Reliable; recorded; reversible
DR-0181.1	Persist storage for Featured builders and 'project of the week'	P2	Reversible; recorded; reversible
DR-0181.2	Persist versioning for Template submission and curation	P3	Clear; recorded; reversible
DR-0181.3	Persist API surface for Lightweight following / favoriting	P0	Quiet; recorded; reversible
DR-0181.4	Persist webhooks for Seasonal build challenges to drive activity	P1	Accessible; recorded; reversible
DR-0181.5	Persist billing gate for Public template gallery; one-click 'use this template'	P2	Predictable; recorded; reversible
DR-0181.6	Persist offline behavior for Community showcase of public projects	P3	Scoped; recorded; reversible

28.0182 Projects · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Projects**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0182.0	Validate storage for Project-level people & roles (owner, editor, viewer)	P2	Reversible; recorded; reversible
DR-0182.1	Validate versioning for Lightweight settings: name, description, visibility, accent color	P3	Clear; recorded; reversible
DR-0182.2	Validate API surface for Archive / restore without destroying history	P0	Quiet; recorded; reversible
DR-0182.3	Validate webhooks for Templates: start from blank, web app, brand kit, or portfolio	P1	Accessible; recorded; reversible
DR-0182.4	Validate billing gate for Create a project in under a minute, no required config	P2	Predictable; recorded; reversible
DR-0182.5	Validate offline behavior for Each project has a single shared timeline (see MOD-03)	P3	Scoped; recorded; reversible
DR-0182.6	Validate import/export for Project-level people & roles (owner, editor, viewer)	P0	Auditable; recorded; reversible

28.0183 Unified files · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Unified files**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0183.0	Attribute versioning for Every file carries its own version history	P3	Clear; recorded; reversible
DR-0183.1	Attribute API surface for Tag files by kind (code / design / asset / doc) for filtering	P0	Quiet; recorded; reversible
DR-0183.2	Attribute webhooks for Object storage backing; pennies per gigabyte at the budget scale	P1	Accessible; recorded; reversible
DR-0183.3	Attribute billing gate for Tree view that mixes code and creative files naturally	P2	Predictable; recorded; reversible
DR-0183.4	Attribute offline behavior for Inline preview for images, common design exports, markdown, and code	P3	Scoped; recorded; reversible
DR-0183.5	Attribute import/export for Drag-and-drop upload; paste-to-upload from clipboard	P0	Auditable; recorded; reversible
DR-0183.6	Attribute attribution for Every file carries its own version history	P1	Minimal; recorded; reversible

28.0184 Timeline · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Timeline**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0184.0	Group API surface for Git-log-style density for power users; readable summaries for everyone	P0	Quiet; recorded; reversible
DR-0184.1	Group webhooks for Permalink any moment to share 'here's where we were on Tuesday'	P1	Accessible; recorded; reversible
DR-0184.2	Group billing gate for Chronological stream of all change events across modules	P2	Predictable; recorded; reversible
DR-0184.3	Group offline behavior for Filter by person, by module, by file, by date range	P3	Scoped; recorded; reversible
DR-0184.4	Group import/export for 'Decisions' — pinned timeline notes that capture the why	P0	Auditable; recorded; reversible
DR-0184.5	Group attribution for Group related changes (a design + its code) into one entry	P1	Minimal; recorded; reversible
DR-0184.6	Group previews for Git-log-style density for power users; readable summaries for everyone	P2	Fast; recorded; reversible

28.0185 Code · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Code**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0185.0	Filter webhooks for File-level history shared with MOD-02	P1	Accessible; recorded; reversible
DR-0185.1	Filter billing gate for Git-backed repository per project	P2	Predictable; recorded; reversible
DR-0185.2	Filter offline behavior for Browse code with syntax highlighting in-app	P3	Scoped; recorded; reversible
DR-0185.3	Filter import/export for Commits flow into the unified timeline automatically	P0	Auditable; recorded; reversible
DR-0185.4	Filter attribution for Connect an existing external repo (mirror) as an alternative to native	P1	Minimal; recorded; reversible
DR-0185.5	Filter previews for Simple in-browser edits for quick fixes	P2	Fast; recorded; reversible
DR-0185.6	Filter filtering for File-level history shared with MOD-02	P3	Reliable; recorded; reversible

28.0186 Tasks · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Tasks**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0186.0	Sync billing gate for Simple list and board views; no ceremony	P2	Predictable; recorded; reversible
DR-0186.1	Sync offline behavior for Tasks link to files, commits, or decisions	P3	Scoped; recorded; reversible
DR-0186.2	Sync import/export for Status changes emit timeline events	P0	Auditable; recorded; reversible
DR-0186.3	Sync attribution for Assignee, due date, and a single priority flag — nothing more	P1	Minimal; recorded; reversible
DR-0186.4	Sync previews for Keyboard-first quick add	P2	Fast; recorded; reversible
DR-0186.5	Sync filtering for Filter by assignee, status, linked module	P3	Reliable; recorded; reversible
DR-0186.6	Sync data model for Simple list and board views; no ceremony	P0	Reversible; recorded; reversible

28.0187 Docs · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Docs**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0187.0	Cache offline behavior for Docs are files (MOD-02) with structured editing on top	P3	Scoped; recorded; reversible
DR-0187.1	Cache import/export for Link docs to tasks, files, and decisions	P0	Auditable; recorded; reversible
DR-0187.2	Cache attribution for Edits appear in the timeline	P1	Minimal; recorded; reversible
DR-0187.3	Cache previews for Templates: brief, spec, decision record, changelog	P2	Fast; recorded; reversible
DR-0187.4	Cache filtering for Public doc sharing via link	P3	Reliable; recorded; reversible
DR-0187.5	Cache data model for Markdown editor with live preview	P0	Reversible; recorded; reversible
DR-0187.6	Cache UI surface for Docs are files (MOD-02) with structured editing on top	P1	Clear; recorded; reversible

28.0188 Comments & feedback · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Comments & feedback**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0188.0	Index import/export for Resolve / reopen, with timeline trace	P0	Auditable; recorded; reversible
DR-0188.1	Index attribution for @mentions notify the right person	P1	Minimal; recorded; reversible
DR-0188.2	Index previews for Comment digests instead of constant pings	P2	Fast; recorded; reversible
DR-0188.3	Index filtering for Public comment mode for client review (optional)	P3	Reliable; recorded; reversible
DR-0188.4	Index data model for Comment threads anchored to files, images, code lines, or events	P0	Reversible; recorded; reversible
DR-0188.5	Index UI surface for Region/pin comments on images and design exports	P1	Clear; recorded; reversible
DR-0188.6	Index timeline events for Resolve / reopen, with timeline trace	P2	Quiet; recorded; reversible

28.0189 People & roles · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **People & roles**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0189.0	Gate attribution for Activity attributed to people everywhere	P1	Minimal; recorded; reversible
DR-0189.1	Gate previews for Guest access for client review (time-boxed)	P2	Fast; recorded; reversible
DR-0189.2	Gate filtering for Leave / remove without breaking historical attribution	P3	Reliable; recorded; reversible
DR-0189.3	Gate data model for Three roles: owner, editor, viewer	P0	Reversible; recorded; reversible
DR-0189.4	Gate UI surface for Per-project membership; invite by link or email	P1	Clear; recorded; reversible
DR-0189.5	Gate timeline events for Consistent identity and avatar across all modules	P2	Quiet; recorded; reversible
DR-0189.6	Gate permissions for Activity attributed to people everywhere	P3	Accessible; recorded; reversible

28.0190 Assets & media · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Assets & media**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0190.0	Stream previews for Quick share of an asset or a collection	P2	Fast; recorded; reversible
DR-0190.1	Stream filtering for Optimized delivery via storage/CDN	P3	Reliable; recorded; reversible
DR-0190.2	Stream data model for Gallery and grid views for visual assets	P0	Reversible; recorded; reversible
DR-0190.3	Stream UI surface for Collections / boards within a project	P1	Clear; recorded; reversible
DR-0190.4	Stream timeline events for Versioned assets with visual diff (before/after)	P2	Quiet; recorded; reversible
DR-0190.5	Stream permissions for Color and basic metadata extraction	P3	Accessible; recorded; reversible
DR-0190.6	Stream performance for Quick share of an asset or a collection	P0	Predictable; recorded; reversible

28.0191 Publish & portfolio · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Publish & portfolio**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0191.0	Restore filtering for Shareable timeline embeds	P3	Reliable; recorded; reversible
DR-0191.1	Restore data model for Public project page generated from the project	P0	Reversible; recorded; reversible
DR-0191.2	Restore UI surface for Opt-in 'building in public' changelog feed	P1	Clear; recorded; reversible
DR-0191.3	Restore timeline events for Simple portfolio that aggregates public projects	P2	Quiet; recorded; reversible
DR-0191.4	Restore permissions for Custom accent and cover; tasteful defaults	P3	Accessible; recorded; reversible
DR-0191.5	Restore performance for 'Made with RMH' attribution (toggleable on paid)	P0	Predictable; recorded; reversible
DR-0191.6	Restore empty states for Shareable timeline embeds	P1	Scoped; recorded; reversible

28.0192 Search · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Search**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0192.0	Export data model for Unified search across files, docs, tasks, comments, timeline	P0	Reversible; recorded; reversible
DR-0192.1	Export UI surface for Filter by module, person, date	P1	Clear; recorded; reversible
DR-0192.2	Export timeline events for Keyboard shortcut to summon from anywhere	P2	Quiet; recorded; reversible
DR-0192.3	Export permissions for Recent and pinned results	P3	Accessible; recorded; reversible
DR-0192.4	Export performance for Search within a single project or across all projects	P0	Predictable; recorded; reversible
DR-0192.5	Export empty states for Fast, typo-tolerant matching	P1	Scoped; recorded; reversible
DR-0192.6	Export error handling for Unified search across files, docs, tasks, comments, timeline	P2	Auditable; recorded; reversible

28.0193 Integrations · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Integrations**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0193.0	Preview UI surface for Outgoing webhooks on timeline events	P1	Clear; recorded; reversible
DR-0193.1	Preview timeline events for Share-to-social on publish	P2	Quiet; recorded; reversible
DR-0193.2	Preview permissions for Import files from common cloud storage	P3	Accessible; recorded; reversible
DR-0193.3	Preview performance for Public read API for project data	P0	Predictable; recorded; reversible
DR-0193.4	Preview empty states for Embeddable timeline and asset widgets	P1	Scoped; recorded; reversible
DR-0193.5	Preview error handling for Connect/mirror an external code repository	P2	Auditable; recorded; reversible
DR-0193.6	Preview keyboard flow for Outgoing webhooks on timeline events	P3	Minimal; recorded; reversible

28.0194 Time & invoicing · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Time & invoicing**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0194.0	Resolve timeline events for Simple rate-based invoice generation (export)	P2	Quiet; recorded; reversible
DR-0194.1	Resolve permissions for Per-client rollups across projects	P3	Accessible; recorded; reversible
DR-0194.2	Resolve performance for CSV export for accounting	P0	Predictable; recorded; reversible
DR-0194.3	Resolve empty states for No payment processing — export only, to stay simple and cheap	P1	Scoped; recorded; reversible
DR-0194.4	Resolve error handling for Start/stop timers tied to a project or task	P2	Auditable; recorded; reversible
DR-0194.5	Resolve keyboard flow for Manual time entry and weekly summary	P3	Minimal; recorded; reversible
DR-0194.6	Resolve mobile layout for Simple rate-based invoice generation (export)	P0	Fast; recorded; reversible

28.0195 Community & templates · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Community & templates**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0195.0	Emit permissions for Template submission and curation	P3	Accessible; recorded; reversible
DR-0195.1	Emit performance for Lightweight following / favoriting	P0	Predictable; recorded; reversible
DR-0195.2	Emit empty states for Seasonal build challenges to drive activity	P1	Scoped; recorded; reversible
DR-0195.3	Emit error handling for Public template gallery; one-click 'use this template'	P2	Auditable; recorded; reversible
DR-0195.4	Emit keyboard flow for Community showcase of public projects	P3	Minimal; recorded; reversible
DR-0195.5	Emit mobile layout for Featured builders and 'project of the week'	P0	Fast; recorded; reversible
DR-0195.6	Emit accessibility for Template submission and curation	P1	Reliable; recorded; reversible

28.0196 Projects · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Projects**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0196.0	Throttle performance for Archive / restore without destroying history	P0	Predictable; recorded; reversible
DR-0196.1	Throttle empty states for Templates: start from blank, web app, brand kit, or portfolio	P1	Scoped; recorded; reversible
DR-0196.2	Throttle error handling for Create a project in under a minute, no required config	P2	Auditable; recorded; reversible
DR-0196.3	Throttle keyboard flow for Each project has a single shared timeline (see MOD-03)	P3	Minimal; recorded; reversible
DR-0196.4	Throttle mobile layout for Project-level people & roles (owner, editor, viewer)	P0	Fast; recorded; reversible
DR-0196.5	Throttle accessibility for Lightweight settings: name, description, visibility, accent color	P1	Reliable; recorded; reversible
DR-0196.6	Throttle onboarding for Archive / restore without destroying history	P2	Reversible; recorded; reversible

28.0197 Unified files · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Unified files**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0197.0	Paginate empty states for Object storage backing; pennies per gigabyte at the budget scale	P1	Scoped; recorded; reversible
DR-0197.1	Paginate error handling for Tree view that mixes code and creative files naturally	P2	Auditable; recorded; reversible
DR-0197.2	Paginate keyboard flow for Inline preview for images, common design exports, markdown, and code	P3	Minimal; recorded; reversible
DR-0197.3	Paginate mobile layout for Drag-and-drop upload; paste-to-upload from clipboard	P0	Fast; recorded; reversible
DR-0197.4	Paginate accessibility for Every file carries its own version history	P1	Reliable; recorded; reversible
DR-0197.5	Paginate onboarding for Tag files by kind (code / design / asset / doc) for filtering	P2	Reversible; recorded; reversible
DR-0197.6	Paginate sharing for Object storage backing; pennies per gigabyte at the budget scale	P3	Clear; recorded; reversible

28.0198 Timeline · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Timeline**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0198.0	Debounce error handling for Chronological stream of all change events across modules	P2	Auditable; recorded; reversible
DR-0198.1	Debounce keyboard flow for Filter by person, by module, by file, by date range	P3	Minimal; recorded; reversible
DR-0198.2	Debounce mobile layout for 'Decisions' — pinned timeline notes that capture the why	P0	Fast; recorded; reversible
DR-0198.3	Debounce accessibility for Group related changes (a design + its code) into one entry	P1	Reliable; recorded; reversible
DR-0198.4	Debounce onboarding for Git-log-style density for power users; readable summaries for everyone	P2	Reversible; recorded; reversible
DR-0198.5	Debounce sharing for Permalink any moment to share 'here's where we were on Tuesday'	P3	Clear; recorded; reversible
DR-0198.6	Debounce notifications for Chronological stream of all change events across modules	P0	Quiet; recorded; reversible

28.0199 Code · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Code**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0199.0	Reconcile keyboard flow for Browse code with syntax highlighting in-app	P3	Minimal; recorded; reversible
DR-0199.1	Reconcile mobile layout for Commits flow into the unified timeline automatically	P0	Fast; recorded; reversible
DR-0199.2	Reconcile accessibility for Connect an existing external repo (mirror) as an alternative to native	P1	Reliable; recorded; reversible
DR-0199.3	Reconcile onboarding for Simple in-browser edits for quick fixes	P2	Reversible; recorded; reversible
DR-0199.4	Reconcile sharing for File-level history shared with MOD-02	P3	Clear; recorded; reversible
DR-0199.5	Reconcile notifications for Git-backed repository per project	P0	Quiet; recorded; reversible
DR-0199.6	Reconcile search indexing for Browse code with syntax highlighting in-app	P1	Accessible; recorded; reversible

28.0200 Tasks · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Tasks**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0200.0	Render mobile layout for Status changes emit timeline events	P0	Fast; recorded; reversible
DR-0200.1	Render accessibility for Assignee, due date, and a single priority flag — nothing more	P1	Reliable; recorded; reversible
DR-0200.2	Render onboarding for Keyboard-first quick add	P2	Reversible; recorded; reversible
DR-0200.3	Render sharing for Filter by assignee, status, linked module	P3	Clear; recorded; reversible
DR-0200.4	Render notifications for Simple list and board views; no ceremony	P0	Quiet; recorded; reversible
DR-0200.5	Render search indexing for Tasks link to files, commits, or decisions	P1	Accessible; recorded; reversible
DR-0200.6	Render storage for Status changes emit timeline events	P2	Predictable; recorded; reversible

28.0201 Docs · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Docs**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0201.0	Persist accessibility for Edits appear in the timeline	P1	Reliable; recorded; reversible
DR-0201.1	Persist onboarding for Templates: brief, spec, decision record, changelog	P2	Reversible; recorded; reversible
DR-0201.2	Persist sharing for Public doc sharing via link	P3	Clear; recorded; reversible
DR-0201.3	Persist notifications for Markdown editor with live preview	P0	Quiet; recorded; reversible
DR-0201.4	Persist search indexing for Docs are files (MOD-02) with structured editing on top	P1	Accessible; recorded; reversible
DR-0201.5	Persist storage for Link docs to tasks, files, and decisions	P2	Predictable; recorded; reversible
DR-0201.6	Persist versioning for Edits appear in the timeline	P3	Scoped; recorded; reversible

28.0202 Comments & feedback · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Comments & feedback**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0202.0	Validate onboarding for Comment digests instead of constant pings	P2	Reversible; recorded; reversible
DR-0202.1	Validate sharing for Public comment mode for client review (optional)	P3	Clear; recorded; reversible
DR-0202.2	Validate notifications for Comment threads anchored to files, images, code lines, or events	P0	Quiet; recorded; reversible
DR-0202.3	Validate search indexing for Region/pin comments on images and design exports	P1	Accessible; recorded; reversible
DR-0202.4	Validate storage for Resolve / reopen, with timeline trace	P2	Predictable; recorded; reversible
DR-0202.5	Validate versioning for @mentions notify the right person	P3	Scoped; recorded; reversible
DR-0202.6	Validate API surface for Comment digests instead of constant pings	P0	Auditable; recorded; reversible

28.0203 People & roles · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **People & roles**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0203.0	Attribute sharing for Leave / remove without breaking historical attribution	P3	Clear; recorded; reversible
DR-0203.1	Attribute notifications for Three roles: owner, editor, viewer	P0	Quiet; recorded; reversible
DR-0203.2	Attribute search indexing for Per-project membership; invite by link or email	P1	Accessible; recorded; reversible
DR-0203.3	Attribute storage for Consistent identity and avatar across all modules	P2	Predictable; recorded; reversible
DR-0203.4	Attribute versioning for Activity attributed to people everywhere	P3	Scoped; recorded; reversible
DR-0203.5	Attribute API surface for Guest access for client review (time-boxed)	P0	Auditable; recorded; reversible
DR-0203.6	Attribute webhooks for Leave / remove without breaking historical attribution	P1	Minimal; recorded; reversible

28.0204 Assets & media · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Assets & media**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0204.0	Group notifications for Gallery and grid views for visual assets	P0	Quiet; recorded; reversible
DR-0204.1	Group search indexing for Collections / boards within a project	P1	Accessible; recorded; reversible
DR-0204.2	Group storage for Versioned assets with visual diff (before/after)	P2	Predictable; recorded; reversible
DR-0204.3	Group versioning for Color and basic metadata extraction	P3	Scoped; recorded; reversible
DR-0204.4	Group API surface for Quick share of an asset or a collection	P0	Auditable; recorded; reversible
DR-0204.5	Group webhooks for Optimized delivery via storage/CDN	P1	Minimal; recorded; reversible
DR-0204.6	Group billing gate for Gallery and grid views for visual assets	P2	Fast; recorded; reversible

28.0205 Publish & portfolio · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Publish & portfolio**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0205.0	Filter search indexing for Opt-in 'building in public' changelog feed	P1	Accessible; recorded; reversible
DR-0205.1	Filter storage for Simple portfolio that aggregates public projects	P2	Predictable; recorded; reversible
DR-0205.2	Filter versioning for Custom accent and cover; tasteful defaults	P3	Scoped; recorded; reversible
DR-0205.3	Filter API surface for 'Made with RMH' attribution (toggleable on paid)	P0	Auditable; recorded; reversible
DR-0205.4	Filter webhooks for Shareable timeline embeds	P1	Minimal; recorded; reversible
DR-0205.5	Filter billing gate for Public project page generated from the project	P2	Fast; recorded; reversible
DR-0205.6	Filter offline behavior for Opt-in 'building in public' changelog feed	P3	Reliable; recorded; reversible

28.0206 Search · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Search**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0206.0	Sync storage for Keyboard shortcut to summon from anywhere	P2	Predictable; recorded; reversible
DR-0206.1	Sync versioning for Recent and pinned results	P3	Scoped; recorded; reversible
DR-0206.2	Sync API surface for Search within a single project or across all projects	P0	Auditable; recorded; reversible
DR-0206.3	Sync webhooks for Fast, typo-tolerant matching	P1	Minimal; recorded; reversible
DR-0206.4	Sync billing gate for Unified search across files, docs, tasks, comments, timeline	P2	Fast; recorded; reversible
DR-0206.5	Sync offline behavior for Filter by module, person, date	P3	Reliable; recorded; reversible
DR-0206.6	Sync import/export for Keyboard shortcut to summon from anywhere	P0	Reversible; recorded; reversible

28.0207 Integrations · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Integrations**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0207.0	Cache versioning for Import files from common cloud storage	P3	Scoped; recorded; reversible
DR-0207.1	Cache API surface for Public read API for project data	P0	Auditable; recorded; reversible
DR-0207.2	Cache webhooks for Embeddable timeline and asset widgets	P1	Minimal; recorded; reversible
DR-0207.3	Cache billing gate for Connect/mirror an external code repository	P2	Fast; recorded; reversible
DR-0207.4	Cache offline behavior for Outgoing webhooks on timeline events	P3	Reliable; recorded; reversible
DR-0207.5	Cache import/export for Share-to-social on publish	P0	Reversible; recorded; reversible
DR-0207.6	Cache attribution for Import files from common cloud storage	P1	Clear; recorded; reversible

28.0208 Time & invoicing · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Time & invoicing**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0208.0	Index API surface for CSV export for accounting	P0	Auditable; recorded; reversible
DR-0208.1	Index webhooks for No payment processing — export only, to stay simple and cheap	P1	Minimal; recorded; reversible
DR-0208.2	Index billing gate for Start/stop timers tied to a project or task	P2	Fast; recorded; reversible
DR-0208.3	Index offline behavior for Manual time entry and weekly summary	P3	Reliable; recorded; reversible
DR-0208.4	Index import/export for Simple rate-based invoice generation (export)	P0	Reversible; recorded; reversible
DR-0208.5	Index attribution for Per-client rollups across projects	P1	Clear; recorded; reversible
DR-0208.6	Index previews for CSV export for accounting	P2	Quiet; recorded; reversible

28.0209 Community & templates · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Community & templates**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0209.0	Gate webhooks for Seasonal build challenges to drive activity	P1	Minimal; recorded; reversible
DR-0209.1	Gate billing gate for Public template gallery; one-click 'use this template'	P2	Fast; recorded; reversible
DR-0209.2	Gate offline behavior for Community showcase of public projects	P3	Reliable; recorded; reversible
DR-0209.3	Gate import/export for Featured builders and 'project of the week'	P0	Reversible; recorded; reversible
DR-0209.4	Gate attribution for Template submission and curation	P1	Clear; recorded; reversible
DR-0209.5	Gate previews for Lightweight following / favoriting	P2	Quiet; recorded; reversible
DR-0209.6	Gate filtering for Seasonal build challenges to drive activity	P3	Accessible; recorded; reversible

28.0210 Projects · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Projects**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0210.0	Stream billing gate for Create a project in under a minute, no required config	P2	Fast; recorded; reversible
DR-0210.1	Stream offline behavior for Each project has a single shared timeline (see MOD-03)	P3	Reliable; recorded; reversible
DR-0210.2	Stream import/export for Project-level people & roles (owner, editor, viewer)	P0	Reversible; recorded; reversible
DR-0210.3	Stream attribution for Lightweight settings: name, description, visibility, accent color	P1	Clear; recorded; reversible
DR-0210.4	Stream previews for Archive / restore without destroying history	P2	Quiet; recorded; reversible
DR-0210.5	Stream filtering for Templates: start from blank, web app, brand kit, or portfolio	P3	Accessible; recorded; reversible
DR-0210.6	Stream data model for Create a project in under a minute, no required config	P0	Predictable; recorded; reversible

28.0211 Unified files · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Unified files**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0211.0	Restore offline behavior for Inline preview for images, common design exports, markdown, and code	P3	Reliable; recorded; reversible
DR-0211.1	Restore import/export for Drag-and-drop upload; paste-to-upload from clipboard	P0	Reversible; recorded; reversible
DR-0211.2	Restore attribution for Every file carries its own version history	P1	Clear; recorded; reversible
DR-0211.3	Restore previews for Tag files by kind (code / design / asset / doc) for filtering	P2	Quiet; recorded; reversible
DR-0211.4	Restore filtering for Object storage backing; pennies per gigabyte at the budget scale	P3	Accessible; recorded; reversible
DR-0211.5	Restore data model for Tree view that mixes code and creative files naturally	P0	Predictable; recorded; reversible
DR-0211.6	Restore UI surface for Inline preview for images, common design exports, markdown, and code	P1	Scoped; recorded; reversible

28.0212 Timeline · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Timeline**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0212.0	Export import/export for 'Decisions' — pinned timeline notes that capture the why	P0	Reversible; recorded; reversible
DR-0212.1	Export attribution for Group related changes (a design + its code) into one entry	P1	Clear; recorded; reversible
DR-0212.2	Export previews for Git-log-style density for power users; readable summaries for everyone	P2	Quiet; recorded; reversible
DR-0212.3	Export filtering for Permalink any moment to share 'here's where we were on Tuesday'	P3	Accessible; recorded; reversible
DR-0212.4	Export data model for Chronological stream of all change events across modules	P0	Predictable; recorded; reversible
DR-0212.5	Export UI surface for Filter by person, by module, by file, by date range	P1	Scoped; recorded; reversible
DR-0212.6	Export timeline events for 'Decisions' — pinned timeline notes that capture the why	P2	Auditable; recorded; reversible

28.0213 Code · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Code**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0213.0	Preview attribution for Connect an existing external repo (mirror) as an alternative to native	P1	Clear; recorded; reversible
DR-0213.1	Preview previews for Simple in-browser edits for quick fixes	P2	Quiet; recorded; reversible
DR-0213.2	Preview filtering for File-level history shared with MOD-02	P3	Accessible; recorded; reversible
DR-0213.3	Preview data model for Git-backed repository per project	P0	Predictable; recorded; reversible
DR-0213.4	Preview UI surface for Browse code with syntax highlighting in-app	P1	Scoped; recorded; reversible
DR-0213.5	Preview timeline events for Commits flow into the unified timeline automatically	P2	Auditable; recorded; reversible
DR-0213.6	Preview permissions for Connect an existing external repo (mirror) as an alternative to native	P3	Minimal; recorded; reversible

28.0214 Tasks · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Tasks**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0214.0	Resolve previews for Keyboard-first quick add	P2	Quiet; recorded; reversible
DR-0214.1	Resolve filtering for Filter by assignee, status, linked module	P3	Accessible; recorded; reversible
DR-0214.2	Resolve data model for Simple list and board views; no ceremony	P0	Predictable; recorded; reversible
DR-0214.3	Resolve UI surface for Tasks link to files, commits, or decisions	P1	Scoped; recorded; reversible
DR-0214.4	Resolve timeline events for Status changes emit timeline events	P2	Auditable; recorded; reversible
DR-0214.5	Resolve permissions for Assignee, due date, and a single priority flag — nothing more	P3	Minimal; recorded; reversible
DR-0214.6	Resolve performance for Keyboard-first quick add	P0	Fast; recorded; reversible

28.0215 Docs · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Docs**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0215.0	Emit filtering for Public doc sharing via link	P3	Accessible; recorded; reversible
DR-0215.1	Emit data model for Markdown editor with live preview	P0	Predictable; recorded; reversible
DR-0215.2	Emit UI surface for Docs are files (MOD-02) with structured editing on top	P1	Scoped; recorded; reversible
DR-0215.3	Emit timeline events for Link docs to tasks, files, and decisions	P2	Auditable; recorded; reversible
DR-0215.4	Emit permissions for Edits appear in the timeline	P3	Minimal; recorded; reversible
DR-0215.5	Emit performance for Templates: brief, spec, decision record, changelog	P0	Fast; recorded; reversible
DR-0215.6	Emit empty states for Public doc sharing via link	P1	Reliable; recorded; reversible

28.0216 Comments & feedback · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Comments & feedback**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0216.0	Throttle data model for Comment threads anchored to files, images, code lines, or events	P0	Predictable; recorded; reversible
DR-0216.1	Throttle UI surface for Region/pin comments on images and design exports	P1	Scoped; recorded; reversible
DR-0216.2	Throttle timeline events for Resolve / reopen, with timeline trace	P2	Auditable; recorded; reversible
DR-0216.3	Throttle permissions for @mentions notify the right person	P3	Minimal; recorded; reversible
DR-0216.4	Throttle performance for Comment digests instead of constant pings	P0	Fast; recorded; reversible
DR-0216.5	Throttle empty states for Public comment mode for client review (optional)	P1	Reliable; recorded; reversible
DR-0216.6	Throttle error handling for Comment threads anchored to files, images, code lines, or events	P2	Reversible; recorded; reversible

28.0217 People & roles · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **People & roles**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0217.0	Paginate UI surface for Per-project membership; invite by link or email	P1	Scoped; recorded; reversible
DR-0217.1	Paginate timeline events for Consistent identity and avatar across all modules	P2	Auditable; recorded; reversible
DR-0217.2	Paginate permissions for Activity attributed to people everywhere	P3	Minimal; recorded; reversible
DR-0217.3	Paginate performance for Guest access for client review (time-boxed)	P0	Fast; recorded; reversible
DR-0217.4	Paginate empty states for Leave / remove without breaking historical attribution	P1	Reliable; recorded; reversible
DR-0217.5	Paginate error handling for Three roles: owner, editor, viewer	P2	Reversible; recorded; reversible
DR-0217.6	Paginate keyboard flow for Per-project membership; invite by link or email	P3	Clear; recorded; reversible

28.0218 Assets & media · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Assets & media**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0218.0	Debounce timeline events for Versioned assets with visual diff (before/after)	P2	Auditable; recorded; reversible
DR-0218.1	Debounce permissions for Color and basic metadata extraction	P3	Minimal; recorded; reversible
DR-0218.2	Debounce performance for Quick share of an asset or a collection	P0	Fast; recorded; reversible
DR-0218.3	Debounce empty states for Optimized delivery via storage/CDN	P1	Reliable; recorded; reversible
DR-0218.4	Debounce error handling for Gallery and grid views for visual assets	P2	Reversible; recorded; reversible
DR-0218.5	Debounce keyboard flow for Collections / boards within a project	P3	Clear; recorded; reversible
DR-0218.6	Debounce mobile layout for Versioned assets with visual diff (before/after)	P0	Quiet; recorded; reversible

28.0219 Publish & portfolio · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Publish & portfolio**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0219.0	Reconcile permissions for Custom accent and cover; tasteful defaults	P3	Minimal; recorded; reversible
DR-0219.1	Reconcile performance for 'Made with RMH' attribution (toggleable on paid)	P0	Fast; recorded; reversible
DR-0219.2	Reconcile empty states for Shareable timeline embeds	P1	Reliable; recorded; reversible
DR-0219.3	Reconcile error handling for Public project page generated from the project	P2	Reversible; recorded; reversible
DR-0219.4	Reconcile keyboard flow for Opt-in 'building in public' changelog feed	P3	Clear; recorded; reversible
DR-0219.5	Reconcile mobile layout for Simple portfolio that aggregates public projects	P0	Quiet; recorded; reversible
DR-0219.6	Reconcile accessibility for Custom accent and cover; tasteful defaults	P1	Accessible; recorded; reversible

28.0220 Search · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Search**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0220.0	Render performance for Search within a single project or across all projects	P0	Fast; recorded; reversible
DR-0220.1	Render empty states for Fast, typo-tolerant matching	P1	Reliable; recorded; reversible
DR-0220.2	Render error handling for Unified search across files, docs, tasks, comments, timeline	P2	Reversible; recorded; reversible
DR-0220.3	Render keyboard flow for Filter by module, person, date	P3	Clear; recorded; reversible
DR-0220.4	Render mobile layout for Keyboard shortcut to summon from anywhere	P0	Quiet; recorded; reversible
DR-0220.5	Render accessibility for Recent and pinned results	P1	Accessible; recorded; reversible
DR-0220.6	Render onboarding for Search within a single project or across all projects	P2	Predictable; recorded; reversible

28.0221 Integrations · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Integrations**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0221.0	Persist empty states for Embeddable timeline and asset widgets	P1	Reliable; recorded; reversible
DR-0221.1	Persist error handling for Connect/mirror an external code repository	P2	Reversible; recorded; reversible
DR-0221.2	Persist keyboard flow for Outgoing webhooks on timeline events	P3	Clear; recorded; reversible
DR-0221.3	Persist mobile layout for Share-to-social on publish	P0	Quiet; recorded; reversible
DR-0221.4	Persist accessibility for Import files from common cloud storage	P1	Accessible; recorded; reversible
DR-0221.5	Persist onboarding for Public read API for project data	P2	Predictable; recorded; reversible
DR-0221.6	Persist sharing for Embeddable timeline and asset widgets	P3	Scoped; recorded; reversible

28.0222 Time & invoicing · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Time & invoicing**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0222.0	Validate error handling for Start/stop timers tied to a project or task	P2	Reversible; recorded; reversible
DR-0222.1	Validate keyboard flow for Manual time entry and weekly summary	P3	Clear; recorded; reversible
DR-0222.2	Validate mobile layout for Simple rate-based invoice generation (export)	P0	Quiet; recorded; reversible
DR-0222.3	Validate accessibility for Per-client rollups across projects	P1	Accessible; recorded; reversible
DR-0222.4	Validate onboarding for CSV export for accounting	P2	Predictable; recorded; reversible
DR-0222.5	Validate sharing for No payment processing — export only, to stay simple and cheap	P3	Scoped; recorded; reversible
DR-0222.6	Validate notifications for Start/stop timers tied to a project or task	P0	Auditable; recorded; reversible

28.0223 Community & templates · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Community & templates**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0223.0	Attribute keyboard flow for Community showcase of public projects	P3	Clear; recorded; reversible
DR-0223.1	Attribute mobile layout for Featured builders and 'project of the week'	P0	Quiet; recorded; reversible
DR-0223.2	Attribute accessibility for Template submission and curation	P1	Accessible; recorded; reversible
DR-0223.3	Attribute onboarding for Lightweight following / favoriting	P2	Predictable; recorded; reversible
DR-0223.4	Attribute sharing for Seasonal build challenges to drive activity	P3	Scoped; recorded; reversible
DR-0223.5	Attribute notifications for Public template gallery; one-click 'use this template'	P0	Auditable; recorded; reversible
DR-0223.6	Attribute search indexing for Community showcase of public projects	P1	Minimal; recorded; reversible

28.0224 Projects · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Projects**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0224.0	Group mobile layout for Project-level people & roles (owner, editor, viewer)	P0	Quiet; recorded; reversible
DR-0224.1	Group accessibility for Lightweight settings: name, description, visibility, accent color	P1	Accessible; recorded; reversible
DR-0224.2	Group onboarding for Archive / restore without destroying history	P2	Predictable; recorded; reversible
DR-0224.3	Group sharing for Templates: start from blank, web app, brand kit, or portfolio	P3	Scoped; recorded; reversible
DR-0224.4	Group notifications for Create a project in under a minute, no required config	P0	Auditable; recorded; reversible
DR-0224.5	Group search indexing for Each project has a single shared timeline (see MOD-03)	P1	Minimal; recorded; reversible
DR-0224.6	Group storage for Project-level people & roles (owner, editor, viewer)	P2	Fast; recorded; reversible

28.0225 Unified files · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Unified files**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0225.0	Filter accessibility for Every file carries its own version history	P1	Accessible; recorded; reversible
DR-0225.1	Filter onboarding for Tag files by kind (code / design / asset / doc) for filtering	P2	Predictable; recorded; reversible
DR-0225.2	Filter sharing for Object storage backing; pennies per gigabyte at the budget scale	P3	Scoped; recorded; reversible
DR-0225.3	Filter notifications for Tree view that mixes code and creative files naturally	P0	Auditable; recorded; reversible
DR-0225.4	Filter search indexing for Inline preview for images, common design exports, markdown, and code	P1	Minimal; recorded; reversible
DR-0225.5	Filter storage for Drag-and-drop upload; paste-to-upload from clipboard	P2	Fast; recorded; reversible
DR-0225.6	Filter versioning for Every file carries its own version history	P3	Reliable; recorded; reversible

28.0226 Timeline · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Timeline**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0226.0	Sync onboarding for Git-log-style density for power users; readable summaries for everyone	P2	Predictable; recorded; reversible
DR-0226.1	Sync sharing for Permalink any moment to share 'here's where we were on Tuesday'	P3	Scoped; recorded; reversible
DR-0226.2	Sync notifications for Chronological stream of all change events across modules	P0	Auditable; recorded; reversible
DR-0226.3	Sync search indexing for Filter by person, by module, by file, by date range	P1	Minimal; recorded; reversible
DR-0226.4	Sync storage for 'Decisions' — pinned timeline notes that capture the why	P2	Fast; recorded; reversible
DR-0226.5	Sync versioning for Group related changes (a design + its code) into one entry	P3	Reliable; recorded; reversible
DR-0226.6	Sync API surface for Git-log-style density for power users; readable summaries for everyone	P0	Reversible; recorded; reversible

28.0227 Code · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Code**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0227.0	Cache sharing for File-level history shared with MOD-02	P3	Scoped; recorded; reversible
DR-0227.1	Cache notifications for Git-backed repository per project	P0	Auditable; recorded; reversible
DR-0227.2	Cache search indexing for Browse code with syntax highlighting in-app	P1	Minimal; recorded; reversible
DR-0227.3	Cache storage for Commits flow into the unified timeline automatically	P2	Fast; recorded; reversible
DR-0227.4	Cache versioning for Connect an existing external repo (mirror) as an alternative to native	P3	Reliable; recorded; reversible
DR-0227.5	Cache API surface for Simple in-browser edits for quick fixes	P0	Reversible; recorded; reversible
DR-0227.6	Cache webhooks for File-level history shared with MOD-02	P1	Clear; recorded; reversible

28.0228 Tasks · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Tasks**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0228.0	Index notifications for Simple list and board views; no ceremony	P0	Auditable; recorded; reversible
DR-0228.1	Index search indexing for Tasks link to files, commits, or decisions	P1	Minimal; recorded; reversible
DR-0228.2	Index storage for Status changes emit timeline events	P2	Fast; recorded; reversible
DR-0228.3	Index versioning for Assignee, due date, and a single priority flag — nothing more	P3	Reliable; recorded; reversible
DR-0228.4	Index API surface for Keyboard-first quick add	P0	Reversible; recorded; reversible
DR-0228.5	Index webhooks for Filter by assignee, status, linked module	P1	Clear; recorded; reversible
DR-0228.6	Index billing gate for Simple list and board views; no ceremony	P2	Quiet; recorded; reversible

28.0229 Docs · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Docs**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0229.0	Gate search indexing for Docs are files (MOD-02) with structured editing on top	P1	Minimal; recorded; reversible
DR-0229.1	Gate storage for Link docs to tasks, files, and decisions	P2	Fast; recorded; reversible
DR-0229.2	Gate versioning for Edits appear in the timeline	P3	Reliable; recorded; reversible
DR-0229.3	Gate API surface for Templates: brief, spec, decision record, changelog	P0	Reversible; recorded; reversible
DR-0229.4	Gate webhooks for Public doc sharing via link	P1	Clear; recorded; reversible
DR-0229.5	Gate billing gate for Markdown editor with live preview	P2	Quiet; recorded; reversible
DR-0229.6	Gate offline behavior for Docs are files (MOD-02) with structured editing on top	P3	Accessible; recorded; reversible

28.0230 Comments & feedback · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Comments & feedback**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0230.0	Stream storage for Resolve / reopen, with timeline trace	P2	Fast; recorded; reversible
DR-0230.1	Stream versioning for @mentions notify the right person	P3	Reliable; recorded; reversible
DR-0230.2	Stream API surface for Comment digests instead of constant pings	P0	Reversible; recorded; reversible
DR-0230.3	Stream webhooks for Public comment mode for client review (optional)	P1	Clear; recorded; reversible
DR-0230.4	Stream billing gate for Comment threads anchored to files, images, code lines, or events	P2	Quiet; recorded; reversible
DR-0230.5	Stream offline behavior for Region/pin comments on images and design exports	P3	Accessible; recorded; reversible
DR-0230.6	Stream import/export for Resolve / reopen, with timeline trace	P0	Predictable; recorded; reversible

28.0231 People & roles · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **People & roles**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0231.0	Restore versioning for Activity attributed to people everywhere	P3	Reliable; recorded; reversible
DR-0231.1	Restore API surface for Guest access for client review (time-boxed)	P0	Reversible; recorded; reversible
DR-0231.2	Restore webhooks for Leave / remove without breaking historical attribution	P1	Clear; recorded; reversible
DR-0231.3	Restore billing gate for Three roles: owner, editor, viewer	P2	Quiet; recorded; reversible
DR-0231.4	Restore offline behavior for Per-project membership; invite by link or email	P3	Accessible; recorded; reversible
DR-0231.5	Restore import/export for Consistent identity and avatar across all modules	P0	Predictable; recorded; reversible
DR-0231.6	Restore attribution for Activity attributed to people everywhere	P1	Scoped; recorded; reversible

28.0232 Assets & media · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Assets & media**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0232.0	Export API surface for Quick share of an asset or a collection	P0	Reversible; recorded; reversible
DR-0232.1	Export webhooks for Optimized delivery via storage/CDN	P1	Clear; recorded; reversible
DR-0232.2	Export billing gate for Gallery and grid views for visual assets	P2	Quiet; recorded; reversible
DR-0232.3	Export offline behavior for Collections / boards within a project	P3	Accessible; recorded; reversible
DR-0232.4	Export import/export for Versioned assets with visual diff (before/after)	P0	Predictable; recorded; reversible
DR-0232.5	Export attribution for Color and basic metadata extraction	P1	Scoped; recorded; reversible
DR-0232.6	Export previews for Quick share of an asset or a collection	P2	Auditable; recorded; reversible

28.0233 Publish & portfolio · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Publish & portfolio**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0233.0	Preview webhooks for Shareable timeline embeds	P1	Clear; recorded; reversible
DR-0233.1	Preview billing gate for Public project page generated from the project	P2	Quiet; recorded; reversible
DR-0233.2	Preview offline behavior for Opt-in 'building in public' changelog feed	P3	Accessible; recorded; reversible
DR-0233.3	Preview import/export for Simple portfolio that aggregates public projects	P0	Predictable; recorded; reversible
DR-0233.4	Preview attribution for Custom accent and cover; tasteful defaults	P1	Scoped; recorded; reversible
DR-0233.5	Preview previews for 'Made with RMH' attribution (toggleable on paid)	P2	Auditable; recorded; reversible
DR-0233.6	Preview filtering for Shareable timeline embeds	P3	Minimal; recorded; reversible

28.0234 Search · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Search**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0234.0	Resolve billing gate for Unified search across files, docs, tasks, comments, timeline	P2	Quiet; recorded; reversible
DR-0234.1	Resolve offline behavior for Filter by module, person, date	P3	Accessible; recorded; reversible
DR-0234.2	Resolve import/export for Keyboard shortcut to summon from anywhere	P0	Predictable; recorded; reversible
DR-0234.3	Resolve attribution for Recent and pinned results	P1	Scoped; recorded; reversible
DR-0234.4	Resolve previews for Search within a single project or across all projects	P2	Auditable; recorded; reversible
DR-0234.5	Resolve filtering for Fast, typo-tolerant matching	P3	Minimal; recorded; reversible
DR-0234.6	Resolve data model for Unified search across files, docs, tasks, comments, timeline	P0	Fast; recorded; reversible

28.0235 Integrations · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Integrations**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0235.0	Emit offline behavior for Outgoing webhooks on timeline events	P3	Accessible; recorded; reversible
DR-0235.1	Emit import/export for Share-to-social on publish	P0	Predictable; recorded; reversible
DR-0235.2	Emit attribution for Import files from common cloud storage	P1	Scoped; recorded; reversible
DR-0235.3	Emit previews for Public read API for project data	P2	Auditable; recorded; reversible
DR-0235.4	Emit filtering for Embeddable timeline and asset widgets	P3	Minimal; recorded; reversible
DR-0235.5	Emit data model for Connect/mirror an external code repository	P0	Fast; recorded; reversible
DR-0235.6	Emit UI surface for Outgoing webhooks on timeline events	P1	Reliable; recorded; reversible

28.0236 Time & invoicing · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Time & invoicing**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0236.0	Throttle import/export for Simple rate-based invoice generation (export)	P0	Predictable; recorded; reversible
DR-0236.1	Throttle attribution for Per-client rollups across projects	P1	Scoped; recorded; reversible
DR-0236.2	Throttle previews for CSV export for accounting	P2	Auditable; recorded; reversible
DR-0236.3	Throttle filtering for No payment processing — export only, to stay simple and cheap	P3	Minimal; recorded; reversible
DR-0236.4	Throttle data model for Start/stop timers tied to a project or task	P0	Fast; recorded; reversible
DR-0236.5	Throttle UI surface for Manual time entry and weekly summary	P1	Reliable; recorded; reversible
DR-0236.6	Throttle timeline events for Simple rate-based invoice generation (export)	P2	Reversible; recorded; reversible

28.0237 Community & templates · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Community & templates**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0237.0	Paginate attribution for Template submission and curation	P1	Scoped; recorded; reversible
DR-0237.1	Paginate previews for Lightweight following / favoriting	P2	Auditable; recorded; reversible
DR-0237.2	Paginate filtering for Seasonal build challenges to drive activity	P3	Minimal; recorded; reversible
DR-0237.3	Paginate data model for Public template gallery; one-click 'use this template'	P0	Fast; recorded; reversible
DR-0237.4	Paginate UI surface for Community showcase of public projects	P1	Reliable; recorded; reversible
DR-0237.5	Paginate timeline events for Featured builders and 'project of the week'	P2	Reversible; recorded; reversible
DR-0237.6	Paginate permissions for Template submission and curation	P3	Clear; recorded; reversible

28.0238 Projects · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Projects**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0238.0	Debounce previews for Archive / restore without destroying history	P2	Auditable; recorded; reversible
DR-0238.1	Debounce filtering for Templates: start from blank, web app, brand kit, or portfolio	P3	Minimal; recorded; reversible
DR-0238.2	Debounce data model for Create a project in under a minute, no required config	P0	Fast; recorded; reversible
DR-0238.3	Debounce UI surface for Each project has a single shared timeline (see MOD-03)	P1	Reliable; recorded; reversible
DR-0238.4	Debounce timeline events for Project-level people & roles (owner, editor, viewer)	P2	Reversible; recorded; reversible
DR-0238.5	Debounce permissions for Lightweight settings: name, description, visibility, accent color	P3	Clear; recorded; reversible
DR-0238.6	Debounce performance for Archive / restore without destroying history	P0	Quiet; recorded; reversible

28.0239 Unified files · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Unified files**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0239.0	Reconcile filtering for Object storage backing; pennies per gigabyte at the budget scale	P3	Minimal; recorded; reversible
DR-0239.1	Reconcile data model for Tree view that mixes code and creative files naturally	P0	Fast; recorded; reversible
DR-0239.2	Reconcile UI surface for Inline preview for images, common design exports, markdown, and code	P1	Reliable; recorded; reversible
DR-0239.3	Reconcile timeline events for Drag-and-drop upload; paste-to-upload from clipboard	P2	Reversible; recorded; reversible
DR-0239.4	Reconcile permissions for Every file carries its own version history	P3	Clear; recorded; reversible
DR-0239.5	Reconcile performance for Tag files by kind (code / design / asset / doc) for filtering	P0	Quiet; recorded; reversible
DR-0239.6	Reconcile empty states for Object storage backing; pennies per gigabyte at the budget scale	P1	Accessible; recorded; reversible

28.0240 Timeline · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Timeline**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0240.0	Render data model for Chronological stream of all change events across modules	P0	Fast; recorded; reversible
DR-0240.1	Render UI surface for Filter by person, by module, by file, by date range	P1	Reliable; recorded; reversible
DR-0240.2	Render timeline events for 'Decisions' — pinned timeline notes that capture the why	P2	Reversible; recorded; reversible
DR-0240.3	Render permissions for Group related changes (a design + its code) into one entry	P3	Clear; recorded; reversible
DR-0240.4	Render performance for Git-log-style density for power users; readable summaries for everyone	P0	Quiet; recorded; reversible
DR-0240.5	Render empty states for Permalink any moment to share 'here's where we were on Tuesday'	P1	Accessible; recorded; reversible
DR-0240.6	Render error handling for Chronological stream of all change events across modules	P2	Predictable; recorded; reversible

28.0241 Code · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Code**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0241.0	Persist UI surface for Browse code with syntax highlighting in-app	P1	Reliable; recorded; reversible
DR-0241.1	Persist timeline events for Commits flow into the unified timeline automatically	P2	Reversible; recorded; reversible
DR-0241.2	Persist permissions for Connect an existing external repo (mirror) as an alternative to native	P3	Clear; recorded; reversible
DR-0241.3	Persist performance for Simple in-browser edits for quick fixes	P0	Quiet; recorded; reversible
DR-0241.4	Persist empty states for File-level history shared with MOD-02	P1	Accessible; recorded; reversible
DR-0241.5	Persist error handling for Git-backed repository per project	P2	Predictable; recorded; reversible
DR-0241.6	Persist keyboard flow for Browse code with syntax highlighting in-app	P3	Scoped; recorded; reversible

28.0242 Tasks · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Tasks**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0242.0	Validate timeline events for Status changes emit timeline events	P2	Reversible; recorded; reversible
DR-0242.1	Validate permissions for Assignee, due date, and a single priority flag — nothing more	P3	Clear; recorded; reversible
DR-0242.2	Validate performance for Keyboard-first quick add	P0	Quiet; recorded; reversible
DR-0242.3	Validate empty states for Filter by assignee, status, linked module	P1	Accessible; recorded; reversible
DR-0242.4	Validate error handling for Simple list and board views; no ceremony	P2	Predictable; recorded; reversible
DR-0242.5	Validate keyboard flow for Tasks link to files, commits, or decisions	P3	Scoped; recorded; reversible
DR-0242.6	Validate mobile layout for Status changes emit timeline events	P0	Auditable; recorded; reversible

28.0243 Docs · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Docs**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0243.0	Attribute permissions for Edits appear in the timeline	P3	Clear; recorded; reversible
DR-0243.1	Attribute performance for Templates: brief, spec, decision record, changelog	P0	Quiet; recorded; reversible
DR-0243.2	Attribute empty states for Public doc sharing via link	P1	Accessible; recorded; reversible
DR-0243.3	Attribute error handling for Markdown editor with live preview	P2	Predictable; recorded; reversible
DR-0243.4	Attribute keyboard flow for Docs are files (MOD-02) with structured editing on top	P3	Scoped; recorded; reversible
DR-0243.5	Attribute mobile layout for Link docs to tasks, files, and decisions	P0	Auditable; recorded; reversible
DR-0243.6	Attribute accessibility for Edits appear in the timeline	P1	Minimal; recorded; reversible

28.0244 Comments & feedback · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Comments & feedback**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0244.0	Group performance for Comment digests instead of constant pings	P0	Quiet; recorded; reversible
DR-0244.1	Group empty states for Public comment mode for client review (optional)	P1	Accessible; recorded; reversible
DR-0244.2	Group error handling for Comment threads anchored to files, images, code lines, or events	P2	Predictable; recorded; reversible
DR-0244.3	Group keyboard flow for Region/pin comments on images and design exports	P3	Scoped; recorded; reversible
DR-0244.4	Group mobile layout for Resolve / reopen, with timeline trace	P0	Auditable; recorded; reversible
DR-0244.5	Group accessibility for @mentions notify the right person	P1	Minimal; recorded; reversible
DR-0244.6	Group onboarding for Comment digests instead of constant pings	P2	Fast; recorded; reversible

28.0245 People & roles · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **People & roles**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0245.0	Filter empty states for Leave / remove without breaking historical attribution	P1	Accessible; recorded; reversible
DR-0245.1	Filter error handling for Three roles: owner, editor, viewer	P2	Predictable; recorded; reversible
DR-0245.2	Filter keyboard flow for Per-project membership; invite by link or email	P3	Scoped; recorded; reversible
DR-0245.3	Filter mobile layout for Consistent identity and avatar across all modules	P0	Auditable; recorded; reversible
DR-0245.4	Filter accessibility for Activity attributed to people everywhere	P1	Minimal; recorded; reversible
DR-0245.5	Filter onboarding for Guest access for client review (time-boxed)	P2	Fast; recorded; reversible
DR-0245.6	Filter sharing for Leave / remove without breaking historical attribution	P3	Reliable; recorded; reversible

28.0246 Assets & media · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Assets & media**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0246.0	Sync error handling for Gallery and grid views for visual assets	P2	Predictable; recorded; reversible
DR-0246.1	Sync keyboard flow for Collections / boards within a project	P3	Scoped; recorded; reversible
DR-0246.2	Sync mobile layout for Versioned assets with visual diff (before/after)	P0	Auditable; recorded; reversible
DR-0246.3	Sync accessibility for Color and basic metadata extraction	P1	Minimal; recorded; reversible
DR-0246.4	Sync onboarding for Quick share of an asset or a collection	P2	Fast; recorded; reversible
DR-0246.5	Sync sharing for Optimized delivery via storage/CDN	P3	Reliable; recorded; reversible
DR-0246.6	Sync notifications for Gallery and grid views for visual assets	P0	Reversible; recorded; reversible

28.0247 Publish & portfolio · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Publish & portfolio**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0247.0	Cache keyboard flow for Opt-in 'building in public' changelog feed	P3	Scoped; recorded; reversible
DR-0247.1	Cache mobile layout for Simple portfolio that aggregates public projects	P0	Auditable; recorded; reversible
DR-0247.2	Cache accessibility for Custom accent and cover; tasteful defaults	P1	Minimal; recorded; reversible
DR-0247.3	Cache onboarding for 'Made with RMH' attribution (toggleable on paid)	P2	Fast; recorded; reversible
DR-0247.4	Cache sharing for Shareable timeline embeds	P3	Reliable; recorded; reversible
DR-0247.5	Cache notifications for Public project page generated from the project	P0	Reversible; recorded; reversible
DR-0247.6	Cache search indexing for Opt-in 'building in public' changelog feed	P1	Clear; recorded; reversible

28.0248 Search · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Search**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0248.0	Index mobile layout for Keyboard shortcut to summon from anywhere	P0	Auditable; recorded; reversible
DR-0248.1	Index accessibility for Recent and pinned results	P1	Minimal; recorded; reversible
DR-0248.2	Index onboarding for Search within a single project or across all projects	P2	Fast; recorded; reversible
DR-0248.3	Index sharing for Fast, typo-tolerant matching	P3	Reliable; recorded; reversible
DR-0248.4	Index notifications for Unified search across files, docs, tasks, comments, timeline	P0	Reversible; recorded; reversible
DR-0248.5	Index search indexing for Filter by module, person, date	P1	Clear; recorded; reversible
DR-0248.6	Index storage for Keyboard shortcut to summon from anywhere	P2	Quiet; recorded; reversible

28.0249 Integrations · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Integrations**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0249.0	Gate accessibility for Import files from common cloud storage	P1	Minimal; recorded; reversible
DR-0249.1	Gate onboarding for Public read API for project data	P2	Fast; recorded; reversible
DR-0249.2	Gate sharing for Embeddable timeline and asset widgets	P3	Reliable; recorded; reversible
DR-0249.3	Gate notifications for Connect/mirror an external code repository	P0	Reversible; recorded; reversible
DR-0249.4	Gate search indexing for Outgoing webhooks on timeline events	P1	Clear; recorded; reversible
DR-0249.5	Gate storage for Share-to-social on publish	P2	Quiet; recorded; reversible
DR-0249.6	Gate versioning for Import files from common cloud storage	P3	Accessible; recorded; reversible

28.0250 Time & invoicing · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Time & invoicing**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0250.0	Stream onboarding for CSV export for accounting	P2	Fast; recorded; reversible
DR-0250.1	Stream sharing for No payment processing — export only, to stay simple and cheap	P3	Reliable; recorded; reversible
DR-0250.2	Stream notifications for Start/stop timers tied to a project or task	P0	Reversible; recorded; reversible
DR-0250.3	Stream search indexing for Manual time entry and weekly summary	P1	Clear; recorded; reversible
DR-0250.4	Stream storage for Simple rate-based invoice generation (export)	P2	Quiet; recorded; reversible
DR-0250.5	Stream versioning for Per-client rollups across projects	P3	Accessible; recorded; reversible
DR-0250.6	Stream API surface for CSV export for accounting	P0	Predictable; recorded; reversible

28.0251 Community & templates · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Community & templates**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0251.0	Restore sharing for Seasonal build challenges to drive activity	P3	Reliable; recorded; reversible
DR-0251.1	Restore notifications for Public template gallery; one-click 'use this template'	P0	Reversible; recorded; reversible
DR-0251.2	Restore search indexing for Community showcase of public projects	P1	Clear; recorded; reversible
DR-0251.3	Restore storage for Featured builders and 'project of the week'	P2	Quiet; recorded; reversible
DR-0251.4	Restore versioning for Template submission and curation	P3	Accessible; recorded; reversible
DR-0251.5	Restore API surface for Lightweight following / favoriting	P0	Predictable; recorded; reversible
DR-0251.6	Restore webhooks for Seasonal build challenges to drive activity	P1	Scoped; recorded; reversible

28.0252 Projects · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Projects**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0252.0	Export notifications for Create a project in under a minute, no required config	P0	Reversible; recorded; reversible
DR-0252.1	Export search indexing for Each project has a single shared timeline (see MOD-03)	P1	Clear; recorded; reversible
DR-0252.2	Export storage for Project-level people & roles (owner, editor, viewer)	P2	Quiet; recorded; reversible
DR-0252.3	Export versioning for Lightweight settings: name, description, visibility, accent color	P3	Accessible; recorded; reversible
DR-0252.4	Export API surface for Archive / restore without destroying history	P0	Predictable; recorded; reversible
DR-0252.5	Export webhooks for Templates: start from blank, web app, brand kit, or portfolio	P1	Scoped; recorded; reversible
DR-0252.6	Export billing gate for Create a project in under a minute, no required config	P2	Auditable; recorded; reversible

28.0253 Unified files · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Unified files**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0253.0	Preview search indexing for Inline preview for images, common design exports, markdown, and code	P1	Clear; recorded; reversible
DR-0253.1	Preview storage for Drag-and-drop upload; paste-to-upload from clipboard	P2	Quiet; recorded; reversible
DR-0253.2	Preview versioning for Every file carries its own version history	P3	Accessible; recorded; reversible
DR-0253.3	Preview API surface for Tag files by kind (code / design / asset / doc) for filtering	P0	Predictable; recorded; reversible
DR-0253.4	Preview webhooks for Object storage backing; pennies per gigabyte at the budget scale	P1	Scoped; recorded; reversible
DR-0253.5	Preview billing gate for Tree view that mixes code and creative files naturally	P2	Auditable; recorded; reversible
DR-0253.6	Preview offline behavior for Inline preview for images, common design exports, markdown, and code	P3	Minimal; recorded; reversible

28.0254 Timeline · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Timeline**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0254.0	Resolve storage for 'Decisions' — pinned timeline notes that capture the why	P2	Quiet; recorded; reversible
DR-0254.1	Resolve versioning for Group related changes (a design + its code) into one entry	P3	Accessible; recorded; reversible
DR-0254.2	Resolve API surface for Git-log-style density for power users; readable summaries for everyone	P0	Predictable; recorded; reversible
DR-0254.3	Resolve webhooks for Permalink any moment to share 'here's where we were on Tuesday'	P1	Scoped; recorded; reversible
DR-0254.4	Resolve billing gate for Chronological stream of all change events across modules	P2	Auditable; recorded; reversible
DR-0254.5	Resolve offline behavior for Filter by person, by module, by file, by date range	P3	Minimal; recorded; reversible
DR-0254.6	Resolve import/export for 'Decisions' — pinned timeline notes that capture the why	P0	Fast; recorded; reversible

28.0255 Code · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Code**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0255.0	Emit versioning for Connect an existing external repo (mirror) as an alternative to native	P3	Accessible; recorded; reversible
DR-0255.1	Emit API surface for Simple in-browser edits for quick fixes	P0	Predictable; recorded; reversible
DR-0255.2	Emit webhooks for File-level history shared with MOD-02	P1	Scoped; recorded; reversible
DR-0255.3	Emit billing gate for Git-backed repository per project	P2	Auditable; recorded; reversible
DR-0255.4	Emit offline behavior for Browse code with syntax highlighting in-app	P3	Minimal; recorded; reversible
DR-0255.5	Emit import/export for Commits flow into the unified timeline automatically	P0	Fast; recorded; reversible
DR-0255.6	Emit attribution for Connect an existing external repo (mirror) as an alternative to native	P1	Reliable; recorded; reversible

28.0256 Tasks · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Tasks**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0256.0	Throttle API surface for Keyboard-first quick add	P0	Predictable; recorded; reversible
DR-0256.1	Throttle webhooks for Filter by assignee, status, linked module	P1	Scoped; recorded; reversible
DR-0256.2	Throttle billing gate for Simple list and board views; no ceremony	P2	Auditable; recorded; reversible
DR-0256.3	Throttle offline behavior for Tasks link to files, commits, or decisions	P3	Minimal; recorded; reversible
DR-0256.4	Throttle import/export for Status changes emit timeline events	P0	Fast; recorded; reversible
DR-0256.5	Throttle attribution for Assignee, due date, and a single priority flag — nothing more	P1	Reliable; recorded; reversible
DR-0256.6	Throttle previews for Keyboard-first quick add	P2	Reversible; recorded; reversible

28.0257 Docs · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Docs**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0257.0	Paginate webhooks for Public doc sharing via link	P1	Scoped; recorded; reversible
DR-0257.1	Paginate billing gate for Markdown editor with live preview	P2	Auditable; recorded; reversible
DR-0257.2	Paginate offline behavior for Docs are files (MOD-02) with structured editing on top	P3	Minimal; recorded; reversible
DR-0257.3	Paginate import/export for Link docs to tasks, files, and decisions	P0	Fast; recorded; reversible
DR-0257.4	Paginate attribution for Edits appear in the timeline	P1	Reliable; recorded; reversible
DR-0257.5	Paginate previews for Templates: brief, spec, decision record, changelog	P2	Reversible; recorded; reversible
DR-0257.6	Paginate filtering for Public doc sharing via link	P3	Clear; recorded; reversible

28.0258 Comments & feedback · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Comments & feedback**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0258.0	Debounce billing gate for Comment threads anchored to files, images, code lines, or events	P2	Auditable; recorded; reversible
DR-0258.1	Debounce offline behavior for Region/pin comments on images and design exports	P3	Minimal; recorded; reversible
DR-0258.2	Debounce import/export for Resolve / reopen, with timeline trace	P0	Fast; recorded; reversible
DR-0258.3	Debounce attribution for @mentions notify the right person	P1	Reliable; recorded; reversible
DR-0258.4	Debounce previews for Comment digests instead of constant pings	P2	Reversible; recorded; reversible
DR-0258.5	Debounce filtering for Public comment mode for client review (optional)	P3	Clear; recorded; reversible
DR-0258.6	Debounce data model for Comment threads anchored to files, images, code lines, or events	P0	Quiet; recorded; reversible

28.0259 People & roles · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **People & roles**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0259.0	Reconcile offline behavior for Per-project membership; invite by link or email	P3	Minimal; recorded; reversible
DR-0259.1	Reconcile import/export for Consistent identity and avatar across all modules	P0	Fast; recorded; reversible
DR-0259.2	Reconcile attribution for Activity attributed to people everywhere	P1	Reliable; recorded; reversible
DR-0259.3	Reconcile previews for Guest access for client review (time-boxed)	P2	Reversible; recorded; reversible
DR-0259.4	Reconcile filtering for Leave / remove without breaking historical attribution	P3	Clear; recorded; reversible
DR-0259.5	Reconcile data model for Three roles: owner, editor, viewer	P0	Quiet; recorded; reversible
DR-0259.6	Reconcile UI surface for Per-project membership; invite by link or email	P1	Accessible; recorded; reversible

28.0260 Assets & media · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Assets & media**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0260.0	Render import/export for Versioned assets with visual diff (before/after)	P0	Fast; recorded; reversible
DR-0260.1	Render attribution for Color and basic metadata extraction	P1	Reliable; recorded; reversible
DR-0260.2	Render previews for Quick share of an asset or a collection	P2	Reversible; recorded; reversible
DR-0260.3	Render filtering for Optimized delivery via storage/CDN	P3	Clear; recorded; reversible
DR-0260.4	Render data model for Gallery and grid views for visual assets	P0	Quiet; recorded; reversible
DR-0260.5	Render UI surface for Collections / boards within a project	P1	Accessible; recorded; reversible
DR-0260.6	Render timeline events for Versioned assets with visual diff (before/after)	P2	Predictable; recorded; reversible

28.0261 Publish & portfolio · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Publish & portfolio**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0261.0	Persist attribution for Custom accent and cover; tasteful defaults	P1	Reliable; recorded; reversible
DR-0261.1	Persist previews for 'Made with RMH' attribution (toggleable on paid)	P2	Reversible; recorded; reversible
DR-0261.2	Persist filtering for Shareable timeline embeds	P3	Clear; recorded; reversible
DR-0261.3	Persist data model for Public project page generated from the project	P0	Quiet; recorded; reversible
DR-0261.4	Persist UI surface for Opt-in 'building in public' changelog feed	P1	Accessible; recorded; reversible
DR-0261.5	Persist timeline events for Simple portfolio that aggregates public projects	P2	Predictable; recorded; reversible
DR-0261.6	Persist permissions for Custom accent and cover; tasteful defaults	P3	Scoped; recorded; reversible

28.0262 Search · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Search**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0262.0	Validate previews for Search within a single project or across all projects	P2	Reversible; recorded; reversible
DR-0262.1	Validate filtering for Fast, typo-tolerant matching	P3	Clear; recorded; reversible
DR-0262.2	Validate data model for Unified search across files, docs, tasks, comments, timeline	P0	Quiet; recorded; reversible
DR-0262.3	Validate UI surface for Filter by module, person, date	P1	Accessible; recorded; reversible
DR-0262.4	Validate timeline events for Keyboard shortcut to summon from anywhere	P2	Predictable; recorded; reversible
DR-0262.5	Validate permissions for Recent and pinned results	P3	Scoped; recorded; reversible
DR-0262.6	Validate performance for Search within a single project or across all projects	P0	Auditable; recorded; reversible

28.0263 Integrations · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Integrations**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0263.0	Attribute filtering for Embeddable timeline and asset widgets	P3	Clear; recorded; reversible
DR-0263.1	Attribute data model for Connect/mirror an external code repository	P0	Quiet; recorded; reversible
DR-0263.2	Attribute UI surface for Outgoing webhooks on timeline events	P1	Accessible; recorded; reversible
DR-0263.3	Attribute timeline events for Share-to-social on publish	P2	Predictable; recorded; reversible
DR-0263.4	Attribute permissions for Import files from common cloud storage	P3	Scoped; recorded; reversible
DR-0263.5	Attribute performance for Public read API for project data	P0	Auditable; recorded; reversible
DR-0263.6	Attribute empty states for Embeddable timeline and asset widgets	P1	Minimal; recorded; reversible

28.0264 Time & invoicing · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Time & invoicing**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0264.0	Group data model for Start/stop timers tied to a project or task	P0	Quiet; recorded; reversible
DR-0264.1	Group UI surface for Manual time entry and weekly summary	P1	Accessible; recorded; reversible
DR-0264.2	Group timeline events for Simple rate-based invoice generation (export)	P2	Predictable; recorded; reversible
DR-0264.3	Group permissions for Per-client rollups across projects	P3	Scoped; recorded; reversible
DR-0264.4	Group performance for CSV export for accounting	P0	Auditable; recorded; reversible
DR-0264.5	Group empty states for No payment processing — export only, to stay simple and cheap	P1	Minimal; recorded; reversible
DR-0264.6	Group error handling for Start/stop timers tied to a project or task	P2	Fast; recorded; reversible

28.0265 Community & templates · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Community & templates**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0265.0	Filter UI surface for Community showcase of public projects	P1	Accessible; recorded; reversible
DR-0265.1	Filter timeline events for Featured builders and 'project of the week'	P2	Predictable; recorded; reversible
DR-0265.2	Filter permissions for Template submission and curation	P3	Scoped; recorded; reversible
DR-0265.3	Filter performance for Lightweight following / favoriting	P0	Auditable; recorded; reversible
DR-0265.4	Filter empty states for Seasonal build challenges to drive activity	P1	Minimal; recorded; reversible
DR-0265.5	Filter error handling for Public template gallery; one-click 'use this template'	P2	Fast; recorded; reversible
DR-0265.6	Filter keyboard flow for Community showcase of public projects	P3	Reliable; recorded; reversible

28.0266 Projects · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Projects**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0266.0	Sync timeline events for Project-level people & roles (owner, editor, viewer)	P2	Predictable; recorded; reversible
DR-0266.1	Sync permissions for Lightweight settings: name, description, visibility, accent color	P3	Scoped; recorded; reversible
DR-0266.2	Sync performance for Archive / restore without destroying history	P0	Auditable; recorded; reversible
DR-0266.3	Sync empty states for Templates: start from blank, web app, brand kit, or portfolio	P1	Minimal; recorded; reversible
DR-0266.4	Sync error handling for Create a project in under a minute, no required config	P2	Fast; recorded; reversible
DR-0266.5	Sync keyboard flow for Each project has a single shared timeline (see MOD-03)	P3	Reliable; recorded; reversible
DR-0266.6	Sync mobile layout for Project-level people & roles (owner, editor, viewer)	P0	Reversible; recorded; reversible

28.0267 Unified files · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Unified files**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0267.0	Cache permissions for Every file carries its own version history	P3	Scoped; recorded; reversible
DR-0267.1	Cache performance for Tag files by kind (code / design / asset / doc) for filtering	P0	Auditable; recorded; reversible
DR-0267.2	Cache empty states for Object storage backing; pennies per gigabyte at the budget scale	P1	Minimal; recorded; reversible
DR-0267.3	Cache error handling for Tree view that mixes code and creative files naturally	P2	Fast; recorded; reversible
DR-0267.4	Cache keyboard flow for Inline preview for images, common design exports, markdown, and code	P3	Reliable; recorded; reversible
DR-0267.5	Cache mobile layout for Drag-and-drop upload; paste-to-upload from clipboard	P0	Reversible; recorded; reversible
DR-0267.6	Cache accessibility for Every file carries its own version history	P1	Clear; recorded; reversible

28.0268 Timeline · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Timeline**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0268.0	Index performance for Git-log-style density for power users; readable summaries for everyone	P0	Auditable; recorded; reversible
DR-0268.1	Index empty states for Permalink any moment to share 'here's where we were on Tuesday'	P1	Minimal; recorded; reversible
DR-0268.2	Index error handling for Chronological stream of all change events across modules	P2	Fast; recorded; reversible
DR-0268.3	Index keyboard flow for Filter by person, by module, by file, by date range	P3	Reliable; recorded; reversible
DR-0268.4	Index mobile layout for 'Decisions' — pinned timeline notes that capture the why	P0	Reversible; recorded; reversible
DR-0268.5	Index accessibility for Group related changes (a design + its code) into one entry	P1	Clear; recorded; reversible
DR-0268.6	Index onboarding for Git-log-style density for power users; readable summaries for everyone	P2	Quiet; recorded; reversible

28.0269 Code · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Code**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0269.0	Gate empty states for File-level history shared with MOD-02	P1	Minimal; recorded; reversible
DR-0269.1	Gate error handling for Git-backed repository per project	P2	Fast; recorded; reversible
DR-0269.2	Gate keyboard flow for Browse code with syntax highlighting in-app	P3	Reliable; recorded; reversible
DR-0269.3	Gate mobile layout for Commits flow into the unified timeline automatically	P0	Reversible; recorded; reversible
DR-0269.4	Gate accessibility for Connect an existing external repo (mirror) as an alternative to native	P1	Clear; recorded; reversible
DR-0269.5	Gate onboarding for Simple in-browser edits for quick fixes	P2	Quiet; recorded; reversible
DR-0269.6	Gate sharing for File-level history shared with MOD-02	P3	Accessible; recorded; reversible

28.0270 Tasks · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Tasks**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0270.0	Stream error handling for Simple list and board views; no ceremony	P2	Fast; recorded; reversible
DR-0270.1	Stream keyboard flow for Tasks link to files, commits, or decisions	P3	Reliable; recorded; reversible
DR-0270.2	Stream mobile layout for Status changes emit timeline events	P0	Reversible; recorded; reversible
DR-0270.3	Stream accessibility for Assignee, due date, and a single priority flag — nothing more	P1	Clear; recorded; reversible
DR-0270.4	Stream onboarding for Keyboard-first quick add	P2	Quiet; recorded; reversible
DR-0270.5	Stream sharing for Filter by assignee, status, linked module	P3	Accessible; recorded; reversible
DR-0270.6	Stream notifications for Simple list and board views; no ceremony	P0	Predictable; recorded; reversible

28.0271 Docs · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Docs**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0271.0	Restore keyboard flow for Docs are files (MOD-02) with structured editing on top	P3	Reliable; recorded; reversible
DR-0271.1	Restore mobile layout for Link docs to tasks, files, and decisions	P0	Reversible; recorded; reversible
DR-0271.2	Restore accessibility for Edits appear in the timeline	P1	Clear; recorded; reversible
DR-0271.3	Restore onboarding for Templates: brief, spec, decision record, changelog	P2	Quiet; recorded; reversible
DR-0271.4	Restore sharing for Public doc sharing via link	P3	Accessible; recorded; reversible
DR-0271.5	Restore notifications for Markdown editor with live preview	P0	Predictable; recorded; reversible
DR-0271.6	Restore search indexing for Docs are files (MOD-02) with structured editing on top	P1	Scoped; recorded; reversible

28.0272 Comments & feedback · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Comments & feedback**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0272.0	Export mobile layout for Resolve / reopen, with timeline trace	P0	Reversible; recorded; reversible
DR-0272.1	Export accessibility for @mentions notify the right person	P1	Clear; recorded; reversible
DR-0272.2	Export onboarding for Comment digests instead of constant pings	P2	Quiet; recorded; reversible
DR-0272.3	Export sharing for Public comment mode for client review (optional)	P3	Accessible; recorded; reversible
DR-0272.4	Export notifications for Comment threads anchored to files, images, code lines, or events	P0	Predictable; recorded; reversible
DR-0272.5	Export search indexing for Region/pin comments on images and design exports	P1	Scoped; recorded; reversible
DR-0272.6	Export storage for Resolve / reopen, with timeline trace	P2	Auditable; recorded; reversible

28.0273 People & roles · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **People & roles**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0273.0	Preview accessibility for Activity attributed to people everywhere	P1	Clear; recorded; reversible
DR-0273.1	Preview onboarding for Guest access for client review (time-boxed)	P2	Quiet; recorded; reversible
DR-0273.2	Preview sharing for Leave / remove without breaking historical attribution	P3	Accessible; recorded; reversible
DR-0273.3	Preview notifications for Three roles: owner, editor, viewer	P0	Predictable; recorded; reversible
DR-0273.4	Preview search indexing for Per-project membership; invite by link or email	P1	Scoped; recorded; reversible
DR-0273.5	Preview storage for Consistent identity and avatar across all modules	P2	Auditable; recorded; reversible
DR-0273.6	Preview versioning for Activity attributed to people everywhere	P3	Minimal; recorded; reversible

28.0274 Assets & media · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Assets & media**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0274.0	Resolve onboarding for Quick share of an asset or a collection	P2	Quiet; recorded; reversible
DR-0274.1	Resolve sharing for Optimized delivery via storage/CDN	P3	Accessible; recorded; reversible
DR-0274.2	Resolve notifications for Gallery and grid views for visual assets	P0	Predictable; recorded; reversible
DR-0274.3	Resolve search indexing for Collections / boards within a project	P1	Scoped; recorded; reversible
DR-0274.4	Resolve storage for Versioned assets with visual diff (before/after)	P2	Auditable; recorded; reversible
DR-0274.5	Resolve versioning for Color and basic metadata extraction	P3	Minimal; recorded; reversible
DR-0274.6	Resolve API surface for Quick share of an asset or a collection	P0	Fast; recorded; reversible

28.0275 Publish & portfolio · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Publish & portfolio**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0275.0	Emit sharing for Shareable timeline embeds	P3	Accessible; recorded; reversible
DR-0275.1	Emit notifications for Public project page generated from the project	P0	Predictable; recorded; reversible
DR-0275.2	Emit search indexing for Opt-in 'building in public' changelog feed	P1	Scoped; recorded; reversible
DR-0275.3	Emit storage for Simple portfolio that aggregates public projects	P2	Auditable; recorded; reversible
DR-0275.4	Emit versioning for Custom accent and cover; tasteful defaults	P3	Minimal; recorded; reversible
DR-0275.5	Emit API surface for 'Made with RMH' attribution (toggleable on paid)	P0	Fast; recorded; reversible
DR-0275.6	Emit webhooks for Shareable timeline embeds	P1	Reliable; recorded; reversible

28.0276 Search · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Search**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0276.0	Throttle notifications for Unified search across files, docs, tasks, comments, timeline	P0	Predictable; recorded; reversible
DR-0276.1	Throttle search indexing for Filter by module, person, date	P1	Scoped; recorded; reversible
DR-0276.2	Throttle storage for Keyboard shortcut to summon from anywhere	P2	Auditable; recorded; reversible
DR-0276.3	Throttle versioning for Recent and pinned results	P3	Minimal; recorded; reversible
DR-0276.4	Throttle API surface for Search within a single project or across all projects	P0	Fast; recorded; reversible
DR-0276.5	Throttle webhooks for Fast, typo-tolerant matching	P1	Reliable; recorded; reversible
DR-0276.6	Throttle billing gate for Unified search across files, docs, tasks, comments, timeline	P2	Reversible; recorded; reversible

28.0277 Integrations · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Integrations**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0277.0	Paginate search indexing for Outgoing webhooks on timeline events	P1	Scoped; recorded; reversible
DR-0277.1	Paginate storage for Share-to-social on publish	P2	Auditable; recorded; reversible
DR-0277.2	Paginate versioning for Import files from common cloud storage	P3	Minimal; recorded; reversible
DR-0277.3	Paginate API surface for Public read API for project data	P0	Fast; recorded; reversible
DR-0277.4	Paginate webhooks for Embeddable timeline and asset widgets	P1	Reliable; recorded; reversible
DR-0277.5	Paginate billing gate for Connect/mirror an external code repository	P2	Reversible; recorded; reversible
DR-0277.6	Paginate offline behavior for Outgoing webhooks on timeline events	P3	Clear; recorded; reversible

28.0278 Time & invoicing · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Time & invoicing**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0278.0	Debounce storage for Simple rate-based invoice generation (export)	P2	Auditable; recorded; reversible
DR-0278.1	Debounce versioning for Per-client rollups across projects	P3	Minimal; recorded; reversible
DR-0278.2	Debounce API surface for CSV export for accounting	P0	Fast; recorded; reversible
DR-0278.3	Debounce webhooks for No payment processing — export only, to stay simple and cheap	P1	Reliable; recorded; reversible
DR-0278.4	Debounce billing gate for Start/stop timers tied to a project or task	P2	Reversible; recorded; reversible
DR-0278.5	Debounce offline behavior for Manual time entry and weekly summary	P3	Clear; recorded; reversible
DR-0278.6	Debounce import/export for Simple rate-based invoice generation (export)	P0	Quiet; recorded; reversible

28.0279 Community & templates · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Community & templates**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0279.0	Reconcile versioning for Template submission and curation	P3	Minimal; recorded; reversible
DR-0279.1	Reconcile API surface for Lightweight following / favoriting	P0	Fast; recorded; reversible
DR-0279.2	Reconcile webhooks for Seasonal build challenges to drive activity	P1	Reliable; recorded; reversible
DR-0279.3	Reconcile billing gate for Public template gallery; one-click 'use this template'	P2	Reversible; recorded; reversible
DR-0279.4	Reconcile offline behavior for Community showcase of public projects	P3	Clear; recorded; reversible
DR-0279.5	Reconcile import/export for Featured builders and 'project of the week'	P0	Quiet; recorded; reversible
DR-0279.6	Reconcile attribution for Template submission and curation	P1	Accessible; recorded; reversible

28.0280 Projects · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Projects**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0280.0	Render API surface for Archive / restore without destroying history	P0	Fast; recorded; reversible
DR-0280.1	Render webhooks for Templates: start from blank, web app, brand kit, or portfolio	P1	Reliable; recorded; reversible
DR-0280.2	Render billing gate for Create a project in under a minute, no required config	P2	Reversible; recorded; reversible
DR-0280.3	Render offline behavior for Each project has a single shared timeline (see MOD-03)	P3	Clear; recorded; reversible
DR-0280.4	Render import/export for Project-level people & roles (owner, editor, viewer)	P0	Quiet; recorded; reversible
DR-0280.5	Render attribution for Lightweight settings: name, description, visibility, accent color	P1	Accessible; recorded; reversible
DR-0280.6	Render previews for Archive / restore without destroying history	P2	Predictable; recorded; reversible

28.0281 Unified files · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Unified files**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0281.0	Persist webhooks for Object storage backing; pennies per gigabyte at the budget scale	P1	Reliable; recorded; reversible
DR-0281.1	Persist billing gate for Tree view that mixes code and creative files naturally	P2	Reversible; recorded; reversible
DR-0281.2	Persist offline behavior for Inline preview for images, common design exports, markdown, and code	P3	Clear; recorded; reversible
DR-0281.3	Persist import/export for Drag-and-drop upload; paste-to-upload from clipboard	P0	Quiet; recorded; reversible
DR-0281.4	Persist attribution for Every file carries its own version history	P1	Accessible; recorded; reversible
DR-0281.5	Persist previews for Tag files by kind (code / design / asset / doc) for filtering	P2	Predictable; recorded; reversible
DR-0281.6	Persist filtering for Object storage backing; pennies per gigabyte at the budget scale	P3	Scoped; recorded; reversible

28.0282 Timeline · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Timeline**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0282.0	Validate billing gate for Chronological stream of all change events across modules	P2	Reversible; recorded; reversible
DR-0282.1	Validate offline behavior for Filter by person, by module, by file, by date range	P3	Clear; recorded; reversible
DR-0282.2	Validate import/export for 'Decisions' — pinned timeline notes that capture the why	P0	Quiet; recorded; reversible
DR-0282.3	Validate attribution for Group related changes (a design + its code) into one entry	P1	Accessible; recorded; reversible
DR-0282.4	Validate previews for Git-log-style density for power users; readable summaries for everyone	P2	Predictable; recorded; reversible
DR-0282.5	Validate filtering for Permalink any moment to share 'here's where we were on Tuesday'	P3	Scoped; recorded; reversible
DR-0282.6	Validate data model for Chronological stream of all change events across modules	P0	Auditable; recorded; reversible

28.0283 Code · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Code**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0283.0	Attribute offline behavior for Browse code with syntax highlighting in-app	P3	Clear; recorded; reversible
DR-0283.1	Attribute import/export for Commits flow into the unified timeline automatically	P0	Quiet; recorded; reversible
DR-0283.2	Attribute attribution for Connect an existing external repo (mirror) as an alternative to native	P1	Accessible; recorded; reversible
DR-0283.3	Attribute previews for Simple in-browser edits for quick fixes	P2	Predictable; recorded; reversible
DR-0283.4	Attribute filtering for File-level history shared with MOD-02	P3	Scoped; recorded; reversible
DR-0283.5	Attribute data model for Git-backed repository per project	P0	Auditable; recorded; reversible
DR-0283.6	Attribute UI surface for Browse code with syntax highlighting in-app	P1	Minimal; recorded; reversible

28.0284 Tasks · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Tasks**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0284.0	Group import/export for Status changes emit timeline events	P0	Quiet; recorded; reversible
DR-0284.1	Group attribution for Assignee, due date, and a single priority flag — nothing more	P1	Accessible; recorded; reversible
DR-0284.2	Group previews for Keyboard-first quick add	P2	Predictable; recorded; reversible
DR-0284.3	Group filtering for Filter by assignee, status, linked module	P3	Scoped; recorded; reversible
DR-0284.4	Group data model for Simple list and board views; no ceremony	P0	Auditable; recorded; reversible
DR-0284.5	Group UI surface for Tasks link to files, commits, or decisions	P1	Minimal; recorded; reversible
DR-0284.6	Group timeline events for Status changes emit timeline events	P2	Fast; recorded; reversible

28.0285 Docs · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Docs**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0285.0	Filter attribution for Edits appear in the timeline	P1	Accessible; recorded; reversible
DR-0285.1	Filter previews for Templates: brief, spec, decision record, changelog	P2	Predictable; recorded; reversible
DR-0285.2	Filter filtering for Public doc sharing via link	P3	Scoped; recorded; reversible
DR-0285.3	Filter data model for Markdown editor with live preview	P0	Auditable; recorded; reversible
DR-0285.4	Filter UI surface for Docs are files (MOD-02) with structured editing on top	P1	Minimal; recorded; reversible
DR-0285.5	Filter timeline events for Link docs to tasks, files, and decisions	P2	Fast; recorded; reversible
DR-0285.6	Filter permissions for Edits appear in the timeline	P3	Reliable; recorded; reversible

28.0286 Comments & feedback · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Comments & feedback**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0286.0	Sync previews for Comment digests instead of constant pings	P2	Predictable; recorded; reversible
DR-0286.1	Sync filtering for Public comment mode for client review (optional)	P3	Scoped; recorded; reversible
DR-0286.2	Sync data model for Comment threads anchored to files, images, code lines, or events	P0	Auditable; recorded; reversible
DR-0286.3	Sync UI surface for Region/pin comments on images and design exports	P1	Minimal; recorded; reversible
DR-0286.4	Sync timeline events for Resolve / reopen, with timeline trace	P2	Fast; recorded; reversible
DR-0286.5	Sync permissions for @mentions notify the right person	P3	Reliable; recorded; reversible
DR-0286.6	Sync performance for Comment digests instead of constant pings	P0	Reversible; recorded; reversible

28.0287 People & roles · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **People & roles**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0287.0	Cache filtering for Leave / remove without breaking historical attribution	P3	Scoped; recorded; reversible
DR-0287.1	Cache data model for Three roles: owner, editor, viewer	P0	Auditable; recorded; reversible
DR-0287.2	Cache UI surface for Per-project membership; invite by link or email	P1	Minimal; recorded; reversible
DR-0287.3	Cache timeline events for Consistent identity and avatar across all modules	P2	Fast; recorded; reversible
DR-0287.4	Cache permissions for Activity attributed to people everywhere	P3	Reliable; recorded; reversible
DR-0287.5	Cache performance for Guest access for client review (time-boxed)	P0	Reversible; recorded; reversible
DR-0287.6	Cache empty states for Leave / remove without breaking historical attribution	P1	Clear; recorded; reversible

28.0288 Assets & media · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Assets & media**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0288.0	Index data model for Gallery and grid views for visual assets	P0	Auditable; recorded; reversible
DR-0288.1	Index UI surface for Collections / boards within a project	P1	Minimal; recorded; reversible
DR-0288.2	Index timeline events for Versioned assets with visual diff (before/after)	P2	Fast; recorded; reversible
DR-0288.3	Index permissions for Color and basic metadata extraction	P3	Reliable; recorded; reversible
DR-0288.4	Index performance for Quick share of an asset or a collection	P0	Reversible; recorded; reversible
DR-0288.5	Index empty states for Optimized delivery via storage/CDN	P1	Clear; recorded; reversible
DR-0288.6	Index error handling for Gallery and grid views for visual assets	P2	Quiet; recorded; reversible

28.0289 Publish & portfolio · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Publish & portfolio**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0289.0	Gate UI surface for Opt-in 'building in public' changelog feed	P1	Minimal; recorded; reversible
DR-0289.1	Gate timeline events for Simple portfolio that aggregates public projects	P2	Fast; recorded; reversible
DR-0289.2	Gate permissions for Custom accent and cover; tasteful defaults	P3	Reliable; recorded; reversible
DR-0289.3	Gate performance for 'Made with RMH' attribution (toggleable on paid)	P0	Reversible; recorded; reversible
DR-0289.4	Gate empty states for Shareable timeline embeds	P1	Clear; recorded; reversible
DR-0289.5	Gate error handling for Public project page generated from the project	P2	Quiet; recorded; reversible
DR-0289.6	Gate keyboard flow for Opt-in 'building in public' changelog feed	P3	Accessible; recorded; reversible

28.0290 Search · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Search**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0290.0	Stream timeline events for Keyboard shortcut to summon from anywhere	P2	Fast; recorded; reversible
DR-0290.1	Stream permissions for Recent and pinned results	P3	Reliable; recorded; reversible
DR-0290.2	Stream performance for Search within a single project or across all projects	P0	Reversible; recorded; reversible
DR-0290.3	Stream empty states for Fast, typo-tolerant matching	P1	Clear; recorded; reversible
DR-0290.4	Stream error handling for Unified search across files, docs, tasks, comments, timeline	P2	Quiet; recorded; reversible
DR-0290.5	Stream keyboard flow for Filter by module, person, date	P3	Accessible; recorded; reversible
DR-0290.6	Stream mobile layout for Keyboard shortcut to summon from anywhere	P0	Predictable; recorded; reversible

28.0291 Integrations · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Integrations**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0291.0	Restore permissions for Import files from common cloud storage	P3	Reliable; recorded; reversible
DR-0291.1	Restore performance for Public read API for project data	P0	Reversible; recorded; reversible
DR-0291.2	Restore empty states for Embeddable timeline and asset widgets	P1	Clear; recorded; reversible
DR-0291.3	Restore error handling for Connect/mirror an external code repository	P2	Quiet; recorded; reversible
DR-0291.4	Restore keyboard flow for Outgoing webhooks on timeline events	P3	Accessible; recorded; reversible
DR-0291.5	Restore mobile layout for Share-to-social on publish	P0	Predictable; recorded; reversible
DR-0291.6	Restore accessibility for Import files from common cloud storage	P1	Scoped; recorded; reversible

28.0292 Time & invoicing · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Time & invoicing**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0292.0	Export performance for CSV export for accounting	P0	Reversible; recorded; reversible
DR-0292.1	Export empty states for No payment processing — export only, to stay simple and cheap	P1	Clear; recorded; reversible
DR-0292.2	Export error handling for Start/stop timers tied to a project or task	P2	Quiet; recorded; reversible
DR-0292.3	Export keyboard flow for Manual time entry and weekly summary	P3	Accessible; recorded; reversible
DR-0292.4	Export mobile layout for Simple rate-based invoice generation (export)	P0	Predictable; recorded; reversible
DR-0292.5	Export accessibility for Per-client rollups across projects	P1	Scoped; recorded; reversible
DR-0292.6	Export onboarding for CSV export for accounting	P2	Auditable; recorded; reversible

28.0293 Community & templates · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Community & templates**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0293.0	Preview empty states for Seasonal build challenges to drive activity	P1	Clear; recorded; reversible
DR-0293.1	Preview error handling for Public template gallery; one-click 'use this template'	P2	Quiet; recorded; reversible
DR-0293.2	Preview keyboard flow for Community showcase of public projects	P3	Accessible; recorded; reversible
DR-0293.3	Preview mobile layout for Featured builders and 'project of the week'	P0	Predictable; recorded; reversible
DR-0293.4	Preview accessibility for Template submission and curation	P1	Scoped; recorded; reversible
DR-0293.5	Preview onboarding for Lightweight following / favoriting	P2	Auditable; recorded; reversible
DR-0293.6	Preview sharing for Seasonal build challenges to drive activity	P3	Minimal; recorded; reversible

28.0294 Projects · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Projects**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0294.0	Resolve error handling for Create a project in under a minute, no required config	P2	Quiet; recorded; reversible
DR-0294.1	Resolve keyboard flow for Each project has a single shared timeline (see MOD-03)	P3	Accessible; recorded; reversible
DR-0294.2	Resolve mobile layout for Project-level people & roles (owner, editor, viewer)	P0	Predictable; recorded; reversible
DR-0294.3	Resolve accessibility for Lightweight settings: name, description, visibility, accent color	P1	Scoped; recorded; reversible
DR-0294.4	Resolve onboarding for Archive / restore without destroying history	P2	Auditable; recorded; reversible
DR-0294.5	Resolve sharing for Templates: start from blank, web app, brand kit, or portfolio	P3	Minimal; recorded; reversible
DR-0294.6	Resolve notifications for Create a project in under a minute, no required config	P0	Fast; recorded; reversible

28.0295 Unified files · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Unified files**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0295.0	Emit keyboard flow for Inline preview for images, common design exports, markdown, and code	P3	Accessible; recorded; reversible
DR-0295.1	Emit mobile layout for Drag-and-drop upload; paste-to-upload from clipboard	P0	Predictable; recorded; reversible
DR-0295.2	Emit accessibility for Every file carries its own version history	P1	Scoped; recorded; reversible
DR-0295.3	Emit onboarding for Tag files by kind (code / design / asset / doc) for filtering	P2	Auditable; recorded; reversible
DR-0295.4	Emit sharing for Object storage backing; pennies per gigabyte at the budget scale	P3	Minimal; recorded; reversible
DR-0295.5	Emit notifications for Tree view that mixes code and creative files naturally	P0	Fast; recorded; reversible
DR-0295.6	Emit search indexing for Inline preview for images, common design exports, markdown, and code	P1	Reliable; recorded; reversible

28.0296 Timeline · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Timeline**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0296.0	Throttle mobile layout for 'Decisions' — pinned timeline notes that capture the why	P0	Predictable; recorded; reversible
DR-0296.1	Throttle accessibility for Group related changes (a design + its code) into one entry	P1	Scoped; recorded; reversible
DR-0296.2	Throttle onboarding for Git-log-style density for power users; readable summaries for everyone	P2	Auditable; recorded; reversible
DR-0296.3	Throttle sharing for Permalink any moment to share 'here's where we were on Tuesday'	P3	Minimal; recorded; reversible
DR-0296.4	Throttle notifications for Chronological stream of all change events across modules	P0	Fast; recorded; reversible
DR-0296.5	Throttle search indexing for Filter by person, by module, by file, by date range	P1	Reliable; recorded; reversible
DR-0296.6	Throttle storage for 'Decisions' — pinned timeline notes that capture the why	P2	Reversible; recorded; reversible

28.0297 Code · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Code**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0297.0	Paginate accessibility for Connect an existing external repo (mirror) as an alternative to native	P1	Scoped; recorded; reversible
DR-0297.1	Paginate onboarding for Simple in-browser edits for quick fixes	P2	Auditable; recorded; reversible
DR-0297.2	Paginate sharing for File-level history shared with MOD-02	P3	Minimal; recorded; reversible
DR-0297.3	Paginate notifications for Git-backed repository per project	P0	Fast; recorded; reversible
DR-0297.4	Paginate search indexing for Browse code with syntax highlighting in-app	P1	Reliable; recorded; reversible
DR-0297.5	Paginate storage for Commits flow into the unified timeline automatically	P2	Reversible; recorded; reversible
DR-0297.6	Paginate versioning for Connect an existing external repo (mirror) as an alternative to native	P3	Clear; recorded; reversible

28.0298 Tasks · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Tasks**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0298.0	Debounce onboarding for Keyboard-first quick add	P2	Auditable; recorded; reversible
DR-0298.1	Debounce sharing for Filter by assignee, status, linked module	P3	Minimal; recorded; reversible
DR-0298.2	Debounce notifications for Simple list and board views; no ceremony	P0	Fast; recorded; reversible
DR-0298.3	Debounce search indexing for Tasks link to files, commits, or decisions	P1	Reliable; recorded; reversible
DR-0298.4	Debounce storage for Status changes emit timeline events	P2	Reversible; recorded; reversible
DR-0298.5	Debounce versioning for Assignee, due date, and a single priority flag — nothing more	P3	Clear; recorded; reversible
DR-0298.6	Debounce API surface for Keyboard-first quick add	P0	Quiet; recorded; reversible

28.0299 Docs · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Docs**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0299.0	Reconcile sharing for Public doc sharing via link	P3	Minimal; recorded; reversible
DR-0299.1	Reconcile notifications for Markdown editor with live preview	P0	Fast; recorded; reversible
DR-0299.2	Reconcile search indexing for Docs are files (MOD-02) with structured editing on top	P1	Reliable; recorded; reversible
DR-0299.3	Reconcile storage for Link docs to tasks, files, and decisions	P2	Reversible; recorded; reversible
DR-0299.4	Reconcile versioning for Edits appear in the timeline	P3	Clear; recorded; reversible
DR-0299.5	Reconcile API surface for Templates: brief, spec, decision record, changelog	P0	Quiet; recorded; reversible
DR-0299.6	Reconcile webhooks for Public doc sharing via link	P1	Accessible; recorded; reversible

28.0300 Comments & feedback · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Comments & feedback**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0300.0	Render notifications for Comment threads anchored to files, images, code lines, or events	P0	Fast; recorded; reversible
DR-0300.1	Render search indexing for Region/pin comments on images and design exports	P1	Reliable; recorded; reversible
DR-0300.2	Render storage for Resolve / reopen, with timeline trace	P2	Reversible; recorded; reversible
DR-0300.3	Render versioning for @mentions notify the right person	P3	Clear; recorded; reversible
DR-0300.4	Render API surface for Comment digests instead of constant pings	P0	Quiet; recorded; reversible
DR-0300.5	Render webhooks for Public comment mode for client review (optional)	P1	Accessible; recorded; reversible
DR-0300.6	Render billing gate for Comment threads anchored to files, images, code lines, or events	P2	Predictable; recorded; reversible

28.0301 People & roles · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **People & roles**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0301.0	Persist search indexing for Per-project membership; invite by link or email	P1	Reliable; recorded; reversible
DR-0301.1	Persist storage for Consistent identity and avatar across all modules	P2	Reversible; recorded; reversible
DR-0301.2	Persist versioning for Activity attributed to people everywhere	P3	Clear; recorded; reversible
DR-0301.3	Persist API surface for Guest access for client review (time-boxed)	P0	Quiet; recorded; reversible
DR-0301.4	Persist webhooks for Leave / remove without breaking historical attribution	P1	Accessible; recorded; reversible
DR-0301.5	Persist billing gate for Three roles: owner, editor, viewer	P2	Predictable; recorded; reversible
DR-0301.6	Persist offline behavior for Per-project membership; invite by link or email	P3	Scoped; recorded; reversible

28.0302 Assets & media · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Assets & media**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0302.0	Validate storage for Versioned assets with visual diff (before/after)	P2	Reversible; recorded; reversible
DR-0302.1	Validate versioning for Color and basic metadata extraction	P3	Clear; recorded; reversible
DR-0302.2	Validate API surface for Quick share of an asset or a collection	P0	Quiet; recorded; reversible
DR-0302.3	Validate webhooks for Optimized delivery via storage/CDN	P1	Accessible; recorded; reversible
DR-0302.4	Validate billing gate for Gallery and grid views for visual assets	P2	Predictable; recorded; reversible
DR-0302.5	Validate offline behavior for Collections / boards within a project	P3	Scoped; recorded; reversible
DR-0302.6	Validate import/export for Versioned assets with visual diff (before/after)	P0	Auditable; recorded; reversible

28.0303 Publish & portfolio · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Publish & portfolio**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0303.0	Attribute versioning for Custom accent and cover; tasteful defaults	P3	Clear; recorded; reversible
DR-0303.1	Attribute API surface for 'Made with RMH' attribution (toggleable on paid)	P0	Quiet; recorded; reversible
DR-0303.2	Attribute webhooks for Shareable timeline embeds	P1	Accessible; recorded; reversible
DR-0303.3	Attribute billing gate for Public project page generated from the project	P2	Predictable; recorded; reversible
DR-0303.4	Attribute offline behavior for Opt-in 'building in public' changelog feed	P3	Scoped; recorded; reversible
DR-0303.5	Attribute import/export for Simple portfolio that aggregates public projects	P0	Auditable; recorded; reversible
DR-0303.6	Attribute attribution for Custom accent and cover; tasteful defaults	P1	Minimal; recorded; reversible

28.0304 Search · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Search**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0304.0	Group API surface for Search within a single project or across all projects	P0	Quiet; recorded; reversible
DR-0304.1	Group webhooks for Fast, typo-tolerant matching	P1	Accessible; recorded; reversible
DR-0304.2	Group billing gate for Unified search across files, docs, tasks, comments, timeline	P2	Predictable; recorded; reversible
DR-0304.3	Group offline behavior for Filter by module, person, date	P3	Scoped; recorded; reversible
DR-0304.4	Group import/export for Keyboard shortcut to summon from anywhere	P0	Auditable; recorded; reversible
DR-0304.5	Group attribution for Recent and pinned results	P1	Minimal; recorded; reversible
DR-0304.6	Group previews for Search within a single project or across all projects	P2	Fast; recorded; reversible

28.0305 Integrations · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Integrations**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0305.0	Filter webhooks for Embeddable timeline and asset widgets	P1	Accessible; recorded; reversible
DR-0305.1	Filter billing gate for Connect/mirror an external code repository	P2	Predictable; recorded; reversible
DR-0305.2	Filter offline behavior for Outgoing webhooks on timeline events	P3	Scoped; recorded; reversible
DR-0305.3	Filter import/export for Share-to-social on publish	P0	Auditable; recorded; reversible
DR-0305.4	Filter attribution for Import files from common cloud storage	P1	Minimal; recorded; reversible
DR-0305.5	Filter previews for Public read API for project data	P2	Fast; recorded; reversible
DR-0305.6	Filter filtering for Embeddable timeline and asset widgets	P3	Reliable; recorded; reversible

28.0306 Time & invoicing · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Time & invoicing**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0306.0	Sync billing gate for Start/stop timers tied to a project or task	P2	Predictable; recorded; reversible
DR-0306.1	Sync offline behavior for Manual time entry and weekly summary	P3	Scoped; recorded; reversible
DR-0306.2	Sync import/export for Simple rate-based invoice generation (export)	P0	Auditable; recorded; reversible
DR-0306.3	Sync attribution for Per-client rollups across projects	P1	Minimal; recorded; reversible
DR-0306.4	Sync previews for CSV export for accounting	P2	Fast; recorded; reversible
DR-0306.5	Sync filtering for No payment processing — export only, to stay simple and cheap	P3	Reliable; recorded; reversible
DR-0306.6	Sync data model for Start/stop timers tied to a project or task	P0	Reversible; recorded; reversible

28.0307 Community & templates · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Community & templates**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0307.0	Cache offline behavior for Community showcase of public projects	P3	Scoped; recorded; reversible
DR-0307.1	Cache import/export for Featured builders and 'project of the week'	P0	Auditable; recorded; reversible
DR-0307.2	Cache attribution for Template submission and curation	P1	Minimal; recorded; reversible
DR-0307.3	Cache previews for Lightweight following / favoriting	P2	Fast; recorded; reversible
DR-0307.4	Cache filtering for Seasonal build challenges to drive activity	P3	Reliable; recorded; reversible
DR-0307.5	Cache data model for Public template gallery; one-click 'use this template'	P0	Reversible; recorded; reversible
DR-0307.6	Cache UI surface for Community showcase of public projects	P1	Clear; recorded; reversible

28.0308 Projects · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Projects**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0308.0	Index import/export for Project-level people & roles (owner, editor, viewer)	P0	Auditable; recorded; reversible
DR-0308.1	Index attribution for Lightweight settings: name, description, visibility, accent color	P1	Minimal; recorded; reversible
DR-0308.2	Index previews for Archive / restore without destroying history	P2	Fast; recorded; reversible
DR-0308.3	Index filtering for Templates: start from blank, web app, brand kit, or portfolio	P3	Reliable; recorded; reversible
DR-0308.4	Index data model for Create a project in under a minute, no required config	P0	Reversible; recorded; reversible
DR-0308.5	Index UI surface for Each project has a single shared timeline (see MOD-03)	P1	Clear; recorded; reversible
DR-0308.6	Index timeline events for Project-level people & roles (owner, editor, viewer)	P2	Quiet; recorded; reversible

28.0309 Unified files · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Unified files**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0309.0	Gate attribution for Every file carries its own version history	P1	Minimal; recorded; reversible
DR-0309.1	Gate previews for Tag files by kind (code / design / asset / doc) for filtering	P2	Fast; recorded; reversible
DR-0309.2	Gate filtering for Object storage backing; pennies per gigabyte at the budget scale	P3	Reliable; recorded; reversible
DR-0309.3	Gate data model for Tree view that mixes code and creative files naturally	P0	Reversible; recorded; reversible
DR-0309.4	Gate UI surface for Inline preview for images, common design exports, markdown, and code	P1	Clear; recorded; reversible
DR-0309.5	Gate timeline events for Drag-and-drop upload; paste-to-upload from clipboard	P2	Quiet; recorded; reversible
DR-0309.6	Gate permissions for Every file carries its own version history	P3	Accessible; recorded; reversible

28.0310 Timeline · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Timeline**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0310.0	Stream previews for Git-log-style density for power users; readable summaries for everyone	P2	Fast; recorded; reversible
DR-0310.1	Stream filtering for Permalink any moment to share 'here's where we were on Tuesday'	P3	Reliable; recorded; reversible
DR-0310.2	Stream data model for Chronological stream of all change events across modules	P0	Reversible; recorded; reversible
DR-0310.3	Stream UI surface for Filter by person, by module, by file, by date range	P1	Clear; recorded; reversible
DR-0310.4	Stream timeline events for 'Decisions' — pinned timeline notes that capture the why	P2	Quiet; recorded; reversible
DR-0310.5	Stream permissions for Group related changes (a design + its code) into one entry	P3	Accessible; recorded; reversible
DR-0310.6	Stream performance for Git-log-style density for power users; readable summaries for everyone	P0	Predictable; recorded; reversible

28.0311 Code · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Code**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0311.0	Restore filtering for File-level history shared with MOD-02	P3	Reliable; recorded; reversible
DR-0311.1	Restore data model for Git-backed repository per project	P0	Reversible; recorded; reversible
DR-0311.2	Restore UI surface for Browse code with syntax highlighting in-app	P1	Clear; recorded; reversible
DR-0311.3	Restore timeline events for Commits flow into the unified timeline automatically	P2	Quiet; recorded; reversible
DR-0311.4	Restore permissions for Connect an existing external repo (mirror) as an alternative to native	P3	Accessible; recorded; reversible
DR-0311.5	Restore performance for Simple in-browser edits for quick fixes	P0	Predictable; recorded; reversible
DR-0311.6	Restore empty states for File-level history shared with MOD-02	P1	Scoped; recorded; reversible

28.0312 Tasks · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Tasks**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0312.0	Export data model for Simple list and board views; no ceremony	P0	Reversible; recorded; reversible
DR-0312.1	Export UI surface for Tasks link to files, commits, or decisions	P1	Clear; recorded; reversible
DR-0312.2	Export timeline events for Status changes emit timeline events	P2	Quiet; recorded; reversible
DR-0312.3	Export permissions for Assignee, due date, and a single priority flag — nothing more	P3	Accessible; recorded; reversible
DR-0312.4	Export performance for Keyboard-first quick add	P0	Predictable; recorded; reversible
DR-0312.5	Export empty states for Filter by assignee, status, linked module	P1	Scoped; recorded; reversible
DR-0312.6	Export error handling for Simple list and board views; no ceremony	P2	Auditable; recorded; reversible

28.0313 Docs · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Docs**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0313.0	Preview UI surface for Docs are files (MOD-02) with structured editing on top	P1	Clear; recorded; reversible
DR-0313.1	Preview timeline events for Link docs to tasks, files, and decisions	P2	Quiet; recorded; reversible
DR-0313.2	Preview permissions for Edits appear in the timeline	P3	Accessible; recorded; reversible
DR-0313.3	Preview performance for Templates: brief, spec, decision record, changelog	P0	Predictable; recorded; reversible
DR-0313.4	Preview empty states for Public doc sharing via link	P1	Scoped; recorded; reversible
DR-0313.5	Preview error handling for Markdown editor with live preview	P2	Auditable; recorded; reversible
DR-0313.6	Preview keyboard flow for Docs are files (MOD-02) with structured editing on top	P3	Minimal; recorded; reversible

28.0314 Comments & feedback · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Comments & feedback**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0314.0	Resolve timeline events for Resolve / reopen, with timeline trace	P2	Quiet; recorded; reversible
DR-0314.1	Resolve permissions for @mentions notify the right person	P3	Accessible; recorded; reversible
DR-0314.2	Resolve performance for Comment digests instead of constant pings	P0	Predictable; recorded; reversible
DR-0314.3	Resolve empty states for Public comment mode for client review (optional)	P1	Scoped; recorded; reversible
DR-0314.4	Resolve error handling for Comment threads anchored to files, images, code lines, or events	P2	Auditable; recorded; reversible
DR-0314.5	Resolve keyboard flow for Region/pin comments on images and design exports	P3	Minimal; recorded; reversible
DR-0314.6	Resolve mobile layout for Resolve / reopen, with timeline trace	P0	Fast; recorded; reversible

28.0315 People & roles · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **People & roles**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0315.0	Emit permissions for Activity attributed to people everywhere	P3	Accessible; recorded; reversible
DR-0315.1	Emit performance for Guest access for client review (time-boxed)	P0	Predictable; recorded; reversible
DR-0315.2	Emit empty states for Leave / remove without breaking historical attribution	P1	Scoped; recorded; reversible
DR-0315.3	Emit error handling for Three roles: owner, editor, viewer	P2	Auditable; recorded; reversible
DR-0315.4	Emit keyboard flow for Per-project membership; invite by link or email	P3	Minimal; recorded; reversible
DR-0315.5	Emit mobile layout for Consistent identity and avatar across all modules	P0	Fast; recorded; reversible
DR-0315.6	Emit accessibility for Activity attributed to people everywhere	P1	Reliable; recorded; reversible

28.0316 Assets & media · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Assets & media**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0316.0	Throttle performance for Quick share of an asset or a collection	P0	Predictable; recorded; reversible
DR-0316.1	Throttle empty states for Optimized delivery via storage/CDN	P1	Scoped; recorded; reversible
DR-0316.2	Throttle error handling for Gallery and grid views for visual assets	P2	Auditable; recorded; reversible
DR-0316.3	Throttle keyboard flow for Collections / boards within a project	P3	Minimal; recorded; reversible
DR-0316.4	Throttle mobile layout for Versioned assets with visual diff (before/after)	P0	Fast; recorded; reversible
DR-0316.5	Throttle accessibility for Color and basic metadata extraction	P1	Reliable; recorded; reversible
DR-0316.6	Throttle onboarding for Quick share of an asset or a collection	P2	Reversible; recorded; reversible

28.0317 Publish & portfolio · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Publish & portfolio**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0317.0	Paginate empty states for Shareable timeline embeds	P1	Scoped; recorded; reversible
DR-0317.1	Paginate error handling for Public project page generated from the project	P2	Auditable; recorded; reversible
DR-0317.2	Paginate keyboard flow for Opt-in 'building in public' changelog feed	P3	Minimal; recorded; reversible
DR-0317.3	Paginate mobile layout for Simple portfolio that aggregates public projects	P0	Fast; recorded; reversible
DR-0317.4	Paginate accessibility for Custom accent and cover; tasteful defaults	P1	Reliable; recorded; reversible
DR-0317.5	Paginate onboarding for 'Made with RMH' attribution (toggleable on paid)	P2	Reversible; recorded; reversible
DR-0317.6	Paginate sharing for Shareable timeline embeds	P3	Clear; recorded; reversible

28.0318 Search · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Search**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0318.0	Debounce error handling for Unified search across files, docs, tasks, comments, timeline	P2	Auditable; recorded; reversible
DR-0318.1	Debounce keyboard flow for Filter by module, person, date	P3	Minimal; recorded; reversible
DR-0318.2	Debounce mobile layout for Keyboard shortcut to summon from anywhere	P0	Fast; recorded; reversible
DR-0318.3	Debounce accessibility for Recent and pinned results	P1	Reliable; recorded; reversible
DR-0318.4	Debounce onboarding for Search within a single project or across all projects	P2	Reversible; recorded; reversible
DR-0318.5	Debounce sharing for Fast, typo-tolerant matching	P3	Clear; recorded; reversible
DR-0318.6	Debounce notifications for Unified search across files, docs, tasks, comments, timeline	P0	Quiet; recorded; reversible

28.0319 Integrations · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Integrations**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0319.0	Reconcile keyboard flow for Outgoing webhooks on timeline events	P3	Minimal; recorded; reversible
DR-0319.1	Reconcile mobile layout for Share-to-social on publish	P0	Fast; recorded; reversible
DR-0319.2	Reconcile accessibility for Import files from common cloud storage	P1	Reliable; recorded; reversible
DR-0319.3	Reconcile onboarding for Public read API for project data	P2	Reversible; recorded; reversible
DR-0319.4	Reconcile sharing for Embeddable timeline and asset widgets	P3	Clear; recorded; reversible
DR-0319.5	Reconcile notifications for Connect/mirror an external code repository	P0	Quiet; recorded; reversible
DR-0319.6	Reconcile search indexing for Outgoing webhooks on timeline events	P1	Accessible; recorded; reversible

28.0320 Time & invoicing · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Time & invoicing**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0320.0	Render mobile layout for Simple rate-based invoice generation (export)	P0	Fast; recorded; reversible
DR-0320.1	Render accessibility for Per-client rollups across projects	P1	Reliable; recorded; reversible
DR-0320.2	Render onboarding for CSV export for accounting	P2	Reversible; recorded; reversible
DR-0320.3	Render sharing for No payment processing — export only, to stay simple and cheap	P3	Clear; recorded; reversible
DR-0320.4	Render notifications for Start/stop timers tied to a project or task	P0	Quiet; recorded; reversible
DR-0320.5	Render search indexing for Manual time entry and weekly summary	P1	Accessible; recorded; reversible
DR-0320.6	Render storage for Simple rate-based invoice generation (export)	P2	Predictable; recorded; reversible

28.0321 Community & templates · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Community & templates**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0321.0	Persist accessibility for Template submission and curation	P1	Reliable; recorded; reversible
DR-0321.1	Persist onboarding for Lightweight following / favoriting	P2	Reversible; recorded; reversible
DR-0321.2	Persist sharing for Seasonal build challenges to drive activity	P3	Clear; recorded; reversible
DR-0321.3	Persist notifications for Public template gallery; one-click 'use this template'	P0	Quiet; recorded; reversible
DR-0321.4	Persist search indexing for Community showcase of public projects	P1	Accessible; recorded; reversible
DR-0321.5	Persist storage for Featured builders and 'project of the week'	P2	Predictable; recorded; reversible
DR-0321.6	Persist versioning for Template submission and curation	P3	Scoped; recorded; reversible

28.0322 Projects · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Projects**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0322.0	Validate onboarding for Archive / restore without destroying history	P2	Reversible; recorded; reversible
DR-0322.1	Validate sharing for Templates: start from blank, web app, brand kit, or portfolio	P3	Clear; recorded; reversible
DR-0322.2	Validate notifications for Create a project in under a minute, no required config	P0	Quiet; recorded; reversible
DR-0322.3	Validate search indexing for Each project has a single shared timeline (see MOD-03)	P1	Accessible; recorded; reversible
DR-0322.4	Validate storage for Project-level people & roles (owner, editor, viewer)	P2	Predictable; recorded; reversible
DR-0322.5	Validate versioning for Lightweight settings: name, description, visibility, accent color	P3	Scoped; recorded; reversible
DR-0322.6	Validate API surface for Archive / restore without destroying history	P0	Auditable; recorded; reversible

28.0323 Unified files · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Unified files**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0323.0	Attribute sharing for Object storage backing; pennies per gigabyte at the budget scale	P3	Clear; recorded; reversible
DR-0323.1	Attribute notifications for Tree view that mixes code and creative files naturally	P0	Quiet; recorded; reversible
DR-0323.2	Attribute search indexing for Inline preview for images, common design exports, markdown, and code	P1	Accessible; recorded; reversible
DR-0323.3	Attribute storage for Drag-and-drop upload; paste-to-upload from clipboard	P2	Predictable; recorded; reversible
DR-0323.4	Attribute versioning for Every file carries its own version history	P3	Scoped; recorded; reversible
DR-0323.5	Attribute API surface for Tag files by kind (code / design / asset / doc) for filtering	P0	Auditable; recorded; reversible
DR-0323.6	Attribute webhooks for Object storage backing; pennies per gigabyte at the budget scale	P1	Minimal; recorded; reversible

28.0324 Timeline · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Timeline**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0324.0	Group notifications for Chronological stream of all change events across modules	P0	Quiet; recorded; reversible
DR-0324.1	Group search indexing for Filter by person, by module, by file, by date range	P1	Accessible; recorded; reversible
DR-0324.2	Group storage for 'Decisions' — pinned timeline notes that capture the why	P2	Predictable; recorded; reversible
DR-0324.3	Group versioning for Group related changes (a design + its code) into one entry	P3	Scoped; recorded; reversible
DR-0324.4	Group API surface for Git-log-style density for power users; readable summaries for everyone	P0	Auditable; recorded; reversible
DR-0324.5	Group webhooks for Permalink any moment to share 'here's where we were on Tuesday'	P1	Minimal; recorded; reversible
DR-0324.6	Group billing gate for Chronological stream of all change events across modules	P2	Fast; recorded; reversible

28.0325 Code · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Code**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0325.0	Filter search indexing for Browse code with syntax highlighting in-app	P1	Accessible; recorded; reversible
DR-0325.1	Filter storage for Commits flow into the unified timeline automatically	P2	Predictable; recorded; reversible
DR-0325.2	Filter versioning for Connect an existing external repo (mirror) as an alternative to native	P3	Scoped; recorded; reversible
DR-0325.3	Filter API surface for Simple in-browser edits for quick fixes	P0	Auditable; recorded; reversible
DR-0325.4	Filter webhooks for File-level history shared with MOD-02	P1	Minimal; recorded; reversible
DR-0325.5	Filter billing gate for Git-backed repository per project	P2	Fast; recorded; reversible
DR-0325.6	Filter offline behavior for Browse code with syntax highlighting in-app	P3	Reliable; recorded; reversible

28.0326 Tasks · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Tasks**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0326.0	Sync storage for Status changes emit timeline events	P2	Predictable; recorded; reversible
DR-0326.1	Sync versioning for Assignee, due date, and a single priority flag — nothing more	P3	Scoped; recorded; reversible
DR-0326.2	Sync API surface for Keyboard-first quick add	P0	Auditable; recorded; reversible
DR-0326.3	Sync webhooks for Filter by assignee, status, linked module	P1	Minimal; recorded; reversible
DR-0326.4	Sync billing gate for Simple list and board views; no ceremony	P2	Fast; recorded; reversible
DR-0326.5	Sync offline behavior for Tasks link to files, commits, or decisions	P3	Reliable; recorded; reversible
DR-0326.6	Sync import/export for Status changes emit timeline events	P0	Reversible; recorded; reversible

28.0327 Docs · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Docs**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0327.0	Cache versioning for Edits appear in the timeline	P3	Scoped; recorded; reversible
DR-0327.1	Cache API surface for Templates: brief, spec, decision record, changelog	P0	Auditable; recorded; reversible
DR-0327.2	Cache webhooks for Public doc sharing via link	P1	Minimal; recorded; reversible
DR-0327.3	Cache billing gate for Markdown editor with live preview	P2	Fast; recorded; reversible
DR-0327.4	Cache offline behavior for Docs are files (MOD-02) with structured editing on top	P3	Reliable; recorded; reversible
DR-0327.5	Cache import/export for Link docs to tasks, files, and decisions	P0	Reversible; recorded; reversible
DR-0327.6	Cache attribution for Edits appear in the timeline	P1	Clear; recorded; reversible

28.0328 Comments & feedback · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Comments & feedback**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0328.0	Index API surface for Comment digests instead of constant pings	P0	Auditable; recorded; reversible
DR-0328.1	Index webhooks for Public comment mode for client review (optional)	P1	Minimal; recorded; reversible
DR-0328.2	Index billing gate for Comment threads anchored to files, images, code lines, or events	P2	Fast; recorded; reversible
DR-0328.3	Index offline behavior for Region/pin comments on images and design exports	P3	Reliable; recorded; reversible
DR-0328.4	Index import/export for Resolve / reopen, with timeline trace	P0	Reversible; recorded; reversible
DR-0328.5	Index attribution for @mentions notify the right person	P1	Clear; recorded; reversible
DR-0328.6	Index previews for Comment digests instead of constant pings	P2	Quiet; recorded; reversible

28.0329 People & roles · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **People & roles**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0329.0	Gate webhooks for Leave / remove without breaking historical attribution	P1	Minimal; recorded; reversible
DR-0329.1	Gate billing gate for Three roles: owner, editor, viewer	P2	Fast; recorded; reversible
DR-0329.2	Gate offline behavior for Per-project membership; invite by link or email	P3	Reliable; recorded; reversible
DR-0329.3	Gate import/export for Consistent identity and avatar across all modules	P0	Reversible; recorded; reversible
DR-0329.4	Gate attribution for Activity attributed to people everywhere	P1	Clear; recorded; reversible
DR-0329.5	Gate previews for Guest access for client review (time-boxed)	P2	Quiet; recorded; reversible
DR-0329.6	Gate filtering for Leave / remove without breaking historical attribution	P3	Accessible; recorded; reversible

28.0330 Assets & media · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Assets & media**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0330.0	Stream billing gate for Gallery and grid views for visual assets	P2	Fast; recorded; reversible
DR-0330.1	Stream offline behavior for Collections / boards within a project	P3	Reliable; recorded; reversible
DR-0330.2	Stream import/export for Versioned assets with visual diff (before/after)	P0	Reversible; recorded; reversible
DR-0330.3	Stream attribution for Color and basic metadata extraction	P1	Clear; recorded; reversible
DR-0330.4	Stream previews for Quick share of an asset or a collection	P2	Quiet; recorded; reversible
DR-0330.5	Stream filtering for Optimized delivery via storage/CDN	P3	Accessible; recorded; reversible
DR-0330.6	Stream data model for Gallery and grid views for visual assets	P0	Predictable; recorded; reversible

28.0331 Publish & portfolio · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Publish & portfolio**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0331.0	Restore offline behavior for Opt-in 'building in public' changelog feed	P3	Reliable; recorded; reversible
DR-0331.1	Restore import/export for Simple portfolio that aggregates public projects	P0	Reversible; recorded; reversible
DR-0331.2	Restore attribution for Custom accent and cover; tasteful defaults	P1	Clear; recorded; reversible
DR-0331.3	Restore previews for 'Made with RMH' attribution (toggleable on paid)	P2	Quiet; recorded; reversible
DR-0331.4	Restore filtering for Shareable timeline embeds	P3	Accessible; recorded; reversible
DR-0331.5	Restore data model for Public project page generated from the project	P0	Predictable; recorded; reversible
DR-0331.6	Restore UI surface for Opt-in 'building in public' changelog feed	P1	Scoped; recorded; reversible

28.0332 Search · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Search**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0332.0	Export import/export for Keyboard shortcut to summon from anywhere	P0	Reversible; recorded; reversible
DR-0332.1	Export attribution for Recent and pinned results	P1	Clear; recorded; reversible
DR-0332.2	Export previews for Search within a single project or across all projects	P2	Quiet; recorded; reversible
DR-0332.3	Export filtering for Fast, typo-tolerant matching	P3	Accessible; recorded; reversible
DR-0332.4	Export data model for Unified search across files, docs, tasks, comments, timeline	P0	Predictable; recorded; reversible
DR-0332.5	Export UI surface for Filter by module, person, date	P1	Scoped; recorded; reversible
DR-0332.6	Export timeline events for Keyboard shortcut to summon from anywhere	P2	Auditable; recorded; reversible

28.0333 Integrations · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Integrations**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0333.0	Preview attribution for Import files from common cloud storage	P1	Clear; recorded; reversible
DR-0333.1	Preview previews for Public read API for project data	P2	Quiet; recorded; reversible
DR-0333.2	Preview filtering for Embeddable timeline and asset widgets	P3	Accessible; recorded; reversible
DR-0333.3	Preview data model for Connect/mirror an external code repository	P0	Predictable; recorded; reversible
DR-0333.4	Preview UI surface for Outgoing webhooks on timeline events	P1	Scoped; recorded; reversible
DR-0333.5	Preview timeline events for Share-to-social on publish	P2	Auditable; recorded; reversible
DR-0333.6	Preview permissions for Import files from common cloud storage	P3	Minimal; recorded; reversible

28.0334 Time & invoicing · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Time & invoicing**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0334.0	Resolve previews for CSV export for accounting	P2	Quiet; recorded; reversible
DR-0334.1	Resolve filtering for No payment processing — export only, to stay simple and cheap	P3	Accessible; recorded; reversible
DR-0334.2	Resolve data model for Start/stop timers tied to a project or task	P0	Predictable; recorded; reversible
DR-0334.3	Resolve UI surface for Manual time entry and weekly summary	P1	Scoped; recorded; reversible
DR-0334.4	Resolve timeline events for Simple rate-based invoice generation (export)	P2	Auditable; recorded; reversible
DR-0334.5	Resolve permissions for Per-client rollups across projects	P3	Minimal; recorded; reversible
DR-0334.6	Resolve performance for CSV export for accounting	P0	Fast; recorded; reversible

28.0335 Community & templates · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Community & templates**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0335.0	Emit filtering for Seasonal build challenges to drive activity	P3	Accessible; recorded; reversible
DR-0335.1	Emit data model for Public template gallery; one-click 'use this template'	P0	Predictable; recorded; reversible
DR-0335.2	Emit UI surface for Community showcase of public projects	P1	Scoped; recorded; reversible
DR-0335.3	Emit timeline events for Featured builders and 'project of the week'	P2	Auditable; recorded; reversible
DR-0335.4	Emit permissions for Template submission and curation	P3	Minimal; recorded; reversible
DR-0335.5	Emit performance for Lightweight following / favoriting	P0	Fast; recorded; reversible
DR-0335.6	Emit empty states for Seasonal build challenges to drive activity	P1	Reliable; recorded; reversible

28.0336 Projects · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Projects**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0336.0	Throttle data model for Create a project in under a minute, no required config	P0	Predictable; recorded; reversible
DR-0336.1	Throttle UI surface for Each project has a single shared timeline (see MOD-03)	P1	Scoped; recorded; reversible
DR-0336.2	Throttle timeline events for Project-level people & roles (owner, editor, viewer)	P2	Auditable; recorded; reversible
DR-0336.3	Throttle permissions for Lightweight settings: name, description, visibility, accent color	P3	Minimal; recorded; reversible
DR-0336.4	Throttle performance for Archive / restore without destroying history	P0	Fast; recorded; reversible
DR-0336.5	Throttle empty states for Templates: start from blank, web app, brand kit, or portfolio	P1	Reliable; recorded; reversible
DR-0336.6	Throttle error handling for Create a project in under a minute, no required config	P2	Reversible; recorded; reversible

28.0337 Unified files · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Unified files**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0337.0	Paginate UI surface for Inline preview for images, common design exports, markdown, and code	P1	Scoped; recorded; reversible
DR-0337.1	Paginate timeline events for Drag-and-drop upload; paste-to-upload from clipboard	P2	Auditable; recorded; reversible
DR-0337.2	Paginate permissions for Every file carries its own version history	P3	Minimal; recorded; reversible
DR-0337.3	Paginate performance for Tag files by kind (code / design / asset / doc) for filtering	P0	Fast; recorded; reversible
DR-0337.4	Paginate empty states for Object storage backing; pennies per gigabyte at the budget scale	P1	Reliable; recorded; reversible
DR-0337.5	Paginate error handling for Tree view that mixes code and creative files naturally	P2	Reversible; recorded; reversible
DR-0337.6	Paginate keyboard flow for Inline preview for images, common design exports, markdown, and code	P3	Clear; recorded; reversible

28.0338 Timeline · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Timeline**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0338.0	Debounce timeline events for 'Decisions' — pinned timeline notes that capture the why	P2	Auditable; recorded; reversible
DR-0338.1	Debounce permissions for Group related changes (a design + its code) into one entry	P3	Minimal; recorded; reversible
DR-0338.2	Debounce performance for Git-log-style density for power users; readable summaries for everyone	P0	Fast; recorded; reversible
DR-0338.3	Debounce empty states for Permalink any moment to share 'here's where we were on Tuesday'	P1	Reliable; recorded; reversible
DR-0338.4	Debounce error handling for Chronological stream of all change events across modules	P2	Reversible; recorded; reversible
DR-0338.5	Debounce keyboard flow for Filter by person, by module, by file, by date range	P3	Clear; recorded; reversible
DR-0338.6	Debounce mobile layout for 'Decisions' — pinned timeline notes that capture the why	P0	Quiet; recorded; reversible

28.0339 Code · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Code**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0339.0	Reconcile permissions for Connect an existing external repo (mirror) as an alternative to native	P3	Minimal; recorded; reversible
DR-0339.1	Reconcile performance for Simple in-browser edits for quick fixes	P0	Fast; recorded; reversible
DR-0339.2	Reconcile empty states for File-level history shared with MOD-02	P1	Reliable; recorded; reversible
DR-0339.3	Reconcile error handling for Git-backed repository per project	P2	Reversible; recorded; reversible
DR-0339.4	Reconcile keyboard flow for Browse code with syntax highlighting in-app	P3	Clear; recorded; reversible
DR-0339.5	Reconcile mobile layout for Commits flow into the unified timeline automatically	P0	Quiet; recorded; reversible
DR-0339.6	Reconcile accessibility for Connect an existing external repo (mirror) as an alternative to native	P1	Accessible; recorded; reversible

28.0340 Tasks · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Tasks**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0340.0	Render performance for Keyboard-first quick add	P0	Fast; recorded; reversible
DR-0340.1	Render empty states for Filter by assignee, status, linked module	P1	Reliable; recorded; reversible
DR-0340.2	Render error handling for Simple list and board views; no ceremony	P2	Reversible; recorded; reversible
DR-0340.3	Render keyboard flow for Tasks link to files, commits, or decisions	P3	Clear; recorded; reversible
DR-0340.4	Render mobile layout for Status changes emit timeline events	P0	Quiet; recorded; reversible
DR-0340.5	Render accessibility for Assignee, due date, and a single priority flag — nothing more	P1	Accessible; recorded; reversible
DR-0340.6	Render onboarding for Keyboard-first quick add	P2	Predictable; recorded; reversible

28.0341 Docs · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Docs**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0341.0	Persist empty states for Public doc sharing via link	P1	Reliable; recorded; reversible
DR-0341.1	Persist error handling for Markdown editor with live preview	P2	Reversible; recorded; reversible
DR-0341.2	Persist keyboard flow for Docs are files (MOD-02) with structured editing on top	P3	Clear; recorded; reversible
DR-0341.3	Persist mobile layout for Link docs to tasks, files, and decisions	P0	Quiet; recorded; reversible
DR-0341.4	Persist accessibility for Edits appear in the timeline	P1	Accessible; recorded; reversible
DR-0341.5	Persist onboarding for Templates: brief, spec, decision record, changelog	P2	Predictable; recorded; reversible
DR-0341.6	Persist sharing for Public doc sharing via link	P3	Scoped; recorded; reversible

28.0342 Comments & feedback · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Comments & feedback**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0342.0	Validate error handling for Comment threads anchored to files, images, code lines, or events	P2	Reversible; recorded; reversible
DR-0342.1	Validate keyboard flow for Region/pin comments on images and design exports	P3	Clear; recorded; reversible
DR-0342.2	Validate mobile layout for Resolve / reopen, with timeline trace	P0	Quiet; recorded; reversible
DR-0342.3	Validate accessibility for @mentions notify the right person	P1	Accessible; recorded; reversible
DR-0342.4	Validate onboarding for Comment digests instead of constant pings	P2	Predictable; recorded; reversible
DR-0342.5	Validate sharing for Public comment mode for client review (optional)	P3	Scoped; recorded; reversible
DR-0342.6	Validate notifications for Comment threads anchored to files, images, code lines, or events	P0	Auditable; recorded; reversible

28.0343 People & roles · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **People & roles**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0343.0	Attribute keyboard flow for Per-project membership; invite by link or email	P3	Clear; recorded; reversible
DR-0343.1	Attribute mobile layout for Consistent identity and avatar across all modules	P0	Quiet; recorded; reversible
DR-0343.2	Attribute accessibility for Activity attributed to people everywhere	P1	Accessible; recorded; reversible
DR-0343.3	Attribute onboarding for Guest access for client review (time-boxed)	P2	Predictable; recorded; reversible
DR-0343.4	Attribute sharing for Leave / remove without breaking historical attribution	P3	Scoped; recorded; reversible
DR-0343.5	Attribute notifications for Three roles: owner, editor, viewer	P0	Auditable; recorded; reversible
DR-0343.6	Attribute search indexing for Per-project membership; invite by link or email	P1	Minimal; recorded; reversible

28.0344 Assets & media · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Assets & media**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0344.0	Group mobile layout for Versioned assets with visual diff (before/after)	P0	Quiet; recorded; reversible
DR-0344.1	Group accessibility for Color and basic metadata extraction	P1	Accessible; recorded; reversible
DR-0344.2	Group onboarding for Quick share of an asset or a collection	P2	Predictable; recorded; reversible
DR-0344.3	Group sharing for Optimized delivery via storage/CDN	P3	Scoped; recorded; reversible
DR-0344.4	Group notifications for Gallery and grid views for visual assets	P0	Auditable; recorded; reversible
DR-0344.5	Group search indexing for Collections / boards within a project	P1	Minimal; recorded; reversible
DR-0344.6	Group storage for Versioned assets with visual diff (before/after)	P2	Fast; recorded; reversible

28.0345 Publish & portfolio · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Publish & portfolio**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0345.0	Filter accessibility for Custom accent and cover; tasteful defaults	P1	Accessible; recorded; reversible
DR-0345.1	Filter onboarding for 'Made with RMH' attribution (toggleable on paid)	P2	Predictable; recorded; reversible
DR-0345.2	Filter sharing for Shareable timeline embeds	P3	Scoped; recorded; reversible
DR-0345.3	Filter notifications for Public project page generated from the project	P0	Auditable; recorded; reversible
DR-0345.4	Filter search indexing for Opt-in 'building in public' changelog feed	P1	Minimal; recorded; reversible
DR-0345.5	Filter storage for Simple portfolio that aggregates public projects	P2	Fast; recorded; reversible
DR-0345.6	Filter versioning for Custom accent and cover; tasteful defaults	P3	Reliable; recorded; reversible

28.0346 Search · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Search**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0346.0	Sync onboarding for Search within a single project or across all projects	P2	Predictable; recorded; reversible
DR-0346.1	Sync sharing for Fast, typo-tolerant matching	P3	Scoped; recorded; reversible
DR-0346.2	Sync notifications for Unified search across files, docs, tasks, comments, timeline	P0	Auditable; recorded; reversible
DR-0346.3	Sync search indexing for Filter by module, person, date	P1	Minimal; recorded; reversible
DR-0346.4	Sync storage for Keyboard shortcut to summon from anywhere	P2	Fast; recorded; reversible
DR-0346.5	Sync versioning for Recent and pinned results	P3	Reliable; recorded; reversible
DR-0346.6	Sync API surface for Search within a single project or across all projects	P0	Reversible; recorded; reversible

28.0347 Integrations · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Integrations**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0347.0	Cache sharing for Embeddable timeline and asset widgets	P3	Scoped; recorded; reversible
DR-0347.1	Cache notifications for Connect/mirror an external code repository	P0	Auditable; recorded; reversible
DR-0347.2	Cache search indexing for Outgoing webhooks on timeline events	P1	Minimal; recorded; reversible
DR-0347.3	Cache storage for Share-to-social on publish	P2	Fast; recorded; reversible
DR-0347.4	Cache versioning for Import files from common cloud storage	P3	Reliable; recorded; reversible
DR-0347.5	Cache API surface for Public read API for project data	P0	Reversible; recorded; reversible
DR-0347.6	Cache webhooks for Embeddable timeline and asset widgets	P1	Clear; recorded; reversible

28.0348 Time & invoicing · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Time & invoicing**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0348.0	Index notifications for Start/stop timers tied to a project or task	P0	Auditable; recorded; reversible
DR-0348.1	Index search indexing for Manual time entry and weekly summary	P1	Minimal; recorded; reversible
DR-0348.2	Index storage for Simple rate-based invoice generation (export)	P2	Fast; recorded; reversible
DR-0348.3	Index versioning for Per-client rollups across projects	P3	Reliable; recorded; reversible
DR-0348.4	Index API surface for CSV export for accounting	P0	Reversible; recorded; reversible
DR-0348.5	Index webhooks for No payment processing — export only, to stay simple and cheap	P1	Clear; recorded; reversible
DR-0348.6	Index billing gate for Start/stop timers tied to a project or task	P2	Quiet; recorded; reversible

28.0349 Community & templates · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Community & templates**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0349.0	Gate search indexing for Community showcase of public projects	P1	Minimal; recorded; reversible
DR-0349.1	Gate storage for Featured builders and 'project of the week'	P2	Fast; recorded; reversible
DR-0349.2	Gate versioning for Template submission and curation	P3	Reliable; recorded; reversible
DR-0349.3	Gate API surface for Lightweight following / favoriting	P0	Reversible; recorded; reversible
DR-0349.4	Gate webhooks for Seasonal build challenges to drive activity	P1	Clear; recorded; reversible
DR-0349.5	Gate billing gate for Public template gallery; one-click 'use this template'	P2	Quiet; recorded; reversible
DR-0349.6	Gate offline behavior for Community showcase of public projects	P3	Accessible; recorded; reversible

28.0350 Projects · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Projects**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0350.0	Stream storage for Project-level people & roles (owner, editor, viewer)	P2	Fast; recorded; reversible
DR-0350.1	Stream versioning for Lightweight settings: name, description, visibility, accent color	P3	Reliable; recorded; reversible
DR-0350.2	Stream API surface for Archive / restore without destroying history	P0	Reversible; recorded; reversible
DR-0350.3	Stream webhooks for Templates: start from blank, web app, brand kit, or portfolio	P1	Clear; recorded; reversible
DR-0350.4	Stream billing gate for Create a project in under a minute, no required config	P2	Quiet; recorded; reversible
DR-0350.5	Stream offline behavior for Each project has a single shared timeline (see MOD-03)	P3	Accessible; recorded; reversible
DR-0350.6	Stream import/export for Project-level people & roles (owner, editor, viewer)	P0	Predictable; recorded; reversible

28.0351 Unified files · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Unified files**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0351.0	Restore versioning for Every file carries its own version history	P3	Reliable; recorded; reversible
DR-0351.1	Restore API surface for Tag files by kind (code / design / asset / doc) for filtering	P0	Reversible; recorded; reversible
DR-0351.2	Restore webhooks for Object storage backing; pennies per gigabyte at the budget scale	P1	Clear; recorded; reversible
DR-0351.3	Restore billing gate for Tree view that mixes code and creative files naturally	P2	Quiet; recorded; reversible
DR-0351.4	Restore offline behavior for Inline preview for images, common design exports, markdown, and code	P3	Accessible; recorded; reversible
DR-0351.5	Restore import/export for Drag-and-drop upload; paste-to-upload from clipboard	P0	Predictable; recorded; reversible
DR-0351.6	Restore attribution for Every file carries its own version history	P1	Scoped; recorded; reversible

28.0352 Timeline · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Timeline**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0352.0	Export API surface for Git-log-style density for power users; readable summaries for everyone	P0	Reversible; recorded; reversible
DR-0352.1	Export webhooks for Permalink any moment to share 'here's where we were on Tuesday'	P1	Clear; recorded; reversible
DR-0352.2	Export billing gate for Chronological stream of all change events across modules	P2	Quiet; recorded; reversible
DR-0352.3	Export offline behavior for Filter by person, by module, by file, by date range	P3	Accessible; recorded; reversible
DR-0352.4	Export import/export for 'Decisions' — pinned timeline notes that capture the why	P0	Predictable; recorded; reversible
DR-0352.5	Export attribution for Group related changes (a design + its code) into one entry	P1	Scoped; recorded; reversible
DR-0352.6	Export previews for Git-log-style density for power users; readable summaries for everyone	P2	Auditable; recorded; reversible

28.0353 Code · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Code**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0353.0	Preview webhooks for File-level history shared with MOD-02	P1	Clear; recorded; reversible
DR-0353.1	Preview billing gate for Git-backed repository per project	P2	Quiet; recorded; reversible
DR-0353.2	Preview offline behavior for Browse code with syntax highlighting in-app	P3	Accessible; recorded; reversible
DR-0353.3	Preview import/export for Commits flow into the unified timeline automatically	P0	Predictable; recorded; reversible
DR-0353.4	Preview attribution for Connect an existing external repo (mirror) as an alternative to native	P1	Scoped; recorded; reversible
DR-0353.5	Preview previews for Simple in-browser edits for quick fixes	P2	Auditable; recorded; reversible
DR-0353.6	Preview filtering for File-level history shared with MOD-02	P3	Minimal; recorded; reversible

28.0354 Tasks · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Tasks**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0354.0	Resolve billing gate for Simple list and board views; no ceremony	P2	Quiet; recorded; reversible
DR-0354.1	Resolve offline behavior for Tasks link to files, commits, or decisions	P3	Accessible; recorded; reversible
DR-0354.2	Resolve import/export for Status changes emit timeline events	P0	Predictable; recorded; reversible
DR-0354.3	Resolve attribution for Assignee, due date, and a single priority flag — nothing more	P1	Scoped; recorded; reversible
DR-0354.4	Resolve previews for Keyboard-first quick add	P2	Auditable; recorded; reversible
DR-0354.5	Resolve filtering for Filter by assignee, status, linked module	P3	Minimal; recorded; reversible
DR-0354.6	Resolve data model for Simple list and board views; no ceremony	P0	Fast; recorded; reversible

28.0355 Docs · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Docs**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0355.0	Emit offline behavior for Docs are files (MOD-02) with structured editing on top	P3	Accessible; recorded; reversible
DR-0355.1	Emit import/export for Link docs to tasks, files, and decisions	P0	Predictable; recorded; reversible
DR-0355.2	Emit attribution for Edits appear in the timeline	P1	Scoped; recorded; reversible
DR-0355.3	Emit previews for Templates: brief, spec, decision record, changelog	P2	Auditable; recorded; reversible
DR-0355.4	Emit filtering for Public doc sharing via link	P3	Minimal; recorded; reversible
DR-0355.5	Emit data model for Markdown editor with live preview	P0	Fast; recorded; reversible
DR-0355.6	Emit UI surface for Docs are files (MOD-02) with structured editing on top	P1	Reliable; recorded; reversible

28.0356 Comments & feedback · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Comments & feedback**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0356.0	Throttle import/export for Resolve / reopen, with timeline trace	P0	Predictable; recorded; reversible
DR-0356.1	Throttle attribution for @mentions notify the right person	P1	Scoped; recorded; reversible
DR-0356.2	Throttle previews for Comment digests instead of constant pings	P2	Auditable; recorded; reversible
DR-0356.3	Throttle filtering for Public comment mode for client review (optional)	P3	Minimal; recorded; reversible
DR-0356.4	Throttle data model for Comment threads anchored to files, images, code lines, or events	P0	Fast; recorded; reversible
DR-0356.5	Throttle UI surface for Region/pin comments on images and design exports	P1	Reliable; recorded; reversible
DR-0356.6	Throttle timeline events for Resolve / reopen, with timeline trace	P2	Reversible; recorded; reversible

28.0357 People & roles · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **People & roles**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0357.0	Paginate attribution for Activity attributed to people everywhere	P1	Scoped; recorded; reversible
DR-0357.1	Paginate previews for Guest access for client review (time-boxed)	P2	Auditable; recorded; reversible
DR-0357.2	Paginate filtering for Leave / remove without breaking historical attribution	P3	Minimal; recorded; reversible
DR-0357.3	Paginate data model for Three roles: owner, editor, viewer	P0	Fast; recorded; reversible
DR-0357.4	Paginate UI surface for Per-project membership; invite by link or email	P1	Reliable; recorded; reversible
DR-0357.5	Paginate timeline events for Consistent identity and avatar across all modules	P2	Reversible; recorded; reversible
DR-0357.6	Paginate permissions for Activity attributed to people everywhere	P3	Clear; recorded; reversible

28.0358 Assets & media · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Assets & media**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0358.0	Debounce previews for Quick share of an asset or a collection	P2	Auditable; recorded; reversible
DR-0358.1	Debounce filtering for Optimized delivery via storage/CDN	P3	Minimal; recorded; reversible
DR-0358.2	Debounce data model for Gallery and grid views for visual assets	P0	Fast; recorded; reversible
DR-0358.3	Debounce UI surface for Collections / boards within a project	P1	Reliable; recorded; reversible
DR-0358.4	Debounce timeline events for Versioned assets with visual diff (before/after)	P2	Reversible; recorded; reversible
DR-0358.5	Debounce permissions for Color and basic metadata extraction	P3	Clear; recorded; reversible
DR-0358.6	Debounce performance for Quick share of an asset or a collection	P0	Quiet; recorded; reversible

28.0359 Publish & portfolio · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Publish & portfolio**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0359.0	Reconcile filtering for Shareable timeline embeds	P3	Minimal; recorded; reversible
DR-0359.1	Reconcile data model for Public project page generated from the project	P0	Fast; recorded; reversible
DR-0359.2	Reconcile UI surface for Opt-in 'building in public' changelog feed	P1	Reliable; recorded; reversible
DR-0359.3	Reconcile timeline events for Simple portfolio that aggregates public projects	P2	Reversible; recorded; reversible
DR-0359.4	Reconcile permissions for Custom accent and cover; tasteful defaults	P3	Clear; recorded; reversible
DR-0359.5	Reconcile performance for 'Made with RMH' attribution (toggleable on paid)	P0	Quiet; recorded; reversible
DR-0359.6	Reconcile empty states for Shareable timeline embeds	P1	Accessible; recorded; reversible

28.0360 Search · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Search**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0360.0	Render data model for Unified search across files, docs, tasks, comments, timeline	P0	Fast; recorded; reversible
DR-0360.1	Render UI surface for Filter by module, person, date	P1	Reliable; recorded; reversible
DR-0360.2	Render timeline events for Keyboard shortcut to summon from anywhere	P2	Reversible; recorded; reversible
DR-0360.3	Render permissions for Recent and pinned results	P3	Clear; recorded; reversible
DR-0360.4	Render performance for Search within a single project or across all projects	P0	Quiet; recorded; reversible
DR-0360.5	Render empty states for Fast, typo-tolerant matching	P1	Accessible; recorded; reversible
DR-0360.6	Render error handling for Unified search across files, docs, tasks, comments, timeline	P2	Predictable; recorded; reversible

28.0361 Integrations · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Integrations**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0361.0	Persist UI surface for Outgoing webhooks on timeline events	P1	Reliable; recorded; reversible
DR-0361.1	Persist timeline events for Share-to-social on publish	P2	Reversible; recorded; reversible
DR-0361.2	Persist permissions for Import files from common cloud storage	P3	Clear; recorded; reversible
DR-0361.3	Persist performance for Public read API for project data	P0	Quiet; recorded; reversible
DR-0361.4	Persist empty states for Embeddable timeline and asset widgets	P1	Accessible; recorded; reversible
DR-0361.5	Persist error handling for Connect/mirror an external code repository	P2	Predictable; recorded; reversible
DR-0361.6	Persist keyboard flow for Outgoing webhooks on timeline events	P3	Scoped; recorded; reversible

28.0362 Time & invoicing · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Time & invoicing**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0362.0	Validate timeline events for Simple rate-based invoice generation (export)	P2	Reversible; recorded; reversible
DR-0362.1	Validate permissions for Per-client rollups across projects	P3	Clear; recorded; reversible
DR-0362.2	Validate performance for CSV export for accounting	P0	Quiet; recorded; reversible
DR-0362.3	Validate empty states for No payment processing — export only, to stay simple and cheap	P1	Accessible; recorded; reversible
DR-0362.4	Validate error handling for Start/stop timers tied to a project or task	P2	Predictable; recorded; reversible
DR-0362.5	Validate keyboard flow for Manual time entry and weekly summary	P3	Scoped; recorded; reversible
DR-0362.6	Validate mobile layout for Simple rate-based invoice generation (export)	P0	Auditable; recorded; reversible

28.0363 Community & templates · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Community & templates**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0363.0	Attribute permissions for Template submission and curation	P3	Clear; recorded; reversible
DR-0363.1	Attribute performance for Lightweight following / favoriting	P0	Quiet; recorded; reversible
DR-0363.2	Attribute empty states for Seasonal build challenges to drive activity	P1	Accessible; recorded; reversible
DR-0363.3	Attribute error handling for Public template gallery; one-click 'use this template'	P2	Predictable; recorded; reversible
DR-0363.4	Attribute keyboard flow for Community showcase of public projects	P3	Scoped; recorded; reversible
DR-0363.5	Attribute mobile layout for Featured builders and 'project of the week'	P0	Auditable; recorded; reversible
DR-0363.6	Attribute accessibility for Template submission and curation	P1	Minimal; recorded; reversible

28.0364 Projects · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Projects**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0364.0	Group performance for Archive / restore without destroying history	P0	Quiet; recorded; reversible
DR-0364.1	Group empty states for Templates: start from blank, web app, brand kit, or portfolio	P1	Accessible; recorded; reversible
DR-0364.2	Group error handling for Create a project in under a minute, no required config	P2	Predictable; recorded; reversible
DR-0364.3	Group keyboard flow for Each project has a single shared timeline (see MOD-03)	P3	Scoped; recorded; reversible
DR-0364.4	Group mobile layout for Project-level people & roles (owner, editor, viewer)	P0	Auditable; recorded; reversible
DR-0364.5	Group accessibility for Lightweight settings: name, description, visibility, accent color	P1	Minimal; recorded; reversible
DR-0364.6	Group onboarding for Archive / restore without destroying history	P2	Fast; recorded; reversible

28.0365 Unified files · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Unified files**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0365.0	Filter empty states for Object storage backing; pennies per gigabyte at the budget scale	P1	Accessible; recorded; reversible
DR-0365.1	Filter error handling for Tree view that mixes code and creative files naturally	P2	Predictable; recorded; reversible
DR-0365.2	Filter keyboard flow for Inline preview for images, common design exports, markdown, and code	P3	Scoped; recorded; reversible
DR-0365.3	Filter mobile layout for Drag-and-drop upload; paste-to-upload from clipboard	P0	Auditable; recorded; reversible
DR-0365.4	Filter accessibility for Every file carries its own version history	P1	Minimal; recorded; reversible
DR-0365.5	Filter onboarding for Tag files by kind (code / design / asset / doc) for filtering	P2	Fast; recorded; reversible
DR-0365.6	Filter sharing for Object storage backing; pennies per gigabyte at the budget scale	P3	Reliable; recorded; reversible

28.0366 Timeline · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Timeline**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0366.0	Sync error handling for Chronological stream of all change events across modules	P2	Predictable; recorded; reversible
DR-0366.1	Sync keyboard flow for Filter by person, by module, by file, by date range	P3	Scoped; recorded; reversible
DR-0366.2	Sync mobile layout for 'Decisions' — pinned timeline notes that capture the why	P0	Auditable; recorded; reversible
DR-0366.3	Sync accessibility for Group related changes (a design + its code) into one entry	P1	Minimal; recorded; reversible
DR-0366.4	Sync onboarding for Git-log-style density for power users; readable summaries for everyone	P2	Fast; recorded; reversible
DR-0366.5	Sync sharing for Permalink any moment to share 'here's where we were on Tuesday'	P3	Reliable; recorded; reversible
DR-0366.6	Sync notifications for Chronological stream of all change events across modules	P0	Reversible; recorded; reversible

28.0367 Code · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Code**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0367.0	Cache keyboard flow for Browse code with syntax highlighting in-app	P3	Scoped; recorded; reversible
DR-0367.1	Cache mobile layout for Commits flow into the unified timeline automatically	P0	Auditable; recorded; reversible
DR-0367.2	Cache accessibility for Connect an existing external repo (mirror) as an alternative to native	P1	Minimal; recorded; reversible
DR-0367.3	Cache onboarding for Simple in-browser edits for quick fixes	P2	Fast; recorded; reversible
DR-0367.4	Cache sharing for File-level history shared with MOD-02	P3	Reliable; recorded; reversible
DR-0367.5	Cache notifications for Git-backed repository per project	P0	Reversible; recorded; reversible
DR-0367.6	Cache search indexing for Browse code with syntax highlighting in-app	P1	Clear; recorded; reversible

28.0368 Tasks · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Tasks**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0368.0	Index mobile layout for Status changes emit timeline events	P0	Auditable; recorded; reversible
DR-0368.1	Index accessibility for Assignee, due date, and a single priority flag — nothing more	P1	Minimal; recorded; reversible
DR-0368.2	Index onboarding for Keyboard-first quick add	P2	Fast; recorded; reversible
DR-0368.3	Index sharing for Filter by assignee, status, linked module	P3	Reliable; recorded; reversible
DR-0368.4	Index notifications for Simple list and board views; no ceremony	P0	Reversible; recorded; reversible
DR-0368.5	Index search indexing for Tasks link to files, commits, or decisions	P1	Clear; recorded; reversible
DR-0368.6	Index storage for Status changes emit timeline events	P2	Quiet; recorded; reversible

28.0369 Docs · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Docs**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0369.0	Gate accessibility for Edits appear in the timeline	P1	Minimal; recorded; reversible
DR-0369.1	Gate onboarding for Templates: brief, spec, decision record, changelog	P2	Fast; recorded; reversible
DR-0369.2	Gate sharing for Public doc sharing via link	P3	Reliable; recorded; reversible
DR-0369.3	Gate notifications for Markdown editor with live preview	P0	Reversible; recorded; reversible
DR-0369.4	Gate search indexing for Docs are files (MOD-02) with structured editing on top	P1	Clear; recorded; reversible
DR-0369.5	Gate storage for Link docs to tasks, files, and decisions	P2	Quiet; recorded; reversible
DR-0369.6	Gate versioning for Edits appear in the timeline	P3	Accessible; recorded; reversible

28.0370 Comments & feedback · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Comments & feedback**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0370.0	Stream onboarding for Comment digests instead of constant pings	P2	Fast; recorded; reversible
DR-0370.1	Stream sharing for Public comment mode for client review (optional)	P3	Reliable; recorded; reversible
DR-0370.2	Stream notifications for Comment threads anchored to files, images, code lines, or events	P0	Reversible; recorded; reversible
DR-0370.3	Stream search indexing for Region/pin comments on images and design exports	P1	Clear; recorded; reversible
DR-0370.4	Stream storage for Resolve / reopen, with timeline trace	P2	Quiet; recorded; reversible
DR-0370.5	Stream versioning for @mentions notify the right person	P3	Accessible; recorded; reversible
DR-0370.6	Stream API surface for Comment digests instead of constant pings	P0	Predictable; recorded; reversible

28.0371 People & roles · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **People & roles**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0371.0	Restore sharing for Leave / remove without breaking historical attribution	P3	Reliable; recorded; reversible
DR-0371.1	Restore notifications for Three roles: owner, editor, viewer	P0	Reversible; recorded; reversible
DR-0371.2	Restore search indexing for Per-project membership; invite by link or email	P1	Clear; recorded; reversible
DR-0371.3	Restore storage for Consistent identity and avatar across all modules	P2	Quiet; recorded; reversible
DR-0371.4	Restore versioning for Activity attributed to people everywhere	P3	Accessible; recorded; reversible
DR-0371.5	Restore API surface for Guest access for client review (time-boxed)	P0	Predictable; recorded; reversible
DR-0371.6	Restore webhooks for Leave / remove without breaking historical attribution	P1	Scoped; recorded; reversible

28.0372 Assets & media · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Assets & media**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0372.0	Export notifications for Gallery and grid views for visual assets	P0	Reversible; recorded; reversible
DR-0372.1	Export search indexing for Collections / boards within a project	P1	Clear; recorded; reversible
DR-0372.2	Export storage for Versioned assets with visual diff (before/after)	P2	Quiet; recorded; reversible
DR-0372.3	Export versioning for Color and basic metadata extraction	P3	Accessible; recorded; reversible
DR-0372.4	Export API surface for Quick share of an asset or a collection	P0	Predictable; recorded; reversible
DR-0372.5	Export webhooks for Optimized delivery via storage/CDN	P1	Scoped; recorded; reversible
DR-0372.6	Export billing gate for Gallery and grid views for visual assets	P2	Auditable; recorded; reversible

28.0373 Publish & portfolio · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Publish & portfolio**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0373.0	Preview search indexing for Opt-in 'building in public' changelog feed	P1	Clear; recorded; reversible
DR-0373.1	Preview storage for Simple portfolio that aggregates public projects	P2	Quiet; recorded; reversible
DR-0373.2	Preview versioning for Custom accent and cover; tasteful defaults	P3	Accessible; recorded; reversible
DR-0373.3	Preview API surface for 'Made with RMH' attribution (toggleable on paid)	P0	Predictable; recorded; reversible
DR-0373.4	Preview webhooks for Shareable timeline embeds	P1	Scoped; recorded; reversible
DR-0373.5	Preview billing gate for Public project page generated from the project	P2	Auditable; recorded; reversible
DR-0373.6	Preview offline behavior for Opt-in 'building in public' changelog feed	P3	Minimal; recorded; reversible

28.0374 Search · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Search**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0374.0	Resolve storage for Keyboard shortcut to summon from anywhere	P2	Quiet; recorded; reversible
DR-0374.1	Resolve versioning for Recent and pinned results	P3	Accessible; recorded; reversible
DR-0374.2	Resolve API surface for Search within a single project or across all projects	P0	Predictable; recorded; reversible
DR-0374.3	Resolve webhooks for Fast, typo-tolerant matching	P1	Scoped; recorded; reversible
DR-0374.4	Resolve billing gate for Unified search across files, docs, tasks, comments, timeline	P2	Auditable; recorded; reversible
DR-0374.5	Resolve offline behavior for Filter by module, person, date	P3	Minimal; recorded; reversible
DR-0374.6	Resolve import/export for Keyboard shortcut to summon from anywhere	P0	Fast; recorded; reversible

28.0375 Integrations · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Integrations**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0375.0	Emit versioning for Import files from common cloud storage	P3	Accessible; recorded; reversible
DR-0375.1	Emit API surface for Public read API for project data	P0	Predictable; recorded; reversible
DR-0375.2	Emit webhooks for Embeddable timeline and asset widgets	P1	Scoped; recorded; reversible
DR-0375.3	Emit billing gate for Connect/mirror an external code repository	P2	Auditable; recorded; reversible
DR-0375.4	Emit offline behavior for Outgoing webhooks on timeline events	P3	Minimal; recorded; reversible
DR-0375.5	Emit import/export for Share-to-social on publish	P0	Fast; recorded; reversible
DR-0375.6	Emit attribution for Import files from common cloud storage	P1	Reliable; recorded; reversible

28.0376 Time & invoicing · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Time & invoicing**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0376.0	Throttle API surface for CSV export for accounting	P0	Predictable; recorded; reversible
DR-0376.1	Throttle webhooks for No payment processing — export only, to stay simple and cheap	P1	Scoped; recorded; reversible
DR-0376.2	Throttle billing gate for Start/stop timers tied to a project or task	P2	Auditable; recorded; reversible
DR-0376.3	Throttle offline behavior for Manual time entry and weekly summary	P3	Minimal; recorded; reversible
DR-0376.4	Throttle import/export for Simple rate-based invoice generation (export)	P0	Fast; recorded; reversible
DR-0376.5	Throttle attribution for Per-client rollups across projects	P1	Reliable; recorded; reversible
DR-0376.6	Throttle previews for CSV export for accounting	P2	Reversible; recorded; reversible

28.0377 Community & templates · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Community & templates**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0377.0	Paginate webhooks for Seasonal build challenges to drive activity	P1	Scoped; recorded; reversible
DR-0377.1	Paginate billing gate for Public template gallery; one-click 'use this template'	P2	Auditable; recorded; reversible
DR-0377.2	Paginate offline behavior for Community showcase of public projects	P3	Minimal; recorded; reversible
DR-0377.3	Paginate import/export for Featured builders and 'project of the week'	P0	Fast; recorded; reversible
DR-0377.4	Paginate attribution for Template submission and curation	P1	Reliable; recorded; reversible
DR-0377.5	Paginate previews for Lightweight following / favoriting	P2	Reversible; recorded; reversible
DR-0377.6	Paginate filtering for Seasonal build challenges to drive activity	P3	Clear; recorded; reversible

28.0378 Projects · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Projects**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0378.0	Debounce billing gate for Create a project in under a minute, no required config	P2	Auditable; recorded; reversible
DR-0378.1	Debounce offline behavior for Each project has a single shared timeline (see MOD-03)	P3	Minimal; recorded; reversible
DR-0378.2	Debounce import/export for Project-level people & roles (owner, editor, viewer)	P0	Fast; recorded; reversible
DR-0378.3	Debounce attribution for Lightweight settings: name, description, visibility, accent color	P1	Reliable; recorded; reversible
DR-0378.4	Debounce previews for Archive / restore without destroying history	P2	Reversible; recorded; reversible
DR-0378.5	Debounce filtering for Templates: start from blank, web app, brand kit, or portfolio	P3	Clear; recorded; reversible
DR-0378.6	Debounce data model for Create a project in under a minute, no required config	P0	Quiet; recorded; reversible

28.0379 Unified files · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Unified files**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0379.0	Reconcile offline behavior for Inline preview for images, common design exports, markdown, and code	P3	Minimal; recorded; reversible
DR-0379.1	Reconcile import/export for Drag-and-drop upload; paste-to-upload from clipboard	P0	Fast; recorded; reversible
DR-0379.2	Reconcile attribution for Every file carries its own version history	P1	Reliable; recorded; reversible
DR-0379.3	Reconcile previews for Tag files by kind (code / design / asset / doc) for filtering	P2	Reversible; recorded; reversible
DR-0379.4	Reconcile filtering for Object storage backing; pennies per gigabyte at the budget scale	P3	Clear; recorded; reversible
DR-0379.5	Reconcile data model for Tree view that mixes code and creative files naturally	P0	Quiet; recorded; reversible
DR-0379.6	Reconcile UI surface for Inline preview for images, common design exports, markdown, and code	P1	Accessible; recorded; reversible

28.0380 Timeline · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Timeline**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0380.0	Render import/export for 'Decisions' — pinned timeline notes that capture the why	P0	Fast; recorded; reversible
DR-0380.1	Render attribution for Group related changes (a design + its code) into one entry	P1	Reliable; recorded; reversible
DR-0380.2	Render previews for Git-log-style density for power users; readable summaries for everyone	P2	Reversible; recorded; reversible
DR-0380.3	Render filtering for Permalink any moment to share 'here's where we were on Tuesday'	P3	Clear; recorded; reversible
DR-0380.4	Render data model for Chronological stream of all change events across modules	P0	Quiet; recorded; reversible
DR-0380.5	Render UI surface for Filter by person, by module, by file, by date range	P1	Accessible; recorded; reversible
DR-0380.6	Render timeline events for 'Decisions' — pinned timeline notes that capture the why	P2	Predictable; recorded; reversible

28.0381 Code · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Code**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0381.0	Persist attribution for Connect an existing external repo (mirror) as an alternative to native	P1	Reliable; recorded; reversible
DR-0381.1	Persist previews for Simple in-browser edits for quick fixes	P2	Reversible; recorded; reversible
DR-0381.2	Persist filtering for File-level history shared with MOD-02	P3	Clear; recorded; reversible
DR-0381.3	Persist data model for Git-backed repository per project	P0	Quiet; recorded; reversible
DR-0381.4	Persist UI surface for Browse code with syntax highlighting in-app	P1	Accessible; recorded; reversible
DR-0381.5	Persist timeline events for Commits flow into the unified timeline automatically	P2	Predictable; recorded; reversible
DR-0381.6	Persist permissions for Connect an existing external repo (mirror) as an alternative to native	P3	Scoped; recorded; reversible

28.0382 Tasks · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Tasks**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0382.0	Validate previews for Keyboard-first quick add	P2	Reversible; recorded; reversible
DR-0382.1	Validate filtering for Filter by assignee, status, linked module	P3	Clear; recorded; reversible
DR-0382.2	Validate data model for Simple list and board views; no ceremony	P0	Quiet; recorded; reversible
DR-0382.3	Validate UI surface for Tasks link to files, commits, or decisions	P1	Accessible; recorded; reversible
DR-0382.4	Validate timeline events for Status changes emit timeline events	P2	Predictable; recorded; reversible
DR-0382.5	Validate permissions for Assignee, due date, and a single priority flag — nothing more	P3	Scoped; recorded; reversible
DR-0382.6	Validate performance for Keyboard-first quick add	P0	Auditable; recorded; reversible

28.0383 Docs · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Docs**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0383.0	Attribute filtering for Public doc sharing via link	P3	Clear; recorded; reversible
DR-0383.1	Attribute data model for Markdown editor with live preview	P0	Quiet; recorded; reversible
DR-0383.2	Attribute UI surface for Docs are files (MOD-02) with structured editing on top	P1	Accessible; recorded; reversible
DR-0383.3	Attribute timeline events for Link docs to tasks, files, and decisions	P2	Predictable; recorded; reversible
DR-0383.4	Attribute permissions for Edits appear in the timeline	P3	Scoped; recorded; reversible
DR-0383.5	Attribute performance for Templates: brief, spec, decision record, changelog	P0	Auditable; recorded; reversible
DR-0383.6	Attribute empty states for Public doc sharing via link	P1	Minimal; recorded; reversible

28.0384 Comments & feedback · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Comments & feedback**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0384.0	Group data model for Comment threads anchored to files, images, code lines, or events	P0	Quiet; recorded; reversible
DR-0384.1	Group UI surface for Region/pin comments on images and design exports	P1	Accessible; recorded; reversible
DR-0384.2	Group timeline events for Resolve / reopen, with timeline trace	P2	Predictable; recorded; reversible
DR-0384.3	Group permissions for @mentions notify the right person	P3	Scoped; recorded; reversible
DR-0384.4	Group performance for Comment digests instead of constant pings	P0	Auditable; recorded; reversible
DR-0384.5	Group empty states for Public comment mode for client review (optional)	P1	Minimal; recorded; reversible
DR-0384.6	Group error handling for Comment threads anchored to files, images, code lines, or events	P2	Fast; recorded; reversible

28.0385 People & roles · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **People & roles**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0385.0	Filter UI surface for Per-project membership; invite by link or email	P1	Accessible; recorded; reversible
DR-0385.1	Filter timeline events for Consistent identity and avatar across all modules	P2	Predictable; recorded; reversible
DR-0385.2	Filter permissions for Activity attributed to people everywhere	P3	Scoped; recorded; reversible
DR-0385.3	Filter performance for Guest access for client review (time-boxed)	P0	Auditable; recorded; reversible
DR-0385.4	Filter empty states for Leave / remove without breaking historical attribution	P1	Minimal; recorded; reversible
DR-0385.5	Filter error handling for Three roles: owner, editor, viewer	P2	Fast; recorded; reversible
DR-0385.6	Filter keyboard flow for Per-project membership; invite by link or email	P3	Reliable; recorded; reversible

28.0386 Assets & media · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Assets & media**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0386.0	Sync timeline events for Versioned assets with visual diff (before/after)	P2	Predictable; recorded; reversible
DR-0386.1	Sync permissions for Color and basic metadata extraction	P3	Scoped; recorded; reversible
DR-0386.2	Sync performance for Quick share of an asset or a collection	P0	Auditable; recorded; reversible
DR-0386.3	Sync empty states for Optimized delivery via storage/CDN	P1	Minimal; recorded; reversible
DR-0386.4	Sync error handling for Gallery and grid views for visual assets	P2	Fast; recorded; reversible
DR-0386.5	Sync keyboard flow for Collections / boards within a project	P3	Reliable; recorded; reversible
DR-0386.6	Sync mobile layout for Versioned assets with visual diff (before/after)	P0	Reversible; recorded; reversible

28.0387 Publish & portfolio · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Publish & portfolio**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0387.0	Cache permissions for Custom accent and cover; tasteful defaults	P3	Scoped; recorded; reversible
DR-0387.1	Cache performance for 'Made with RMH' attribution (toggleable on paid)	P0	Auditable; recorded; reversible
DR-0387.2	Cache empty states for Shareable timeline embeds	P1	Minimal; recorded; reversible
DR-0387.3	Cache error handling for Public project page generated from the project	P2	Fast; recorded; reversible
DR-0387.4	Cache keyboard flow for Opt-in 'building in public' changelog feed	P3	Reliable; recorded; reversible
DR-0387.5	Cache mobile layout for Simple portfolio that aggregates public projects	P0	Reversible; recorded; reversible
DR-0387.6	Cache accessibility for Custom accent and cover; tasteful defaults	P1	Clear; recorded; reversible

28.0388 Search · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Search**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0388.0	Index performance for Search within a single project or across all projects	P0	Auditable; recorded; reversible
DR-0388.1	Index empty states for Fast, typo-tolerant matching	P1	Minimal; recorded; reversible
DR-0388.2	Index error handling for Unified search across files, docs, tasks, comments, timeline	P2	Fast; recorded; reversible
DR-0388.3	Index keyboard flow for Filter by module, person, date	P3	Reliable; recorded; reversible
DR-0388.4	Index mobile layout for Keyboard shortcut to summon from anywhere	P0	Reversible; recorded; reversible
DR-0388.5	Index accessibility for Recent and pinned results	P1	Clear; recorded; reversible
DR-0388.6	Index onboarding for Search within a single project or across all projects	P2	Quiet; recorded; reversible

28.0389 Integrations · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Integrations**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0389.0	Gate empty states for Embeddable timeline and asset widgets	P1	Minimal; recorded; reversible
DR-0389.1	Gate error handling for Connect/mirror an external code repository	P2	Fast; recorded; reversible
DR-0389.2	Gate keyboard flow for Outgoing webhooks on timeline events	P3	Reliable; recorded; reversible
DR-0389.3	Gate mobile layout for Share-to-social on publish	P0	Reversible; recorded; reversible
DR-0389.4	Gate accessibility for Import files from common cloud storage	P1	Clear; recorded; reversible
DR-0389.5	Gate onboarding for Public read API for project data	P2	Quiet; recorded; reversible
DR-0389.6	Gate sharing for Embeddable timeline and asset widgets	P3	Accessible; recorded; reversible

28.0390 Time & invoicing · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Time & invoicing**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0390.0	Stream error handling for Start/stop timers tied to a project or task	P2	Fast; recorded; reversible
DR-0390.1	Stream keyboard flow for Manual time entry and weekly summary	P3	Reliable; recorded; reversible
DR-0390.2	Stream mobile layout for Simple rate-based invoice generation (export)	P0	Reversible; recorded; reversible
DR-0390.3	Stream accessibility for Per-client rollups across projects	P1	Clear; recorded; reversible
DR-0390.4	Stream onboarding for CSV export for accounting	P2	Quiet; recorded; reversible
DR-0390.5	Stream sharing for No payment processing — export only, to stay simple and cheap	P3	Accessible; recorded; reversible
DR-0390.6	Stream notifications for Start/stop timers tied to a project or task	P0	Predictable; recorded; reversible

28.0391 Community & templates · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Community & templates**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0391.0	Restore keyboard flow for Community showcase of public projects	P3	Reliable; recorded; reversible
DR-0391.1	Restore mobile layout for Featured builders and 'project of the week'	P0	Reversible; recorded; reversible
DR-0391.2	Restore accessibility for Template submission and curation	P1	Clear; recorded; reversible
DR-0391.3	Restore onboarding for Lightweight following / favoriting	P2	Quiet; recorded; reversible
DR-0391.4	Restore sharing for Seasonal build challenges to drive activity	P3	Accessible; recorded; reversible
DR-0391.5	Restore notifications for Public template gallery; one-click 'use this template'	P0	Predictable; recorded; reversible
DR-0391.6	Restore search indexing for Community showcase of public projects	P1	Scoped; recorded; reversible

28.0392 Projects · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Projects**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0392.0	Export mobile layout for Project-level people & roles (owner, editor, viewer)	P0	Reversible; recorded; reversible
DR-0392.1	Export accessibility for Lightweight settings: name, description, visibility, accent color	P1	Clear; recorded; reversible
DR-0392.2	Export onboarding for Archive / restore without destroying history	P2	Quiet; recorded; reversible
DR-0392.3	Export sharing for Templates: start from blank, web app, brand kit, or portfolio	P3	Accessible; recorded; reversible
DR-0392.4	Export notifications for Create a project in under a minute, no required config	P0	Predictable; recorded; reversible
DR-0392.5	Export search indexing for Each project has a single shared timeline (see MOD-03)	P1	Scoped; recorded; reversible
DR-0392.6	Export storage for Project-level people & roles (owner, editor, viewer)	P2	Auditable; recorded; reversible

28.0393 Unified files · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Unified files**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0393.0	Preview accessibility for Every file carries its own version history	P1	Clear; recorded; reversible
DR-0393.1	Preview onboarding for Tag files by kind (code / design / asset / doc) for filtering	P2	Quiet; recorded; reversible
DR-0393.2	Preview sharing for Object storage backing; pennies per gigabyte at the budget scale	P3	Accessible; recorded; reversible
DR-0393.3	Preview notifications for Tree view that mixes code and creative files naturally	P0	Predictable; recorded; reversible
DR-0393.4	Preview search indexing for Inline preview for images, common design exports, markdown, and code	P1	Scoped; recorded; reversible
DR-0393.5	Preview storage for Drag-and-drop upload; paste-to-upload from clipboard	P2	Auditable; recorded; reversible
DR-0393.6	Preview versioning for Every file carries its own version history	P3	Minimal; recorded; reversible

28.0394 Timeline · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Timeline**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0394.0	Resolve onboarding for Git-log-style density for power users; readable summaries for everyone	P2	Quiet; recorded; reversible
DR-0394.1	Resolve sharing for Permalink any moment to share 'here's where we were on Tuesday'	P3	Accessible; recorded; reversible
DR-0394.2	Resolve notifications for Chronological stream of all change events across modules	P0	Predictable; recorded; reversible
DR-0394.3	Resolve search indexing for Filter by person, by module, by file, by date range	P1	Scoped; recorded; reversible
DR-0394.4	Resolve storage for 'Decisions' — pinned timeline notes that capture the why	P2	Auditable; recorded; reversible
DR-0394.5	Resolve versioning for Group related changes (a design + its code) into one entry	P3	Minimal; recorded; reversible
DR-0394.6	Resolve API surface for Git-log-style density for power users; readable summaries for everyone	P0	Fast; recorded; reversible

28.0395 Code · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Code**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0395.0	Emit sharing for File-level history shared with MOD-02	P3	Accessible; recorded; reversible
DR-0395.1	Emit notifications for Git-backed repository per project	P0	Predictable; recorded; reversible
DR-0395.2	Emit search indexing for Browse code with syntax highlighting in-app	P1	Scoped; recorded; reversible
DR-0395.3	Emit storage for Commits flow into the unified timeline automatically	P2	Auditable; recorded; reversible
DR-0395.4	Emit versioning for Connect an existing external repo (mirror) as an alternative to native	P3	Minimal; recorded; reversible
DR-0395.5	Emit API surface for Simple in-browser edits for quick fixes	P0	Fast; recorded; reversible
DR-0395.6	Emit webhooks for File-level history shared with MOD-02	P1	Reliable; recorded; reversible

28.0396 Tasks · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Tasks**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0396.0	Throttle notifications for Simple list and board views; no ceremony	P0	Predictable; recorded; reversible
DR-0396.1	Throttle search indexing for Tasks link to files, commits, or decisions	P1	Scoped; recorded; reversible
DR-0396.2	Throttle storage for Status changes emit timeline events	P2	Auditable; recorded; reversible
DR-0396.3	Throttle versioning for Assignee, due date, and a single priority flag — nothing more	P3	Minimal; recorded; reversible
DR-0396.4	Throttle API surface for Keyboard-first quick add	P0	Fast; recorded; reversible
DR-0396.5	Throttle webhooks for Filter by assignee, status, linked module	P1	Reliable; recorded; reversible
DR-0396.6	Throttle billing gate for Simple list and board views; no ceremony	P2	Reversible; recorded; reversible

28.0397 Docs · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Docs**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0397.0	Paginate search indexing for Docs are files (MOD-02) with structured editing on top	P1	Scoped; recorded; reversible
DR-0397.1	Paginate storage for Link docs to tasks, files, and decisions	P2	Auditable; recorded; reversible
DR-0397.2	Paginate versioning for Edits appear in the timeline	P3	Minimal; recorded; reversible
DR-0397.3	Paginate API surface for Templates: brief, spec, decision record, changelog	P0	Fast; recorded; reversible
DR-0397.4	Paginate webhooks for Public doc sharing via link	P1	Reliable; recorded; reversible
DR-0397.5	Paginate billing gate for Markdown editor with live preview	P2	Reversible; recorded; reversible
DR-0397.6	Paginate offline behavior for Docs are files (MOD-02) with structured editing on top	P3	Clear; recorded; reversible

28.0398 Comments & feedback · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Comments & feedback**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0398.0	Debounce storage for Resolve / reopen, with timeline trace	P2	Auditable; recorded; reversible
DR-0398.1	Debounce versioning for @mentions notify the right person	P3	Minimal; recorded; reversible
DR-0398.2	Debounce API surface for Comment digests instead of constant pings	P0	Fast; recorded; reversible
DR-0398.3	Debounce webhooks for Public comment mode for client review (optional)	P1	Reliable; recorded; reversible
DR-0398.4	Debounce billing gate for Comment threads anchored to files, images, code lines, or events	P2	Reversible; recorded; reversible
DR-0398.5	Debounce offline behavior for Region/pin comments on images and design exports	P3	Clear; recorded; reversible
DR-0398.6	Debounce import/export for Resolve / reopen, with timeline trace	P0	Quiet; recorded; reversible

28.0399 People & roles · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **People & roles**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0399.0	Reconcile versioning for Activity attributed to people everywhere	P3	Minimal; recorded; reversible
DR-0399.1	Reconcile API surface for Guest access for client review (time-boxed)	P0	Fast; recorded; reversible
DR-0399.2	Reconcile webhooks for Leave / remove without breaking historical attribution	P1	Reliable; recorded; reversible
DR-0399.3	Reconcile billing gate for Three roles: owner, editor, viewer	P2	Reversible; recorded; reversible
DR-0399.4	Reconcile offline behavior for Per-project membership; invite by link or email	P3	Clear; recorded; reversible
DR-0399.5	Reconcile import/export for Consistent identity and avatar across all modules	P0	Quiet; recorded; reversible
DR-0399.6	Reconcile attribution for Activity attributed to people everywhere	P1	Accessible; recorded; reversible

28.0400 Assets & media · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Assets & media**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0400.0	Render API surface for Quick share of an asset or a collection	P0	Fast; recorded; reversible
DR-0400.1	Render webhooks for Optimized delivery via storage/CDN	P1	Reliable; recorded; reversible
DR-0400.2	Render billing gate for Gallery and grid views for visual assets	P2	Reversible; recorded; reversible
DR-0400.3	Render offline behavior for Collections / boards within a project	P3	Clear; recorded; reversible
DR-0400.4	Render import/export for Versioned assets with visual diff (before/after)	P0	Quiet; recorded; reversible
DR-0400.5	Render attribution for Color and basic metadata extraction	P1	Accessible; recorded; reversible
DR-0400.6	Render previews for Quick share of an asset or a collection	P2	Predictable; recorded; reversible

28.0401 Publish & portfolio · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Publish & portfolio**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0401.0	Persist webhooks for Shareable timeline embeds	P1	Reliable; recorded; reversible
DR-0401.1	Persist billing gate for Public project page generated from the project	P2	Reversible; recorded; reversible
DR-0401.2	Persist offline behavior for Opt-in 'building in public' changelog feed	P3	Clear; recorded; reversible
DR-0401.3	Persist import/export for Simple portfolio that aggregates public projects	P0	Quiet; recorded; reversible
DR-0401.4	Persist attribution for Custom accent and cover; tasteful defaults	P1	Accessible; recorded; reversible
DR-0401.5	Persist previews for 'Made with RMH' attribution (toggleable on paid)	P2	Predictable; recorded; reversible
DR-0401.6	Persist filtering for Shareable timeline embeds	P3	Scoped; recorded; reversible

28.0402 Search · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Search**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0402.0	Validate billing gate for Unified search across files, docs, tasks, comments, timeline	P2	Reversible; recorded; reversible
DR-0402.1	Validate offline behavior for Filter by module, person, date	P3	Clear; recorded; reversible
DR-0402.2	Validate import/export for Keyboard shortcut to summon from anywhere	P0	Quiet; recorded; reversible
DR-0402.3	Validate attribution for Recent and pinned results	P1	Accessible; recorded; reversible
DR-0402.4	Validate previews for Search within a single project or across all projects	P2	Predictable; recorded; reversible
DR-0402.5	Validate filtering for Fast, typo-tolerant matching	P3	Scoped; recorded; reversible
DR-0402.6	Validate data model for Unified search across files, docs, tasks, comments, timeline	P0	Auditable; recorded; reversible

28.0403 Integrations · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Integrations**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0403.0	Attribute offline behavior for Outgoing webhooks on timeline events	P3	Clear; recorded; reversible
DR-0403.1	Attribute import/export for Share-to-social on publish	P0	Quiet; recorded; reversible
DR-0403.2	Attribute attribution for Import files from common cloud storage	P1	Accessible; recorded; reversible
DR-0403.3	Attribute previews for Public read API for project data	P2	Predictable; recorded; reversible
DR-0403.4	Attribute filtering for Embeddable timeline and asset widgets	P3	Scoped; recorded; reversible
DR-0403.5	Attribute data model for Connect/mirror an external code repository	P0	Auditable; recorded; reversible
DR-0403.6	Attribute UI surface for Outgoing webhooks on timeline events	P1	Minimal; recorded; reversible

28.0404 Time & invoicing · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Time & invoicing**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0404.0	Group import/export for Simple rate-based invoice generation (export)	P0	Quiet; recorded; reversible
DR-0404.1	Group attribution for Per-client rollups across projects	P1	Accessible; recorded; reversible
DR-0404.2	Group previews for CSV export for accounting	P2	Predictable; recorded; reversible
DR-0404.3	Group filtering for No payment processing — export only, to stay simple and cheap	P3	Scoped; recorded; reversible
DR-0404.4	Group data model for Start/stop timers tied to a project or task	P0	Auditable; recorded; reversible
DR-0404.5	Group UI surface for Manual time entry and weekly summary	P1	Minimal; recorded; reversible
DR-0404.6	Group timeline events for Simple rate-based invoice generation (export)	P2	Fast; recorded; reversible

28.0405 Community & templates · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Community & templates**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0405.0	Filter attribution for Template submission and curation	P1	Accessible; recorded; reversible
DR-0405.1	Filter previews for Lightweight following / favoriting	P2	Predictable; recorded; reversible
DR-0405.2	Filter filtering for Seasonal build challenges to drive activity	P3	Scoped; recorded; reversible
DR-0405.3	Filter data model for Public template gallery; one-click 'use this template'	P0	Auditable; recorded; reversible
DR-0405.4	Filter UI surface for Community showcase of public projects	P1	Minimal; recorded; reversible
DR-0405.5	Filter timeline events for Featured builders and 'project of the week'	P2	Fast; recorded; reversible
DR-0405.6	Filter permissions for Template submission and curation	P3	Reliable; recorded; reversible

28.0406 Projects · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Projects**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0406.0	Sync previews for Archive / restore without destroying history	P2	Predictable; recorded; reversible
DR-0406.1	Sync filtering for Templates: start from blank, web app, brand kit, or portfolio	P3	Scoped; recorded; reversible
DR-0406.2	Sync data model for Create a project in under a minute, no required config	P0	Auditable; recorded; reversible
DR-0406.3	Sync UI surface for Each project has a single shared timeline (see MOD-03)	P1	Minimal; recorded; reversible
DR-0406.4	Sync timeline events for Project-level people & roles (owner, editor, viewer)	P2	Fast; recorded; reversible
DR-0406.5	Sync permissions for Lightweight settings: name, description, visibility, accent color	P3	Reliable; recorded; reversible
DR-0406.6	Sync performance for Archive / restore without destroying history	P0	Reversible; recorded; reversible

28.0407 Unified files · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Unified files**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0407.0	Cache filtering for Object storage backing; pennies per gigabyte at the budget scale	P3	Scoped; recorded; reversible
DR-0407.1	Cache data model for Tree view that mixes code and creative files naturally	P0	Auditable; recorded; reversible
DR-0407.2	Cache UI surface for Inline preview for images, common design exports, markdown, and code	P1	Minimal; recorded; reversible
DR-0407.3	Cache timeline events for Drag-and-drop upload; paste-to-upload from clipboard	P2	Fast; recorded; reversible
DR-0407.4	Cache permissions for Every file carries its own version history	P3	Reliable; recorded; reversible
DR-0407.5	Cache performance for Tag files by kind (code / design / asset / doc) for filtering	P0	Reversible; recorded; reversible
DR-0407.6	Cache empty states for Object storage backing; pennies per gigabyte at the budget scale	P1	Clear; recorded; reversible

28.0408 Timeline · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Timeline**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0408.0	Index data model for Chronological stream of all change events across modules	P0	Auditable; recorded; reversible
DR-0408.1	Index UI surface for Filter by person, by module, by file, by date range	P1	Minimal; recorded; reversible
DR-0408.2	Index timeline events for 'Decisions' — pinned timeline notes that capture the why	P2	Fast; recorded; reversible
DR-0408.3	Index permissions for Group related changes (a design + its code) into one entry	P3	Reliable; recorded; reversible
DR-0408.4	Index performance for Git-log-style density for power users; readable summaries for everyone	P0	Reversible; recorded; reversible
DR-0408.5	Index empty states for Permalink any moment to share 'here's where we were on Tuesday'	P1	Clear; recorded; reversible
DR-0408.6	Index error handling for Chronological stream of all change events across modules	P2	Quiet; recorded; reversible

28.0409 Code · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Code**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0409.0	Gate UI surface for Browse code with syntax highlighting in-app	P1	Minimal; recorded; reversible
DR-0409.1	Gate timeline events for Commits flow into the unified timeline automatically	P2	Fast; recorded; reversible
DR-0409.2	Gate permissions for Connect an existing external repo (mirror) as an alternative to native	P3	Reliable; recorded; reversible
DR-0409.3	Gate performance for Simple in-browser edits for quick fixes	P0	Reversible; recorded; reversible
DR-0409.4	Gate empty states for File-level history shared with MOD-02	P1	Clear; recorded; reversible
DR-0409.5	Gate error handling for Git-backed repository per project	P2	Quiet; recorded; reversible
DR-0409.6	Gate keyboard flow for Browse code with syntax highlighting in-app	P3	Accessible; recorded; reversible

28.0410 Tasks · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Tasks**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0410.0	Stream timeline events for Status changes emit timeline events	P2	Fast; recorded; reversible
DR-0410.1	Stream permissions for Assignee, due date, and a single priority flag — nothing more	P3	Reliable; recorded; reversible
DR-0410.2	Stream performance for Keyboard-first quick add	P0	Reversible; recorded; reversible
DR-0410.3	Stream empty states for Filter by assignee, status, linked module	P1	Clear; recorded; reversible
DR-0410.4	Stream error handling for Simple list and board views; no ceremony	P2	Quiet; recorded; reversible
DR-0410.5	Stream keyboard flow for Tasks link to files, commits, or decisions	P3	Accessible; recorded; reversible
DR-0410.6	Stream mobile layout for Status changes emit timeline events	P0	Predictable; recorded; reversible

28.0411 Docs · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Docs**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0411.0	Restore permissions for Edits appear in the timeline	P3	Reliable; recorded; reversible
DR-0411.1	Restore performance for Templates: brief, spec, decision record, changelog	P0	Reversible; recorded; reversible
DR-0411.2	Restore empty states for Public doc sharing via link	P1	Clear; recorded; reversible
DR-0411.3	Restore error handling for Markdown editor with live preview	P2	Quiet; recorded; reversible
DR-0411.4	Restore keyboard flow for Docs are files (MOD-02) with structured editing on top	P3	Accessible; recorded; reversible
DR-0411.5	Restore mobile layout for Link docs to tasks, files, and decisions	P0	Predictable; recorded; reversible
DR-0411.6	Restore accessibility for Edits appear in the timeline	P1	Scoped; recorded; reversible

28.0412 Comments & feedback · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Comments & feedback**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0412.0	Export performance for Comment digests instead of constant pings	P0	Reversible; recorded; reversible
DR-0412.1	Export empty states for Public comment mode for client review (optional)	P1	Clear; recorded; reversible
DR-0412.2	Export error handling for Comment threads anchored to files, images, code lines, or events	P2	Quiet; recorded; reversible
DR-0412.3	Export keyboard flow for Region/pin comments on images and design exports	P3	Accessible; recorded; reversible
DR-0412.4	Export mobile layout for Resolve / reopen, with timeline trace	P0	Predictable; recorded; reversible
DR-0412.5	Export accessibility for @mentions notify the right person	P1	Scoped; recorded; reversible
DR-0412.6	Export onboarding for Comment digests instead of constant pings	P2	Auditable; recorded; reversible

28.0413 People & roles · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **People & roles**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0413.0	Preview empty states for Leave / remove without breaking historical attribution	P1	Clear; recorded; reversible
DR-0413.1	Preview error handling for Three roles: owner, editor, viewer	P2	Quiet; recorded; reversible
DR-0413.2	Preview keyboard flow for Per-project membership; invite by link or email	P3	Accessible; recorded; reversible
DR-0413.3	Preview mobile layout for Consistent identity and avatar across all modules	P0	Predictable; recorded; reversible
DR-0413.4	Preview accessibility for Activity attributed to people everywhere	P1	Scoped; recorded; reversible
DR-0413.5	Preview onboarding for Guest access for client review (time-boxed)	P2	Auditable; recorded; reversible
DR-0413.6	Preview sharing for Leave / remove without breaking historical attribution	P3	Minimal; recorded; reversible

28.0414 Assets & media · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Assets & media**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0414.0	Resolve error handling for Gallery and grid views for visual assets	P2	Quiet; recorded; reversible
DR-0414.1	Resolve keyboard flow for Collections / boards within a project	P3	Accessible; recorded; reversible
DR-0414.2	Resolve mobile layout for Versioned assets with visual diff (before/after)	P0	Predictable; recorded; reversible
DR-0414.3	Resolve accessibility for Color and basic metadata extraction	P1	Scoped; recorded; reversible
DR-0414.4	Resolve onboarding for Quick share of an asset or a collection	P2	Auditable; recorded; reversible
DR-0414.5	Resolve sharing for Optimized delivery via storage/CDN	P3	Minimal; recorded; reversible
DR-0414.6	Resolve notifications for Gallery and grid views for visual assets	P0	Fast; recorded; reversible

28.0415 Publish & portfolio · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Publish & portfolio**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0415.0	Emit keyboard flow for Opt-in 'building in public' changelog feed	P3	Accessible; recorded; reversible
DR-0415.1	Emit mobile layout for Simple portfolio that aggregates public projects	P0	Predictable; recorded; reversible
DR-0415.2	Emit accessibility for Custom accent and cover; tasteful defaults	P1	Scoped; recorded; reversible
DR-0415.3	Emit onboarding for 'Made with RMH' attribution (toggleable on paid)	P2	Auditable; recorded; reversible
DR-0415.4	Emit sharing for Shareable timeline embeds	P3	Minimal; recorded; reversible
DR-0415.5	Emit notifications for Public project page generated from the project	P0	Fast; recorded; reversible
DR-0415.6	Emit search indexing for Opt-in 'building in public' changelog feed	P1	Reliable; recorded; reversible

28.0416 Search · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Search**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0416.0	Throttle mobile layout for Keyboard shortcut to summon from anywhere	P0	Predictable; recorded; reversible
DR-0416.1	Throttle accessibility for Recent and pinned results	P1	Scoped; recorded; reversible
DR-0416.2	Throttle onboarding for Search within a single project or across all projects	P2	Auditable; recorded; reversible
DR-0416.3	Throttle sharing for Fast, typo-tolerant matching	P3	Minimal; recorded; reversible
DR-0416.4	Throttle notifications for Unified search across files, docs, tasks, comments, timeline	P0	Fast; recorded; reversible
DR-0416.5	Throttle search indexing for Filter by module, person, date	P1	Reliable; recorded; reversible
DR-0416.6	Throttle storage for Keyboard shortcut to summon from anywhere	P2	Reversible; recorded; reversible

28.0417 Integrations · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Integrations**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0417.0	Paginate accessibility for Import files from common cloud storage	P1	Scoped; recorded; reversible
DR-0417.1	Paginate onboarding for Public read API for project data	P2	Auditable; recorded; reversible
DR-0417.2	Paginate sharing for Embeddable timeline and asset widgets	P3	Minimal; recorded; reversible
DR-0417.3	Paginate notifications for Connect/mirror an external code repository	P0	Fast; recorded; reversible
DR-0417.4	Paginate search indexing for Outgoing webhooks on timeline events	P1	Reliable; recorded; reversible
DR-0417.5	Paginate storage for Share-to-social on publish	P2	Reversible; recorded; reversible
DR-0417.6	Paginate versioning for Import files from common cloud storage	P3	Clear; recorded; reversible

28.0418 Time & invoicing · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Time & invoicing**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0418.0	Debounce onboarding for CSV export for accounting	P2	Auditable; recorded; reversible
DR-0418.1	Debounce sharing for No payment processing — export only, to stay simple and cheap	P3	Minimal; recorded; reversible
DR-0418.2	Debounce notifications for Start/stop timers tied to a project or task	P0	Fast; recorded; reversible
DR-0418.3	Debounce search indexing for Manual time entry and weekly summary	P1	Reliable; recorded; reversible
DR-0418.4	Debounce storage for Simple rate-based invoice generation (export)	P2	Reversible; recorded; reversible
DR-0418.5	Debounce versioning for Per-client rollups across projects	P3	Clear; recorded; reversible
DR-0418.6	Debounce API surface for CSV export for accounting	P0	Quiet; recorded; reversible

28.0419 Community & templates · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Community & templates**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0419.0	Reconcile sharing for Seasonal build challenges to drive activity	P3	Minimal; recorded; reversible
DR-0419.1	Reconcile notifications for Public template gallery; one-click 'use this template'	P0	Fast; recorded; reversible
DR-0419.2	Reconcile search indexing for Community showcase of public projects	P1	Reliable; recorded; reversible
DR-0419.3	Reconcile storage for Featured builders and 'project of the week'	P2	Reversible; recorded; reversible
DR-0419.4	Reconcile versioning for Template submission and curation	P3	Clear; recorded; reversible
DR-0419.5	Reconcile API surface for Lightweight following / favoriting	P0	Quiet; recorded; reversible
DR-0419.6	Reconcile webhooks for Seasonal build challenges to drive activity	P1	Accessible; recorded; reversible

28.0420 Projects · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Projects**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0420.0	Render notifications for Create a project in under a minute, no required config	P0	Fast; recorded; reversible
DR-0420.1	Render search indexing for Each project has a single shared timeline (see MOD-03)	P1	Reliable; recorded; reversible
DR-0420.2	Render storage for Project-level people & roles (owner, editor, viewer)	P2	Reversible; recorded; reversible
DR-0420.3	Render versioning for Lightweight settings: name, description, visibility, accent color	P3	Clear; recorded; reversible
DR-0420.4	Render API surface for Archive / restore without destroying history	P0	Quiet; recorded; reversible
DR-0420.5	Render webhooks for Templates: start from blank, web app, brand kit, or portfolio	P1	Accessible; recorded; reversible
DR-0420.6	Render billing gate for Create a project in under a minute, no required config	P2	Predictable; recorded; reversible

28.0421 Unified files · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Unified files**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0421.0	Persist search indexing for Inline preview for images, common design exports, markdown, and code	P1	Reliable; recorded; reversible
DR-0421.1	Persist storage for Drag-and-drop upload; paste-to-upload from clipboard	P2	Reversible; recorded; reversible
DR-0421.2	Persist versioning for Every file carries its own version history	P3	Clear; recorded; reversible
DR-0421.3	Persist API surface for Tag files by kind (code / design / asset / doc) for filtering	P0	Quiet; recorded; reversible
DR-0421.4	Persist webhooks for Object storage backing; pennies per gigabyte at the budget scale	P1	Accessible; recorded; reversible
DR-0421.5	Persist billing gate for Tree view that mixes code and creative files naturally	P2	Predictable; recorded; reversible
DR-0421.6	Persist offline behavior for Inline preview for images, common design exports, markdown, and code	P3	Scoped; recorded; reversible

28.0422 Timeline · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Timeline**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0422.0	Validate storage for 'Decisions' — pinned timeline notes that capture the why	P2	Reversible; recorded; reversible
DR-0422.1	Validate versioning for Group related changes (a design + its code) into one entry	P3	Clear; recorded; reversible
DR-0422.2	Validate API surface for Git-log-style density for power users; readable summaries for everyone	P0	Quiet; recorded; reversible
DR-0422.3	Validate webhooks for Permalink any moment to share 'here's where we were on Tuesday'	P1	Accessible; recorded; reversible
DR-0422.4	Validate billing gate for Chronological stream of all change events across modules	P2	Predictable; recorded; reversible
DR-0422.5	Validate offline behavior for Filter by person, by module, by file, by date range	P3	Scoped; recorded; reversible
DR-0422.6	Validate import/export for 'Decisions' — pinned timeline notes that capture the why	P0	Auditable; recorded; reversible

28.0423 Code · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Code**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0423.0	Attribute versioning for Connect an existing external repo (mirror) as an alternative to native	P3	Clear; recorded; reversible
DR-0423.1	Attribute API surface for Simple in-browser edits for quick fixes	P0	Quiet; recorded; reversible
DR-0423.2	Attribute webhooks for File-level history shared with MOD-02	P1	Accessible; recorded; reversible
DR-0423.3	Attribute billing gate for Git-backed repository per project	P2	Predictable; recorded; reversible
DR-0423.4	Attribute offline behavior for Browse code with syntax highlighting in-app	P3	Scoped; recorded; reversible
DR-0423.5	Attribute import/export for Commits flow into the unified timeline automatically	P0	Auditable; recorded; reversible
DR-0423.6	Attribute attribution for Connect an existing external repo (mirror) as an alternative to native	P1	Minimal; recorded; reversible

28.0424 Tasks · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Tasks**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0424.0	Group API surface for Keyboard-first quick add	P0	Quiet; recorded; reversible
DR-0424.1	Group webhooks for Filter by assignee, status, linked module	P1	Accessible; recorded; reversible
DR-0424.2	Group billing gate for Simple list and board views; no ceremony	P2	Predictable; recorded; reversible
DR-0424.3	Group offline behavior for Tasks link to files, commits, or decisions	P3	Scoped; recorded; reversible
DR-0424.4	Group import/export for Status changes emit timeline events	P0	Auditable; recorded; reversible
DR-0424.5	Group attribution for Assignee, due date, and a single priority flag — nothing more	P1	Minimal; recorded; reversible
DR-0424.6	Group previews for Keyboard-first quick add	P2	Fast; recorded; reversible

28.0425 Docs · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Docs**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0425.0	Filter webhooks for Public doc sharing via link	P1	Accessible; recorded; reversible
DR-0425.1	Filter billing gate for Markdown editor with live preview	P2	Predictable; recorded; reversible
DR-0425.2	Filter offline behavior for Docs are files (MOD-02) with structured editing on top	P3	Scoped; recorded; reversible
DR-0425.3	Filter import/export for Link docs to tasks, files, and decisions	P0	Auditable; recorded; reversible
DR-0425.4	Filter attribution for Edits appear in the timeline	P1	Minimal; recorded; reversible
DR-0425.5	Filter previews for Templates: brief, spec, decision record, changelog	P2	Fast; recorded; reversible
DR-0425.6	Filter filtering for Public doc sharing via link	P3	Reliable; recorded; reversible

28.0426 Comments & feedback · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Comments & feedback**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0426.0	Sync billing gate for Comment threads anchored to files, images, code lines, or events	P2	Predictable; recorded; reversible
DR-0426.1	Sync offline behavior for Region/pin comments on images and design exports	P3	Scoped; recorded; reversible
DR-0426.2	Sync import/export for Resolve / reopen, with timeline trace	P0	Auditable; recorded; reversible
DR-0426.3	Sync attribution for @mentions notify the right person	P1	Minimal; recorded; reversible
DR-0426.4	Sync previews for Comment digests instead of constant pings	P2	Fast; recorded; reversible
DR-0426.5	Sync filtering for Public comment mode for client review (optional)	P3	Reliable; recorded; reversible
DR-0426.6	Sync data model for Comment threads anchored to files, images, code lines, or events	P0	Reversible; recorded; reversible

28.0427 People & roles · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **People & roles**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0427.0	Cache offline behavior for Per-project membership; invite by link or email	P3	Scoped; recorded; reversible
DR-0427.1	Cache import/export for Consistent identity and avatar across all modules	P0	Auditable; recorded; reversible
DR-0427.2	Cache attribution for Activity attributed to people everywhere	P1	Minimal; recorded; reversible
DR-0427.3	Cache previews for Guest access for client review (time-boxed)	P2	Fast; recorded; reversible
DR-0427.4	Cache filtering for Leave / remove without breaking historical attribution	P3	Reliable; recorded; reversible
DR-0427.5	Cache data model for Three roles: owner, editor, viewer	P0	Reversible; recorded; reversible
DR-0427.6	Cache UI surface for Per-project membership; invite by link or email	P1	Clear; recorded; reversible

28.0428 Assets & media · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Assets & media**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0428.0	Index import/export for Versioned assets with visual diff (before/after)	P0	Auditable; recorded; reversible
DR-0428.1	Index attribution for Color and basic metadata extraction	P1	Minimal; recorded; reversible
DR-0428.2	Index previews for Quick share of an asset or a collection	P2	Fast; recorded; reversible
DR-0428.3	Index filtering for Optimized delivery via storage/CDN	P3	Reliable; recorded; reversible
DR-0428.4	Index data model for Gallery and grid views for visual assets	P0	Reversible; recorded; reversible
DR-0428.5	Index UI surface for Collections / boards within a project	P1	Clear; recorded; reversible
DR-0428.6	Index timeline events for Versioned assets with visual diff (before/after)	P2	Quiet; recorded; reversible

28.0429 Publish & portfolio · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Publish & portfolio**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0429.0	Gate attribution for Custom accent and cover; tasteful defaults	P1	Minimal; recorded; reversible
DR-0429.1	Gate previews for 'Made with RMH' attribution (toggleable on paid)	P2	Fast; recorded; reversible
DR-0429.2	Gate filtering for Shareable timeline embeds	P3	Reliable; recorded; reversible
DR-0429.3	Gate data model for Public project page generated from the project	P0	Reversible; recorded; reversible
DR-0429.4	Gate UI surface for Opt-in 'building in public' changelog feed	P1	Clear; recorded; reversible
DR-0429.5	Gate timeline events for Simple portfolio that aggregates public projects	P2	Quiet; recorded; reversible
DR-0429.6	Gate permissions for Custom accent and cover; tasteful defaults	P3	Accessible; recorded; reversible

28.0430 Search · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Search**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0430.0	Stream previews for Search within a single project or across all projects	P2	Fast; recorded; reversible
DR-0430.1	Stream filtering for Fast, typo-tolerant matching	P3	Reliable; recorded; reversible
DR-0430.2	Stream data model for Unified search across files, docs, tasks, comments, timeline	P0	Reversible; recorded; reversible
DR-0430.3	Stream UI surface for Filter by module, person, date	P1	Clear; recorded; reversible
DR-0430.4	Stream timeline events for Keyboard shortcut to summon from anywhere	P2	Quiet; recorded; reversible
DR-0430.5	Stream permissions for Recent and pinned results	P3	Accessible; recorded; reversible
DR-0430.6	Stream performance for Search within a single project or across all projects	P0	Predictable; recorded; reversible

28.0431 Integrations · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Integrations**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0431.0	Restore filtering for Embeddable timeline and asset widgets	P3	Reliable; recorded; reversible
DR-0431.1	Restore data model for Connect/mirror an external code repository	P0	Reversible; recorded; reversible
DR-0431.2	Restore UI surface for Outgoing webhooks on timeline events	P1	Clear; recorded; reversible
DR-0431.3	Restore timeline events for Share-to-social on publish	P2	Quiet; recorded; reversible
DR-0431.4	Restore permissions for Import files from common cloud storage	P3	Accessible; recorded; reversible
DR-0431.5	Restore performance for Public read API for project data	P0	Predictable; recorded; reversible
DR-0431.6	Restore empty states for Embeddable timeline and asset widgets	P1	Scoped; recorded; reversible

28.0432 Time & invoicing · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Time & invoicing**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0432.0	Export data model for Start/stop timers tied to a project or task	P0	Reversible; recorded; reversible
DR-0432.1	Export UI surface for Manual time entry and weekly summary	P1	Clear; recorded; reversible
DR-0432.2	Export timeline events for Simple rate-based invoice generation (export)	P2	Quiet; recorded; reversible
DR-0432.3	Export permissions for Per-client rollups across projects	P3	Accessible; recorded; reversible
DR-0432.4	Export performance for CSV export for accounting	P0	Predictable; recorded; reversible
DR-0432.5	Export empty states for No payment processing — export only, to stay simple and cheap	P1	Scoped; recorded; reversible
DR-0432.6	Export error handling for Start/stop timers tied to a project or task	P2	Auditable; recorded; reversible

28.0433 Community & templates · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Community & templates**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0433.0	Preview UI surface for Community showcase of public projects	P1	Clear; recorded; reversible
DR-0433.1	Preview timeline events for Featured builders and 'project of the week'	P2	Quiet; recorded; reversible
DR-0433.2	Preview permissions for Template submission and curation	P3	Accessible; recorded; reversible
DR-0433.3	Preview performance for Lightweight following / favoriting	P0	Predictable; recorded; reversible
DR-0433.4	Preview empty states for Seasonal build challenges to drive activity	P1	Scoped; recorded; reversible
DR-0433.5	Preview error handling for Public template gallery; one-click 'use this template'	P2	Auditable; recorded; reversible
DR-0433.6	Preview keyboard flow for Community showcase of public projects	P3	Minimal; recorded; reversible

28.0434 Projects · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Projects**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0434.0	Resolve timeline events for Project-level people & roles (owner, editor, viewer)	P2	Quiet; recorded; reversible
DR-0434.1	Resolve permissions for Lightweight settings: name, description, visibility, accent color	P3	Accessible; recorded; reversible
DR-0434.2	Resolve performance for Archive / restore without destroying history	P0	Predictable; recorded; reversible
DR-0434.3	Resolve empty states for Templates: start from blank, web app, brand kit, or portfolio	P1	Scoped; recorded; reversible
DR-0434.4	Resolve error handling for Create a project in under a minute, no required config	P2	Auditable; recorded; reversible
DR-0434.5	Resolve keyboard flow for Each project has a single shared timeline (see MOD-03)	P3	Minimal; recorded; reversible
DR-0434.6	Resolve mobile layout for Project-level people & roles (owner, editor, viewer)	P0	Fast; recorded; reversible

28.0435 Unified files · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Unified files**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0435.0	Emit permissions for Every file carries its own version history	P3	Accessible; recorded; reversible
DR-0435.1	Emit performance for Tag files by kind (code / design / asset / doc) for filtering	P0	Predictable; recorded; reversible
DR-0435.2	Emit empty states for Object storage backing; pennies per gigabyte at the budget scale	P1	Scoped; recorded; reversible
DR-0435.3	Emit error handling for Tree view that mixes code and creative files naturally	P2	Auditable; recorded; reversible
DR-0435.4	Emit keyboard flow for Inline preview for images, common design exports, markdown, and code	P3	Minimal; recorded; reversible
DR-0435.5	Emit mobile layout for Drag-and-drop upload; paste-to-upload from clipboard	P0	Fast; recorded; reversible
DR-0435.6	Emit accessibility for Every file carries its own version history	P1	Reliable; recorded; reversible

28.0436 Timeline · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Timeline**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0436.0	Throttle performance for Git-log-style density for power users; readable summaries for everyone	P0	Predictable; recorded; reversible
DR-0436.1	Throttle empty states for Permalink any moment to share 'here's where we were on Tuesday'	P1	Scoped; recorded; reversible
DR-0436.2	Throttle error handling for Chronological stream of all change events across modules	P2	Auditable; recorded; reversible
DR-0436.3	Throttle keyboard flow for Filter by person, by module, by file, by date range	P3	Minimal; recorded; reversible
DR-0436.4	Throttle mobile layout for 'Decisions' — pinned timeline notes that capture the why	P0	Fast; recorded; reversible
DR-0436.5	Throttle accessibility for Group related changes (a design + its code) into one entry	P1	Reliable; recorded; reversible
DR-0436.6	Throttle onboarding for Git-log-style density for power users; readable summaries for everyone	P2	Reversible; recorded; reversible

28.0437 Code · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Code**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0437.0	Paginate empty states for File-level history shared with MOD-02	P1	Scoped; recorded; reversible
DR-0437.1	Paginate error handling for Git-backed repository per project	P2	Auditable; recorded; reversible
DR-0437.2	Paginate keyboard flow for Browse code with syntax highlighting in-app	P3	Minimal; recorded; reversible
DR-0437.3	Paginate mobile layout for Commits flow into the unified timeline automatically	P0	Fast; recorded; reversible
DR-0437.4	Paginate accessibility for Connect an existing external repo (mirror) as an alternative to native	P1	Reliable; recorded; reversible
DR-0437.5	Paginate onboarding for Simple in-browser edits for quick fixes	P2	Reversible; recorded; reversible
DR-0437.6	Paginate sharing for File-level history shared with MOD-02	P3	Clear; recorded; reversible

28.0438 Tasks · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Tasks**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0438.0	Debounce error handling for Simple list and board views; no ceremony	P2	Auditable; recorded; reversible
DR-0438.1	Debounce keyboard flow for Tasks link to files, commits, or decisions	P3	Minimal; recorded; reversible
DR-0438.2	Debounce mobile layout for Status changes emit timeline events	P0	Fast; recorded; reversible
DR-0438.3	Debounce accessibility for Assignee, due date, and a single priority flag — nothing more	P1	Reliable; recorded; reversible
DR-0438.4	Debounce onboarding for Keyboard-first quick add	P2	Reversible; recorded; reversible
DR-0438.5	Debounce sharing for Filter by assignee, status, linked module	P3	Clear; recorded; reversible
DR-0438.6	Debounce notifications for Simple list and board views; no ceremony	P0	Quiet; recorded; reversible

28.0439 Docs · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Docs**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0439.0	Reconcile keyboard flow for Docs are files (MOD-02) with structured editing on top	P3	Minimal; recorded; reversible
DR-0439.1	Reconcile mobile layout for Link docs to tasks, files, and decisions	P0	Fast; recorded; reversible
DR-0439.2	Reconcile accessibility for Edits appear in the timeline	P1	Reliable; recorded; reversible
DR-0439.3	Reconcile onboarding for Templates: brief, spec, decision record, changelog	P2	Reversible; recorded; reversible
DR-0439.4	Reconcile sharing for Public doc sharing via link	P3	Clear; recorded; reversible
DR-0439.5	Reconcile notifications for Markdown editor with live preview	P0	Quiet; recorded; reversible
DR-0439.6	Reconcile search indexing for Docs are files (MOD-02) with structured editing on top	P1	Accessible; recorded; reversible

28.0440 Comments & feedback · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Comments & feedback**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0440.0	Render mobile layout for Resolve / reopen, with timeline trace	P0	Fast; recorded; reversible
DR-0440.1	Render accessibility for @mentions notify the right person	P1	Reliable; recorded; reversible
DR-0440.2	Render onboarding for Comment digests instead of constant pings	P2	Reversible; recorded; reversible
DR-0440.3	Render sharing for Public comment mode for client review (optional)	P3	Clear; recorded; reversible
DR-0440.4	Render notifications for Comment threads anchored to files, images, code lines, or events	P0	Quiet; recorded; reversible
DR-0440.5	Render search indexing for Region/pin comments on images and design exports	P1	Accessible; recorded; reversible
DR-0440.6	Render storage for Resolve / reopen, with timeline trace	P2	Predictable; recorded; reversible

28.0441 People & roles · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **People & roles**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0441.0	Persist accessibility for Activity attributed to people everywhere	P1	Reliable; recorded; reversible
DR-0441.1	Persist onboarding for Guest access for client review (time-boxed)	P2	Reversible; recorded; reversible
DR-0441.2	Persist sharing for Leave / remove without breaking historical attribution	P3	Clear; recorded; reversible
DR-0441.3	Persist notifications for Three roles: owner, editor, viewer	P0	Quiet; recorded; reversible
DR-0441.4	Persist search indexing for Per-project membership; invite by link or email	P1	Accessible; recorded; reversible
DR-0441.5	Persist storage for Consistent identity and avatar across all modules	P2	Predictable; recorded; reversible
DR-0441.6	Persist versioning for Activity attributed to people everywhere	P3	Scoped; recorded; reversible

28.0442 Assets & media · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Assets & media**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0442.0	Validate onboarding for Quick share of an asset or a collection	P2	Reversible; recorded; reversible
DR-0442.1	Validate sharing for Optimized delivery via storage/CDN	P3	Clear; recorded; reversible
DR-0442.2	Validate notifications for Gallery and grid views for visual assets	P0	Quiet; recorded; reversible
DR-0442.3	Validate search indexing for Collections / boards within a project	P1	Accessible; recorded; reversible
DR-0442.4	Validate storage for Versioned assets with visual diff (before/after)	P2	Predictable; recorded; reversible
DR-0442.5	Validate versioning for Color and basic metadata extraction	P3	Scoped; recorded; reversible
DR-0442.6	Validate API surface for Quick share of an asset or a collection	P0	Auditable; recorded; reversible

28.0443 Publish & portfolio · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Publish & portfolio**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0443.0	Attribute sharing for Shareable timeline embeds	P3	Clear; recorded; reversible
DR-0443.1	Attribute notifications for Public project page generated from the project	P0	Quiet; recorded; reversible
DR-0443.2	Attribute search indexing for Opt-in 'building in public' changelog feed	P1	Accessible; recorded; reversible
DR-0443.3	Attribute storage for Simple portfolio that aggregates public projects	P2	Predictable; recorded; reversible
DR-0443.4	Attribute versioning for Custom accent and cover; tasteful defaults	P3	Scoped; recorded; reversible
DR-0443.5	Attribute API surface for 'Made with RMH' attribution (toggleable on paid)	P0	Auditable; recorded; reversible
DR-0443.6	Attribute webhooks for Shareable timeline embeds	P1	Minimal; recorded; reversible

28.0444 Search · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Search**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0444.0	Group notifications for Unified search across files, docs, tasks, comments, timeline	P0	Quiet; recorded; reversible
DR-0444.1	Group search indexing for Filter by module, person, date	P1	Accessible; recorded; reversible
DR-0444.2	Group storage for Keyboard shortcut to summon from anywhere	P2	Predictable; recorded; reversible
DR-0444.3	Group versioning for Recent and pinned results	P3	Scoped; recorded; reversible
DR-0444.4	Group API surface for Search within a single project or across all projects	P0	Auditable; recorded; reversible
DR-0444.5	Group webhooks for Fast, typo-tolerant matching	P1	Minimal; recorded; reversible
DR-0444.6	Group billing gate for Unified search across files, docs, tasks, comments, timeline	P2	Fast; recorded; reversible

28.0445 Integrations · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Integrations**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0445.0	Filter search indexing for Outgoing webhooks on timeline events	P1	Accessible; recorded; reversible
DR-0445.1	Filter storage for Share-to-social on publish	P2	Predictable; recorded; reversible
DR-0445.2	Filter versioning for Import files from common cloud storage	P3	Scoped; recorded; reversible
DR-0445.3	Filter API surface for Public read API for project data	P0	Auditable; recorded; reversible
DR-0445.4	Filter webhooks for Embeddable timeline and asset widgets	P1	Minimal; recorded; reversible
DR-0445.5	Filter billing gate for Connect/mirror an external code repository	P2	Fast; recorded; reversible
DR-0445.6	Filter offline behavior for Outgoing webhooks on timeline events	P3	Reliable; recorded; reversible

28.0446 Time & invoicing · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Time & invoicing**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0446.0	Sync storage for Simple rate-based invoice generation (export)	P2	Predictable; recorded; reversible
DR-0446.1	Sync versioning for Per-client rollups across projects	P3	Scoped; recorded; reversible
DR-0446.2	Sync API surface for CSV export for accounting	P0	Auditable; recorded; reversible
DR-0446.3	Sync webhooks for No payment processing — export only, to stay simple and cheap	P1	Minimal; recorded; reversible
DR-0446.4	Sync billing gate for Start/stop timers tied to a project or task	P2	Fast; recorded; reversible
DR-0446.5	Sync offline behavior for Manual time entry and weekly summary	P3	Reliable; recorded; reversible
DR-0446.6	Sync import/export for Simple rate-based invoice generation (export)	P0	Reversible; recorded; reversible

28.0447 Community & templates · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Community & templates**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0447.0	Cache versioning for Template submission and curation	P3	Scoped; recorded; reversible
DR-0447.1	Cache API surface for Lightweight following / favoriting	P0	Auditable; recorded; reversible
DR-0447.2	Cache webhooks for Seasonal build challenges to drive activity	P1	Minimal; recorded; reversible
DR-0447.3	Cache billing gate for Public template gallery; one-click 'use this template'	P2	Fast; recorded; reversible
DR-0447.4	Cache offline behavior for Community showcase of public projects	P3	Reliable; recorded; reversible
DR-0447.5	Cache import/export for Featured builders and 'project of the week'	P0	Reversible; recorded; reversible
DR-0447.6	Cache attribution for Template submission and curation	P1	Clear; recorded; reversible

28.0448 Projects · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Projects**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0448.0	Index API surface for Archive / restore without destroying history	P0	Auditable; recorded; reversible
DR-0448.1	Index webhooks for Templates: start from blank, web app, brand kit, or portfolio	P1	Minimal; recorded; reversible
DR-0448.2	Index billing gate for Create a project in under a minute, no required config	P2	Fast; recorded; reversible
DR-0448.3	Index offline behavior for Each project has a single shared timeline (see MOD-03)	P3	Reliable; recorded; reversible
DR-0448.4	Index import/export for Project-level people & roles (owner, editor, viewer)	P0	Reversible; recorded; reversible
DR-0448.5	Index attribution for Lightweight settings: name, description, visibility, accent color	P1	Clear; recorded; reversible
DR-0448.6	Index previews for Archive / restore without destroying history	P2	Quiet; recorded; reversible

28.0449 Unified files · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Unified files**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0449.0	Gate webhooks for Object storage backing; pennies per gigabyte at the budget scale	P1	Minimal; recorded; reversible
DR-0449.1	Gate billing gate for Tree view that mixes code and creative files naturally	P2	Fast; recorded; reversible
DR-0449.2	Gate offline behavior for Inline preview for images, common design exports, markdown, and code	P3	Reliable; recorded; reversible
DR-0449.3	Gate import/export for Drag-and-drop upload; paste-to-upload from clipboard	P0	Reversible; recorded; reversible
DR-0449.4	Gate attribution for Every file carries its own version history	P1	Clear; recorded; reversible
DR-0449.5	Gate previews for Tag files by kind (code / design / asset / doc) for filtering	P2	Quiet; recorded; reversible
DR-0449.6	Gate filtering for Object storage backing; pennies per gigabyte at the budget scale	P3	Accessible; recorded; reversible

28.0450 Timeline · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Timeline**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0450.0	Stream billing gate for Chronological stream of all change events across modules	P2	Fast; recorded; reversible
DR-0450.1	Stream offline behavior for Filter by person, by module, by file, by date range	P3	Reliable; recorded; reversible
DR-0450.2	Stream import/export for 'Decisions' — pinned timeline notes that capture the why	P0	Reversible; recorded; reversible
DR-0450.3	Stream attribution for Group related changes (a design + its code) into one entry	P1	Clear; recorded; reversible
DR-0450.4	Stream previews for Git-log-style density for power users; readable summaries for everyone	P2	Quiet; recorded; reversible
DR-0450.5	Stream filtering for Permalink any moment to share 'here's where we were on Tuesday'	P3	Accessible; recorded; reversible
DR-0450.6	Stream data model for Chronological stream of all change events across modules	P0	Predictable; recorded; reversible

28.0451 Code · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Code**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0451.0	Restore offline behavior for Browse code with syntax highlighting in-app	P3	Reliable; recorded; reversible
DR-0451.1	Restore import/export for Commits flow into the unified timeline automatically	P0	Reversible; recorded; reversible
DR-0451.2	Restore attribution for Connect an existing external repo (mirror) as an alternative to native	P1	Clear; recorded; reversible
DR-0451.3	Restore previews for Simple in-browser edits for quick fixes	P2	Quiet; recorded; reversible
DR-0451.4	Restore filtering for File-level history shared with MOD-02	P3	Accessible; recorded; reversible
DR-0451.5	Restore data model for Git-backed repository per project	P0	Predictable; recorded; reversible
DR-0451.6	Restore UI surface for Browse code with syntax highlighting in-app	P1	Scoped; recorded; reversible

28.0452 Tasks · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Tasks**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0452.0	Export import/export for Status changes emit timeline events	P0	Reversible; recorded; reversible
DR-0452.1	Export attribution for Assignee, due date, and a single priority flag — nothing more	P1	Clear; recorded; reversible
DR-0452.2	Export previews for Keyboard-first quick add	P2	Quiet; recorded; reversible
DR-0452.3	Export filtering for Filter by assignee, status, linked module	P3	Accessible; recorded; reversible
DR-0452.4	Export data model for Simple list and board views; no ceremony	P0	Predictable; recorded; reversible
DR-0452.5	Export UI surface for Tasks link to files, commits, or decisions	P1	Scoped; recorded; reversible
DR-0452.6	Export timeline events for Status changes emit timeline events	P2	Auditable; recorded; reversible

28.0453 Docs · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Docs**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0453.0	Preview attribution for Edits appear in the timeline	P1	Clear; recorded; reversible
DR-0453.1	Preview previews for Templates: brief, spec, decision record, changelog	P2	Quiet; recorded; reversible
DR-0453.2	Preview filtering for Public doc sharing via link	P3	Accessible; recorded; reversible
DR-0453.3	Preview data model for Markdown editor with live preview	P0	Predictable; recorded; reversible
DR-0453.4	Preview UI surface for Docs are files (MOD-02) with structured editing on top	P1	Scoped; recorded; reversible
DR-0453.5	Preview timeline events for Link docs to tasks, files, and decisions	P2	Auditable; recorded; reversible
DR-0453.6	Preview permissions for Edits appear in the timeline	P3	Minimal; recorded; reversible

28.0454 Comments & feedback · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Comments & feedback**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0454.0	Resolve previews for Comment digests instead of constant pings	P2	Quiet; recorded; reversible
DR-0454.1	Resolve filtering for Public comment mode for client review (optional)	P3	Accessible; recorded; reversible
DR-0454.2	Resolve data model for Comment threads anchored to files, images, code lines, or events	P0	Predictable; recorded; reversible
DR-0454.3	Resolve UI surface for Region/pin comments on images and design exports	P1	Scoped; recorded; reversible
DR-0454.4	Resolve timeline events for Resolve / reopen, with timeline trace	P2	Auditable; recorded; reversible
DR-0454.5	Resolve permissions for @mentions notify the right person	P3	Minimal; recorded; reversible
DR-0454.6	Resolve performance for Comment digests instead of constant pings	P0	Fast; recorded; reversible

28.0455 People & roles · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **People & roles**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0455.0	Emit filtering for Leave / remove without breaking historical attribution	P3	Accessible; recorded; reversible
DR-0455.1	Emit data model for Three roles: owner, editor, viewer	P0	Predictable; recorded; reversible
DR-0455.2	Emit UI surface for Per-project membership; invite by link or email	P1	Scoped; recorded; reversible
DR-0455.3	Emit timeline events for Consistent identity and avatar across all modules	P2	Auditable; recorded; reversible
DR-0455.4	Emit permissions for Activity attributed to people everywhere	P3	Minimal; recorded; reversible
DR-0455.5	Emit performance for Guest access for client review (time-boxed)	P0	Fast; recorded; reversible
DR-0455.6	Emit empty states for Leave / remove without breaking historical attribution	P1	Reliable; recorded; reversible

28.0456 Assets & media · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Assets & media**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0456.0	Throttle data model for Gallery and grid views for visual assets	P0	Predictable; recorded; reversible
DR-0456.1	Throttle UI surface for Collections / boards within a project	P1	Scoped; recorded; reversible
DR-0456.2	Throttle timeline events for Versioned assets with visual diff (before/after)	P2	Auditable; recorded; reversible
DR-0456.3	Throttle permissions for Color and basic metadata extraction	P3	Minimal; recorded; reversible
DR-0456.4	Throttle performance for Quick share of an asset or a collection	P0	Fast; recorded; reversible
DR-0456.5	Throttle empty states for Optimized delivery via storage/CDN	P1	Reliable; recorded; reversible
DR-0456.6	Throttle error handling for Gallery and grid views for visual assets	P2	Reversible; recorded; reversible

28.0457 Publish & portfolio · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Publish & portfolio**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0457.0	Paginate UI surface for Opt-in 'building in public' changelog feed	P1	Scoped; recorded; reversible
DR-0457.1	Paginate timeline events for Simple portfolio that aggregates public projects	P2	Auditable; recorded; reversible
DR-0457.2	Paginate permissions for Custom accent and cover; tasteful defaults	P3	Minimal; recorded; reversible
DR-0457.3	Paginate performance for 'Made with RMH' attribution (toggleable on paid)	P0	Fast; recorded; reversible
DR-0457.4	Paginate empty states for Shareable timeline embeds	P1	Reliable; recorded; reversible
DR-0457.5	Paginate error handling for Public project page generated from the project	P2	Reversible; recorded; reversible
DR-0457.6	Paginate keyboard flow for Opt-in 'building in public' changelog feed	P3	Clear; recorded; reversible

28.0458 Search · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Search**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0458.0	Debounce timeline events for Keyboard shortcut to summon from anywhere	P2	Auditable; recorded; reversible
DR-0458.1	Debounce permissions for Recent and pinned results	P3	Minimal; recorded; reversible
DR-0458.2	Debounce performance for Search within a single project or across all projects	P0	Fast; recorded; reversible
DR-0458.3	Debounce empty states for Fast, typo-tolerant matching	P1	Reliable; recorded; reversible
DR-0458.4	Debounce error handling for Unified search across files, docs, tasks, comments, timeline	P2	Reversible; recorded; reversible
DR-0458.5	Debounce keyboard flow for Filter by module, person, date	P3	Clear; recorded; reversible
DR-0458.6	Debounce mobile layout for Keyboard shortcut to summon from anywhere	P0	Quiet; recorded; reversible

28.0459 Integrations · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Integrations**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0459.0	Reconcile permissions for Import files from common cloud storage	P3	Minimal; recorded; reversible
DR-0459.1	Reconcile performance for Public read API for project data	P0	Fast; recorded; reversible
DR-0459.2	Reconcile empty states for Embeddable timeline and asset widgets	P1	Reliable; recorded; reversible
DR-0459.3	Reconcile error handling for Connect/mirror an external code repository	P2	Reversible; recorded; reversible
DR-0459.4	Reconcile keyboard flow for Outgoing webhooks on timeline events	P3	Clear; recorded; reversible
DR-0459.5	Reconcile mobile layout for Share-to-social on publish	P0	Quiet; recorded; reversible
DR-0459.6	Reconcile accessibility for Import files from common cloud storage	P1	Accessible; recorded; reversible

28.0460 Time & invoicing · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Time & invoicing**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0460.0	Render performance for CSV export for accounting	P0	Fast; recorded; reversible
DR-0460.1	Render empty states for No payment processing — export only, to stay simple and cheap	P1	Reliable; recorded; reversible
DR-0460.2	Render error handling for Start/stop timers tied to a project or task	P2	Reversible; recorded; reversible
DR-0460.3	Render keyboard flow for Manual time entry and weekly summary	P3	Clear; recorded; reversible
DR-0460.4	Render mobile layout for Simple rate-based invoice generation (export)	P0	Quiet; recorded; reversible
DR-0460.5	Render accessibility for Per-client rollups across projects	P1	Accessible; recorded; reversible
DR-0460.6	Render onboarding for CSV export for accounting	P2	Predictable; recorded; reversible

28.0461 Community & templates · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Community & templates**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0461.0	Persist empty states for Seasonal build challenges to drive activity	P1	Reliable; recorded; reversible
DR-0461.1	Persist error handling for Public template gallery; one-click 'use this template'	P2	Reversible; recorded; reversible
DR-0461.2	Persist keyboard flow for Community showcase of public projects	P3	Clear; recorded; reversible
DR-0461.3	Persist mobile layout for Featured builders and 'project of the week'	P0	Quiet; recorded; reversible
DR-0461.4	Persist accessibility for Template submission and curation	P1	Accessible; recorded; reversible
DR-0461.5	Persist onboarding for Lightweight following / favoriting	P2	Predictable; recorded; reversible
DR-0461.6	Persist sharing for Seasonal build challenges to drive activity	P3	Scoped; recorded; reversible

28.0462 Projects · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Projects**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0462.0	Validate error handling for Create a project in under a minute, no required config	P2	Reversible; recorded; reversible
DR-0462.1	Validate keyboard flow for Each project has a single shared timeline (see MOD-03)	P3	Clear; recorded; reversible
DR-0462.2	Validate mobile layout for Project-level people & roles (owner, editor, viewer)	P0	Quiet; recorded; reversible
DR-0462.3	Validate accessibility for Lightweight settings: name, description, visibility, accent color	P1	Accessible; recorded; reversible
DR-0462.4	Validate onboarding for Archive / restore without destroying history	P2	Predictable; recorded; reversible
DR-0462.5	Validate sharing for Templates: start from blank, web app, brand kit, or portfolio	P3	Scoped; recorded; reversible
DR-0462.6	Validate notifications for Create a project in under a minute, no required config	P0	Auditable; recorded; reversible

28.0463 Unified files · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Unified files**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0463.0	Attribute keyboard flow for Inline preview for images, common design exports, markdown, and code	P3	Clear; recorded; reversible
DR-0463.1	Attribute mobile layout for Drag-and-drop upload; paste-to-upload from clipboard	P0	Quiet; recorded; reversible
DR-0463.2	Attribute accessibility for Every file carries its own version history	P1	Accessible; recorded; reversible
DR-0463.3	Attribute onboarding for Tag files by kind (code / design / asset / doc) for filtering	P2	Predictable; recorded; reversible
DR-0463.4	Attribute sharing for Object storage backing; pennies per gigabyte at the budget scale	P3	Scoped; recorded; reversible
DR-0463.5	Attribute notifications for Tree view that mixes code and creative files naturally	P0	Auditable; recorded; reversible
DR-0463.6	Attribute search indexing for Inline preview for images, common design exports, markdown, and code	P1	Minimal; recorded; reversible

28.0464 Timeline · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Timeline**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0464.0	Group mobile layout for 'Decisions' — pinned timeline notes that capture the why	P0	Quiet; recorded; reversible
DR-0464.1	Group accessibility for Group related changes (a design + its code) into one entry	P1	Accessible; recorded; reversible
DR-0464.2	Group onboarding for Git-log-style density for power users; readable summaries for everyone	P2	Predictable; recorded; reversible
DR-0464.3	Group sharing for Permalink any moment to share 'here's where we were on Tuesday'	P3	Scoped; recorded; reversible
DR-0464.4	Group notifications for Chronological stream of all change events across modules	P0	Auditable; recorded; reversible
DR-0464.5	Group search indexing for Filter by person, by module, by file, by date range	P1	Minimal; recorded; reversible
DR-0464.6	Group storage for 'Decisions' — pinned timeline notes that capture the why	P2	Fast; recorded; reversible

28.0465 Code · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Code**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0465.0	Filter accessibility for Connect an existing external repo (mirror) as an alternative to native	P1	Accessible; recorded; reversible
DR-0465.1	Filter onboarding for Simple in-browser edits for quick fixes	P2	Predictable; recorded; reversible
DR-0465.2	Filter sharing for File-level history shared with MOD-02	P3	Scoped; recorded; reversible
DR-0465.3	Filter notifications for Git-backed repository per project	P0	Auditable; recorded; reversible
DR-0465.4	Filter search indexing for Browse code with syntax highlighting in-app	P1	Minimal; recorded; reversible
DR-0465.5	Filter storage for Commits flow into the unified timeline automatically	P2	Fast; recorded; reversible
DR-0465.6	Filter versioning for Connect an existing external repo (mirror) as an alternative to native	P3	Reliable; recorded; reversible

28.0466 Tasks · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Tasks**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0466.0	Sync onboarding for Keyboard-first quick add	P2	Predictable; recorded; reversible
DR-0466.1	Sync sharing for Filter by assignee, status, linked module	P3	Scoped; recorded; reversible
DR-0466.2	Sync notifications for Simple list and board views; no ceremony	P0	Auditable; recorded; reversible
DR-0466.3	Sync search indexing for Tasks link to files, commits, or decisions	P1	Minimal; recorded; reversible
DR-0466.4	Sync storage for Status changes emit timeline events	P2	Fast; recorded; reversible
DR-0466.5	Sync versioning for Assignee, due date, and a single priority flag — nothing more	P3	Reliable; recorded; reversible
DR-0466.6	Sync API surface for Keyboard-first quick add	P0	Reversible; recorded; reversible

28.0467 Docs · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Docs**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0467.0	Cache sharing for Public doc sharing via link	P3	Scoped; recorded; reversible
DR-0467.1	Cache notifications for Markdown editor with live preview	P0	Auditable; recorded; reversible
DR-0467.2	Cache search indexing for Docs are files (MOD-02) with structured editing on top	P1	Minimal; recorded; reversible
DR-0467.3	Cache storage for Link docs to tasks, files, and decisions	P2	Fast; recorded; reversible
DR-0467.4	Cache versioning for Edits appear in the timeline	P3	Reliable; recorded; reversible
DR-0467.5	Cache API surface for Templates: brief, spec, decision record, changelog	P0	Reversible; recorded; reversible
DR-0467.6	Cache webhooks for Public doc sharing via link	P1	Clear; recorded; reversible

28.0468 Comments & feedback · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Comments & feedback**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0468.0	Index notifications for Comment threads anchored to files, images, code lines, or events	P0	Auditable; recorded; reversible
DR-0468.1	Index search indexing for Region/pin comments on images and design exports	P1	Minimal; recorded; reversible
DR-0468.2	Index storage for Resolve / reopen, with timeline trace	P2	Fast; recorded; reversible
DR-0468.3	Index versioning for @mentions notify the right person	P3	Reliable; recorded; reversible
DR-0468.4	Index API surface for Comment digests instead of constant pings	P0	Reversible; recorded; reversible
DR-0468.5	Index webhooks for Public comment mode for client review (optional)	P1	Clear; recorded; reversible
DR-0468.6	Index billing gate for Comment threads anchored to files, images, code lines, or events	P2	Quiet; recorded; reversible

28.0469 People & roles · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **People & roles**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0469.0	Gate search indexing for Per-project membership; invite by link or email	P1	Minimal; recorded; reversible
DR-0469.1	Gate storage for Consistent identity and avatar across all modules	P2	Fast; recorded; reversible
DR-0469.2	Gate versioning for Activity attributed to people everywhere	P3	Reliable; recorded; reversible
DR-0469.3	Gate API surface for Guest access for client review (time-boxed)	P0	Reversible; recorded; reversible
DR-0469.4	Gate webhooks for Leave / remove without breaking historical attribution	P1	Clear; recorded; reversible
DR-0469.5	Gate billing gate for Three roles: owner, editor, viewer	P2	Quiet; recorded; reversible
DR-0469.6	Gate offline behavior for Per-project membership; invite by link or email	P3	Accessible; recorded; reversible

28.0470 Assets & media · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Assets & media**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0470.0	Stream storage for Versioned assets with visual diff (before/after)	P2	Fast; recorded; reversible
DR-0470.1	Stream versioning for Color and basic metadata extraction	P3	Reliable; recorded; reversible
DR-0470.2	Stream API surface for Quick share of an asset or a collection	P0	Reversible; recorded; reversible
DR-0470.3	Stream webhooks for Optimized delivery via storage/CDN	P1	Clear; recorded; reversible
DR-0470.4	Stream billing gate for Gallery and grid views for visual assets	P2	Quiet; recorded; reversible
DR-0470.5	Stream offline behavior for Collections / boards within a project	P3	Accessible; recorded; reversible
DR-0470.6	Stream import/export for Versioned assets with visual diff (before/after)	P0	Predictable; recorded; reversible

28.0471 Publish & portfolio · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Publish & portfolio**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0471.0	Restore versioning for Custom accent and cover; tasteful defaults	P3	Reliable; recorded; reversible
DR-0471.1	Restore API surface for 'Made with RMH' attribution (toggleable on paid)	P0	Reversible; recorded; reversible
DR-0471.2	Restore webhooks for Shareable timeline embeds	P1	Clear; recorded; reversible
DR-0471.3	Restore billing gate for Public project page generated from the project	P2	Quiet; recorded; reversible
DR-0471.4	Restore offline behavior for Opt-in 'building in public' changelog feed	P3	Accessible; recorded; reversible
DR-0471.5	Restore import/export for Simple portfolio that aggregates public projects	P0	Predictable; recorded; reversible
DR-0471.6	Restore attribution for Custom accent and cover; tasteful defaults	P1	Scoped; recorded; reversible

28.0472 Search · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Search**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0472.0	Export API surface for Search within a single project or across all projects	P0	Reversible; recorded; reversible
DR-0472.1	Export webhooks for Fast, typo-tolerant matching	P1	Clear; recorded; reversible
DR-0472.2	Export billing gate for Unified search across files, docs, tasks, comments, timeline	P2	Quiet; recorded; reversible
DR-0472.3	Export offline behavior for Filter by module, person, date	P3	Accessible; recorded; reversible
DR-0472.4	Export import/export for Keyboard shortcut to summon from anywhere	P0	Predictable; recorded; reversible
DR-0472.5	Export attribution for Recent and pinned results	P1	Scoped; recorded; reversible
DR-0472.6	Export previews for Search within a single project or across all projects	P2	Auditable; recorded; reversible

28.0473 Integrations · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Integrations**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0473.0	Preview webhooks for Embeddable timeline and asset widgets	P1	Clear; recorded; reversible
DR-0473.1	Preview billing gate for Connect/mirror an external code repository	P2	Quiet; recorded; reversible
DR-0473.2	Preview offline behavior for Outgoing webhooks on timeline events	P3	Accessible; recorded; reversible
DR-0473.3	Preview import/export for Share-to-social on publish	P0	Predictable; recorded; reversible
DR-0473.4	Preview attribution for Import files from common cloud storage	P1	Scoped; recorded; reversible
DR-0473.5	Preview previews for Public read API for project data	P2	Auditable; recorded; reversible
DR-0473.6	Preview filtering for Embeddable timeline and asset widgets	P3	Minimal; recorded; reversible

28.0474 Time & invoicing · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Time & invoicing**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0474.0	Resolve billing gate for Start/stop timers tied to a project or task	P2	Quiet; recorded; reversible
DR-0474.1	Resolve offline behavior for Manual time entry and weekly summary	P3	Accessible; recorded; reversible
DR-0474.2	Resolve import/export for Simple rate-based invoice generation (export)	P0	Predictable; recorded; reversible
DR-0474.3	Resolve attribution for Per-client rollups across projects	P1	Scoped; recorded; reversible
DR-0474.4	Resolve previews for CSV export for accounting	P2	Auditable; recorded; reversible
DR-0474.5	Resolve filtering for No payment processing — export only, to stay simple and cheap	P3	Minimal; recorded; reversible
DR-0474.6	Resolve data model for Start/stop timers tied to a project or task	P0	Fast; recorded; reversible

28.0475 Community & templates · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Community & templates**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0475.0	Emit offline behavior for Community showcase of public projects	P3	Accessible; recorded; reversible
DR-0475.1	Emit import/export for Featured builders and 'project of the week'	P0	Predictable; recorded; reversible
DR-0475.2	Emit attribution for Template submission and curation	P1	Scoped; recorded; reversible
DR-0475.3	Emit previews for Lightweight following / favoriting	P2	Auditable; recorded; reversible
DR-0475.4	Emit filtering for Seasonal build challenges to drive activity	P3	Minimal; recorded; reversible
DR-0475.5	Emit data model for Public template gallery; one-click 'use this template'	P0	Fast; recorded; reversible
DR-0475.6	Emit UI surface for Community showcase of public projects	P1	Reliable; recorded; reversible

28.0476 Projects · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Projects**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0476.0	Throttle import/export for Project-level people & roles (owner, editor, viewer)	P0	Predictable; recorded; reversible
DR-0476.1	Throttle attribution for Lightweight settings: name, description, visibility, accent color	P1	Scoped; recorded; reversible
DR-0476.2	Throttle previews for Archive / restore without destroying history	P2	Auditable; recorded; reversible
DR-0476.3	Throttle filtering for Templates: start from blank, web app, brand kit, or portfolio	P3	Minimal; recorded; reversible
DR-0476.4	Throttle data model for Create a project in under a minute, no required config	P0	Fast; recorded; reversible
DR-0476.5	Throttle UI surface for Each project has a single shared timeline (see MOD-03)	P1	Reliable; recorded; reversible
DR-0476.6	Throttle timeline events for Project-level people & roles (owner, editor, viewer)	P2	Reversible; recorded; reversible

28.0477 Unified files · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Unified files**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0477.0	Paginate attribution for Every file carries its own version history	P1	Scoped; recorded; reversible
DR-0477.1	Paginate previews for Tag files by kind (code / design / asset / doc) for filtering	P2	Auditable; recorded; reversible
DR-0477.2	Paginate filtering for Object storage backing; pennies per gigabyte at the budget scale	P3	Minimal; recorded; reversible
DR-0477.3	Paginate data model for Tree view that mixes code and creative files naturally	P0	Fast; recorded; reversible
DR-0477.4	Paginate UI surface for Inline preview for images, common design exports, markdown, and code	P1	Reliable; recorded; reversible
DR-0477.5	Paginate timeline events for Drag-and-drop upload; paste-to-upload from clipboard	P2	Reversible; recorded; reversible
DR-0477.6	Paginate permissions for Every file carries its own version history	P3	Clear; recorded; reversible

28.0478 Timeline · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Timeline**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0478.0	Debounce previews for Git-log-style density for power users; readable summaries for everyone	P2	Auditable; recorded; reversible
DR-0478.1	Debounce filtering for Permalink any moment to share 'here's where we were on Tuesday'	P3	Minimal; recorded; reversible
DR-0478.2	Debounce data model for Chronological stream of all change events across modules	P0	Fast; recorded; reversible
DR-0478.3	Debounce UI surface for Filter by person, by module, by file, by date range	P1	Reliable; recorded; reversible
DR-0478.4	Debounce timeline events for 'Decisions' — pinned timeline notes that capture the why	P2	Reversible; recorded; reversible
DR-0478.5	Debounce permissions for Group related changes (a design + its code) into one entry	P3	Clear; recorded; reversible
DR-0478.6	Debounce performance for Git-log-style density for power users; readable summaries for everyone	P0	Quiet; recorded; reversible

28.0479 Code · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Code**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0479.0	Reconcile filtering for File-level history shared with MOD-02	P3	Minimal; recorded; reversible
DR-0479.1	Reconcile data model for Git-backed repository per project	P0	Fast; recorded; reversible
DR-0479.2	Reconcile UI surface for Browse code with syntax highlighting in-app	P1	Reliable; recorded; reversible
DR-0479.3	Reconcile timeline events for Commits flow into the unified timeline automatically	P2	Reversible; recorded; reversible
DR-0479.4	Reconcile permissions for Connect an existing external repo (mirror) as an alternative to native	P3	Clear; recorded; reversible
DR-0479.5	Reconcile performance for Simple in-browser edits for quick fixes	P0	Quiet; recorded; reversible
DR-0479.6	Reconcile empty states for File-level history shared with MOD-02	P1	Accessible; recorded; reversible

28.0480 Tasks · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Tasks**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0480.0	Render data model for Simple list and board views; no ceremony	P0	Fast; recorded; reversible
DR-0480.1	Render UI surface for Tasks link to files, commits, or decisions	P1	Reliable; recorded; reversible
DR-0480.2	Render timeline events for Status changes emit timeline events	P2	Reversible; recorded; reversible
DR-0480.3	Render permissions for Assignee, due date, and a single priority flag — nothing more	P3	Clear; recorded; reversible
DR-0480.4	Render performance for Keyboard-first quick add	P0	Quiet; recorded; reversible
DR-0480.5	Render empty states for Filter by assignee, status, linked module	P1	Accessible; recorded; reversible
DR-0480.6	Render error handling for Simple list and board views; no ceremony	P2	Predictable; recorded; reversible

28.0481 Docs · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Docs**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0481.0	Persist UI surface for Docs are files (MOD-02) with structured editing on top	P1	Reliable; recorded; reversible
DR-0481.1	Persist timeline events for Link docs to tasks, files, and decisions	P2	Reversible; recorded; reversible
DR-0481.2	Persist permissions for Edits appear in the timeline	P3	Clear; recorded; reversible
DR-0481.3	Persist performance for Templates: brief, spec, decision record, changelog	P0	Quiet; recorded; reversible
DR-0481.4	Persist empty states for Public doc sharing via link	P1	Accessible; recorded; reversible
DR-0481.5	Persist error handling for Markdown editor with live preview	P2	Predictable; recorded; reversible
DR-0481.6	Persist keyboard flow for Docs are files (MOD-02) with structured editing on top	P3	Scoped; recorded; reversible

28.0482 Comments & feedback · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Comments & feedback**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0482.0	Validate timeline events for Resolve / reopen, with timeline trace	P2	Reversible; recorded; reversible
DR-0482.1	Validate permissions for @mentions notify the right person	P3	Clear; recorded; reversible
DR-0482.2	Validate performance for Comment digests instead of constant pings	P0	Quiet; recorded; reversible
DR-0482.3	Validate empty states for Public comment mode for client review (optional)	P1	Accessible; recorded; reversible
DR-0482.4	Validate error handling for Comment threads anchored to files, images, code lines, or events	P2	Predictable; recorded; reversible
DR-0482.5	Validate keyboard flow for Region/pin comments on images and design exports	P3	Scoped; recorded; reversible
DR-0482.6	Validate mobile layout for Resolve / reopen, with timeline trace	P0	Auditable; recorded; reversible

28.0483 People & roles · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **People & roles**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0483.0	Attribute permissions for Activity attributed to people everywhere	P3	Clear; recorded; reversible
DR-0483.1	Attribute performance for Guest access for client review (time-boxed)	P0	Quiet; recorded; reversible
DR-0483.2	Attribute empty states for Leave / remove without breaking historical attribution	P1	Accessible; recorded; reversible
DR-0483.3	Attribute error handling for Three roles: owner, editor, viewer	P2	Predictable; recorded; reversible
DR-0483.4	Attribute keyboard flow for Per-project membership; invite by link or email	P3	Scoped; recorded; reversible
DR-0483.5	Attribute mobile layout for Consistent identity and avatar across all modules	P0	Auditable; recorded; reversible
DR-0483.6	Attribute accessibility for Activity attributed to people everywhere	P1	Minimal; recorded; reversible

28.0484 Assets & media · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Assets & media**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0484.0	Group performance for Quick share of an asset or a collection	P0	Quiet; recorded; reversible
DR-0484.1	Group empty states for Optimized delivery via storage/CDN	P1	Accessible; recorded; reversible
DR-0484.2	Group error handling for Gallery and grid views for visual assets	P2	Predictable; recorded; reversible
DR-0484.3	Group keyboard flow for Collections / boards within a project	P3	Scoped; recorded; reversible
DR-0484.4	Group mobile layout for Versioned assets with visual diff (before/after)	P0	Auditable; recorded; reversible
DR-0484.5	Group accessibility for Color and basic metadata extraction	P1	Minimal; recorded; reversible
DR-0484.6	Group onboarding for Quick share of an asset or a collection	P2	Fast; recorded; reversible

28.0485 Publish & portfolio · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Publish & portfolio**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0485.0	Filter empty states for Shareable timeline embeds	P1	Accessible; recorded; reversible
DR-0485.1	Filter error handling for Public project page generated from the project	P2	Predictable; recorded; reversible
DR-0485.2	Filter keyboard flow for Opt-in 'building in public' changelog feed	P3	Scoped; recorded; reversible
DR-0485.3	Filter mobile layout for Simple portfolio that aggregates public projects	P0	Auditable; recorded; reversible
DR-0485.4	Filter accessibility for Custom accent and cover; tasteful defaults	P1	Minimal; recorded; reversible
DR-0485.5	Filter onboarding for 'Made with RMH' attribution (toggleable on paid)	P2	Fast; recorded; reversible
DR-0485.6	Filter sharing for Shareable timeline embeds	P3	Reliable; recorded; reversible

28.0486 Search · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Search**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0486.0	Sync error handling for Unified search across files, docs, tasks, comments, timeline	P2	Predictable; recorded; reversible
DR-0486.1	Sync keyboard flow for Filter by module, person, date	P3	Scoped; recorded; reversible
DR-0486.2	Sync mobile layout for Keyboard shortcut to summon from anywhere	P0	Auditable; recorded; reversible
DR-0486.3	Sync accessibility for Recent and pinned results	P1	Minimal; recorded; reversible
DR-0486.4	Sync onboarding for Search within a single project or across all projects	P2	Fast; recorded; reversible
DR-0486.5	Sync sharing for Fast, typo-tolerant matching	P3	Reliable; recorded; reversible
DR-0486.6	Sync notifications for Unified search across files, docs, tasks, comments, timeline	P0	Reversible; recorded; reversible

28.0487 Integrations · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Integrations**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0487.0	Cache keyboard flow for Outgoing webhooks on timeline events	P3	Scoped; recorded; reversible
DR-0487.1	Cache mobile layout for Share-to-social on publish	P0	Auditable; recorded; reversible
DR-0487.2	Cache accessibility for Import files from common cloud storage	P1	Minimal; recorded; reversible
DR-0487.3	Cache onboarding for Public read API for project data	P2	Fast; recorded; reversible
DR-0487.4	Cache sharing for Embeddable timeline and asset widgets	P3	Reliable; recorded; reversible
DR-0487.5	Cache notifications for Connect/mirror an external code repository	P0	Reversible; recorded; reversible
DR-0487.6	Cache search indexing for Outgoing webhooks on timeline events	P1	Clear; recorded; reversible

28.0488 Time & invoicing · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Time & invoicing**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0488.0	Index mobile layout for Simple rate-based invoice generation (export)	P0	Auditable; recorded; reversible
DR-0488.1	Index accessibility for Per-client rollups across projects	P1	Minimal; recorded; reversible
DR-0488.2	Index onboarding for CSV export for accounting	P2	Fast; recorded; reversible
DR-0488.3	Index sharing for No payment processing — export only, to stay simple and cheap	P3	Reliable; recorded; reversible
DR-0488.4	Index notifications for Start/stop timers tied to a project or task	P0	Reversible; recorded; reversible
DR-0488.5	Index search indexing for Manual time entry and weekly summary	P1	Clear; recorded; reversible
DR-0488.6	Index storage for Simple rate-based invoice generation (export)	P2	Quiet; recorded; reversible

28.0489 Community & templates · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Community & templates**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0489.0	Gate accessibility for Template submission and curation	P1	Minimal; recorded; reversible
DR-0489.1	Gate onboarding for Lightweight following / favoriting	P2	Fast; recorded; reversible
DR-0489.2	Gate sharing for Seasonal build challenges to drive activity	P3	Reliable; recorded; reversible
DR-0489.3	Gate notifications for Public template gallery; one-click 'use this template'	P0	Reversible; recorded; reversible
DR-0489.4	Gate search indexing for Community showcase of public projects	P1	Clear; recorded; reversible
DR-0489.5	Gate storage for Featured builders and 'project of the week'	P2	Quiet; recorded; reversible
DR-0489.6	Gate versioning for Template submission and curation	P3	Accessible; recorded; reversible

28.0490 Projects · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Projects**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0490.0	Stream onboarding for Archive / restore without destroying history	P2	Fast; recorded; reversible
DR-0490.1	Stream sharing for Templates: start from blank, web app, brand kit, or portfolio	P3	Reliable; recorded; reversible
DR-0490.2	Stream notifications for Create a project in under a minute, no required config	P0	Reversible; recorded; reversible
DR-0490.3	Stream search indexing for Each project has a single shared timeline (see MOD-03)	P1	Clear; recorded; reversible
DR-0490.4	Stream storage for Project-level people & roles (owner, editor, viewer)	P2	Quiet; recorded; reversible
DR-0490.5	Stream versioning for Lightweight settings: name, description, visibility, accent color	P3	Accessible; recorded; reversible
DR-0490.6	Stream API surface for Archive / restore without destroying history	P0	Predictable; recorded; reversible

28.0491 Unified files · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Unified files**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0491.0	Restore sharing for Object storage backing; pennies per gigabyte at the budget scale	P3	Reliable; recorded; reversible
DR-0491.1	Restore notifications for Tree view that mixes code and creative files naturally	P0	Reversible; recorded; reversible
DR-0491.2	Restore search indexing for Inline preview for images, common design exports, markdown, and code	P1	Clear; recorded; reversible
DR-0491.3	Restore storage for Drag-and-drop upload; paste-to-upload from clipboard	P2	Quiet; recorded; reversible
DR-0491.4	Restore versioning for Every file carries its own version history	P3	Accessible; recorded; reversible
DR-0491.5	Restore API surface for Tag files by kind (code / design / asset / doc) for filtering	P0	Predictable; recorded; reversible
DR-0491.6	Restore webhooks for Object storage backing; pennies per gigabyte at the budget scale	P1	Scoped; recorded; reversible

28.0492 Timeline · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Timeline**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0492.0	Export notifications for Chronological stream of all change events across modules	P0	Reversible; recorded; reversible
DR-0492.1	Export search indexing for Filter by person, by module, by file, by date range	P1	Clear; recorded; reversible
DR-0492.2	Export storage for 'Decisions' — pinned timeline notes that capture the why	P2	Quiet; recorded; reversible
DR-0492.3	Export versioning for Group related changes (a design + its code) into one entry	P3	Accessible; recorded; reversible
DR-0492.4	Export API surface for Git-log-style density for power users; readable summaries for everyone	P0	Predictable; recorded; reversible
DR-0492.5	Export webhooks for Permalink any moment to share 'here's where we were on Tuesday'	P1	Scoped; recorded; reversible
DR-0492.6	Export billing gate for Chronological stream of all change events across modules	P2	Auditable; recorded; reversible

28.0493 Code · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Code**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0493.0	Preview search indexing for Browse code with syntax highlighting in-app	P1	Clear; recorded; reversible
DR-0493.1	Preview storage for Commits flow into the unified timeline automatically	P2	Quiet; recorded; reversible
DR-0493.2	Preview versioning for Connect an existing external repo (mirror) as an alternative to native	P3	Accessible; recorded; reversible
DR-0493.3	Preview API surface for Simple in-browser edits for quick fixes	P0	Predictable; recorded; reversible
DR-0493.4	Preview webhooks for File-level history shared with MOD-02	P1	Scoped; recorded; reversible
DR-0493.5	Preview billing gate for Git-backed repository per project	P2	Auditable; recorded; reversible
DR-0493.6	Preview offline behavior for Browse code with syntax highlighting in-app	P3	Minimal; recorded; reversible

28.0494 Tasks · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Tasks**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0494.0	Resolve storage for Status changes emit timeline events	P2	Quiet; recorded; reversible
DR-0494.1	Resolve versioning for Assignee, due date, and a single priority flag — nothing more	P3	Accessible; recorded; reversible
DR-0494.2	Resolve API surface for Keyboard-first quick add	P0	Predictable; recorded; reversible
DR-0494.3	Resolve webhooks for Filter by assignee, status, linked module	P1	Scoped; recorded; reversible
DR-0494.4	Resolve billing gate for Simple list and board views; no ceremony	P2	Auditable; recorded; reversible
DR-0494.5	Resolve offline behavior for Tasks link to files, commits, or decisions	P3	Minimal; recorded; reversible
DR-0494.6	Resolve import/export for Status changes emit timeline events	P0	Fast; recorded; reversible

28.0495 Docs · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Docs**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0495.0	Emit versioning for Edits appear in the timeline	P3	Accessible; recorded; reversible
DR-0495.1	Emit API surface for Templates: brief, spec, decision record, changelog	P0	Predictable; recorded; reversible
DR-0495.2	Emit webhooks for Public doc sharing via link	P1	Scoped; recorded; reversible
DR-0495.3	Emit billing gate for Markdown editor with live preview	P2	Auditable; recorded; reversible
DR-0495.4	Emit offline behavior for Docs are files (MOD-02) with structured editing on top	P3	Minimal; recorded; reversible
DR-0495.5	Emit import/export for Link docs to tasks, files, and decisions	P0	Fast; recorded; reversible
DR-0495.6	Emit attribution for Edits appear in the timeline	P1	Reliable; recorded; reversible

28.0496 Comments & feedback · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Comments & feedback**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0496.0	Throttle API surface for Comment digests instead of constant pings	P0	Predictable; recorded; reversible
DR-0496.1	Throttle webhooks for Public comment mode for client review (optional)	P1	Scoped; recorded; reversible
DR-0496.2	Throttle billing gate for Comment threads anchored to files, images, code lines, or events	P2	Auditable; recorded; reversible
DR-0496.3	Throttle offline behavior for Region/pin comments on images and design exports	P3	Minimal; recorded; reversible
DR-0496.4	Throttle import/export for Resolve / reopen, with timeline trace	P0	Fast; recorded; reversible
DR-0496.5	Throttle attribution for @mentions notify the right person	P1	Reliable; recorded; reversible
DR-0496.6	Throttle previews for Comment digests instead of constant pings	P2	Reversible; recorded; reversible

28.0497 People & roles · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **People & roles**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0497.0	Paginate webhooks for Leave / remove without breaking historical attribution	P1	Scoped; recorded; reversible
DR-0497.1	Paginate billing gate for Three roles: owner, editor, viewer	P2	Auditable; recorded; reversible
DR-0497.2	Paginate offline behavior for Per-project membership; invite by link or email	P3	Minimal; recorded; reversible
DR-0497.3	Paginate import/export for Consistent identity and avatar across all modules	P0	Fast; recorded; reversible
DR-0497.4	Paginate attribution for Activity attributed to people everywhere	P1	Reliable; recorded; reversible
DR-0497.5	Paginate previews for Guest access for client review (time-boxed)	P2	Reversible; recorded; reversible
DR-0497.6	Paginate filtering for Leave / remove without breaking historical attribution	P3	Clear; recorded; reversible

28.0498 Assets & media · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Assets & media**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0498.0	Debounce billing gate for Gallery and grid views for visual assets	P2	Auditable; recorded; reversible
DR-0498.1	Debounce offline behavior for Collections / boards within a project	P3	Minimal; recorded; reversible
DR-0498.2	Debounce import/export for Versioned assets with visual diff (before/after)	P0	Fast; recorded; reversible
DR-0498.3	Debounce attribution for Color and basic metadata extraction	P1	Reliable; recorded; reversible
DR-0498.4	Debounce previews for Quick share of an asset or a collection	P2	Reversible; recorded; reversible
DR-0498.5	Debounce filtering for Optimized delivery via storage/CDN	P3	Clear; recorded; reversible
DR-0498.6	Debounce data model for Gallery and grid views for visual assets	P0	Quiet; recorded; reversible

28.0499 Publish & portfolio · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Publish & portfolio**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0499.0	Reconcile offline behavior for Opt-in 'building in public' changelog feed	P3	Minimal; recorded; reversible
DR-0499.1	Reconcile import/export for Simple portfolio that aggregates public projects	P0	Fast; recorded; reversible
DR-0499.2	Reconcile attribution for Custom accent and cover; tasteful defaults	P1	Reliable; recorded; reversible
DR-0499.3	Reconcile previews for 'Made with RMH' attribution (toggleable on paid)	P2	Reversible; recorded; reversible
DR-0499.4	Reconcile filtering for Shareable timeline embeds	P3	Clear; recorded; reversible
DR-0499.5	Reconcile data model for Public project page generated from the project	P0	Quiet; recorded; reversible
DR-0499.6	Reconcile UI surface for Opt-in 'building in public' changelog feed	P1	Accessible; recorded; reversible

28.0500 Search · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Search**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0500.0	Render import/export for Keyboard shortcut to summon from anywhere	P0	Fast; recorded; reversible
DR-0500.1	Render attribution for Recent and pinned results	P1	Reliable; recorded; reversible
DR-0500.2	Render previews for Search within a single project or across all projects	P2	Reversible; recorded; reversible
DR-0500.3	Render filtering for Fast, typo-tolerant matching	P3	Clear; recorded; reversible
DR-0500.4	Render data model for Unified search across files, docs, tasks, comments, timeline	P0	Quiet; recorded; reversible
DR-0500.5	Render UI surface for Filter by module, person, date	P1	Accessible; recorded; reversible
DR-0500.6	Render timeline events for Keyboard shortcut to summon from anywhere	P2	Predictable; recorded; reversible

28.0501 Integrations · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **Integrations**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0501.0	Persist attribution for Import files from common cloud storage	P1	Reliable; recorded; reversible
DR-0501.1	Persist previews for Public read API for project data	P2	Reversible; recorded; reversible
DR-0501.2	Persist filtering for Embeddable timeline and asset widgets	P3	Clear; recorded; reversible
DR-0501.3	Persist data model for Connect/mirror an external code repository	P0	Quiet; recorded; reversible
DR-0501.4	Persist UI surface for Outgoing webhooks on timeline events	P1	Accessible; recorded; reversible
DR-0501.5	Persist timeline events for Share-to-social on publish	P2	Predictable; recorded; reversible
DR-0501.6	Persist permissions for Import files from common cloud storage	P3	Scoped; recorded; reversible

28.0502 Time & invoicing · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Time & invoicing**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0502.0	Validate previews for CSV export for accounting	P2	Reversible; recorded; reversible
DR-0502.1	Validate filtering for No payment processing — export only, to stay simple and cheap	P3	Clear; recorded; reversible
DR-0502.2	Validate data model for Start/stop timers tied to a project or task	P0	Quiet; recorded; reversible
DR-0502.3	Validate UI surface for Manual time entry and weekly summary	P1	Accessible; recorded; reversible
DR-0502.4	Validate timeline events for Simple rate-based invoice generation (export)	P2	Predictable; recorded; reversible
DR-0502.5	Validate permissions for Per-client rollups across projects	P3	Scoped; recorded; reversible
DR-0502.6	Validate performance for CSV export for accounting	P0	Auditable; recorded; reversible

28.0503 Community & templates · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Community & templates**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0503.0	Attribute filtering for Seasonal build challenges to drive activity	P3	Clear; recorded; reversible
DR-0503.1	Attribute data model for Public template gallery; one-click 'use this template'	P0	Quiet; recorded; reversible
DR-0503.2	Attribute UI surface for Community showcase of public projects	P1	Accessible; recorded; reversible
DR-0503.3	Attribute timeline events for Featured builders and 'project of the week'	P2	Predictable; recorded; reversible
DR-0503.4	Attribute permissions for Template submission and curation	P3	Scoped; recorded; reversible
DR-0503.5	Attribute performance for Lightweight following / favoriting	P0	Auditable; recorded; reversible
DR-0503.6	Attribute empty states for Seasonal build challenges to drive activity	P1	Minimal; recorded; reversible

28.0504 Projects · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Projects**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0504.0	Group data model for Create a project in under a minute, no required config	P0	Quiet; recorded; reversible
DR-0504.1	Group UI surface for Each project has a single shared timeline (see MOD-03)	P1	Accessible; recorded; reversible
DR-0504.2	Group timeline events for Project-level people & roles (owner, editor, viewer)	P2	Predictable; recorded; reversible
DR-0504.3	Group permissions for Lightweight settings: name, description, visibility, accent color	P3	Scoped; recorded; reversible
DR-0504.4	Group performance for Archive / restore without destroying history	P0	Auditable; recorded; reversible
DR-0504.5	Group empty states for Templates: start from blank, web app, brand kit, or portfolio	P1	Minimal; recorded; reversible
DR-0504.6	Group error handling for Create a project in under a minute, no required config	P2	Fast; recorded; reversible

28.0505 Unified files · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Unified files**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0505.0	Filter UI surface for Inline preview for images, common design exports, markdown, and code	P1	Accessible; recorded; reversible
DR-0505.1	Filter timeline events for Drag-and-drop upload; paste-to-upload from clipboard	P2	Predictable; recorded; reversible
DR-0505.2	Filter permissions for Every file carries its own version history	P3	Scoped; recorded; reversible
DR-0505.3	Filter performance for Tag files by kind (code / design / asset / doc) for filtering	P0	Auditable; recorded; reversible
DR-0505.4	Filter empty states for Object storage backing; pennies per gigabyte at the budget scale	P1	Minimal; recorded; reversible
DR-0505.5	Filter error handling for Tree view that mixes code and creative files naturally	P2	Fast; recorded; reversible
DR-0505.6	Filter keyboard flow for Inline preview for images, common design exports, markdown, and code	P3	Reliable; recorded; reversible

28.0506 Timeline · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Timeline**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0506.0	Sync timeline events for 'Decisions' — pinned timeline notes that capture the why	P2	Predictable; recorded; reversible
DR-0506.1	Sync permissions for Group related changes (a design + its code) into one entry	P3	Scoped; recorded; reversible
DR-0506.2	Sync performance for Git-log-style density for power users; readable summaries for everyone	P0	Auditable; recorded; reversible
DR-0506.3	Sync empty states for Permalink any moment to share 'here's where we were on Tuesday'	P1	Minimal; recorded; reversible
DR-0506.4	Sync error handling for Chronological stream of all change events across modules	P2	Fast; recorded; reversible
DR-0506.5	Sync keyboard flow for Filter by person, by module, by file, by date range	P3	Reliable; recorded; reversible
DR-0506.6	Sync mobile layout for 'Decisions' — pinned timeline notes that capture the why	P0	Reversible; recorded; reversible

28.0507 Code · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Code**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0507.0	Cache permissions for Connect an existing external repo (mirror) as an alternative to native	P3	Scoped; recorded; reversible
DR-0507.1	Cache performance for Simple in-browser edits for quick fixes	P0	Auditable; recorded; reversible
DR-0507.2	Cache empty states for File-level history shared with MOD-02	P1	Minimal; recorded; reversible
DR-0507.3	Cache error handling for Git-backed repository per project	P2	Fast; recorded; reversible
DR-0507.4	Cache keyboard flow for Browse code with syntax highlighting in-app	P3	Reliable; recorded; reversible
DR-0507.5	Cache mobile layout for Commits flow into the unified timeline automatically	P0	Reversible; recorded; reversible
DR-0507.6	Cache accessibility for Connect an existing external repo (mirror) as an alternative to native	P1	Clear; recorded; reversible

28.0508 Tasks · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Tasks**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0508.0	Index performance for Keyboard-first quick add	P0	Auditable; recorded; reversible
DR-0508.1	Index empty states for Filter by assignee, status, linked module	P1	Minimal; recorded; reversible
DR-0508.2	Index error handling for Simple list and board views; no ceremony	P2	Fast; recorded; reversible
DR-0508.3	Index keyboard flow for Tasks link to files, commits, or decisions	P3	Reliable; recorded; reversible
DR-0508.4	Index mobile layout for Status changes emit timeline events	P0	Reversible; recorded; reversible
DR-0508.5	Index accessibility for Assignee, due date, and a single priority flag — nothing more	P1	Clear; recorded; reversible
DR-0508.6	Index onboarding for Keyboard-first quick add	P2	Quiet; recorded; reversible

28.0509 Docs · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Docs**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0509.0	Gate empty states for Public doc sharing via link	P1	Minimal; recorded; reversible
DR-0509.1	Gate error handling for Markdown editor with live preview	P2	Fast; recorded; reversible
DR-0509.2	Gate keyboard flow for Docs are files (MOD-02) with structured editing on top	P3	Reliable; recorded; reversible
DR-0509.3	Gate mobile layout for Link docs to tasks, files, and decisions	P0	Reversible; recorded; reversible
DR-0509.4	Gate accessibility for Edits appear in the timeline	P1	Clear; recorded; reversible
DR-0509.5	Gate onboarding for Templates: brief, spec, decision record, changelog	P2	Quiet; recorded; reversible
DR-0509.6	Gate sharing for Public doc sharing via link	P3	Accessible; recorded; reversible

28.0510 Comments & feedback · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Comments & feedback**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0510.0	Stream error handling for Comment threads anchored to files, images, code lines, or events	P2	Fast; recorded; reversible
DR-0510.1	Stream keyboard flow for Region/pin comments on images and design exports	P3	Reliable; recorded; reversible
DR-0510.2	Stream mobile layout for Resolve / reopen, with timeline trace	P0	Reversible; recorded; reversible
DR-0510.3	Stream accessibility for @mentions notify the right person	P1	Clear; recorded; reversible
DR-0510.4	Stream onboarding for Comment digests instead of constant pings	P2	Quiet; recorded; reversible
DR-0510.5	Stream sharing for Public comment mode for client review (optional)	P3	Accessible; recorded; reversible
DR-0510.6	Stream notifications for Comment threads anchored to files, images, code lines, or events	P0	Predictable; recorded; reversible

28.0511 People & roles · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **People & roles**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0511.0	Restore keyboard flow for Per-project membership; invite by link or email	P3	Reliable; recorded; reversible
DR-0511.1	Restore mobile layout for Consistent identity and avatar across all modules	P0	Reversible; recorded; reversible
DR-0511.2	Restore accessibility for Activity attributed to people everywhere	P1	Clear; recorded; reversible
DR-0511.3	Restore onboarding for Guest access for client review (time-boxed)	P2	Quiet; recorded; reversible
DR-0511.4	Restore sharing for Leave / remove without breaking historical attribution	P3	Accessible; recorded; reversible
DR-0511.5	Restore notifications for Three roles: owner, editor, viewer	P0	Predictable; recorded; reversible
DR-0511.6	Restore search indexing for Per-project membership; invite by link or email	P1	Scoped; recorded; reversible

28.0512 Assets & media · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Assets & media**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0512.0	Export mobile layout for Versioned assets with visual diff (before/after)	P0	Reversible; recorded; reversible
DR-0512.1	Export accessibility for Color and basic metadata extraction	P1	Clear; recorded; reversible
DR-0512.2	Export onboarding for Quick share of an asset or a collection	P2	Quiet; recorded; reversible
DR-0512.3	Export sharing for Optimized delivery via storage/CDN	P3	Accessible; recorded; reversible
DR-0512.4	Export notifications for Gallery and grid views for visual assets	P0	Predictable; recorded; reversible
DR-0512.5	Export search indexing for Collections / boards within a project	P1	Scoped; recorded; reversible
DR-0512.6	Export storage for Versioned assets with visual diff (before/after)	P2	Auditable; recorded; reversible

28.0513 Publish & portfolio · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Publish & portfolio**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0513.0	Preview accessibility for Custom accent and cover; tasteful defaults	P1	Clear; recorded; reversible
DR-0513.1	Preview onboarding for 'Made with RMH' attribution (toggleable on paid)	P2	Quiet; recorded; reversible
DR-0513.2	Preview sharing for Shareable timeline embeds	P3	Accessible; recorded; reversible
DR-0513.3	Preview notifications for Public project page generated from the project	P0	Predictable; recorded; reversible
DR-0513.4	Preview search indexing for Opt-in 'building in public' changelog feed	P1	Scoped; recorded; reversible
DR-0513.5	Preview storage for Simple portfolio that aggregates public projects	P2	Auditable; recorded; reversible
DR-0513.6	Preview versioning for Custom accent and cover; tasteful defaults	P3	Minimal; recorded; reversible

28.0514 Search · detailed spec — onboarding

Detailed behavioral spec for the **onboarding** aspect of **Search**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0514.0	Resolve onboarding for Search within a single project or across all projects	P2	Quiet; recorded; reversible
DR-0514.1	Resolve sharing for Fast, typo-tolerant matching	P3	Accessible; recorded; reversible
DR-0514.2	Resolve notifications for Unified search across files, docs, tasks, comments, timeline	P0	Predictable; recorded; reversible
DR-0514.3	Resolve search indexing for Filter by module, person, date	P1	Scoped; recorded; reversible
DR-0514.4	Resolve storage for Keyboard shortcut to summon from anywhere	P2	Auditable; recorded; reversible
DR-0514.5	Resolve versioning for Recent and pinned results	P3	Minimal; recorded; reversible
DR-0514.6	Resolve API surface for Search within a single project or across all projects	P0	Fast; recorded; reversible

28.0515 Integrations · detailed spec — sharing

Detailed behavioral spec for the **sharing** aspect of **Integrations**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0515.0	Emit sharing for Embeddable timeline and asset widgets	P3	Accessible; recorded; reversible
DR-0515.1	Emit notifications for Connect/mirror an external code repository	P0	Predictable; recorded; reversible
DR-0515.2	Emit search indexing for Outgoing webhooks on timeline events	P1	Scoped; recorded; reversible
DR-0515.3	Emit storage for Share-to-social on publish	P2	Auditable; recorded; reversible
DR-0515.4	Emit versioning for Import files from common cloud storage	P3	Minimal; recorded; reversible
DR-0515.5	Emit API surface for Public read API for project data	P0	Fast; recorded; reversible
DR-0515.6	Emit webhooks for Embeddable timeline and asset widgets	P1	Reliable; recorded; reversible

28.0516 Time & invoicing · detailed spec — notifications

Detailed behavioral spec for the **notifications** aspect of **Time & invoicing**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0516.0	Throttle notifications for Start/stop timers tied to a project or task	P0	Predictable; recorded; reversible
DR-0516.1	Throttle search indexing for Manual time entry and weekly summary	P1	Scoped; recorded; reversible
DR-0516.2	Throttle storage for Simple rate-based invoice generation (export)	P2	Auditable; recorded; reversible
DR-0516.3	Throttle versioning for Per-client rollups across projects	P3	Minimal; recorded; reversible
DR-0516.4	Throttle API surface for CSV export for accounting	P0	Fast; recorded; reversible
DR-0516.5	Throttle webhooks for No payment processing — export only, to stay simple and cheap	P1	Reliable; recorded; reversible
DR-0516.6	Throttle billing gate for Start/stop timers tied to a project or task	P2	Reversible; recorded; reversible

28.0517 Community & templates · detailed spec — search indexing

Detailed behavioral spec for the **search indexing** aspect of **Community & templates**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0517.0	Paginate search indexing for Community showcase of public projects	P1	Scoped; recorded; reversible
DR-0517.1	Paginate storage for Featured builders and 'project of the week'	P2	Auditable; recorded; reversible
DR-0517.2	Paginate versioning for Template submission and curation	P3	Minimal; recorded; reversible
DR-0517.3	Paginate API surface for Lightweight following / favoriting	P0	Fast; recorded; reversible
DR-0517.4	Paginate webhooks for Seasonal build challenges to drive activity	P1	Reliable; recorded; reversible
DR-0517.5	Paginate billing gate for Public template gallery; one-click 'use this template'	P2	Reversible; recorded; reversible
DR-0517.6	Paginate offline behavior for Community showcase of public projects	P3	Clear; recorded; reversible

28.0518 Projects · detailed spec — storage

Detailed behavioral spec for the **storage** aspect of **Projects**: how it must debounce, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0518.0	Debounce storage for Project-level people & roles (owner, editor, viewer)	P2	Auditable; recorded; reversible
DR-0518.1	Debounce versioning for Lightweight settings: name, description, visibility, accent color	P3	Minimal; recorded; reversible
DR-0518.2	Debounce API surface for Archive / restore without destroying history	P0	Fast; recorded; reversible
DR-0518.3	Debounce webhooks for Templates: start from blank, web app, brand kit, or portfolio	P1	Reliable; recorded; reversible
DR-0518.4	Debounce billing gate for Create a project in under a minute, no required config	P2	Reversible; recorded; reversible
DR-0518.5	Debounce offline behavior for Each project has a single shared timeline (see MOD-03)	P3	Clear; recorded; reversible
DR-0518.6	Debounce import/export for Project-level people & roles (owner, editor, viewer)	P0	Quiet; recorded; reversible

28.0519 Unified files · detailed spec — versioning

Detailed behavioral spec for the **versioning** aspect of **Unified files**: how it must reconcile, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0519.0	Reconcile versioning for Every file carries its own version history	P3	Minimal; recorded; reversible
DR-0519.1	Reconcile API surface for Tag files by kind (code / design / asset / doc) for filtering	P0	Fast; recorded; reversible
DR-0519.2	Reconcile webhooks for Object storage backing; pennies per gigabyte at the budget scale	P1	Reliable; recorded; reversible
DR-0519.3	Reconcile billing gate for Tree view that mixes code and creative files naturally	P2	Reversible; recorded; reversible
DR-0519.4	Reconcile offline behavior for Inline preview for images, common design exports, markdown, and code	P3	Clear; recorded; reversible
DR-0519.5	Reconcile import/export for Drag-and-drop upload; paste-to-upload from clipboard	P0	Quiet; recorded; reversible
DR-0519.6	Reconcile attribution for Every file carries its own version history	P1	Accessible; recorded; reversible

28.0520 Timeline · detailed spec — API surface

Detailed behavioral spec for the **API surface** aspect of **Timeline**: how it must render, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0520.0	Render API surface for Git-log-style density for power users; readable summaries for everyone	P0	Fast; recorded; reversible
DR-0520.1	Render webhooks for Permalink any moment to share 'here's where we were on Tuesday'	P1	Reliable; recorded; reversible
DR-0520.2	Render billing gate for Chronological stream of all change events across modules	P2	Reversible; recorded; reversible
DR-0520.3	Render offline behavior for Filter by person, by module, by file, by date range	P3	Clear; recorded; reversible
DR-0520.4	Render import/export for 'Decisions' — pinned timeline notes that capture the why	P0	Quiet; recorded; reversible
DR-0520.5	Render attribution for Group related changes (a design + its code) into one entry	P1	Accessible; recorded; reversible
DR-0520.6	Render previews for Git-log-style density for power users; readable summaries for everyone	P2	Predictable; recorded; reversible

28.0521 Code · detailed spec — webhooks

Detailed behavioral spec for the **webhooks** aspect of **Code**: how it must persist, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0521.0	Persist webhooks for File-level history shared with MOD-02	P1	Reliable; recorded; reversible
DR-0521.1	Persist billing gate for Git-backed repository per project	P2	Reversible; recorded; reversible
DR-0521.2	Persist offline behavior for Browse code with syntax highlighting in-app	P3	Clear; recorded; reversible
DR-0521.3	Persist import/export for Commits flow into the unified timeline automatically	P0	Quiet; recorded; reversible
DR-0521.4	Persist attribution for Connect an existing external repo (mirror) as an alternative to native	P1	Accessible; recorded; reversible
DR-0521.5	Persist previews for Simple in-browser edits for quick fixes	P2	Predictable; recorded; reversible
DR-0521.6	Persist filtering for File-level history shared with MOD-02	P3	Scoped; recorded; reversible

28.0522 Tasks · detailed spec — billing gate

Detailed behavioral spec for the **billing gate** aspect of **Tasks**: how it must validate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0522.0	Validate billing gate for Simple list and board views; no ceremony	P2	Reversible; recorded; reversible
DR-0522.1	Validate offline behavior for Tasks link to files, commits, or decisions	P3	Clear; recorded; reversible
DR-0522.2	Validate import/export for Status changes emit timeline events	P0	Quiet; recorded; reversible
DR-0522.3	Validate attribution for Assignee, due date, and a single priority flag — nothing more	P1	Accessible; recorded; reversible
DR-0522.4	Validate previews for Keyboard-first quick add	P2	Predictable; recorded; reversible
DR-0522.5	Validate filtering for Filter by assignee, status, linked module	P3	Scoped; recorded; reversible
DR-0522.6	Validate data model for Simple list and board views; no ceremony	P0	Auditable; recorded; reversible

28.0523 Docs · detailed spec — offline behavior

Detailed behavioral spec for the **offline behavior** aspect of **Docs**: how it must attribute, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0523.0	Attribute offline behavior for Docs are files (MOD-02) with structured editing on top	P3	Clear; recorded; reversible
DR-0523.1	Attribute import/export for Link docs to tasks, files, and decisions	P0	Quiet; recorded; reversible
DR-0523.2	Attribute attribution for Edits appear in the timeline	P1	Accessible; recorded; reversible
DR-0523.3	Attribute previews for Templates: brief, spec, decision record, changelog	P2	Predictable; recorded; reversible
DR-0523.4	Attribute filtering for Public doc sharing via link	P3	Scoped; recorded; reversible
DR-0523.5	Attribute data model for Markdown editor with live preview	P0	Auditable; recorded; reversible
DR-0523.6	Attribute UI surface for Docs are files (MOD-02) with structured editing on top	P1	Minimal; recorded; reversible

28.0524 Comments & feedback · detailed spec — import/export

Detailed behavioral spec for the **import/export** aspect of **Comments & feedback**: how it must group, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0524.0	Group import/export for Resolve / reopen, with timeline trace	P0	Quiet; recorded; reversible
DR-0524.1	Group attribution for @mentions notify the right person	P1	Accessible; recorded; reversible
DR-0524.2	Group previews for Comment digests instead of constant pings	P2	Predictable; recorded; reversible
DR-0524.3	Group filtering for Public comment mode for client review (optional)	P3	Scoped; recorded; reversible
DR-0524.4	Group data model for Comment threads anchored to files, images, code lines, or events	P0	Auditable; recorded; reversible
DR-0524.5	Group UI surface for Region/pin comments on images and design exports	P1	Minimal; recorded; reversible
DR-0524.6	Group timeline events for Resolve / reopen, with timeline trace	P2	Fast; recorded; reversible

28.0525 People & roles · detailed spec — attribution

Detailed behavioral spec for the **attribution** aspect of **People & roles**: how it must filter, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0525.0	Filter attribution for Activity attributed to people everywhere	P1	Accessible; recorded; reversible
DR-0525.1	Filter previews for Guest access for client review (time-boxed)	P2	Predictable; recorded; reversible
DR-0525.2	Filter filtering for Leave / remove without breaking historical attribution	P3	Scoped; recorded; reversible
DR-0525.3	Filter data model for Three roles: owner, editor, viewer	P0	Auditable; recorded; reversible
DR-0525.4	Filter UI surface for Per-project membership; invite by link or email	P1	Minimal; recorded; reversible
DR-0525.5	Filter timeline events for Consistent identity and avatar across all modules	P2	Fast; recorded; reversible
DR-0525.6	Filter permissions for Activity attributed to people everywhere	P3	Reliable; recorded; reversible

28.0526 Assets & media · detailed spec — previews

Detailed behavioral spec for the **previews** aspect of **Assets & media**: how it must sync, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0526.0	Sync previews for Quick share of an asset or a collection	P2	Predictable; recorded; reversible
DR-0526.1	Sync filtering for Optimized delivery via storage/CDN	P3	Scoped; recorded; reversible
DR-0526.2	Sync data model for Gallery and grid views for visual assets	P0	Auditable; recorded; reversible
DR-0526.3	Sync UI surface for Collections / boards within a project	P1	Minimal; recorded; reversible
DR-0526.4	Sync timeline events for Versioned assets with visual diff (before/after)	P2	Fast; recorded; reversible
DR-0526.5	Sync permissions for Color and basic metadata extraction	P3	Reliable; recorded; reversible
DR-0526.6	Sync performance for Quick share of an asset or a collection	P0	Reversible; recorded; reversible

28.0527 Publish & portfolio · detailed spec — filtering

Detailed behavioral spec for the **filtering** aspect of **Publish & portfolio**: how it must cache, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0527.0	Cache filtering for Shareable timeline embeds	P3	Scoped; recorded; reversible
DR-0527.1	Cache data model for Public project page generated from the project	P0	Auditable; recorded; reversible
DR-0527.2	Cache UI surface for Opt-in 'building in public' changelog feed	P1	Minimal; recorded; reversible
DR-0527.3	Cache timeline events for Simple portfolio that aggregates public projects	P2	Fast; recorded; reversible
DR-0527.4	Cache permissions for Custom accent and cover; tasteful defaults	P3	Reliable; recorded; reversible
DR-0527.5	Cache performance for 'Made with RMH' attribution (toggleable on paid)	P0	Reversible; recorded; reversible
DR-0527.6	Cache empty states for Shareable timeline embeds	P1	Clear; recorded; reversible

28.0528 Search · detailed spec — data model

Detailed behavioral spec for the **data model** aspect of **Search**: how it must index, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0528.0	Index data model for Unified search across files, docs, tasks, comments, timeline	P0	Auditable; recorded; reversible
DR-0528.1	Index UI surface for Filter by module, person, date	P1	Minimal; recorded; reversible
DR-0528.2	Index timeline events for Keyboard shortcut to summon from anywhere	P2	Fast; recorded; reversible
DR-0528.3	Index permissions for Recent and pinned results	P3	Reliable; recorded; reversible
DR-0528.4	Index performance for Search within a single project or across all projects	P0	Reversible; recorded; reversible
DR-0528.5	Index empty states for Fast, typo-tolerant matching	P1	Clear; recorded; reversible
DR-0528.6	Index error handling for Unified search across files, docs, tasks, comments, timeline	P2	Quiet; recorded; reversible

28.0529 Integrations · detailed spec — UI surface

Detailed behavioral spec for the **UI surface** aspect of **Integrations**: how it must gate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0529.0	Gate UI surface for Outgoing webhooks on timeline events	P1	Minimal; recorded; reversible
DR-0529.1	Gate timeline events for Share-to-social on publish	P2	Fast; recorded; reversible
DR-0529.2	Gate permissions for Import files from common cloud storage	P3	Reliable; recorded; reversible
DR-0529.3	Gate performance for Public read API for project data	P0	Reversible; recorded; reversible
DR-0529.4	Gate empty states for Embeddable timeline and asset widgets	P1	Clear; recorded; reversible
DR-0529.5	Gate error handling for Connect/mirror an external code repository	P2	Quiet; recorded; reversible
DR-0529.6	Gate keyboard flow for Outgoing webhooks on timeline events	P3	Accessible; recorded; reversible

28.0530 Time & invoicing · detailed spec — timeline events

Detailed behavioral spec for the **timeline events** aspect of **Time & invoicing**: how it must stream, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0530.0	Stream timeline events for Simple rate-based invoice generation (export)	P2	Fast; recorded; reversible
DR-0530.1	Stream permissions for Per-client rollups across projects	P3	Reliable; recorded; reversible
DR-0530.2	Stream performance for CSV export for accounting	P0	Reversible; recorded; reversible
DR-0530.3	Stream empty states for No payment processing — export only, to stay simple and cheap	P1	Clear; recorded; reversible
DR-0530.4	Stream error handling for Start/stop timers tied to a project or task	P2	Quiet; recorded; reversible
DR-0530.5	Stream keyboard flow for Manual time entry and weekly summary	P3	Accessible; recorded; reversible
DR-0530.6	Stream mobile layout for Simple rate-based invoice generation (export)	P0	Predictable; recorded; reversible

28.0531 Community & templates · detailed spec — permissions

Detailed behavioral spec for the **permissions** aspect of **Community & templates**: how it must restore, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0531.0	Restore permissions for Template submission and curation	P3	Reliable; recorded; reversible
DR-0531.1	Restore performance for Lightweight following / favoriting	P0	Reversible; recorded; reversible
DR-0531.2	Restore empty states for Seasonal build challenges to drive activity	P1	Clear; recorded; reversible
DR-0531.3	Restore error handling for Public template gallery; one-click 'use this template'	P2	Quiet; recorded; reversible
DR-0531.4	Restore keyboard flow for Community showcase of public projects	P3	Accessible; recorded; reversible
DR-0531.5	Restore mobile layout for Featured builders and 'project of the week'	P0	Predictable; recorded; reversible
DR-0531.6	Restore accessibility for Template submission and curation	P1	Scoped; recorded; reversible

28.0532 Projects · detailed spec — performance

Detailed behavioral spec for the **performance** aspect of **Projects**: how it must export, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0532.0	Export performance for Archive / restore without destroying history	P0	Reversible; recorded; reversible
DR-0532.1	Export empty states for Templates: start from blank, web app, brand kit, or portfolio	P1	Clear; recorded; reversible
DR-0532.2	Export error handling for Create a project in under a minute, no required config	P2	Quiet; recorded; reversible
DR-0532.3	Export keyboard flow for Each project has a single shared timeline (see MOD-03)	P3	Accessible; recorded; reversible
DR-0532.4	Export mobile layout for Project-level people & roles (owner, editor, viewer)	P0	Predictable; recorded; reversible
DR-0532.5	Export accessibility for Lightweight settings: name, description, visibility, accent color	P1	Scoped; recorded; reversible
DR-0532.6	Export onboarding for Archive / restore without destroying history	P2	Auditable; recorded; reversible

28.0533 Unified files · detailed spec — empty states

Detailed behavioral spec for the **empty states** aspect of **Unified files**: how it must preview, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0533.0	Preview empty states for Object storage backing; pennies per gigabyte at the budget scale	P1	Clear; recorded; reversible
DR-0533.1	Preview error handling for Tree view that mixes code and creative files naturally	P2	Quiet; recorded; reversible
DR-0533.2	Preview keyboard flow for Inline preview for images, common design exports, markdown, and code	P3	Accessible; recorded; reversible
DR-0533.3	Preview mobile layout for Drag-and-drop upload; paste-to-upload from clipboard	P0	Predictable; recorded; reversible
DR-0533.4	Preview accessibility for Every file carries its own version history	P1	Scoped; recorded; reversible
DR-0533.5	Preview onboarding for Tag files by kind (code / design / asset / doc) for filtering	P2	Auditable; recorded; reversible
DR-0533.6	Preview sharing for Object storage backing; pennies per gigabyte at the budget scale	P3	Minimal; recorded; reversible

28.0534 Timeline · detailed spec — error handling

Detailed behavioral spec for the **error handling** aspect of **Timeline**: how it must resolve, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0534.0	Resolve error handling for Chronological stream of all change events across modules	P2	Quiet; recorded; reversible
DR-0534.1	Resolve keyboard flow for Filter by person, by module, by file, by date range	P3	Accessible; recorded; reversible
DR-0534.2	Resolve mobile layout for 'Decisions' — pinned timeline notes that capture the why	P0	Predictable; recorded; reversible
DR-0534.3	Resolve accessibility for Group related changes (a design + its code) into one entry	P1	Scoped; recorded; reversible
DR-0534.4	Resolve onboarding for Git-log-style density for power users; readable summaries for everyone	P2	Auditable; recorded; reversible
DR-0534.5	Resolve sharing for Permalink any moment to share 'here's where we were on Tuesday'	P3	Minimal; recorded; reversible
DR-0534.6	Resolve notifications for Chronological stream of all change events across modules	P0	Fast; recorded; reversible

28.0535 Code · detailed spec — keyboard flow

Detailed behavioral spec for the **keyboard flow** aspect of **Code**: how it must emit, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0535.0	Emit keyboard flow for Browse code with syntax highlighting in-app	P3	Accessible; recorded; reversible
DR-0535.1	Emit mobile layout for Commits flow into the unified timeline automatically	P0	Predictable; recorded; reversible
DR-0535.2	Emit accessibility for Connect an existing external repo (mirror) as an alternative to native	P1	Scoped; recorded; reversible
DR-0535.3	Emit onboarding for Simple in-browser edits for quick fixes	P2	Auditable; recorded; reversible
DR-0535.4	Emit sharing for File-level history shared with MOD-02	P3	Minimal; recorded; reversible
DR-0535.5	Emit notifications for Git-backed repository per project	P0	Fast; recorded; reversible
DR-0535.6	Emit search indexing for Browse code with syntax highlighting in-app	P1	Reliable; recorded; reversible

28.0536 Tasks · detailed spec — mobile layout

Detailed behavioral spec for the **mobile layout** aspect of **Tasks**: how it must throttle, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0536.0	Throttle mobile layout for Status changes emit timeline events	P0	Predictable; recorded; reversible
DR-0536.1	Throttle accessibility for Assignee, due date, and a single priority flag — nothing more	P1	Scoped; recorded; reversible
DR-0536.2	Throttle onboarding for Keyboard-first quick add	P2	Auditable; recorded; reversible
DR-0536.3	Throttle sharing for Filter by assignee, status, linked module	P3	Minimal; recorded; reversible
DR-0536.4	Throttle notifications for Simple list and board views; no ceremony	P0	Fast; recorded; reversible
DR-0536.5	Throttle search indexing for Tasks link to files, commits, or decisions	P1	Reliable; recorded; reversible
DR-0536.6	Throttle storage for Status changes emit timeline events	P2	Reversible; recorded; reversible

28.0537 Docs · detailed spec — accessibility

Detailed behavioral spec for the **accessibility** aspect of **Docs**: how it must paginate, the states it can be in, and the events it emits onto the unified timeline. Each line is independently testable.

REF	BEHAVIOUR	PRI	ACCEPTANCE
DR-0537.0	Paginate accessibility for Edits appear in the timeline	P1	Scoped; recorded; reversible
DR-0537.1	Paginate onboarding for Templates: brief, spec, decision record, changelog	P2	Auditable; recorded; reversible
DR-0537.2	Paginate sharing for Public doc sharing via link	P3	Minimal; recorded; reversible
DR-0537.3	Paginate notifications for Markdown editor with live preview	P0	Fast; recorded; reversible
DR-0537.4	Paginate search indexing for Docs are files (MOD-02) with structured editing on top	P1	Reliable; recorded; reversible
DR-0537.5	Paginate storage for Link docs to tasks, files, and decisions	P2	Reversible; recorded; reversible
DR-0537.6	Paginate versioning for Edits appear in the timeline	P3	Clear; recorded; reversible