RF										DT									KNN									FFT							- 1.00
MCC	1	0.021	0.71	-0.16	-0.19	-0.4	-0.23	0.38	MCC	1	0.74	0.47	0.3	0.12	0.23	0.33	0.17	MCC -	1	-0.32	0.21	0.69	0.75	-0.11	0.29	0.43	WCC	1	0.82	0.64	0.64	-0.093	0.096		- 0.75
Gmean	021	1	-0.27	0.086	0.12	0.086	0.093	-0.36	Gmean	0.74	1	0.29	0.41	0.1	0.36	0.23	0.22	Gmean	-0.32	1	0.21	-0.074	-0.45	0.66	-0.55	-0.26	-	0.82	1	0.66	0.71	0.0025	0.032		
단 - C	.71	-0.27	1	-0.13	-0.34	-0.22	-0.31	0.36	댭 -	0.47	0.29	1	0.38	0.21	0.1	-0.24	0.11	F1 -	0.21	0.21	1	0.45	0.025	0.53	-0.043	-0.089	_	0.62	1	0.00	0.71	-0.0033	0.032		- 0.50
F1 (0.16	0.086	-0.13	1	0.45	-0.076	0.21	0.12	F1_W	0.3	0.41	0.38	1	0.42	0.076	-0.11	-0.39	F1_W	0.69	-0.074	0.45	1	0.52	0.23	-0.0075	0.16	F1_W	0.64	0.66	1	0.83	-0.11	0.094		- 0.25 - 0.00
C ACC).19	0.12	-0.34	0.45	1	-0.28	0.26	0.14	C ACC	0.12	0.1	0.21	0.42	1	-0.41	-0.03	-0.44	C ACC	0.75	-0.45	0.025	0.52	1	-0.08	0.41	0.39	ACC -	0.64	0.71	0.83	1	0.064	0.1		0.25
AL_AC	0.4	0.086	-0.22	-0.076	-0.28	1	0.37	-0.65	AL_AC	0.23	0.36	0.1	0.076	-0.41	1	0.32	0.49	AL_AC	-0.11	0.66	0.53	0.23	-0.08	1	-0.12	-0.03	an								
AUC B	0.23	0.093	-0.31	0.21	0.26	0.37	1	-0.081	AUC B	0.33	0.23	-0.24	-0.11	-0.03	0.32	1	0.1	AUC B	0.29	-0.55	-0.043	-0.0075	0.41	-0.12	1	0.65	Gme	-0.093	-0.0035	-0.11	0.064	1	0.59		0.50
ogLoss /	.38	-0.36	0.36	0.12	0.14	-0.65	-0.081	1	ogLoss ,	0.17	0.22	0.11	-0.39	-0.44	0.49	0.1	1	ogLoss /	0.43	-0.26	-0.089	0.16	0.39	-0.03	0.65	1	BAL_ACC	0.096	0.032	0.094	0.1	0.59	1		0.75
	1CC	Gmean	F1	F1_W	ACC	BAL_ACC	AUC	LogLoss		MCC	Gmean	F1	F1_W	ACC	BAL_ACC	AÚC	LogLoss	_	MCC	Gmean	F1	F1_W	ACC	BAL_ACC	AUC	LogLoss		МСС	F1	F1_W	ACC	Gmean	BAL_ACC		- 1.00