Tidelight content review packet

For a licensed therapist reviewing a draft suicide prevention website for adults and young people in the United States.

> **Draft. Not reviewed.** An AI assistant drafted the website text, and one founder supplied the research brief. No licensed clinician has reviewed any of it, and none of it should be relied on until a review is recorded. Reviewer: not yet recorded. Review date: not yet recorded.

Built November 9, 2026 from the website files and project notes. Packet fingerprint 19ad82e518c2. If the pages change, this packet must be rebuilt with `python3 tools/make_review_packet.py`, and numbers may change.

How to use this packet

What's inside:

- Part 1: Text that appears on every page
- Part 2: Each English page, sentence by sentence, with its source links
- Part 3: Wording outside the page text, such as what a screen reader says and the contact card
- Part 4: The founder-supplied research brief
- Part 5: Crisis resources, and what each button does
- Part 6: Questions written for you
- Part 7: How the research was read, and how the pages compare with the brief
- Part 8: Proposed shorter sentences, optional
- Part 9: Decisions and sign-off

The Spanish pages are in a separate packet for a fluent reader. The Spanish lines on the English pages, such as the Spanish part of Get Help, appear here as part of each page. The fluent reader also checks their wording.

How to record feedback:

- **Mark each section.** Each section ends with a box: OK as written, OK with changes, or Not for the website.
- **Refer to sentences by number.** Every sentence has a number, such as HELP-12. In the Notes line, write something like "HELP-12: change to ...". Writing on the page is fine.
- **Repeated sentences.** A gray sentence marked "same as" repeats an earlier one. A decision on the first applies to all of them.
- **What a screen reader says.** Part 1, and each page in Part 2, ends with what a screen reader reads aloud there that the screen doesn't show, such as the page's title, the full names of the crisis links, and the section name after each "Show more" button. Someone who can't see the screen hears these words, so please mark them like the rest.
- **Answer the questions in Part 6** if you can. Skip any that aren't yours to answer.
- **Finish with Part 9.** It records your decisions, your role, and the date. Please don't write personal contact details in this packet. It may be stored in a public project.

You can use a pen on paper, or add notes to the PDF in a PDF app. Return it to the founder who gave it to you.

If anything here could cause harm, please say so first. Use this box, or tell the founders right away, for anything that should come down or change before anything else happens.

You can see the draft website on a screen if you meet a founder in person. Otherwise this packet is how to read it. The draft pages are not on the public website yet. Parts of an older version are public at https://stillwatersps.github.io/suicideprevention/.

Part 1: Text that appears on every page

The crisis strip, header, crisis buttons, and footer. Each page has one version of these. Different wording on different pages is listed here once, and a line that isn't on every page says which pages show it, so a line that changes on one page changes this section too. The last list is what a screen reader reads aloud in these parts that the screen doesn't show.

SHARED–1 Quick exit

SHARED–2 Need help now?

SHARED–3 Call 988 or text 988 any time.

SHARED–4 In immediate danger, call 911.

SHARED–5 Tidelight | Suicide prevention & support

SHARED–6 Menu

SHARED–7 Get Support Now

Quick exit: `https://www.weather.gov/`
Call 988: `tel:988`
text 988: `sms:988`
call 911: `tel:911`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SHARED–8 **About Tidelight**

SHARED–9 Tidelight is an early project to help people in the United States find suicide prevention support.

SHARED–10 Tidelight is not a crisis service.

SHARED–11 The call, text, and chat links on this site connect you to outside services, such as the 988 Suicide & Crisis Lifeline.

SHARED–12 If you or someone else is in immediate danger, call 911.

SHARED–13 Privacy: this site has no sign-ups, forms, analytics, or cookies.

SHARED–14 It is hosted on GitHub Pages, and GitHub says it logs and stores visitors' IP addresses for security.

SHARED–15 Quick exit and saved offline copies have limits.

SHARED–16 Read about privacy and what this site can't hide.

SHARED–17 Early preview.

SHARED–18 A suicide prevention professional has not reviewed this content yet.

SHARED–19 An AI assistant compared crisis numbers and links with each provider's website on November 6, 2026.

SHARED–20 No person has confirmed them or tried them on a phone.

SHARED–21 See the review status of each page.

SHARED–22 Photo: Joshua tree at sunset in Queen Valley, by Emily Hassell, National Park Service (public domain), via Wikimedia Commons.

Only on Home.

GitHub says it logs and stores visitors' IP addresses: https://docs.github.com/en/pages/getting-started-with-github-pages/what-is-github-pages#data-collection

Wikimedia Commons: https://commons.wikimedia.org/wiki/File:Joshua_tree_at_sunset_in_Queen_Valley_(50601665443).jpg

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SHARED-23 **Need to talk to someone now?**

On every page except Home.

SHARED-24 • Call 988 | Talk to a counselor

On every page except Home.

SHARED-25 • Text 988 | Send any message

On every page except Home.

SHARED-26 • Chat Online | Web chat with 988

On every page except Home.

SHARED-27 988 says a text starts with a few steps.

SHARED-28 Reply NEXT to accept its terms, answer a brief survey, and wait for a counselor.

On every page except Home.

SHARED-29 The 988 Suicide & Crisis Lifeline is free, confidential, and available any time.

SHARED-30 It is a separate service from Tidelight.

On every page except Home, Help Someone, Research and Page not found.

SHARED-31 On a device that can't call or text?

SHARED-32 Call or text 988 from a phone, or go to 988lifeline.org.

SHARED-33 *same as SHARED-4:* In immediate danger, call 911.

On every page except Home.

SHARED-34 Ayuda en español

Only on Get Help. Its links go to #en-espanol.

SHARED-35 Deaf or hard of hearing

Only on Get Help. Its links go to #deaf-hoh.

SHARED-36 *same as SHARED-29:* The 988 Suicide & Crisis Lifeline is free, confidential, and available any time.

SHARED-37 You can contact it about someone else, too.

SHARED-38 *same as SHARED-30:* It is a separate service from Tidelight.

Only on Help Someone.

SHARED-39 *same as SHARED-34:* Ayuda en español

On every page except Home and Get Help. Its links go to get-help/#en-espanol.

SHARED-40 *same as SHARED-35:* Deaf or hard of hearing

On every page except Home and Get Help. Its links go to get-help/#deaf-hoh.

SHARED-41 *same as SHARED-29:* The 988 Suicide & Crisis Lifeline is free, confidential, and available any time.

SHARED-42 *same as SHARED-30:* It is a separate service from Tidelight.

SHARED–43 You don't need research to reach out.

Only on Research.

SHARED–44 Save 988 to your contacts

Only on Wallet card and poster.

SHARED–45 This gives you a small contact card file for the 988 Lifeline.

SHARED–46 Depending on your device, it may show a preview of the contact, or save to your downloads.

SHARED–47 Adding it to your contacts is up to you, and nothing is sent to Tidelight.

SHARED–48 On an iPhone, scroll to the bottom of the preview and tap Create New Contact.

SHARED–49 Closing the preview doesn't save it.

SHARED–50 On a shared phone or computer, other people may see the file or a saved contact.

Only on Wallet card and poster.

SHARED–51 Trained counselors at the 988 Suicide & Crisis Lifeline answer calls, texts, and chats.

SHARED–52 *same as SHARED-30:* It is a separate service from Tidelight.

Only on Page not found.

Call 988 | Talk to a counselor: `tel:988`
Text 988 | Send any message: `sms:988`
Chat Online | Web chat with 988: `https://chat.988lifeline.org/`
988lifeline.org: `https://988lifeline.org/`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Read aloud by a screen reader, not shown on screen

SHARED–53 • Link seen only when reached with a keyboard: Skip to main content

SHARED–54 • Area name: Crisis help and quick exit

SHARED–55 • Link "Quick exit", read aloud as: Quick exit: leave this site now for the weather.gov home page

SHARED–56 • Link "Call 988", read aloud as: Call 988, the Suicide and Crisis Lifeline

SHARED–57 • Link "text 988", read aloud as: Text 988, the Suicide and Crisis Lifeline

SHARED–58 • Link "call 911", read aloud as: Call 911, emergency services

SHARED–59 • Link "Tidelight Suicide prevention & support", read aloud as: Tidelight Suicide prevention & support, home

SHARED–60 • Menu name: Main

SHARED–61 • Menu name: All pages

SHARED–62 • List name: Reach the 988 Suicide and Crisis Lifeline

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Part 2: English pages

Text from the crisis strip, header, crisis buttons, and footer is in Part 1. Folded sections are shown open. Links show their full address, so they can be checked from paper. Each page ends with what a screen reader reads aloud on it that the screen doesn't show, starting with the page's title.

Page: Home

Address once published: https://stillwatersps.github.io/suicideprevention/. Numbers start with HOME.

HOME-1 Find suicide prevention support

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

HOME-2 **You are not alone.**

HOME-3 If you're feeling overwhelmed, in crisis, or having thoughts of suicide, the 988 Suicide & Crisis Lifeline is there for you — anytime, day or night.

- HOME-4 • *same as SHARED-24:* Call 988 | Talk to a counselor
- HOME-5 • *same as SHARED-25:* Text 988 | Send any message
- HOME-6 • *same as SHARED-26:* Chat Online | Web chat with 988

HOME-7 *same as SHARED-27:* 988 says a text starts with a few steps.

HOME-8 *same as SHARED-28:* Reply NEXT to accept its terms, answer a brief survey, and wait for a counselor.

HOME-9 *same as SHARED-31:* On a device that can't call or text?

HOME-10 *same as SHARED-32:* Call or text 988 from a phone, or go to 988lifeline.org.

HOME-11 These connect you to the 988 Suicide & Crisis Lifeline, not to Tidelight.

HOME-12 *same as SHARED-34:* Ayuda en español

HOME-13 *same as SHARED-35:* Deaf or hard of hearing

HOME-14 Not sure what you need?

HOME-15 Explore resources and support →

HOME-16 Image description: A Joshua tree stands in front of a pink and blue sunset sky in the desert.

- HOME-17 • Your privacy | Tidelight has no sign-ups, forms, or tracking.
- HOME-18 • Our web host logs visitors' IP addresses.
- HOME-19 • 988 is available 24/7 | Trained crisis counselors answer calls, texts, and chats.
- HOME-20 • For you and your loved ones | Reach out for yourself or for someone you're worried about.

HOME-21 Draft for review.

HOME-22 A suicide prevention professional has not reviewed this page yet.

HOME-23 An AI assistant drafted it and compared the phone numbers and links with each provider's website on November 6, 2026.

HOME-24 *same as SHARED-20:* No person has confirmed them or tried them on a phone.

HOME-25 Find the support you need

Call 988 | Talk to a counselor: `tel:988`

Text 988 | Send any message: `sms:988`
Chat Online | Web chat with 988: `https://chat.988lifeline.org/`
988lifeline.org: `https://988lifeline.org/`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

HOME-26 **Where would you like to start?**

HOME-27 Whether you're in crisis, looking for ways to cope, or supporting someone you care about, these pages can point you to support.

HOME-28 **I'm having a hard time**

HOME-29 Find support for difficult moments, and learn what getting help looks like.

HOME-30 **I'm worried about someone**

HOME-31 Learn how to support a friend, family member, or loved one through it.

HOME-32 **I want to learn more**

HOME-33 See what research shows about suicide prevention, and where the evidence is still thin.

HOME-34 **Not sure what you're feeling?**

HOME-35 Start here, at your own pace.

HOME-36 What you open isn't saved, and there's no score.

HOME-37 **I've lost someone to suicide**

HOME-38 What you may feel, where to find support, and how to talk with children.

HOME-39 You don't have to face this alone.

HOME-40 Support is available, whenever you're ready.

HOME-41 Call or text 988, or chat at chat.988lifeline.org.

Call: `tel:988`
text 988: `sms:988`
chat.988lifeline.org: `https://chat.988lifeline.org/`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Read aloud by a screen reader, not shown on screen

- HOME-42 • Page title, read first when the page opens: Tidelight — Suicide Prevention & Support
- HOME-43 • *same as SHARED-62:* List name: Reach the 988 Suicide and Crisis Lifeline
- HOME-44 • Area name: About this site and the 988 Lifeline
- HOME-45 • Area name: Review status
- HOME-46 • Area name: Reminder
- HOME-47 • Link "Call", read aloud as: Call 988

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Page: Get Help

Address once published: https://stillwatersps.github.io/suicideprevention/get-help/. Numbers start with HELP.

HELP–1 For you

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

HELP–2 ## Getting help for yourself

HELP–3 If you're struggling or having thoughts of suicide, you don't have to handle it alone.

HELP–4 Here are ways to reach someone and what to expect.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

HELP–5 ### Right now

- HELP–6 • Reach out to 988: call 988, text 988, or chat online.
- HELP–7 • You don't need to be sure it's an emergency.
- HELP–8 • It's free and confidential.
- HELP–9 • In immediate danger?
- HELP–10 • Call 911.
- HELP–11 • If one way doesn't connect, try another: call, text, or chat.
- HELP–12 • The rest of this page can wait.
- HELP–13 • Open a section below when you're ready.

HELP–14 *same as SHARED-44:* Save 988 to your contacts

HELP–15 *same as SHARED-45:* This gives you a small contact card file for the 988 Lifeline.

HELP–16 *same as SHARED-46:* Depending on your device, it may show a preview of the contact, or save to your downloads.

HELP–17 *same as SHARED-47:* Adding it to your contacts is up to you, and nothing is sent to Tidelight.

HELP–18 *same as SHARED-48:* On an iPhone, scroll to the bottom of the preview and tap Create New Contact.

HELP–19 *same as SHARED-49:* Closing the preview doesn't save it.

HELP–20 *same as SHARED-50:* On a shared phone or computer, other people may see the file or a saved contact.

HELP–21 *same as HOME-21:* Draft for review.

HELP–22 *same as HOME-22:* A suicide prevention professional has not reviewed this page yet.

HELP–23 *same as HOME-23:* An AI assistant drafted it and compared the phone numbers and links with each provider's website on November 6, 2026.

HELP–24 *same as SHARED-20:* No person has confirmed them or tried them on a phone.

call 988: `tel:988`

text 988: `sms:988`
chat online: `https://chat.988lifeline.org/`
Call 911: `tel:911`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

HELP–25 **What happens when you reach out to 988**

HELP–26 *same as HELP-7:* You don't need to be sure it's an emergency.

HELP–27 The 988 Lifeline says anyone who is struggling can reach out, whether you are depressed, need to talk, or are thinking about suicide.

HELP–28 It also takes concerns about alcohol or drug use.

HELP–29 **If you call**

HELP–30 You'll hear a short recorded message with options, such as pressing 1 for the Veterans Crisis Line, 2 for Spanish, or 3 for LGBTQ+ youth.

HELP–31 You don't have to press anything.

HELP–32 If you stay on the line, you'll be connected to a local 988 center, based on your approximate location or your phone's area code.

HELP–33 SAMHSA, a federal agency that funds 988, says that if that center can't take your call, it goes to a national backup center.

HELP–34 Hold music plays while you are connected.

HELP–35 SAMHSA says wait times vary.

HELP–36 If your wait is longer, it asks you to stay on the line.

HELP–37 A counselor then says hello, asks if you are safe, listens to what's going on, and shares resources that may help.

HELP–38 **If you text**

HELP–39 Send any message to 988.

HELP–40 Automated messages come first.

HELP–41 Reply NEXT to accept the terms of service, then answer a few questions that help the counselor know how to support you.

HELP–42 You may then get a message asking you to wait.

HELP–43 A counselor then says hello, asks if you are safe, and listens.

HELP–44 **If you chat online**

HELP–45 The chat opens with a short form that helps the counselor know how to support you.

HELP–46 It asks for your zip code, whether you are having thoughts of suicide, and how upset you feel.

HELP–47 A phone number is optional.

HELP–48 Starting the chat accepts the terms of service.

HELP–49 You then wait to be connected to a counselor.

HELP-50 **What it costs**

HELP-51 Contacting 988 is free, and you don't need insurance.

HELP-52 Your phone carrier may still charge for calls or texts if your plan doesn't include unlimited use.

HELP-53 If a counselor contacts emergency services, such as 911 or a mobile crisis team, you may get a bill.

HELP-54 This could include an ambulance or hospital care.

HELP-55 Services they refer you to may charge too, so ask about fees first.

HELP-56 The Lifeline's terms say a small number of its centers bill Medicaid or other health insurance and may ask for your personal information.

HELP-57 They must explain why.

HELP-58 You can say no and still get support.

HELP-59 If you give it and a claim is filed, you, a parent or guardian, or the person you called about may get an insurance statement.

HELP-60 **If you can't get through**

HELP-61 Try another way.

HELP-62 If a call doesn't connect, try text or chat.

HELP-63 If texting is busy, try a call or chat.

HELP-64 In an emergency, call 911.

HELP-65 **What stays private**

HELP-66 The 988 Lifeline says conversations are confidential, but contacting it isn't anonymous.

HELP-67 You don't have to give your name or your exact location to get support.

HELP-68 The counselor has your phone number if you call or text, or your IP address if you chat.

HELP-69 In rare emergencies they must give this to 911, and 911 may ask your phone or internet company for your exact location.

HELP-70 Counselors take notes, and centers keep records for at least three years.

HELP-71 Call recordings or chat and text transcripts may be used to improve the service.

HELP-72 You can ask a counselor not to share your personal information.

HELP-73 The Lifeline's confidentiality statement lists when information can be shared, including when someone is at imminent risk of harm, when the law requires it, or when you agree.

HELP-74 On a shared phone or computer, visits to this site can show up in browser history, and calls or texts can show up in phone logs.

HELP-75 On a school or work device or account, the school or employer may see what you search and read, even in a private window.

HELP-76 Whether a call appears on a phone bill depends on the carrier.

HELP-77 *same as SHARED-15:* Quick exit and saved offline copies have limits.

HELP-78 See what they can and can't hide.

HELP-79 **When emergency services get involved**

HELP-80 The 988 Lifeline is separate from 911, and SAMHSA says most crises are managed by counselors working with you, without involving law enforcement.

HELP-81 The Lifeline recommends that counselors contact emergency services, which can mean 911, police, or a sheriff, only if someone is in danger of being hurt right now or very soon and they can't work out a safer plan together.

HELP-82 It reports that fewer than 2 in 100 calls involve emergency services, and that more than half of those happen with the caller's consent.

HELP-83 This is a recommendation, not a guarantee.

HELP-84 The Lifeline's terms say that if a counselor believes there is an immediate threat to someone's physical safety, you may not get a say: they may ask for 911 or a mobile crisis team to come to your location, and can share your information without your permission.

HELP-85 If you need help because of an immediate threat to your safety, the terms ask you to call 911 first.

HELP-86 These details come from the 988 Lifeline's website and SAMHSA, and can change.

HELP-87 Tidelight does not run 988 and cannot see who contacts it.

confidentiality statement: `https://988lifeline.org/confidentiality/`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

HELP-88 **Other ways to reach someone**

HELP-89 These are separate services with their own rules.

HELP-90 Tidelight does not run them.

HELP-91 **En español**

HELP-92 Para hablar con un consejero de la Línea 988 en español, marca 988 y luego presiona 2.

HELP-93 Para enviar un mensaje de texto, envía la palabra AYUDA al 988.

HELP-94 También puedes chatear en español.

HELP-95 Es gratis y confidencial, y está disponible las 24 horas.

HELP-96 La Línea 988 es un servicio aparte de Tidelight.

HELP-97 Si hay peligro inmediato, llama al 911.

HELP-98 Llamar al 988 y marcar 2 | Enviar AYUDA al 988 | Chatear en español | Esta página en español

HELP-99 **Deaf or hard of hearing** *same as SHARED-35*

HELP-100 You can reach 988 counselors in American Sign Language by dialing 988 from a videophone (VP) number.

HELP-101 You can also text or chat.

HELP-102 TTY users can use a preferred relay service or dial 711, then 988.

HELP-103 In an emergency, texting 911 only works in some places.

HELP-104 If it isn't available, use a TTY or relay service if you can.

HELP-105 Text 988 | Chat with 988 | 988 options for Deaf and hard of hearing people

HELP-106 **Other languages**

HELP-107 Call 988 and ask for an interpreter, or say the name of your language.

HELP-108 The 988 Lifeline offers more than 240 languages this way, on voice calls only.

HELP–109 Call 988

HELP–110 **Veterans Crisis Line**

HELP–111 For veterans, service members, National Guard and Reserve members, and the people who support them.

HELP–112 Free, confidential, and available 24/7.

HELP–113 You don't need to be enrolled in VA benefits or health care.

HELP–114 Call 988, then press 1 | Text 838255 | Veterans Crisis Line chat

HELP–115 **LGBTQ+ youth, through 988**

HELP–116 The 988 Lifeline says its specialized service for LGBTQ+ youth has been restored.

HELP–117 It is separate from The Trevor Project.

HELP–118 Call 988, then press 3 | Text PRIDE to 988

HELP–119 **The Trevor Project**

HELP–120 For LGBTQ+ young people.

HELP–121 Its terms describe the phone lifeline as for people under age 25.

HELP–122 Trained counselors by phone, text, or chat, free and confidential, 24/7.

HELP–123 Message and data rates may apply to texts.

HELP–124 On a phone, The Trevor Project suggests calling or texting, and using chat from a computer.

HELP–125 Its terms say phone calls offer access to interpreters, subject to availability.

HELP–126 You can choose the language option on the keypad or ask the counselor for an interpreter.

HELP–127 Call 1-866-488-7386 | Text START to 678-678 | Trevor Project chat and TTY

HELP–128 **Crisis Text Line**

HELP–129 Trained volunteer crisis counselors by text, free and confidential, 24/7, anywhere in the United States.

HELP–130 Crisis Text Line says your first message can say anything, and a word like HOME helps it know how you found it.

HELP–131 Its FAQ says messages are free on AT&T, T-Mobile, Sprint, and Verizon.

HELP–132 On other carriers, it says standard rates apply and 741741 will appear on the bill.

HELP–133 Its terms say message and data rates may apply.

HELP–134 Crisis Text Line says many T-Mobile prepaid plans don't allow numbers like 741741.

HELP–135 It also says it isn't available yet on Google Voice or TextNow.

HELP–136 If a text doesn't go through, it offers web chat and WhatsApp on its website.

HELP–137 Its privacy policy says WhatsApp may also have access to your information.

HELP–138 You can also call or text 988.

HELP–139 Text HOME to 741741 | Crisis Text Line website

HELP–140 **911**

HELP–141 *same as SHARED-12:* If you or someone else is in immediate danger, call 911.

HELP–142 Texting 911 only works in some places, and the Federal Communications Commission (FCC) advises making a voice call if you can.

HELP-143 If you text 911 where it isn't available, you should get an automatic message telling you to use another way.

HELP-144 If you are Deaf, hard of hearing, or can't speak and texting 911 isn't available, use a TTY or relay service if you can.

HELP-145 *same as HELP-10:* Call 911

HELP-146 The 988 Lifeline, the Veterans Crisis Line, The Trevor Project, and Crisis Text Line keep conversations confidential, with limits.

HELP-147 Each says it may contact emergency services or other authorities in some situations.

HELP-148 Their websites explain when.

Llamar al 988 y marcar 2: `tel:988`
Enviar AYUDA al 988: `sms:988`
Chatear en español: `https://chat.988lifeline.org/?lang=es`
Chat with 988: `https://chat.988lifeline.org/`
988 options for Deaf and hard of hearing people: `https://988lifeline.org/deaf-hard-of-hearing-hearing-loss/`
Text 838255: `sms:838255`
Veterans Crisis Line chat: `https://www.veteranscrisisline.net/get-help-now/chat/`
Call 1-866-488-7386: `tel:+18664887386`
Text START to 678-678: `sms:678678`
Trevor Project chat and TTY: `https://www.thetrevorproject.org/get-help/`
Text HOME to 741741: `sms:741741`
Crisis Text Line website: `https://www.crisistextline.org/`
Call 911: `tel:911`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

HELP-149 ## Support over time

HELP-150 A crisis line can help with a hard moment.

HELP-151 Longer-term care can help with what is behind it.

HELP-152 The National Institute of Mental Health (NIMH) says effective treatments are available for people at risk of suicide.

HELP-153 These include kinds of talk therapy, such as cognitive behavioral therapy and dialectical behavior therapy.

HELP-154 The American Foundation for Suicide Prevention says recovery is possible with evidence-based treatment for depression and other mental health conditions.

HELP-155 • Talk to a health care provider.

HELP-156 • If you have a doctor or nurse you see, you can bring up your mental health yourself, and they can refer you to a specialist.

HELP-157 • NIMH has tips for that conversation.

HELP-158 • Search for care near you.

HELP-159 • SAMHSA describes FindTreatment.gov as a confidential and anonymous treatment finder.

HELP-160 • Call for a referral.

HELP–161 • SAMHSA's National Helpline, 1-800-662-4357, offers free treatment referrals and information, 24/7, in English and Spanish.

HELP–162 • It does not provide counseling and is not a crisis line.

HELP–163 • For Spanish, choose the option to speak with a national representative.

HELP–164 • TTY: 1-800-487-4889.

tips for that conversation: https://www.nimh.nih.gov/health/publications/tips-for-talking-with-your-health-care-provider

FindTreatment.gov: https://findtreatment.gov/

1-800-662-4357: tel:+18006624357

1-800-487-4889: tel:+18004874889

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

HELP–165 **Planning for a hard moment**

HELP–166 A safety plan is a short written list of what to do when things get hard, made ahead of time so you don't have to work it out during a crisis.

HELP–167 A therapist or other mental health professional can help you make one.

HELP–168 A plan does not replace professional care.

HELP–169 NIMH says research has shown that safety plans can help lower a person's risk of acting on suicidal thoughts.

HELP–170 Some of this research paired the plan with clinician contact and follow-up, so it doesn't show what a plan made alone would do.

HELP–171 For children and teens, a review of brief programs built around a safety plan found no clear benefit.

HELP–172 See what the research shows about safety plans.

HELP–173 A safety plan usually includes:

HELP–174 • Your own warning signs that things are getting harder

HELP–175 • Things you can do on your own to get through it

HELP–176 • People and places that take your mind off it

HELP–177 • Family or friends you can reach out to

HELP–178 • Professionals and crisis lines you can contact

HELP–179 • Ways to make your surroundings safer

HELP–180 You don't have to work through a list before asking for help.

HELP–181 You can call or text 988, or call 911 in an emergency, at any point.

HELP–182 The developers of the Stanley-Brown Safety Plan offer a form (PDF) for personal use.

HELP–183 Tidelight does not see or save what you write on it.

HELP–184 A copy on a shared device, or on paper, could be seen by others, so keep it somewhere you feel safe.

a form (PDF): https://suicidesafetyplan.com/wp-content/uploads/2024/12/Stanley-Brown-Safety-Plan-05-02-2024.pdf

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

HELP-185 **If you're under 18**

HELP-186 You can call or text 988 yourself, even if there is no adult you can tell.

HELP-187 Its rules don't set a minimum age, and you don't have to give your name or age to get support.

HELP-188 It can help to save 988 in your phone now, in case you need it later.

HELP-189 More for teens: reaching out, trusted adults, and privacy

HELP-190 It can also help to tell an adult you trust, such as a parent or guardian, a relative, a teacher, a coach, a spiritual leader, or a doctor.

HELP-191 It's okay to ask what they can keep private first.

HELP-192 If you tell a school counselor you are thinking about suicide, expect them to tell a parent or guardian.

HELP-193 Their national association treats this as required, even for students who are 18.

HELP-194 The association makes one exception.

HELP-195 If you say you are thinking about suicide because of a parent's or guardian's abuse or neglect, the counselor must contact child protective services.

HELP-196 A federal factsheet says caseworkers may then talk with your parents and other people around you.

HELP-197 Teachers and other school staff may have to pass it on too.

HELP-198 A national model policy for school districts says all staff should report a student they believe is at risk.

HELP-199 It says the school then tells a parent or guardian the same day or as soon as possible.

HELP-200 The exception is when that would put the student at more risk.

HELP-201 Rules differ by state and district.

HELP-202 Crisis lines keep conversations confidential, with limits.

HELP-203 The 988 Lifeline says it may share information without your permission in some situations.

HELP-204 That information may go to 911, police, or a mobile crisis team (a crisis team that comes to you).

HELP-205 For example, this can happen if someone is in danger of being hurt very soon.

HELP-206 It can also happen if a young person is being abused or neglected, as state law defines it.

HELP-207 The Trevor Project and Crisis Text Line have similar limits.

HELP-208 The Trevor Project says it won't tell parents or guardians unless the law or a legal order requires it.

HELP-209 A small number of 988 centers bill insurance and may ask for your details.

HELP-210 *same as HELP-58:* You can say no and still get support.

HELP-211 If you give them and the center bills your insurance, a parent or guardian could get a statement from the insurance company.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

HELP-212 **More on this site**

HELP-213 Not sure what you're feeling? | After a suicide loss | For teens | About and privacy

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Sources

Checked November 6, 2026.

An AI assistant drafted these summaries for Tidelight, and no qualified person has reviewed them yet.

The organizations listed here have not reviewed or endorsed them.

Show sources (32)

- The Trevor Project Applauds the Return of the 988 Lifeline's "Press 3" Specialized Services for LGBTQ+ Youth, The Trevor Project
- What to Expect, 988 Suicide & Crisis Lifeline
- 988 Lifeline: Get Help, 988 Suicide & Crisis Lifeline
- Texting the 988 Lifeline (FAQ), 988 Suicide & Crisis Lifeline
- Calling the 988 Lifeline (FAQ), 988 Suicide & Crisis Lifeline
- Other languages (FAQ), 988 Suicide & Crisis Lifeline
- Deaf, Hard of Hearing, Hearing Loss, 988 Suicide & Crisis Lifeline
- Confidentiality, 988 Suicide & Crisis Lifeline
- 988 Lifeline: Terms of Service, 988 Suicide & Crisis Lifeline
- Police intervention (FAQ), 988 Suicide & Crisis Lifeline
- Tracing callers, texters, and chatters (FAQ), 988 Suicide & Crisis Lifeline
- 988 Lifeline chat.
- The form was read but not submitted.
- 988 Frequently Asked Questions, Substance Abuse and Mental Health Services Administration (SAMHSA)
- National Helpline, SAMHSA
- FindTreatment.gov, SAMHSA
- For Young People Looking for Help, SAMHSA
- Veterans Crisis Line, U.S. Department of Veterans Affairs
- The Trevor Project: Get Help, The Trevor Project
- The Trevor Project: Terms of Service, The Trevor Project
- FAQ, Crisis Text Line
- Privacy Policy, Crisis Text Line
- Text to 911: What You Need to Know, Federal Communications Commission
- Frequently Asked Questions About Suicide, National Institute of Mental Health
- Tips for Talking With a Health Care Provider, National Institute of Mental Health
- Child and Adolescent Mental Health, National Institute of Mental Health
- After an attempt, American Foundation for Suicide Prevention

HELP–246 • Statement on the Importance of Antidepressants and Evidence-Based Treatment, American Foundation for Suicide Prevention

HELP–247 • Stanley-Brown Safety Planning Intervention

HELP–248 • The School Counselor and Suicide Risk Assessment, American School Counselor Association

HELP–249 • How the Child Welfare System Works (PDF), Child Welfare Information Gateway, Children's Bureau

HELP–250 • Model School District Policy on Suicide Prevention, American Foundation for Suicide Prevention

HELP–251 • Browse in Incognito mode, Google Chrome Help

The Trevor Project Applauds the Return of the 988 Lifeline's "Press 3" Specialized Services for LGBTQ+ Youth: https://www.thetrevorproject.org/blog/the-trevor-project-applauds-the-return-of-the-988-lifelines-press-3-specialized-services-for-lgbtq-youth/

What to Expect: https://988lifeline.org/get-help/what-to-expect/

988 Lifeline: Get Help: https://988lifeline.org/get-help/

Texting the 988 Lifeline (FAQ): https://988lifeline.org/faq/texting-the-988-lifeline/

Calling the 988 Lifeline (FAQ): https://988lifeline.org/faq/calling-the-988-lifeline/

Other languages (FAQ): https://988lifeline.org/faq/calling-the-988-lifeline/faq-is-the-988-lifeline-available-in-other-languages-for-non-english-speakers/

Deaf, Hard of Hearing, Hearing Loss: https://988lifeline.org/deaf-hard-of-hearing-hearing-loss/

Confidentiality: https://988lifeline.org/confidentiality/

988 Lifeline: Terms of Service: https://988lifeline.org/terms-of-service/

Police intervention (FAQ): https://988lifeline.org/faq/about-us/faq-does-vibrant-use-police-intervention-for-callers-texters-and-chatters-to-the-988-lifeline/

Tracing callers, texters, and chatters (FAQ): https://988lifeline.org/faq/about-us/faq-does-the-988-lifeline-trace-callers-texters-or-chatters/

988 Lifeline chat: https://chat.988lifeline.org/

988 Frequently Asked Questions: https://www.samhsa.gov/mental-health/988/faqs

National Helpline: https://www.samhsa.gov/find-help/helplines/national-helpline

FindTreatment.gov: https://findtreatment.gov/

For Young People Looking for Help: https://www.samhsa.gov/mental-health/what-is-mental-health/how-to-talk/young-people

Veterans Crisis Line: https://www.veteranscrisisline.net/

The Trevor Project: Get Help: https://www.thetrevorproject.org/get-help/

The Trevor Project: Terms of Service: https://www.thetrevorproject.org/terms-of-service/

FAQ: https://www.crisistextline.org/about-us/faq/

Privacy Policy: https://www.crisistextline.org/privacy-policy/

Text to 911: What You Need to Know: https://www.fcc.gov/consumers/guides/what-you-need-know-about-text-911

Frequently Asked Questions About Suicide: https://www.nimh.nih.gov/health/publications/suicide-faq

Tips for Talking With a Health Care Provider: https://www.nimh.nih.gov/health/publications/tips-for-talking-with-your-health-care-provider

Child and Adolescent Mental Health: https://www.nimh.nih.gov/health/topics/child-and-adolescent-mental-health

After an attempt: https://afsp.org/after-an-attempt/

Statement on the Importance of Antidepressants and Evidence-Based Treatment: https://afsp.org/story/afsp-statement-on-the-importance-of-antidepressants-and-evidence-based-treatment

Stanley-Brown Safety Planning Intervention: https://suicidesafetyplan.com/

The School Counselor and Suicide Risk Assessment: https://www.schoolcounselor.org/Standards-Positions/Position-Statements/ASCA-Position-Statements/The-School-Counselor-and-Suicide-Risk-Assessment

How the Child Welfare System Works (PDF): https://artifacts.childwelfare.gov/public/documents/how-child-welfare-system-works.pdf

Model School District Policy on Suicide Prevention: https://afsp.org/model-school-policy-on-suicide-prevention/

Browse in Incognito mode: https://support.google.com/chrome/answer/95464?hl=en

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Read aloud by a screen reader, not shown on screen

HELP-252 • Page title, read first when the page opens: Getting help for yourself — Tidelight

HELP-253 • *same as HOME-45:* Area name: Review status

HELP-254 • Fold button "Show more", read aloud as: Show more: What happens when you reach out to 988

HELP-255 • Fold button "Show less", once open, read aloud as: Show less: What happens when you reach out to 988

HELP-256 • Fold button "Show more", read aloud as: Show more: Support over time

HELP-257 • Fold button "Show less", once open, read aloud as: Show less: Support over time

HELP-258 • Fold button "Show more", read aloud as: Show more: Planning for a hard moment

HELP-259 • Fold button "Show less", once open, read aloud as: Show less: Planning for a hard moment

HELP-260 • Fold button "Show more", read aloud as: Show more: If you're under 18

HELP-261 • Fold button "Show less", once open, read aloud as: Show less: If you're under 18

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Page: Help Someone

Address once published: https://stillwatersps.github.io/suicideprevention/help-someone/. Numbers start with SOME.

SOME-1 For friends and family

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SOME-2 ### Helping someone you're worried about

SOME-3 If you're worried about a friend, family member, or someone else, you can help.

SOME-4 You don't need to be an expert.

SOME-5 If you think they are in immediate danger, call 911.

SOME-6 If it is safe, stay with them, or make sure they are in a private, secure place with another caring person, until help comes.

SOME-7 If you're worried they may be in danger of suicide, call or text 988.

SOME-8 *same as HOME-21:* Draft for review.

SOME-9 *same as HOME-22:* A suicide prevention professional has not reviewed this page yet.

SOME-10 *same as HOME-23:* An AI assistant drafted it and compared the phone numbers and links with each provider's website on November 6, 2026.

SOME-11 *same as SHARED-20:* No person has confirmed them or tried them on a phone.

call 911: `tel:911`

call: `tel:988`

text 988: `sms:988`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SOME-12 ## Signs someone may be struggling

SOME-13 These may be signs that someone is thinking about suicide.

SOME-14 Take any of these seriously.

SOME-15 Be especially concerned if a behavior is new, has increased, or seems related to a painful event, loss, or change.

SOME-16 ### What they talk about

SOME-17 • Wanting to die

SOME-18 • Feeling great guilt or shame

SOME-19 • Being a burden to others

SOME-20 ### How they feel

SOME-21 • Empty, hopeless, trapped, or having no reason to live

SOME-22 • Extremely sad, more anxious, agitated, or full of rage

SOME-23 • In unbearable emotional or physical pain

SOME-24 ### What they do

SOME-25 • Making a plan or researching ways to die

SOME-26 • Withdrawing from friends, saying goodbye, giving away important items, or making a will

SOME-27 • Taking dangerous risks

SOME-28 • Having extreme mood swings

SOME-29 • Eating or sleeping more or less

SOME-30 • Using drugs or alcohol more often

SOME-31 If you notice these signs, get help as soon as possible.

SOME-32 You don't have to be certain.

SOME-33 You can contact 988 at any time if you're worried about someone.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SOME-34 **Five steps you can take**

SOME-35 The National Institute of Mental Health (NIMH) publishes these steps, which are also used by the 988 Lifeline's #BeThe1To campaign.

SOME-36 Some details below come from the other sources listed at the end of this page.

SOME-37 **Ask**

SOME-38 Ask directly: "Are you thinking about suicide?"

SOME-39 It isn't an easy question, but it can start the conversation.

SOME-40 NIMH says studies show that asking does not increase suicidal thoughts or behavior.

SOME-41 **Be there**

SOME-42 Listen without judgment to learn what they are thinking and feeling.

SOME-43 NIMH says research suggests that acknowledging and talking about suicide may reduce suicidal thoughts.

SOME-44 **Help keep them safe**

SOME-45 Ask whether they have a plan.

SOME-46 If they do, call or text 988 right away.

SOME-47 If they intend to act on it right away and have the means, call 911.

SOME-48 If you can do it safely, remove or safely store anything they could use to hurt themselves.

SOME-49 The 988 Lifeline can also help you work out what to do next.

SOME-50 **Help them connect**

SOME-51 Help them reach 988 by call or text, and other local resources.

SOME-52 You can also help them reach a family member, friend, spiritual advisor, or mental health professional they trust.

SOME-53 You can contact 988 yourself about them, too.

SOME-54 If you think they are in immediate danger, call 911 first.

SOME-55 The 988 Lifeline says a counselor may contact 911 if someone is in immediate danger and a safer plan can't be worked out.

SOME-56 SAMHSA, a U.S. government health agency, says most crises are managed by counselors without involving law enforcement, but that is not a guarantee.

SOME-57 See when emergency services get involved.

SOME-58 **Follow up**

SOME-59 Stay in touch after a crisis or after they leave care.

SOME-60 NIMH says supportive, ongoing contact can play an important role in preventing suicide.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SOME-61 **What helps in the conversation**

SOME-62 This draws on advice from the 988 Lifeline and NIMH.

SOME–63 **Try to**

- SOME–64 • Be direct, and talk openly and calmly about suicide.
- SOME–65 • Listen, let them finish, and accept what they feel.
- SOME–66 • Say back what you hear, such as "It sounds like you're saying..."
- SOME–67 • Let them know help is out there and that you'll help them reach it.
- SOME–68 • Don't rush to say everything will be fine.
- SOME–69 • Get help from people who specialize in crisis support.

SOME–70 **What to avoid**

- SOME–71 • Don't debate whether suicide is right or wrong, or lecture about the value of life.
- SOME–72 • Don't act shocked, or dare them to do it.
- SOME–73 • Don't dismiss what they say as a bid for attention.
- SOME–74 • All talk of suicide should be taken seriously.
- SOME–75 • Don't promise to keep it a secret.
- SOME–76 • If someone tells you about a plan to hurt themselves, tell someone who can help.
- SOME–77 • Don't leave them alone if they tell you they are going to end their life.
- SOME–78 • If it is safe, stay with them and call 911, or call or text 988.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SOME–79 **If it's a child or teen**

SOME–80 **If you're a parent or caregiver**

SOME–81 Take what they say seriously, even if they say they didn't mean it.

SOME–82 Don't argue with their feelings.

SOME–83 Tell them you care and that you will help them get help.

SOME–84 If they have a suicide plan or can't stop thinking about ending their life, call or text 988 right away, and call 911 if they need immediate help.

SOME–85 Stay close and don't leave them alone while you get help.

SOME–86 Remove or safely store anything they could use to hurt themselves.

SOME–87 Any child with suicidal thoughts or plans should be evaluated right away by a trained mental health professional.

SOME–88 Call their pediatrician or a mental health provider now, even if it doesn't seem like a crisis.

SOME–89 Their pediatrician can also help you make a safety plan.

SOME–90 **At school**

SOME–91 School counselors and school psychologists can help connect a family to support.

SOME–92 School counselors are expected to tell a parent or guardian when a student has thoughts of suicide, even at 18.

SOME–93 The exception is when a student says a parent's or guardian's abuse or neglect is the reason for those thoughts.

SOME-94 Then the counselor must contact child protective services, and caseworkers may talk with the parents and other people around the student.

SOME-95 So don't promise a young person that it will stay private.

SOME-96 **If you're a young person worried about a friend**

SOME-97 You don't need to have the answers.

SOME-98 Start with a caring question and listen.

SOME-99 If you're worried about suicide, it's okay to ask directly: "Are you thinking about suicide?"

SOME-100 Encourage your friend to talk to a trusted adult, such as a parent, coach, teacher, or school counselor, and talk to one yourself.

SOME-101 If your friend talks about suicide or about hurting themselves, don't keep it a secret, even if they ask you to.

SOME-102 Tell a trusted adult, or call or text 988 to ask what to do.

SOME-103 You can contact 988 at any time, even if it's about a friend.

SOME-104 If they say they are going to end their life, call 911 if it's an emergency.

SOME-105 If you're with them and it is safe, stay with them.

SOME-106 If they told you by text or online, keep talking if you can while you get an adult, or call or text 988.

SOME-107 You don't have to handle this by yourself.

SOME-108 More for teens is on For Teens.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SOME-109 **If you see a worrying post online**

SOME-110 If you think someone may be in danger right now, call 911.

SOME-111 You can also contact the site's safety team, because many social media sites have a way to get help for the person posting.

SOME-112 The 988 Lifeline explains how this works on different platforms.

how this works on different platforms: https://988lifeline.org/help-someone-else/support-on-social-media/

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SOME-113 **Look after yourself too**

SOME-114 Supporting someone through a hard time can bring up difficult emotions of your own, and the responsibility doesn't have to be yours alone.

SOME-115 The 988 Lifeline encourages helpers to reach out for support themselves.

SOME-116 You can call or text 988 for yourself, even if you're not the one in crisis.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SOME-117 **More on this site** *same as HELP-212*

SOME-118 After a suicide loss | Not sure what you're feeling? | What the research shows

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SOME-119 **Sources** *same as HELP-214*

SOME-120 *same as HELP-215:* Checked November 6, 2026.

SOME-121 *same as HELP-216:* An AI assistant drafted these summaries for Tidelight, and no qualified person has reviewed them yet.

SOME-122 *same as HELP-217:* The organizations listed here have not reviewed or endorsed them.

SOME-123 **Show sources (15)**

- SOME-124 • Warning Signs of Suicide, National Institute of Mental Health
- SOME-125 • 5 Action Steps to Help Someone Having Thoughts of Suicide, National Institute of Mental Health
- SOME-126 • *same as HELP-242:* Frequently Asked Questions About Suicide, National Institute of Mental Health
- SOME-127 • Suicide Prevention, Substance Abuse and Mental Health Services Administration (SAMHSA)
- SOME-128 • 988 Frequently Asked Questions, SAMHSA
- SOME-129 • Help Someone Else, 988 Suicide & Crisis Lifeline
- SOME-130 • Support on Social Media, 988 Suicide & Crisis Lifeline
- SOME-131 • *same as HELP-220:* What to Expect, 988 Suicide & Crisis Lifeline
- SOME-132 • What should I do if my child or teen is thinking about suicide?, American Academy of Pediatrics
- SOME-133 • Suicide in Children and Teens, American Academy of Child & Adolescent Psychiatry
- SOME-134 • Preventing Youth Suicide: Tips for Parents and Educators, National Association of School Psychologists
- SOME-135 • *same as HELP-248:* The School Counselor and Suicide Risk Assessment, American School Counselor Association
- SOME-136 • *same as HELP-249:* How the Child Welfare System Works (PDF), Child Welfare Information Gateway, Children's Bureau
- SOME-137 • How to Talk to a Friend About Mental Health or Drugs, Centers for Disease Control and Prevention
- SOME-138 • Suicide Prevention Toolkit for Caregivers (PDF), U.S. Department of Veterans Affairs

Warning Signs of Suicide: https://www.nimh.nih.gov/health/publications/warning-signs-of-suicide

5 Action Steps to Help Someone Having Thoughts of Suicide: https://www.nimh.nih.gov/health/publications/5-action-steps-to-help-someone-having-thoughts-of-suicide

Frequently Asked Questions About Suicide: https://www.nimh.nih.gov/health/publications/suicide-faq

Suicide Prevention: https://www.samhsa.gov/mental-health/suicidal-behavior/prevention

988 Frequently Asked Questions: https://www.samhsa.gov/mental-health/988/faqs

Help Someone Else: https://988lifeline.org/help-someone-else/

Support on Social Media: https://988lifeline.org/help-someone-else/support-on-social-media/

What to Expect: https://988lifeline.org/get-help/what-to-expect/

What should I do if my child or teen is thinking about suicide?: https://www.healthychildren.org/English/tips-tools/ask-the-pediatrician/Pages/what-should-i-do-if-my-child-is-thinking-about-suicide.aspx

Suicide in Children and Teens: https://www.aacap.org/AACAP/Families_and_Youth/Facts_for_Families/FFF-Guide/Teen-Suicide-010.aspx

Preventing Youth Suicide: Tips for Parents and Educators: https://www.nasponline.org/resources-and-publications/resources-and-podcasts/school-safety-and-crisis/mental-health-resources/preventing-youth-suicide/preventing-youth-suicide-tips-for-parents-and-educators

The School Counselor and Suicide Risk Assessment: https://www.schoolcounselor.org/Standards-Positions/Position-Statements/ASCA-Position-Statements/The-School-Counselor-and-Suicide-Risk-Assessment

How the Child Welfare System Works (PDF): https://artifacts.childwelfare.gov/public/documents/how-child-welfare-system-works.pdf

How to Talk to a Friend About Mental Health or Drugs: https://www.cdc.gov/free-mind/teens/talk-to-a-friend.html

Suicide Prevention Toolkit for Caregivers (PDF): https://www.caregiver.va.gov/pdfs/va-suicide-prevention-toolkit-for-caregivers.PDF

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Read aloud by a screen reader, not shown on screen

SOME-139 • Page title, read first when the page opens: Helping someone you're worried about — Tidelight

SOME-140 • *same as HOME-47:* Link "call", read aloud as: Call 988

SOME-141 • *same as HOME-45:* Area name: Review status

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Page: For Teens

Address once published: https://stillwatersps.github.io/suicideprevention/teens/. Numbers start with TEEN.

TEEN-1 For teens

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

TEEN-2 **If you're a teen and things feel hard**

TEEN-3 You can reach out for support yourself, any time, even if there is no adult you can tell.

TEEN-4 Here's how, and what stays private.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

TEEN–5 **Right now** *same as HELP-5*

- TEEN–6 • *same as HELP-6:* Reach out to 988: call 988, text 988, or chat online.
- TEEN–7 • *same as HELP-7:* You don't need to be sure it's an emergency.
- TEEN–8 • *same as HELP-8:* It's free and confidential.
- TEEN–9 • *same as HELP-9:* In immediate danger?
- TEEN–10 • *same as HELP-10:* Call 911.
- TEEN–11 • *same as HELP-11:* If one way doesn't connect, try another: call, text, or chat.
- TEEN–12 • *same as HELP-12:* The rest of this page can wait.
- TEEN–13 • Read on when you're ready.

TEEN–14 *same as SHARED-44:* Save 988 to your contacts

TEEN–15 *same as SHARED-45:* This gives you a small contact card file for the 988 Lifeline.

TEEN–16 *same as SHARED-46:* Depending on your device, it may show a preview of the contact, or save to your downloads.

TEEN–17 *same as SHARED-47:* Adding it to your contacts is up to you, and nothing is sent to Tidelight.

TEEN–18 *same as SHARED-48:* On an iPhone, scroll to the bottom of the preview and tap Create New Contact.

TEEN–19 *same as SHARED-49:* Closing the preview doesn't save it.

TEEN–20 *same as SHARED-50:* On a shared phone or computer, other people may see the file or a saved contact.

TEEN–21 *same as HOME-21:* Draft for review.

TEEN–22 A suicide prevention professional has not reviewed this page yet, and its founders are still deciding which ages the site is designed for.

TEEN–23 *same as HOME-23:* An AI assistant drafted it and compared the phone numbers and links with each provider's website on November 6, 2026.

TEEN–24 *same as SHARED-20:* No person has confirmed them or tried them on a phone.

call 988: `tel:988`
text 988: `sms:988`
chat online: `https://chat.988lifeline.org/`
Call 911: `tel:911`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

TEEN–25 **You can reach out yourself**

TEEN–26 *same as HELP-186:* You can call or text 988 yourself, even if there is no adult you can tell.

TEEN–27 *same as HELP-187:* Its rules don't set a minimum age, and you don't have to give your name or age to get support.

TEEN–28 *same as HELP-188:* It can help to save 988 in your phone now, in case you need it later.

TEEN–29 **The Trevor Project** *same as HELP-119*

TEEN–30 *same as HELP-120:* For LGBTQ+ young people.

TEEN–31 *same as HELP-121:* Its terms describe the phone lifeline as for people under age 25.

TEEN–32 *same as HELP-122:* Trained counselors by phone, text, or chat, free and confidential, 24/7.

TEEN–33 *same as HELP-123:* Message and data rates may apply to texts.

TEEN–34 *same as HELP-124:* On a phone, The Trevor Project suggests calling or texting, and using chat from a computer.

TEEN–35 *same as HELP-125:* Its terms say phone calls offer access to interpreters, subject to availability.

TEEN–36 *same as HELP-126:* You can choose the language option on the keypad or ask the counselor for an interpreter.

TEEN–37 *same as HELP-127:* Call 1-866-488-7386 | Text START to 678-678 | Trevor Project chat and TTY

TEEN–38 **LGBTQ+ youth, through 988** *same as HELP-115*

TEEN–39 *same as HELP-116:* The 988 Lifeline says its specialized service for LGBTQ+ youth has been restored.

TEEN–40 *same as HELP-117:* It is separate from The Trevor Project.

TEEN–41 *same as HELP-118:* Call 988, then press 3 | Text PRIDE to 988

TEEN–42 **Crisis Text Line** *same as HELP-128*

TEEN–43 *same as HELP-129:* Trained volunteer crisis counselors by text, free and confidential, 24/7, anywhere in the United States.

TEEN–44 *same as HELP-130:* Crisis Text Line says your first message can say anything, and a word like HOME helps it know how you found it.

TEEN–45 *same as HELP-131:* Its FAQ says messages are free on AT&T, T-Mobile, Sprint, and Verizon.

TEEN–46 *same as HELP-132:* On other carriers, it says standard rates apply and 741741 will appear on the bill.

TEEN–47 *same as HELP-133:* Its terms say message and data rates may apply.

TEEN–48 *same as HELP-134:* Crisis Text Line says many T-Mobile prepaid plans don't allow numbers like 741741.

TEEN–49 *same as HELP-135:* It also says it isn't available yet on Google Voice or TextNow.

TEEN–50 *same as HELP-136:* If a text doesn't go through, it offers web chat and WhatsApp on its website.

TEEN–51 *same as HELP-137:* Its privacy policy says WhatsApp may also have access to your information.

TEEN–52 *same as HELP-138:* You can also call or text 988.

TEEN–53 Text HOME to 741741 | Crisis Text Line web chat or WhatsApp

TEEN–54 More options, including Spanish, ASL, and other languages, are on Get Help.

TEEN–55 If you text 988, automated messages come first.

TEEN–56 A counselor then says hello.

TEEN–57 See what happens when you call, text, or chat.

Call 1-866-488-7386: `tel:+18664887386`
Text START to 678-678: `sms:678678`
Trevor Project chat and TTY: `https://www.thetrevorproject.org/get-help/`
Call 988, then press 3: `tel:988`
Text PRIDE to 988: `sms:988`
Text HOME to 741741: `sms:741741`
Crisis Text Line web chat or WhatsApp: `https://www.crisistextline.org/text-us/`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

TEEN–58 **Telling an adult you trust**

TEEN–59 *same as HELP-190:* It can also help to tell an adult you trust, such as a parent or guardian, a relative, a teacher, a coach, a spiritual leader, or a doctor.

TEEN–60 *same as HELP-191:* It's okay to ask what they can keep private first.

TEEN–61 *same as HELP-192:* If you tell a school counselor you are thinking about suicide, expect them to tell a parent or guardian.

TEEN–62 *same as HELP-193:* Their national association treats this as required, even for students who are 18.

TEEN–63 *same as HELP-194:* The association makes one exception.

TEEN-64 *same as HELP-195:* If you say you are thinking about suicide because of a parent's or guardian's abuse or neglect, the counselor must contact child protective services.

TEEN-65 *same as HELP-196:* A federal factsheet says caseworkers may then talk with your parents and other people around you.

TEEN-66 *same as HELP-197:* Teachers and other school staff may have to pass it on too.

TEEN-67 *same as HELP-198:* A national model policy for school districts says all staff should report a student they believe is at risk.

TEEN-68 *same as HELP-199:* It says the school then tells a parent or guardian the same day or as soon as possible.

TEEN-69 *same as HELP-200:* The exception is when that would put the student at more risk.

TEEN-70 *same as HELP-201:* Rules differ by state and district.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

TEEN-71 **What stays private** *same as HELP-65*

TEEN-72 *same as HELP-202:* Crisis lines keep conversations confidential, with limits.

TEEN-73 *same as HELP-203:* The 988 Lifeline says it may share information without your permission in some situations.

TEEN-74 *same as HELP-204:* That information may go to 911, police, or a mobile crisis team (a crisis team that comes to you).

TEEN-75 *same as HELP-205:* For example, this can happen if someone is in danger of being hurt very soon.

TEEN-76 *same as HELP-206:* It can also happen if a young person is being abused or neglected, as state law defines it.

TEEN-77 *same as HELP-207:* The Trevor Project and Crisis Text Line have similar limits.

TEEN-78 *same as HELP-208:* The Trevor Project says it won't tell parents or guardians unless the law or a legal order requires it.

TEEN-79 *same as HELP-66:* The 988 Lifeline says conversations are confidential, but contacting it isn't anonymous.

TEEN-80 You don't have to give your name.

TEEN-81 But the counselor has your phone number if you call or text, or your IP address if you chat.

TEEN-82 In rare emergencies they must give this to 911.

TEEN-83 *same as HELP-209:* A small number of 988 centers bill insurance and may ask for your details.

TEEN-84 *same as HELP-58:* You can say no and still get support.

TEEN-85 *same as HELP-211:* If you give them and the center bills your insurance, a parent or guardian could get a statement from the insurance company.

TEEN-86 *same as HELP-74:* On a shared phone or computer, visits to this site can show up in browser history, and calls or texts can show up in phone logs.

TEEN-87 The 988 Lifeline says whether its number appears on a phone bill depends on the carrier.

TEEN-88 The Quick exit button hides this page at once and opens weather.gov, but it can't clear your history.

TEEN-89 See what it can and can't hide.

TEEN-90 On a school phone, laptop, or account, the school may be able to see what you search and read.

TEEN-91 Google says a school that manages your network may be able to see your activity, even in Chrome's Incognito mode.

TEEN-92 Some schools use software that looks for signs of suicide and alerts staff.

TEEN-93 If you think your activity is being monitored, use a device at a friend's house or a library if you can.

TEEN–94 If you need help right now, don't wait.

TEEN–95 Reach out any way you can.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

TEEN–96 **If you're worried about a friend**

TEEN–97 *same as SOME-97:* You don't need to have the answers.

TEEN–98 *same as SOME-98:* Start with a caring question and listen.

TEEN–99 *same as SOME-99:* If you're worried about suicide, it's okay to ask directly: "Are you thinking about suicide?"

TEEN–100 *same as SOME-100:* Encourage your friend to talk to a trusted adult, such as a parent, coach, teacher, or school counselor, and talk to one yourself.

TEEN–101 *same as SOME-101:* If your friend talks about suicide or about hurting themselves, don't keep it a secret, even if they ask you to.

TEEN–102 *same as SOME-102:* Tell a trusted adult, or call or text 988 to ask what to do.

TEEN–103 *same as SOME-103:* You can contact 988 at any time, even if it's about a friend.

TEEN–104 *same as SOME-104:* If they say they are going to end their life, call 911 if it's an emergency.

TEEN–105 *same as SOME-105:* If you're with them and it is safe, stay with them.

TEEN–106 *same as SOME-106:* If they told you by text or online, keep talking if you can while you get an adult, or call or text 988.

TEEN–107 *same as SOME-107:* You don't have to handle this by yourself.

TEEN–108 More on this is on Help Someone.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

TEEN–109 **More on this site** *same as HELP-212*

TEEN–110 Not sure what you're feeling? | After a suicide loss

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

TEEN–111 **Sources** *same as HELP-214*

TEEN–112 *same as HELP-215:* Checked November 6, 2026.

TEEN–113 *same as HELP-216:* An AI assistant drafted these summaries for Tidelight, and no qualified person has reviewed them yet.

TEEN–114 *same as HELP-217:* The organizations listed here have not reviewed or endorsed them.

TEEN–115 **Show sources (20)**

TEEN–116 • *same as HELP-219:* The Trevor Project Applauds the Return of the 988 Lifeline's "Press 3" Specialized Services for LGBTQ+ Youth, The Trevor Project

TEEN–117 • *same as HELP-220:* What to Expect, 988 Suicide & Crisis Lifeline

TEEN-118 • *same as HELP-221:* 988 Lifeline: Get Help, 988 Suicide & Crisis Lifeline

TEEN-119 • *same as HELP-226:* Confidentiality, 988 Suicide & Crisis Lifeline

TEEN-120 • *same as HELP-227:* 988 Lifeline: Terms of Service, 988 Suicide & Crisis Lifeline

TEEN-121 • *same as HELP-229:* Tracing callers, texters, and chatters (FAQ), 988 Suicide & Crisis Lifeline

TEEN-122 • Will the 988 Lifeline number appear on my phone bill?

TEEN-123 • (FAQ), 988 Suicide & Crisis Lifeline

TEEN-124 • *same as HELP-235:* For Young People Looking for Help, SAMHSA

TEEN-125 • *same as HELP-237:* The Trevor Project: Get Help, The Trevor Project

TEEN-126 • *same as HELP-238:* The Trevor Project: Terms of Service, The Trevor Project

TEEN-127 • *same as HELP-239:* FAQ, Crisis Text Line

TEEN-128 • *same as HELP-240:* Privacy Policy, Crisis Text Line

TEEN-129 • *same as HELP-244:* Child and Adolescent Mental Health, National Institute of Mental Health

TEEN-130 • *same as HELP-248:* The School Counselor and Suicide Risk Assessment, American School Counselor Association

TEEN-131 • *same as HELP-249:* How the Child Welfare System Works (PDF), Child Welfare Information Gateway, Children's Bureau

TEEN-132 • *same as HELP-250:* Model School District Policy on Suicide Prevention, American Foundation for Suicide Prevention

TEEN-133 • *same as SOME-137:* How to Talk to a Friend About Mental Health or Drugs, Centers for Disease Control and Prevention

TEEN-134 • *same as HELP-251:* Browse in Incognito mode, Google Chrome Help

TEEN-135 • Artificial Intelligence-Based Student Activity Monitoring for Suicide Risk (abstract), RAND Corporation, through PubMed

TEEN-136 • Childhelp National Child Abuse Hotline, Childhelp

The Trevor Project Applauds the Return of the 988 Lifeline's "Press 3" Specialized Services for LGBTQ+ Youth: https://www.thetrevorproject.org/blog/the-trevor-project-applauds-the-return-of-the-988-lifelines-press-3-specialized-services-for-lgbtq-youth/

What to Expect: https://988lifeline.org/get-help/what-to-expect/

988 Lifeline: Get Help: https://988lifeline.org/get-help/

Confidentiality: https://988lifeline.org/confidentiality/

988 Lifeline: Terms of Service: https://988lifeline.org/terms-of-service/

Tracing callers, texters, and chatters (FAQ): https://988lifeline.org/faq/about-us/faq-does-the-988-lifeline-trace-callers-texters-or-chatters/

Will the 988 Lifeline number appear on my phone bill? (FAQ): https://988lifeline.org/faq/calling-the-988-lifeline/faq-will-the-988-lifeline-number-appear-on-my-phone-bill/

For Young People Looking for Help: https://www.samhsa.gov/mental-health/what-is-mental-health/how-to-talk/young-people

The Trevor Project: Get Help: https://www.thetrevorproject.org/get-help/

The Trevor Project: Terms of Service: https://www.thetrevorproject.org/terms-of-service/

FAQ: https://www.crisistextline.org/about-us/faq/

Privacy Policy: https://www.crisistextline.org/privacy-policy/

Child and Adolescent Mental Health: https://www.nimh.nih.gov/health/topics/child-and-adolescent-mental-health

The School Counselor and Suicide Risk Assessment: https://www.schoolcounselor.org/Standards-Positions/Position-Statements/ASCA-Position-Statements/The-School-Counselor-and-Suicide-Risk-Assessment

How the Child Welfare System Works (PDF): https://artifacts.childwelfare.gov/public/documents/how-child-welfare-system-works.pdf

Model School District Policy on Suicide Prevention: https://afsp.org/model-school-policy-on-suicide-prevention/

How to Talk to a Friend About Mental Health or Drugs: https://www.cdc.gov/free-mind/teens/talk-to-a-friend.html

Browse in Incognito mode: https://support.google.com/chrome/answer/95464?hl=en

Artificial Intelligence-Based Student Activity Monitoring for Suicide Risk (abstract): https://pubmed.ncbi.nlm.nih.gov/38601718/

Childhelp National Child Abuse Hotline: https://childhelphotline.org/

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Read aloud by a screen reader, not shown on screen

TEEN-137 • Page title, read first when the page opens: For teens — Tidelight

TEEN-138 • *same as HOME-45:* Area name: Review status

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Page: Daily check-in

Address once published: https://stillwatersps.github.io/suicideprevention/check-in/. Numbers start with DAY.

DAY-1 Daily check-in

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

DAY-2 **You don't have to have everything figured out.**

DAY-3 Start with how you're feeling today.

DAY-4 It takes about two or three minutes, every question is optional, and there are no right answers.

DAY-5 Start today's check-in

DAY-6 *same as HOME-21:* Draft for review.

DAY-7 *same as HOME-22:* A suicide prevention professional has not reviewed this page yet.

DAY-8 An AI assistant built it from a founder's brief.

DAY-9 It is not a test, a diagnosis, or a replacement for care, and its suggestions are ideas, not treatment.

DAY-10 *same as SHARED-21:* See the review status of each page.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

DAY-11 **What happens to what you share here**

DAY-12 Everything you choose or write stays on this page, in this browser tab.

DAY–13 Nothing is sent anywhere, and nothing is saved.

DAY–14 When you close or reload the page, it's gone.

DAY–15 Saving check-ins and journal entries for another day isn't built yet.

DAY–16 Until then, nothing here is kept.

DAY–17 On a shared phone or computer, someone could see this page while it's open.

DAY–18 Quick exit leaves the site fast.

DAY–19 • Today

DAY–20 • Rediscover

DAY–21 • Journal

DAY–22 • Your journey

DAY–23 • Support

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

DAY–24 **Today** *same as DAY-19*

DAY–25 Welcome.

DAY–26 However today is going, you're welcome here.

DAY–27 You can skip any question, go back, or stop at any time.

DAY–28 **How are you feeling today?**

DAY–29 Choose the one that fits best, or skip it.

DAY–30 Hopeful

DAY–31 Calm

DAY–32 Okay

DAY–33 Unsure

DAY–34 Overwhelmed

DAY–35 Sad

DAY–36 Anxious

DAY–37 Disconnected

DAY–38 Exhausted

DAY–39 Next Skip this question

DAY–40 **What's been on your mind lately?**

DAY–41 Optional.

DAY–42 Write as much or as little as you like.

DAY–43 Next Skip this question Back

DAY–44 **What's something that's been difficult today?**

DAY–45 *same as DAY-41:* Optional.

DAY–46 It's okay if nothing comes to mind.

DAY-47 *same as DAY-43:* Next Skip this question Back

DAY-48 **Was there a moment today when you felt more like yourself?**

DAY-49 *same as DAY-41:* Optional.

DAY-50 Even a small moment counts.

DAY-51 *same as DAY-43:* Next Skip this question Back

DAY-52 **What do you feel like you need right now?**

DAY-53 Choose any that fit, or none.

DAY-54 Rest

DAY-55 A break

DAY-56 Someone to talk to

DAY-57 To feel less alone

DAY-58 To get outside

DAY-59 To do something I enjoy

DAY-60 I'm not sure

DAY-61 If you're thinking about suicide, you can call 988 or text 988 at any time.

DAY-62 *same as SHARED-4:* In immediate danger, call 911.

DAY-63 See today's suggestions Back

DAY-64 **Thank you for checking in.**

DAY-65 You said you're feeling today.

DAY-66 Here are a few small things you could try.

DAY-67 They're ideas, not instructions, and none of them is a treatment.

DAY-68 Skip any that don't fit.

DAY-69 You said you'd like someone to talk to.

DAY-70 You can call 988 or text 988 at any time, or reach out to someone you trust.

DAY-71 **For your mind**

DAY-72 Try something else Not today I'd like to try this

DAY-73 **For your connection**

DAY-74 *same as DAY-72:* Try something else Not today I'd like to try this

DAY-75 **For yourself**

DAY-76 *same as DAY-72:* Try something else Not today I'd like to try this

DAY-77 That's okay.

DAY-78 You can come back to this another time.

DAY-79 Added to "Things you'd like to try" in Your journey, for this visit.

DAY-80 Change my answers

DAY-81 **See every suggestion this page can show**

DAY-82 Suggestions are picked only from the feeling and needs you chose, never from what you wrote.

DAY-83 Nothing is scored.

DAY-84 **For your mind** *same as DAY-71*

- DAY-85 • Take a few slow breaths and notice where you are: what you can see, hear, and feel.
- DAY-86 • Write down one thing that's on your mind.
- DAY-87 • You don't have to solve it.
- DAY-88 • Take a short break from what you're doing, even for five minutes.
- DAY-89 • Let yourself rest without having to earn it first.
- DAY-90 • Notice one thing that went okay today, however small.
- DAY-91 • Step outside or open a window for a few minutes.

DAY-92 **For your connection** *same as DAY-73*

- DAY-93 • Send a short message to someone you feel comfortable with.
- DAY-94 • It can be as simple as "thinking of you."
- DAY-95 • Talk with someone you trust about how today has been.
- DAY-96 • If you'd like to talk with someone right now, you can call or text 988 at any time.
- DAY-97 • Spend a little time near other people, even without talking, such as at a library or a park.
- DAY-98 • Tell someone about something good from today.

DAY-99 **For yourself** *same as DAY-75*

- DAY-100 • Revisit something you used to enjoy, even for ten minutes.
- DAY-101 • Listen to a song that has meant something to you.
- DAY-102 • Do one small thing just for you, with no goal attached.
- DAY-103 • Try something small and new, like a different walk or a new way to cook something you already have.
- DAY-104 • Write down one thing you appreciate about yourself.
- DAY-105 • Spend some time outside, at whatever pace feels right.

call 988: `tel:988`
text 988: `sms:988`
call 911: `tel:911`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

DAY-106 **Finding your way back**

DAY-107 Sometimes, when life gets difficult, we lose touch with the things that make us feel like ourselves.

DAY-108 You don't need to rediscover everything at once.

DAY-109 Even the smallest step matters.

DAY-110 **What used to make you excited to wake up?**

DAY-111 Keep this reflection

DAY-112 **When was the last time you felt genuinely at peace?**

DAY-113 *same as DAY-111:* Keep this reflection

DAY-114 **What's something you've always wanted to try?**

DAY-115 *same as DAY-111:* Keep this reflection

DAY-116 **Who makes you feel understood?**

DAY-117 *same as DAY-111:* Keep this reflection

DAY-118 **What's one thing you appreciate about yourself?**

DAY-119 *same as DAY-111:* Keep this reflection

DAY-120 **What is something you would like to experience again?**

DAY-121 *same as DAY-111:* Keep this reflection

DAY-122 Kept in Your journey, for this visit.

DAY-123 You can keep editing it here.

DAY-124 **Rediscover something**

DAY-125 Choose anything you're drawn to, and get one low-pressure idea.

DAY-126 None of them cost money.

DAY-127 Being outside

DAY-128 Music

DAY-129 Making things

DAY-130 Moving my body

DAY-131 Learning something

DAY-132 People I care about

DAY-133 Quiet time

DAY-134 Show me an idea

DAY-135 *same as DAY-72:* Try something else Not today I'd like to try this

DAY-136 **See every idea**

- DAY-137 • Take a short walk somewhere you haven't been in a while.
- DAY-138 • Sit outside for a few minutes and notice the sky.
- DAY-139 • Listen to an album you loved at a different time in your life.
- DAY-140 • Make a short playlist of songs that feel like you.
- DAY-141 • Pick up an old hobby for ten minutes, without needing to finish anything.
- DAY-142 • Draw, write, or build something small, just to see what happens.
- DAY-143 • Stretch or move in a way that feels good to you.
- DAY-144 • Dance to one song, alone or with someone.
- DAY-145 • Look up something you've always been curious about.
- DAY-146 • Borrow a library book about something new to you.
- DAY-147 • Reconnect with a friend you've missed.
- DAY-148 • A short message is enough.
- DAY-149 • Plan a small, free thing to do with someone you trust.
- DAY-150 • Read a few pages of something you enjoy.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

DAY-151 **Journal** *same as DAY-21*

DAY-152 A private place to write freely.

DAY-153 Use a prompt if it helps, or ignore them all.

DAY-154 Your writing stays on this page and is never read, analyzed, sent, or saved.

DAY-155 *same as DAY-14:* When you close or reload the page, it's gone.

DAY-156 Optional prompts

DAY-157 What would you like to remember about today?

DAY-158 What's one thing you're carrying right now?

DAY-159 What helped, even a little?

DAY-160 What would you like to tell yourself?

DAY-161 Prompt: Remove prompt

DAY-162 Write anything you like

DAY-163 Mood tag, optional

DAY-164 *same as DAY-30:* Hopeful

DAY-165 *same as DAY-31:* Calm

DAY-166 *same as DAY-32:* Okay

DAY-167 *same as DAY-33:* Unsure

DAY-168 *same as DAY-34:* Overwhelmed

DAY-169 *same as DAY-35:* Sad

DAY-170 *same as DAY-36:* Anxious

DAY-171 *same as DAY-37:* Disconnected

DAY-172 *same as DAY-38:* Exhausted

DAY-173 Add to this visit's journalSave changes Cancel editing

DAY-174 **Entries from this visit**

DAY-175 No entries yet.

DAY-176 Edit Delete

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

DAY-177 **Your journey** *same as DAY-22*

DAY-178 A look back at what you've shared during this visit.

DAY-179 There are no streaks or scores, and a day you didn't check in never counts against you.

DAY-180 Looking back across days needs saved check-ins, which aren't built yet.

DAY-181 For now, this only shows this visit.

DAY–182 **Check-ins this month**

DAY–183 No check-ins during this visit yet.

DAY–184 **Reflections you kept**

DAY–185 None yet.

DAY–186 You can keep reflections from Finding your way back.

DAY–187 **Things you'd like to try**

DAY–188 *same as DAY-185:* None yet.

DAY–189 Choose "I'd like to try this" on a suggestion or idea.

DAY–190 **Things you've enjoyed**

DAY–191 Add something you enjoyed

DAY–192 Add

DAY–193 **Things I've learned about myself**

DAY–194 Add something you've noticed about yourself

DAY–195 *same as DAY-192:* Add

DAY–196 Remove

DAY–197 **Delete everything**

DAY–198 Clears every answer, reflection, journal entry, and list on this page now, without waiting for you to close it.

DAY–199 Delete everything on this page

DAY–200 Delete everything you shared during this visit?

DAY–201 Yes, delete it Keep it

DAY–202 Everything on this page has been deleted.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

DAY–203 **Support** *same as DAY-23*

DAY–204 Tidelight is not a crisis service, and it doesn't replace professional care.

DAY–205 If things feel like too much, you don't have to wait until they get worse to reach out.

- DAY–206 • Talking with someone you trust, such as a friend, family member, teacher, or doctor, can help.
- DAY–207 • You don't need to have the right words.
- DAY–208 • For support over time, Get Help lists ways to find care.
- DAY–209 • Tidelight lists services in the United States only.
- DAY–210 • Outside the United States, contact your local emergency number.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Read aloud by a screen reader, not shown on screen

DAY–211 • Page title, read first when the page opens: Daily check-in — Tidelight

DAY–212 • *same as HOME-45:* Area name: Review status

DAY–213 • Menu name: Check-in sections

DAY–214 • Area name: An idea

DAY–215 • Area name: A calendar of this month.

DAY–216 • A marked day means you checked in during this visit.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Page: Not sure what you're feeling?

Address once published: https://stillwatersps.github.io/suicideprevention/not-sure/. Numbers start with SURE.

SURE–1 A gentle place to start

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SURE–2 **Not sure what you're feeling? Start here.**

SURE–3 *same as DAY-207:* You don't need to have the right words.

SURE–4 Take a moment to notice what is on your mind.

SURE–5 You can explore your feelings at your own pace, without pressure or judgment.

SURE–6 If you need support, there are people ready to listen.

SURE–7 Go to the feelings

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SURE–8 **If you're thinking about suicide**

SURE–9 Even if you aren't sure, you can call 988 or text 988 now.

SURE–10 You don't need to be in an emergency or know what to say.

SURE–11 SAMHSA, a U.S. government health agency, says there is no reason too big or too small to reach out.

SURE–12 *same as SHARED-4:* In immediate danger, call 911.

SURE–13 *same as HOME-21:* Draft for review.

SURE–14 *same as HOME-22:* A suicide prevention professional has not reviewed this page yet.

SURE–15 An AI assistant drafted it from a founder's brief and the sources listed below.

SURE–16 It is not a test, a diagnosis, or a replacement for care.

SURE–17 *same as SHARED-21:* See the review status of each page.

call 988: `tel:988`

text 988: `sms:988`

call 911: `tel:911`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SURE–18 **Before you start**

SURE–19 • This isn't a test.

SURE–20 • There are no scores and no right answers.

SURE–21 • There is nothing to type.

SURE–22 • What you open here isn't saved or sent.

SURE–23 • You can skip any part, stop at any time, or go straight to talking with someone.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SURE–24 **What feeling is strongest right now?**

SURE–25 Open whichever one fits, more than one, or none at all.

SURE–26 **Overwhelmed** *same as DAY-34*

SURE–27 Everyone feels stress from time to time, and the National Institute of Mental Health (NIMH) says it can sometimes feel overwhelming.

SURE–28 You don't have to work it all out right now.

SURE–29 NIMH suggests talking to people you trust about how you are feeling.

SURE–30 If you can't manage the stress, or it won't let up, a health care provider can help too.

SURE–31 **Sad** *same as DAY-35*

SURE–32 NIMH says everyone feels sad or low sometimes, and these feelings usually pass.

SURE–33 If a low mood doesn't go away, or you think it could be depression, NIMH suggests talking to a health care provider.

SURE–34 This page can't tell you whether it's depression.

SURE–35 A provider can.

SURE–36 **Anxious** *same as DAY-36*

SURE–37 NIMH says occasional anxiety is a normal part of life.

SURE–38 Many people worry about things like health, money, school, work, or family.

SURE–39 If it doesn't go away and starts to get in the way of your daily activities, NIMH suggests talking to a health care provider.

SURE–40 **Numb or empty**

SURE–41 Struggling doesn't always feel like sadness.

SURE–42 NIMH lists a lasting "empty" mood among the signs of depression.

SURE–43 It says some older adults notice a lack of emotions instead of a low mood.

SURE–44 SAMHSA's page for young people lists feeling numb or like nothing matters among reasons to talk to a trusted adult.

SURE–45 If you feel empty or hopeless, or feel you have no reason to live, please reach out now.

SURE–46 NIMH lists these feelings among the warning signs of suicide.

SURE–47 You can call 988 or text 988 any time.

SURE–48 **Unsure, or something else**

SURE–49 *same as DAY-77:* That's okay.

SURE–50 You don't need a name for what you feel to talk with someone you trust or to contact 988.

SURE–51 SAMHSA says there is no reason too big or too small to reach out.

call 988: `tel:988`
text 988: `sms:988`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SURE–52 **What would you like to do next?**

- SURE–53 Speak with someone.
- SURE–54 Call 988, text 988, or reach out to someone you trust.
- SURE–55 See your options.
- SURE–56 Get Help lists other services and what to expect from them.
- SURE–57 If you've lost someone to suicide, After a loss may be a better place to start.
- SURE–58 If you're a teen, For Teens covers reaching out yourself and who might be told.
- SURE–59 Take a break.
- SURE–60 You can stop here and come back any time.
- SURE–61 This page keeps no record of what you open.
- SURE–62 Your browser may remember the visit, and the web host logs visitors' IP addresses.
- SURE–63 What this site can't hide.

Call 988: `tel:988`
text 988: `sms:988`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SURE–64 **When to talk to a professional**

SURE–65 NIMH suggests seeking professional help if you have severe or distressing symptoms that have lasted 2 weeks or more.

SURE–66 A primary care provider can refer you to a mental health professional.

SURE–67 NIMH has tips for that conversation, and SAMHSA's FindTreatment.gov can help you search for care near you.

SURE–68 You don't have to wait 2 weeks to reach out.

SURE-69 You can call or text 988 at any point, and call 911 in an emergency.

tips for that conversation: https://www.nimh.nih.gov/health/publications/tips-for-talking-with-your-health-care-provider

FindTreatment.gov: https://findtreatment.gov/

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

SURE-70 **Sources** *same as HELP-214*

SURE-71 *same as HELP-215:* Checked November 6, 2026.

SURE-72 *same as HELP-216:* An AI assistant drafted these summaries for Tidelight, and no qualified person has reviewed them yet.

SURE-73 *same as HELP-217:* The organizations listed here have not reviewed or endorsed them.

SURE-74 **Show sources (10)**

- SURE-75 • *same as HELP-232:* 988 Frequently Asked Questions, Substance Abuse and Mental Health Services Administration (SAMHSA)
- SURE-76 • *same as HELP-220:* What to Expect, 988 Suicide & Crisis Lifeline
- SURE-77 • I'm So Stressed Out!
- SURE-78 • Fact Sheet, National Institute of Mental Health (NIMH)
- SURE-79 • Depression, NIMH
- SURE-80 • Generalized Anxiety Disorder: What You Need to Know, NIMH
- SURE-81 • Caring for Your Mental Health, NIMH
- SURE-82 • Frequently Asked Questions About Suicide, NIMH
- SURE-83 • Tips for Talking With a Health Care Provider, NIMH
- SURE-84 • *same as HELP-234:* FindTreatment.gov, SAMHSA
- SURE-85 • *same as HELP-235:* For Young People Looking for Help, SAMHSA

988 Frequently Asked Questions: https://www.samhsa.gov/mental-health/988/faqs

What to Expect: https://988lifeline.org/get-help/what-to-expect/

I'm So Stressed Out! Fact Sheet: https://www.nimh.nih.gov/health/publications/so-stressed-out-fact-sheet

Depression: https://www.nimh.nih.gov/health/publications/depression

Generalized Anxiety Disorder: What You Need to Know: https://www.nimh.nih.gov/health/publications/generalized-anxiety-disorder-gad

Caring for Your Mental Health: https://www.nimh.nih.gov/health/topics/caring-for-your-mental-health

Frequently Asked Questions About Suicide: https://www.nimh.nih.gov/health/publications/suicide-faq

Tips for Talking With a Health Care Provider: https://www.nimh.nih.gov/health/publications/tips-for-talking-with-your-health-care-provider

FindTreatment.gov: https://findtreatment.gov/

For Young People Looking for Help: https://www.samhsa.gov/mental-health/what-is-mental-health/how-to-talk/young-people

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Read aloud by a screen reader, not shown on screen

SURE-86 • Page title, read first when the page opens: Not sure what you're feeling? — Tidelight

SURE-87 • *same as HOME-45:* Area name: Review status

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Page: After a loss

Address once published: https://stillwatersps.github.io/suicideprevention/after-a-loss/. Numbers start with LOSS.

LOSS-1 After a suicide loss

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

LOSS-2 ### If you've lost someone to suicide

LOSS-3 There is no right way to grieve, and you don't have to go through this alone.

LOSS-4 Here is what groups that support people after a suicide loss say, and where to find people who understand.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

LOSS-5 **Right now** *same as HELP-5*

- LOSS-6 • If this feels like too much, you can call 988 or text 988 any time, even just to talk.
- LOSS-7 • Thoughts of suicide can come with this kind of grief.
- LOSS-8 • If they do, please reach out.
- LOSS-9 • *same as SHARED-4:* In immediate danger, call 911.
- LOSS-10 • *same as HELP-12:* The rest of this page can wait.
- LOSS-11 • Read it when you're ready, a little at a time.

LOSS-12 *same as HOME-21:* Draft for review.

LOSS-13 A suicide prevention professional has not reviewed this page yet, and neither has anyone who has lost someone to suicide.

LOSS-14 An AI assistant drafted it from the sources listed below.

LOSS-15 *same as SHARED-21:* See the review status of each page.

call 988: `tel:988`
text 988: `sms:988`
call 911: `tel:911`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

LOSS–16 **It's not your fault**

LOSS–17 Many people keep asking why, and whether they could have done something.

LOSS–18 The CDC says suicide doesn't have just one cause.

LOSS–19 The Tragedy Assistance Program for Survivors (TAPS), which supports people after a military suicide loss, says it plainly: it's not your fault.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

LOSS–20 **What you may feel**

LOSS–21 The American Foundation for Suicide Prevention (AFSP) says everyone experiences a suicide loss in their own way, so no list will fit exactly.

LOSS–22 It says many people feel some mix of these:

- LOSS–23 Shock and disbelief
- LOSS–24 Grief, and yearning for the person
- LOSS–25 Anger
- LOSS–26 Guilt and blame
- LOSS–27 Confusion
- LOSS–28 Relief
- LOSS–29 Feeling rejected, abandoned, or betrayed
- LOSS–30 Shame and isolation
- LOSS–31 Depression and sadness
- LOSS–32 Thoughts of suicide

LOSS–33 AFSP says that if you saw what happened or found the person, you are likely to have trauma symptoms as well as grief.

LOSS–34 This can also happen if you weren't there.

LOSS–35 It may be hard to concentrate because of images that stay with you.

LOSS–36 You may feel anxious or confused, or have physical symptoms such as stomach problems or trouble sleeping.

LOSS–37 AFSP says these are normal responses to trauma.

LOSS–38 Even if it doesn't feel like it now, they will likely ease in the weeks and months to come.

LOSS–39 If they don't, it suggests seeing a mental health professional with experience in trauma or loss.

LOSS–40 AFSP also says each person grieves at their own pace, and there is no set timeline for healing.

LOSS–41 Birthdays, holidays, and other meaningful dates can be hard.

LOSS–42 AFSP says that waiting for the day can be harder than the day itself.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

LOSS-43 **Taking care of yourself**

LOSS-44 Suicide Awareness Voices of Education (SAVE) says healing from a suicide loss is deeply personal, and no one approach works best for everyone.

LOSS-45 AFSP says you shouldn't have to cope with your loss alone.

LOSS-46 It suggests being kind and patient with yourself, and being open to letting people help.

LOSS-47 Each year, on the Saturday before U.S. Thanksgiving, AFSP sponsors and hosts events for International Survivors of Suicide Loss Day.

LOSS-48 There are local events, where AFSP says you decide how much to take part.

LOSS-49 There are also online events you can watch without signing up, including one in Spanish.

LOSS-50 TAPS says the intense pain will not always feel the way it does right now, and that it can ease and soften with support and with time.

International Survivors of Suicide Loss Day: `https://afsp.org/international-survivors-of-suicide-loss-day/`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

LOSS-51 **Where to find support**

LOSS-52 These are separate organizations with their own rules.

LOSS-53 Tidelight does not run them, and has not checked each group they list.

LOSS-54 This is a short list.

LOSS-55 AFSP's resource list and SAVE's What's next page list more options.

LOSS-56 They include a 24/7 online forum, a site for people who lost a sibling, and an online grief group for LGBTQ+ people.

LOSS-57 **Talk with someone who has been there**

LOSS-58 AFSP's Healing Conversations is a one-time visit, by phone, online, or in person, with a trained volunteer who has also lost someone to suicide.

LOSS-59 You ask for one through an online form linked from AFSP's page.

LOSS-60 The form is on monday.com, a service from another company.

LOSS-61 It asks for details such as your name, email, phone number, and where you live.

LOSS-62 It also asks for the first name of the person who died and the date of death.

LOSS-63 The form says your answers are shared with people in the program, including chapter staff, AFSP national staff, coordinators, and the volunteer.

LOSS-64 AFSP Healing Conversations

LOSS-65 **Support groups**

LOSS-66 AFSP lists suicide loss support groups, in person and online, in the U.S. and elsewhere.

LOSS-67 It says it doesn't run, recommend, endorse, or fund the groups it lists, and that groups are in English unless stated.

LOSS-68 SAVE says it doesn't verify groups in outside lists.

LOSS-69 Its team also offers to help you find support, by email or phone.

LOSS-70 SAVE says it doesn't provide emergency or crisis help.

LOSS-71 It's okay to ask how a group works before you join.

LOSS-72 AFSP support group list | SAVE: help finding support

LOSS-73 **A therapist or counselor**

LOSS-74 AFSP keeps a list of clinicians who completed its former training or say they have relevant experience with suicide loss.

LOSS-75 It says being listed is not an endorsement or referral.

LOSS-76 You can also ask a health care provider for a referral, or search for care near you.

LOSS-77 AFSP clinician list | FindTreatment.gov

LOSS-78 **After a military loss**

LOSS-79 TAPS supports anyone who has lost a family member, loved one, colleague, friend, or battle buddy to suicide, during or after their service.

LOSS-80 Its services include peer mentors who have also lost someone to suicide.

LOSS-81 TAPS says you can call it 24/7 at 1-800-959-8277.

LOSS-82 TAPS suicide loss support

LOSS-83 **After the death of a child, grandchild, or sibling**

LOSS-84 The Compassionate Friends supports families after the death of a child of any age, from any cause, with local chapters and online groups.

LOSS-85 It isn't only for suicide loss.

LOSS-86 The Compassionate Friends

LOSS-87 **En español** *same as HELP-91*

LOSS-88 AFSP tiene una guía sobre cómo sobrellevar una pérdida por suicidio.

LOSS-89 Algunos datos de crisis en la guía son antiguos.

LOSS-90 Hoy, la Línea 988 ofrece apoyo en español: marca 988 y luego presiona 2, o envía AYUDA al 988.

LOSS-91 Las guías de la AFSP se abren en un visor de páginas que puede no funcionar con un lector de pantalla.

LOSS-92 Sobreviviendo una pérdida por suicidio | Esta página en español

LOSS-93 AFSP also has a longer guide, Surviving a Suicide Loss, and answers to practical questions about the first few days.

LOSS-94 AFSP's guides open in a page-flip viewer that may not work with a screen reader.

LOSS-95 Its page of practical questions is an ordinary web page.

AFSP's resource list: `https://afsp.org/suicide-loss-resources/`
SAVE's What's next page: `https://www.save.org/programs/suicide-loss-support/after-a-suicide-loss/`
AFSP Healing Conversations: `https://afsp.org/healing-conversations/`
AFSP support group list: `https://afsp.org/find-a-support-group/`
SAVE: help finding support: `https://www.save.org/programs/suicide-loss-support/find-a-support-group/`
AFSP clinician list: `https://afsp.org/suicide-bereavement-trained-clinicians/`

FindTreatment.gov: https://findtreatment.gov/

1-800-959-8277: tel:+18009598277

TAPS suicide loss support: https://www.taps.org/suicide

The Compassionate Friends: https://www.compassionatefriends.org/

Sobreviviendo una pérdida por suicidio: https://aws-fetch.s3.amazonaws.com/flipbooks/sobreviviendoUnaPerdidaPorSuicidio/index.html

Surviving a Suicide Loss: https://aws-fetch.s3.amazonaws.com/flipbooks/survivingasuicideloss/index.html

practical questions about the first few days: https://afsp.org/practical-information-for-immediately-after-a-loss/

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

LOSS-96 ## Talking to others about what happened

LOSS-97 You may not want to tell people that the person died by suicide, and that's your choice.

LOSS-98 AFSP says it can't decide what is right for you, and that it is up to you how much you share.

LOSS-99 It also says that, in the long run, most people who have lost someone this way are glad they were honest about it.

LOSS-100 It says one of the most important reasons is that being honest gives friends and family the chance to support you.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

LOSS-101 ## Talking with children and teens

LOSS-102 AFSP says it is up to parents and guardians whether to tell a child the truth, and points out that children may overhear adults talking.

LOSS-103 When you do talk with a child or teen, it suggests that you:

LOSS-104 • Tell the truth in short, simple sentences that fit their age, without going into graphic detail or talking at length about the specific method.

LOSS-105 • Encourage questions, and offer loving reassurance.

LOSS-106 • Reassure them that they are not responsible, and that nothing they said or did caused it.

LOSS-107 • Be ready to talk about it many times, in the first weeks and later in their life.

LOSS-108 • Consider a children's grief support group if they are having a hard time.

LOSS-109 • The Dougy Center has a worldwide directory of grief programs.

LOSS-110 • *same as LOSS-85:* It isn't only for suicide loss.

LOSS-111 The Dougy Center: after a suicide death | Children, Teens and Suicide Loss (AFSP booklet)

LOSS-112 If you're a teen who has lost someone, The Dougy Center has resources for you.

LOSS-113 It can also help to tell an adult you trust.

LOSS-114 If things feel too hard, you can call or text 988 yourself.

LOSS-115 More for teens.

worldwide directory of grief programs: https://www.dougy.org/program-finder

The Dougy Center: after a suicide death: https://www.dougy.org/resources/cause-of-death/suicide

Children, Teens and Suicide Loss (AFSP booklet): https://aws-fetch.s3.amazonaws.com/flipbooks/childrenteenssuicideloss/index.html?page=1

resources for you: https://www.dougy.org/grief-support-resources/teens

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

LOSS-116 ## Schools, workplaces, and communities

LOSS-117 Support after a suicide is sometimes called postvention.

LOSS-118 These guides are for people responding to a death in a school, workplace, or community:

LOSS-119 • After a Suicide: A Toolkit for Schools, from AFSP and the Suicide Prevention Resource Center

LOSS-120 • After a Suicide: Postvention Toolkit for Workplaces, listed by AFSP

LOSS-121 • Responding to Grief, Trauma, and Distress After a Suicide: U.S. National Guidelines, from the National Action Alliance for Suicide Prevention

After a Suicide: A Toolkit for Schools: https://sprc.org/resources/after-suicide-toolkit-schools

After a Suicide: Postvention Toolkit for Workplaces: https://aws-fetch.s3.amazonaws.com/flipbooks/afterASuicidePostventionToolkitForWorkplaces/index.html

Responding to Grief, Trauma, and Distress After a Suicide: U.S. National Guidelines: https://theactionalliance.org/resource/responding-grief-trauma-and-distress-after-suicide-us-national-guidelines

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

LOSS-122 ## Sources *same as HELP-214*

LOSS-123 *same as HELP-215:* Checked November 6, 2026.

LOSS-124 *same as HELP-216:* An AI assistant drafted these summaries for Tidelight, and no qualified person has reviewed them yet.

LOSS-125 *same as HELP-217:* The organizations listed here have not reviewed or endorsed them.

LOSS-126 ### Show sources (25)

LOSS-127 • I've lost someone, American Foundation for Suicide Prevention (AFSP)

LOSS-128 • AFSP: Taking care of yourself, AFSP

LOSS-129 • Surviving a Suicide Loss: A Resource and Healing Guide, AFSP

LOSS-130 • AFSP: Talking to others about what happened, AFSP

LOSS-131 • Children, Teens, and Suicide Loss, AFSP

LOSS-132 • Healing Conversations, AFSP

LOSS-133 • Healing Conversations request form, AFSP, on monday.com

LOSS-134 • AFSP: Find a support group, AFSP

LOSS-135 • Suicide bereavement trained clinicians, AFSP

LOSS-136 • Sobreviviendo una pérdida por suicidio, AFSP (in Spanish)

LOSS-137 • Suicide loss resources, AFSP

LOSS–138 • International Survivors of Suicide Loss Day, AFSP

LOSS–139 • What's next: Grief, healing, and life after a suicide loss, Suicide Awareness Voices of Education (SAVE)

LOSS–140 • SAVE: Find a support group, SAVE

LOSS–141 • About Suicide Prevention, Centers for Disease Control and Prevention (CDC)

LOSS–142 • *same as SOME-128:* 988 Frequently Asked Questions, SAMHSA

LOSS–143 • *same as HELP-220:* What to Expect, 988 Suicide & Crisis Lifeline

LOSS–144 • Suicide Loss Support, Tragedy Assistance Program for Survivors (TAPS)

LOSS–145 • *same as LOSS-86:* The Compassionate Friends

LOSS–146 • Resources for After a Suicide Death, The Dougy Center

LOSS–147 • Grief Support for Teens, The Dougy Center

LOSS–148 • Grief Support Program Finder, The Dougy Center

LOSS–149 • *same as HELP-234:* FindTreatment.gov, SAMHSA

LOSS–150 • After a Suicide: A Toolkit for Schools, AFSP and the Suicide Prevention Resource Center

LOSS–151 • Responding to Grief, Trauma, and Distress After a Suicide: U.S. National Guidelines, National Action Alliance for Suicide Prevention

I've lost someone: https://afsp.org/ive-lost-someone/

AFSP: Taking care of yourself: https://afsp.org/taking-care-of-yourself/

Surviving a Suicide Loss: A Resource and Healing Guide: https://aws-fetch.s3.amazonaws.com/flipbooks/survivingasuicideloss/index.html

AFSP: Talking to others about what happened: https://afsp.org/talking-to-others-about-what-happened/

Children, Teens, and Suicide Loss: https://aws-fetch.s3.amazonaws.com/flipbooks/childrenteenssuicideloss/index.html?page=1

Healing Conversations: https://afsp.org/healing-conversations/

Healing Conversations request form: https://afsp.org/healingconversationsrequest

AFSP: Find a support group: https://afsp.org/find-a-support-group/

Suicide bereavement trained clinicians: https://afsp.org/suicide-bereavement-trained-clinicians/

Sobreviviendo una pérdida por suicidio: https://aws-fetch.s3.amazonaws.com/flipbooks/sobreviviendoUnaPerdidaPorSuicidio/index.html

Suicide loss resources: https://afsp.org/suicide-loss-resources/

International Survivors of Suicide Loss Day: https://afsp.org/international-survivors-of-suicide-loss-day/

What's next: Grief, healing, and life after a suicide loss: https://www.save.org/programs/suicide-loss-support/after-a-suicide-loss/

SAVE: Find a support group: https://www.save.org/programs/suicide-loss-support/find-a-support-group/

About Suicide Prevention: https://www.cdc.gov/suicide/about/index.html

988 Frequently Asked Questions: https://www.samhsa.gov/mental-health/988/faqs

What to Expect: https://988lifeline.org/get-help/what-to-expect/

Suicide Loss Support: https://www.taps.org/suicide

The Compassionate Friends: https://www.compassionatefriends.org/

Resources for After a Suicide Death: https://www.dougy.org/resources/cause-of-death/suicide

Grief Support for Teens: https://www.dougy.org/grief-support-resources/teens

Grief Support Program Finder: https://www.dougy.org/program-finder

FindTreatment.gov: https://findtreatment.gov/

After a Suicide: A Toolkit for Schools: https://sprc.org/resources/after-suicide-toolkit-schools

Responding to Grief, Trauma, and Distress After a Suicide: U.S. National Guidelines: https://theactionalliance.org/resource/responding-grief-trauma-and-distress-after-suicide-us-national-

guidelines

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Read aloud by a screen reader, not shown on screen

LOSS–152 • Page title, read first when the page opens: After a suicide loss — Tidelight

LOSS–153 • *same as HOME-45:* Area name: Review status

LOSS–154 • Fold button "Show more", read aloud as: Show more: What you may feel

LOSS–155 • Fold button "Show less", once open, read aloud as: Show less: What you may feel

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Page: Research

Address once published: https://stillwatersps.github.io/suicideprevention/research/. Numbers start with RES.

RES–1 Learn more

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

RES–2 ## What the research shows

RES–3 Studies can show what tends to help, and where the evidence is still thin.

RES–4 Thin evidence usually means there aren't enough strong studies yet, not that help doesn't work.

RES–5 *same as HOME-21:* Draft for review.

RES–6 *same as HOME-22:* A suicide prevention professional has not reviewed this page yet.

RES–7 An AI assistant drafted these plain-language summaries for Tidelight, and every number should be checked against its source before people rely on it.

RES–8 Links were checked on November 6, 2026.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

RES–9 ### Myths and facts

RES–10 Some common worries stop people from asking for help, or from helping someone else.

RES–11 Here is what the sources on this site say.

RES–12 **Asking someone about suicide does not put the idea in their head**

RES–13 It's a common worry.

RES–14 The National Institute of Mental Health (NIMH) says studies show that asking does not increase suicidal thoughts or behavior.

RES–15 What the research shows about asking

RES–16 **Talk of suicide should always be taken seriously**

RES–17 Some people think it's just a bid for attention.

RES–18 NIMH advises taking all talk of suicide seriously.

RES–19 *same as SOME-61:* What helps in the conversation

RES–20 **You don't need to be in an emergency to contact 988**

RES–21 *same as HELP-27:* The 988 Lifeline says anyone who is struggling can reach out, whether you are depressed, need to talk, or are thinking about suicide.

RES–22 You can also contact it if you're worried about someone.

RES–23 *same as HELP-25:* What happens when you reach out to 988

RES–24 **Most 988 calls don't involve emergency services**

RES–25 Some people worry that reaching out means the police will come.

RES–26 The 988 Lifeline reports that fewer than 2 in 100 calls involve emergency services, and that more than half of those happen with the caller's consent.

RES–27 This is not a guarantee.

RES–28 *same as HELP-79:* When emergency services get involved

RES–29 **Effective help exists, and recovery is possible**

RES–30 NIMH says effective treatments are available for people at risk of suicide.

RES–31 *same as HELP-154:* The American Foundation for Suicide Prevention says recovery is possible with evidence-based treatment for depression and other mental health conditions.

RES–32 What the research shows about treatment

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

RES–33 **Crisis lines such as 988**

RES–34 **Many callers say the call helped**

RES–35 Researchers interviewed 437 adults who had called the Lifeline while having suicidal thoughts.

RES–36 About 7 in 10 said the call helped a lot, and about 1 in 4 said it helped a little.

RES–37 What it can't show: These are callers' own reports, with no comparison group, from before the 988 number launched.

RES–38 Counselors chose which callers to ask, callers who needed emergency services were not asked, and only people who agreed and could be reached were interviewed.

RES–39 Only English-speaking callers took part, and calls to the Spanish line weren't included.

RES–40 The interviews took place during the COVID-19 pandemic.

RES–41 Some people had suicidal thoughts again later.

RES–42 If that happens, you can call, text, or chat again.

RES–43 Gould and colleagues, Suicide and Life-Threatening Behavior, 2025

RES–44 **Studies of crisis lines are still limited**

RES–45 A review of 33 studies found only low-strength evidence that crisis lines work.

RES–46 There was some support for people feeling better by the end of a contact, and little good evidence about what happens later.

RES–47 This means there are too few strong studies, not that crisis lines don't help.

RES–48 The authors still concluded that the evidence supports keeping and expanding crisis lines.

RES–49 What it can't show: The search ended in 2018, before 988, with little evidence on chat and none on text.

RES–50 Hoffberg and colleagues, Frontiers in Public Health, 2020

RES–51 **Early research since 988 launched**

RES–52 One short study found that suicide deaths among people aged 15 to 34 were lower than a statistical model predicted after 988 began in 2022.

RES–53 What it can't show: It cannot show that 988 caused this, because other things changed at the same time.

RES–54 Letters in JAMA questioned how deaths were counted and how differences between states were handled, and the authors replied.

RES–55 Patel and colleagues, JAMA, 2026

RES–56 Letter from Herring, JAMA, 2026

RES–57 Letter from Purtle, JAMA, 2026

RES–58 Reply from the authors, JAMA, 2026

Gould and colleagues, Suicide and Life-Threatening Behavior, 2025: https://pubmed.ncbi.nlm.nih.gov/40405822/

Hoffberg and colleagues, Frontiers in Public Health, 2020: https://pubmed.ncbi.nlm.nih.gov/32010655/

Patel and colleagues, JAMA, 2026: https://pubmed.ncbi.nlm.nih.gov/42018312/

Letter from Herring, JAMA, 2026: https://pubmed.ncbi.nlm.nih.gov/42606846/

Letter from Purtle, JAMA, 2026: https://pubmed.ncbi.nlm.nih.gov/42606880/

Reply from the authors, JAMA, 2026: https://pubmed.ncbi.nlm.nih.gov/42606879/

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

RES–59 **Asking someone about suicide**

RES–60 **Asking does not appear to raise suicidal thoughts**

RES–61 A review that pooled 8 randomized trials found no significant increase in suicidal thoughts or behavior, self-harm, or distress among people who were asked about these topics.

RES–62 A 2026 experiment with 700 U.S. teens also found that anonymous suicide questionnaires did not raise the desire to self-injure or to die right afterward.

RES–63 What it can't show: These studies used questionnaires, interviews, and screening, not conversations between friends or relatives.

RES–64 The teen study measured only immediate effects, and the review's authors asked for more high-quality trials.

RES–65 Polihronis and colleagues, Archives of Suicide Research, 2022

RES–66 McGuire and colleagues, Psychiatry Research, 2026

Polihronis and colleagues, Archives of Suicide Research, 2022: https://pubmed.ncbi.nlm.nih.gov/32715986/

McGuire and colleagues, Psychiatry Research, 2026: https://pubmed.ncbi.nlm.nih.gov/41747434/

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

RES–67 ## Safety plans

RES–68 ### Safety planning is linked to less suicidal behavior in adults

RES–69 A review of 6 studies in adults found that people who received a safety planning-type intervention had a lower risk of later suicidal behavior than people in comparison groups.

RES–70 It found no significant effect on suicidal thoughts.

RES–71 What it can't show: Four of the 6 studies were rated at high risk of bias, the pattern of results suggests some less favorable studies may be missing, and no children or teens were included.

RES–72 Some of these programs paired the plan with clinician contact and follow-up calls, so the results don't show what a plan made alone would do.

RES–73 A therapist or other mental health professional can help you make a plan.

RES–74 Nuij and colleagues, British Journal of Psychiatry, 2021

RES–75 ### For children and teens, the evidence is thinner

RES–76 A review of brief programs built around a safety plan for children and teens found no clear benefit, based on 10 studies, 5 of which could be pooled.

RES–77 Many of these programs also included family sessions or follow-up calls.

RES–78 What it can't show: The evidence is thin, mostly small studies with moderate to high risk of bias.

RES–79 A benefit has not been shown, and these studies are too small to settle small effects in either direction.

RES–80 The American Academy of Pediatrics says a pediatrician can help a family make a safety plan.

RES–81 You can call or text 988 any time.

RES–82 Albaum and colleagues, JAMA Pediatrics, 2025, corrected 2026

Nuij and colleagues, British Journal of Psychiatry, 2021: https://pubmed.ncbi.nlm.nih.gov/35048835/

Albaum and colleagues, JAMA Pediatrics, 2025, corrected 2026: https://jamanetwork.com/journals/jamapediatrics/fullarticle/2834286

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

RES-83 ## Staying in touch after a crisis

RES-84 ### Follow-up may help after an attempt, but results are mixed

RES-85 A 2026 review of randomized trials in adults who had attempted suicide found fewer repeat attempts after a mix of brief therapy and follow-up contact.

RES-86 It could not test follow-up contact alone.

RES-87 It also found a small drop in suicidal thoughts, with low certainty, and that drop got weaker with longer follow-up.

RES-88 It found no clear effect on self-harm or on connecting people to care, though few studies looked at those.

RES-89 The evidence on these two results is very uncertain.

RES-90 A separate 2026 trial with 709 American Indian and Alaska Native adults at high suicide risk added culturally adapted caring messages to help connecting with local resources.

RES-91 People in both groups had fewer suicidal thoughts and attempts over the year, and the messages added no clear benefit.

RES-92 The study can't say why both groups improved.

RES-93 What it can't show: The review covered programs in treatment and emergency settings.

RES-94 The trial ran in tribal communities and included only English-speaking adults.

RES-95 About a third of participants had no 12-month data.

RES-96 Neither result may apply to other groups or settings.

RES-97 Tidelight does not offer follow-up contact.

RES-98 If you have survived an attempt, the American Foundation for Suicide Prevention has a page called After an attempt.

RES-99 It lists things you can do to support your recovery.

RES-100 *same as RES-81:* You can call or text 988 any time.

RES-101 Homan and colleagues, eClinicalMedicine, 2026

RES-102 Comtois and colleagues, JAMA Network Open, 2026

After an attempt: https://afsp.org/after-an-attempt/

Homan and colleagues, eClinicalMedicine, 2026: https://pubmed.ncbi.nlm.nih.gov/41859679/

Comtois and colleagues, JAMA Network Open, 2026: https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2856150

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

RES-103 ## Safer surroundings

RES-104 ### Making dangerous items and places harder to reach has support

RES-105 An overview of 20 research reviews found good support for making dangerous items and places harder to reach across whole populations, with several approaches that appear to work.

RES-106 What it can't show: These reviews studied laws, sales rules, and structural changes across whole populations, not steps a family takes at home.

RES–107 The strength of the evidence varies by approach, and most of it is observational.

RES–108 Twelve of the 20 reviews got the lowest quality rating, mostly for reporting gaps, and many draw on the same studies.

RES–109 If you're worried about someone, Help Someone has steps you can take.

RES–110 Steeg and colleagues, BMJ Mental Health, 2025.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

RES–111 ## Treatment

RES–112 ### Some therapies have evidence, with limited certainty

RES–113 A Cochrane review of 76 trials in adults who self-harm called the evidence for most psychosocial treatments uncertain.

RES–114 It found low-certainty evidence that cognitive behavioral therapy may mean fewer people repeat self-harm at longer follow-up.

RES–115 A review of treatments for young people also called the evidence uncertain overall, with moderate evidence that dialectical behavior therapy reduces suicidal thoughts.

RES–116 What it can't show: These reviews looked at different ages and outcomes, so they can't be compared directly.

RES–117 Another analysis of 26 trials in teens found that no one therapy worked better than the care the other group received, for repeat self-harm at 12 months.

RES–118 That doesn't mean care doesn't help.

RES–119 A health care provider can talk through what might fit you.

RES–120 Witt and colleagues, Cochrane Database of Systematic Reviews, 2021.

RES–121 Sim and colleagues, JAMA Pediatrics, 2025

RES–122 Cottrell and colleagues, Health Technology Assessment, 2026

Sim and colleagues, JAMA Pediatrics, 2025: https://pubmed.ncbi.nlm.nih.gov/41021221/

Cottrell and colleagues, Health Technology Assessment, 2026: https://pubmed.ncbi.nlm.nih.gov/41556887/

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

RES–123 ## How suicide is talked about

RES–124 ### News coverage can matter

RES–125 A review found that suicides rose on average in the weeks after the media reported a celebrity's death by suicide.

RES–126 This is one reason safe messaging guidance exists.

RES–127 If a death in the news is weighing on you, you can call or text 988 any time.

RES–128 What it can't show: It found no clear rise after general news reporting on suicide.

RES–129 But only 5 studies looked at that, and only in the days right after the reports.

RES-130 The authors said a link with some kinds of reporting can't be ruled out.

RES-131 Results varied widely, and some studies showing no effect may be unpublished.

RES-132 This kind of study cannot prove cause, and it does not cover talking with someone you care about.

RES-133 Niederkrotenthaler and colleagues, BMJ, 2020.

RES-134 **Stories of coping may help a little**

RES-135 When researchers combined several controlled trials, stories of people recovering from a suicidal crisis slightly reduced suicidal thoughts in people already at some risk.

RES-136 What it can't show: The effect is small, and it was measured only in the short term, from right after the story to 4 weeks later.

RES-137 The trials measured suicidal thoughts, not suicidal behavior.

RES-138 All were done in Australia or Austria, by members of the review's own team.

RES-139 There was not enough evidence to say whether these stories change attitudes toward seeking help.

RES-140 Niederkrotenthaler and colleagues, The Lancet Public Health, 2022

Niederkrotenthaler and colleagues, The Lancet Public Health, 2022: https://pubmed.ncbi.nlm.nih.gov/35122759/

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

RES-141 **What this page can't tell you**

RES-142 Research describes groups of people.

RES-143 It can't predict what will happen for any one person.

RES-144 No study has tested Tidelight, and nothing here shows that this website prevents suicide.

RES-145 In one trial on a Dutch helpline's website, a short message did not increase use of the helpline link.

RES-146 People who saw it did rate themselves as more likely to contact the helpline later, but the study could not check whether they did (van der Burgt and colleagues, JMIR Mental Health, 2024).

RES-147 Evidence specific to minors is thin.

RES-148 Thin evidence usually means there aren't enough strong studies yet.

RES-149 It doesn't mean help doesn't work, or that nothing can help you.

RES-150 The American Foundation for Suicide Prevention says recovery is possible with evidence-based treatment.

RES-151 *same as RES-81:* You can call or text 988 any time.

RES-152 *same as HELP-216:* An AI assistant drafted these summaries for Tidelight, and no qualified person has reviewed them yet.

RES-153 The authors and journals have not reviewed them either.

RES-154 *same as RES-8:* Links were checked on November 6, 2026.

van der Burgt and colleagues, JMIR Mental Health, 2024: https://pubmed.ncbi.nlm.nih.gov/39235321/

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Read aloud by a screen reader, not shown on screen

RES-155 • Page title, read first when the page opens: What the research shows — Tidelight

RES-156 • *same as HOME-45:* Area name: Review status

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Page: Wallet card and poster

Address once published: https://stillwatersps.github.io/suicideprevention/card/. Numbers start with CARD.

CARD-1 Print and share

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

CARD-2 ## Print a wallet card or poster

CARD-3 Keep 988 close, or hand cards out at a school, clinic, or community space.

CARD-4 A printed card stays readable with no signal, but calling or texting needs phone service.

CARD-5 *same as HOME-21:* Draft for review.

CARD-6 *same as HOME-22:* A suicide prevention professional has not reviewed this page yet.

CARD-7 Please don't print copies to hand out until it has been reviewed.

CARD-8 *same as HOME-23:* An AI assistant drafted it and compared the phone numbers and links with each provider's website on November 6, 2026.

CARD-9 *same as SHARED-20:* No person has confirmed them or tried them on a phone.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

CARD-10 ### Poster

CARD-11 Print poster and wallet cards *(shown once the page's script runs)*

CARD-12 If nothing happens, open this page in your web browser and print from its Share button or menu. *(shown once the page's script runs)*

CARD-13 *same as HOME-2:* You are not alone.

CARD-14 Call or text 988

CARD-15 988 Suicide & Crisis Lifeline.

CARD-16 *same as HELP-112:* Free, confidential, and available 24/7.

CARD-17 You can also chat at chat.988lifeline.org.

CARD-18 • En español: llama al 988 y marca 2, o envía AYUDA al 988.

CARD-19 • Veterans and service members: call 988, then press 1, or text 838255.

CARD-20 • LGBTQ+ young people: The Trevor Project, call 1-866-488-7386 or text START to 678-678.

CARD-21 • Deaf or hard of hearing: dial 988 from a videophone, or use a relay service.

CARD-22 *same as SHARED-4:* In immediate danger, call 911.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

CARD-23 **Wallet cards, eight to a page**

CARD-24 When printed, cut along the dashed lines.

CARD-25 Need to talk?

CARD-26 *same as CARD-14:* Call or text 988

CARD-27 *same as CARD-15:* 988 Suicide & Crisis Lifeline.

CARD-28 Free, confidential, 24/7.

CARD-29 Chat: chat.988lifeline.org

CARD-30 *same as CARD-18:* En español: llama al 988 y marca 2, o envía AYUDA al 988.

CARD-31 Veterans: call 988, then press 1.

CARD-32 *same as SHARED-4:* In immediate danger, call 911.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Read aloud by a screen reader, not shown on screen

CARD-33 • Page title, read first when the page opens: Print a wallet card — Tidelight

CARD-34 • *same as HOME-45:* Area name: Review status

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Page: About and privacy

Address once published: https://stillwatersps.github.io/suicideprevention/about/. Numbers start with ABOUT.

ABOUT-1 About

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

ABOUT-2 **About Tidelight and your privacy**

ABOUT-3 What this site is, what it keeps, what it can't hide, and what has and hasn't been reviewed.

ABOUT-4 *same as HOME-21:* Draft for review.

ABOUT-5 A suicide prevention professional has not reviewed this site yet, and a lawyer has not read this page.

ABOUT-6 An AI assistant drafted it.

ABOUT-7 The behavior it describes was tested in a desktop browser, and hasn't been tested on phones yet.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

ABOUT-8 **What Tidelight is**

ABOUT-9 *same as SHARED-9:* Tidelight is an early project to help people in the United States find suicide prevention support.

ABOUT-10 It is a website with information and links.

ABOUT-11 Tidelight is not a crisis service or medical care.

ABOUT-12 Nobody at Tidelight watches this site or can see who is using it, and there is no way to send a message through it.

ABOUT-13 For help, use the call, text, and chat options at the top of each page.

ABOUT-14 They connect you to outside services, such as the 988 Suicide & Crisis Lifeline.

ABOUT-15 An AI assistant drafted the text on this site for the two people starting this project.

ABOUT-16 Tidelight has not been tested as a way to prevent suicide.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

ABOUT-17 **What has been reviewed**

ABOUT-18 No licensed clinician has reviewed this site yet, and no fluent reader has checked the Spanish.

ABOUT-19 When a review is finished, this list will show the reviewer's role and the date.

ABOUT-20 Until then, every page says it hasn't been reviewed.

- ABOUT-21 Home | Clinical review: Pending | Spanish version, fluent reader: Pending
- ABOUT-22 Get Help | Clinical review: Pending | Spanish version, fluent reader: Pending
- ABOUT-23 Help Someone | Clinical review: Pending | Spanish version, fluent reader: Pending
- ABOUT-24 For Teens | Clinical review: Pending | Spanish version, fluent reader: Pending
- ABOUT-25 Research | Clinical review: Pending | Spanish version, fluent reader: Pending
- ABOUT-26 Daily check-in | Clinical review: Pending | Spanish version, fluent reader: Pending
- ABOUT-27 Not sure what you're feeling? | Clinical review: Pending | Spanish version, fluent reader: Pending
- ABOUT-28 After a loss | Clinical review: Pending | Spanish version, fluent reader: Pending
- ABOUT-29 Wallet card and poster | Clinical review: Pending | Spanish version, fluent reader: Pending
- ABOUT-30 About and privacy | Clinical review: Pending | Spanish version, fluent reader: Pending

ABOUT-31 Crisis phone numbers and links: an AI assistant compared them with each provider's website on November 6, 2026.

ABOUT-32 *same as SHARED-20:* No person has confirmed them or tried them on a phone.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

ABOUT-33 **Your privacy**

- ABOUT-34 • What this site collects.
- ABOUT-35 • It has no sign-ups, forms, analytics, ads, or cookies, and it doesn't load anything from other websites.
- ABOUT-36 • The Daily check-in.
- ABOUT-37 • It has places to type, but nothing you choose or write there leaves the page or is saved.
- ABOUT-38 • Closing or reloading the page erases it, and a button deletes it sooner.
- ABOUT-39 • Go to the Daily check-in.
- ABOUT-40 • The web host.
- ABOUT-41 • This site is hosted on GitHub Pages.
- ABOUT-42 • GitHub says it logs and stores visitors' IP addresses for security, whether or not they are signed in to GitHub.
- ABOUT-43 • Other services.
- ABOUT-44 • When you call, text, chat, or open a link to another website, that service's own rules apply.
- ABOUT-45 • See what happens when you reach out to 988.
- ABOUT-46 • On a shared phone or computer.
- ABOUT-47 • Visits to this site can show up in browser history, and calls or texts can show up in phone logs.

GitHub says it logs and stores visitors' IP addresses: https://docs.github.com/en/pages/getting-started-with-github-pages/what-is-github-pages#data-collection

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

ABOUT-48 **What Quick exit can and can't do**

ABOUT-49 The Quick exit button hides this page at once, then opens the weather.gov home page in the same tab.

ABOUT-50 It also replaces your last step in that tab's history, but not the steps before it.

ABOUT-51 If you opened just one Tidelight page and used no links within it, Back won't return to this site.

ABOUT-52 It can't:

- ABOUT-53 • Remove Tidelight pages you opened earlier in that tab.
- ABOUT-54 • Back can still reach them.
- ABOUT-55 • That includes the page you left, if you used a link within it, such as "On this page" or "Get Support Now".
- ABOUT-56 • Remove pages you went Back from.
- ABOUT-57 • Forward can still reach them.
- ABOUT-58 • Leave a website that shows Tidelight inside a locked-down frame.
- ABOUT-59 • Usually Quick exit leaves the whole page, but in such a frame only Tidelight's part changes.
- ABOUT-60 • Clear your browser's history, other tabs, or the saved copies described below.

ABOUT–61 • Remove a contact you saved, a contact file you downloaded, or calls and texts from your phone's logs.

ABOUT–62 If JavaScript is turned off, Quick exit is an ordinary link, so Back can return to the page you left.

ABOUT–63 With no connection, weather.gov can't load.

ABOUT–64 Your browser shows its own error page instead, or, in some apps' built-in browsers, the page stays blank.

ABOUT–65 Reload it to see it again.

ABOUT–66 A private or incognito window can keep pages out of this device's history.

ABOUT–67 To remove pages you've already visited, clear your history and website data in your browser's settings.

ABOUT–68 A private or incognito window doesn't hide your activity from everyone.

ABOUT–69 Google says organizations that manage your network, like a school, an employer, or an internet provider, may be able to see what you do in Chrome's Incognito mode.

ABOUT–70 The National Domestic Violence Hotline says phone and computer use can be monitored without you knowing it.

ABOUT–71 In Chrome on Android, tapping Call or Text in an Incognito tab may first ask "Leave Incognito mode?"

ABOUT–72 Choosing Leave opens your phone's calling or texting app with the number.

ABOUT–73 Stay cancels the call or text.

ABOUT–74 Calls and texts can show up in your phone's logs.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

ABOUT–75 **Saved copies and using this site offline**

ABOUT–76 On a secure connection, your browser may save a copy of this site's pages and files after your first visit, so the crisis numbers can still show with a weak signal or none.

ABOUT–77 • What works offline.

ABOUT–78 • After that first visit, the pages of this site can open with no connection, in English and Spanish.

ABOUT–79 • An address that wasn't saved shows the "page not found" page, which has the crisis numbers.

ABOUT–80 • What doesn't.

ABOUT–81 • Calling and texting need phone service.

ABOUT–82 • Chat and links to other websites need an internet connection.

ABOUT–83 • How updates arrive.

ABOUT–84 • With a connection, the site tries for the newest version first, which can take up to about 10 minutes to appear.

ABOUT–85 • If that fails or takes more than about 3 seconds, a saved copy is used instead, so it could be out of date.

ABOUT–86 • When your device reports no connection, a note at the top of the page says so.

ABOUT–87 • If a number doesn't work, try 911 or another option on this page.

ABOUT–88 • Don't rely on it alone.

ABOUT-89 • Browsers can delete saved copies, for example when a device is low on storage or you haven't used the site for a while.

ABOUT-90 • Keeping 988 in your contacts or on a wallet card doesn't depend on this.

ABOUT-91 • *same as ABOUT-33:* Your privacy.

ABOUT-92 • Saved copies stay on your device.

ABOUT-93 • Nothing is sent to Tidelight, but on a shared device they are a trace of your visit, and Quick exit can't remove them.

ABOUT-94 • Clearing website data in your browser's settings does.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

ABOUT-95 **Saving 988 to your contacts**

ABOUT-96 The "Save 988 to your contacts" button gives you a small contact card file.

ABOUT-97 It has the 988 Lifeline's name, number, and website.

ABOUT-98 It also has a short note on how to reach 988, including in Spanish and for veterans, and when to call 911.

ABOUT-99 *same as SHARED-46:* Depending on your device, it may show a preview of the contact, or save to your downloads.

ABOUT-100 It comes from this site, and nothing about you is sent to Tidelight.

ABOUT-101 Adding it to your contacts is up to you.

ABOUT-102 *same as SHARED-48:* On an iPhone, scroll to the bottom of the preview and tap Create New Contact.

ABOUT-103 *same as SHARED-49:* Closing the preview doesn't save it.

ABOUT-104 On a shared phone or computer, or if your contacts sync to another device, other people may see the file or the contact.

ABOUT-105 *same as SHARED-44:* Save 988 to your contacts

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

ABOUT-106 **Sources** *same as HELP-214*

ABOUT-107 *same as HELP-215:* Checked November 6, 2026.

ABOUT-108 *same as HELP-216:* An AI assistant drafted these summaries for Tidelight, and no qualified person has reviewed them yet.

ABOUT-109 *same as HELP-217:* The organizations listed here have not reviewed or endorsed them.

ABOUT-110 **Show sources (7)**

ABOUT-111 • What is GitHub Pages?

ABOUT-112 • (Data collection), GitHub

ABOUT-113 • Service Worker API, MDN

ABOUT-114 • Updates to Storage Policy, WebKit

ABOUT-115 • *same as HELP-226:* Confidentiality, 988 Suicide & Crisis Lifeline

ABOUT-116 • *same as HELP-220:* What to Expect, 988 Suicide & Crisis Lifeline

ABOUT-117 • *same as HELP-251:* Browse in Incognito mode, Google Chrome Help

ABOUT-118 • Internet Safety for Survivors, The National Domestic Violence Hotline

What is GitHub Pages? (Data collection): `https://docs.github.com/en/pages/getting-started-with-github-pages/what-is-github-pages#data-collection`

Service Worker API: `https://developer.mozilla.org/en-US/docs/Web/API/Service_Worker_API`

Updates to Storage Policy: `https://webkit.org/blog/14403/updates-to-storage-policy/`

Confidentiality: `https://988lifeline.org/confidentiality/`

What to Expect: `https://988lifeline.org/get-help/what-to-expect/`

Browse in Incognito mode: `https://support.google.com/chrome/answer/95464?hl=en`

Internet Safety for Survivors: `https://www.thehotline.org/plan-for-safety/internet-safety/`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Read aloud by a screen reader, not shown on screen

ABOUT-119 • Page title, read first when the page opens: About and privacy — Tidelight

ABOUT-120 • *same as HOME-45:* Area name: Review status

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Page: Page not found

Address once published: shown for any address that does not exist. Numbers start with NOTFOUND.

NOTFOUND-1 Page not found

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

NOTFOUND-2 **We can't find that page**

NOTFOUND-3 The link may be out of date.

NOTFOUND-4 The options below still work, and you can reach the pages of this site from here.

NOTFOUND-5 With no connection, this page can also appear in place of a page that wasn't saved.

NOTFOUND-6 ¿No encuentras la página?

NOTFOUND-7 Para hablar en español, llama al 988 y marca 2, o envía AYUDA al 988.

NOTFOUND-8 *same as HELP-97:* Si hay peligro inmediato, llama al 911.

llama al 988: `tel:988`

envía AYUDA al 988: `sms:988`

llama al 911: `tel:911`

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

NOTFOUND-9 **Pages on this site**

NOTFOUND-10 Home | Get help for yourself | Help someone else | Not sure what you're feeling? | After a suicide loss | For teens | What the research shows | Wallet card | About and privacy

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Read aloud by a screen reader, not shown on screen

- NOTFOUND-11 Page title, read first when the page opens: Page not found — Tidelight

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Part 3: Wording outside the page text

People meet this wording outside the text of each page: a page's description in search results and link previews, the names a screen reader says for links and areas, the notice shown with no connection, the contact card saved to a phone, and the name used when the site is added to a home screen.

OUTSIDE-1 **Description in search results and link previews**

- OUTSIDE-2 If you're thinking about suicide or worried about someone, you are not alone.
- OUTSIDE-3 Call or text 988 to reach the 988 Suicide & Crisis Lifeline, any time.
- OUTSIDE-4 Ways to reach someone when you're struggling, what to expect when you contact 988, and support over time.
- OUTSIDE-5 Warning signs, how to ask, and how to connect a friend, family member, or loved one who may be thinking about suicide to support.
- OUTSIDE-6 For teens: how to reach out for support yourself, telling an adult you trust, and what stays private.
- OUTSIDE-7 Check in with how you're feeling, reflect, and find small next steps at your own pace.
- OUTSIDE-8 Nothing you share here is sent or saved.
- OUTSIDE-9 Call or text 988 any time.
- OUTSIDE-10 *same as DAY-207:* You don't need to have the right words.
- OUTSIDE-11 Notice what is on your mind at your own pace.
- OUTSIDE-12 *same as HOME-36:* What you open isn't saved, and there's no score.
- OUTSIDE-13 *same as OUTSIDE-9:* Call or text 988 any time.
- OUTSIDE-14 If you've lost someone to suicide: what you may feel, where to find support, and how to talk with children.
- OUTSIDE-15 *same as OUTSIDE-9:* Call or text 988 any time.
- OUTSIDE-16 What studies show about crisis lines, safety plans, treatment, and other parts of suicide prevention, with the source named for each finding.
- OUTSIDE-17 Printable wallet cards and a poster with 988, the Spanish options, and 911.
- OUTSIDE-18 What Tidelight is, what it keeps, what it can't hide, and what has and hasn't been reviewed.
- OUTSIDE-19 *same as NOTFOUND-2:* We can't find that page.
- OUTSIDE-20 *same as OUTSIDE-3:* Call or text 988 to reach the 988 Suicide & Crisis Lifeline, any time.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

OUTSIDE-21 **Names a screen reader says**

- OUTSIDE-22 Crisis help and quick exit
- OUTSIDE-23 Quick exit: leave this site now for the weather.gov home page
- OUTSIDE-24 Call 988, the Suicide and Crisis Lifeline

OUTSIDE-25 • Text 988, the Suicide and Crisis Lifeline

OUTSIDE-26 • Call 911, emergency services

OUTSIDE-27 • Main

OUTSIDE-28 • Reach the 988 Suicide and Crisis Lifeline

OUTSIDE-29 • About this site and the 988 Lifeline

OUTSIDE-30 • Review status

OUTSIDE-31 • Reminder

OUTSIDE-32 • *same as HELP-109:* Call 988

OUTSIDE-33 • All pages

OUTSIDE-34 • Check-in sections

OUTSIDE-35 • An idea

OUTSIDE-36 • A calendar of this month.

OUTSIDE-37 • *same as DAY-216:* A marked day means you checked in during this visit.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

OUTSIDE-38 **Notice shown with no connection**

OUTSIDE-39 • You're offline.

OUTSIDE-40 • This may be a saved copy, so it could be out of date.

OUTSIDE-41 • *same as ABOUT-81:* Calling and texting need phone service.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

OUTSIDE-42 **Contact card saved to a phone: 988-lifeline.vcf**

OUTSIDE-43 • Name: 988 Suicide & Crisis Lifeline

OUTSIDE-44 • *same as OUTSIDE-9:* Call or text 988 any time.

OUTSIDE-45 • Chat at chat.988lifeline.org.

OUTSIDE-46 • For Spanish, call 988 and press 2, or text AYUDA to 988.

OUTSIDE-47 • For veterans, call 988 and press 1.

OUTSIDE-48 • *same as SHARED-4:* In immediate danger, call 911.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

OUTSIDE–49 **Name and description when the site is added to a home screen**

- OUTSIDE–50 *same as SHARED-5:* Tidelight: suicide prevention support
- OUTSIDE–51 Tidelight
- OUTSIDE–52 *same as HOME-1:* Find suicide prevention support.
- OUTSIDE–53 *same as OUTSIDE-9:* Call or text 988 any time.
- OUTSIDE–54 *same as SHARED-10:* Tidelight is not a crisis service.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Part 4: Research brief

A founder supplied this brief. The first drafts of Get Help, Help Someone, and Research were written separately from it. The Not sure page uses Pathway A's heading, opening paragraph, and prompt word for word. Please read both. The unchanged PDF is in the project at `notes/attachments/research-and-website-copy-2026-11.pdf`.

BRIEF-1 **Suicide Prevention Research & Website Content**

BRIEF-2 Research reference and implementation brief | Prepared November 2026

BRIEF-3 Purpose: Educational background for a suicide-prevention website.

BRIEF-4 This material is not a diagnostic tool or substitute for professional mental health care.

BRIEF-5 Statistics are year-specific and should be rechecked before publication.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

BRIEF-6 **1. Understanding Suicide and Suicidal Behavior**

BRIEF-7 Definitions.

BRIEF-8 Suicide is a death resulting from intentional self-directed behavior.

BRIEF-9 Suicidal ideation means thoughts about suicide; a suicide attempt is nonfatal suicidal behavior.

BRIEF-10 Suicide prevention includes interventions that reduce risk and strengthen access to care.

BRIEF-11 Public health perspective.

BRIEF-12 Suicide is influenced by overlapping individual, interpersonal, community and societal factors.

BRIEF-13 No one diagnosis or experience explains every case.

BRIEF-14 Myths and accurate framing.

BRIEF-15 Depression is one risk factor, not a universal cause.

BRIEF-16 Asking someone directly and compassionately about suicide does not implant the idea.

BRIEF-17 Prevention and recovery are possible.

BRIEF-18 Use nonjudgmental language such as "died by suicide."

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

BRIEF-19 **2. Causes and Risk Factors**

BRIEF-20 Psychological factors.

BRIEF-21 Depression, anxiety, trauma-related symptoms, substance use disorders and other mental health difficulties may contribute to vulnerability.

BRIEF-22 A diagnosis alone does not predict an individual outcome.

BRIEF-23 Biological factors.

BRIEF-24 Research investigates genetic vulnerability, stress-response systems, sleep disturbance and emotional regulation.

BRIEF-25 None is a deterministic explanation.

BRIEF-26 Social and environmental factors.

BRIEF-27 Bullying, discrimination, interpersonal conflict, loss, economic instability, violence, social isolation and limited access to care can add stress.

BRIEF-28 Risk factors can accumulate or interact.

BRIEF-29 Protective factors.

BRIEF-30 Supportive relationships, belonging, accessible treatment, coping skills, stable environments and continuity of care can reduce risk.

BRIEF-31 Protective factors help but do not guarantee safety.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

BRIEF-32 ## 3. Warning Signs and Recognizing Distress

BRIEF-33 Emotional and behavioral indicators.

BRIEF-34 Potential concerns include persistent hopelessness, feeling trapped, intense shame, withdrawal, significant changes in sleep or functioning, agitation, and direct statements about suicide.

BRIEF-35 Warning signs are not a diagnosis.

BRIEF-36 Responding.

BRIEF-37 Listen calmly and without judgment.

BRIEF-38 Ask clearly about suicide when concerned.

BRIEF-39 Do not dismiss statements as attention-seeking or promise secrecy where safety is at risk.

BRIEF-40 Involve qualified help and a trusted adult for young people.

BRIEF-41 Urgent support.

BRIEF-42 In the United States, call or text 988 for crisis support.

BRIEF-43 For immediate life-threatening danger, contact emergency services.

BRIEF-44 A website should make these pathways easy to find.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

BRIEF-45 ## 4. Effects on Families, Friends, Schools and Communities

BRIEF-46 Family and peer impact.

BRIEF-47 Suicide bereavement may involve grief, anxiety, confusion, anger, stigma and unanswered questions.

BRIEF-48 Survivors are not responsible for another person's death.

BRIEF-49 Schools and communities.

BRIEF-50 Schools may need coordinated counseling, careful communication, support for staff and students, and referral pathways.

BRIEF-51 Postvention means organized support after a suicide.

BRIEF-52 Responsible reporting.

BRIEF-53 Avoid sensationalism and simplistic explanations.

BRIEF-54 Communicate the availability of support and recovery; avoid framing suicide as inevitable.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

BRIEF-55 ## 5. Evidence-Based Prevention

BRIEF-56 Three levels.

BRIEF-57 Primary prevention reduces upstream risks through connectedness, education and supportive environments.

BRIEF-58 Secondary prevention recognizes emerging concerns and connects people to care.

BRIEF-59 Tertiary prevention emphasizes recovery, follow-up and continuity of treatment.

BRIEF-60 Community approaches.

BRIEF-61 Strengthen access to affordable mental healthcare, address bullying and violence, promote social support, reduce harmful barriers and create clear referral pathways.

BRIEF-62 WHO LIVE LIFE framework.

BRIEF-63 WHO recommends a coordinated public health approach including responsible media communication, adolescent life skills, early identification and support, and safer environments.

BRIEF-64 Evaluation.

BRIEF-65 Track access to support, user comprehension, referral completion, privacy and accessibility.

BRIEF-66 Website engagement alone is not evidence of suicide prevention efficacy.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

BRIEF-67 ## 6. Treatment and Recovery

BRIEF-68 Professional care.

BRIEF-69 Treatment may include cognitive behavioral therapy, dialectical behavior therapy, family or group therapy, psychiatric evaluation, and management of underlying conditions.

BRIEF-70 Selection depends on individual needs and qualified clinical assessment.

BRIEF-71 Safety planning.

BRIEF-72 A collaborative safety plan may identify personal warning signs, coping approaches, trusted contacts, professional support and steps to maintain safety.

BRIEF-73 It is not a substitute for treatment.

BRIEF-74 Continuity.

BRIEF-75 Recovery is not necessarily linear.

BRIEF-76 Follow-up, supportive relationships and adjusted care plans can help people manage renewed distress.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

BRIEF–77 **7. Statistics and Research Interpretation**

BRIEF–78 Global context.

BRIEF–79 WHO has reported more than 720,000 suicide deaths worldwide annually based on 2021 estimates.

BRIEF–80 Figures change with updated data and methods; check the latest WHO fact sheet before publishing exact figures.

BRIEF–81 United States context.

BRIEF–82 CDC surveillance reports tens of thousands of suicide deaths annually, with substantially larger numbers reporting suicidal thoughts.

BRIEF–83 Verify the specific year and source for all numerical claims.

BRIEF–84 Interpretation.

BRIEF–85 Do not mix deaths, thoughts, attempts or age groups.

BRIEF–86 Survey methods, reporting completeness and data years differ.

BRIEF–87 Population associations do not predict an individual person's behavior.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

BRIEF–88 **8. Technology, Social Media and Website Design**

BRIEF–89 Digital opportunities.

BRIEF–90 A website can provide clear education, resource directories, accessible support navigation and links to professional help.

BRIEF–91 Digital risks.

BRIEF–92 Misinformation, privacy problems, inaccessible interfaces, harmful content and overconfident automated advice can undermine trust and safety.

BRIEF–93 Design principles.

BRIEF–94 Use calm, readable typography, plain language, mobile accessibility, strong contrast, visible human support options and minimal collection of sensitive data.

BRIEF–95 AI boundaries.

BRIEF–96 AI can help organize educational content but should never claim to diagnose, replace a therapist or serve as the only crisis response.

BRIEF–97 Have clinicians review crisis-related flows.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

BRIEF–98 **Website Copy and Agent Implementation Brief**

BRIEF–99 These are three distinct visitor pathways.

BRIEF–100 Keep language gentle, nonjudgmental, and brief.

BRIEF–101 The first two are supportive reflection tools, not clinical assessments.

BRIEF–102 **Pathway A — Navigate Your Thoughts**

BRIEF–103 Heading: Not sure what you're feeling?

BRIEF–104 Start here.

BRIEF–105 Website-ready copy: You don't need to have the right words.

BRIEF–106 *same as SURE-4:* Take a moment to notice what is on your mind.

BRIEF–107 *same as SURE-5:* You can explore your feelings at your own pace, without pressure or judgment.

BRIEF–108 *same as SURE-6:* If you need support, there are people ready to listen.

BRIEF–109 • Optional prompt: "What feeling is strongest right now?" with options such as overwhelmed, sad, anxious, numb, unsure.

BRIEF–110 • Offer a gentle check-in and the choice to pause, skip or speak with someone.

BRIEF–111 • Provide a visible "Get support now" link throughout.

BRIEF–112 **Pathway B — Work Through Your Thoughts**

BRIEF–113 Heading: A little space to reflect, one step at a time.

BRIEF–114 Website-ready copy: When thoughts feel overwhelming, it may help to slow down and focus on what you need in this moment.

BRIEF–115 Try naming what is difficult, what might help you feel supported, and one small, safe next step.

BRIEF–116 You do not have to handle everything alone.

BRIEF–117 • Invite optional journaling: "What has been weighing on you?"

BRIEF–118 • Offer grounding choices such as noticing surroundings, taking a break, or reaching out to a trusted person.

BRIEF–119 • End with a choice to save privately, clear the entry, or view support resources.

BRIEF–120 **Pathway C — Learn About Suicide**

BRIEF–121 Heading: Understand the facts.

BRIEF–122 Recognize the signs.

BRIEF–123 Find ways to help.

BRIEF–124 Website-ready copy: Suicide is a complex public health issue influenced by mental health, life experiences, relationships, and access to support.

BRIEF–125 Learning about warning signs, risk factors, prevention, and treatment can help reduce stigma and encourage compassionate conversations.

BRIEF–126 Support and recovery are possible.

BRIEF–127 • Create short, clearly titled educational modules: Understanding Suicide; Risk and Protective Factors; Warning Signs; Prevention; Treatment; Helping Someone Else.

BRIEF–128 • Cite WHO, CDC, NIMH and SAMHSA; show last-reviewed dates.

BRIEF–129 • Keep crisis support visible and avoid graphic or sensationalized content.

BRIEF–130 **Universal safety and product requirements**

BRIEF–131 • Show 988 (U.S. call/text) and an emergency-services pathway in a consistently visible location; adapt resources by visitor region.

BRIEF–132 • Do not require registration, payment or completion of a questionnaire to access support.

BRIEF–133 • Make all reflective questions optional.

BRIEF–134 • Provide clear Skip, Back, Exit and Clear options.

BRIEF–135 • Do not present automated risk scores as diagnosis, or imply the website is monitored by live clinicians unless it truly is.

BRIEF–136 • Avoid collecting sensitive journal text by default; explain retention, deletion and confidentiality limitations plainly.

BRIEF–137 • Have qualified mental health professionals review wording, crisis escalation pathways and updates before launch.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

BRIEF–138 **Primary Sources and Verification**

BRIEF–139 • World Health Organization (WHO), Suicide fact sheet: https://www.who.int/news-room/fact-sheets/detail/suicide

BRIEF–140 • Centers for Disease Control and Prevention (CDC), Suicide Prevention: https://www.cdc.gov/suicide/

BRIEF–141 • National Institute of Mental Health (NIMH), Suicide Prevention: https://www.nimh.nih.gov/health/topics/suicide-prevention

BRIEF–142 • Substance Abuse and Mental Health Services Administration (SAMHSA), Warning Signs: https://www.samhsa.gov/mental-health/suicidal-behavior/warning-signs

BRIEF–143 • 988 Suicide & Crisis Lifeline: https://988lifeline.org/

BRIEF–144 Editorial note: This document consolidates the earlier eight-topic research into an agent-friendly reference rather than reproducing every sentence verbatim.

BRIEF–145 It omits unverified 2026 figures and should undergo clinical and factual review before publication.

Decision: ☐ OK as written ☐ OK with changes ☐ Not for the website

Notes:

Tracker for the brief

Fill this in during or after the therapist's review. "Website use" says where the section would appear; nothing is published from this note yet.

Section	Website use	Reviewer status	Reviewer notes
1. Understanding suicide	Research	Not reviewed	
2. Causes and risk factors	Research	Not reviewed	

Section	Website use	Reviewer status	Reviewer notes
3. Warning signs	Help Someone	Not reviewed	
4. Effects on families, schools, communities	Research, Help Someone	Not reviewed	
5. Evidence-based prevention	Research	Not reviewed	
6. Treatment and recovery	Get Help	Not reviewed	
7. Statistics	Research	Not reviewed	Recheck every number before publishing
8. Technology and website design	Project guidance, not page copy	Not reviewed	
Pathway A: Navigate your thoughts	Not sure page, built as a draft. Needs a product decision	Not reviewed	
Pathway B: Work through your thoughts	New interactive page, needs a product decision	Not reviewed	
Pathway C: Learn about suicide	Research	Not reviewed	
Universal safety requirements	Whole site; compare with SAFETY	Not reviewed	

Statuses: Not reviewed, Approved, Approved with changes, Not for the website. Also record the reviewer's role and the review date, never their personal contact details.

Part 5: Crisis resources and what each button does

An AI assistant read these on each provider's page. No person has confirmed them. No call, text, or chat was placed.

Crisis resources

"Read on" means Claude read the provider's own page in a browser on that date, without calling, texting, chatting, or submitting anything. It does not mean a person has confirmed it. A founder should read each page and fill in the last column. Recheck close to publication and at least monthly (proposed).

Resource	How to reach it	Official page	Read on	Person confirmed
988 Suicide & Crisis Lifeline	Call or text 988; chat at chat.988lifeline.org. 24/7	https://988lifeline.org/get-help/	Nov 6 and 9, 2026	
988 by text, first steps	Send any message to 988. Reply NEXT to accept the terms of service, answer a brief survey, then a Wait message comes before a counselor. 988's Spanish What to Expect page lists the same steps and says the word "siguiente" accepts the terms	https://988lifeline.org/faq/texting-the-988-lifeline/ and https://988lifeline.org/get-help/what-to-expect/ (Spanish: https://988lifeline.org/es/obten-ayuda/que-puede-esperar/)	Nov 7, 2026	
988 in Spanish	Call 988, then press 2; text AYUDA to 988; chat at chat.988lifeline.org/?lang=es	https://988lifeline.org/get-help/	Nov 6 and 9, 2026	
988 in other languages	Call 988 and ask for an interpreter or say the language. More than 240 languages, voice only	https://988lifeline.org/faq/calling-the-988-lifeline/faq-is-the-988-lifeline-available-in-other-languages-for-non-english-speakers/	Nov 6, 2026	
988 for Deaf and hard of hearing people	Dial 988 from a videophone; TTY users use a relay service or dial 711, then 988; text; chat	https://988lifeline.org/deaf-hard-of-hearing-hearing-loss/	Nov 6, 2026	
988 for LGBTQ+ youth (see the note below)	Call 988, then press 3; text PRIDE to 988	https://988lifeline.org/get-help/what-to-expect/	Nov 6, 2026	
Veterans Crisis Line	Dial 988, then press 1; text 838255; chat	https://www.veteranscrisisline.net	Nov 6, 2026	
Crisis Text Line	Text HOME to 741741. Its FAQ says free on AT&T, T-Mobile, Sprint, and Verizon, and standard text rates on other carriers. Its terms and privacy policy say message and data rates may apply. A person should ask which holds	https://www.crisistextline.org/about-us/faq/	Nov 6, 2026	
The Trevor Project (LGBTQ+ young people)	Call 1-866-488-7386; text START to 678-678; chat; TTY 1-866-803-3699	https://www.thetrevorproject.org/get-help/	Nov 6, 2026	

Resource	How to reach it	Official page	Read on	Person confirmed
SAMHSA National Helpline (referrals, not a crisis line)	1-800-662-4357; TTY 1-800-487-4889. English and Spanish, 24/7	https://www.samhsa.gov/find-help/helplines/national-helpline	Nov 6, 2026	
TAPS (support after a military suicide loss)	Call 1-800-959-8277, 24/7	https://www.taps.org/suicide	Nov 7, 2026	
FindTreatment.gov (treatment finder)	Website	https://findtreatment.gov	Nov 6, 2026	
Emergency services	Call 911. Text-to-911 works only in some places; call if you can	https://www.fcc.gov/consumers/guides/what-you-need-know-about-text-911	Nov 6, 2026	

On the website as a draft, a person must confirm

- **988 LGBTQ+ youth option.** 988's Get Help page says the service has been restored, and its What to Expect page lists press 3 on a call and PRIDE to 988 by text. The Trevor Project and a U.S. House statement date its return to September 30, 2026. SAMHSA's FAQ (December 2025) and performance page (October 2026) do not mention it, and no official page gives its age range or chat route. The Trevor Project is not part of it, so the Get Help page lists the two apart. 988's Spanish FAQ on this service says "Este servicio no está disponible en español en este momento." Read November 6, 2026. The page has no date and may predate the service's return, so a person should ask 988 whether it is current. CONTENT-REVIEW asks the reviewer about this.
- **TTY in Spanish.** 988's Spanish pages disagree. Its Deaf page gives relay or 711, then
- Its TTY FAQ, which has no date, says "Este servicio no está disponible en español en este momento." The Spanish Get Help page reports both. Ask 988 or a Deaf-led organization which holds.

Left off the website until a person confirms

- **Crisis Text Line in Spanish.** The provider's pages disagree on the keyword (HOLA or AYUDA). Read again November 7, 2026: its FAQ (https://www.crisistextline.org/about-us/faq/) says it supports English and Spanish, gives HELLO or HOLA, and lists a separate WhatsApp number for Spanish. Its Spanish page (https://www.crisistextline.org/es/) says AYUDA. The Spanish pages say it supports Spanish and that the word isn't confirmed. A person should ask Crisis Text Line.
- **Veterans Crisis Line TTY number.** Older VA pages list a 10-digit TTY number. The current call page says to use a relay service or dial 711, then 988.

Only a person can check

- The FCC's text-to-911 page. It refused automated reads on November 6 and 7, 2026 (403), so the 911 card on Get Help, its Spanish twin, and the "Emergency services" row above rest on earlier reads. A person should open it in a browser and confirm the wording.
- That the Call and Text links open the dial and compose screens on a real iPhone and Android phone, with the right number filled in. Stop there and cancel.
- That the text links behave as expected with no message filled in. They open a blank message. To reach 988's Spanish or LGBTQ+ youth service, or The Trevor Project, the person has to type the word (AYUDA, PRIDE, or START). Crisis Text Line says a first message to 741741 can say anything.

- The recorded menu on a 988 call. Nobody here has listened to it live, and it must not be tested by calling. Ask 988 or listen to the audio on its website.

What each control does

"Link format only" means nobody has tapped it on a phone. The phone test for all of these: tap, stop at the dial or compose screen, and cancel.

Control	Where	Goes to	Provider	Checked	Needs a person
Call 988	Crisis strip, buttons, closing banner, Help Someone urgent note	`tel:988`	988 Lifeline	Link format only	Phone test
Text 988	Crisis strip, buttons, closing banner, Help Someone urgent note	`sms:988`	988 Lifeline	Link format only	Phone test
Call 911	Crisis strip, Get Help, For Teens, Not sure, After a loss, Help Someone urgent note, and their Spanish twins	`tel:911`	Local 911	Link format only	Phone test. Decide whether it should be a link at all
Chat Online	Buttons, closing banner	chat.988lifeline.org	988 Lifeline	Page opens; form not submitted	Open on a phone
Text 988 / Chat with 988 (Enviar AYUDA al 988 / Chatear en español)	Deaf or hard of hearing card on Get Help, For Teens, and their Spanish twins	`sms:988`, chat.988lifeline.org	988 Lifeline	Link format only	Phone test, a Deaf-led reviewer
Deaf or hard of hearing / Personas sordas o con dificultades auditivas	Under the crisis buttons on every page	The Deaf card on Get Help	Tidelight	Tested in browser	A Deaf-led reviewer: is the wording right?
Go to the feelings / Ir a los sentimientos	Not sure	The list of feelings on the same page	Tidelight	Tested in browser	Reviewer
Print poster and wallet cards / Imprimir el cartel y las tarjetas	Wallet card	The phone's or computer's print screen	Tidelight	Print view tested in browser	Print one on a real printer
Ayuda en español	Every English page	Spanish block on Get Help	Tidelight	Tested in browser	Spanish reviewer
Llamar al 988 y marcar 2	Get Help, Spanish block; Spanish Get Help	`tel:988`	988 Lifeline	Link format only	Phone test, Spanish reviewer

Control	Where	Goes to	Provider	Checked	Needs a person
Enviar AYUDA al 988	Get Help, Spanish block	`sms:988`, message blank	988 Lifeline	Link format only	Phone test, Spanish reviewer
Chatear en español	Get Help, Spanish block	chat.988lifeline.org/?lang=es	988 Lifeline	Page opens in Spanish; form not submitted	Spanish reviewer
988lifeline.org	Fallback line	988lifeline.org	988 Lifeline	Page opens	None
Confidentiality statement	Get Help	988's page	988 Lifeline	Page opens	None
988 options for Deaf and hard of hearing people	Get Help	988's page	988 Lifeline	Page opens	Deaf reviewer or Deaf-led organization
Call 988 (other languages)	Get Help	`tel:988`	988 Lifeline	Link format only	Phone test
Call 988, then press 1	Get Help	`tel:988`	Veterans Crisis Line	Link format only	Phone test
Text 838255	Get Help	`sms:838255`	Veterans Crisis Line	Link format only	Phone test
Veterans Crisis Line chat	Get Help	VCL chat page	Veterans Crisis Line	Page opens	None
Call 988, then press 3	Get Help, For Teens, and their Spanish twins	`tel:988`	988 LGBTQ+ youth service	Link format only	Phone test. Confirm the option with 988
Text PRIDE to 988	Get Help, For Teens, and their Spanish twins	`sms:988`, message blank	988 LGBTQ+ youth service	Link format only	Phone test. Confirm the option with 988
Call 1-866-488-7386	Get Help, For Teens, and their Spanish twins	`tel:+18664887386`	The Trevor Project	Link format only	Phone test
Call 1-800-959-8277	After a loss and its Spanish twin	`tel:+18009598277`	TAPS, for people who lost someone who served in the military	Link format only	Phone test, reviewer: is it right to list it?
Text START to 678-678	Get Help, For Teens, and their Spanish twins	`sms:678678`, message blank	The Trevor Project	Link format only	Phone test
Trevor Project chat and TTY	Get Help	Trevor's help page	The Trevor Project	Page opens	None
Text HOME to 741741	Get Help, For Teens, and their Spanish twins	`sms:741741`, message blank	Crisis Text Line	Link format only	Phone test

Control	Where	Goes to	Provider	Checked	Needs a person
Crisis Text Line website	Get Help	crisistextline.org	Crisis Text Line	Page opens	None
1-800-662-4357	Get Help	`tel:+18006624357`	SAMHSA	Link format only	Phone test
1-800-487-4889 (TTY)	Get Help	`tel:+18004874889`	SAMHSA	Link format only	Phone test
FindTreatment.gov	Get Help	findtreatment.gov	SAMHSA	Page opens	None
A form (PDF)	Get Help	Stanley-Brown safety plan PDF	Its developers	File loads	See the question on permission
How this works on different platforms	Help Someone	988's social media page	988 Lifeline	Page opens	None
Our web host logs visitors' IP addresses	Home	Privacy section of the About page	Tidelight	Tested in browser	Lawyer question
GitHub says it logs and stores visitors' IP addresses	Every footer	GitHub's documentation	GitHub	Page opens	Lawyer question
Get Support Now	Header	Crisis options on the same page. On Home it rings the three buttons already on screen; on other pages it jumps to them	Tidelight	Tested in browser	Founders: is the label right?
Quick exit / Salida rápida	Every page. In the pinned strip on phones and tablets, bottom right on desktops	https://www.weather.gov/	Tidelight	Tested in browser: the page goes blank at once, and Back skips the page that was left. Back can still reach earlier Tidelight pages, and that page too after a link within it	Reviewer: label, destination, placement, and what it can't hide
Save 988 to your contacts / Guarda el 988 en tus contactos	Get Help, For Teens, Wallet card, About, and their Spanish twins	`assets/988-lifeline.vcf`, `assets/988-linea-es.vcf`	Tidelight	File checked. Not tried on a phone	Save on a real iPhone and Android phone
Llamar al 988, marca 2 para español / Texto al 988, escribe AYUDA / Chatear en línea / Llama al 988 / envía AYUDA al 988 / llama al 911	Crisis strip and buttons on every Spanish page, and inside sentences on some	`tel:988`, `sms:988`, `tel:911`, chat.988lifeline.org/?lang=es	988 Lifeline; local 911	Link format only	Phone test; fluent reader
Llamar al 988 (otros idiomas) / Llamar al 988 y marcar 1 / Texto al	Spanish Get Help	`tel:988`, `sms:838255`, `veteranscrisis`	988 Lifeline; Veterans Crisis	Link format only	Phone test; fluent reader

Control	Where	Goes to	Provider	Checked	Needs a person
838255 / Chat de la Línea de Crisis para Veteranos / Llamar al 1-800-662-4357 / 1-800-487-4889 (TTY) / Llamar al 911		`line.net/es/como-ayudamos/chat/`, `tel:+18006624357`, `tel:+18004874889`, `tel:911`	Line; SAMHSA; local 911		
Llamar al 988 y marcar 3 / Enviar PRIDE al 988 / Llamar al 1-866-488-7386 / Enviar START al 678-678 / Enviar HOME al 741741 / Llama al 911	Spanish Get Help and Spanish For Teens	`tel:988`, `sms:988`, `tel:+18664887386`, `sms:678678`, `sms:741741`, `tel:911`	988 LGBTQ+ youth service; The Trevor Project; Crisis Text Line; local 911	Link format only	Phone test; fluent reader. Confirm the 988 option with 988
Menu	Header, phones and tablets	Opens the page list	Tidelight	Tested in browser	Real phone with a screen reader
Five homepage cards	Home	Get Help, Help Someone, Research, Not sure, After a loss	Tidelight	Tested in browser	None
Show sources / Ver fuentes / Mostrar fuentes	Get Help, Help Someone, For Teens, Not sure, After a loss, About, and their Spanish twins	Opens the source list	Tidelight	Tested in browser	None

Text and chat with a crisis service start with automated steps. Texting asks you to accept terms and answer a few questions. The Get Help page says chat asks for a zip code, whether you are having thoughts of suicide, and how upset you feel. A later check could not confirm those details, because the chat page showed a security check. A person needs to open it.

Part 6: Questions written for you

These are suggestions from an AI assistant, not decisions. Use the blank lines, or write on the notes pages at the end.

Wording is proposed. Nothing here is clinical advice.

Crisis wording on every page

- "Need help now?" replaced "In crisis?", and "Not sure what you need?" replaced "Not in crisis?", so a distressed visitor is not asked to judge their own risk. Are these better?
- Should 911 be a tap-to-call link in the pinned strip? Phones ask before calling, but an accidental tap is possible, and some people fear a police response.
- A proposal: on a short screen, such as a phone on its side, including with larger text, the pinned strip shortens to one row: "Call 988 · Text 988 · Call 911" ("Llama al 988 y marca 2 · Envía AYUDA al 988 · Llama al 911"). It drops "Need help now?" and "In immediate danger,", so nothing on screen says when 911 is the right call. Screen readers still hear "Call 911, emergency services". Is that acceptable where space is short? See DECISIONS.
- The header's "Suicide prevention & support" tagline and "Get Support Now" button both come from the supplied design. Both read as if Tidelight provides support, and the button doesn't say who does. Claude's suggestion: "Find suicide prevention support" and "Call or text 988".
- The text links open a blank message (`sms:741741`, `sms:678678`, and `sms:988` for AYUDA and PRIDE). For START, AYUDA, and PRIDE, a person in distress has to remember the word, and the label on the button is all that reminds them. That isn't so for 741741: Crisis Text Line says the first message can say anything, and that a word like HOME helps it know how you found it. Its own website buttons fill in a word with a link that has a body (`sms:741741?&body=HOME`). Is a blank message acceptable, and should these links fill in the word too?
- Is the privacy wording right? The homepage says "Tidelight has no sign-ups, forms, or tracking. Our web host logs visitors' IP addresses." Each footer says "no sign-ups, forms, analytics, or cookies" and links GitHub's statement. A lawyer should read this too.
- Footers and draft notes say an AI assistant drafted the content and compared numbers and links with each provider's website. Is that the right way to say it, and should it stay after review?

Get Help

- Is it right to tell people that 988 counselors may contact emergency services, with 988's own figure of fewer than 2 in 100 calls? The page also says, from 988's terms, that you may not get a say, and that the terms ask you to call 911 first for an immediate threat. It is honest, but could it put someone off calling?
- Should the page list the 988 LGBTQ+ youth option (press 3, PRIDE to 988), and how? 988's own pages list it, none states an age range or chat route, and SAMHSA's older FAQ doesn't mention it. The Trevor Project is not part of it, so the page lists them apart. See SAFETY. The Advocate reported on October 1, 2026 that HHS was asked whether counselors would recognize transgender and nonbinary young people's identities and use their chosen names and pronouns. It says HHS did not answer directly, and the 988 pages read don't say. What, if anything, should this card say for those young people? Which service should come first on Get Help? For Teens lists The Trevor Project first. A person should read the article and ask 988. The Trevor Project's October 1, 2026 statement says a June 9, 2026 letter to Congress confirmed the restart and noted the service must comply with what The Trevor Project calls an anti-transgender executive order. The letter itself was not read, and no 988 or SAMHSA page read says what this means for callers. Ask 988 or SAMHSA.

- Is the description of a safety plan suitable for someone making one alone? The developers present it as made with a clinician, and evidence for teens using one alone is thin. See the Research page.
- The Stanley-Brown developers require written permission to reword their form or put it into a website. The page describes safety plans in general and links to their PDF. Is that enough? Should the project ask them?
- The page now has a short paragraph on shared devices and phone bills, and a Quick exit button. Is that enough?

Under 18

- What should minors be told about confidentiality? The page says conversations are confidential with limits. It tells them to expect a school counselor to tell a parent or guardian, because the American School Counselor Association calls that "non-negotiable", even at 18. The exception is when the student says a parent's or guardian's abuse or neglect is the reason, when the counselor must contact child protective services. Could this wording put a teen off telling a counselor?
- 988's terms mention insurance statements that could reach a parent when a center bills insurance. The page says so. Is that the right level of detail?
- What should a teen do if no trusted adult is available, or home is not safe?
- A lawyer should look at minors' privacy and the under-13 question.

Help Someone

- The urgent note doesn't follow SAMHSA's order. SAMHSA's Suicide Prevention page, read November 6, lists calling 911 if danger seems imminent, then calling or texting 988, and further down staying with the person or making sure another caring person is there. The note puts staying second and 988 last. "If it is safe" is Claude's addition, not SAMHSA's. Is the order right, and should that phrase stay? "If it is safe" or "if you can do it safely" appears in three more sentences on this page, and on For Teens and the Spanish pages, so please make one decision for all of them. The national pages Claude read don't describe calling 988 together, so the page no longer tells people to. At least one state health department's 988 FAQ does: Nebraska's (https://dhhs.ne.gov/Pages/988-Frequently-Asked-Questions.aspx). It suggests offering to sit with the person while they call, text, or chat, if they are open to it. The same FAQ gives a veterans menu option that differs from the national press 1, so it isn't a source for numbers. Should the page offer this?
- No page says what to do if someone has already tried to end their life or has already hurt themselves. SAMHSA's FAQ lists an attempt in progress first among reasons to call 911, and the VA toolkit says 911 or the nearest emergency room. Should step 3 add a plain line for this, and should the site mention the emergency room at all?
- The page gives one trigger two thresholds. The general list says to stay and call 911, or call or text 988, when someone says they are going to end their life. The young person's paragraph, here and on For Teens, says to "call 911 if it's an emergency", which asks a young person to judge. That wording tracks NIMH and SAMHSA, and "treat it as an emergency" would go further than any source read. CDC's page on helping a friend has no such condition. One possible wording: "call 911, or call or text 988, and get an adult". Which should young people get?
- For a worrying post, the page offers 911 and the site's safety team. 911 needs a location, and a reader often won't know where the person is. No source read says what to do then. Should it mention calling or texting 988 for advice, or telling a trusted adult?
- The warning signs follow NIMH's 2025 list with no urgent tier, because official sources sort urgent signs differently. Is that right?

- Sources differ on when not to leave someone alone. The general rule on the page follows NIMH: when they say they are going to end their life. The National Association of School Psychologists sets a much lower bar for young people showing signs, with constant supervision. The parent paragraph sits between the two: stay close when a child has a plan or can't stop thinking about ending their life. Are these the right thresholds?
- The page keeps safety advice general and names no items: "remove or safely store anything they could use to hurt themselves". NIMH, SAMHSA, 988, and the school psychologists all tell helpers to remove means. Is it specific enough? The page's advice is from those sources, and the Research page has no study of steps at home. One review turned up during checking, Spitzer 2024 (PMID 38324739, not read in full), reports most studies of counseling families on this at high risk of bias.
- Some sources listed on this page name specific items. A separate AI keyword check of all 13 sources, which can miss things and did not cover images, found mentions in six: the VA caregiver toolkit most of all, then NIMH's FAQ, 988's Help Someone Else page, the American Academy of Child and Adolescent Psychiatry, the school psychologists' page, and SAMHSA's 988 FAQ. Get Help and Not sure also link NIMH's FAQ, and the page relies on it for treatment and safety plan claims. Should each stay linked, sit behind a note, or be replaced? Removing one could remove the support for a claim, so please decide link by link.
- The school psychologists' page calls suicide the leading cause of death among school-age youth, and two other sources here say second-leading, for different age ranges. The site repeats none of these figures and nobody has checked them against CDC data. Don't quote one without checking.
- For a young person whose friend told them by text or online, the page says to keep talking if you can while you get an adult, or call or text 988. That wording is Claude's, because the sources don't cover it. Is it right?

Research

- Are the findings fair? Each has a "What it can't show" line. Please check every number against its source.
- Is it right to include the study on news coverage of celebrity deaths? It is worded without figures and says it does not apply to talking with someone.
- Three papers are cited without links because they name methods. Should they be linked? Open these knowing that: Steeg 2025, https://pmc.ncbi.nlm.nih.gov/articles/PMC12699607/, the BMJ 2020 review, https://pmc.ncbi.nlm.nih.gov/articles/PMC7190013/, and Witt 2021, https://pmc.ncbi.nlm.nih.gov/articles/PMC8094743/, whose full text names and ranks methods. The pages no longer say why they aren't linked, because that line told readers where method details are. Is a citation with no link and no reason clear enough? The other research and source links were not all checked for this.
- The page dropped a figure: about 4 in 10 interviewed callers had suicidal thoughts again by the interview, about two weeks later on average (Gould 2025, 40.8%). A figure with no step can read as "calling doesn't last", so the page says "Some people had suicidal thoughts again later" and says they can reach out again. Was that right?
- Albaum 2025: the printed result for suicidal thoughts (Hedges g 0.11, 95% CI 0.01 to 0.21) excludes zero and sits on the side favoring the comparison group, while the authors call it not significant. Figure 2A shows the same. The page says a benefit has not been shown and that the studies can't settle small effects in either direction. Please read the figure, and consider asking the authors.
- Steeg 2025: evidence is weak for one policy area studied mainly in the U.S. The page only says strength varies by approach. Should it say more, for a U.S. site?
- Studies of messages alone are mixed, including Witt 2021, Skopp 2023, and Reger 2024 and 2026. The page gives one such trial (Comtois). Should it say more?
- Evidence moved recently: the caring messages trial was published November 2, 2026, and the 988 mortality paper has published letters and a reply. Recheck before release.

- A commentary published with the caring messages trial (PMID 42970295, read only through the summary tool) raises low power and a scale validated in younger people, and calls it premature to conclude that the messages don't work. Should the limit line say so?
- Witt 2021 gives higher certainty ratings to two other therapies, each resting on one or two trials, and the authors call for more study. The page names only cognitive behavioral therapy, whose effect wasn't seen at the end of treatment. Should it say more?
- The myth "Effective help exists, and recovery is possible" links to a section that calls the evidence uncertain. That section's heading and limit line explain why, but is the link's wording enough of a bridge?
- A large trial published October 28, 2026 (PMID 42946687) compared calls and two-way texts after a suicidal crisis, with 723 teens and 797 adults, on top of usual care, with no group that went without this follow-up. It isn't on the page, and nothing on the page is wrong because of it. Should it be added at the recheck?
- A letter and an authors' reply exist on the adult safety planning review (PMID 35354503). Nobody has read them, because the journal blocked the check. A person should open them.
- Gould 2025 was funded through a SAMHSA grant by way of a Vibrant contract, one author is affiliated with Vibrant, callers were paid $50 for the interview, and the authors declare no conflicts. Should the limit line say so, for a study of a service this site recommends?

Spanish

- A fluent Spanish speaker should check the Spanish block on Get Help. Claude wrote it from 988's English and Spanish pages.
- 988's undated Spanish FAQs say its LGBTQ+ youth service and TTY aren't available in Spanish. The Spanish pages now say so, and give the Spanish route. 988's Spanish Deaf page still gives relay or 711 for TTY. Ask 988 which holds, and whether the FAQs are current.

Built at one founder's request on November 6, 2026. Wording is proposed.

- **Right now box (B1).** Get Help has four short steps in a box below the crisis buttons and their notes, with call, text, and chat links in the first step, and four long sections fold behind "Show more". On a phone the box is on the second screen. Every line repeats text already on the page. Are the steps right, and is anything folded that someone in crisis needs to see at once? "Other ways to reach someone" stays open on purpose.
- **Quick exit (B2).** It opens weather.gov and replaces only the current page in the tab's history. Back can still reach Tidelight pages opened earlier in that tab. It can't clear earlier history, other tabs, or saved offline copies. The About pages say so; should the button itself say more? Is the label right, and is weather.gov a good neutral destination?
- **Offline copies (A6).** After one visit, the site's pages are saved on the device so the numbers load without a signal. On a shared device that is a trace of the visit. Is the benefit worth it, and is what the About pages and footers say about it enough?
- **Spanish (B6).** An AI translated all nine pages in `es/`. A fluent reader should check every line, and the reviewer should decide whether the wording should avoid masculine-only forms such as "No estás solo" and "te sientes abrumado". The pages use "tú". 988's own Spanish pages mostly use "usted", with "tú" in buttons and headings. Texting steps in Spanish are described as possibly different from English, because no one has seen them.
- **Myths and facts (D1),** at the top of Research. Each heading states the fact, and the myth comes second, because repeating a myth as a headline can make it stick. Is that the right format? Is "Most 988 calls don't involve emergency services" helpful, or could it read as a promise?

- **Wallet card and poster (D2).** The printed text comes only from the SAFETY table. Is the selection right? The card lists 988, Spanish, veterans, and 911. The poster also lists The Trevor Project and Deaf and hard of hearing. Should the card name Tidelight at all? The Spanish poster has a SAMHSA referral line where the English poster has The Trevor Project, so it has no line for LGBTQ+ young people. That line also leaves out SAMHSA's instruction to select the option to speak with a national representative for Spanish. Which lines should the Spanish poster carry? A fluent reader should weigh in too.
- **For Teens (D3).** Built before ages are decided. Most of the text repeats Get Help or Help Someone, and the packet marks repeats. The opening and the Quick exit line are new. What should a teen read first? What if no adult feels safe? A lawyer should look at the privacy wording for minors.
- **Long sentences (C4).** `python3 tools/check_readability.py` lists sentences over 25 words. Many are research summaries, and the longest explain when 988 may involve emergency services. SHORTER-SENTENCES has proposed rewrites. The pages haven't changed. Can they be shortened without losing accuracy?

Built on November 6, 2026, at one founder's request, on branch `site/first-version-build`. The other founder hasn't agreed yet. Wording is proposed.

- **Not sure what you're feeling? (B3).** The page has no typing, saving, or scores: a person taps to open short notes on five feelings. The heading and opening come from Pathway A in the brief. Pathway B's journal was not built. 988 and 911 come first on the page. Is a reflection page right for someone in crisis at all? Should "Numb or empty" send people to 988 this directly? The page leaves out NIMH's full diagnostic definitions. It keeps NIMH's advice on when to talk to a provider, and names a lasting "empty" mood as a sign of depression. Is that right?
- **After a loss (B4).** "It's not your fault" is a heading. TAPS says it, and the CDC says suicide has no single cause, but someone may feel the site can't know their situation. Is the wording right? The list of feelings is AFSP's, including relief and thoughts of suicide. Should it say more about thoughts of suicide after a loss? The trauma paragraph sits inside a fold on purpose, with no details of any death. Is that right? The page lists outside groups that Tidelight hasn't vetted, and AFSP and SAVE say they don't vet groups either. Someone with lived experience of loss should read this page.
- **Save 988 to contacts (A5).** A contact on a shared phone can be seen by others, and the page says so. Should the button appear on the teen page?
- **About and privacy.** It says plainly that nobody at Tidelight watches the site and there is no way to send a message. A lawyer should read this page too.
- **Quick exit limits.** Testing showed that Back can still reach earlier Tidelight pages in the same tab, because only the current page is replaced. The About pages now say so. An earlier note said Back doesn't return to Tidelight, which was only true when one page had been opened.
- **For Teens, from an independent AI check.** "Its rules don't set a minimum age" rests on 988's Terms of Service (August 2026), which say you don't have to give your age or date of birth, and its nondiscrimination statement, which says it doesn't exclude anyone because of age. SAMHSA's FAQ says anyone can use 988. "It is separate from The Trevor Project" now cites The Trevor Project's October 1, 2026 statement. That statement also gives a national figure on LGBTQ+ youth and suicide. Should the pages link to it? Telling a teen to expect a school counselor to tell a parent is accurate, but could deter them. Should it say why, and that 988 stays available?
- **Spanish Research page.** It was translated before the English version was reviewed, at a founder's request, so that the Spanish pages are complete for review. If the English changes, the Spanish must change too.

Questions from the November 7 audit

AI auditors raised these on November 7, 2026, after checking the pages against their sources; a qualified reviewer decides each one, and nothing here has been reviewed.

Every page

- Should the pinned strip say what to do if you aren't sure it's an emergency, such as "Not sure which? Call or text 988", or give a short, non-graphic example of when to call 911 from SAMHSA's 988 FAQ? 988's terms ask people facing an immediate threat to their safety to call 911 first. No source read says a 988 counselor helps a caller decide.
- Is the cue on the Text 988 buttons right, or too much text? They now say "Send any message" (988's texting FAQ), with a line below: reply NEXT to accept 988's terms, answer a brief survey, and wait for a counselor (988's What to Expect page).
- Is Quick exit's spoken label right? Screen readers hear "Quick exit: leave this site now for the weather.gov home page" before the 988 links, which could sound like the site telling someone to go. Would "Quick exit, goes to weather.gov" ("Salida rápida, va a weather.gov") be better, with the crisis line heard first? Its x often means close, so someone could tap it to clear it away and leave at once. Should the x stay?
- Should a future web address avoid the word suicide? Today's address has it, as do some page titles. Google says a school, employer, or internet provider that manages a network may see activity even in Incognito (https://support.google.com/chrome/answer/9845881). Browser history can also sync to other devices, which no page mentions: should About and For Teens? A lawyer should weigh in for minors.

Home

- Is "See what research shows about what helps, and what is still being studied" better than "...about suicide prevention, and where the evidence is still thin" (same in Spanish)? The Framework for Successful Messaging asks messages to say prevention works, and warns that problems without solutions can make suicide seem unsolvable.

Get Help

- Should the bill sentence move after the figure that fewer than 2 in 100 calls involve emergency services? "What it costs" says, from 988's terms, that you may get a bill, such as for an ambulance, if a counselor contacts emergency services. Someone worried about money could read that as a reason not to call. The question above covers police and consent, not cost.
- Should "What stays private" add, with attribution, that 988 doesn't have your precise location (SAMHSA's 988 FAQ), and can't trace people the way 911 can (988's tracing FAQ)? Today it says that in rare emergencies counselors must give your number or IP address to 911, which may ask for your exact location. This matters to someone afraid of being found. Both languages.
- Could "For children and teens, a review of brief programs built around a safety plan found no clear benefit" read to a teen as "plans don't work for me"? A possible wording: "For children and teens there is less research, and one review of brief programs couldn't show a clear benefit. A pediatrician or therapist can help you make a plan, and you can call or text 988 any time."
- Is the Deaf or hard of hearing card's emergency advice right, and enough? It now says texting 911 only works in some places and, if it isn't available, to use a TTY or relay service. Its FCC source (https://www.fcc.gov/consumers/guides/what-you-need-know-about-text-911) refused AI reads, so a person needs to open it.
- For someone with immigration fears, should Get Help say, in both languages, that you don't have to give your citizenship status (988's Spanish terms, August 2026) or speak English (988's Spanish services page), without

promising what police or 911 will do?

- Should Get Help and For Teens repeat, near the buttons, About's draft note that in Chrome on Android an Incognito tab asks "Leave Incognito mode?" before a Call or Text link opens, and Stay cancels it? A teen on a shared phone may well use Incognito.
- Should NIMH's Child and Adolescent Mental Health page stay linked from Get Help, For Teens, and their Spanish twins? Its list of signs names two self-harm behaviors. Please decide it with the link-by-link question above. The Trevor Project's Get Help page is also unchecked.

Help Someone

- Should "the responsibility doesn't have to be yours alone" become "...and you don't have to do this alone"? "Responsibility" could suggest that keeping someone alive is partly the helper's job, and add guilt after a death. 988's page says only to take care of yourself and reach out for support.
- Should the warning signs, and the top of Research, tell someone bereaved by suicide that this isn't a list of what they should have seen, and point to After a loss? They may check the signs against their memories. AFSP's Surviving a Suicide Loss guide says many people hide their distress, and that even with signs not every suicide can be prevented. Also for someone with lived experience.
- Should two sources behind the parent advice stay linked? The American Academy of Child and Adolescent Psychiatry says suicide may look like a solution to some teens, and the American Academy of Pediatrics gives survey percentages and names two groups as especially at risk. Both may conflict with safe messaging guidance, and removing either means rechecking advice. A person should check this AI word search.
- Should Help Someone say 988 can sometimes talk with the helper and the person they're worried about at the same time? 988's Spanish services page says so; its English pages don't, so ask 988.

For Teens

- Should the page say things can get better, for example "Hard feelings can change, and support can help", and on which source? The school psychologists' page says to reassure young people they won't feel like this forever. SAVE's one-pager says coping skills, support, and treatment work for most people who have thoughts of suicide. Should it also point to a doctor or counselor?
- Could the paragraph on monitored school devices, and software that alerts staff, scare a teen off reaching out? It suggests a device at a friend's house or a library. The software sentence rests on RAND's abstract and an unlisted vendor page.
- Should For Teens, and Get Help's under-18 section, give the context Get Help's main section gives? They say 988 may share information with 911, police, or a mobile crisis team without permission, but no more. Candidates: fewer than 2 in 100 calls involve emergency services (988, all calls); most people are helped without 911 (SAMHSA); saying you feel suicidal doesn't necessarily bring emergency services (Crisis Text Line); you can ask 988 not to share your details. Keep Get Help's "not a guarantee" caution.
- Should For Teens say whether each service will tell parents, not only The Trevor Project? 988's FAQ says it can't give out call records without a court order. Crisis Text Line says what you share stays private except in rare cases when a life is at risk, and describes required abuse reports. Is "If emergency services or a child welfare agency get involved, your parents may find out that way", an inference, right to include?
- Should the school counselor paragraph tell a teen who is scared of what could happen at home to say so to the counselor first? The model school policy the page cites (2019) says staff should talk with the student about that risk and may delay contact, and that child protection officials replace parents if abuse or neglect is suspected. Rules differ by state. For a clinician and a lawyer.
- Should For Teens tell LGBTQ+ students that, under the same policy (printed page 16), a school telling a parent should keep their sexual orientation or gender identity confidential, especially if they haven't told the

parent, and share only the suicide risk? It is a 2019 template, and state laws weren't checked. For a clinician and a lawyer.
- Adding to the question above on a teen with no safe adult: should For Teens add "If home doesn't feel safe"? Candidates, unconfirmed: the Childhelp National Child Abuse Hotline (childhelphotline.org), not a reporting line, which may still have to share in some cases, such as a caller who says they intend to act on suicidal thoughts; and the National Runaway Safeline (1800runaway.org), which explains when it must report. A person must confirm each number first.
- If that section is added, should it also say "If you can't talk out loud, text or chat" and "You can talk without giving your name or where you live"? A lawyer should say what can be said about teens getting ongoing care without a parent, which differs by state.
- Adding to the question above on Save 988 and the teen page: is the warning enough? Should it say you don't have to save 988 if someone might check your phone, that deleting a call or text may not remove every trace, and that a friend's phone or a library computer may be safer? The Trevor Project's terms suggest not saving its number; Crisis Text Line's FAQ says to save its number.

Not sure

- Should the Overwhelmed, Sad, and Anxious notes each end with a 988 line, such as "If this feels like too much, or you're having thoughts of suicide, you can call or text 988 any time"? Only Numb or empty and Unsure mention 988 now, though NIMH's matching pages each give it. Should Sad's "these feelings usually pass" be completed or dropped? NIMH goes on to say depression is different. Both languages.
- Should the page add "Angry or irritable"? NIMH's Depression page says children and adolescents may be irritable rather than sad.
- Is the "Go to the feelings" link, which jumps past the crisis box and draft notice, right for someone who may be overwhelmed, or should nothing skip the crisis box?

After a loss

- Should "It's not your fault" add three points from AFSP's Surviving a Suicide Loss guide (printed pages 5-7): even when there are signs, not every suicide can be prevented; you may never know exactly why; and you don't need all the answers to begin to heal? Every page header reads "Suicide prevention & support".
- Which source should back "suicide doesn't have just one cause"? The CDC page cited is about prevention and gives costs per suicide. TAPS says suicide "is rarely the result of a singular issue", but explains it as wanting to end pain and seeing no other way, and the Framework warns against simple explanations. Should the TAPS link stay?
- Should a short "The first few days" section near the top say what AFSP's practical page covers (police, medical examiner, viewing the body, funeral, obituary, media), so a reader can prepare? It names no method but is frank about the body, and today it is a clause far down the page. Would a short notice help?
- If the AFSP booklet links stay (asked above), should a notice come first, such as "This booklet gives example wording for telling a child how someone died. Some of it is hard to read."? SAVE's Safe Messaging Guidelines recommend one. Should the label say it is for parents and caregivers, and the English link move away from the teen paragraph below it? Spanish booklets too.
- Should the children's section say what to do if a child or teen talks about wanting to die, or to be with the person who died? AFSP's Children, Teens and Suicide Loss (printed pages 25-26, 35-37) says such talk is common but should be taken seriously, to ask directly, and to consult a mental health professional, and that a family member's suicide may raise a child's risk. SAVE adds calling 988. Link Help Someone too?
- How firmly should the page say to tell a child the truth? It says AFSP leaves it to parents, as AFSP's web page does, but AFSP's booklet (printed page 5) and guide (page 16) say to tell them as soon as possible, so they hear

it from you first.

- Should the page add "With a teen, listen to their worries first"? AFSP's booklet (printed page 32) says to acknowledge a teen's fears and guilt first, because teens may withdraw if reassured before they feel understood.
- Should a clinician word a short paragraph on prolonged grief? AFSP's guide (printed pages 10-11) says some people stay stuck at the same intensity for six months or more, that specific treatments exist, and suggests an evaluation for depression, PTSD, or prolonged grief.
- Should a clinician add when to get medical care right away? AFSP's list of physical symptoms includes chest pain and breathing problems, which the page leaves out before calling these reactions normal.

Research

- Could Witt 2021, cited without a link, link to its PubMed record (https://pubmed.ncbi.nlm.nih.gov/33884617/), whose abstract defines self-harm only in general terms? The Albaum and Comtois full-text links showed a browser check, so nobody has checked them for method wording.
- Should the caring messages trial stop saying "709 American Indian and Alaska Native adults at high suicide risk"? It is the only English text tying a named group to suicide risk, which the Framework warns against. A possible start: "A separate 2026 trial in American Indian and Alaska Native communities included 709 adults who..." (PubMed 42970293). But 85.2% had ever made an attempt, so "who had thoughts of suicide" is too narrow. A reader from these communities should see it.
- Should the news coverage finding say what safe messaging guidance does? The review's authors call responsible reporting guidelines the best population-wide response, and SAVE's one-pager says stories with resources and hope can lead people to seek help. Before linking any guidance: page 2 of SAVE's one-pager names items, and one Framework tips page names a location.
- Should Gould 2025 add its most hopeful result: "About 7 in 10 said the call did a lot to stop them from ending their life, and about 1 in 5 said it did a little"? The abstract's 88.1% who said it stopped them combines 69.6% and 18.5%, and 10.1% said it didn't apply. The same limits apply.

Wallet card

- Should the page warn that a printed card can be seen by others, so keep it somewhere you feel safe? It names the "988 Suicide & Crisis Lifeline" ("Línea 988 de Prevención del Suicidio y Crisis" in Spanish). Is naming suicide on a printed card right, in both languages?
- Should the printed sheet carry a draft mark and a checked-on date? It has neither, and the page suggests handing cards out at a school while its draft note says not to yet.

About

- For the lawyer: should About say visitors' IP addresses also reach Fastly? Live GitHub Pages responses pass through it, and GitHub's subprocessor list names it for content delivery (https://docs.github.com/en/site-policy/privacy-policies/github-subprocessors). Nobody here has read what Fastly logs or keeps.
- Should About add that offline copies are saved again each time a page opens with a connection, so someone looking in the browser's storage could tell from their dates which pages were opened, and roughly when?

Spanish pages

- Should the Spanish pages name a reply word for texting 988, as English names NEXT? 988's Spanish What to Expect page gives «siguiente»; its Spanish services page describes no terms step. Ask 988 which applies to AYUDA.

- Should the Spanish pages say anything about 911 in Spanish, and from which current source? No source recorded in SAFETY says whether a caller can ask for Spanish, or whether a Spanish text will be understood. SAFETY records that the FCC's English text-to-911 page refused automated reads on November 6 and 7, so a person should open the FCC's English and Spanish pages and read what they say.
- Should Spanish Get Help link the Stanley-Brown developers' Spanish safety plan form (February 2025), instead of or beside the English one? Its step 6 is reported to be more specific.
- Should the pages say "la 988"? They do in many headings and buttons. 988's Spanish site says "la Línea 988" or "Línea 988" for the service, and "el 988" or "al 988" for the number.
- Adding to the question above on masculine-only forms: what one approach should every page take? Spanish Help Someone mixes "la persona" in the five steps, masculine forms ("atrapado") in the signs, and "lo" in the child section.
- Is tú right on every page, including those for parents and bereaved adults? This corrects the note above: 988's Spanish pages mostly use usted, with tú in buttons and headings. NIMH's use usted.
- On Spanish After a loss, which reads better: AFSP's English name with the gloss "es una fundación estadounidense para la prevención del suicidio", as AFSP's Spanish material mostly does, or "Fundación Estadounidense para la Prevención del Suicidio"? Please also check the sentence on pressing "Translate" on the Healing Conversations form.
- Should After a loss link AFSP's Spanish site (es.afsp.org) for Spanish readers? It has Healing Conversations ("Conversaciones que Sanan") and a support group page mostly in Spanish, but reads machine-translated and calls the person who died "alguien suicida". Do the form and volunteer work in Spanish?

Questions about the research brief

These come from comparing the brief with the current site and SAFETY. They are suggestions, not decisions.

- **Pathways A and B are interactive tools, not just text.** Pathway B offers to "save privately" a journal entry. The site has no forms or accounts, and its web host logs visitors' IP addresses (SAFETY rule 5). The brief itself says to avoid collecting journal text by default. Should Pathway B work only on the visitor's own device with nothing sent anywhere, or wait until the founders decide about saved data?
- **Is a reflection page appropriate for someone in crisis?** The Not sure page, built from Pathway A, shows 988 and 911 before its first question. Is that order right? Should Pathway B do the same if it is built?
- **Minors.** Section 3 says to involve "a trusted adult for young people." What should a young person do if no adult feels safe? Supported ages are undecided.
- **Statistics (section 7).** The brief gives WHO's figure of more than 720,000 deaths a year (2021 estimate) and asks for it to be rechecked. Who rechecks the numbers, and how often?
- **Region.** The brief says to "adapt resources by visitor region." The site is U.S.-only. Should international visitors be pointed elsewhere?
- **Overlap with the draft pages.** Most of the draft website was written separately from this brief, but the Not sure page uses Pathway A's wording. CONTENT-REVIEW compares the two, section by section, with its own questions for the reviewer. Review both together and pick one wording for each page.

Your answers

Part 7: How the research was read

Claude read these, not a person. "Summary tool" means a fetch tool that returns a summary instead of the raw page, so treat fine detail as second-hand. PubMed records came through NCBI's official service, because PubMed's web pages show a browser check. No block or browser check was bypassed.

Finding	Source	How it was read	Still unconfirmed
Many callers say the call helped	Gould 2025	Full text	
Studies of crisis lines are limited	Hoffberg 2020	Full text	
Early research since 988	Patel 2026	Summary tool, PubMed record	Fine detail
Early research since 988	Letters from Herring and Purtle, authors' reply	PubMed records, journal previews	Purtle and the reply showed only a preview
Asking does not raise thoughts	Polihronis 2022	Abstract; full text blocked	"Pooled 8 randomized trials" is likely right but unconfirmed. The abstract says 8 studies were pooled and, separately, that 8 RCTs gave the strongest evidence
Asking does not raise thoughts	McGuire 2026	Abstract	
Safety planning in adults	Nuij 2021	Full text, University of Glasgow copy; journal page blocked	
Safety planning in children and teens	Albaum 2025, corrected 2026	Full text and Figure 2; correction through summary tool	The question above
Follow-up after an attempt	Homan 2026	Full text	
Follow-up after an attempt	Comtois 2026	PubMed abstract for the main numbers. Journal page through the summary tool on November 6. In a real browser it showed a browser check, not bypassed	Recruitment and control-care wording are second-hand. A person should open it
Safer surroundings	Steeg 2025	Full text, method details not recorded	
Treatment	Witt 2021	Abstract and plain-language summary. An audit later opened the full text, which names methods, so the citation has no link	
Treatment	Sim 2025	Abstract	

Finding	Source	How it was read	Still unconfirmed
Treatment	Cottrell 2026	Abstract; full report blocked	The direction of its suicidal thoughts exception at 6 months
News coverage	BMJ 2020 review	Full text, method details not recorded	
Stories of coping	Niederkrotenthaler 2022	Full text, University of Melbourne repository copy; journal page blocked	
What this page can't tell you	van der Burgt 2024	Abstract, full text searched for specific points	

How the first-version pages' sources were read

Claude read these on November 6, 2026, in a real browser where possible, and one separate AI session checked about 112 statements against them. Neither is human review. Not read line by line: the AFSP booklets and toolkits. They are flipbooks that show page images, but each page's text is stored alongside, and each also has a PDF, so they can be searched. A word search on November 6, 2026, with reading around each hit, found sample sentences naming a method in Children, Teens and Suicide Loss (flipbook pages 9, 10, and 19), its Spanish version (pages 9, 10, 11, and 20), and the Spanish guide (page 19). Surviving a Suicide Loss had no method wording, and the workplace toolkit only advises against sharing the method. The reviewer and someone with lived experience of loss should decide whether these links stay. No person has read them line by line. 988's old loss survivors page now answers "not found", so it isn't cited.

How the pages compare with the research brief

The first drafts of Get Help, Help Someone, and Research were written separately from RESEARCH-BRIEF. The Not sure page uses it directly: its heading, opening paragraph, and prompt are Pathway A's, word for word. IDEAS also names section 1 as the start of the Research myths and section 4 as the reason for After a loss, but their wording comes from other sources. All of this is draft, and the tracker shows no section approved. Review them together and pick one wording for each page. This is Claude's comparison, for the reviewer.

Brief section	Closest draft on the pages	To settle
1. Understanding suicide	Research: Myths and facts. Help Someone and Research also cover asking about suicide	Add definitions?
2. Causes and risk factors	None	Add this? SAFETY says not to name a single cause
3. Warning signs	Help Someone, signs and five steps	The drafts follow NIMH's list, and the brief's list differs. Choose one
3. Urgent support	Crisis strip and buttons	Same direction
4. Families, schools, communities	After a loss. Help Someone: child or teen, look after yourself	Compare the wording
5. Evidence-based prevention	Research page	The brief covers levels and WHO's LIVE LIFE. The drafts cover single findings with limits
6. Treatment and recovery	Get Help: support over time, safety plans. Research: treatment	Same direction. The brief calls a safety plan collaborative
7. Statistics	None. The drafts use no population statistics	The brief's numbers need rechecking, and SAFETY asks for few

Brief section	Closest draft on the pages	To settle
8. Technology and website design	Project guidance	Matches SAFETY rules
Pathways A and B	Pathway A: Not sure page, tap to open, nothing to type. Pathway B: not built	Is a reflection page right at all? Pathway B's saved journal conflicts with SAFETY rule 5
Pathway C	Research and Help Someone	The brief wants short modules and last-reviewed dates
Universal requirements	Crisis strip, SAFETY rules	The brief says to adapt by region, and the site is U.S.-only

Part 8: Proposed shorter sentences

Optional. These are AI-drafted rewrites of the longest sentences. The pages have not changed. Mark any you accept.

Get Help

- **Now (28 words):** The Lifeline's confidentiality statement lists when information can be shared, including when someone is at imminent risk of harm, when the law requires it, or when you agree. **Proposed:** The Lifeline's confidentiality statement lists the times when information can be shared. These include when someone is at imminent risk of harm, when the law requires it, or when you agree. **For the reviewer:** Keep the link on "confidentiality statement". "These include" keeps the list open, as "including" does: the statement also names other cases, such as court orders. Reviewer's choice: "imminent risk of harm" is the statement's own term. The proposal uses "right now or very soon", which is how this page already words the same idea under emergency services, but a reader could take "very soon" more broadly. To keep the exact term, write "at imminent risk of harm", which also stays under 25 words. The tool's rough estimate is still about grade 9, because long words like "confidentiality" stay. The Spanish page has a matching 37-word sentence.
- **Now (26 words):** On a shared phone or computer, visits to this site can show up in browser history, and calls or texts can show up in phone logs. **Proposed:** On a shared phone or computer, visits to this site can show up in browser history. Calls or texts can also show up in phone logs. **For the reviewer:** the same sentence is on teens/index.html, so change both or neither. "Also" keeps the second sentence under "On a shared phone or computer". about/index.html has a similar 20-word sentence that the tool doesn't flag. The Spanish page has a matching 32-word sentence.
- **Now (39 words):** The Lifeline recommends that counselors contact emergency services, which can mean 911, police, or a sheriff, only if someone is in danger of being hurt right now or very soon and they can't work out a safer plan together. **Proposed:** Emergency services can mean 911, police, or a sheriff. The Lifeline recommends that counselors contact them only if two things are true. First, someone is in danger of being hurt right now or very soon. Second, the counselor and the person who reached out can't work out a safer plan together. **For the reviewer:** Keeps "recommends", "can mean", "only if", and both conditions. "Two things are true" matches the Lifeline's FAQ, which joins the conditions with "and when", so both are needed. If accepted, the next sentence (HELP-67) must change from "It reports" to "The Lifeline reports", or its source is no longer clear. "They" is kept from the original and means the counselor and the person. For the reviewer, not changed here: "safer plan" is the page's existing wording for the FAQ's "a less invasive plan for the caller/texter's safety". The Spanish page has a matching 46-word sentence.
- **Now (47 words):** The Lifeline's terms say that if a counselor believes there is an immediate threat to someone's physical safety, you may not get a say: they may ask for 911 or a mobile crisis team to come to your location, and can share your information without your permission. **Proposed:** The Lifeline's terms say that if a counselor believes there is an immediate threat to someone's physical safety, you may not get a say. In that case, the counselor may ask for 911 or a mobile crisis team to come to your location. In that case, your information can also be shared with them without your permission. **For the reviewer:** "You may not get a say" is word for word and stays in one sentence with its condition. On its own it would carry more weight, and notes/CONTENT-REVIEW.md already asks whether this wording could put someone off calling. "In that case" repeats so neither later sentence reads as a general rule. "Under the Lifeline's terms" replaces "The Lifeline's terms say" to avoid "say ... a say". One wording change for accuracy: "they ... can share" became "can also be shared". The terms give the 911 or mobile crisis request to the counselor, but the sharing clause says "We reserve the right to disclose". For the reviewer, not added because they would be new to this sentence: the

terms describe a threat "requiring a rapid in-person response", and describe sharing with "authorities" such as 911, law enforcement, or mobile crisis teams, "in certain circumstances". The tool's rough estimate is still about grade 10, because words like "immediate" and "permission" stay. The Spanish page has a matching 52-word sentence.

- **Now (31 words):** A safety plan is a short written list of what to do when things get hard, made ahead of time so you don't have to work it out during a crisis. **Proposed:** A safety plan is a short written list of what to do when things get hard. It is made ahead of time, so you don't have to work out what to do during a crisis. **For the reviewer:** Uses "It is made" rather than "You make it": notes/CONTENT-REVIEW.md asks whether this description suits someone making a plan alone, and the next sentence says a professional can help. "Work it out" became "work out what to do" so "it" doesn't mean two things in one sentence. The Spanish page already splits this sentence the same way.
- **Now (28 words):** It can also help to tell an adult you trust, such as a parent or guardian, a relative, a teacher, a coach, a spiritual leader, or a doctor. **Proposed:** It can also help to tell an adult you trust. This could be someone like a parent or guardian, a relative, a teacher, a coach, a spiritual leader, or a doctor. **For the reviewer:** the same sentence is on teens/index.html, so change both or neither. All six examples are kept. "Someone like" keeps the list open, as "such as" does. The Spanish page has a matching 29-word sentence.

Help Someone

- **Now (28 words):** If they have a suicide plan or can't stop thinking about ending their life, call or text 988 right away, and call 911 if they need immediate help. **Proposed:** If they have a suicide plan or can't stop thinking about ending their life, call or text 988 right away. Also call 911 if they need immediate help. **For the reviewer:** Splits at 'and'. Both conditions, 'right away', and both numbers stay, and 'Also' keeps 911 as an added step, not a replacement for 988. For the reviewer to check: as its own sentence, the 911 line could be read as applying beyond the opening 'If...'. It also now sits between that 'If...' and the next sentence, 'Stay close and don't leave them alone while you get help', so a reader could tie 'Stay close' to the 911 case only. notes/CONTENT-REVIEW.md already asks about this paragraph's threshold for staying close. Review packet row SOME-81. If accepted, the parallel Spanish sentence needs the same split (es/ayudar-a-alguien/index.html, line 205). Rough reading grade: 10.1 before, 5.0 after. Whole page: this row and the next are the only flags, and a second pass over all visible text, footer included, found no others.
- **Now (38 words):** If you're worried about suicide, it's okay to ask directly: "Are you thinking about suicide?" Encourage your friend to talk to a trusted adult, such as a parent, coach, teacher, or school counselor, and talk to one yourself. **Proposed:** If you're worried about suicide, it's okay to ask directly: "Are you thinking about suicide?" Encourage your friend to talk to a trusted adult. This could be a parent, coach, teacher, or school counselor. Talk to a trusted adult yourself, too. **For the reviewer:** Optional for length. This is really two sentences, 15 and 23 words, so neither is over 25. The readability checker counts them as one because it doesn't end a sentence at a closing quote mark; the review packet already lists the second as its own row (SOME-96). The proposal makes the second one plainer and clears the flag: the checker counts 24, 10, and 7 words, where the 24 is the question plus 'Encourage your friend...' (really 15 and 9). The question itself is unchanged. 'This could be' keeps the list as examples, as 'such as' did, and 'a trusted adult' replaces 'one' so the last sentence is clear on its own. Total words go up from 38 to 41. If accepted, the same words on teens/index.html (line 184, review packet row TEEN-61) and the parallel Spanish sentence (es/ayudar-a-alguien/index.html, line 210) need matching changes. Rough reading grade after: 6.7.

For Teens

- **Now (28 words):** It can also help to tell an adult you trust, such as a parent or guardian, a relative, a teacher, a coach, a spiritual leader, or a doctor. **Proposed:** It can also help to tell an adult you trust. That could be a parent or guardian, a relative, a teacher, a coach, a spiritual leader, or a doctor. **For the reviewer:** "That could be" keeps the list as examples, as "such as" did. The same sentence is on get-help/index.html, so change both together. The Spanish version is on es/adolescentes/.
- **Now (26 words):** On a shared phone or computer, visits to this site can show up in browser history, and calls or texts can show up in phone logs. **Proposed:** On a shared phone or computer, visits to this site can show up in browser history. Calls or texts can also show up in phone logs. **For the reviewer:** "also" keeps the second sentence tied to "On a shared phone or computer". The same sentence is on get-help/index.html, and about/index.html words it almost the same way. The Spanish version is on es/adolescentes/.
- **Now (38 words):** If you're worried about suicide, it's okay to ask directly: "Are you thinking about suicide?" Encourage your friend to talk to a trusted adult, such as a parent, coach, teacher, or school counselor, and talk to one yourself. **Proposed:** If you're worried about suicide, it's okay to ask directly: "Are you thinking about suicide?" Encourage your friend to talk to a trusted adult, such as a parent, coach, teacher, or school counselor. Talk to one yourself, too. **For the reviewer:** The 38 is a counting quirk. The tool doesn't split after a question mark followed by a closing quote, so it counts two sentences (15 and 23 words) as one. Neither is really over 25. The proposal still splits the second so "talk to one yourself" stands on its own, giving 15, 18, and 5 words. The tool will still flag this text, at 33 words, unless its splitter changes. The same sentence is on help-someone/index.html, so change both together. The Spanish version is on es/adolescentes/.

Not sure what you're feeling?

- **Now (26 words):** NIMH lists a lasting "empty" mood among the signs of depression, and says some older adults notice a lack of emotions instead of a low mood. **Proposed:** NIMH lists a lasting "empty" mood among the signs of depression. It also says some older adults notice a lack of emotions instead of a low mood. **For the reviewer:** "It" means NIMH, so both claims stay attributed. A separate point, not changed here: someone who opens only "Numb or empty" doesn't see NIMH spelled out. The full name is only in the "Overwhelmed" section and the sources list. The Spanish version is on es/que-siento/.

After a loss

- **Now (27 words):** TAPS says the intense pain will not always feel the way it does right now, and that it can ease and soften with support and with time. **Proposed:** TAPS says the intense pain will not always feel the way it does right now. TAPS also says the intense pain can ease and soften with support and with time. **For the reviewer:** Repeating "TAPS" keeps both claims attributed. "can" stays "can", not "will", and both "with support" and "with time" stay. The Spanish version is on es/despues-de-una-perdida/.

About and privacy

- **Now (33 words):** On a secure connection, your browser may save a copy of this site's pages and files after your first visit, so the crisis numbers can still show with a weak signal or none. **Proposed:** On a secure connection, your browser may save a copy of this site's pages and files after your first visit. That way, the crisis numbers can still show with a weak signal or none. **For the reviewer:** "That way" keeps the link between the saved copy and the numbers showing. "may" and "can" stay, so it doesn't read as a promise, and the limits are still in the list right after it. The Spanish version is on es/acerca-de/. Separately, index.html and card/index.html have no sentences over 25 words, so they have no rows.

Research

- **Now (26 words):** The 988 Lifeline reports that fewer than 2 in 100 calls involve emergency services, and that more than half of those happen with the caller's consent. **Proposed:** The 988 Lifeline reports that fewer than 2 in 100 calls involve emergency services. It also reports that more than half of those cases happen with the caller's consent. These figures are not a guarantee. **For the reviewer:** The next sentence on the page, 'This is not a guarantee.', must stay right after this one. Please check it still reads as covering both figures; 'These figures are not a guarantee.' would make that clear. A near-identical sentence is on get-help/index.html, so change both together. Kept 'consent' because a plainer word could change the meaning. For all rows: es/investigacion/index.html has matching Spanish sentences that would need the same change.
- **Now (27 words):** A review that pooled 8 randomized trials found no significant increase in suicidal thoughts or behavior, self-harm, or distress among people who were asked about these topics. **Proposed:** A review combined the results of 8 randomized trials. It found no significant increase in suicidal thoughts or behavior, self-harm, or distress among people who were asked about these topics. **For the reviewer:** 'Pooled' became 'combined the results of'; the page already says 'combined' for another review. Kept 'randomized' and 'significant' because they carry the study's meaning, so this still reads above 6th grade (rough estimate 9.5). notes/CONTENT-REVIEW.md lists 'pooled 8 randomized trials' as likely right but unconfirmed. This rewording makes the same claim, so it still needs checking.
- **Now (26 words):** A 2026 experiment with 700 U.S. teens also found that anonymous suicide questionnaires did not raise the desire to self-injure or to die right afterward. **Proposed:** A 2026 experiment also tested this with 700 U.S. teens. It found that anonymous suicide questionnaires did not raise the desire to self-injure or to die right afterward. **For the reviewer:** 'Right afterward' stays because it is a limit; the page also says this study measured only immediate effects. 'It also found' keeps the link back to the review in the sentence before.
- **Now (29 words):** A review of 6 studies in adults found that people who received a safety planning-type intervention had a lower risk of later suicidal behavior than people in comparison groups. **Proposed:** A review looked at 6 studies in adults. It found that people who received a safety planning-type intervention had a lower risk of later suicidal behavior than people in comparison groups. **For the reviewer:** Kept the technical term 'safety planning-type intervention', so this still reads above 6th grade (rough estimate 10.6). The next paragraph calls these 'programs', so 'program' is an option if the reviewer agrees it means the same.
- **Now (35 words):** What it can't show: Four of the 6 studies were rated at high risk of bias, the pattern of results suggests some less favorable studies may be missing, and no children or teens were included. **Proposed:** What it can't show: Four of the 6 studies were rated at high risk of bias. The pattern of results suggests some less favorable studies may be missing. No children or teens were included. **For the reviewer:** Split into three with no change in meaning. The bold label 'What it can't show:' stays and covers all three sentences.
- **Now (28 words):** A review of brief programs built around a safety plan for children and teens found no clear benefit, based on 10 studies, 5 of which could be pooled. **Proposed:** A review looked at brief programs built around a safety plan for children and teens. It found no clear benefit, based on 10 studies. The results of 5 of those studies could be combined. **For the reviewer:** 'Pooled' became 'combined'. 'No clear benefit' and the counts of 10 and 5 studies are unchanged. The open question in notes/CONTENT-REVIEW.md about this paper's printed result for suicidal thoughts is not affected.
- **Now (27 words):** A separate 2026 trial with 709 American Indian and Alaska Native adults at high suicide risk added culturally adapted caring messages to help connecting with local resources. **Proposed:** A separate 2026 trial included 709 American Indian and Alaska Native adults at high suicide risk. It added culturally adapted caring messages on top of help connecting with local resources. **For the reviewer:** 'To help

connecting' became 'on top of help connecting', so it can't be read as 'in order to help'. The Spanish page already reads this way. notes/CONTENT-REVIEW.md lists this paper's recruitment and control-care wording as unconfirmed, and this sentence holds both, so a person should check it against the paper. The group names and 'culturally adapted' keep this above 6th grade (rough estimate 10.7).

- **Now (28 words):** An overview of 20 research reviews found good support for making dangerous items and places harder to reach across whole populations, with several approaches that appear to work. **Proposed:** An overview looked at 20 research reviews. It found good support for making dangerous items and places harder to reach across whole populations, with several approaches that appear to work. **For the reviewer:** Keeps the limit 'across whole populations' and the hedge 'appear to work'. No method is named. Rough reading estimate is 7.9.
- **Now (27 words):** Another analysis of 26 trials in teens found that no one therapy worked better than the care the other group received, for repeat self-harm at 12 months. **Proposed:** Another analysis looked at 26 trials in teens. For repeat self-harm at 12 months, it found that no single therapy worked better than the care the other group received. **For the reviewer:** 'No one therapy' became 'no single therapy', so 'no one' can't be misread as 'nobody'. 'That doesn't mean care doesn't help.' must stay right after this. notes/CONTENT-REVIEW.md lists this paper's comparison groups as unconfirmed, and this rewording makes the same claim, so it still needs checking.
- **Now (33 words):** People who saw it did rate themselves as more likely to contact the helpline later, but the study could not check whether they did (van der Burgt and colleagues, JMIR Mental Health, 2024). **Proposed:** People who saw it did rate themselves as more likely to contact the helpline later. But the study could not check whether they did (van der Burgt and colleagues, JMIR Mental Health, 2024). **For the reviewer:** Split only. The citation keeps its link and stays at the end, because it also covers the sentence before this one.

Part 9: Decisions and sign-off

Please record your role and the date, such as "licensed clinical social worker, November 2026". Please don't write your name, license number, or contact details here. The founders will keep any such record outside the project.

What the fingerprint is. Each website section below has a fingerprint: a 12-character code made from that section's text, exactly as this packet shows it. If even one word of the section changes later, its fingerprint changes. The website can go public only while each section's approval carries the fingerprint of its current text. So if a page changes after you approve it, your approval stops counting until you have seen the change and the founders record it again. You don't need to do anything with the fingerprints yourself.

The website

Section	Fingerprint	Approved	Approved with changes	Not for the website	Reviewer's role and date
Home	`489cb59b8170`	☐	☐	☐	
Get Help	`26ee997d5273`	☐	☐	☐	
Help Someone	`a30e69d213ba`	☐	☐	☐	
For Teens	`6cafca6ccc75`	☐	☐	☐	
Daily check-in	`905d47be054d`	☐	☐	☐	
Not sure what you're feeling?	`10b44a4810e1`	☐	☐	☐	
After a loss	`1d5d66bdc7e9`	☐	☐	☐	
Research	`dec86ab9d119`	☐	☐	☐	
Wallet card and poster	`4bb88250ba10`	☐	☐	☐	
About and privacy	`855cb90f6474`	☐	☐	☐	
Page not found	`2569c979a487`	☐	☐	☐	
Text on every page (Part 1)	`f6608768c69f`	☐	☐	☐	
Wording outside the page text (Part 3)	`406cf14f777e`	☐	☐	☐	

The research brief

Section	Approved	Approved with changes	Not for the website	Reviewer's role and date
Brief: 1. Understanding suicide	☐	☐	☐	
Brief: 2. Causes and risk factors	☐	☐	☐	
Brief: 3. Warning signs	☐	☐	☐	

Section	Approved	Approved with changes	Not for the website	Reviewer's role and date
Brief: 4. Effects on families, schools, communities	☐	☐	☐	
Brief: 5. Evidence-based prevention	☐	☐	☐	
Brief: 6. Treatment and recovery	☐	☐	☐	
Brief: 7. Statistics	☐	☐	☐	
Brief: 8. Technology and website design	☐	☐	☐	
Brief: Pathway A: Navigate your thoughts	☐	☐	☐	
Brief: Pathway B: Work through your thoughts	☐	☐	☐	
Brief: Pathway C: Learn about suicide	☐	☐	☐	
Brief: Universal safety requirements	☐	☐	☐	

Overall

Is this site safe to show the public with the changes you asked for? ☐ Yes ☐ Yes, after the changes are made and I have seen them ☐ No ☐ Not my call

Anything else the founders should know, including who else should review this:

Reviewer's role:

Date:

For the founders, after the review

- Copy each result into "Review records" in `notes/CONTENT-REVIEW.md`, one line per section, in this form, ending with the fingerprint printed beside that section above: "- Get Help: licensed clinical social worker, 2026-12-01, approved, a1b2c3d4e5f6". Use the section name exactly as the table prints it, and the date as YYYY-MM-DD.
- Only "approved", or "approved with changes, changes made", lets the site publish, and only from a licensed mental health professional, such as a licensed clinical social worker, LPC, LMHC, LMFT, psychologist, psychiatrist, or psychiatric nurse practitioner. For each section, the newest line from such a reviewer decides.

- If you make changes the reviewer asked for, the section's fingerprint changes. Rebuild the packet, show the reviewer the changes, and add a new line with the new fingerprint. An approval whose fingerprint doesn't match the current text doesn't count, and publishing stops.
- Reviews by anyone else, such as a lawyer or someone with lived experience, go under "Other reviews" in the same note. The publish step doesn't read them.
- Also fill in the tracker in `notes/RESEARCH-BRIEF.md`. Use the role and date only.
- Make the changes on a task branch, and show the reviewer anything that changed a safety message.
- Update the review list on the About pages. Remove a page's draft note only after its review is recorded.
- Keep any signed copy with personal details outside this public project.

Notes