VisagShop · Diagrama Entidad-Relación

Sprint 6 · PostgreSQL + Sequelize · tablas en inglés · claves primarias (PK), foráneas (FK) y únicas (UQ)

CATÁLOGO

categories — categorías

PK	**id**	SERIAL
UQ	name	VARCHAR(70)
	created_at	TIMESTAMPTZ
	updated_at	TIMESTAMPTZ

products — productos

PK	**id**	VARCHAR(10)
	name	VARCHAR(120)
	description	VARCHAR(1000)
	price	INTEGER NULL
	image	VARCHAR(200)
FK	**category_id**	INTEGER
FK	**upload_id**	UUID NULL
	created_at	TIMESTAMPTZ
	updated_at	TIMESTAMPTZ

uploads — fotos subidas

PK	**id**	UUID
	mime	VARCHAR(20)
	data	BYTEA
	created_at	TIMESTAMPTZ
	updated_at	TIMESTAMPTZ

product_sizes — intermedia

PK FK	**product_id**	VARCHAR(10)
PK FK	**size_id**	INTEGER
	position	SMALLINT

sizes — tallas

PK	**id**	SERIAL
UQ	name	VARCHAR(25)
	created_at	TIMESTAMPTZ
	updated_at	TIMESTAMPTZ

product_colors — intermedia

PK FK	**product_id**	VARCHAR(10)
PK FK	**color_id**	INTEGER
	position	SMALLINT

colors — colores

PK	**id**	SERIAL
UQ	name	VARCHAR(25)
	created_at	TIMESTAMPTZ
	updated_at	TIMESTAMPTZ

N:M products ↔ sizes · products ↔ colors
mediante product_sizes y product_colors

CLIENTES

users — clientes

PK	**id**	UUID
	first_name	VARCHAR(75)
	last_name	VARCHAR(75)
UQ	email	VARCHAR(180)
	phone	VARCHAR(25)
	password_hash	VARCHAR(200)
	role	VARCHAR(20)
	created_at	TIMESTAMPTZ
	updated_at	TIMESTAMPTZ

sessions — sesiones

PK	**token_hash**	CHAR(64)
FK	**user_id**	UUID
	remember	BOOLEAN
	expires_at	TIMESTAMPTZ
	created_at	TIMESTAMPTZ

TÉCNICA

app_meta — sin relaciones

PK	**key**	VARCHAR(80)
	value	JSONB
	created_at	TIMESTAMPTZ

NOTACIÓN (PATA DE GALLO)

- uno y solo uno
- cero o uno
- cero o muchos

PK clave primaria · **FK** clave foránea · **UQ** único

Borrado: un producto elimina en cascada sus tallas y colores; un usuario, sus sesiones. Una categoría con productos no se puede borrar.