


Beerxels
A Personal Project Report

Jonas Stolle

April 29, 2022



1 Abstract

This report describes the process of creating pixel art using a set of collected bottle caps. The bottle caps are captured digitally, cut out with the help of the Circle Hough Transform and an average color is extracted. A given reference image is tiled for the bottle caps to fit and colors are extracted yet again. Optimal pairings between the two sets are computed using the Hungarian Algorithm, with which the correct bottle cap placements are found. Finally, the physical piece is assembled by attaching the bottle caps to a metal sheet using small magnets.

2 Introduction

Over the past years a rather large collection of unique bottle caps was collected which invited for a creative application. The idea of creating pixel art arose, i.e. the tiling of an image with caps such that in each position the color of the cap best matches the color of the underlying part of the image. This results in a downsampled but recognizable version of the reference image. Finding the correct cap placements may be attempted by hand, but the approach of choice is to find a solution via computational means.

3 Methods

This section details the process of going from a set of bottle caps to the finished piece.

3.1 Data Acquisition

For a start, the bottlecaps and the reference image need to be available in digital form. While the latter is assumed to be given as such, the bottle caps are each captured using a digital camera in consistent lighting conditions. To aid with preprocessing, the background is chosen to be a white sheet of paper on which the bottle caps are placed within a black dot just slightly larger than the caps themselves.

3.2 Preprocessing

To set up the problem, the colors to eventually be matched need to be extracted from both the bottle caps and the reference image. The process of computing the colors is identical for both cases, but the method of finding the appropriate locations to do so differs.



Figure 1: Raw captured image of bottle cap on a whit sheet of paper. Notice the dark spot within which the cap is positioned.

3.2.1 Bottle Caps

Here it is assumed that every image contains only a single bottle cap, which must first be located precisely. This can be achieved using an implementation of the Circle Hough Transform [1], which returns a list of circles, parametrized by their center point positions and radii. From this the circle with the highest algorithmic score is chosen in hope that it is precisely the one enveloping the bottle cap completely.




Figure 2: The same bottle cap image as in 1, with the circles returned from the Circle Hough Transform as an overlay. The green circle has the highest algorithmic score and does indeed match the outline of the bottle cap.

The contrast between the previously mentioned black dot and the white background of the images helps to increase the accuracy of this approach. Also note that the algorithmic parameters need to be tuned for good results. Given

the correct circle parameters, the bottle cap is then cut out and its average color is computed.



Figure 3: Cutout of the bottle cap presented in 1 and 2.

As colors on computers are generally represented in terms of their red, green and blue components (RGB), the average of each component needs to be computed for the final average color of the bottle cap. The reasoning for the average as a metric are its ease of implementation and its rotational symmetry, which allows the caps in the physical piece to be placed in any orientation desired. The set of all extracted colors is then stored in a vector \mathbf{v}_{caps} , with each element containing the red, green and blue components.

3.2.2 Reference Image

Before any colors can be extracted from the reference image, an appropriate tiling needs to be computed on it, as it determines the positions of the bottle caps in the final piece. In this project the tiling is understood as a repeating pattern of non-overlapping circles covering the reference image. An important constraint here is the number of available bottlecaps $n_{caps,max}$, which limits the number of circles $n_{caps,piece}$ the tiling may use to cover the image.

$$n_{caps,piece} \leq n_{caps,max} \quad (1)$$

While a quadratic (grid like) tiling would be the easiest to compute, a hexagonal pattern is chosen because of its dense packing and the authors aesthetic preference. Given the centerpoint (x_c, y_c) of a circle and its radius r , the rule for finding adjacent circles in the tiling is as follows:

$$(x, y)_{adj} = \begin{cases} \{(x_c \pm 2r, y_c)\} & \text{for horizontal neighbors,} \\ \{(x_c \pm r, y_c \pm \sqrt{3}r)\} & \text{for vertical neighbors.} \end{cases} \quad (2)$$

Notice that 2 depends only on the r chosen. Let $tile(r) : r \rightarrow \{(x, y)\}$ be a function that covers the plane following 2. Assuming the reference image lies within a set of points

$$D = \{(x, y) \mid x \in [0, x_{bound}], y \in [0, y_{bound}]\}, \quad (3)$$

the following optimization problem can be formulated:

$$\begin{aligned} \max_r \quad & |tile(r)| \\ \text{s.t.} \quad & \{(x, y)\} \subseteq D, \\ & |\{(x, y)\}| \leq n_{caps,max}, \end{aligned} \tag{4}$$

where $|\cdot|$ is read as the size of the set (\cdot) .

In practice 4, is solved by iterating the radius from a starting size of 3 pixels, covering the reference image each iteration and checking whether for the total number of circles required 1 holds. The first radius to not violate this constraint is then the optimal solution to 2. Note that in the general case not all bottle




Figure 4: Visualization of an optimal tiling solution to problem 4, with $n_{caps,max} = 628$ and $n_{caps,piece} = 621$.

caps will be used, but that number will always remain relatively small compared to the size of the entire set of caps. With the positions of the bottle caps in the reference image being known, for every circle the average color is computed analogously to 3.2.1 and stored in a vector \mathbf{v}_{ref} .

3.3 Matching

Given the average colors of all the bottlecaps, the matching process can begin. Concretely pairings need to be found between all elements v_{caps} and v_{ref} of \mathbf{v}_{caps} and \mathbf{v}_{ref} respectively, such that in each pair the colors are as "similar" as possible. This similarity is computed via the

$$\text{Sum of Squared Deviations} = \sum_{i=1}^3 (v_{caps,i} - v_{ref,i})^2, \tag{5}$$

where $i = \{1, 2, 3\}$ corresponds to the RGB components of each color. This is a Balanced Assignment Problem and can be solved using the Hungarian


Algorithm, [2] of which numerous implementation are readily available. The algorithm returns the optimal pairings w.r.t. 5, with which the bottle caps can be placed in their corresponding positions.

3.4 Physical Implementation

Using the digital version of the piece as a template, the reference image is recreated in a jigsaw like fashion using the bottle caps in the real world. The canvas is chosen to be a magnetic sheet of metal, to which every bottlecap is fixed using small neodymium magnets. This makes the bottle caps removable and leaves the possibility open to change the design in the future.

4 Results

This section presents the finished piece in both its digital and physical form.



(a) A moderately well known painting which is used as the reference image.



(b) Digital version of the finished piece.



(c) Physical version of the finished piece.

For increased visual enjoyment, it is advised to view this document from further away or to squint ones eyes slightly.

5 Discussion

Clearly, the quality of the image does deteriorate with every processing step, however the impression of the reference image persists throughout to the final piece. The bright region at the top left of 5b is predominantly made up of caps with strong reflections, which does not translate well to the physical piece 5c as they appear noticeably dimmer without the reflections present. Better results will likely be achieved with more accurate capturing of the bottle caps. Possible approaches here could be more diffuse lighting conditions, which would reduce problematic reflections, or the use of a polarized filter, with similar effect. Another issue encountered were inaccuracies with the circle detection as it did not always work perfectly, especially when the design of the bottle caps featured

dominant circles. A remedy for this would be to manually verify and potentially tune the detected circles at the preprocessing stage. Also note that the set of bottle caps fundamentally dictates the color accuracy of the image. For 4, a non-negligible set of red bottle caps was available and at least some of them had to be used for the final piece. As a consequence, the color spectrum of the reference, which has almost no red hues, is distorted. Choosing a fitting reference image with a color distribution similar to that of the bottle caps will help with this issue.

Despite its shortcomings, this project is ultimately artistic in nature and the quality of the results lies in the eye of the beholder.

References

- [1] E. Davies. A modified hough scheme for general circle location. *Pattern Recognition Letters*, 7(1):37–43, 1988.
- [2] H. W. Kuhn. The hungarian method for the assignment problem. *Naval Research Logistics Quarterly*, 2(1-2):83–97, 1955.