

a
Fe against the Ru catalyst
preregistered (pure-Ru benchmark bed)
P(Fe cheaper) 1.000; median Ru − Fe +5.46 USD t−1
A: u and r on the price, benchmark bed (Fig. 3d reading)
P(Fe cheaper) 0.092; median Ru − Fe −0.52 USD t−1
A_bed: u and r, commercial Ru/C bed
P(Fe cheaper) 0.207; median Ru − Fe −0.33 USD t−1
B: measured Ru catalysts, 90-95.6 % recovery
P(Fe cheaper) 0.930; median Ru − Fe +3.52 USD t−1
B0: measured Ru catalysts, no recovery
P(Fe cheaper) 0.981; median Ru − Fe +6.20 USD t−1
0.00
0.25
0.50
0.75
1.00
P(Fe cheaper), 5,000 draws
b
Where the Ru catalyst wins
A_bed
A
P(Ru cheaper) (%)
100
75
50
25
0
11
20
30
50
dispersion ratio u = DRu / fFe
c
A_bed
A
100
75
50
25
0
91
92
93
94
95
Ru recovery r (%)
d
A_bed
A
100
75
50
25
0
5–6
n = 966
6–7
n = 980
7–8
n = 969
8–9
n = 1012
9–10
n = 1073
Ru content of the Ru/C bed (wt%)