

A
292 experiment cards = 73 formulation candidates × 4 measurement plans, ranked by deterministic VOI
M-HOLD-120 matched-window 120 °C hold
max VOI 0.69 · 64 discriminating
M-REPEAT repeatability check
max VOI 0.39 · 0 discriminating
M-ANCHOR one-point anchor
max VOI 0.21 · 64 inadmissible
M-SWEEP 80–130 °C sweep
max VOI 0.20 · 0 discriminating
tackifier-like (wt%)
core-only
acrylic-like modifier (wt%)
VOI
0.1
0.4
0.7
hypothesis discrimination > 0
tied top set (5 cards)
inadmissible under the CBES chemistry rule
selected, rule-complete
B
dual-axis 15/5, hold
tied top
0.693
acrylic-only 15, hold
0.618
core-only E1, hold
rank 1, inverted order
0.243
dual-axis 15/5, anchor
CBES-inadmissible
0.207
weighted contribution to VOI (net VOI: black tick)
discrimination
uncertainty reduction
decision relevance
interpretability
extrapolation risk
process-state risk
C
rule-complete
VOI score withheld
rule order inverted
hold
repeatability
discriminating hold card
numbers: runs
D
supported family
zero discrimination
hold selected
rule-complete
9/10
0/10
10/10
VOI score withheld
0/5
3/5
5/5
defect flagged
change advised
flagged 10/10 · change advised 5/10 · selection unchanged 10/10
rule order inverted
0/10
10/10
7/10
evidence-supported family
other discriminating
zero discrimination
H hold · R repeatability