

Monthly Safety Inspection Checklist

Complete one checklist per month. File all completed checklists. Retain for a minimum of 12 months.

Estimated Compliance Value: Documents ongoing compliance effort

Monthly inspection records demonstrate good-faith compliance and are reviewed during OSHA inspections.

Facility Name:	Inspection Date:
Inspected By:	Title / Role:
Areas Inspected:	Next Inspection Due:

✓ = Satisfactory × = Needs Attention N/A = Not Applicable Note any deficiency in the Notes column

GENERAL HOUSEKEEPING

ITEM	✓	×	NOTES / CORRECTIVE ACTION
1 Aisles and walkways clear of obstructions			
2 Floors clean, dry, and free of slip/trip hazards			
3 Work areas clean and organized			
4 Waste containers in place and not overflowing			
5 Storage areas organized — materials stacked safely			
6 No materials blocking access to electrical panels			

CHEMICAL AND HazCom

ITEM	✓	×	NOTES / CORRECTIVE ACTION
1 All chemical containers properly labeled (GHS-compliant)			
2 SDS binder complete and accessible to all employees			
3 No unlabeled or unidentified containers			
4 Incompatible chemicals stored separately			
5 Chemical storage areas clean and properly ventilated			
6 Spill kits stocked and accessible			

EMERGENCY PREPAREDNESS

ITEM	✓	×	NOTES / CORRECTIVE ACTION
1 All exit doors unobstructed and unlocked during occupied hours			
2 Exit signs illuminated and visible			
3 Emergency evacuation routes posted			
4 Fire extinguishers in place, charged, and inspected within 12 months			
5 First aid kit stocked and accessible			
6 Emergency contact numbers posted			
7 OSHA poster displayed in a visible common area			

ELECTRICAL SAFETY

ITEM	✓	×	NOTES / CORRECTIVE ACTION
1 No exposed wiring or damaged cords			
2 Electrical panels accessible, covers in place			
3 No overloaded circuits or extension cords used as permanent wiring			
4 Ground fault protection in wet or damp locations			
5 Electrical equipment properly grounded			

MACHINE AND EQUIPMENT SAFETY

ITEM	✓	×	NOTES / CORRECTIVE ACTION
1 All machine guards in place and in good condition			
2 LOTO procedures posted on each machine requiring lockout			
3 LOTO equipment (locks, tags, hasps) available and in good condition			
4 No improvised or missing machine guards			
5 Equipment in good working order — no visible damage			

PERSONAL PROTECTIVE EQUIPMENT

ITEM	✓	×	NOTES / CORRECTIVE ACTION
1 Required PPE available and in good condition			
2 PPE storage area clean and organized			
3 Employees observed using required PPE			

4	No damaged or expired PPE in service			
5	PPE inspection and replacement records current			

RECORDKEEPING AND COMPLIANCE

ITEM	✓	×	NOTES / CORRECTIVE ACTION
1 Chemical Inventory Log (SS-02) current			
2 SDS Index (SS-03) current			
3 Written HazCom Program (SS-04) on file and accessible			
4 Training records (SS-10) current for all employees			
5 OSHA 300 log current (if required)			
6 Previous month's inspection checklist filed			

SIGN-OFF

Inspector Signature:	Date:
Supervisor Review Signature:	Date Reviewed:

Retention Requirement

File this completed checklist immediately after each inspection. Retain all completed checklists for a minimum of 12 months. During an OSHA inspection, you may be asked to produce inspection records. A consistent record of monthly inspections demonstrates good-faith compliance and can reduce penalty amounts.