



SUPERVISOR USE COPY | VERSION 1.0

Supervisor Safety OS

Supervisor-Run Safety Documentation & Inspection System

Built for small manufacturing teams that need practical safety documentation without a full-time safety manager.

What's Inside

- ✓ Chemical Inventory + SDS Tracking
- ✓ Written Hazard Communication Program
- ✓ Monthly Safety Inspection Checklist
- ✓ Corrective Action Log
- ✓ HazCom Toolbox Talk + Knowledge Check
- ✓ Emergency Response / One Phone Call Card
- ✓ 90-Day Implementation Roadmap
- ✓ OSHA Coverage Map

Inspect → Document → Assign → Verify → Review

IMPORTANT NOTICE

Read Before Using This System

The GigLine Supervisor Safety OS is designed to help small manufacturing teams organize basic safety documentation, inspection records, corrective actions, HazCom materials, emergency information, and supervisor-led safety follow-up.

This system is intended for practical field use. It is not a substitute for a full safety program, legal advice, professional engineering review, or a site-specific OSHA compliance evaluation.

What This Kit Helps You Do

- ✓ Keep key safety records organized
- ✓ Track chemical inventory and SDS information
- ✓ Document monthly safety inspections
- ✓ Assign and follow up on corrective actions
- ✓ Support supervisor-led safety conversations
- ✓ Create a repeatable safety documentation rhythm

Important Limitations

This kit does not guarantee OSHA compliance, prevent citations, eliminate hazards, or replace the employer's responsibility to maintain a safe workplace. Each employer is responsible for reviewing OSHA standards, state requirements, industry-specific hazards, and site-specific conditions.

Supervisor Use Guidance

Use this system consistently. Review it at least monthly. Update it when chemicals, processes, equipment, work areas, or responsible personnel change. If a serious hazard, injury, near miss, or regulatory concern is identified, escalate it to management immediately.

Safety documentation only works when it reflects what is actually happening on the floor.

SS-01 START HERE

How to Use the Supervisor Safety OS

This system is built to help supervisors inspect, document, assign, verify, and review basic safety responsibilities without creating unnecessary complexity. Use it as a practical field tool, not a binder that sits untouched.

Inspect → Document → Assign → Verify → Review

The Weekly Rhythm

1. Inspect the work area

Look for visible hazards, missing labels, blocked access, poor housekeeping, unsafe storage, or incomplete safety controls.

2. Document what you find

Use the checklist, logs, and notes in this system to record what was reviewed and what needs attention.

3. Assign corrective action

Every open issue should have an owner, a target date, and a clear next step.

4. Verify completion

Do not close an issue until the fix has been checked and documented.

5. Review monthly

Review open items, completed actions, chemical inventory, SDS records, and emergency information at least once per month.

Use This System When

- ✓ Starting a basic safety documentation routine
- ✓ Preparing supervisors to inspect their own areas
- ✓ Organizing chemical inventory and SDS records
- ✓ Tracking corrective actions after walkthroughs
- ✓ Reviewing HazCom, housekeeping, emergency, and inspection basics
- ✓ Creating a repeatable monthly safety rhythm

Supervisor Rule

If it is not documented, it is hard to prove. If it is documented but not corrected, it is still open. If it is corrected but not verified, it is not finished.

Do Not Use This System As

- ⚠ A replacement for site-specific OSHA compliance review
- ⚠ A substitute for required training
- ⚠ A guarantee against citations
- ⚠ A place to hide unresolved hazards
- ⚠ A paperwork exercise without real follow-up

The value of this system is not the form. The value is the follow-through.

Use this index to locate each document in the Supervisor Safety OS. Each section is designed to be printed, completed, filed, and reviewed as part of the facility's safety record.

Section	Document Title	Code	Page
01	Start Here / How to Use This System	SS-01	3
02	30-Day Action Checklist	SS-02	5
03A	Chemical Inventory Log — Example	SS-03A	6
03B	Chemical Inventory Log — Blank	SS-03B	7
04A	SDS Index — Example	SS-04A	8
04B	SDS Index — Blank	SS-04B	9
05	Written Hazard Communication Program	SS-05	10
06A	Monthly Safety Inspection Checklist — Example	SS-06A	11
06B	Monthly Safety Inspection Checklist — Blank	SS-06B	12
07A	Corrective Action Log — Example	SS-07A	13
07B	Corrective Action Log — Blank	SS-07B	14
08	OSHA Coverage Map	SS-08	15
09A	Employee HazCom Toolbox Talk + Attendance	SS-09A	16
09B	Employee HazCom Knowledge Check	SS-09B	17
10	Emergency Response / One Phone Call Card	SS-10	18
11	90-Day Implementation Roadmap	SS-11	19
12	Next Step / Book a GigLine Review	SS-12	20

Note: Sections 09A and 09B are completed together as one training record — employees sign in on SS-09A, then complete the Knowledge Check on SS-09B.

Supervisor Instruction

Use this checklist to set up the first 30 days of the Supervisor Safety OS. The goal is not to fix everything at once. Start by identifying high-risk gaps, assigning ownership, producing records, and creating a repeatable safety rhythm.

Week 1 — Set Up the System

Assign ownership and begin the chemical inventory/SDS foundation.

Focus Area	Supervisor Action	Record Produced	Done
System Setup	Review binder and assign supervisor owner.	Assigned Supervisor Owner	☐
Chemical Inventory	Walk facility and list hazardous chemicals.	SS-03 Chemical Inventory Log	☐
SDS Access	Confirm SDS are available for listed chemicals.	SS-04 SDS Index	☐

Week 2 — Build the HazCom Record

Complete the written HazCom foundation and prepare employee communication.

Focus Area	Supervisor Action	Record Produced	Done
Hazard Communication	Review/update Written HazCom Program.	SS-05 Written HazCom Program	☐
Employee Training	Deliver HazCom Toolbox Talk and collect signatures.	SS-09A + SS-09B	☐

Week 3 — Inspect and Document

Complete the first walkthrough and transfer failed items into corrective action tracking.

Focus Area	Supervisor Action	Record Produced	Done
Safety Inspection	Complete Monthly Safety Inspection Checklist.	SS-06 Inspection Checklist	☐
Corrective Actions	Enter failed items into Corrective Action Log.	SS-07 Corrective Action Log	☐

Week 4 — Verify and Review

Verify open items, update records, and set the next 30-day priorities.

Focus Area	Supervisor Action	Record Produced	Done
Follow-Up	Verify open corrective actions and update status.	Updated SS-07 Corrective Action Log	☐
Review	Review progress with management and set next priorities.	30-Day Review Notes	☐

30-Day Review Summary

Top risks found:

Open corrective actions:

Records completed:

Next 30-day priority:

Supervisor Reminder

Do not mark an item complete until the record exists, the action has been reviewed, and any open follow-up has been assigned.

Facility: Main Production Floor

Date: July 2026

Completed by: J. Carter

Reviewed by: M. Reynolds

Supervisor Instruction

This completed example shows how to document hazardous chemicals, verify SDS availability, identify hazard types, and record follow-up needs. Use this page as a model before completing the blank log.

Chemical / Product Name	Manufacturer	Location / Area	SDS Available	Hazard Type	Notes
Acetone	ABC Industrial Supply	Paint prep area	☒ Yes ☐ No	Flammable	SDS verified in binder.
WD-40 Multi-Use Product	WD-40 Company	Maintenance cart	☒ Yes ☐ No	Flammable / Irritant	Aerosol stored on cart.
Spray Paint	Rust-Oleum	Paint cabinet	☐ Yes ☒ No	Flammable	Missing SDS — request from supplier and add to SDS Index.
Sodium Hydroxide Cleaner	ChemPro Supply	Wash station	☒ Yes ☐ No	Corrosive	Confirm PPE requirements during training.
Diesel Fuel	Local Fuel Supplier	Forklift fuel storage	☐ Yes ☒ No	Flammable	Missing SDS — add before HazCom training is closed.
Industrial Degreaser	ShopChem	Parts cleaning area	☒ Yes ☐ No	Irritant	Label and SDS verified.

Example Note

Any chemical marked “No” under SDS Available should be added to the SDS Index and corrected before employee Hazard Communication training is considered complete. Missing SDS items should also be entered into the Corrective Action Log if they remain open.

Facility:

Date:

Completed by:

Copy No.:

Supervisor Instruction

Use this blank log to record hazardous chemicals used or stored in the facility. Complete one row for each chemical or product. Confirm SDS availability, identify the hazard type from the SDS, and document needed follow-up in the Notes column.

Chemical / Product Name	Manufacturer	Location / Area	SDS Available	Hazard Type	Notes
			☐ Yes ☐ No		
			☐ Yes ☐ No		
			☐ Yes ☐ No		
			☐ Yes ☐ No		
			☐ Yes ☐ No		
			☐ Yes ☐ No		
			☐ Yes ☐ No		
			☐ Yes ☐ No		
			☐ Yes ☐ No		
			☐ Yes ☐ No		
			☐ Yes ☐ No		
			☐ Yes ☐ No		
			☐ Yes ☐ No		
			☐ Yes ☐ No		
			☐ Yes ☐ No		
			☐ Yes ☐ No		
			☐ Yes ☐ No		
			☐ Yes ☐ No		
			☐ Yes ☐ No		

Hazard Type Reference

Flammable | Corrosive | Irritant | Toxic | Compressed Gas | Environmental

Reference only. Confirm hazard classification using the product SDS.

Facility: Main Production Floor

Maintained by: J. Carter

Location of SDS Binder: Safety Station / Supervisor Office

Last Reviewed: July 2026

Reviewed by: M. Reynolds

Supervisor Instruction

This completed example shows how to track Safety Data Sheets for chemicals listed on the Chemical Inventory Log. Confirm the SDS version, physical location, verification date, and whether any SDS documents are missing or need follow-up.

Chemical / Product Name	Manufacturer	SDS Version / Date	Physical Location	Verified By	Date Verified	Status / Notes
Acetone	ABC Industrial Supply	Rev. 2024	SDS Binder Tab A	J. Carter	07/05/26	Verified.
WD-40 Multi-Use Product	WD-40 Company	Rev. 2023	SDS Binder Tab W	J. Carter	07/05/26	Verified.
Spray Paint	Rust-Oleum	Missing	Not in binder	J. Carter	07/05/26	Missing SDS — request from supplier and add to binder.
Sodium Hydroxide Cleaner	ChemPro Supply	Rev. 2024	SDS Binder Tab S	J. Carter	07/06/26	Verified. Confirm PPE requirements during training.
Diesel Fuel	Local Fuel Supplier	Missing	Not in binder	J. Carter	07/06/26	Missing SDS — add before HazCom training is closed.
Industrial Degreaser	ShopChem	Rev. 2025	SDS Binder Tab D	J. Carter	07/06/26	Verified.

Example Note

Chemicals listed on the Chemical Inventory Log should also appear in this SDS Index. Missing SDS documents should be requested from the supplier, added to the binder or electronic SDS system, and verified before Hazard Communication training is considered complete.

Facility: _____ Last Reviewed: _____

Maintained by: _____ Location of SDS Binder: _____ Copy No.: _____

Supervisor Instruction

Use this blank index to track Safety Data Sheets for chemicals used, stored, or handled at the facility. Each chemical listed on the Chemical Inventory Log should also appear here. Confirm the SDS version, physical location, verification date, and employee access.

Chemical / Product Name	Manufacturer	SDS Version / Date	Physical Location	Verified By	Date Verified	Notes

SDS Access Reminder

SDS must be readily accessible to employees during all work shifts. Electronic access may be used only if employees can access the SDS without delay.

Facility Name: _____

Effective Date: _____

Prepared by: _____

Reviewed / Updated: _____

Program Purpose

This Written Hazard Communication Program documents how this facility manages hazardous chemicals, Safety Data Sheet access, container labeling, employee training, and chemical hazard communication responsibilities.

Program Elements — Supervisor Verification

- ☐ 1. Chemical List

A current list of hazardous chemicals is maintained using the Chemical Inventory Log SS-03.
- ☐ 2. SDS Access

Safety Data Sheets are maintained and accessible to employees during all work shifts using the SDS Index SS-04.
- ☐ 3. Container Labeling

All containers of hazardous chemicals are properly labeled. Labels are not removed, damaged, or defaced.
- ☐ 4. Employee Training

Employees receive Hazard Communication training before working with hazardous chemicals and when new chemical hazards are introduced.
- ☐ 5. Training Records

Signed training records and quiz results are maintained using the Toolbox Talk + Quiz SS-09.
- ☐ 6. Non-Routine Tasks

Employees are informed of chemical hazards associated with non-routine tasks before work begins.
- ☐ 7. Contractor Communication

Contractors working on-site are informed of hazardous chemicals they may encounter and are directed to the SDS binder or electronic SDS access point.
- ☐ 8. Program Review

This program is reviewed at least annually and whenever chemical processes, products, or hazards change.

Program Review Sign-Off

Supervisor Signature: _____

Date: _____

Management Reviewer: _____

Date: _____

Supervisor Reminder

Do not sign this program until the Chemical Inventory Log, SDS Index, labeling check, and employee training records have been reviewed for accuracy.

Facility / Area: Main Production Floor

Inspection Date: 07/10/2026

Inspector Name: J. Carter

Next Inspection Due: 08/10/2026

Supervisor Instruction

This completed example shows how to document a monthly safety inspection. Mark each item as Pass, Fail, or N/A. Any failed item should be entered into the Corrective Action Log with an owner, due date, and verification step.

P = Pass**F = Fail** — enter in Corrective Action Log**N/A = Not Applicable**

#	Inspection Area	Observation / Item	P	F	N/A	Notes
1	Egress / Exit Routes	Exit signs lit, paths clear, doors unobstructed.	✓			Clear.
2	Fire Protection	Fire extinguishers mounted, inspected, accessible.	✓			Monthly tag current.
3	Electrical Safety	No exposed wiring, panels clear, cords undamaged.	✓			No damage observed.
4	Electrical Safety	Electrical panels accessible, labeled, unobstructed.		✓		Pallet stored in front of panel. Entered in CA Log.
5	Housekeeping	Floors clean, dry, free of slip/trip hazards.	✓			Aisles clear.
6	Chemical Storage	Chemicals properly labeled, stored, segregated.		✓		Unlabeled spray bottle at wash station. Entered in CA Log.
7	Chemical Storage	SDS accessible for all chemicals in this area.	✓			SDS binder verified.
8	PPE	Required PPE available, inspected, and in good condition.	✓			Eye protection available.
9	Machine Guarding	Guards in place on machinery with moving parts.	✓			Guarding in place.
10	First Aid	First aid kit stocked and accessible.	✓			Kit checked.
11	Emergency Info	Emergency contacts and One Phone Call Card posted.	✓			Posted near supervisor station.
12	Additional / Other	Other observed condition requiring review.			✓	No additional findings.

Example Note

A failed inspection item is not finished when it is found. It must be entered into the Corrective Action Log, assigned to an owner, given a due date, corrected, and verified before it is considered closed.

Facility / Area: _____ Inspection Date: _____
 Inspector Name: _____ Next Inspection Due: _____ Copy No.: _____

Supervisor Instruction

Use this checklist during the monthly safety walkthrough. Mark each item as Pass, Fail, or N/A. Any failed item must be entered into the Corrective Action Log with an owner, due date, and verification step.

P = Pass**F = Fail — enter in Corrective Action Log****N/A = Not Applicable**

#	Inspection Area	Observation / Item	P	F	N/A	Notes
1	Egress / Exit Routes	Exit signs lit, paths clear, doors unobstructed.				
2	Egress / Exit Routes	Emergency lighting functional.				
3	Fire Protection	Fire extinguishers mounted, inspected, accessible.				
4	Fire Protection	No storage within 18 in. of sprinkler heads.				
5	Electrical Safety	No exposed wiring, panels clear, cords undamaged.				
6	Electrical Safety	Electrical panels accessible, labeled, unobstructed.				
7	Housekeeping	Floors clean, dry, free of slip/trip hazards.				
8	Housekeeping	Waste properly stored and removed.				
9	Chemical Storage	Chemicals properly labeled, stored, segregated.				
10	Chemical Storage	SDS accessible for all chemicals in this area.				
11	PPE	Required PPE available, inspected, and in good condition.				
12	Machine Guarding	Guards in place on machinery with moving parts.				
13	Machine Guarding	LOTO procedures posted at each machine.				
14	First Aid	First aid kit stocked and accessible.				
15	Emergency Info	Emergency contact numbers and One Phone Call Card posted.				
16	Additional / Other	Other observed condition requiring review.				

Supervisor Signature: _____ Date: _____

Supervisor Reminder

Do not leave failed items sitting on this checklist. Transfer each failed item to the Corrective Action Log before the inspection record is filed.

Facility / Location: Main Production Floor
Supervisor Name: J. Carter

Month / Year: July 2026
Reviewed by: M. Reynolds

Supervisor Instruction

This completed example shows how to document safety findings after an inspection. Every finding should have a clear issue description, risk level, assigned owner, due date, status, and verification step before it is considered closed.

Risk Level: H = High M = Medium L = Low
Status: Open | In Progress | Closed

#	Date	Area / Location	Finding / Issue	Risk	Owner	Due Date	Status	Verified By	Notes / Verification
1	07/10/26	Electrical Room	Pallet stored in front of electrical panel.	H	Maintenance Lead	07/12/26	Closed	J. Carter	Pallet removed. Panel access verified clear.
2	07/10/26	Wash Station	Unlabeled spray bottle found in active use.	M	Shift Supervisor	07/11/26	Closed	J. Carter	Bottle removed from use. Replacement container labeled.
3	07/10/26	Paint Cabinet	Spray paint SDS missing from binder.	M	Safety Coordinator	07/17/26	Open		SDS requested from supplier. Pending verification.
4	07/10/26	Fuel Storage	Diesel fuel SDS missing from binder.	M	Safety Coordinator	07/17/26	In Progress		Supplier contacted. Add SDS before HazCom training is closed.
5	07/10/26	Press Line	Scrap material accumulated near pedestrian walkway.	M	Production Supervisor	07/12/26	Closed	J. Carter	Scrap removed. Walkway cleared and marked.
6	07/10/26	Maintenance Cart	Aerosol chemicals stored without confirmed SDS review.	L	Maintenance Lead	07/15/26	Open		Review SDS Index and update storage list.

Example Note

A finding is not closed when someone says it was fixed. It is closed when the correction is verified, the record is updated, and the responsible person can explain what changed.

Accountability & Sign-Off

Supervisor Signature: _____ Date: _____
Management Reviewer: _____ Date: _____

Facility / Location: _____Month / Year: _____

Supervisor Name: _____Reviewed by: _____Copy No.: _____

Supervisor Instruction
Use this log to document safety findings, assign responsibility, track due dates, update status, and verify closure. A finding is not closed until the correction has been verified and the record has been updated.

Risk Level: H = High M = Medium L = Low
Status: Open | In Progress | Closed

#	Date	Area / Location	Finding / Issue	Risk	Owner	Due Date	Status	Verified By	Notes / Verification

Supervisor Reminder
Do not mark an item closed based only on verbal confirmation. Verify the correction, update the status, and record who confirmed the fix.

Accountability & Sign-Off

Supervisor Signature: _____Date: _____

Management Reviewer: _____Date: _____

How to Use This Map

Use this page to understand how each Supervisor Safety OS document supports safety documentation, employee communication, inspection readiness, and corrective action tracking. This map is a practical guide, not a substitute for a facility-specific compliance review.

Document	OSHA-Aligned Area	Risk Area	Supervisor Action	Record Produced
SS-03 Chemical Inventory Log	Hazard Communication / Chemical List	Chemical exposure, missing chemical inventory, incomplete HazCom records	List all hazardous chemicals used, stored, or handled.	Chemical Inventory Log
SS-04 SDS Index	Safety Data Sheet Access	Employees unable to access SDS during work shifts	Verify SDS availability and location for each listed chemical.	SDS Index
SS-05 Written Hazard Communication Program	Written HazCom Program	Missing or outdated written chemical communication procedures	Review, update, and sign the written program.	Written HazCom Program
SS-06 Monthly Safety Inspection Checklist	General Industry Safety Walkthrough	Egress, electrical, fire protection, housekeeping, PPE, guarding, chemical storage	Complete monthly walkthrough and mark Pass, Fail, or N/A.	Completed Inspection Checklist
SS-07 Corrective Action Log	Hazard Abatement / Follow-Up Documentation	Unresolved hazards, undocumented fixes, repeated findings	Assign owner, due date, status, and verification for each finding.	Corrective Action Log
SS-09 Toolbox Talk + Quiz	Employee Hazard Communication Training	Employees not trained on chemical hazards, SDS, labels, or exposure response	Deliver training, collect signatures, and complete quiz.	Training Record + Quiz
SS-10 Emergency Response / One Phone Call Card	Emergency Action Information	Delayed response, missing emergency contacts, unclear reporting steps	Post emergency contacts and review response steps with supervisors.	Posted Emergency Response Card
SS-11 90-Day Implementation Roadmap	Safety System Implementation	Incomplete rollout, no ownership, no follow-up rhythm	Track milestones at 30, 60, and 90 days.	Implementation Roadmap

Important Notice

This coverage map is a practical reference tool. OSHA requirements vary by industry, operation, hazard exposure, jurisdiction, and state-plan rules. Employers remain responsible for identifying applicable standards, correcting recognized hazards, training employees, and maintaining accurate records.

Identify → Document → Assign → Verify → Review

Facility / Location: _____

Talk Date: _____

Supervisor / Trainer: _____

Topic: Hazard Communication Basics

Supervisor Instruction

Use this toolbox talk to review basic Hazard Communication requirements with employees. Show employees where SDS are located, how to identify chemical hazards, how to read labels, and what to do if exposure occurs. Collect signatures below, have each employee complete SS-09B, then file both pages together as one training record.

Toolbox Talk — Hazard Communication Basics

1. What is Hazard Communication?

OSHA requires employers to inform employees about hazardous chemicals they may work with or be exposed to.
2. Where are the SDS located?

Show employees the physical SDS binder or electronic SDS access point. Employees must be able to access SDS during their work shift.
3. How to read a chemical label

Review the signal word, pictograms, hazard statements, precautionary statements, product identifier, and supplier information.
4. What to do if exposure occurs

Stop work if needed, notify the supervisor, follow the first aid steps listed in the SDS, and call emergency help when required.
5. Employee right-to-know

Employees have the right to access SDS, understand chemical hazards, ask questions, and report unsafe chemical conditions.

Employee Sign-In — Attendance Record

#	Employee Name (Print)	Job Title	Signature	Date

Training Record Reminder

File this completed toolbox talk and attendance record with the facility safety records. Employees complete the Knowledge Check (SS-09B) separately. Training should be repeated when new chemical hazards are introduced or when employees need refresher instruction.

Facility / Location: _____

Quiz Date: _____

Employee Name: _____

Job Title: _____

Supervisor / Trainer: _____

Answer each question based on today's Toolbox Talk (SS-09A). Circle True or False where indicated, or write a short answer.

Knowledge Check — 8 Questions

Q1. Where are the SDS stored or accessed at this facility?

Answer: _____

Q2. What should you do if you are exposed to a hazardous chemical?

Answer: _____

Q3. Name one piece of PPE required when handling chemicals in your work area.

Answer: _____

Q4. What should you do if a chemical container is unlabeled?

Answer: _____

Q5. True or False: Employees have the right to access SDS and ask questions about chemical hazards.

☐ TRUE ☐ FALSE

Q6. True or False: If a chemical has a strong odor, it is safe to keep working as long as no one else complains.

☐ TRUE ☐ FALSE

Q7. Who should you notify first if you find a leaking or damaged chemical container?

Answer: _____

Q8. Name one piece of information found on a GHS chemical label (signal word, pictogram, or hazard statement).

Answer: _____

Completion & Review

Employee Signature: _____

Date: _____

Reviewed by (Supervisor): _____

Date: _____

Review Note

This knowledge check is not pass/fail. If an employee answers a question incorrectly or is unsure, review that topic again before the training record is filed.

Facility Name: _____

Address: _____

Posted By: _____

Date Posted: _____

Next Review: _____

Supervisor Instruction

Post this card where supervisors and employees can quickly find emergency contacts and response steps. Review the information at least annually and whenever contacts, locations, or emergency procedures change.

Emergency Contact Numbers — Post at Every Workstation

Emergency Contact / Agency	Phone Number	Notes
Fire / Rescue	9-1-1	Call from any phone.
Medical Emergency	9-1-1	Provide facility address and injury details.
Poison Control	1-800-222-1222	Chemical exposure or poisoning guidance.
Chemical Spill Response — CHEMTREC	1-800-424-9300	24-hour chemical emergency line.
Facility Supervisor		Primary internal contact.
Backup Supervisor		Secondary internal contact.
Facility Owner / Manager		Management notification.
Insurance Contact		Incident reporting / claims.
Nearest Hospital		Emergency medical destination.
OSHA Reporting Hotline	1-800-321-OSHA (6742)	Use for required OSHA reporting.

Initial Response Actions — Supervisor Checklist

- ☐ Ensure no one is in immediate danger. Evacuate if required.
- ☐ Call the appropriate emergency number above.
- ☐ Do not re-enter a hazardous area without proper PPE and clearance.
- ☐ Secure the area and prevent unauthorized access.
- ☐ Begin incident documentation as soon as the immediate emergency is controlled.
- ☐ Notify facility owner / management immediately.
- ☐ Cooperate fully with responding emergency personnel.

Important OSHA Reporting Reminder

OSHA reporting may be required for work-related fatalities, in-patient hospitalizations, amputations, or loss of an eye. Fatalities must be reported within 8 hours. In-patient hospitalization, amputation, or loss of an eye must be reported within 24 hours.

OSHA Reporting Hotline: 1-800-321-OSHA (6742)

Posting Reminder

Keep this card posted where supervisors can access it quickly. Update the contact numbers whenever facility leadership, insurance contacts, or emergency response information changes.

Facility / Location: _____

Start Date: _____

System Owner / Supervisor: _____

Management Reviewer: _____

Supervisor Instruction

Use this roadmap to track implementation over the first 90 days. Mark each milestone complete only when the required record has been produced, reviewed, and filed. Review progress with management at each 30-day checkpoint.

Phase 1 — Days 1–30: Foundation

Day Range	Milestone	Required Record	Owner	Done
Days 1–7	Assign system owner and review this binder.	Assigned Supervisor Owner		☐
Days 1–14	Complete Chemical Inventory Log.	SS-03 Chemical Inventory Log		☐
Days 1–14	Complete SDS Index and verify all SDS on file.	SS-04 SDS Index		☐
Days 7–21	Review and update Written Hazard Communication Program.	SS-05 Written HazCom Program		☐
Days 14–21	Deliver Hazard Communication Toolbox Talk.	SS-09A Attendance + SS-09B Knowledge Check		☐
Days 21–30	Complete first Monthly Safety Inspection.	SS-06 Inspection Checklist		☐
Days 21–30	Log any findings in Corrective Action Log.	SS-07 Corrective Action Log		☐

Phase 2 — Days 31–60: Review & Reinforce

Day Range	Milestone	Required Record	Owner	Done
Days 31–45	Review and close open corrective actions.	Updated SS-07		☐
Days 31–60	Post Emergency Response / One Phone Call Card.	SS-10 Posted and Verified		☐
Days 45–60	Conduct 30-day progress review with management.	30-Day Review Notes		☐

Phase 3 — Days 61–90: Verify & Sustain

Day Range	Milestone	Required Record	Owner	Done
Days 61–75	Run second Monthly Safety Inspection.	SS-06 Inspection Checklist — Month 2		☐
Days 61–90	Identify and document top 3 ongoing risk areas.	Written Risk Summary / Management Memo		☐
Days 75–90	Conduct 60-day progress review with management.	60-Day Review Notes		☐
Day 90	Complete 90-Day Review and set next-quarter priorities.	90-Day Review Notes + Updated Roadmap		☐

Roadmap Reminder

The goal is not to finish the binder. The goal is to create a repeatable safety rhythm: inspect, document, assign, verify, and review.

Supervisor Signature: _____

Date: _____

Management Reviewer: _____

Date: _____

Your Path Forward

You have the Supervisor Safety OS in place. The next step is applying it to your actual facility, records, and risk areas. GigLine Safety & Compliance can help review what you have, identify documentation gaps, and recommend practical next steps.

Choose the Review Option That Fits Your Facility

Option 1 — Local On-Site Review

For facilities in the Triad and surrounding North Carolina service area.

Includes:

- Facility safety walkthrough
- Supervisor documentation review
- Chemical inventory and SDS review
- Inspection and corrective action review
- Written findings summary
- Practical next-step recommendations

Best for:

Facilities that want fresh eyes on the floor and their safety records.

Option 2 — Remote Documentation Review

For facilities outside the local service area or teams that want their safety documents reviewed before an audit, inspection, insurance request, or internal safety meeting.

Includes:

- Chemical Inventory Log review
- SDS Index review
- Written HazCom Program review
- Monthly inspection checklist review
- Corrective Action Log review
- Written gap summary
- Follow-up recommendations

Best for:

Facilities that need help reviewing their safety paperwork, even if an on-site visit is not available.

Ready for a Review?

Visit giglinecompliance.com to request a GigLine review or learn which option fits your facility.



Scan to visit
giglinecompliance.com

GigLine Safety & Compliance

giglinecompliance.com

OSHA-Aligned Field Tools for Small Manufacturing Facilities

Important Notice

A GigLine review is designed to support practical safety documentation and hazard follow-up. It does not replace legal advice, OSHA consultation, or a full facility-specific compliance determination. Employers remain responsible for identifying applicable standards, correcting hazards, training employees, and maintaining accurate records.