Standard Operating Procedure (SOP)

Manage Product Technical Complaint and Suspected Counterfeit Incidents in GBS

Document Number: IQMS-50911
SSC-PTC-SOP-001

Version: 6.0

Effective Date:	2025-04-10
QMS Area:	Quality
QMS Chapter:	4.9 Product Safety, Product Quality and Pharmacovigilance

Applicability

Bayer Level:	CH, PH

This document is electronically approved (signatures on the last page)

Distribution Sheet for Quality Regulations

Division/Business Unit	☒ PH ☒ CH
GBS Location	☐ Global Business Services Barcelona
	☒ Global Business Services Costa Rica/Brazil
	☐ Global Business Services Manila
	☒ Global Business Services Gdansk
	☐ Global Business Services India
	☒ Global Business Services Dalian
	☐ Global Business Services Germany
Region/ Country	☒ Global ☐ Specific Country:
Relevance for R&D QMS	☐ Affected ☒ N/A

Version:	6.0
Document Author(s):	Roberto Chaves
Document Approver	Process Manager: Gloria Gaviria PTC Team Leader/SME: Katarzyna Mazur-Kominek, Jinghua Yin, Roberto Chaves GBS QA: Hanna Kapuscinska
Training Role	GBS_ PTC officer

Table of Contents

1 Scope and Framework 4
1.1 Scope 4
1.2 Framework 4
2 Abbreviations 5
3 Definitions 5
4 Process Information 8
4.1 Purpose and General Guidance 8
4.1.1 Complaint Classification 8
4.1.2 Timelines 8
4.1.3 Sample Handling 10
4.1.4 Final Classification of Complaint Cases 10
4.1.5 Product and case specific requirements 10
4.1.6 Reimbursement Handling 11
4.2 Process Flow 12
4.3 Reference to Process Description 12
4.4 Assigned roles and responsibilities 12
5 Detailed process description 15
5.1 Receive case 15
5.1.1 Hosted language? 15
5.2 Intake 15
5.2.1 Read e-mail 15
5.2.2 Forward non-PTC e-mail 16
5.2.3 Add new data to existing PTC in complaint database 16
5.2.4 Gather additional information 16
5.3 Enter into database 18
5.3.1 Enter case into complaint database 18
5.3.2 Enter Global Safety Database number (only if applicable) 20
5.3.3 Perform sample handling 21
5.3.4 Assign responsible RQU 22
5.3.5 Inform all relevant responsible people 22
5.3.6 Check completeness and correctness of PTC entry 23
5.3.7 Forward complaint case 23
5.4 Investigate case and finally assess 23
5.5 Close case 23
5.6 Respond to the complainant 25
5.7 Obtain PTC translation 26
6 Internal References 26
7 External References 26
8 Annex 1: Examples for Risk Classification of PTCs 30
9 Annex 2: Report Form for PTC or suspected Falsification and Counterfeit Products 32
10 Annex 3: Pick list for Reporting Suspected Falsification Counterfeit Incidents 33

1 Scope and Framework

1.1 Scope

This SOP defines the responsibilities of the Global Business Services in the process of Product Technical Complaints and Suspected Falsification and Counterfeits Incidents handling.

It covers the handling, processing and reporting of:

- Product Technical Complaints (PTC) and suspected falsification and counterfeit incidents from the market
- Product Technical Complaints reported with Adverse Events (PTC + AE)
- Usability Issues (UI)
- Clinical Trials (Phase 4 Market Studies)
- Internal Complaints if described in Country Specific SOP in place

It applies to all complaints of products marketed and/or distributed by Bayer AG, its subsidiaries or affiliates.

It applies to all products placed on the market based on contracts for co-distribution, co-marketing and in-licensing as well as contract manufacturing and where Bayer acts as service provider (e.g. CureVac).

The Quality PTC process oversight remains with the CQU and CQH.

Out of Scope are:

- Internal complaints (complaints from one Bayer-site to another Bayer-site due to quality defects observed)
- Product Technical complaints (PTC) and suspected falsification and counterfeit incidents where BAYER is not the Marketing Authorization Holder (MAH) or the Legal Manufacturer. These cases have to be processed according to Quality Assurance Agreements (QAAs) in place.
- Clinical trials Phase 1, 2 and 3

1.2 Framework

This SOP is based on principles and requirements stated in the QMS regulation “Manage Product Technical Complaint and Suspected Counterfeit Incident”, GSOP 115.

In addition, special requirements are described in:

- SSC-PTC-BP-001: Initial Risk Classification
- SSC-SOP-*ISO Country Code- xxx:* For each country receiving complaints one Country Specific Requirement SOP

Other sources that provide necessary information:

- QAA: Quality Assurance Agreement to the Service Framework Agreement between respective GBS and Bayer AG
- SSF Working Instruction
- Complaint Database User Guides
- Complaint Database User Guide for FMD Alerts
- Translation Working Instruction

2 Abbreviations

AE	Adverse Event
CAPA	Corrective and Preventive Action
CMO	Contract Manufacturing Organization
CQH	Country Quality Head
CQU	Country Quality Unit
CSI	Customer Satisfaction Issue
FDA	Food and Drug Administration
FMD	Falsified Medicines Directive
GBS	Global Business Services
IMDRF	International Medical Device Regulators Forum
LODE	Lack of Drug Effect
LOE	Lack of effect
PV	Pharmacovigilance
PVCH	Pharmacovigilance Country Head
PTC	Product Technical Complaint
QA	Quality Assurance
QAA	Quality Assurance Agreement
QMS	Quality Management System
RC	Risk Classification
RQU	Responsible Quality Unit
SSF	Shared Service Framework
UE	Use Error
UI	Usability Issue

3 Definitions

Product Technical Complaint (PTC)	Any report received (written, electronic or verbal communication) about a potential or alleged failure of a product in its quality (including the identity, durability, reliability, safety, efficacy or performance) or a suspected falsification and counterfeit which may or may not represent a potential risk to the patient, customer, user or environment.
Pharmacovigilance (PV) case	Report which qualifies for capturing in the PV safety database. This includes reports of suspected adverse (drugs) reactions (also referred to as individual case safety report (ICSR), adverse events, invalid cases, medical device reports, serious undesirable effect (SUE) for cosmetic products and certain reports without adverse event referring to: special circumstances (e.g. exposure via parent, lack of drug effect (LODE), medications errors, (intentional) product use issue, off – label use, overdose, abuse, misuse, drug dependency, product use issue, pre-existing condition improved (in an unapproved indication) and occupational exposure.

PTC associated with Adverse Event (PTC+AE)	Any report of a PTC or usability issue (UI), which includes information of an adverse event or has been received or initiated in association with a single or cluster of PV cases or constitutes a potential reportable medical device complaint fulfilling any of the following criteria: - a PV case includes a reference to a potential or alleged product technical defect of the product - a PV case is related to a suspected falsification and counterfeit - a PV case or cluster of PV case report(s) questions the product quality by the reporter or PV (confirmation of product quality request) - a PV case which refers to a medical device (regardless of incident category) - a PV case which refers to medical device constituent or component of a combination product as suspect product associated to potential or alleged technical or quality defect - any PTC constituting a potentially (Local) reportable medical device complaint even without AE or special circumstances e.g. malfunctions of a device- constituent part of a combination product which might lead to serious injury/death
Incident (EU MDR 2017/45) and IVD 2017/746)	Any malfunction or deterioration in the characteristic or performance of a device made available on the market, including use-error due to ergonomic features, as well as any inadequacy in the information supplied by the manufacturer any undesirable side effect; and for in vitro diagnostic (IVD) devices, including any harm as a consequence of a medical decision, action taken or not taken on the basis of information or result(s) provided by the device.
Serious Incident (EU MDR 2017/745)	Any incident that directly or indirectly led, might have led or might lead to any of the following: - the death of a patient, user or other person - the temporary or permanent serious deterioration of patient's user's or other person's state of health - a serious public health threat
Serious Public Health Threat (EU MDR 2017/745)	An event which could result in imminent risk of death, serious deterioration in a person's state of health or serious illness, that may require prompt remedial action and that may cause significant morbidity or mortality in humans, or that is unusual or unexpected for the given place and time
Lack of drug effect (LODE) / Lack of Effect (LOE)	Failure to produce the expected physiological / pharmacological action of a medicinal product or medical device for human use. The term LODE is synonym to the term Lack of Effect (LOE) if the mode of actions is not a drug substance as in medical devices. LOE cases follow the rules for medical devices. LODE cases may be treated as PTC + AE. The decision is made by the responsible Pharmacovigilance unit.
Usability Issue (UI)	Use error or customer satisfaction issue of a medical device or the medical device constituent of a combination product are each a subgroup of usability issues: - **Use Error** – Act or omission of an act that has a different result to that intended by the manufacturer or expected by the operator of

the medical device or the medical device constituent of a combination product. Use error includes slips, lapses and mistakes. An unexpected physiological response of the subject does not in itself constitute a use error.

- **Customer Satisfaction Issue** – An expression of dissatisfaction by a customer/user, regarding a medical device or the medical device constituent of a combination product because there is no allegation that product fails to meet claims. Customer satisfaction issues include e.g. handling problems, difficulties to understand or to follow the instructions, etc.

Falsification

Falsification covers:

- Any medicinal **product with a false representation** of its identity, including its packaging and labelling, its name or its composition (other than any unintentional quality defect) as regards any of its ingredients including excipients and the strength of those ingredients
- **Manipulations** of genuine product for instance but not limited to (1) changing variable data, (2) removing/exchanging content, (3) returned and resold used products
- **Disappeared/Diverted Product:** Genuine product rerouted out of its intended legal supply chain into another supply chain by unauthorized actions, irrespective of whether the second supply chain is legal or not
- **Disappeared/Theft/Stolen Product:** Genuine product taken without authorization from anywhere in the upstream or downstream supply chain (warehouse, transport means, whilst within transit), be it by use of force, threat of force (e.g., robbery), misappropriation (e.g., by personnel) or deception (e.g., fraud)

Remarks

- Disappeared products in the sense of “a **lost product**”, meaning the accidental misplacing or disappearance of a product with the result that its whereabout is unknown at a specific time and, condition that there is not intent involved in the displacing or disappearance, are a separate category.

  These incidents are processed as complaints (quantity issues).

  Genuine product which is initially in doubt to be genuine and therefore reported as suspected falsification / counterfeit are processed as regular PTCs.

Counterfeit

Counterfeit covers:

- - **Trademark Violation:** Product either using without authorization any or a combination of the following: tradename, trademark, icon, rights owned and protected by Bayer according to applicable legislation.
- **- Fraudulent products:** “Products imitating a “generic” version of a genuine (Bayer) product by using any or a combination of the following (1) visual aspects of the original, (2) naming very close to the original or (3) claiming that the same API is present and independent of its registration status and true composition by excluding generic products with known legal registration status which belong to an identifiable MAH.”

4 Process Information

4.1 Purpose and General Guidance

The purpose of this process is to handle and report Product Technical Complaints in full compliance with global QMS requirements and in a timely manner to assure quality and safety of Bayer's products.

Compliance with the local legal requirements in individual countries is mandatory. Local requirements are described in Country Specific SOPs.

4.1.1 Complaint Classification

Product Technical Complaints and Suspected falsification and counterfeit Incidents are classified initially after receipt and finally after evaluation. The classification is based on the company´s assessment of the nature of the case and the potential risk to patient/ customer/ user/ environmental safety according to the following category definitions:

Risk Classification	Initial	Final
High	Complaints regarding **potential** defects which are potentially life-threatening or could cause a serious risk to health.	Complaints regarding defects which are potentially life-threatening or could cause a serious risk to health.
Medium	Complaints regarding potential defects which could cause illness or mistreatment with potentially non-serious medical consequences but are not classified as high	Complaints regarding defects which could cause illness or mistreatment with potentially nonserious medical consequences but are not classified as high
Low	Complaints regarding potential defects which may not pose a significant hazard to health.	Complaints regarding defects or alleged defects which may not pose a significant hazard to health.
Non-Justified	Not to be used	Non-defective product or the investigation did not confirm the alleged defect

Examples of each risk classification are listed in Annex 1.

4.1.2 Timelines

Complaint timelines are based on the depth of complaint assessment / investigation required. The responsible process unit, including complaint initiation and investigation unit need to follow the timelines to complete corresponding activities. The total max is defined by the time required to complete all activities. After the initial notification of the GBS/CQU (date becoming aware/ awareness date) the duration of the complaint process adheres to the following time frame [in calendar days] presented in the table below

The total maximum timelines are defined by the time required to complete all activities. When the PTC GBS team acknowledges the complaint e-mail (date becoming aware) the duration of the process adheres to the time frame (in calendar days) presented in tables below. E-mails are opened and read according to the principle "first in – first out".

The awareness date for the non–hosted languages starts when PTC GBS team acknowledges the translated complaint text. The Bayer Service translation office sends the translation to the GBS in a maximum of 6 hours after arrival. Translation notifications are treated as a priority in comparison with new e-mails in non-hosted languages.

Complaint process type	Complaint Initiation by GBS	Investigation**	Approval / Closure**	Total max. timeline*
Standard	5 (immediate escalation within 24 hours as required according to 5.3.5) ****	20	5	30
Non-Standard***		50	5	60
Local Closure	30	-	-	30

-

* For due date extensions, refer to chapter **Error! Reference source not found.**

** plus, remaining time from previous step(s)

*** Non-standard means

- a third party / CMO / external lab (service provider) is involved

- sample was requested but not received during data entry step within the required timeline.

- sample shipment is difficult

- an extension of investigation or testing is required (e.g. analysis at external laboratory, quality safety evaluation)

**** immediate escalation necessary, e.g., for serious public health threats, potentially life-threatening cases, cases potentially requiring a FAR. The awareness date in the complaint database reflects the day that BAYER Quality function becomes aware of the complaint / any new information necessitating a follow-up complaint. For amendments / follow-up complaints created to update assessment / investigation due to errors, awareness date remains the date when GBS/CQU became aware of last new information.

According to amendment security requirements, no amendment is editable for the following objects, create a follow up if such information updated:

Batch/Material/Part

Impact Organization

Root cause

Person (Complainant)

Reference CAPA

Investigation / QSE Investigation, Immediate Action / Sample

Root Cause Analysis, Effectiveness Check, CAPA Action, Extension request

If an amendment of an already existing complaint case is necessary, the awareness date remains the date when entering BAYER Quality function originally became aware of. If new relevant information is received after the closure of the complaint case, a follow-up case is opened with a new awareness date and clock starts again.

4.1.3 Sample Handling

Any sample can serve as evidence in a legal case and in case a sample is available the sample must be sent to the respective RQU for assessment. Therefore, the handling is done in a controlled manner.

In general, as soon as a sample is available and known to BAYER, the Respective Site is informed (CQU or third-party provider) to forward the sample to the RQU for investigation if required. Detailed process of obtaining samples and responsibilities of GBS and CQU related to sample handling are described in the respective Country Specific SOP.

If all necessary information (e.g., all variable data, any serialization code with its human readable information and texts printed on the product, etc.) can be provided by suitable electronic evidence (e.g., photo, video) or if shipment creates additional risks (e.g., safety hazard, biohazard), shipment of samples should be substituted by photo or video. The complainant is asked to keep the sample, if available, for at least 3 weeks. The RQU

notifies GBS/CQU regarding sample requirement for investigation.

In any case the RQU can justify that a sample shipment is not required (e.g. known defect or similar complaints for the batch in question have been investigated with a sample).

For IUSs BP 1429 “IUS Technical Complaints Guidance document” needs to be followed.

No physical samples are transported via GBS offices.

4.1.4 Final Classification of Complaint Cases

Terms	Definition
Confirmed quality defect	The initial complaint (alleged quality defect, issue, error) could be confirmed, and the root cause of the confirmed quality defect is within Bayer responsibility.
Unconfirmed quality defect	The complaint (alleged quality defect, issue) is unconfirmed, **or** root cause of the confirmed issue is not within Bayer responsibility.
Unconfirmed quality defect, but plausible	The alleged quality defect / issue can neither be confirmed nor ruled out by the RQU to be within Bayer responsibility but is plausible from a complaint description point of view.

4.1.5 Product and case specific requirements

- For combination products registered as medicinal drugs the rules of complaint handling for medicinal products have to be followed. Product specific requirements need to be considered.
- Any product specific procedure for handling of technical complaints has to be approved by the divisional QA and documented.
- The complaint process for specific low risk Consumer Health products (i.e. cosmetic and food supplements) follows risk-based approach. A single case evaluation is done at RQU level to determine the need of investigation based on pre-defined criteria. Investigation is mandatory and whenever considered relevant, if:
  - Initial risk classification “high” or “medium"
  - Complaint involves Health Authority
  - Suspected falsification and counterfeit, if sufficient information to perform an investigation is available (i.e., sample and/or pictures)
  - Confirmation of Quality Request

- RQU detects specific trend (e.g., for a batch, specific issue, country, error code)
- Signal/Trend detected during periodic review in accordance with GOI 1172 “Perform Periodic Review of Complaints including Quality checks”
- Investigation is mandatory if required by local regulation

- PTCs from internal customers (i.e. other Bayer sites, where the products are further processed) or external customers (i.e. third parties, who receive material from Bayer sites or buy APIs or intermediates) follow the same process as PTCs from the market. The tasks of GBS/CQU are resumed by the detecting site.


- Case entry is conducted by the detecting site.
- Investigation, initial and final risk classification (including the assignment of initial and final error codes), and final assessment are conducted by the RQU of the original manufacturing site.
- Close out and decision for further processing of internal complaints are performed by the detecting site

4.1.6 Reimbursement Handling

Rules regarding Reimbursement are different from country to country. Thus, country specific regulations and rules are defined in the respective Country Specific SOP.

In case the complaint is justified to get reimbursement, the GBS PTC team contacts the respective functions to ensure reimbursement (contacts are listed in respective country specific SOP).

4.2 Process Flow



4.3 Reference to Process Description

Detailed description of the process can be found in Chapter 5 and is organized as follows:

- Receive case (5.1)
- Intake (5.2)
- Enter into database/ local closure (5.3)
- Investigate case and finally assess (5.4)
- Close case (5.5)
- Respond to the complainant (5.6)
- Obtain translation (5.7)

4.4 Assigned roles and responsibilities

PTC GBS team

- manages PTCs and suspected falsification and counterfeit on behalf of the CQUs of the legal entity which introduces product into the market (e.g. Marketing Authorization Holder, Distribution license holder)
- Enters PTCs, suspected falsification and counterfeit i and Usability Issues according to defined timelines, into the global complaint database in English language
- forwards all cases that are not PTCs back to the CQU or applicable function for further processing
- performs the initial intake of complaints after receipt and considering the information provided by the PV in case of an AE and/or a medical device (incl. Medical Device constituent of combination product) is involved
- informs the respective PV about all PTCs with a potential associated AE or LODE or potentially reportable medical device complaints, including the unique complaint database number and all relevant follow-up information (e.g. Batch number)
- informs the CQU about PTCs where local authorities are involved, about all potential falsification and counterfeits and any other cases described in the Country Specific SOPs

	- checks completeness and accuracy of information (including the photo or video, if available from the complainant) before forwarding the cases to the RQU - Initiates first contacts with the complainant within first 5 days of receipt of the complaint information to obtain follow-up information asks CQU for any support contacting the complainant if not possible/allowed by GBS (e.g. data privacy, non-hosted language) - ensures translation of non-hosted languages - forwards all cases to the respective RQU for further investigation and final assessment - checks if a complaint sample is available and starts the process to retrieve the sample, documenting these efforts including the number of attempts requesting sample in detail in complaint database - reviews the case for plausibility and closes the assessed complaint in complaint database - support the process for reimbursement management - responds to the complainant, for PTC+AEs in liaison with the PVCH and documents the response in the global complaint database or other cross-referenced system in cooperation with the CQU - notifies the legal manufacturer of a device and where necessary, the manufacturer's authorized representative and the importer, if applicable.in case of any discussion or doubts contacts the CQH as the first line support
Country Quality Head (CQH) / Country Quality Unit (CQU)	- ensures the appropriate handling of PTCs, and suspected falsified and counterfeit incidents, reported in the respective country including the timely execution of the related activities, particularly for the entry of the cases into complaint database, forwarding them and for responding to the complainant - responds to the complainant, for PTC+AEs in liaison with the PVCH and documents the response in the global complaint database or other cross-referenced system in corporation with the Global Business Services - fulfills all obligations, e.g. PTC related reporting requirements defined by legislations or regulations - oversees and monitors the whole PTC process for products on market of their legal entity in case of delegation to GBS by controlling appropriate Key Performance Indicators according to GSOP 1372 “Perform Country Quality Management Review”.
Pharmacovigilance Country Head (PVCH)/ Pharmacovigilance (PV)	- informs the GBS team about PV cases which qualify for a PTC + AE - provides to the GBS/CQU all available PTC relevant case information, including reason for PTC, case seriousness, incident category for medical device related cases and all relevant follow-up information

- For PVCH only: receives from GBS/CQU and capture any PTC constituting a potentially (local) reportable medical device complaint even without AE or special circumstances

Responsible Quality Unit (RQU)

- assesses initial PTC reports for correctness and completeness of information and assigns initial complaint classification ensures that adequate technical investigations (including root cause investigation and potential CAPAs) are performed in a timely manner and documented appropriately in English language in the global complaint database
- ensures that complaint information is appropriately forwarded to relevant functions
- ensures that the legal manufacturer of a device and where applicable, the manufacturers authorized representative and importer is notified, if applicable.
- ensures definition and implementation of necessary corrections, corrective and preventive actions.
- issues a final assessment to the GBS/CQU team and provides a final statement
- ensures response from external CMOs in case of contract manufacturing
- accountable as CAPA requestor for the quality defect of the product
- initiates a PTC+AE case (e.g., global literature case or confirmation of quality request) identified by PV PQS due to an observation from monitoring processes.

The names of the responsible RQU´s can be found on the SharePoint go/ptcops:

- for products coming from BAYER manufacturing sites, persons working on complaints in the respective manufacturing sites are defined
- for products coming from external global CMOs, persons from divisional Quality Assurance Units, the External Manufacturing function, or Bayer manufacturing sites (e.g. Morristown) are defined
- for products coming from external local CMOs, the country specific CQH acts as the RQU

5 Detailed process description

5.1 Receive case

All PTCs are received as e-mails via the SSF tool. The GBS team first verifies the country of origin and readability of the case. Detailed instructions on how to handle e-mails in the SSF is described in the SSF Working Instruction.

Remark:

- The SSF is a communication tool to manage incoming e-mails and it is not used to store any data.
- According to Country Specific SOPs, some countries can receive PTCs from other systems, for example: IRMS, Engage, Tamro Tuovi, Duckbill or Quality Complaint Report Form.
- Falsified Medicinal Directive alerts comes via complaint database, with data prefilled by the alert operators. Data is checked and refilled by the PTC GBS team member.

Description	Assigned Roles & Document Reference
5.1.1 Hosted language? - Verify whether the language of the message received is hosted by the PTC GBS team. If not hosted, readable and understandable cases are forwarded for translation (5.7). **Remark:** - Table with hosted languages for each GBS center is in the Translation Working Instruction. - In case host languages resource is not available in GBS, CQU or translation office is used unless defined in country specific SOP. - If needed, prechecks for text translations are done by using Bayer translator	PTC GBS team Translation Working Instruction


5.2 Intake

Description	Assigned Roles & Document Reference
5.2.1 Read e-mail - Open the e-mail in SSF and read the text.	PTC GBS team
5.2.1.1 Is it PTC? - If the message is not related to a PTC (= non-PTC) (e.g. marketing questions, non-complaint related questions from customers, like questions about temperature excursions or ingredients), forward the mail with the non-PTC case to the CQU or appropriate function for further processing (5.2.3). - All identified PTCs are further assessed and processed (5.2.1.2)	PTC GBS team
5.2.1.2 Is it new PTC? - If the received information is related to an already reported PTC, add any new information directly in complaint database (5.2.4): • As follow-up for already closed case,	PTC GBS team

Description	Assigned Roles & Document Reference
• In communication protocol for open PTC in complaint database. - If it is a new PTC, perform further assessment (5.2.1.3) **Remark** Received messages which explicitly are raising a suspicion of counterfeit or falsification e.g. questioning the authenticity, asking if the product is authentic genuine or falsified etc., are handled as PTCs.	
5.2.1.3 Is complaint data in place for further processing? - All usable information to identify the case is entered in complaint database (e.g. product name and incident and batch if it is available). - Check whether all necessary data such as product name, batch number, complaint description, sample availability is provided. - In case of any missing, incomplete or unclear information, gather additional information (5.2.4) - Adhere to the timelines for data entry according to “Timelines” section (see timelines 4.1.2).	PTC GBS team
5.2.2 Forward non-PTC e-mail - Based on Country Specific SOP, send messages that are not PTC to the CQU or applicable functions - According to the Country Specific SOP, choose the name or contact address of the CQU and forward an e-mail message via SSF with all attachments included. **Remark:** - PTCs out of scope for the GBS team as described in this SOP must be forwarded to the CQU for further processing.	PTC GBS team
5.2.3 Add new data to existing PTC in complaint database - Enter any new information to PTC in complaint database, following the “Complaint Database User Guides”:	PTC GBS team CQU Country Specific SOP
5.2.4 Gather additional information - Gather missing information from a complainant by e-mail or phone, following the Country Specific SOP. First choice is to use e-mail instead of phone while contacting the complainant. - Perform 3 documented attempts to obtain missing or insufficient relevant information (including sample availability and shipment), documenting each attempt in complaint database. Specify when the attempt was performed Use templates in the country specific language to contact the complainant via e-mail. All standardized templates are agreed with the CQH and available as an annex in respective Country Specific SOP.	PTC GBS team CQU Country Specific SOP

Description	Assigned Roles & Document Reference
- If the telephone number for a complainant is provided, language is hosted by the GBS team and it is impossible to get missing information by e-mail, contact the complainant directly by phone to obtain missing information or ask CQU for support. - When information is received via phone for an existing PTC, enter all information directly in complaint database. - While asking for missing data never provide information. For product related question provide to the complainant contact information specified in the respective Country Specific SOP. - If there is no e-mail provided, and the language is not hosted by the GBS team, contact the CQU (current contact addresses are found on the QINT SharePoint go/QINT, folder “country quality list”). - In case of a country specific data privacy law, no private data will be entered into complaint database, thus the CQU are contacted to contact the complainant. **Remark**: - Templates for contact with complainants in different local languages are stored in the country specific SOP.	

5.3 Enter into database



Description	Assigned Roles & Document Reference
5.3.1 Enter case into complaint database - Enter each case (even those for already expired products), including suspected falsification and counterfeit incidents/falsifications, as either a complaint or usability issue or suspected counterfeit/falsification in the complaint database within the required timeline (see 4.1.2.). - Add all information into complaint database in English language. - Attach all case relevant information to complaint database: • In the “Attachments” section: photos of sample, the original complaint and respective follow-ups translated text (if applicable), and response letter prepared by PTC GBS team or CQH (if applicable) as PDF files. - Data Privacy must be ensured if required. - For specific requirements given by e.g. products, product groups, divisions, consider the requirements given in all applicable SOPs. Always check SOPs before entering complaints in the complaint database. - Process all reportable and potentially reportable cases for medical devices and selected combination products (Serious Public Health Threats, Incidents) as PTC + AE to ensure that a device report can be submitted. - Use Annex 3: Pick list for Reporting Suspected Falsification and Counterfeit Incidents to facilitate and harmonize reporting on suspected falsification and counterfeit Incidents. - Process all Radiology Medical Device complaint cases, i.e. PTC, PTC+AE and AE cases in the complaint database only and not in the safety database of PV. - Process FMD alerts initiated in complaint database by alert operators, ensuring that provided division, product type, material number and batch number are correct. - Enter usability issues into the global complaint database, even those with no report of a suspected quality defect. - Process use errors as PTC+AEs if they are directly associated to a PV case, i.e. reported AE or special circumstances, e.g. off-label use, misuse, medication error.	PTC GBS team SSC-PTC-BP-001: Initial Risk Classification Country Specific SOP GSOP 1581

Description	Assigned Roles & Document Reference

- Process LODE cases as PTC+AE if PV raises a confirmation of product quality request after PV monitoring creates a LODE batch observation
- Determine if a technical investigation is necessary. If not (e.g. Bundling), provide justification.
- To open a new complaint, log into complaint database:
- Ensure completeness and accuracy of the information and attach all relevant documentation (also in local language).
- Key data to be provided into complaint database are:
  - Complaint type (external / internal / external-Non-Bayer product).
  - Awareness Date: date when the PTC GBS/CQU Team first acknowledges the case.
  - Product type: drug/medicinal product, medical device, combination product, food supplement, cosmetics, API/Raw Material/ Excipient/ Ingredient, Other.
  - Persons: (can be “not applicable” according to certain country specific instructions).
  - Batch / Serial Number status: Select between “Known Batch”, “Unknown Batch/Serial Number”, “Known Serial Number”, N/A.
  - Title: product name, complaint main reason and SSF number, and batch number if applicable. For radiological medical devices provide SSF number not in “Title” field, but at the beginning of the “Description” field in complaint database.
  - Detailed description (“Description” field in complaint database)
  - Manage Team: select owner and approver.
  - Availability of sample. If sample is not available, select reason. If the rationale for no sample return cannot be specified from down drop list or “other” is chosen, clarify the reason of no sample sending in the sample description field.
  - For Consumer Health complaints, according to complaint description classify “initial error codes” by clicking “create” button and choosing from drop-down list terms that are most suitable for technical description of complaint. Multiple error codes can be added. Refer to BP-001, Initial Risk Classification, for error codes.

Remarks:

- A PTC number is assigned by the database to which all further correspondence refers to.
- If the complaint database is not available, complaints are documented on paper (Annex 2: Report Form for PTC). The data is entered as soon as complaint database is available again.

Social media triggered complaints (e.g., related to the same defect, received in a short time frame, by one single country, assessed as unconfirmed quality defect and in alignment with divisional quality), and suspected falsification and counterfeit incidents (e.g., due to serialization alerts with complaint classification Medium and Low, if they are related

Description	Assigned Roles & Document Reference

to one single product, one single batch and one single country received on the same day, see also GSOP 1581 “Process EU FMD Alerts”), are handled in one of the following ways:

1. Single case entry into complaint database.
2. Cases are collected in the complaint database under one case for one product with a short description by GBS/CQUs for social media triggered complaint or Alert Operators for Suspected Falsification and Counterfeit Incidents.
3. Specific agreement for an aggregate monitoring instead of a single case entry

Remark:

The alert operator creates an entry in the Complaint Management System daily and forwards the case to the CQU/GBS. This allows appropriate trending and signal detection.

5.3.1.1 Local Closure possible?

Only for cases associated with

a. Usability Issues or
b. Documentation or
c. PTCs,

Were

- legal manufacturer was informed and
- no complaint sample is available and
- no photo of the sample can be sent and
- no batch/serial data of the drug product or medical device have been reported after three documented attempts and
- no AE was reported:

- include the rationale for local closure provided that three documented attempts were made to obtain the sample, and the necessary information or sample is already declared not available.

Remarks:

For complaints closed locally, classify complaint case using risk classification according to its criticality (see **Error! Reference source not found.**

All Class III device cases (like Essure and Nova T) need to be assigned to the RQU.

FMD alerts

The received EU FMD alerts are first pre-evaluated by alert operators. All alerts that are assumed to be suspected counterfeit incidents or quality defects are preliminary entered into complaint database by alert operator. Once the complaint is created the PTC GBS Team will be notified for further processing.

- Complaint classification (Medium)

Contact the Alert Operators in case inconsistency is assumed to clarify the situation and request correction if confirmed.

5.3.2 Enter Global Safety Database number (only if applicable)

PTC GBS team

Description	Assigned Roles & Document Reference
- PTC +AE cases are provided by PV as PTC request. Add provided Argus number: global AE number in complaint database field: “Global Safety Database” This field is mandatory. If only global AE number is provided, enter this one. In case the number is not available in time, write: “to be provided later or TBD”. When the number is received from the PV at later stage, add the number to the communication protocol with a notification to the RQU to enter the number into the Global Safety Database number field. - In case in received complaint there is no reason to enter case in complaint database, inform PV that no complaint database number will be provided and provide justification, ensure CQU was informed if reconciliation is conducted by CQU. - If any of the following is reported with PV case, PTC+AE initiation is needed regardless if batch number/sample is available: • technical product defect (potential or alleged) • suspicion of counterfeit (including theft or diversion) • confirmation of product quality request (reporter or PV questions the product quality due to AE) • medical device (regardless of if incident category) • potentially reportable medical device complaint (even without AE or special circumstances) • combination product medical device constituent as suspect product associated to technical product defect (potential or alleged) - Inform the PV about every PTC potentially associated with an AE or LODE or potentially reportable medical device complaint, providing the unique complaint database case number and all relevant information (e.g. batch number). In case translation is available for the case, provide this file to the PV. - Inform PV about cases where medication was used during pregnancy (=Drug exposure during pregnancy). **Remark:** - The PV contacts per country are listed in Country Specific SOPs. - The PTC+AE is not required for pure LODE cases when no sample and no batch number is provided	PV Country Specific SOP
5.3.3 Perform sample handling - Verify if sample is available according to information from received PTC. - In case sample is available, contact the complainant and the CQU to obtain it according to the Country Specific SOP. - Ask complainant to send photos. - Contact the RQU or the CQU for further instructions in case of doubts whether the sample is shipped or not. - In case photo is available, ensure the photo fulfills the following requirements: Photo captures all important details (e.g. all variable data, any serialization code with its human readable information and text printed on the product, etc.). The photos also include the overall picture	PTC GBS team CQU RQU Country Specific SOP

Description	Assigned Roles & Document Reference
about the entire device and other relevant details described in the complaint. - If photos are available, attach them in complaint database - Perform 3 documented attempts to obtain missing or insufficient relevant information such as batch number, applied serial numbers for suspected falsification and counterfeits and complaint sample availability if required for the complaint investigation, unless justified why less or even no attempt was made, e.g. if a sample is declared not to be available. Complete the “Physical Sample available for return” or “Photos available for investigation” section in complaint database. If sample is not available, indicate the reason. - The detailed process of obtaining missing information / photos / sample is described in the “Gather additional information” section (5.2.4), depending on contact data and language of complaint. - In case the complainant is in a country with a non-hosted language, or in case the private data are not available in complaint database due to data privacy law in the country, contact the CQU in order to get the sample or photo. - Inform the CQU and/or the colleagues who are in charge of sample collection, that the sample must be retrieved (see for contacts: Country Specific SOP). - Enter how many packages has been complained about.	
5.3.4 Assign responsible RQU - Current due date will be automatically selected by selecting the “Standard” or “Non-Standard” timelines. Assign RQU (Owner) in complaint database by choosing person from drop down list. - A table with all available products in the country needed for the entry into Complaint Database, is available on SharePoint: go/ptcops. - For CH products registration status in the respective country as well as Manufacturing Site are available via SYNAPS: go/synaps. - List with the respective RQU contact names are provided by the Divisional Quality Assurance function and available on the SharePoint: - PH: *PH RQU responsible list_HJ.xlsx* - CH: *IQMS_MASTER LIST COMPLAINT RESPONSIBILITIES.xlsx*	PTC GBS team
5.3.5 Inform all relevant responsible people - Radiology Medical Device MDR reporting is done independent to the complaint data base. • Incident reporting associated with US FDA, Health Canada, EEA (including CH & TK) are performed by Radiology Issue & Complaint Management (ICM), TGA submissions to Australia supported. • Incident reporting in other countries are performed by countries in accordance with their local SOPs. - Inform the respective PV group immediately, and provide full case information, if a PTC or a suspected falsification and counterfeit incident includes information of a (potential) PV case / Adverse Event if it is not known if the PV has received the case information.	PTC GBS team

Description	Assigned Roles & Document Reference
- Inform the CQH and the CQU immediately via complaint database about Suspected Falsification and Counterfeit Incidents, any complaints received from local health authorities, and if a complainant intends to inform the Health Authorities (current contact addresses are found on the QINT SharePoint go/QINT). Also provide any additional escalation defined in the Country Specific SOP.	
5.3.6 Check completeness and correctness of PTC entry - Check if all mandatory fields in complaint database are filled in properly. - In case the time for entering data in complaint database is approaching (according to timelines) and still some data is missing, forward the PTC entry to the RQU and contact complainant for missing information (5.2.4). - In case new data is provided after forwarding the PTC case to the RQU, add this information in the communication protocol.	PTC GBS team
5.3.7 Forward complaint case - When selecting “Start Investigation” complaint database will show a pop-up window indicating if a mandatory field is missing. - When all mandatory fields are complete, press “Start” button - The individual assigned as responsible for the next workflow step is informed by e-mail notification. **Remarks**: - The system assigns a unique PTC number.	PTC GBS team

5.4 Investigate case and finally assess

Description	Assigned Roles & Document Reference
- The RQU assesses the initial PTC case documentation for completeness, correctness and accuracy and sends it back to the GBS for correction if necessary. - The RQU documents the completed evaluation and investigation outcomes, including CAPAs if required, in complaint database.	RQU GSOP 115

5.5 Close case

Description	Assigned Roles & Document Reference
- Check plausibility before closing a case to ensure that: the completed case is understandable; the root cause fits to the conclusion and final risk classification: • Final Error Code - based on results of investigations	PTC GBS team

Description	Assigned Roles & Document Reference
• Origin of issue or defect: Responsible for the investigation, e.g. “Production site” • Conclusion: assessment according to the definitions: "Confirmed quality defect, “Unconfirmed quality defect”, “Unconfirmed quality defect – but plausible” - Check whether investigation includes: • For confirmed and/ or unconfirmed but plausible quality defects Information about similar complaints and trending (or decision "not required") • examination of retain samples (or decision "not required") • examination of complaint samples (or decision "not required") • For medical devices only: review if for respective FDA or IMDRF evaluation codes and Device Problem codes for potentially reportable cases are entered • For combination products review if respective FDA evaluation codes (results, methods, conclusion) and Device Problem codes for potentially reportable cases are entered - For unconfirmed quality defects check whether there is an obvious and reasonable justification for ruling out a quality defect in place - For follow-up complaints check if there is an adequate rational (e.g. waiting for the sample) in place - In case there is relevant communication from gatekeepers, inform the CQH about needed actions - Check if sample is received and all attachments with case relevant information are in place - If a sample retrieval package has been sent out, and the package is not returned to RQU, make additional phone/mail contact to the CQU to determine why the package was not returned. Document this contact in complaint database. - If data is not consistent and plausible, return to the RQU for correction. - Follow country specific SOPs to perform case escalation during case closure. If CQH/CQU is already informed, no additional escalation is required from GBS. - Follow country specific SOPs to seek CQH or CQH deputies' approval before closing the case, for final risk classification “High” and “Medium” case. - Ensure completeness of all case related documents either attached to the case or by reference to further record keeping storage places. - If data is consistent and plausible, finalize the case with an electronic signature in complaint database. - If new information is received after closure of the complaint case a new follow-up complaint must be initiated (i.e., sample received which was not available initially, patient outcome has changed) and the clock starts again according to the timelines in chapter 4.1.2. Awareness Date is the date BAYER Quality function first became aware of the original PTC.	

Description	Assigned Roles & Document Reference
Remarks: - Due date extension of a complaint is allowed, with interim report and justification, if complaints cannot be closed within defined timelines. However, all complaints must be finally closed after 90 days the latest based on the available information at that time. - If all complaint related activities cannot be completed within 90 days (e.g., where the investigation includes third party and/or external service provider such as external lab and/or expanded over multi-sites), complaints remain open beyond 90 days and are considered overdue. GBS/CQH is notified about the current status. - Final Risk Classification"Non-Justified" is suitable only for unconfirmed defects. - - Complaints are amended only for corrections or to add pertinent information related to the complaint after its closure, e.g., email from a health authority closing an incident, revised response letters. Amendment must be requested to and approved by QA - Deletion of personal data in closed complaint cases is handled by the complaint process change control, if requested by the complainant / reporter. Reimbursement Process: • As rules regarding Reimbursement are different from country to country, check the rules for each country in the respective country specific SOP. • In case the complaint is justified to get reimbursement, contact the respective functions to ensure reimbursement (contacts are listed in the respective Country Specific SOP). **Remarks:** - Final closure of the case in complaints database by electronic signature can be done after attaching response letter to the complainant in the "Attachments" section.	

5.6 Respond to the complainant

Description	Assigned Roles & Document Reference
- Rules and templates for acknowledge letters and response letters are defined in the Country Specific SOPs. - Do not copy the investigation outcome from the complaint database into the response letter. - Document sending the response by attaching the letter in complaint database as PDF file. Acknowledgement letter without gathering information does not need to be attached into complaint database. - Ensure that a written response is provided to the complainant in a clear comprehensible form if requested or required by local regulations.	PTC GBS team CQU Country Specific SOP

Description	Assigned Roles & Document Reference
- In cases described in the Country Specific SOP, the CQU sends the response letter to the complainant, e.g. because of data privacy law. **Remark**: - In case CQU is responsible for preparing response letter, ask the CQH and the CQU to provide response letter in pdf file before case closure. - Right before closure, if response letter prepared by the CQU is not provided within closure timelines, add statement in the communication protocol in complaint database that response letter is kept with the CQU.	

5.7 Obtain PTC translation

Description	Assigned Roles & Document Reference
- Obtain translation by contacting the Bayer Service Translation Office. - Follow detail process described in the Translation Working Instruction.	PTC GBS team BS Translation Office Translation Working Instruction

6 Internal References

- GSOP 115 "Handling of Product Technical Complaints and Suspected Counterfeit Incidents"
- SSC-PTC-BP-001: Initial Risk Classification
- SSC-PTC-SOP-*ISO Country Code-xxx:* For all countries receiving complaints of one Country Specific Requirement SOP
- SSF Working Instruction
- Translation Working Instruction
- GSOP 1581 “Process EU FMD Alerts”
- GSOP 1372 “Perform Country Quality Management Review”

7 External References

None

History of changes

Version	Significant changes with respect to previous version	Effective date
1	New document	2020-04-01
2	# SSCDN team changed to PTC SSC team # Chapter 4.4 updated roles and responsibilities of PTC SSC team according to GSOP 115 v 11.0 # Chapter 5.1 updated with other systems for receiving complaints. # Chapter 5.2 changed flowchart # Chapter 5.4 updated with details how to document contact with customer and to use e-mail as first choice for contact. # Chapter 5.3 changed flowchart # Chapter 5.3.1: updated with attachments details, reportable in country requirements, short description details, PV request description and processing FMD alerts. # New chapter 5.3.2: entering safety database number (in previous version described in 5.2.2) # Chapter 5.5. added detailed description on plausibility check # Chapter 5.6 updated with details on documenting response to complainant # Annex 4 (currently annex 3) updated according to GSOP 115 v 11.0 # Annex 3 and 5 deleted.	2020-12-15
3	# Update author and approvers #Update document number to SSC-PTC-SOP-001 according to SSC-PTC-SOP-003 version 5.0 # Section 5.1.1 Replace “Readable and understandable cases are further assessed (5.2), otherwise forward for translation (5.7)” with “If not hosted, readable and understandable cases are forwarded for translation (5.7). # Section 5.1.1, in the remarks section, include “if needed, prechecks for text translations are done by using Bayer translator” #Section 5.2.1.2 Remark, include that messages raising a suspicion of counterfeit or falsification are handled as PTC. #Section 5.2.3, bullet #2, Include optional statement about the RQU being notified about new data by clicking on the send email button to enter new comments. # Section 5.2.4, change instruction to include attempt information such as when and how, only when attempt is made by means other than e-mail. # Section 5.3.1 Remarks, include clarification information for Bundling in accordance with GSOP 115 version 12.0 #Section 5.3.1 FMD Alerts, added “initial risk classification” next to categorization for clarification purposes #Section 5.3.2 Include sentence stating that RQU may return the case to Data entry to have Argus number added.	2021-05-15

	# Section 6 Internal References, include reference to 1635 Supplement Handling of Product Technical Complaints Samples – Supplement to GSOP 115 to # Section 1.1 Delete Sentence in “out of Scope”: When Bayer is not MAH # Section 1.1 Add in Scope, statement for Bayer as Service Provider	
4	# small adjustment in chapter 1.1 regarding internal complaints # deletion of “Bundling of cases” from chapter 5.3.1 # addition of special situation for PV notification in chapter 5.3.2	2022-09-01
5	# Updated Distribution Sheet for Quality Regulation # Updated document name to reflect GBS instead of SSCDN # Changed SSC and SSCDN references to GBS # Section 1.1 Added Out of Scope: PTCs where BAYER is not the Marketing Authorization Holder # Section 2. Added GBS abbreviation # Section 3. Reworded definitions: PTC+AE associated with Adverse event and Counterfeit Incidents. Updated UI definition change “combination product” to “the medical device constituent of a combination product” # Section 4.1.2 Extension of data entry timeline for UIs or if neither sample nor batch is available for RC III & IV. Added note in Close/Verification column # Removed reference of Supplement 1635, now obsolete. # Section 4.1.3 Removal of requirement to send PTC samples when other media such as photos are sufficient # Section 4.4 Minor Updates. Added reference to GSOP 1372 in CQU responsibilities. Added responsibility for the RQU # Section 5.3.1 Added reference to Annex 3. Introduction of bundling for social media complaints. Reworded “No batch / No Sample” section # Section 5.3.5 Minor updates. Added Radiology Medical Device reporting section # Section 5.5 Minor updates. Added remark # Added Internal reference # Updated Annex 3	2022-12-05
6	# Update Distribution Sheet # Update through all the document reflecting Global SOP-115 version 14.0 updates. # Replace “Dev@Com” with “Complaint Database” # Replace “Risk Category” to “Risk classification” # 1.1 Add clarification for Clinical Trials and Internal Complaints # 1.2 Removing Dev@com Handbook and SSC-SOP-002 # Adding definition of Falsification, update Counterfeit definition based on Global SOP-115 version 14.0 # Update session 3 based on Global SOP-115 version 14.0	See cover page

	# Update on section 4 based on Global SOP-115 version 14.0 and transition to new complaint database, updating timeline of case processing and complaint risk classification, removing process steps which were only applicable to Dev@Com. #Update on section 5 based on Global SOP-115 version 14.0 and transition to new complaint database, removing process steps which were only applicable to Dev@Com. # SSC-SOP-002 Internal reference removed # Updated Annex 1 # Updated Annex 2 # Updated Annex 3	

8 Annex 1: Examples for Risk Classification of PTCs

(Most examples taken from "EMA – Compilation of Community Procedures on Inspections and Exchange of Information EMA/369583/2023 Rev 19.1)

Risk Classification "High": Complaints regarding defects which are potentially life threatening or could cause serious risk to health.

Examples:

- wrong product (label and contents are different products)
- correct product but wrong strength, with serious medical consequences
- microbial contamination of sterile injectable or ophthalmic products
- chemical contamination with serious medical consequences
- mix up of products with more than one container involved
- wrong active ingredient (with serious consequences)
- Serious adverse reactions which are batch or product related (most likely to be first notified to the Pharmacovigilance Department in an urgent safety report)
- Presence of particle in injectable medicinal products
- The defect presents a high environment risk

Risk Classification "Medium": Complaints regarding defects which could cause illness or mistreatment with potentially non-serious medical consequences but are not classified as High.

Examples:

- mislabeling (e.g. wrong or missing text or figures)
- missing or incorrect information (label, leaflets or inserts)
- microbial contamination of non-injectable, non-ophthalmic sterile product with potentially non-serious medical consequences
- chemical/physical contamination (significant impurities, cross contamination, particles including glass particles in the original immediate container)
- mix-up of products in containers
- non-compliance with specification (e.g. assay, stability, fill/weight)
- insecure closure with non-serious medical consequences (e.g. cytotoxic, child-resistant containers, potent products)

Risk Classification "Low": Complaints regarding defects which may not pose a significant hazard to health. Examples:

- unclear labelling, minor labelling errors: e.g. wrong or missing variable data (batch number or expiry date)
- faulty closure, where no increased risk to the quality of the product is presented
- contamination e.g. microbial spoilage, dirt or detritus, particulate matter
- broken immediate container
- non-compliance with fill/weight in case of multi-dosage forms
- single case (i.e. one object, package, etc.) of mislabeling
- occasional empty blister,
- occasional lack of printed material,
- damaged or contaminated secondary packaging,
- insignificant printing error,
- insignificant occasional device defect
- diverted genuine or fraudulent products without potentially significant health risk

Risk Classification "Non-justified": Non-defective product

This category is only used for the final classification. Examples:


- complaints about contamination with particles, where no particles could be found in the sample, suspected counterfeits, which turn out as original product
- Complaints that relate to the misuse of the product

9 Annex 2: Report Form for PTC or suspected Falsification and Counterfeit Products

The form can be modified according to specific requirements regarding complaints related to e.g. investigational medicinal products, APIs, intermediates, etc.

To open the Form, please use the following instructions in Veeva Vault Quality:

1. Start Veeva Vault Quality and Sign-In
2. Select the effective version of GSOP 115 “Manage Product Technical Complaint and Suspected Falsification and Counterfeit Incident”
3. Open the native content from Veeva Vault Quality
4. Open the embedded Word file
5. Complete required data



10 Annex 3: Pick list for Reporting Suspected Falsification Counterfeit Incidents

	Falsification (Falsified Medicine and Other Falsified Products (cosmetic, food supplements, non-regulated product))			Counterfeit
Incident subtypes	**(1) Any medicinal product with a false representation** (e.g., of its identity, including its packaging and labelling, its name or its composition (other than any unintentional quality defect) as regards any of its ingredients including excipients and the strength of those ingredients) **(2) Manipulation of genuine products** (e.g., changing variable data, removing content, exchanging content, returning used products)	**Disappeared/Diverted Product (Smuggling)** (Genuine product rerouted out of its intended legal supply chain into another supply chain by unauthorized actions, irrespective of whether the second supply chain is legal or not)	**Disappeared/Theft/Stolen Product** Genuine product taken without authorization from anywhere in the upstream or downstream supply chain (warehouse, transport means, whilst within transit), be it by use of force, threat of force (e.g., robbery), misappropriation (e.g., by personnel) or deception (e.g., fraud)	**(1) Trademark Violation** Product either using without authorization any or a combination of the following: tradename, trademark, icon, rights owned and protected by Bayer according to applicable legislation **(2) Fraudulent Products** Products imitating a “generic” version of a genuine (Bayer) product by using any or a combination of the following (1) visual aspects of the original, (2) naming very close to the original or (3) claiming that the same API is present and independent of its registration status and true composition but excluding generic products with known legal registration status which belong to an identifiable MAH.
Feedback Type	Suspected Counterfeit / Falsification	Suspected Counterfeit / Falsification	Suspected Counterfeit / Falsification	Suspected Counterfeit / Falsification
Title	Name of the reported product: "Suspected falcification" or "Suspected manipulation"	Name of the reported product: "Suspected diversion"	Name of the reported product: "Suspected theft/stolen product"	Name of the reported product: "Trademark violation" or "Fraudulent product"
Counterfeit / Falsification Confirmed?**	Yes	Yes	Yes	Yes*
Conclusion	Confirmed Falsification from Unknown Source Confirmed Falsification in Illegal Supply Chain Confirmed Falsification in Regular Supply Chain	Confirmed Falsification - Diversion from Unknown Source Confirmed Falsification - Diversion in Illegal Supply Chain Confirmed Falsification - Diversion in Regular Supply Chain	Confirmed Falsification - Theft from Unknown Source Confirmed Falsification - Theft in Illegal Supply Chain Confirmed Falsification - Theft in Regular Supply Chain	Confirmed Counterfeit (Trademark Violation) Confirmed Counterfeit (Fraudulent Generic) from Unknown Source Confirmed Counterfeit (Fraudulent Generic) in Illegal Supply Chain Confirmed Counterfeit (Fraudulent Generic) in Regular Supply Chain

* For Trademark Violations, where known that the reported incident does not refer to a Bayer product, assessment is performed by GBS/CQU

**Cases reported as "suspected falsification / counterfeit" and assessed to be genuine/registered product follow regular PTC process

Task: Content Approval Verdict: Approve changes & release Approval to be made Effective	Hanna Kapuscinska, (hanna.kapuscinska@bayer.com) Approver - Content 02-Apr-2025 06:48:30 GMT+0000

Task: Final Approval Verdict: Approve changes & release Final Approval to be made Effective	Jinghua Yin, (jinghua.yin@bayer.com) Approver 02-Apr-2025 06:52:41 GMT+0000

Task: Final Approval Verdict: Approve changes & release Final Approval to be made Effective	katarzyna mazur kominek, (katarzyna.mazur-kominek@bayer.com) Approver 02-Apr-2025 06:53:13 GMT+0000

Task: Final Approval Verdict: Approve changes & release Final Approval to be made Effective	Roberto Chaves, (roberto.chaves@bayer.com) Approver 04-Apr-2025 03:14:48 GMT+0000

Task: Final Approval Verdict: Approve changes & release Final Approval to be made Effective	Gloria Gaviria, (gloria.gaviria@bayer.com) Approver - QA 04-Apr-2025 13:10:52 GMT+0000