Standard Operating Procedure (SOP)

Country Specific Requirements Canada

Document Number: IQMS-91277
SSC-PTC-SOP-CA-004

Version: 9.0

Effective Date:	2026-01-01
QMS Area:	Quality
QMS Chapter:	4.9 Product Safety, Product Quality and Pharmacovigilance

Applicability

Bayer Level:	CH, PH

This document is electronically approved (signatures on the last page)

Distribution Sheet for Quality Regulations

Division/Business Unit	☒ PH ☒ CH
GBS Location	☐ Global Business Services Barcelona
	☒ Global Business Services Costa Rica/Brazil
	☐ Global Business Services Manila
	☐ Global Business Services Gdansk
	☐ Global Business Services India
	☐ Global Business Services Dalian
	☐ Global Business Services Germany
Region/ Country	☐ Global ☒ Specific Country: Canada
Relevance for R&D QMS	☐ Affected ☒ N/A

Version:	9.0
Document Author(s):	Warner Villalobos Benavides (GFFAE)
Document Approver(s):	**CQH:** Nalini Satar (GDBVE) **PTC Team Lead/SME:** Roberto Chaves (EQVIE)
Training Role(s):	GBS_CR_PTC_CLUSTER 9
Relevant Process and Activities:	PTC

Table of Contents

1 Scope and Framework 5
1.1 Scope 5
1.2 Framework 5
2 Abbreviations 5
3 Purpose & Set-Up 5
3.1 Purpose 5
3.2 General Guidance 6
3.3 Roles and Responsibilities 6
4 Specific requirements regarding PTC handling 7
4.1 Country Specific Requirements listed by different topics 7
4.1.1 General Information 7
4.1.2 Contact list 7
4.1.3 Escalation Rules 7
4.1.4 Pharmacovigilance cases 8
4.1.5 Product Samples 9
4.1.6 Statement letter 12
4.1.7 RQU Contact list 12
4.1.8 List of Local Opportunities Products 12
4.1.9 Data Privacy Requirements 13
4.1.10 Gathering additional information (including obtaining translation) 13
4.1.11 Reimbursement and Replacement 14
4.1.12 Exceptions and special cases 15
4.1.13 Others 15
5 Internal References 17
6 External References 17
7 Annex 1. Follow-up Email Template 21
7.1 ENGLISH TEMPLATE 21
7.2 FRENCH TEMPLATE 22

1 Scope and Framework

1.1 Scope

Bayer Country Quality Units are accountable for a GMP compliant Product Technical Complaint Management within their respective countries. Within this responsibility they are supported by the respective Global Business Services Units in process steps like management of the complaint entry, initial risk classification processing to the RQU, and supporting in the return of the complaint samples as required.

This SOP defines clear guidance to the Global Business Services Units regarding all country specific requirements.

1.2 Framework

This SOP is based on principles and requirements outlined in SSC-PTC-SOP-001 “Manage Product Technical Complaint and Suspected Counterfeit Incidents in GBS”.

2 Abbreviations

AE	Adverse Event
CH	Consumer Health Division
CMO	Contract Manufacturing Organization
CQH	Country Quality Head
CQU	Country Quality Unit
CoQ	Confirmation of Quality
CSI	Customer Satisfaction Issue
GBS	Global Business Service
IRC	Initial Risk Classification
IUD	Intrauterine Device
IUS	Intrauterine System
LODE	Lack of Drug Effect
MIIDAS	Medical Information Integrated Data System
OTC products	Over-the-counter products
PTC	Product Technical Complaint
PH	Pharma Division
PV	Pharmacovigilance
RQU	Responsible Quality Unit

3 Purpose & Set-Up

3.1 Purpose

Country Specific Requirements for Canada are described in this SOP, regarding e.g. Data Privacy, Sample Handling Process, Reimbursement Process, Contacts, escalation rules.

During the processing of all PTCs by Bayer owned Global Business Services all country specific requirements are considered and followed - in addition to the general complaint handling described in the SSC-PTC-SOP-001 “Manage Product Technical Complaint and Suspected Counterfeit Incidents in GBS”.

3.2 General Guidance

The employees of the Global Business Services are following the SOP during complaint data entry in the complaint database on behalf of the Country Quality Units.

3.3 Roles and Responsibilities

GBS Team

- Enters PTC / PTC + AE, Suspected Counterfeit Incidents and Usability Issue according to defined timelines in a timely manner, entering them into the global complaint database in English language
- Organizes missing information and asks CQU for any support contacting the complainant if not possible/allowed by GBS (e.g., data privacy, non-hosted language)
- For PTCs received via email, performs follow-ups via email to retrieve missing/unclear information to investigate the complaint.
- Ensures translation of non-hosted languages
- Informs the CQU jmmediatly about all PTCs where local authorities are involved, about all potential falsification and counterfeits and any other cases described in this SOP
- Forwards the case to the respective RQU for further assessment
- Checks if a complaint sample is needed and starts the process to organize shipping of the sample
- Performs reconciliation activities related to data entry/complaint receipt
- Local Closure cases (no batch number; usability issues) and Class I medical device cases that were classified as medium and low risk

Country Quality Head (CQH) / Country Quality Unit (CQU)

- Is responsible for regular KPI evaluation to get overview of complaint activities at the GBS
- Supports the GBS in organizing missing complaint information
- Organizes the complaint sample and sends it to the RQU if requested
- Sends out the Response Letters to the complainants as requested and agreed with the GBS
- Contacts local CMO on request of GBS as RQU to get investigation reports from the respective CMO
- Ensures that all changes within the country law and regulation are directly notified to the GBS and that the Country Specific SOP is updated
- Supports the GBS to ensure that the current list of distributed products is up to date, contains all newly distributed products

4 Specific requirements regarding PTC handling

4.1 Country Specific Requirements listed by different topics

Description	Assigned Roles & Document Reference

4.1.1 General Information

Bayer Inc. (Bayer Canada) offices are located at 2920 Matheson Blvd East Mississauga, Ontario Canada.

Global Business Services Costa Rica, SRL (GBS offices are located at America Free Zone, Heredia, Costa Rica.

4.1.2 Contact list

- CQH Deputy/ Sr. QA Manager Investigations – Nalini Satar <*nalini.satar@bayer.com*>
- CQU QA Specialist, PH Complaints: <Claudia Saccon claudia.saccon@bayer.com>
- CQU Senior QA Associate, CH Complaints: <*Simmar Mavi simmar.mavi@bayer.com*>
- Canada quality complaints mailbox <*bayer_qa_complaints@bayer.com*>
- Pharmacovigilance <*pvcanada@bayer.com*>

Remark:
Current name and e-mail address of CQH and CQH deputy are found on the QINT SharePoint: go/cql.

4.1.3 Escalation Rules

GBS

Any complaint case referring to at least one of the following situations must be forwarded to the CQH, CQH Deputy, , QA Specialist/Senior QA Associate, and the RQU responsible for assessment after its opening in the global complaint database via complaint database.

- Suspected falsification and Counterfeit incidents
- Any cases involving Health Authorities (Health Authority complaints are given Risk classification High to expedite the investigation)
- Any case that, at the discretion of the GBS, can potentially impact the business

After entry of the complaint into the Complaint database an email is sent to the CQH, CQH Deputy, CQU and QA Specialist/Senior QA Associate Complaints with:

- Product and reason for escalation
- Complaint Database reference number
- Confirm if the sample/photos were requested

A notification is sent to the RQU to inform them about the type of escalation through the complaint database system. GBS sends the notification via the communication protocol section, using the “Notification” option.

Description	Assigned Roles & Document Reference
Remark: Current name and e-mail address of the CQH is found on the QINT SharePoint: go/cql	
4.1.4 Pharmacovigilance cases Various case types are received from PV: LPCR Reconciliation cases, LODE cases and COQ cases: • LPCR Reconciliation cases are retrospective cases for entry into Dev@Com that result from PV case reconciliation processes. Cases are reviewed if new entry into the complaint database is required (or a follow up case created). Refer to process outlined below. • LODE cases are “Lack of Drug Effect” cases and are handled in accordance with GSOP 115 and Best Practice documents. • PTC+AE cases are entered if PV provides an AE number to the GBS and if the case meets the requirements to be entered as PTC+AE. • Other: Cases from PV systems such as Oracle Reports are sent to QA. Cases are reviewed and handled in accordance with this procedure and Best Practice documents. If a complaint case is related to any type of Adverse Event, the Pharmacovigilance department must be informed via the following e-mail address: *pvcanada@bayer.com,* except if PV has already been notified. This action should be done at the latest by the next working date upon receipt. Note: For complaints received from the Patient Support Programs and Medical Information Call Center, the cases containing potential AEs are submitted to both PV and QA at the time of receipt of the case. The GBS verifies that the case was sent to PV if a potential AE is identified during case review, and if the case has not been previously forwarded, notifies PV at the email address above. For all cases coming from PV, the source documentation containing the case reference number or CRM number must be requested. After receipt of the reference number, a search in complaint database should be done to determine if the case has been previously entered. A new case is created into the complaint database if the case has not been previously entered. If the case has been previously entered and is closed, a Follow Up Case is created to add the AE number., If the case is still open, the RQU is notified that an AE number is available via the communication protocol. If the CRM number is not provided in the PV request, an email must be sent to PV Canada to request it. The case should only be entered into the complaint database after this information is received to determine if the case has previously been entered. If the missing case information (e.g., CRM number) results in a late entry into the complaint database, a justification is documented in the communication protocol section with a note stating that the information needed to create the case was not available.	GBS

Description	Assigned Roles & Document Reference

For all cases received from PV, if the case does not state a complaint sample or photos are available for return, no further follow up is required. The case should be entered into the complaint database with the information provided. No further follow up email is required for cases received from PV, as PV notifies QA when new information (such as a lot number) is available in ARGUS. If photos or sample are available GBS should send an email to follow up as explained on the section 4.1.5 Product Samples.

Cases from the Health Canada Vigilance Adverse Reaction online database sent by PV, do not require escalation notifications or to gather additional information as this information is queried from the database and no further information is available.

4.1.5 Product Samples

GBS

It is NOT required to retrieve the product samples from the complainant for the following complaint cases:

- Aerosol products (due to Canadian Transportation of Dangerous Goods regulations)
- It's not required to request sample or gather additional information for Usability Issues complaints (CSIs/UEs).
- Samples are not required for complaints with following defect types, unless specifically requested by RQU. For complaints related to Medical Event error code, this rule will not apply if the complainant has raised a confirmation of quality request. If the complainant has reported any additional issue in the complaint which does not fall in these categories, this exception for sample retrieval will not be applicable.

Complaint database Object type	Complaint database Initial Error code	Complaint database Error subcode
Bottle	Handling Issue	Handling Difficult or Impossible
Bottle, Gummies, Tablets, Powder	Medical Event	Adverse Reaction
Solution	Medical Event	Medication Error/ misuse
Bottle, Powder	Medical Event	Special circumstance
Gummies, Tablets, Powder	Appearance/Product characteristics	Taste/Flavour
Gummies, Tablets, Powder	Appearance/Product characteristics	Odour
Gummies	Appearance/Product characteristics	Agglutination
Gummies	Appearance/Product characteristics	Consistancy/hardness

Description	Assigned Roles & Document Reference

- Additionally, for Risk classification medium and low complaints related to products which have expired at the time of receipt of complaint, the complaint sample should not be requested.
- For complaints reporting lack of adhesion/adhesion issues for Climara 25 µg/day, 50 µg/day, and 75 µg/day (patches), the samples are only requested if the complaint as reported/complainant states that five (5) unopened pouches are available (from the same lot number) for return. Five (5) unopened pouches are required for QC testing.

  For PH products coming directly from a consumer, the consumer is instructed by Medical Information to return the product to the point of purchase at the time the case is received. PH samples are not retrieved directly from the consumer.

NOTE: Photos of the complaint samples for all Risk classification medium and low complaints should be requested as outlined below.

CH Division Complaint Samples: Consumer Health Complaints (PTCs/PTCs+AEs) are received either through consumer email or the Bayer Medical Information Call Center-OTC Canada (Service is provided by a Third-Party: Conduent). The mailbox for CH division complaint received via the Call Center is OTC Canada: *otc.canada@bayer.com*. Bayer Inc. QA or GBS informs the Call Centre when the physical sample is required to be return.

a. If a sample is deemed as available on the MIIDAS Case Snapshot and the sample/photos ARE required:

- GBS requests the call center via email to OTC Canada: *otc.canada@bayer.com,* to arrange for the sample to be shipped to the CQU. The case tracking number (PQC number) and product name are to *be included in each request.*

b. If a sample is deemed as available on the MIIDAS Case Snapshot and the sample is NOT required (based on defect etc.):

- No need to send email to OTC Canada.

c. If the MIIDAS Case Snapshot indicates no sample is available:

- No further actions or follow ups are required by the GBS for the sample.

Wholesale accounts: for complaints received directly from a wholesaler such as Kohl, Frisch, and McKesson via email into the Bayer Complaints mailbox, the email containing the complaint information is forwarded to Customer Service (warehouse.canada@bayer.com) and Customer Service Operations, Bayer Canada contact person to arrange for the sample and or credit as applicable.

Patient Support Program Complaints: Complaints received under Bayer Patient Support Programs (PTCs/PTCs+AEs) are managed by a Third-Party service provider (Safe track). Complaint's Samples (such as Betaseron/Betaseron devices) are handled by the Patient Support Program who arranges for the sample to be returned to Bayer Canada (CQU). The CQU receives the samples and ships to the RQU.

Description	Assigned Roles & Document Reference

a. If a sample is deemed as available on the Safe track Case and the sample IS required:

- GBS requests the sample from the PSP via email to the user found in the snapshot, field user details. The user arranges with the customer for the sample to be shipped to the CQU via courier.

b. *If the Safe track Case indicates no sample is available:*

- No further actions or follow ups are required by the GBS.

PH Division complaints (excluding IUD Samples): GBS sends an email notification from the Bayer complaints mailbox to *josh.emma@bayer.com* and the Bayer Canada Customer service email (*warehouse.canada@bayer.com*) with the MIIDAS case snapshot attached and reference to the complaint database number:

a. If a sample is deemed as available and the sample/photos ARE required:

- GBS requests Customer service to arrange for the sample to be returned to the Bayer Canada Matheson office via courier **OR**
- GBS requests Customer service to arrange for the customer to provide photos of the sample via email. Photos must include the lot number and a photo of the defect. Customer service forwards the customer photos back to the Bayer complaints mailbox.

b. If a sample is deemed as available and the sample is NOT required (based on defect etc.):

- If the customer indicates a sample is available but the sample/photos are not required (depending on the defect), the GBS provides the email for notification/reimbursement purposes only so that Customer Service can issue a credit to the customer.

c. *If no sample is available:*

- If the customer indicates a sample is not available, the GBS provides the email to Customer Service for notification/reimbursement purposes only so that Customer Service can issue the credit.

Intrauterine device (IUD) Samples: Complaints for IUS products PTCs/PTCs+AEs are received and managed by a Third-Party service provider (Health Loyalty). When the reporter identifies a sample is available for a PTC on filling out the electronic form, the service provider (Health Loyalty) sends out the return package to the customer. The package is returned to the Bayer Canada office and the samples are forwarded to the RQU (Bayer Turku). GBS does not need to request photos or samples.

BT Division complaints: Always request samples for all H&B devices complaints, such as Betaseron Injector. Also, for Kovaltry, even if the complaint's risk classification is medium and low.

For all sample requests related to PH and BT division, GBS team must copy the CQU QA Specialist as part of the notification process.

For complaints received from Canadian Blood Services (CBS) regarding Kovaltry, the complaint sample and or photos are requested directly from CBS by replying to the

Description	Assigned Roles & Document Reference
original email containing the complaint. CBS arranges to return the sample to Bayer Canada offices. **Wholesale accounts**: for complaints received directly from a wholesaler such as Kohl, Frisch, and McKesson via email into the Bayer Complaints mailbox, the email containing the complaint information is forwarded to Customer Service (*warehouse.canada@bayer.com) and Customer Service Operations, Bayer Canada contact person* to arrange for the sample and or credit as applicable.	
4.1.6 Statement letter Acknowledgment letters are not required to be sent by the GBS for Canadian complaints, unless explicitly requested by the complainant. **Customer response letters:** • Customer response letters are not required for usability issues • Customer inquiries do not require Customer response letter. • Customer response letters are not required unless a QA response is requested by the complainant. The following process should be followed for cases closed by the GBS (please refer to Section Others) that require a response letter: 1. GBS to request the response letter from CQU. 2. CQU will send the letter to the customer and will provide a copy of signed letter to GBS. 3. Signed Letter (and email to customer if applicable) is attached into the complaint database by GBS prior to case closure.	GBS / CQU
4.1.7 RQU Contact list A table with all available products in the country and the respective RQU contact names needed for the entry into the complaint database, is available on PTC Operations Share Point. PTC Operations SharePoint (go/ptcops) RQU list is used for guidance purposes only. The list is updated by the GBS with input from the CQU as new material codes/products become available. If a product cannot be located on the RQU list, the GBS contacts the CQU for guidance and the list is updated as outlined above. **Remark:** Some products have several approved manufacturing sites for the same Material Code. To identify the correct RQU, GBS must search in Comment column in the “Canada RQU list” the initials of the batch number, then, the list will provide the appropriate site.	GBS
4.1.8 List of Local Opportunities Products N/A	N/A

Description	Assigned Roles & Document Reference
4.1.9 Data Privacy Requirements N/A	N/A
4.1.10 Gathering additional information (including obtaining translation)	GBS

- Gathering additional information is not required for complaints classified as usability issues.

If a complaint case is missing information, the GBS should follow the instructions according to the product or division as stated bellow.

CH Complaints: Med Information Call Center (Conduent) is the Call Center, and the contact is: *otc.canada@bayer.com*

For CH PTCs received via email, the GBS to send email to retrieve missing/unclear information about the reported PTC using template sample in Annex 2. Document into the complaint database two attempts to retrieve follow-up/ missing information. Each follow-up attempt should be done one week apart at minimum, suspected falsification and counterfeit incidents complaints (4 days apart) and documented in the Communication protocol section into the complaint database. For local closure cases (no lot number reported) document each attempt to retrieve missing information, data collection: batch/photo/sample must be done in a maximum of 10 days.

- If the case does not provide complainant's email, no follow up is required by the GBS. For PTCs where local authorities are involved, about all potential falsification and counterfeits, the CQU should be notified via personal email and via the escalation email. The information regarding no customer email contact should be included in the email.
- If the email provided is incorrect, no follow-up is required. The GBS to inform OTC about the incorrect information.
- For French speaking complainants, GBS team is responsible of performing and handling follow-up requests or any other type of communication with costumer in French language

Note: Missing or unclear information from "live-callers' (e.g callers on phone, live chat, or video calls) will be clarified by the call centre agents at the time the call is received. No further follow up calls will be done by the call center.

PH Complaints or complaints from other division received from the address canada.medinfo@bayer.com, to gather additional information the address *warehouse.canada@bayer.com* should be used.

Patient support program complaints - Safetrack: For Eylea or Betaseron complaints send an email to the user found in the snapshot, field user details.

Description	Assigned Roles & Document Reference
IUD complaints from Health Loyalty, if the lot is not valid or does not match the product, case can be confirmed with: *BayerIUS@health-loyalty.com.* Social Media complaints: for complaints received from social media/internet monitoring, no follow up is done with the customer. If the customer has a question, should be directed to the call center for further assistance. Pharmacovigilance complaints: for cases received directly from Pharmacovigilance, follow up is only required regarding the complaint sample/photos if the case details state a sample is available for return or if customer contact information is available. This type of complaint is entered into the complaint database with the information provided in the source documentation. Any new information (such as lot numbers) received by PV in ARGUS is communicated to QA and the case can be updated accordingly into the complaint database. Refer to section Pharmacovigilance cases for further info. Complaints received directly from Wholesalers (such as McKesson/Kohl and Frisch, internal Bayer sources and Canadian Blood Services (CBS)): the GBS follows up directly with the customer via email to acknowledge the complaint, provide the complaint reference number and obtain any update information required. Samples and credits are handled for these cases as per the section below.	
4.1.11 Reimbursement and Replacement	GBS
Reimbursement and replacement are handled through the sample handling process discussed in point 4.1.5. CH complaints: Reimbursement is handled by the Med Information Call Center (Conduent). No actions are required by the GBS to initiate reimbursement process. PH complaints: Reimbursement is handled by Bayer customer service. The process will be initiated when the GBS notifies customer service and Bayer QA Canada of the complaint receipt as outlined in 4.1.5. IUD/ complaints: Replacement is handled by the Third-Party IUS replacement program (Health Loyalty). No actions are required by the GBS to initiate reimbursement process. Complaints received directly from Wholesalers (such as McKesson/Kohl and Frisch): Reimbursement is handled by Bayer customer service. When reimbursement is requested, the GBS notifies Customer Service (*warehouse.canada@bayer.com*) and forwards the complaint email. All complaints from CBS should be forwarded to (*warehouse.canada@bayer.com*) and Bayer QA Canada for reimbursement.	

Description	Assigned Roles & Document Reference
4.1.12 Exceptions and special cases	GBS / CQU

- All complaints for Animal Health products received via the complaint's mailbox are forwarded to the CQU for entry into the complaint database.
- Temperature excursions - e.g. Fridge broke, are cold chain break issues and should be forwarded as Non-PTC to the CQU mailbox and copy karen.mcgaughey@bayer.com and Yafei Deng yafei.deng@bayer.com.
- All Essure cases are entered by the GBS. If the complaint is received from Provincial Medical Supplies, the GBS sends email confirmation of receipt of the complaint and provide the complaint reference number.
- IUD complaints coming from MedInfo (e.g., MIIDAS case), if case snapshot says the complainant is directed to the Replacement Program, then the case can be forwarded as non-PTC.
- Eylea complaints coming from MedInfo, if the case snapshot says the complainant was redirected to the Patient Support Program, then the case can be forwarded as non-PTC.
- Any email related to a non-PTC case (e.g. customer inquiries) must be forwarded to the CQU unless the email does not contain valid information (e.g. spam, blank emails) or at least one of the CQU members is already notified.

4.1.13 Others	GBS / CQU

- When closing non-PTC Service Requests in SSF, always add the CRM number (if available) of the case to the Reference number field in the Service Request.
- When documenting a complaint if the material number is unknown, use the product that is most common. Review the case description to ensure the most appropriate selection is made based on the defect reported. The complaint will be updated when information becomes available after following section 4.1.10.
- When cases do not have CRM number such as wholesaler's complaints and sales representatives, provide case Complaint ID to sender via email. Add Complaint ID to the email's subject line to avoid duplicate cases. Complaint ID will be used for future correspondence.

Data entry step in Complaint Database:

- The case reference number (such as the MIIDAS Case Snapshot number) must be included in the CRM / Reference Number field into the complaint database.

- All label-related complaints shall be assigned to Canada QA for investigation, since Bayer Canada holds the artwork ownership for all CH, PH, and BT products.

  If an additional defect is identified, a separate complaint shall be created and linked to the original record in the complaint database. The principal owning organization should be the one responsible for investigating the defect.

Description	Assigned Roles & Document Reference

- The GBS will perform monthly reconciliation activities related to data entry/complaint receipt.

- All documents to support data entry are attached to the complaint database case using the attachments section.

Closing complaint cases in Complaint Database:

a. Closing of full investigation complaint cases

GBS should only close complaints for Class I medical device (Hydra sense Nasal Care) that were classified as medium and low risk (initial/final risk class Medium and low).

Refer to the RQU contact list for a detailed list of products in scope for closures by the GBS. Only persons qualified can close Canadian PTCs.

All other PTC cases are closed by Canada's CQU.

b. Local Closure PTCs, UIs (CSIs/UEs):

A Local closure complaint should be closed by the GBS in accordance with GSOP 115, Best Practice documents.

When a MIIDAS case snapshot is received and classified as risk classification medium and low, no AE, and without lot number and unknown complaint sample availability at the time of receipt (indicated on the MIIDAS case snapshot as "Waiting for Info"), this case can be entered using the local closure workflow as the sample and lot number is not available at the time of data entry. A follow up case will be created if the lot number or complaint sample become available later because of the process described in section 4.1.10 Gathering additional information.

CMO Investigations:

Complaints where the Lead Investigation Unit is LQR Country are entered into the complaint database by the GBS and the Responsible person is assigned according to the RQU List.

Reconciliation

On a monthly basis the GBS Team performs reconciliation activities of PTCs received from Medical Information Call Center (MIIDAS) and PTCs received from Health Loyalty (IUS devices; Eylea PFS):

- A spreadsheet of cases received for a calendar month is provided to the GBS Team.
- The GBS Team identifies the PTC cases for the entries in the spreadsheet.
- Discrepancies are escalated to Med Info for investigation and resolution with QA
- The spreadsheet is signed by the GBS through the complaint database system when the reconciliation is successfully completed.
- The CQU is notified when the reconciliation is completed.

Description	Assigned Roles & Document Reference
Late Case Entry/Closure When a case is detected by the PTC Officers to be entered or closed outside the required deadline, enter a justification in the complaint database in the communication protocol or Justification section of that specific case, apply a risk-based approach to determine impact of delay. Based on the Canada CQU monthly KPI evaluation, the GBS team will initiate a Deviation workflow if more than 10% of entered cases are late from the evaluated month. Using the same monthly evaluation, initiate a Deviation workflow if more than 10% of closed cases are late.	

5 Internal References

- SSC-PTC-SOP-001 “Manage Product Technical Complaints and Suspected Counterfeit Incidents in GBS”
- GSOP 115 Manage Product Technical Complaints and Suspected Counterfeit Incidents

6 External References

N/A

History of changes

Version	Significant changes with respect to previous version	Effective Date
1	not applicable	2020-10-05
2	**4.1.2 Contact list** Added new group mailbox for Canada. **4.1.3 Escalation rules** Added cases that can impact the business **4.1.4 Pharmacovigilance cases** Guidelines for gathering additional information and samples from PV **4.1.5 Product samples** Required samples for Kovaltry and Betaseron devices. **4.1.7 RQU Contact List** RQU List update frequency and responsible site is described. **4.1.10 Gathering additional information** Guidance on handling cases coming from social media and internet monitoring. Clarification about PV cases Call center responsibility regarding attempts to gather additional information. Additional observations about IUD complaints **4.1.12 Exceptions and special cases** Additional observations for handling Usability Issues. **4.1.13 Other** Additional guidance for Data entry step in Dev@Com.	2021-03-01
3	**1.1.1. Statement letter** Guidance on handling customer response letters. **4.1.12 Exceptions and special cases** All Essure cases are entered by the SSC. **4.1.13 Other** Add CRM number to service request in SSF when closing non-PTCs. SSC to include closure Class I medical device cases that were classified as low risk (initial/final risk class III/IV/V).	2022-03-21
4	**3.3 Responsibility** and **4.1.10 Gathering additional information (including obtaining translation)**– updated the responsibility of the SSC to perform follow-up activities and document each attempt. Added Annex 2: Follow-up email template. **4.1.5 Product Samples** Update responsibility for CH Samples and photos. Throughout document: changed IRMS to MIIDAS, the new CH Medical Information database and changed ProPharma with Conduent, the new Medical Information Call Center. **4.1.12 Exceptions and special cases** Guidance for some types of IUS complaints from Health loyalty deleted. Added exception for non-PTC handling. **4.1.13 Other** CMO notification responsibility changed to CQU.	2022-07-04

	Email to be sent only via Dev@Com when updating the communication protocol.	
5.0	Throughout the document, replace reference to “Shared service center” with “Global Business Services” and SSCDN and SSC with GBS. **4.1.2 Contact list** CQU contact updated **4.1.5 Product Samples** Removed sample request guideline based on User letter 48. Changed contact to request samples for PSP complaints. **4.1.6 Customer response letters** Clarification added for when to request customer response letters. **Gathering additional information (including obtaining translation)** Added clarification for following up on CH complaints and PSP complaints. **4.1.1**1. **Reimbursement and Replacement** Added requirement for CBS complaints. **4.1.12 Exceptions and special cases** Added clarification on handling temperature excursions cases. Eylea cases redirected to PSP can be forwarded as Non-PTC. **4.1.13 Other** Remove requirement to add SSF number in the CRM field. Clarification added for handling wholesaler’s complaints. Added procedure of reconciliation support for Canada CQU **Added procedure for handling late entry and closure of cases.**	2023-05-10
6.0	**3.3 Responsibility.** rephrased CQU´s responsibility in regards of the list of distributed products. **4.1.2 Contact List.** Added contact for CH CQU Senior QA Associate. **4.1.3 Escalation Rules.** Added Senior QA Associate as contact for notification **4.1.4 Pharmacovigilance cases.** Added timeframe to notify PV of adverse events. **4.1.5 Product Samples.** Added instruction to retrieve samples from wholesalers and CH products. **4.1.6 Statement letter.** Added instructions to send statement letters. **4.1.10 Gathering additional information.** Added timeframe to gathering additional information for Risk Class I or II cases. **4.1.11 Reimbursement and Replacement.** Added addresses to contact when reimbursement needs to be performed. **4.1.13 Others.** Deleted instructions not needed. **9. Annex 3.** Added acknowledgement of receipt letter.	2024-03-01
7.0	**1.10 Gathering Additional Information. Updated instruction to perform and handling follow-up requests for French speaking complaints due to the implementation of "Bill 96" officially known as the official and common language in Québec.**	2024-10-04
8.0	**3.3 Roles and Responsibilities.** Removed instruction of performing initial risk classification and categorization. Initial risk I/II Reference	2026-01-01

	removed. Added. Instruction for ensures translation of non-hosted languages. **4.1.2 Contact List.** Removed. CQU Group mailbox. **4.1.3 Escalation Rules**. Removed. Reference to escalate cases with initial risk classification I or II. Added, instruction to notify RQU through the complaint database. **4.1.5** Added details of scenarios/error codes where complaint sample retrieval is not required. Added details for sample request requirements for Climara. Added instruction for all samples requests of PH and BT division. **4.1.6 Customer response Letters.** Removed reference to Response letter template (Annex 1) and the requirement for GBS to send draft letter to CQU. 8.1.13 Reconciliation-clarification added for reconciliation activities. **Annex 1, 2 and 3.** Removed Annexure 1 and re-numbered other two Annexures. **4.1.10 Gathering Additional Information.** Added, responsibility of GBS regarding French speaking complaints. Annex 2 Acknowledgement of receipt removed. Changed word “Dev@com” for “Complaint Database”. Changed word “Non-Processable” for “Local Closure”.	
9.0	**4.1.13 Others - Data entry step in Complaint Database.** Added instruction to assign all labeling complaints to Canada QA for investigation. **4.1.14 Others - Reconciliation:** Added clarification indicating that the spreadsheet is signed by GBS through the complaint database system upon successful completion of the reconciliation.	See cover page

7 Annex 1. Follow-up Email Template

7.1 ENGLISH TEMPLATE

Dear [customer],

Bayer Canada Inc. Quality Assurance has received your reported quality complaint for XXX®. We are sorry to hear that you experienced difficulties.

The following additional information will be required to perform a product investigation.

1. Lot number - prefix (L) or LOT followed by alphanumerical or numerical number
2. Expiry date - prefix EXP found alongside the lot number
3. Format (size, complete product name or UPC code)
4. A complete description of the complaint/concern
5. Is the complaint sample available?
    - *If no, please provide a reason*
    - *If yes, please provide photos of the sample showing:*
        i. One photo showing the Lot number and Expiry Date
        ii. Another photo showing the defect/issue with the product (if applicable)

Please retain the product for a period of 3 weeks. Should the product be required for investigation, a pre-paid envelope will be forwarded to your attention, for return of the product.

If you are not contacted within 3 weeks, kindly dispose of the product appropriately.

The information we have requested is strictly to support the quality investigation.

Thank you for your valuable feedback, as well as your continued support of Bayer HealthCare products.
Regards,

7.2 FRENCH TEMPLATE

Cher [client],

L'équipe de l'Assurance de la qualité de Bayer Canada Inc. a reçu votre plainte concernant la qualité pour XXX®. Nous sommes désolés d'apprendre que vous avez éprouvé des difficultés.

Les renseignements supplémentaires ci-dessous seront nécessaires pour que nous puissions procéder à une enquête sur le produit.

1. Numéro de lot – préfixe (L) ou LOT suivi d'un code alphanumérique ou numérique

2. Date de péremption – préfixe EXP adjacent au numéro de lot

3. Présentation (format, nom complet du produit ou CUP)

4. Description complète de la plainte/du problème

5. L'échantillon faisant l'objet de la plainte est-il disponible?

- Dans la négative, préciser pourquoi.
- Dans l'affirmative, fournir :
    - Une photo de l'échantillon montrant le numéro de lot et la date de péremption
    - Une photo de l'échantillon montrant la défectuosité/le problème (le cas échéant)

Veuillez conserver le produit pendant une période de 3 semaines. Le cas échéant, nous vous ferons parvenir une enveloppe pré-affranchie pour le retour du produit aux fins de l'enquête.

Si nous ne communiquons pas avec vous dans les 3 semaines, vous pouvez jeter le produit comme il convient.

Nous demandons ces renseignements aux seules fins de l'enquête en matière de qualité.

Nous vous remercions de vos précieux commentaires et de votre soutien continu à l'égard des produits de Santé grand public de Bayer.

Task: Content Approval Verdict: Approve changes & release Approval to be made Effective	Nalini Satar (nalini.satar@bayer.com) Approver - Content 03-Dec-2025 07:54:23 GMT+0000
Task: Final Approval Verdict: Approve changes & release Final Approval to be made Effective	Roberto Chaves (roberto.chaves@bayer.com) Approver 17-Dec-2025 03:11:44 GMT+0000