

Stoatworks Burrow user guide

Burrow installs, updates and removes the Stoatworks plugins, tools and Companion modules.

One list, one click each, and it knows where every format goes on your machine.

Status at v0.2.1 — read this first.

Burrow has been tested thoroughly against real plugin downloads, but **no plugin has yet been installed into a running Resolume, Resolve or After Effects through it**. If you are about to use it before a show, don't. Try it on a machine where a broken plugin folder would cost you nothing.

On Windows it can install FFGL plugins for Resolume, but not OpenFX or After Effects plugins — that part is not written yet, and it says so rather than half-working.

Applications and Companion modules are newer still, and **no application has yet been installed into a real Applications folder through it**, nor a module into a real Companion.

This is an AI-assisted project, directed and reviewed by a human author.

Installing Burrow

Download it from [the project page](#), open the disk image and drag Burrow to your Applications folder. On Windows, run the installer.

Burrow is not required for anything. Every plugin can still be downloaded and installed by hand, exactly as before — Burrow only saves you doing it.

The four tabs

The fleet is bigger than the video plugins now, so it is split by what a thing is for:

Tab	What's in it
Video	The Resolume, Resolve and After Effects plugins, and the video tools around them
Audio	VST3 and Audio Unit plugins, and the audio tools that run on their own
Networking & Infrastructure	The tools that move signals around a network and keep a rack running
Device firmware	Coming soon — nothing in it yet, and it says so

A number beside a tab is how many things in it need updating.

The first thing you'll see

Burrow reads your plugin folders and shows you what you already have. It does not change anything until you tell it to.

Three headings:

- **Up to date** — you have it, and it's current.
- **Update available** — you have it, and there's a newer version.
- **Not installed** — available, and you don't have it.

Each row shows which **formats** that plugin offers and what you have of each:

What you see	What it means
FFGL ✓ 1.0.2	Installed, current
FFGL 1.0.1 → 1.0.2	Installed, and there's an update
OpenFX +	Available, not installed. Click it to install just that one
OpenFX + · admin	Same, but it will ask for your password
FFGL ✓ version unknown	It's installed, but nothing on disk says which version
Adobe —	No build of this plugin for that host

Beside the version, each row says **how far along that project is** — the same status the website gives it, in the same words:

Field proven	Released, and run on real events — not just verified on the bench
Field testing	Out of the lab and being used in real conditions — not yet trusted blind
Stable	Tagged 1.0 builds: the feature set and the controls have settled
Released	Tagged builds you can download and run
In development	Working, moving, not yet tagged

Hover it for the same sentence. It is worth reading before a show: *Field testing* and *In development* mean what they say.

"Version unknown" is not a fault. On Windows a plugin is a bare `.dll` with no version in it, so Burrow genuinely cannot tell — it will offer to reinstall the current version rather than pretend to know. It also happens on macOS if you built a plugin yourself, or installed one before you had Burrow.

Keeping it current

Two buttons, above the list, because they do different jobs:

Rescan installed re-reads your plugin folders. It uses no network at all, so it works offline and is instant. Press it after installing or removing a plugin by hand — Burrow will notice without being told twice.

Check for updates fetches the plugin list. This is the one that finds new versions and new release notes, and the only one that goes anywhere.

Both say what they actually did — *"2 new versions · 1 now needs updating"*, or *"Nothing changed"* — and each shows when it last ran. If the version numbers you are looking at came from the copy that shipped with the app rather than a live check, the second button says **not checked** rather than a time.

Watching a plugin before you install it

Every plugin's video is the picture at the left of its row. Click it and the video plays in the window.

The still images are part of the app rather than fetched from YouTube, so the list works offline and browsing plugins tells Google nothing. Only pressing play loads anything, and only for that one video.

It plays from the project's own GitHub release — the same place its plugins come from — rather than being a YouTube embed. So there are no cookies, no ads, no suggested videos afterwards, and nobody outside this app and GitHub knows you watched it. There is an **Open on YouTube** button if you would rather watch it there.

The videos are about 11 MB each and start playing while they download. A couple of plugins have no copy in the app yet; clicking those opens YouTube in your browser instead.

Formats, and which ones you want

Most plugins come in more than one format. They are the same effect; the format is just which application loads it.

Format	For
FFGL	Resolume Arena and Avenue
OpenFX	DaVinci Resolve, Vegas Pro, Nuke, Natron
Adobe	After Effects and Premiere Pro
VST3	Ableton Live, REAPER, Cubase, Studio One, SuperRack
Audio Unit	Logic Pro, GarageBand, Final Cut Pro
Application	Nothing — it runs on its own
Companion module	Bitfocus Companion

In **Settings**, tick the ones you use. Burrow starts with everything that needs no password ticked, and OpenFX and Adobe left off — those are the two that do.

Nothing has every format: a video plugin has no VST3 build and an audio plugin has no FFGL one, so ticking a format you never use costs nothing.

You can override this for a single plugin from its row — **Formats...** — if there's one you want in Resolve but not Resolume, or the other way round. A row with its own choice shows a small **custom formats** label so you can see at a glance that it isn't following your defaults.

Companion modules

A tool that has a Bitfocus Companion module shows it on the tool's own row, below the buttons: *Companion module v1.0.1*, with **Install** beside it.

Companion has no fixed folder for modules that aren't in its store. It reads the one you name in **Settings → Developer modules path**, so:

1. Install the module in Burrow. It goes to `Documents/Companion Modules` unless you tell Burrow otherwise, in Settings → *Where things go*.
2. Point Companion's Developer modules path at that folder.
3. **Restart Companion**. It reads that folder once, when it starts.

Already have a modules folder? Change the path in Burrow's Settings to yours and step 2 is done.

Applications

Applications install straight into your Applications folder — or, if you're not an administrator on this machine, into your own `~/Applications`, which Spotlight and Launchpad index just the same. Either way it never asks for a password.

On Windows they go into `%LOCALAPPDATA%\Programs`, and **no Start-menu shortcut is created**: Burrow places the program folder and doesn't write anywhere else. Make a shortcut yourself if you want one.

Why it asks for your password

Two of the seven formats do, and the rest never do. FFGL plugins go into your own Documents folder, VST3s and Audio Units into your own `~/Library/Audio/Plug-Ins`, Companion modules into a folder you chose, and applications as above — Burrow needs nothing special for any of those.

OpenFX and After Effects plugins are different. They go into folders that belong to the system:

OpenFX	macOS	/Library/OpenFX/Plugins
	Windows	C:\Program Files\Common Files\OpenFX\Plugins
Adobe	macOS	/Library/Application Support/Adobe/Common/Plug-ins/7.0/MediaCore
	Windows	C:\Program Files\Adobe\Common\Plug-ins\7.0\MediaCore

There's no alternative: those are the only places those applications look. So Burrow asks for an administrator password — **once**, however many plugins are in the batch, and only when the batch actually needs it.

What happens behind that prompt is deliberately small. Burrow downloads, unpacks and checks everything *first*, with no special rights at all. Only then does it hand a separate helper program a list of files to move, and that helper can do nothing else: it has no way to reach the network, no way to open an archive, it will only write into the plugin folders above, and it will only delete a file it has itself just moved aside seconds earlier.

If you change your mind at the password prompt, nothing is lost. Anything in that batch that didn't need a password is already installed, and the rest is reported as cancelled — not as an error.

`/Library/OpenFX/Plugins` is empty, and that's normal

If you have DaVinci Resolve installed and Burrow tells you there are no OpenFX plugins, nothing is wrong. Resolve builds its own effects into the application rather than installing them as separate plugins, so that folder is usually empty — and often doesn't exist at all — on a machine that uses Resolve every day.

Burrow will create it the first time you install an OpenFX plugin.

After installing

Restart the host. Resolume, Resolve and After Effects all read their plugin folders at startup. A plugin installed while they are running will not appear until they are restarted — in Resolume you may also need to rescan effects.

If a plugin still doesn't appear, the likeliest cause on macOS is the quarantine flag, which makes Resolume skip a plugin *silently* rather than telling you. Burrow clears it on everything it installs, so this should not happen — but if it does, that's worth [reporting](#).

Trying a plugin before you install it

Press **Try demo** on any row. The plugin's browser demo opens in a window, running the plugin's own shaders — no installation, and nothing sent anywhere. Every demo is built into Burrow, so this works with no internet connection at all.

A few plugins have no demo: Cartridge needs an emulator core you supply yourself, and Amber and nib are too new. Those rows have no **Try demo** button rather than a button that does nothing.

Going back to an earlier version

If a new version misbehaves, **Previous versions...** on the row rolls it back. Burrow keeps the last few releases of every plugin, with a link to each one's notes.

It only offers this for formats you already have installed — rolling back is a repair of something you have, not a way to acquire something you don't.

Afterwards the plugin will show an update available, because it genuinely will. Restart your host to pick the change up.

Uninstalling

Uninstall on any row removes exactly what Burrow installed, and nothing else.

Your plugin folder almost certainly contains other things — plugins from other people, examples that came with an SDK, your own builds. Burrow does not look at them, does not list them, and cannot remove them. It only ever touches files it knows belong to a plugin in its own list.

If you installed a plugin by hand before you had Burrow, it can still remove it — but it will tell you exactly which files it is going to delete first.

What Burrow sends

There is no account, and no sign-in, because there is nothing to sign in to.

Burrow fetches one file — the plugin list from `stoatworks-labs.com` — and downloads plugin archives and project videos from GitHub. That is all. It sends no identifier, no list of what you have installed, and no usage data, and there is no third party involved anywhere. The demos run from inside the app and are blocked from making any network request at all.

The **Send feedback** button at the bottom of the window is the exception, and only when you press it: it sends what you type, plus the version of Burrow.

When it can't reach the internet

Burrow works offline. It ships with a copy of the plugin list, so it can still show you everything and tell you what you have installed.

It will say so — a banner reading *"Showing the plugin list that came with this app"* — because version numbers from a list written weeks ago are not the same claim as version numbers checked a minute ago, and you should be able to tell which you are looking at. Installing still works; the downloads come from GitHub.

If something goes wrong

Errors appear on the row they belong to, with what actually failed, and stay there until you do something about them. Nothing disappears into a notification you might have looked away from.

A failed install leaves your plugin folder exactly as it was. Burrow never writes into a live plugin file: it unpacks and checks everything somewhere else first, and only swaps the finished result into place. If that swap fails partway through a plugin with more than one component, it puts back the ones it had already done.

For anything else, [open an issue](#) or use **Send feedback** in the app.