


Shunt user guide

Shunt makes a **queue of shapes**: they slide in from an edge you choose, stop a set distance in, bank up behind one another, and are drawn away off the far side. It is two FFGL plugins for [Resolume Arena](#) and [Avenue](#) — for animated masks, and for chroma animations driving a pixel map.



Twelve discs from the left, overlapping by a third of their own thickness — one arriving alone, three closing up, eight standing.

Before you rely on this: released at **v0.1.0**, and honestly early. Every geometric claim below is measured on rendered frames rather than asserted — where each shape landed, to 1.5 px; how far apart the standing ones are, to a pixel; how long one stands, in frames; which of two overlapping shapes is on top. **Both plugins load and run in Resolume Arena 7.27.1:** the shipped Windows build was checked in a real Arena, where both register correctly, all 38 controls on each match what the plugin declares, and both render. That run was on software rendering, so it says nothing about a GPU, and the plugin has not yet been used in a show. **Try it on a spare layer first**, and please report anything that misbehaves.

This codebase was created with AI assistance, directed and reviewed by a human author.

Installing

Both plugins are in every download. Drop them into `~/Documents/Resolume Arena/Extra Effects` (or the Avenue equivalent) and restart Resolume.

SW Shunt	A generator. The train over its own background.
SW Shunt Mask	An effect. The same train over — or cut into — the incoming clip.

Start here

Drop **SW Shunt** on an empty layer and it is already doing the thing: eight discs from the left, each overlapping the one in front by a quarter, banking up at 78% of the way across.

The **Preset** dropdown at the bottom is the fastest way to see the range. Six looks, all built out of the same controls:

Preset	What it is
Caterpillar	The defaults, named. Discs from the left, overlapping, standing about half of each cycle.
Conveyor	Separated rounded blocks on a steady belt. Short stand, so it never fully stacks.
Stacking Up	The other end of the dial — the whole train stands before the head moves, then peels off.
Ladder Fall	Rungs falling down the frame and piling at the bottom.
Ticker	A dense hue-cycling stream of thin dashes from the right, barely stopping.
Shingle	Big shaded discs sliding over one another as they bank up.

Editing any slider a preset covers drops the dropdown back to **Custom**. That is not you losing the preset — the sliders are still where it put them.

The Queue group

This is the plugin.

From — which edge the train comes in from: Left, Right, Top or Bottom. It travels away from that edge, and everything below is measured along that direction, so the numbers mean the same thing whichever you pick.

Count — how many shapes are in the train, 1 to 64. One is released every `1/Count` of a cycle.

Travel — how far in the **head** of the queue stops, as a percentage of the frame along the direction of travel. Everything else stands one Gap further back than the shape in front of it. At 100% the head stops at the far edge.

Gap Units and **Gap** — the spacing between standing shapes, centre to centre. The dropdown decides what the slider is counting:

- **Thickness** — multiples of the shape's own extent *along the direction of travel*, 0 to 4. At exactly **1.0** consecutive shapes stand edge to edge. Below that they overlap — the leading edge of each one covering the trailing edge of the one in front — which is what makes a

caterpillar rather than a row. Change **Size** and the train still looks the same, because the gap is measured on the shape.

- **Pixels** — an absolute count, 0 to 512, measured along the direction of travel. Use this when the output is feeding a pixel map and the spacing has to land on the fixture pitch: 64 pixels is 64 pixels, whatever the resolution.

Dwell — how much of each shape's own cycle it spends standing still. This is the single most important control and it is worth understanding what it does to the *rest* of the effect, because it also sets how fast shapes slide:

Dwell	What happens
Low (0–25%)	Shapes cross slowly and barely stop. The head is still leaving as the fourth one arrives — the queue empties from the front while it is still filling from the back.
Middle (~50%)	The classic caterpillar: a group standing, one or two arriving, one or two leaving.
High (75–95%)	Shapes cross fast. The whole train is standing before the head moves at all, then it peels off one at a time.

There is no mode switch here, and that is deliberate — it is one continuous range and everything in between is reachable.

How long is the dwell in milliseconds?

Dwell is a fraction of a shape's cycle rather than a time, so that it means the same thing whether the plugin is free-running, locked to the beat, or being driven by hand. To get a time, divide by **Speed**:

`seconds standing = Dwell ÷ Speed`

Speed	Dwell 25%	Dwell 50%	Dwell 75%
0.5 /s	500 ms	1.0 s	1.5 s
1.0 /s	250 ms	500 ms	750 ms
2.0 /s	125 ms	250 ms	375 ms

Across — where the run sits on the other axis. It reaches a little past both edges, so the train can sit partly off-frame and be layered with a second instance on another layer.

Timing

Sync decides where the phase comes from:

Mode	Speed means
Free	cycles per second
Beat	cycles per beat
Bar	cycles per bar
Manual	nothing — Phase is the only driver

A cycle is one shape's whole run: in, stand, out. With **Count** shapes that is **Count** arrivals, so at Speed 0.2 /s and 8 shapes one arrives every 0.6 seconds.

Manual is the mode to reach for when you want Resolume's own BPM-synced animation, a keyframe or a MIDI fader driving the procession. Assign that to **Phase** and nothing underneath fights it.

Moving **Speed** does not jump the train — the phase already reached is carried forward and counted on from there — so you can change pace mid-show without everything teleporting. Beat and Bar deliberately *do* re-lock, because that is what they are for.

Shape

Eight primitives: Circle, Square, Triangle, Hexagon, Star, Cross, Ring, Bar. **Bar** is the "line" — stretch it and turn it a quarter turn and it is a rung across the train.

Angle is measured from the direction of travel, not from the frame. A Bar at 0° points the way it is going; at 90° it is a rung. Change **From** and it stays a rung — you do not have to re-dial it.

Size is a radius as a fraction of the *short* edge, which is what keeps a circle round on a 16:9 output. Note that it also moves the Gap when Gap Units is Thickness, because a thickness is measured on the shape itself.

Stretch widens the shape along its own x, exactly 1.0 at the centre of the slider. **Roundness** rounds corners — on **Ring** it sets the ring's weight instead, because a circle has no corners to round.

Outline strokes the shape instead of filling it. **Softness** feathers the edge.

Softness at zero is a hard edge, and that is what you want for pixel mapping: a feathered edge means a fixture sitting on the boundary reads a half-brightness colour that was never in the design.

Colour and Shading

Colour Mode is White, Solid, Hue Spread or Hue Cycle. The hue modes take saturation and brightness off the swatch and replace only the hue, and the hue is keyed to a shape's **place in the**

train — so a hue spread reads as a stable pattern marching through rather than the whole set flickering each time the queue turns over.

Blend decides what overlaps do:

Blend	Overlaps
Over	The newer shape covers the older one. This is the caterpillar.
Add	Overlaps brighten.
Max	Channel-wise maximum — two overlapping white shapes stay white.

Max is what a mask usually wants, but be aware it throws the layering away: maximum does not care which shape came first, so under Max there is no "newer on top" at all. Over is the default for that reason.

Shade lights each shape as though it had been inflated, with **Light** setting where the light comes from. It is off by default, and it earns its place here more than you might expect: a train of shaded shapes sliding over one another is what makes the overlap read as depth rather than as two flat shapes stacked.

Masking a clip

SW Shunt Mask takes the incoming clip and adds a **Mask Mode**:

Mode	Result
Over	Shapes drawn on top, in their own colours.
Reveal	The clip shows only where the shapes are.
Hide	The clip shows everywhere except the shapes.
Colourise	The clip, tinted by the shape colour, inside the shapes.

Colourise needs a **Colour Mode** other than White to do anything you can see — against a white shape colour it is arithmetically the same as Reveal.

Mix fades the shape layer. On Reveal and Colourise the untouched clip fades back in as the effect fades out, so Mix at 0 is the clip as it arrived.

Using it for a pixel map

The composition *is* the fixture layout, Resolume's pixel mapper samples it, and the shapes are what the lights do. Three things matter:

1. **Set Gap Units to Pixels** and dial the fixture pitch. It is exact — a 64-pixel gap measures 64 pixels at any output resolution.
2. **Softness to zero**. A feathered edge puts a colour on a boundary fixture that is in nobody's design.
3. **Use Sync**, so the procession is locked to the track rather than free-running against it.

Across and a second instance on a second layer gives you parallel runs.

If it looks like it is doing nothing

A shader that will not compile presents exactly as a plugin that does nothing, with the real message in the log:

```
~/Library/Logs/shunt/shunt.YYYY-MM-DD.log
```

Otherwise, the usual suspects: **Speed** dragged to the very bottom is a deliberate dead zone that means *stopped*; **Opacity** or **Mix** at zero; and on **SW Shunt Mask**, **Mask Mode** set to Hide with Travel somewhere the shapes are off-frame.

Reporting something

github.com/stoatworks-labs/shunt/issues. A screenshot and the composition's resolution is usually enough. This plugin exists because somebody wrote in with an idea, so the door is open.

Shunt · v0.1.0 · guide updated 2026-09-22 · stoatworks-labs.com/software/shunt/

Latest version of this guide: stoatworks-labs.com/software/shunt/guide/ · Source and issues: <https://github.com/stoatworks-labs/shunt>