Restore Point

Tags	default_backup_interval, ipaascore, QueryREST.py, query_with_url_and_payload_from_input, SYS_NAV_TABS_PAGE, ACT_USER_VIEW, GetBackupData.py
Team Owner	InSync
Status	ACTIVE
Last Audit	Feb 27, 2024 Pending

- Introduction
- Diagnosis and Mitigation
- Theory
- Post Mortem Articles
  - 2024-05-22 EM-65121: Restorepoint: Get List of Logs From Restorepoint fails every time
  - 2024-05-20 EM-65084: Pomeroy: Restorepoint Integration not fully respecting Organization/Domain
  - 2024-05-17 EM-65047: Restorepoint syncpack is syncing the sl1 devices to a different Org/Domain in RP
  - 2024-04-30 EM-64714: RP Integration not working - RP ID is null
  - 2024-04-16 EM-64445: Powerflow deployed by SL support do not sync devices from SL1 to RP
  - 2024-03-25 EM-63949: After upgrading to the Restorepoint SyncPack v2.2.0, ALL devices sync to the Global domain
  - 2024-03-21 EM-63912 CDW CA Restorepoint Device Sync Fails, could be related to multiple attribute tabs
  - 2024-03-08 EM-3663: Devices stopped sync'ing after Restorepoint Syncpack upgrade to v2.2.0
  - 2024-02-27 EM-63522 In Out Powerflow Restorepoint: Onboard Device we are getting error

Introduction

This is another troubleshooting article for restorepoint: Restorepoint Troubleshooting

Diagnosis and Mitigation

Theory

Post Mortem Articles

2024-05-22 EM-65121: Restorepoint: Get List of Logs From Restorepoint fails every time

ts_guide_to_jira_link

Link: 💔 INT-6174: Restorepoint: Get List of Logs From Restorepoint fails every time CLOSED

From the description:

```
Observed Behavior:
At v2.3.0dev2 of the Restorepoint SyncPack, after deleting old logs from the couchbase database, the Get list of logs from Restorepoint app completed successfully but when I cam in today the Trigger Change Detection app failed.

Traceback (most recent call last):
Traceback (most recent call last):
File "/var/syncpacks_virtualenvs/is_syncpack_restorepoint/lib/python3.8/site-packages/is_syncpack_restorepoint/steps/GetBackupData.py", line 28, in execute highest_bid_record = logs[0] IndexError: list index out of range During handling of the above exception, another exception occurred: Traceback (most recent call last):
File "/usr/local/lib/python3.8/site-packages/ipaascore/BaseStep.py", line 601, in execute_step self.retry_step(task=task, exc=err,
File "/usr/local/lib/python3.8/site-packages/ipaascore/BaseStep.py", line 961, in retry_step task.retry(
File "/usr/local/lib/python3.8/site-packages/celery/app/task.py", line 706, in retry raise_with_context(exc)
File "/usr/local/lib/python3.8/site-packages/ipaascore/BaseStep.py", line 579, in execute_step self.execute()
File "/usr/local/lib/python3.8/site-packages/ipaascore/BaseStep.py", line 51, in inner_execute execute = method(self)
File "/var/syncpacks_virtualenvs/is_syncpack_restorepoint/lib/python3.8/site-packages/is_syncpack_restorepoint/steps/GetBackupData.py", line 41, in execute raise StepFailedException("Not sufficient Backup for change detection.") ipaascommon.ipaas_exceptions.StepFailedException: Not sufficient Backup for change detection.


I updated them to v2.3.0.dev3 and now we're back to Get list of logs from Restorepoint failing again.

Expected Behavior: The SynPack apps complete successfully and devices are sync'd to RP

Summary of troubleshooting steps taken so far and the current status:
Restorepoint: Get list of logs from Restorepoint app fails constantly - other apps are fine
Updated the customer to v2.3.0dev2 and Engineering (team-insync - Divanshu Tak) had me clear old logs from couchbase database and the Get list of logs from Restorepoint app completed successfully but when I cam in the next morning, the Trigger Change Detection app failed

For Deleting old logs:
Step 1 : Go to url <your pf IP>:8091
```

```
Step 2 : then click "query" on the left side and you can create a query to delete the keys you need.
Step 3 : Enter the query "delete from logs where meta().id like '<sl1_url>-rplogs-last'"

I updated them to v2.3.0.dev3 and now we're back to Get list of logs from Restorepoint failing

They do have Base Steps SyncPack v1.5.4 installed
```

2024-05-20 EM-65084: Pomeroy: Restorepoint Integration not fully respecting Organization/Domain

ts_guide_to_jira_link

Link: 💔INT-6180: Pomeroy: Restorepoint Integration not fully respecting Organization/Domain

CLOSED

From the description:

```
Observed Behavior: Domains were properly created when onboarding devices via RP syncpack, but all devices are being aligned with one domain "Charles Schwab - CHS" in RP (ID=1)
Expected Behavior: RP syncpack to align devices with the correct domain in RP based on ORG in SL1

Reproducible?: No
Steps to Reproduce:
Summary of troubleshooting steps taken so far and the current status:
aligned Pomeroy - Restorepoint Base Config to RP: Onboard Device
https://pomeroyrp.sciencelogic.net/api/v2/status
{
  "Appliance": {
    "Expiration": "Jun 13 2027",
    "Version": "5.6:20240416151610",
    "Build": "20240416151610",
    "Serial": "RP00000994",
    "MaxDevices": 1750
  },
  "Storage": {
    "Total": 63128252416,
    "Used": 43164868608,
    "Available": 19963383808,
    "Backup": 0,
    "Index": 0,
    "Cache": 0,
    "Debug": 40873853561,
    "Other": 2291015047
  },
  "System": {
    "Release": "oracle linux 8.6",
    "Uptime": 4484746,
    "Load": [0.009765625, 0.0517578125, 0.10693359375],
    "FilesOpen": 795,
    "Processes": 356,
    "LocalIP": "10.240.112.66",
    "Memory": {
      "Total": 8235311104,
      "Used": 1326444544,
```

```
      "Available": 6908866560,
      "Swap": 0
    }
  }
}

https://pomeroyrp.sciencelogic.net/api/v2/domains

{
  "offset": 0,
  "limit": 50,
  "search": {

  },
  "total": 7,
  "fields": null,
  "data": [
    {
      "Name": "Global",
      "LicenceExpiry": "",
      "ID": 0,
      "DeviceCount": 0
    },
    {
      "Name": "Charles Schwab - CHS",
      "LicenceExpiry": "2024-04-24T00:00:00Z",
      "ID": 1,
      "DeviceCount": 344
    },
    {
      "Name": "Charles Schwab - IBS",
      "LicenceExpiry": "2024-04-24T00:00:00Z",
      "ID": 2,
      "DeviceCount": 0
    },
    {
      "Name": "Charles Schwab - SBO",
      "LicenceExpiry": "2024-04-24T00:00:00Z",
      "ID": 3,
      "DeviceCount": 0
    },
    {
      "Name": "Charles Schwab - TDA-SBO",
      "LicenceExpiry": "2024-04-24T00:00:00Z",
      "ID": 4,
      "DeviceCount": 0
    },
    {
      "Name": "VF Corp - Enhanced",
      "LicenceExpiry": "2024-04-24T00:00:00Z",
      "ID": 5,
      "DeviceCount": 174
    },
    {
      "Name": "Sprint House Account - Enhanced - Monitored",
      "LicenceExpiry": "2024-04-24T00:00:00Z",
      "ID": 6,
      "DeviceCount": 30
    }
```

```
  ]
}

00433253 - Pomeroy: Restorepoint Integration not fully respecting Organization/Domain
Hiya support,

Pomeroy are a new customer being onboarded via Professional Services. Today we have added the first Restorepoint agent and begun syncing SL1 Devices to Restorepoint.
We have found that while most of the devices aligned correctly to Domains in RP based on Orgs in SL, there is a set of Four Organizations for which all devices were aligned to a single Domain in RP.
There are a total of 344 devices in SL1 spread across these four organizations:
Charles Schwab - CHS
Charles Schwab - IBS
Charles Schwab - SBD
Charles Schwab - TDA-SBO

All have been aligned with the domain "Charles Schwab - CHS" in RP, although all four Domains were properly created.
This is NOT. a security concern for Pomeroy, but note it could be a bigger concern for other customers, depending on the root cause and how this might manifest in other customer situations.
Pomeroy would still like this to work correctly and place devices in their correct domains to avoid confusion or other problems.
```

2024-05-17 EM-65047: Restorepoint syncpack is syncing the sl1 devices to a different Org/Domain in RP

ts_guide_to_jira_link

Link: EM-65047: Restorepoint syncpack is syncing the sl1 devices to a different Org/Domain in RP CLOSED

From the description:

```
Observed Behavior:
Restorepoint syncpack is syncing the sl1 devices to a different Org/Domain in RP

Expected Behavior:
Restorepoint syncpack should sync the sl1 devices to the same Org/Domain in RP

Summary of troubleshooting steps taken so far and the current status:

I checked the Restorepoint: Onboard Device for one of the payload of the Restorepoint: Sync Devices app and I can see that that the correct domain is picked up on the Get organization details from SL1 and Look for a
restorepoint domain step data, i.e Nordenergi but then on the Look for a restorepoint credential step data the domain name is Norlys Fibernet I checked this steps code and it seems to populate the domain name with the
name from the Look for a restorepoint domain step which in this case is Nordenergi not sure why it populated the domain name with Norlys Fibernet:
if sl_credential['cred_name'] and sl_credential['cred_user'] and sl_credential['cred_pwd']:
sl_domain_detail = self.get_data_from_step_by_name("Look for a restorepoint domain")
sl_credential['domain_id'] = sl_domain_detail.get('ID')
sl_credential['domain_name'] = sl_domain_detail.get('Name')

```

```
Discussed this issue with eng in this https://sciencelogic.slack.com/archives/CAJ7LMXSS/p1715953680256409 thread and they mentioned this issue is due to scaling issues, and the RP syncapck not pulling back all available domains and
that there is a dev (pre-GA) version available for validation that should fix this issue and asked to create an escalation for the insync team to acquire the dev version.
```

Here is the link to the slack discussion:

https://app.slack.com/client/E03R7NUFC4X/CAJ7LMXSS/1715953680.256409

2024-04-30 EM-64714: RP Integration not working - RP ID is null

ts_guide_to_jira_link

Link: EM-64714: RP Integration not working - RP ID is null CLOSED

From the description:

```
Observed Behavior:
Rp Sync Devices app completes 100% successfully
Onboard Devices app completes 100% successfully
RP ID in SL1 is null (---)
Nothing is sync'd to RP (no domain, no credential set, no device)

Expected Behavior:
CDW is implementing the SL1/RP integration in their Prod environment and we're having issues.
The device sync to Restorepoint and that it create a domain based off it's Org and a credential set based off the credential aligned with RP Connectivity DA in SL1 and set the plugin type to what's in the device_class_mapping

Summary of troubleshooting steps taken so far and the current status:
Initially we completely removed everything
We made SL1 forget about the PP (deleted PP, RP Attribute, Dev Group)
We deactivated and uninstalled v2.2.1dev
We deleted the configuration previously being used and the RP Base config
We installed and activated v2.2.1 the syncpack and created a new config
We installed the PowerPack
We verified the Dev Group was there and it was
We aligned the RP connectivity app to the Fortigate Fortinet device
We ran the sync devices app
The sync devices app completes successfully as does the onboard devices app but nothing shows up in Restorepoint and the RestrepointID in SL1 is null (---). The user is getting cred_pwd when the API call is made.
I verified by logging into SL1 as that user and looking at a SSH credential via the API Tool. I could see cred_pwd.
```

2024-04-16 EM-64445: Powerflow deployed by SL support do not sync devices from SL1 to RP

ts_guide_to_jira_link

Link: EM-64445: Powerflow deployed by SL support do not sync devices from SL1 to RP CLOSED

From the description:

```
We observe the lack of sync from SL1 to RP.
Some time ago, two new devices have been discovered in SL1:
62.185.44.199 and 62.185.44.200
But till now they are not synced to RP.

Versioning & Environment:
SL1 Build: 12.1.1 build 605
Architecture: N/A
Remote Access: SaaS-AWS
Restorepoint: 5.5:20240328154208
Powerflow: 2.5.0
Base Step SyncPack: 1.5.0
Restorepoint SyncPack: 2.1.1
Restorepoint Extended SyncPack (Kyndryl): 1.0.2

Salesforce Case Number: 00419402

Observed Behavior: New devices added to the "Restorepoint Devices" device group in SL1 are not being synced to Restorepoint by the PF syncpack and the "Restorepoint ID" custom attribute is not
added to new devices in SL1. "Restorepoint: Onboard Device" application in PF is failing on "Update SL device Custom attribute" step with the following error:

Traceback (most recent call last):
File "/usr/local/lib/python3.8/site-packages/ipaascore/BaseStep.py", line 599, in execute_step self.retry_step(task=task, exc=err,
File "/usr/local/lib/python3.8/site-packages/ipaascore/BaseStep.py", line 959, in retry_step task.retry(
File "/usr/local/lib/python3.8/site-packages/celery/app/task.py", line 706, in retry raise_with_context(exc)
File "/usr/local/lib/python3.8/site-packages/ipaascore/BaseStep.py", line 577, in execute_step self.execute()
File "/usr/local/lib/python3.8/site-packages/ipaascore/BaseStep.py", line 51, in inner_execute execute = method(self)
File "/var/syncpacks_virtualenvs/is_syncpack_restorepoint/lib/python3.8/site-packages/base_steps_syncpack/steps/QueryREST.py", line 282, in execute self.query_with_url_and_payload_from_input()
File "/var/syncpacks_virtualenvs/is_syncpack_restorepoint/lib/python3.8/site-packages/base_steps_syncpack/steps/QueryREST.py", line 313, in query_with_url_and_payload_from_input
raise NotImplementedError( NotImplementedError: Data type: is not currently supported for generating relative urls form data

Expected Behavior: New devices added to the "Restorepoint Devices" device group in SL1 to be added/synced in RP

Summary of troubleshooting steps taken so far and the current status:
Confirmed the DA Restorepoint Connectivity are aligned to the devices and made sure the Restorepoint Device group exists
Verified the Creds used in PF configuring for Restorepoint are working. KD FR powerflow cred has grant all access, additional Organization Memberships has “(All Organizations)” selected,
and powerflow user has SYS_NAV_TABS_PAGE, ACT_USER_VIEW aligned
default_backup_interval value in the Restorepoint (GSNI - Frontier) config was set to "Manual", which does not follow the cron-like syntax (The default value for default_backup_interval is 0 15 * * * * * ).
Confirmed the customer does not want a default schedule configured automatically for new devices synced with RP. Sync is still failing after default_backup_interval changed to empty
```

```
value.
```

2024-03-25 EM-63949: After upgrading to the Restorepoint SyncPack v2.2.0, ALL devices sync to the Global domain

ts_guide_to_jira_link

Link: 💔INT-6083: Restorepoint SyncPack v2.2.0, ALL devices sync to the Global domain CLOSED

From the description:

```
Reason for Escalation:
Workaround required for high priority issue affecting customer (Requires justification of why issue is ‘high priority’)
Engineering assistance needed to diagnose issue in order to file defect
Engineering assistance needed to diagnose issue in order to find workaround

This will need to go to team-insync

Initially, the case was to troubleshoot intermittent SL1 to RP sync failures.
It mostly worked but sometimes failed
When it would fail it would add all devices to the Global domain and, sometimes, create a credential set all with the same name and no devices aligned
Todd upgraded the syncpack to v2.2.0 to see if that would help and now this integration is failing with the same error in all of their environments constantly
The customer will be uploading the RP base config to the case and I will update when done.

Which troubleshooting doc(s) were reviewed:
Restorepoint SyncPack v2.2.0 Manual

Customer Timezone: EST

Versioning & Environment:
SL1 Build: 11.2.2
Architecture: N/A
Remote Access: SaaS-AWS
Serial: RP00000924
Version: 5.5
Build: 20240110
RP Sync Pack 2.2.0
RP Sync v104

Salesforce Case Number: 00394983

Observed Behavior:
These environments (Stack01 and Stack02) were syncing devices and working fine
All that changed was the version of RP SyncPack to v2.2.0
Now both stacks fail with the same error and won't sync any new devices.
We tried to set up the integration with Stack03 which has never sync'd devices from SL!, only had them imported from a .csv file using API calls, and it fails sync with the same failures
The devices get an RestorepointID Attribute
If there are 10 devices in DomainA they sync to RP and they are all in the Global domain
If there are 10 devices using CredA, when sync'd there are 10 Cred Sets all named the same thing even though all of the devices use the same credential.
With Stack03 we tried to sync 40 devices and 1 device and got the above results for both
Same thing now at v2.2.0 in Stack01 and 02
```

```

Right now, they are unable to utilize this integration with any of their stacks.
```

This separate escalation was started to handle the fact that sometimes a new credential set is created when adding devices: EM-63950: Upgrade to Restorepoint SyncPack v2.2.0 - a Credential Set is created for every device that sync'd even it multiple devices use the same credential CLOSED

2024-03-21 EM-63912 CDW CA Restorepoint Device Sync Fails, could be related to multiple attribute tabs

ts_guide_to_jira_link

Link: EM-63912: CDW CA Restorepoint Device Sync fails CLOSED

From the description:

```
This should go to team-insync as it has to do with v2.2.0 of the SyncPack
Prof. Services is unable to show CDW that the integration between SL1 and Restorepoint (RP) actually works. They have shown them, by manually adding a device in RP and backing it up successfully but have not been able to sell them on the integration.

Versioning & Environment:
SL1 11.3.1
RP SyncPack was 2.2.0 but updated to 2.2.1dev - no change in behavior
PF 2.6.1
RP PP in SL1 v104

Salesforce Case Number: 00422600

Observed Behavior:
Prof. Services trying to demo RP to CDW in their CA stack lab
Brand new set up
No devices in RP
Only trying to sync a single device to show it works
Chris with PS is saying that the devices are getting a NULL (---) ID attribute
It doesn't sync any devices or create credential sets or a domain and the Custom Attribute is NULL (---)
There are no actual devices sync'd to RP

Because I wasn't part of the initial set up/config I wanted to start from scratch
This same set up is working in my VM lab without issue (SL1 v11.3.1, RP PP v104, RP 2.6.0, RP SyncPack v2.2.0)

Uninstalled syncpacks from PF
Uninstalled Powerpack from SL1
Removed devices from RP Devices device group
Removed devices from Custom Attribute (ID value was ---)
Deleted RP Devices device group
Made sure the device didn't exist in RP
Made sure the Org it was part of did not exist as a domain in RP
Made sure there was no Credential Sets in RP
RP being brand new had nothing in it at all
Imported SyncPack 2.2.0 and activated it in PF
Aligned all the apps with the config
Imported and installed v104 of PowerPack in SL1
```

```
Verified dev group was set up correctly and it was
Aligned credentials with apps
Aligned RP Connectivity app to a device and ran RP Sync Devices in PF
RP Sync devices completes successfully (green) as does RP Onboard Devices but there are no devices, domains or cred sets in RP
Also, the RP custom attribute in SL1 is NULL (---)

I, also, noticed that all devices had 2 Attributes tabs in SL1
I checked 5 or 6 devices as did Chris with PS as did the customer and ALL devices have to 2 Attributes tabs

Found https://sciencelogic.atlassian.net/browse/EM-33927

Ran that query and see 2 rows for it
Ran the delete query and now all devices only have 1 Attribute tab but syncs still fail and it's because the attribute is NULL

Below is the payload of the step showing the c-RestorepointID is ""
Again, no failures in PF for the Sync Devices or Onboard Devices apps

Update SL device Custom Attribute },
"auto_clear": "1",
"auto_update": "1",
"bypass_interface_inventory": "0",
"c-RestorepointID": "",
"child_devices": [],
"class_type": "/api/device_class/5974",
"collector_group": "/api/collector_group/2",
"config_data": {
"URI": "/api/device/7/config_data",
"description": "Collected Config Dynamic App Data"
},
"critical_ping": "0",
```

Support noticed that all of the devices they tried to sync had multiple attribute tabs. This escalation is related to that issue: EM-33927: Attributes Tab double in device configuration page (em7 classic) CLOSED

2024-03-08 EM-3663: Devices stopped sync'ing after Restorepoint Syncpack upgrade to v2.2.0

ts_guide_to_jira_link

Link: INT-6029: Devices stopped sync'ing after Restorepoint Syncpack upgrade to v2.2.0 CLOSED

From the description:

```
Initially, the case was to troubleshoot intermittent SL1 to RP sync failures.
It mostly worked but sometimes failed
Todd upgraded the syncpack to v2.2.0 to see if that would help and now this integration is failing with the same error in all of their environments constantly
...
Traceback (most recent call last):
File "/usr/local/lib/python3.8/site-packages/ipaascore/BaseStep.py", line 599, in execute_step
```

```
self.retry_step(task=task, exc=err,
File "/usr/local/lib/python3.8/site-packages/ipaascore/BaseStep.py", line 959, in retry_step
task.retry(
File "/usr/local/lib/python3.8/site-packages/celery/app/task.py", line 706, in retry
raise_with_context(exc)
File "/usr/local/lib/python3.8/site-packages/ipaascore/BaseStep.py", line 577, in execute_step
self.execute()
File "/usr/local/lib/python3.8/site-packages/ipaascore/BaseStep.py", line 51, in inner_execute
execute = method(self)
File "/var/syncpacks_virtualenvs/is_syncpack_restorepoint/lib/python3.8/site-packages/is_syncpack_restorepoint/steps/CreateRestorepointDevice.py", line 168, in execute
updated_aligned_devices = devices_already_aligned.append(created_device.get('ID')) # Adding newly created device id to list
AttributeError: 'NoneType' object has no attribute 'append'

Expected Behavior:
Devices continue to sync from SL1 to RP when the syncpack is updated.
```

2024-02-27 EM-63522 In Out Powerflow Restorepoint: Onboard Device we are getting error

ts_guide_to_jira_link

Link: 💔INT-6006: In Our Powerflow Restorepoint: Onboard Device we are getting error CLOSED

From the description:

```
The customer is trying to specify that the default_backup_interval should be every day at 3AM with the string: 0 0 3 * * * *
The problem is in is_syncpack_restorepoint/is_syncpack_restorepoint/steps/CreateRestorepointDevice.py at lines: 115 through 122 where the default_backup_interval is being
checked for validity. The problem is with the check for the hour which does:
('0' <= default_back_up_values[2] <= '23' or default_back_up_values[2] == '*')
The string value '3' is greater than the string value: '23'. The comparison needs to be integers and not strings.
```